DGT-Aff011/4/2026-O/o DIR (TC) [E-file 79811]

भारत सरकार/Government of India

कौशल विकास और उद्यमिता मंत्रालय / Ministry of Skill Development and Entrepreneurship

प्रशिक्षण महानिदेशालय /Directorate General of Training

****

7वीं मंजिल, कौशल भवन, न्यू मोती बाग,
चाणक्यपुरी, नई दिल्ली – 110023,
दिनांक: 3 नवंबर, 2026

To

1. The State Directors

Assam, Andhra Pradesh, Bihar, Chhattisgarh, Haryana, Jharkhand, Karnataka, Maharashtra, Madhya Pradesh, Odisha, Rajasthan, Telangana, Uttar Pradesh and West Bengal.

2. The Regional Directors, RDSDEs
Assam, Andhra Pradesh, Bihar, Chhattisgarh, Haryana, Jharkhand, Karnataka, Maharashtra, Madhya Pradesh, Odisha, Rajasthan, Telangana, Uttar Pradesh and West Bengal.

Subject: Minutes of the 36th Meeting of the Standing Committee on Accreditation and Affiliation (SCAA) held on *21.10.2026 & 22.10.2026* - regarding.
Madam/Sir,

Please find enclosed herewith a copy of Minutes of the 36th Meeting of "Standing Committee on Accreditation and Affiliation (SCAA)" held on *21.10.2026 & 22.10.2026*. Any grievances regarding the decisions outlined in these Minutes may be raised through the portal within 30 days from the date of issue of this Minutes of the Meeting. Grievances submitted after the prescribed period will not be considered.

2. This issues with the approval of Competent Authority.

Yours faithfully,
Digitally signed by KETANKUMAR PRAVINBHAI PATEL
Date: 2026.11.03 15:47:49 +05'30'

(Ketan Patel/ केतन पटेल)

Director - TC/ निदेशक – टीसी

Copy for information to:
(i) Sr PPS to DG(T)/SS, DGT, Delhi
(ii) PPS to DDG (HQ), PPS to DDG (South), PPS to DDG (East).
(iii) DGT MIS Portal In-charge, DGT HQ, New Delhi, with a request to upload MoM on DGT MIS Portal.

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026

Signature Not Verified
Signed By:POOJA VERMA
Signing Date:03.11.2026

भारत सरकार/Government of India

कौशल विकास और उद्यमिता मंत्रालय / Ministry of Skill Development and Entrepreneurship

प्रशिक्षण महानिदेशालय /Directorate General of Training

******

Minutes of 36th Meeting of "Standing Committee on Accreditation and Affiliation held on *21.10.2026 and 22.10.2026"*

The 36th Standing Committee on Accreditation and Affiliation (SCAA) meeting was held on *21.10.2026 and 22.10.2026* through *VC*. During the meeting, the committee discussed matters related to the affiliation and de-affiliation of ITIs. The list of participants who attended the meeting is attached at **Annexure-1**.

2. At the outset, Sunil Kumar Gupta, DDG, DGT Chairperson of SCAA, welcomed all the committee members and participants. Thereafter, Shri Ketan Patel, Director, TC took up agenda points for detailed discussions. The details of discussions, deliberations, and agenda-wise decisions taken by the Chair, are placed below: -.

Agenda 1: Action taken report of 35th SCAA meeting related to Affiliation held on 20.08.2026 & 21.08.2026.

The Minutes of the 35th SCAA meeting held on 20.08.2026 & 21.08.2026 have been issued and shared with all concerned stakeholders for necessary action and compliance. The SCAA Committee is apprised of the same.

Agenda 2: Compliance report and reply against the Show Cause Notice from previous SCAA meetings.

In the previous meetings of the SCAA, deficiencies were noticed in certain cases, and the institutes were given an opportunity to submit compliance reports for the same. Further, in cases where Show Cause Notices (SCN) were issued, the institutes were also given an opportunity to submit their replies. The compliance reports received, and the replies to the SCN were placed before the SCAA for deliberation. The State-wise number is given below:

Table 1: State-wise number is given below:

Sr.no	State	Count of ITIs
1.	Assam	1
2.	Andhra Pradesh	1
3.	Bihar	12
4.	Chhattisgarh	2

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026

Signature Not Verified
Signed By:POOJA VERMA
Signing Date:03.11.2026

Sr.no	State	Count of ITIs
5.	Jharkhand	1
6.	Madhya Pradesh	1
7.	Maharashtra	2
8.	Odisha	3
9.	Telangana	1
10.	Uttar Pradesh	5
Grand Total		**29**

Remarks of 36th SCAA: Discussion on the compliance reports and replies submitted by the institutes against the Show-cause Notices issued during previous SCAA meetings was carried out. The SCAA examined the reports, and its remarks/decision are given in ***Annexure-2.***

Agenda:3 Non-receipt of the compliance reports sought in previous SCAA meetings:

Discussion on ITIs that have not submitted their compliance reports within the stipulated timeline set by the SCAA. List is provided in the *Annexure-3*

Remarks of 36th SCAA-The matters were discussed in the meeting, wherein it was observed that the institute(s) had failed to rectify the identified deficiencies. The decisions and directions issued in each of these meetings were uploaded in the public domain and also communicated to the applicant institute through the NIMI Affiliation Portal via the registered email ID. Despite repeated opportunities granted in the SCAA meetings, the institute consistently failed to respond to the SCAA decision. In view of the persistent non-compliance and lack of any substantive corrective measures by the applicant, the application for affiliation is hereby rejected. ITI may apply afresh.

The list of such ITIs is enclosed at ***Annexure-3****.*

Agenda:4 Discussion on the Inspection reports received from ITIs having more than 15 Units.

DGT, vide letter No. DGT-Aff0misc/4/2026-O/o DIR (TC) dated 01.06.2026, directed the concerned RDSDEs to conduct joint inspections of ITIs having more than 15 affiliated units in a single trade and less than 60% admissions against the approved seating capacity for the Academic Year 2025. The inspection was intended to verify the operational status of the institutes, adequacy of infrastructure, availability of instructors, machinery, and compliance with the Affiliation Norms.

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026
Signature Not Verified
Signed By:POOJA VERMA
Signing Date:03.11.2026

2. As per the summary provided below for inspection report received from Bihar, Uttar Pradesh and Madhya Pradesh

The State-wise number is given below:

Sr.no	State Name	Count of ITIs
1.	Bihar	4
2.	Uttar Pradesh	4
3.	Madhya Pradesh	1
Total		**9**

Remarks/Decision of 36th SCAA*:* The SCAA examined the reports, and its remarks/decision are given in ***Annexure-4***

Agenda5: Consideration of Replies of ITIs inspected for having more than 15 Affiliated Units in a single trade, in reference to DGT Letter No. DGT-Aff0misc/4/2026-O/o DIR (TC) dated 01.06.2026.

In reference to DGT letter No. DGT-Aff0misc/4/2026-O/o DIR (TC) dated 01.06.2026, inspection was conducted in respect of ITIs having more than 15 affiliated units in a single trade but admission less than 60%.

Accordingly, 26 ITIs were given opportunity to submit their reply. The matter pertaining to 26 ITIs is placed before the Committee for consideration.

Remarks/Decision of 36th SCAA*:* The SCAA examined the cases, and its remarks/decision are given in ***Annexure-5***

Agenda 6 :SSDEC Haryana- Proposal for SCVT to NCVT Conversion of Trade Units

The SSDEC Haryana, vide its 6th SSDEC meeting, submitted a proposal for the conversion of SCVT trade units to NCVET in 02 Government ITIs. The detail of the ITI is given below:

Sr.no	ITI Name and Address	District	MIS Code	Grading in case of existing IT	NCVT Affiliation required Trade Name	Shift wise trade and units recommended by SSDEC Committee	Remarks of 36th SCAA
I.	II.	III.	IV.	V.	VI.	VII.	VIII.

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026

Signature Not Verified
Signed By:POOJA VERMA
Signing Date:03.11.2026

1.	Govt. Industrial Training Institute Rakhi Shahpur, Rakh Shahpur,Hisar, 125039,Haryana	Hisar	GR06000131	8.2	Computer Operator and Programming Assistant -2(1+1)	Recommended Computer Operator and Programming Assistant -2(1+1)	Recommended
					Mechanic Diesel-2(1+1)	Recommended Mechanic Diesel- 2(1+1)	Recommended
2.	Govt. Industrial Training Institute Tohana, Fatehabad, 126119, Haryana	Fatehabad,	GU06000036	9.5	Electrician-2(1+1)	Recommended Electrician-2(1+1)	Recommended
					Draughtsman Mechanical-2(1+1)	Recommended Draughtsman Mechanical-2(1+1)	Recommended
					Painter General-01(0+1)	Recommended Painter General-01(0+1)	Recommended
					Mechanic Tractor -01(0+1)	Recommended Mechanic Tractor-01(0+1)	Recommended

Agenda 7: Court Cases

7.1 Ratification of action taken by DGT in compliance of orders of the Hon'ble High Courts in writ petitions filed by ITIs against de-affiliation and affiliation decisions

Background. Several ITIs filed writ petitions before the Hon'ble High Court of Judicature for Rajasthan (Benches at Jaipur and Jodhpur) and the Hon'ble High Court of Delhi. These petitions challenge de-affiliation orders issued under earlier SCAA meetings, or seek decisions on their representations. To comply with the courts' directions within their timelines, DGT issued Office Memoranda (OMs) with the approval of the competent authority.

Remarks/Decision of 36th SCAA: The details of the action taken and the decision of the SCAA are given in ***Annexure-6 (Parts A and B).***

7.2 Legal notice and court case filed by Simirata Devi ITI, Gorakhpur (PR09001294), regarding mapping of Electrician and Fitter trade units on the NCVT-MIS/SIDH Portal.

Remarks/Decision of 36th SCAA: The details of the matter and the decision of the SCAA are given in ***Annexure-6 (Part C).***

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026

Signature Not Verified
Signed By:POOJA VERMA
Signing Date:03.11.2026

Agenda 8: Other de-affiliation matters arising from previous SCAA meetings – State-wise

8.1 The Committee considered the cases of 43 ITIs placed under Agenda Item No. 8 in Annexure-7 of the Agenda, arising from the decisions of previous meetings of the SCAA. The matters relate to replies to Show Cause Notices, joint inspection and verification reports, compliance with earlier directions, and the surrender of trades or units.

8.2 With the permission of the Chair, the Committee also considered 14 supplementary cases under this Item, namely:

(i) the cases of four ITIs of Bihar recommended for de-affiliation by the 12th SSDEC, Bihar in its meeting held on 20.07.2026, and forwarded by the State Directorate vide letter No. T-03/Training(P)-05/2026-1352 dated 28.07.2026;

(ii) the cases of nine ITIs of Rajasthan in respect of which the Director Training, DTE Jodhpur reported the status of compliance with the decisions of the 25th and 31st SCAA vide letters No. DTE/Training/2026/12706 and No. DTE/Training/2026/12678, both dated 18.08.2026, forwarded by the RDSDE, Rajasthan on 23.09.2026; and

(iii) the case of one ITI of Rajasthan recommended for de-affiliation by the 9th SSDEC, Rajasthan. The reports contained in the said letters on three ITIs already included in Annexure-7, namely Shekhawati Pvt. ITI, SPR Pvt. ITI and Vidhya Pvt. ITI, were considered together with those cases. In all, the cases of 57 ITIs of Rajasthan (40), Madhya Pradesh (7), Haryana (4), Jharkhand (1), Gujarat (1) and Bihar (4) were considered.

8.3 The cases were examined with reference to the records available, the replies furnished by the ITIs, the reports of the State Directorates and the RDSDEs, the recommendations of the State Skill Development and Entrepreneurship Committees (SSDECs), and the Affiliation Norms for ITIs, 2025 (hereinafter "the Norms"), in particular Para 3.2 (change of location), Para 7.2 (grounds of de-affiliation), Para 7.3 (procedure, Tables 18, 19 and 20), Para 7.4 (general instructions) and Para 9.2 (building infrastructure). In each case, the Committee examined whether the ITI had been afforded a reasonable opportunity under Para 7.4(iv) of the Norms, whether its reply had been received within time and addressed the deficiencies, and whether compliance had been physically verified. The mere submission of documents was not treated as proof of rectification where physical verification was required.

8.4 The verification reports received from the State Directorates after the circulation of the Agenda were also considered. The facts, the issues and applicable provisions, the previous directions and the decision of the Committee in each case are recorded in Annexure-7.

8.5 The decisions of the Committee are summarised as under:

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026

Signature Not Verified
Signed By:POOJA VERMA
Signing Date:03.11.2026

Outcome	Raj.	MP	HR	JH	GJ	Bihar	Total
Cases in which de-affiliation is agreed	5	3	3	—	—	—	11
Case of partial de-affiliation	1	—	—	—	—	—	1
Cases of surrender of trades/units	—	1	—	—	1	—	2
Cases in which compliance is accepted	3	—	—	—	—	—	3
Cases in which a final Show Cause Notice / further opportunity is given	18	—	—	—	—	4	22
Cases referred to the State Directorate for verification or comments	6	—	—	—	—	—	6
Deferred and pending cases	7	3	1	1	—	—	12
Total	**40**	**7**	**4**	**1**	**1**	**4**	**57**

Remarks/Decision of 36th SCAA: The facts of each case, the issue and applicable provisions, the previous direction and the decision of the Committee are given State-wise in ***Annexure-7.***

General directions of the Committee

1. Every inspection and verification report shall contain a clear final recommendation, trade-wise and unit-wise, supported by item-wise findings, measurements and geo-tagged evidence, and not merely a list of deficiencies. Verification directed through the Nodal ITI Principal shall be carried out by that officer. This guidance shall be communicated to all inspecting officials.

2. All reports and submissions of the State Directorates, the RDSDEs and the ITIs shall identify the ITI by its name and MIS code, and shall be sent through the designated e-mail address, portal or e-Office channel.

3. Where a reply has not been received, or has been received after the stipulated period, the final-notice procedure under Tables 18 and 19 of Para 7.3 of the Norms shall be followed before a decision is taken, save where the Committee has decided otherwise on the record. A reply received within time shall be verified, where required, before a decision is taken.

4. Certificates relied upon for compliance, namely the Building Completion Certificate, the Structural Safety Certificate and the Fire Safety Certificate, shall be accepted only if issued by the competent authority and valid on the date of verification. Invoices and bills submitted in support of compliance shall be verified for genuineness, including through the GST portal, and the physical availability and working condition of the items concerned shall be confirmed. The submission of false or fabricated documents shall attract action under Para 7.2(viii) of the Norms.

5. Wherever these Minutes constitute a final Show Cause Notice, the reply shall reach DGT within the period specified in the respective case, at tc-deaffiliation@dgt.gov.in, with the subject "Reply to Notice of 36th SCAA Minutes — <ITI Name>, <MIS Code>, <State Name>". The reply shall be comprehensive, supported by documentary evidence and, where it runs into several pages,

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026
Signature Not Verified
Signed By:POOJA VERMA
Signing Date:03.11.2026

accompanied by an index of annexures. If no reply is received within the stipulated period, or if the reply is found unsatisfactory, the matter shall be decided as specified in the respective case, without further notice.

6. In every case of de-affiliation recorded above, no fresh admission shall be made in the de-affiliated trades/units with immediate effect. Trainees already admitted shall be permitted to complete their training and to appear in the examinations, after which the ITI or the units concerned shall be made inactive on the portal, in terms of Step 10 of Tables 18 and 19 of the Norms. The de-affiliation shall be given effect on the portal within two weeks from the date of issue of the order. An ITI de-affiliated in its entirety shall be debarred for a minimum period of three years under Para 7.4(vi) of the Norms.

7. The proposals of the State Directorate, Rajasthan for the installation of CCTV cameras, online attendance of trainees, the uploading of time-tables and periodic inspections were noted. Guidance on periodic inspections has already been circulated for comments.

8. An ITI aggrieved by a decision recorded above may submit a grievance through the NIMI grievance portal within 30 days from the date of issue of these Minutes, in accordance with Para 2.5.6 of the Norms.

Agenda 9: Miscellaneous Matters

The following de-affiliation matters were placed before the Committee:

(1) De-affiliation matter of Laxmi Devi Pvt. ITI (PR08001587), Rajasthan State

(2) De-affiliation matter of VNBP Pvt. ITI (PR09001655), Uttar Pradesh State

(3) De-affiliation matter of Srinivasa Pvt. ITI (PR29000168) , Karnataka State

Remarks/Decision of 36th SCAA: The brief of each matter and the remarks/decision of the SCAA are given in ***Annexure-8.***

The meeting ended with a vote of thanks to the Chair.

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026

Signature Not Verified
Signed By:POOJA VERMA
Signing Date:03.11.2026

List of Participants

The following DGT Officers were present during the meeting:

1. Sh. Sunil Kumar Gupta, Deputy Director General
2. Sh. Ketan Patel, Director, TC, DGT – Member
3. Sh. Satish Kumar, Joint Director, TC Section, DGT
4. Sh. Shramev Sharma, Deputy Director, TC-Section, DGT
5. Ms. Pooja Verma, Deputy Director, TC-Section, DGT
6. Sh. Arun Kumar Gupta, Deputy Director, TC-Section, DGT
7. Ms. Priyanka Soamani, Deputy Director, TC-Section, DGT
8. Ms. Kanika Kalhan, Assistant Director of Training, TC-Section DGT

The following officers from RDSDEs and State Directorate attended the meeting (through VC):

S. No.	State	Name of RDSDE Officials	Name of State Officials
1.	Andhra Pradesh	Shri K. Srikanth Babu, Deputy Director Shri ChandraMouli, Deputy Director	Shri R Venkat Ramana, Deputy Director
2.	Assam	Shri Rohan Patil, Deputy Director Shri. Heikham Pritam Singh, Assistant Director	Smt. Aibhee Lata Boro, Joint Director
3.	Bihar	Shri RC Mandal, Regional Director	Shri Rakesh Ranjan, Joint Director
4.	Chhattisgarh	Smt D. Subhashree, Regional Director	Ishwari Prasad Sahu, Deputy Director
5.	Gujarat	Shri Ujjwal Biswas, Regional Director	
6.	Haryana	Shri Yashpal, Deputy Director	Shri Anil Kumar Goel, Deputy Director Private
7.	Jharkhand	Shri Manish Mishra, Deputy Director	Ms Anju Aggarwal, Deputy Director
8.	Karnataka	Ms Naina Nagpal, Deputy Director	
9.	Maharashtra	Shri CM Diggiwadi, Assistant Director	Shri Prashant Dongre, Assistant Director
10.	Madhya Pradesh	Shri Abhay Arun Mahishi, Regional Director	Shri R K Austin, Deputy Director
11.	Odisha	Shri. Sanket Vasant Shinde, Deputy Director	Shri Rajat Panigrahi, Joint Director
12.	Rajasthan	Shri RC Meena, Regional Director	Shri Raj Kumar, Assistant Director
13.	Telangana	Shri Ravi Chilukoti, Regional Director, Shri NP Bannibagi Deputy Director	Shri Nagesh, Joint Director
14.	Uttar Pradesh	Shri Amit Kumar Yadav, Deputy Director	Shri Manish Kumar, Assistant Director

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026

Signature Not Verified
Signed By:POOJAVERMA
Signing Date:03.11.2026

Annexure-2: as referred in Agenda 2: Compliance Report for Accreditation/ Affiliation proposals from previous SCAA

Name of the State: Assam

Sr. no	ITI Name and Code	Trade/Unit sought for affiliation	Brief Facts of the matter	36th SCAA Remarks
I.	II.	III.	IV.	V.
1.	Samaguri Nagaon Pvt. ITI, Assam Vill.- Rangapara,Behind Suraksha Cement Factory P.O.- Rangapara P.S.- Samaguri Distt- Nagaon - 782140 TMP18297PR1648017143	1. Electrician 2(1+1+0) 2. Fitter 4(2+2+0) 3. Plumber 2(1+1+0) 4. Stenographer Secretarial Assistant (English) 2(1+1+0)	1. The case was earlier placed before the 16th and 18th SCAA Meetings, wherein an issue regarding the validity of the land lease was observed. No clear confirmation in this regard had earlier been received from the State Directorate/RDSDE. 2. The institute has now submitted a communication from the State Directorate mentioning that the ITI is functioning in SCVT mode under the PPP policy of the Government of Assam, formulated for establishment of ITIs in unserved areas of the State. Under the said arrangement, Government land and building have been handed over to the private partner for a period of 10 years, along with a Performance Bank Guarantee of ₹10 lakh. 3. Being the North Eastern State the case was again placed in 32nd SCAA meeting and Remarks of Meeting was as followed: 32nd SCAA Remarks *The State Directorate shall verify and confirm that the land/building arrangement and validity of the lease/agreement are in accordance with*	The Committee observed that multiple opportunities had already been granted to the State Directorate to furnish the requisite clarification; however, the same had not been provided. Nevertheless, considering that Assam is a North-Eastern State and in view of the request of the State Directorate for additional time, the Committee decided to grant a final opportunity of one month to submit the requisite clarification and confirm compliance, failing which the application shall be rejected and ITI may apply afresh

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026

Signature Not Verified
Signed By:POOJA VERMA
Signing Date:03.11.2026

Sr. no	ITI Name and Code	Trade/Unit sought for affiliation	Brief Facts of the matter	36th SCAA Remarks
I.	II.	III.	IV.	V.
			the applicable DGT affiliation norms and submit its confirmation to DGT within 15 days from the date of issue of these minutes. 4. In response to 32nd SCAA meeting The State Directorate has not furnished any clarification and has merely forwarded the agreement. 5. Though the lease term is inconsistent. Point A(4) states that the lease is for a period of 10 years, whereas Point 2 states that it is for three years, extendable by mutual understanding.	

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026

Signature Not Verified
Signed By:POOJA VERMA
Signing Date:03.11.2026

Name of the State: Andhra Pradesh

Sr. no	ITI Name and Code	Trade/Unit sought for affiliation	Brief Facts of the matter	36th SCAA Remarks
I.	II.	III.	IV.	V.
1.	Vijay Private ITI, Visakhapatnam PR28000468 Grading: 7.8	1. Mechanic Diesel - 4(2+2) 2. Mechanic Refrigeration and Air Conditioner - 2(1+1) 3. Computer Operator and Programming Assistant (COPA) - 2(1+1) 4. Solar Technician (Electrical) - 2(1+1) 5. Electronics Mechanic - 2(1+1)	Background: The 32nd SCAA found 14 deficiencies at M/s Vijay Private ITI and gave it 20 days to rectify them through the NIMI compliance module. The RDSDE was then to verify and report to DGT within 7 days. The position after verification is as follows. 1. Building approval: The plan (about 1,480 sq m site, 2,616 sq m floor area, G+2) was approved by the Panchayat Secretary on 13.03.2020. Under the AP Building Rules, 2017 and G.O.Ms. Nos. 119 and 443, that authority can sanction only individual residential buildings up to 300 sq m, and larger construction needs urban development authority permission. The ITI therefore has no valid permission from the competent authority. 2. BCC: The BCC was issued by a non-competent authority against the plan of an RCC house. It does not name the ITI or give floor-wise built-up area or structural stability. Property-tax payment is not a BCC, sanction or proof of authorization,	The Committee observed that the institute had been granted an opportunity during the 32nd SCAA Meeting to rectify the deficiencies. However, as per the RDSDE report, the institute has failed to rectify several deficiencies, including non-availability of valid building permission/BCC from the competent authority; shortage of classrooms and requisite classroom/laboratory facilities for the Mechanic Diesel and Fitter trades; non-availability of drawing tables and trainee furniture; discrepancies regarding the toilet block and absence of photographs of separate girls' and boys' toilets; non-submission of proof of payment for machinery purchases; inadequate and mismatched tools and equipment for the additional trades; deficiencies in the Computer Trade laboratory; and non-

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026

Signature Not Verified
Signed By:POOJA VERMA
Signing Date:03.11.2026

Sr. no	ITI Name and Code	Trade/Unit sought for affiliation	Brief Facts of the matter	36th SCAA Remarks
I.	II.	III.	IV.	V.
			so no valid BCC was obtained through the online mode. 3. Classrooms and labs: The institute has 9 classrooms against the requirement (a shortage of 2), and one classroom and one lab each are short for Mechanic Diesel and Fitter. The drawing hall exists, but there are no drawing tables or trainee furniture. This remains unrectified. 4. Toilets and amenities: A separate toilet block stands in the open area outside the main building but is not shown in the approved plan. The ITI claims separate toilets for girls and boys but gave no photographs. Drinking water on each floor, lift and PWD access were also not shown as rectified. 5. Machinery payments: Purchase bills were produced, but no proof of payment. The ITI submitted only a Bank of India term-loan letter listing payments of about Rs 53.16 lakh, which is not proof of payment. Under Section 269ST, payments of Rs 2 lakh or more must be through banking channels, so UTR or transaction details are needed against each invoice. 6. Tools, equipment and Computer Trade lab: Tools are insufficient in quantity and	maintenance of the Dead Stock Register. Further, proof of payment for power backup is pending. Although deficiencies relating to the Fire NOC and safety signage have been rectified, the overall infrastructure and equipment requirements remain unmet. In view of the above, the Committee did not recommend the institute for grant of affiliation at this stage. However, before taking a final decision, the institute shall be given a final opportunity to submit a detailed written explanation, along with all relevant supporting documents and geo-tagged photographs, on NIMI compliance module within 15 days from the date of issue of these minutes, explaining why its affiliation application should not be rejected. In the event of non-receipt of a reply within the stipulated

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026

Signature Not Verified
Signed By:POOJA VERMA
Signing Date:03.11.2026

Sr. no	ITI Name and Code	Trade/Unit sought for affiliation	Brief Facts of the matter	36th SCAA Remarks
I.	II.	III.	IV.	V.
			mismatched in specification for the additional trades. The computer lab has computers below specification, no antivirus, no Wi-Fi, no projector and inadequate seating. No payment proofs, photographs or invoices of revised items were received, so this remains unrectified. 7. Dead Stock Register: The register exists but has no entries. The ITI gave no response. 8. Power backup: Only 2.5 kVA was available. The newly submitted invoices may meet the requirement, subject to verification of payment proof (UTR or bank details). 9. Fire NOC: The NOC expired on 30.08.2025, but a valid one has since been submitted, so this deficiency may be removed. 10. Fire and safety signage and hazards: Rectification photographs show fire-safety and emergency-exit signage, and no hanging wires, water pipes or stored sticks and wood. These observations may be removed, subject to verification. 11. Skill India logo and signage: The logo is displayed below the notice board at the	period, or if the reply and supporting documents are found unsatisfactory, the affiliation application shall be liable to be rejected on the basis of the available records.

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026

Signature Not Verified
Signed By:POOJA VERMA
Signing Date:03.11.2026

Sr. no	ITI Name and Code	Trade/Unit sought for affiliation	Brief Facts of the matter	36th SCAA Remarks
I.	II.	III.	IV.	V.
			plot entrance. However, as per the])CiF Affiliation Norms, the prescribed plot-entrance signage board is required to display the ITI name, MIS Code, full address, ITI Logo, Skill India Logo, and DGT Logo. Since the Skill India logo appears to be displayed separately and is not clearly incorporated into the prescribed signage board Conclusion: Fire NOC, signage and safety hazards have been rectified, and power backup is conditional on payment proof. The material deficiencies of competent-authority approval of the building, BCC, classrooms and labs, toilets, tools and equipment, Dead Stock Register and Computer Trade lab remain. The RDSDE holds that building approval and completion certification must be a pre-condition for any recommendation, because trainees are already being trained in the premises and a structural or life-safety failure would put them, the staff and the authorities at risk. The RDSDE's recommendation is that the proposal for affiliation or continuation of the trade units is STRONGLY NOT RECOMMENDED at this stage.	

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026

Signature Not Verified
Signed By:POOJA VERMA
Signing Date:03.11.2026

Name of the State: Bihar

Sr. No	ITI Name and Code	Trade/Unit sought for affiliation	Brief Facts of the matter	36th SCAA Remarks
I.	II.	III.	IV.	V.
1.	Adarsh ITC, Daudnagar Aurangabad **Old Address**: Adarsh ITC, Daudnagar AT-, Growth Centre, Jasoia More Daudnagar Aurangabad Bihar **New Address**: Adarsh ITC, **plot number 512 Daudnagar Aurangabad At-, Growth Centre, Jasoia** More Daudnagar - 824143 Aurangabad Bihar PR10000142 Grading: 8.2 (Shifting matter) **State: Bihar**	Electrician – 8(4+4)	**Background**- This case was placed in the 26th dated.15.01.2026 and 32nd SCAA dated 02.07.2026 and 03.07. 2026.This is an ITI shifting case to a new location. In 26th SCAA Meeting seven clarifications were required from the Institute and allowed 30 days for submission. After the institute's compliance was received, the matter was placed again before the 32nd SCAA, which observed that two deficiencies, relating to the land deed and fire safety, were still unresolved. The committee allowed 20 days for compliance through the NIMI Affiliation Portal, with the State Directorate to verify and report to DGT within 7 days. **Deficiency raised by the 26th SCAA** 1. New address of the ITI, with Plot No./Khasra No. 2. Registered lease deed of the new location showing the lease period. Only the agreement paper forwarded by RDSDE Bihar on 27.01.2026 was available. 3. Lease document of the old location. 4. Availability of drawing tables in the drawing hall. 5. BCC of the new location as per norms (page 108, Affiliation Norms 2018). 6. Electricity bill of the old location and connection details of the new location.	SCAA observed that, as per the State Directorate report, the institute did not have the registered Land deed. In view of the above deficiency, the institute is not recommended for grant of affiliation**.** However, before taking a final decision in the matter, the applicant institute is hereby directed to submit a detailed written justification/reply along with all relevant supporting documents and geo-tagged photographs on NIMI compliance module within 15 days from the date of issuance of these Minutes, clearly explaining why the affiliation application should not be rejected. In case no reply is received within the stipulated timeframe, or if the reply and supporting documents submitted by the institute are found unsatisfactory, the affiliation application shall be liable for

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026

Signature Not Verified
Signed By:POOJA VERMA
Signing Date:03.11.2026

			7. Fire Safety Certificate of the new building. **Deficiencies remaining at the 32nd SCAA** 1. The lease deed at the new location is not registered. 2. The Fire Safety Certificate has expired. **Compliance report from the State against the deficiencies raised by the 32nd SCAA-** 1. **Lease deed: not resolved.** Land Deed is not registered. 2. **Fire Safety Certificate-**The Fire Safety Certificate was issued on 05.08.2026.	rejection without any further consideration.
2.	Sutara Private Industrial Training Institute Katihar At Devipur, Nh 31, Post M.T. Devipur, Police Station Kursela, Dist Katihar, Bihar Pin 854101 TMP10201PR1745393414	1. Electrician - 8(4+4) 2. Fitter - 4(2+2) 3. Mechanic Diesel - 2(1+1) 4. Surveyor - 2(1+1)	**Background:** This case was placed in the 28th dated.28.04.2026. In 28th SCAA the following deficiencies observed and allowed 20 days for compliance through the NIMI Affiliation Portal, with the State Directorate to verify and report to DGT within 7 days. **Deficiencies observed by the 28th SCAA** 1. The Mechanic Diesel workshop is only 119.26 sq m against the required 210 sq m, and the parking area is not defined. 2. Power consumption/load is already very high for a new ITI, which may indicate other activity in the premises.	Based on the recommendation of State Directorate SCAA recommended the following trades/Units: 1. Electrician - 8(4+4) 2. Fitter - 4(2+2) 3. Mechanic Diesel - 2(1+1) 4. Surveyor - 2(1+1)

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026

Signature Not Verified
Signed By:POOJA VERMA
Signing Date:03.11.2026

			3. Hard punching/engraving of the ITI name is not visible on the machinery and equipment. **State Directorate submitted the compliance report against the deficiencies raised by the 28th SCAA** 1. A revised building plan has been submitted indicating that the proposed Mechanic Diesel workshop is as per the prescribed Norms. However, the same is yet to be verified. 2. The institute has claimed that electricity meter is defective. 3. The name of the ITI engraved on the building is Not as per the prescribed Norms. The matter was then placed before the 32nd SCAA, which found that the deficiency of Mechanic Diesel workshop requires physical verification. Further, the institute has not complied with the prescribed norms regarding proper engraving/identification of machinery and equipment. The institute was given 7 days to rectify, after which the State Directorate was to visit, verify physically and report to DGT within the next 7 days with GPS-enabled photographs. **Compliance submitted by the State Directorate against the remarks of the 32nd SCAA** 1. Engraving/identification marks are available on the machinery and equipment of the Mechanic Diesel, Electrician, Fitter and Surveyor trades.	

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026

Signature Not Verified
Signed By:POOJA VERMA
Signing Date:03.11.2026

			GPS-enabled photographs are attached. 2. A Mechanic Diesel workshop area of 213.69 sq. m and a separate parking/washing pit of 23.2 sq. m are available. GPS-enabled photographs and the drawing map are attached. 3. The institute has cleared the discrepancies raised in the 32nd SCAA Meeting.	
3.	Mundrika Singh Yadav Pvt ITI Arwal At Sonbhadra P.S Banshi Dist Arwal (Bihar)-804419 TMP10611PR174592 2380	1. Computer Operator and Programming Assistant - 2(1+1) 2. Electrician - 4(2+2) 3. Fitter - 4(2+2) 4. Mechanic Diesel - 2(1+1)	**Background-** This case was placed in the 28th dated.28.04.2026. In 28th SCAA the following deficiencies are observed and SCAA allowed 20 days for compliance through the NIMI Affiliation Portal, with the RDSDE to verify by joint inspection and report to DGT within 7 days. **Deficiencies Observed in the 28th SCAA** 1. No infrastructure/ facilities are available for the Mechanic Diesel trade; therefore, the institute is Not fulfilling the mandatory four-trade criteria as per Norms. Further, the ICVC has recommended only three trades. 2. The lease deed submitted is Not registered. 3. The Building Completion Certificate (BCC) submitted is valid only for the year 2025–26. 4. There is a shortage of electrical power load. Required power load: 25.52 kW Available power load: 24.3 kW 5. The electricity bill has Not been submitted. Only the meter sealing report has been provided. 6. The validity of the Fire Safety Certificate has expired. 7. The institute building appears to be a temporary tin-shed structure; however, No specific	Based on the recommendation of State Directorate SCAA recommended the following trades/Units: 1. Computer Operator and Programming Assistant (COPA) - 2(1+1) 2. Electrician - 4(2+2) 3. Fitter - 4(2+2) 4. Mechanic Diesel - 2(1+1)

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026

Signature Not Verified
Signed By:POOJA VERMA
Signing Date:03.11.2026

			comments/ observations in this regard have been made by the ICVC in the inspection report **Compliance report from RDSDE against the deficiencies raised by the 28th SCAA** All the deficiencies have been removed as per uploading of different photos and different documents as per 28th SCAA comments. The joint inspection committee inspected Mechanic Diesel workshop and inspected the tools and working machines in the workshop. 1. The working engines conditions have been uploaded and recommended the trade with units of Mech. Diesel - 01+01= 02 Units. 2. The Deficiencies mentioned in the SCAA meeting with Serial No.01 to 07 have been removed and on the basis of documents attached and joint inspection report with uploaded online NIMI Portal report, it may be considered for further action at next SCAA level meeting. **TC section observation-** 1. Electricity Bill Not provided at this time also 2. Registration Certificate (RC) of the vehicle in the name of the institute is not provided **Based on the remarks of 32nd SCAA State Directorate submitted the following compliance:** *The latest electricity bill and the RC of the vehicle have been submitted by the ITI (both are in the name of the ITI).*	

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026

Signature Not Verified
Signed By:POOJA VERMA
Signing Date:03.11.2026

4.	Gorakh Prasad Private ITI Vill-Sawan Vigrah, PO-Maharajganj, P.S.-Duraund - 841238 Siwan PR10000959 Grading: 7.6	1. Computer Operator and Programming Assistant - 2(1+1) 2. Electrician - 8(4+4)	**Background:** In the 32nd SCAA dated 02.07.2026 and 03.07.2026, two deficiencies were observed in this ITI. The ITI was given 20 days to submit documents through the compliance module on the NIMI Affiliation Portal, with the State Directorate to verify and report to DGT within 7 days. **Deficiencies observed by the 32nd SCAA** 1. Proof of payment for the purchase of machinery was not submitted. 2. The land is registered in the name of the Society, but no Society resolution was submitted permitting use of the land for establishing and operating the ITI. Based on the remarks of 32nd SCAA State Directorate submitted the following compliance: 1. **Proof of payment:** It has been submitted by the ITI and payment proofs are in the name of the society. **2. Society resolution:** Submitted by the ITI.	Based on the recommendation of State Directorate SCAA recommended the following trades/Units: 1. Computer Operator and Programming Assistant - 2(1+1) 2. Electrician -8(4+4)
5.	Mehi Private Industrial Training Institute Purnia Mohammadpur Barsoni, Near Virvan Gao, Mahamdia Road, Barsouni, Nh 31,	1. Computer Operator and Programming Assistant - 2(1+1)	**Background:** In the 32nd SCAA dated 02.07.2026 and 03.07.2026, four deficiencies were observed in this ITI. The ITI was given 20 days to submit documents through the compliance module on the NIMI Affiliation Portal, with the State Directorate to verify and report to DGT within 7 days. **Deficiencies Observed in the 32nd SCAA**	Based on the recommendation of State Directorate SCAA recommended the following trades/Units: 1. Computer Operator and Programming Assistant - 2(1+1)

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026

Signature Not Verified
Signed By:POOJA VERMA
Signing Date:03.11.2026

	P.S. Dagarua - 854326 - Purnia Bihar TMP10214PR1744 736199	2. Cosmetology - 2(1+1) 3. Electrician - 6(3+3) 4. Fitter - 2(1+1)	1. The Land Lease Deed submitted with the application is not registered. Further, the total land area is not mentioned in the Lease Deed. 2. As per the Building Plan, all workshops are shown together and are not clearly demarcated trade-wise. 3. Against the required power load of 25.41 kW, only 23.4 kW is available. Further, the extension of the sanctioned load is not reflected in the electricity bill. 4. E-way bills for the machinery/equipment purchased have not been made available for verification. **Compliance report from State against the deficiencies raised by the 32nd SCAA** 1. The registered land deed has been provided, and the area is mentioned therein. 2. The workshops are clearly demarcated. 3. The electricity bill has been provided, reflecting a load of 26 kW. 4. The e-way bill has been submitted.	2. Cosmetology -2(1+1) 3. Electrician -4(2+2) 4. Fitter - 2(1+1) and Electrician-2(1+1) is not recommended due to shortage in Workshop Area
6.	Harnaut Private ITI, Vill:- Cheran, P.O + P.S :- Harnaut, Nalanda – 803110 PR10001410 Grading: 6.1	Electrician - 8(4+4)	**Background:** The case was placed in 32nd SCAA dated 02.07.2026 and 03.07.2026, the ITI was directed to remove the deficiencies mentioned below. It has 20 days from the date of issue of the minutes to submit the supporting documents to the concerned State Directorate through the compliance module on the NIMI Affiliation Portal. The State Directorate will then verify the documents and submit its report with a recommendation to DGT	SCAA observed that the State Directorate has reported compliance with the deficiencies identified during the 32nd SCAA Meeting, including submission of the Trust resolution, the sanctioned load extension letter and e-way bills for machinery/equipment. The

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026

Signature Not Verified
Signed By:POOJA VERMA
Signing Date:03.11.2026

			within the next 7 days on the online compliance module. **Deficiencies Observed in the 32nd SCAA** 1. The Land Lease Deed is in the name of the Trust; however, no resolution from the Trust permitting the use of the land for the ITI has been provided. 2. Against the required power load of 31.12 kW, the available sanctioned load is reflected as 19–32 kW. However, no duly authorized letter for extension of the load to 32 kW has been provided. Further, the electricity connection/load-related document is in the name of Shri Ashok Kumar along with the ITI's name, whereas Shri Ashok Kumar is not reflected/associated in the application. 3. E-way bills for the machinery/equipment purchased have not been provided for verification. 4. For the proposed 4+4 units of Electrician trade, the required workshop area is 392 sq. m.; however, only 360 sq. m. is available. **Compliance report from State against the deficiencies raised by the 32nd SCAA** 1. The resolution has been submitted. 2. The load extension letter for 32 kW, signed by the Assistant Electrical Engineer, Electric Supply Sub-Division, Biharsharif (Rural-1), is provided 3. E-way bills for the machinery/equipment have	State Directorate has also informed that, as per the approved building plan, the workshop area available for the proposed 8 (4+4) units of Electrician trade is 428 sq. m. However, the reported workshop area and rectification of the related deficiency have not been physically verified. Accordingly, the State Directorate shall physically verify the workshop area and other relevant compliance, and submit a duly verified report with its specific recommendation to DGT within 15 days on NIMI Compliance module.

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026

Signature Not Verified
Signed By:POOJA VERMA
Signing Date:03.11.2026

			been provided. 4. As per the approved building plan, the workshop area available for the proposed 8(4+4) units of Electrician trade is 428 sq. m.	
7.	Suraj Sawariya Private ITI Balaha, AmNour, 874569, Saran Bihar PR10000435 Grading: 8.2	1. Computer Operator and Programming Assistant - 2(1+1) 2. Surveyor - 2(1+1)	**Background:** At the 32nd SCAA dated 02.07.2026 and 03.07.2026, the ITI was directed to remove the deficiencies mentioned below. It has 20 days from the date of issue of the minutes to submit the supporting documents to the concerned State Directorate through the compliance module on the NIMI Affiliation Portal. The State Directorate will then verify the documents and submit its report with a recommendation to DGT within the next 7 days on the online compliance module. **Deficiencies Observed in the 32nd SCAA** 1. The Building Completion Certificate (BCC) is not as per the prescribed norms. (for BCC please refer page No.108 of Affiliation Norms 2018). 2. Against the required power load of 36.32 kW, the electricity bill has not been provided. Although a load extension letter for 52 kW, signed by the JE, has been submitted, neither the current nor the previous electricity bill has been provided for verification. 3. Machinery and equipment are not available for the Surveyor trade, for which the requisite purchase bills have not been provided. 4. In the building plan no area for COPA lab. The number of computers available is less than the prescribed requirement.	SCAA observed that, as per the State report, the institute has certain deficiencies, including a workshop roof constructed with tin sheets and the non-availability of machinery purchase bills for the Surveyor trade. In view of the above deficiencies, the institute is not recommended for grant of affiliation**.** However, before taking a final decision in the matter, the applicant institute is hereby directed to submit a detailed written justification/reply along with all relevant supporting documents and geo-tagged photographs to DGT on NIMI compliance module within 15 days from the date of issuance of these Minutes, clearly explaining why the affiliation application should not be rejected. In case no reply is received within the stipulated timeframe, or if the reply and supporting documents submitted by the

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026

Signature Not Verified
Signed By:POOJA VERMA
Signing Date:03.11.2026

			5. The workshop roof is constructed with tin sheets. **Compliance report from State against the deficiencies raised by the 32nd SCAA** 1. The building plan is as per norms. 2. The load extension from 32 kW to 52 kW has been submitted. 3. Machinery bills for the Surveyor trade are not available. 4. The area for the COPA lab is now mentioned in the building plan, and images of the computers have been added by the institute. 5. The workshop roof is constructed with tin sheets; the State Directorate has been unable to verify this. 6. The ITI has mentioned that it has also applied for the addition of Electrician 3+3 and Fitter 2+2 units.	institute are found unsatisfactory, the affiliation application shall be liable for rejection without any further consideration.
8.	Savitri Private ITI At- Chandani Chowk, Po-Budhama, Dist-Madhepura- 8 852114 PU10001104 Grading: 6.4	1. Electrician-8(4+4) 2. Data Entry Operator-2(1+1)	**32nd SCAA Remarks** **Background:** At the 32nd SCAA dated 02.07.2026 and 03.07.2026, the ITI was directed to remove the deficiencies mentioned below. It has 20 days from the date of issue of the minutes to submit the supporting documents to the concerned State Directorate through the compliance module on the NIMI Affiliation Portal. The State Directorate will then verify the documents and submit its report with a recommendation to DGT within the next 7 days on the online compliance module. **Deficiencies Observed in the 32nd SCAA**	Based on the recommendation of the State Directorate, the SCAA recommended the following trade/unit for affiliation: 1.Electrician (New): 4 units (2+2). The SCAA did not recommend the following trade/units for affiliation due to the deficiencies indicated below:

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026

Signature Not Verified
Signed By:POOJA VERMA
Signing Date:03.11.2026

			1. The land is in the name of the President of the Society; however, no resolution authorizing the ITI to use the land has been submitted. 2. The condition of the Drawing Hall is not satisfactory. The flooring is not tiled, and proper drawing boards are not available. 3. Safety mats are not available in the workshop. 4. The ITI logo/signage displayed at the main gate is in the form of a temporary banner, and permanent signage has not been installed. **Compliance report from State against the deficiencies raised by the 32nd SCAA** 1. The resolution has been provided by the applicant. 2. The floor of the Drawing Hall is now tiled. 3. Safety mats are now available. 4. The ITI banner is now as per norms.	1. Electrician (New): 4 units (2+2) – Not recommended due to a shortage of tools and equipment and inadequate workshop area. 2. Data Entry Operator: 2(1+1) not recommended due to the shortage of major required tools and equipment.
9.	Barmati Devi Private ITI , Kaimur (Bhabua) Nonar, Chhewari, Ramgarh, Kaimur(Bhabua) Bihar 821110, Kaimur Bhabua	1. Electrician - 4(2+2) 2. Fitter - 4(2+2) 3. Plumber - 2(1+1) 4. Welder - 2(1+1)	**32nd SCAA Remarks** **Background:** At the 32nd SCAA dated 02.07.2026 and 03.07.2026, the ITI was directed to remove the deficiencies mentioned below. It has 20 days from the date of issue of the minutes to submit the supporting documents to the concerned State Directorate through the compliance module on the NIMI Affiliation Portal. The State Directorate will then verify the documents and submit its report with a recommendation to DGT within the next 7 days on the online compliance module. **Deficiencies Observed in the SCAA**	SCAA observed that, as per the State report, the institute still has certain deficiencies, including workshop roof constructed with tin sheets and drawing hall. In view of the above deficiencies, the institute is not recommended for grant of affiliation**.** However, before taking a final decision in the matter, the applicant institute is hereby directed to submit a

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026

Signature Not Verified
Signed By:POOJA VERMA
Signing Date:03.11.2026

	TMP10200PR17 45859449		1. A registered lease deed is not available. 2. There is a shortage of electrical load. The required connected load is 31.22 kW, whereas the available load is 29.7 kW. 3. Drawing Hall is Not as per the norms, as drawing tables are Not available. 4. Workshop area provided for the Welder and Plumber trades is less than the prescribed norms. 5. The workshop floors are not properly tiled. 6. The workshop is covered with a tin-sheet roof. **Compliance report from State against the deficiencies raised by the 32nd SCAA** State Directorate has submitted that 1. Lease deed and Electrical load are as per norms 2. Drawing Hall Drawing tables are available, but the flooring is not tiled. 3. Workshop area: required to verify 4. Flooring and roof: The workshop shed is made of tin and the flooring has not been done, so both remain unresolved.	detailed written justification/reply along with all relevant supporting documents and geo-tagged photographs to DGT on NIMI compliance module within 15 days from the date of issuance of these Minutes, clearly explaining why the affiliation application should not be rejected. In case no reply is received within the stipulated timeframe, or if the reply and supporting documents submitted by the institute are found unsatisfactory, the affiliation application shall be liable for rejection without any further consideration. In the event that a reply is received, the State Directorate shall conduct a physical verification of the institute to verify the rectification of deficiencies and submit its inspection report to DGT within 15 days of receipt of the reply.
10.	Maa Kamakhya Private ITI Kaimur (Bhabua) At Musian,	1. Computer Operator and	**32nd SCAA Remarks** **Background:** In 32nd SCAA dated 02.07.2026 and 03.07.2026, the ITI was directed to remove the deficiencies mentioned below and submit the	SCAA observed that following deficiency still not rectified by the applicant institute

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026

Signature Not Verified
Signed By:POOJA VERMA
Signing Date:03.11.2026

	Post. Bagarhi, Ps Ramgarh, Dist Kaimur - 802132 TMP10200PR1743067121	Programming Assistant -2(1+1) 2. Electrician - 4(2+2) 3. Fitter - 4(2+2) 4. Plumber - 2(1+1)	requisite documents to the concerned RDSDE within 20 days from the date of issue of these Minutes through the Compliance Module of the NIMI Affiliation Portal. Thereafter, the concerned RDSDE and State Directorate shall jointly conduct a visit to the institute to verify the rectification of deficiencies and the documents submitted by the ITI. The verification report, along with specific recommendations, shall be submitted to DGT within the subsequent 07 days through the online Compliance Module. **Deficiencies Observed in the 32nd SCAA** 1. The walls of the workshop are made of tin sheets, which is not in accordance with the prescribed norms. 2. The Lease Deed is not registered. 3. The electricity bill has not been provided for verification. 4. The available workshop area for the Plumber trade is deficient and does not meet the prescribed area requirement. a. Available= 70 sqm b. Required= 80 sqm 5. A separate IT Lab is not available as per the prescribed norms. **Compliance report from State against the deficiencies raised by the 32nd SCAA**	1. All internal walls within the built-up area are not plastered and painted. 2. Safety mats not available. It is also observed that the area of Plumber lab has increased from 70 sqm to 82.5 sqm. It needs to be clarified whether the additional area was constructed or reallocated. Applicant needs to remove these deficiencies and submit the documents to the concerned State Directorate within 30 days from the date of issue of these Minutes through the compliance module on NIMI affiliation portal. Thereafter, concerned State Directorate will verify by visiting the institute and submit the report with recommendation to DGT within the next 15 days on the online compliance module.

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026

Signature Not Verified
Signed By:POOJA VERMA
Signing Date:03.11.2026

			1. Brick Walls Deficiency: The workshop walls are made of tin sheets, which is not in accordance with the prescribed norms. **Document/Rectification:** The walls have been rebuilt with bricks. A GPS-tagged photograph is attached for verification. **2. Lease Deed Deficiency:** The lease deed is not registered. **Document/Rectification:** The ITI uploaded the registered lease agreement dated 28 July 2026 and the same has been verified by the State Directorate **3. Electricity Bill Deficiency:** The electricity bill has not been provided for verification. **Document/Rectification:** The bill was not generated owing to a long-pending electricity server issue. A bill copy signed by the Assistant Engineer, Electric Supply Sub-Division, Ramgarh, Kaimur, is provided. The load has been extended by 3 KW; hence, the total sanctioned electrical load is now 21 KW. **4. Workshop Area Deficiency:** The workshop area for the Plumber trade does not meet the prescribed requirement. • Available: 70 sqm • Required: 80 sqm **Document/Rectification:** The total workshop area	

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026

Signature Not Verified
Signed By:POOJA VERMA
Signing Date:03.11.2026

			is now 82.50 sqm. **5. Separate IT Lab** A separate IT Lab is not available as per the prescribed norms. **Document/Rectification:** A separate IT Lab is now available with 12 working computers. It is verified also The figure of "82.50 sqm" is not supported by dimensions, a signed sketch or a layout plan. The measuring-tape photograph shows an unreadable tape over a carpeted floor. The "GPS-modified map" is not available in the file. TC Section Remarks: 1. All internal walls within the built-up area are not plastered and painted. 2. Safety mats not available 3. The area has increased from 70 sqm to 82.5 sqm within about three weeks. It needs to be clarified whether the additional area was constructed or reallocated.	
11.	Swati Navya Private ITI Lallu Pokhar Munger 811201 – Bihar PU10001036 Grading: 8.2	1. Electrician-4(2+2) 2. Fitter - 4(2+2) 3. Wood Work Technician 2(1+1)	**32nd SCAA Remarks** **Background:** At the 32nd SCAA dated 02.07.2026 and 03.07.2026, the ITI was directed to remove the deficiencies mentioned below. It has 20 days from the date of issue of the minutes to submit the supporting documents to the concerned State Directorate through the compliance module on the NIMI Affiliation Portal. The State Directorate will then verify the documents and submit its report with a recommendation to DGT within the next 7 days on the online compliance module.	SCAA recommended the following trades/Units: 1. Electrician-2(1+1) 2. Wood Work Technician 2(1+1) Not Recommended: 1. Fitter – 04 units (02+02): Not recommended due to the non-availability of the required

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026

Signature Not Verified
Signed By:POOJA VERMA
Signing Date:03.11.2026

			Deficiencies Observed in the 32nd SCAA 1. No purchase bills for the tools and equipment of the proposed new Fitter trade have been submitted. 2. No tools and equipment for the proposed new Fitter trade have been installed. Further, no separate workshop area for the new Fitter trade is available. The available workshop area is only for the new Electrician trade, with a capacity of 01+01 = 02 units. 3. Some of the installed machines in the existing Electrician workshop are not in working condition. The workshop area for the proposed new Fitter trade is not available, and no machinery has been installed for the new Fitter trade. 4. The tools and equipment available for the new Electrician trade are sufficient only for 01+01 = 02 units, and the workshop area is also available only for 01+01 = 02 units. Tools and equipment required for the total proposed 02+02 = 04 units of the new Electrician trade are not available. 5. The Wood Work Technician (WWT) workshop has the required machinery installed. However, no separate workshop area with the required installed machinery is available for the proposed new Fitter trade. 6. The registered lease deed is not available/not clear. 7. Shortage of electrical load: required – 32.44	workshop area for the installed items and equipment. 2. Electrician – 02 units (01+01): Not recommended due to the non-availability of the required workshop area.

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026

Signature Not Verified
Signed By:POOJA VERMA
Signing Date:03.11.2026

			kW; Available = 21.6 kW. Load extended 26 KW 8. Load extension has been requested, but the sanction has not been generated. The fire safety certificate expired on 16.05.2026. **Compliance report from State against the deficiencies raised by the 32nd SCAA** The applicant has informed that the Fitter trade has been surrendered. Only 1+1 new units of the Electrician trade are sought for affiliation. 1. The lease deed is registered. 2. The fire safety certificate has been renewed.	
12.	Ravi Singh Private Industrial Training Institute, Aurangabad Salempur, Itwan, Haspura, Aurangabad 824120 – Bihar TMP10189PR1582808446	1. Computer Operator and Programming Assistant - 3(1+1+1) 2. Electronics Mechanic - 3(1+1+1) 3. Electrician-24 (8+8+8) 4. Fitter – 6 (2+2+2)	**Background:** This case was placed before the 26th SCAA (15.01.2026) and the 32nd SCAA (02.07.2026 and 03.07.2026). At the 26th SCAA, the committee observed that the ITI had sought a substantially high number of Electrician units, so a dedicated workshop and adequate machinery were required. However, the machinery was not as per the units sought and the workshop area was also less than required. The ITI was therefore given 30 days to rectify the deficiencies, and re-verification by a different inspecting member, preferably from a nearby RDSDE/NSTI, was ordered. At the 32nd SCAA, the committee found that the ITI had not complied with the norms and lacked adequate infrastructure and safety arrangements. It directed the State Directorate to verify physically and report to DGT within 15 days, with specific recommendations and GPS-enabled photographs.	SCAA recommended the following trades/units: 1. Computer Operator and Programming Assistant - 2(1+1) 2. Electronics Mechanic - 2(1+1) 3. Electrician-8 (4+4) 4. Fitter – 2 (1+1) And Not Recommended the following trades/units: Electrician 8(4+4): units were not recommended due to a shortage of workshop area and non-installation of major tools and

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026

Signature Not Verified
Signed By:POOJA VERMA
Signing Date:03.11.2026

			Deficiencies observed in 26th SCAA- 1. Tools and equipment are installed as per Norms of the Electrician trade for 04+04 = 08 units only; however, there is a shortage of workshop area as well as major tools and equipment installation for the remaining applied units of the Electrician trade (04+04 = 08 units). 2. Only a single lathe machine was available in the Fitter trade workshop; all other tools and equipment were available. within 30 days from the date of issuance of these minutes. 3. Bills of Computer Operator and Programming Assistant and IT lab computers are required to be reverified. **Deficiencies persisting at the 32nd SCAA** 1. The COPA lab is located in an open area. 2. The workshop appears to have a partially open roof, which is not safe for trainees. 3. The lathe machines appear old and rusted. **Compliance report from State against the deficiencies raised by the 32nd SCAA** 1. The COPA laboratory has been established in a secure and standard-compliant RCC-roofed room. The necessary furniture and	equipment required for the additional units. Fitter 2(01+01) units were not recommended due to a shortage of workshop area and non-availability of an Machinery

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026

Signature Not Verified
Signed By:POOJA VERMA
Signing Date:03.11.2026

			safety facilities are available for conducting training. GPS-enabled photographs have been provided on Page 2 of the inspection report. 2. The entire workshop building is fully covered and protected with GI sheets. The necessary structural and safety arrangements are available. No open or unsafe portion was found during physical verification. GPS-enabled photographs have been provided on Page 3 of the inspection report. 3. The lathe machines were physically inspected and found to be new, functional and in suitable condition for imparting training. Supporting photographs of the newly branded lathe machines installed in the Fitter workshop have been provided. A supporting tax invoice dated 23.07.2026 for the purchase of two SS and SC Centre Lathes has also been provided	

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026

Signature Not Verified
Signed By:POOJA VERMA
Signing Date:03.11.2026

Name of the State: Chhattisgarh

Sr. no	ITI Name and Code	Trade/Unit sought for affiliation	Brief Facts of the matter	36th SCAA Remarks
I.	II.	III.	IV.	V.
1.	Agrasen ITC, Dagania, Balod Vill-Dagania, Tah- Gunderdehi, District-Balod (C.G) - 491221, - Chhattisgarh PR22000089 Grading: 8.1	1. Computer Operator and Programming Assistant - 2(1+1) 2. Electrician - 8(4+4) 3. Mechanic Diesel - 2(1+1) 4. Solar Technician (Electrical) - 2(1+1)	**Background:** In 34th SCAA dated 06.08.2026, the ITI was directed to remove the deficiencies mentioned below. And submit the requisite documents to the concerned RDSDE within 30 days from the date of issue of these Minutes through the Compliance Module of the NIMI Affiliation Portal. Thereafter, the concerned RDSDE and State Directorate shall jointly conduct a visit to the institute to verify the rectification of deficiencies and the documents submitted by the ITI. The verification report, along with specific recommendations, shall be submitted to DGT within the subsequent 15 days through the online Compliance Module. **Deficiencies Observed in the 34th SCAA** 1. The Building Completion Certificate (BCC) indicates that the construction was completed during 2013–14; however, the certificate does not bear the date of issue or the signature of the competent Government authority. 2. The electrical power supply for the Electrician and Mechanic Diesel workshops is not connected through the designated	SCAA recommended the following trades/units: 1. Computer Operator and Programming Assistant - 2(1+1) 2. Electrician - 8(4+4) 3. Mechanic Diesel - 2(1+1) 4. Solar Technician (Electrical) - 2(1+1)

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026

Signature Not Verified
Signed By:POOJA VERMA
Signing Date:03.11.2026

Sr. no	ITI Name and Code	Trade/Unit sought for affiliation	Brief Facts of the matter	36th SCAA Remarks
I.	II.	III.	IV.	V.
			electricity meter. 3. **Mechanic Diesel Trade:** • Machinery/Equipment at Serial No. 89 is not available. • Machinery/Equipment at Serial No. 165 is not as per the prescribed specifications. • Machinery/Equipment at Serial No. 64 is an old used vehicle, and the purchase bill is not available. • Machinery/Equipment at Serial No. 171 is an old used vehicle without a registration number plate, and the purchase bill is not available 4. **Solar Technician (Electrical) Trade:** • Machinery/Equipment at Serial Nos. 83, 84, 91, and 100 is not installed. 5. **Electrician Trade:** • Machinery/Equipment at Serial Nos. 126 and 145 is not installed. • Earthing provided for the electrical laboratory equipment is substandard. 6. **Computer Operator and Programming Assistant** • The available computers do not conform to the prescribed norms. • Machinery/Equipment at Serial Nos. 10,	

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026

Signature Not Verified
Signed By:POOJA VERMA
Signing Date:03.11.2026

Sr. no	ITI Name and Code	Trade/Unit sought for affiliation	Brief Facts of the matter	36th SCAA Remarks
I.	II.	III.	IV.	V.
			11, and 23 is not available. 7. **Electrician Trade:** • Machinery/Equipment at Serial Nos. 17, 72, and 73 is not as per the prescribed norms. • Machinery/Equipment at Serial Nos. 128 and 188D is not available. • Machinery/Equipment at Serial No. 126 is not installed. 8. **Solar Technician (Electrical) Trade:** • Machinery/Equipment at Serial Nos. 43 and 44 is not available. • Machinery/Equipment at Serial Nos. 83 and 84 is not installed. 9. The campus boundary of Agrasen ITI is not clearly demarcated. The northern boundary wall is under construction. The Electrician and Mechanic Diesel workshops are located outside the main gate of the ITI campus. 10. Only 20 computers are available, each with Windows 10, 4 GB RAM, and 119 GB storage. Out of these, only four computers are connected to UPS. 11. The expiry date on the fire extinguishers is not mentioned.	

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026

Signature Not Verified
Signed By:POOJA VERMA
Signing Date:03.11.2026

Sr. no	ITI Name and Code	Trade/Unit sought for affiliation	Brief Facts of the matter	36th SCAA Remarks
I.	II.	III.	IV.	V.
			12. **Recommendation:** The institute may be considered for affiliation only after satisfactory compliance with the above observations. **Compliance Report submitted by RDSDE** A Joint Inspection Report has been submitted, as the inspection was conducted by officials of the RDSDE and the State Directorate of Chhattisgarh on 18.09.2026. The following points have been mentioned by the joint re-inspection team: 1. The Building Completion Certificate has been duly approved by the PWD. 2. The electrical power supply for the Electrician and Mechanic Diesel workshops is provided from the same transformer as that of the ITI building. 3. All machinery mentioned by the SCAA has been made available	
2.	Sanskar Private ITI Durg 110/2, 110/3 Near Govt Veterinary College, Anjora, Durg Chhattisgarh 491001 TMP22378PR17107435	1. Computer Operator and Programming Assistant- 2(1+1) 2. Electrician -4(2+2) 3. Health Sanitary Inspector- 2(1+1) 4. Old Age Care-	**Background:** This case was placed before the 24th SCAA dated 22.09.2025 and the 32nd SCAA (02.07.2026 and 03.07.2026). At the 24th SCAA, 15 deficiencies were recorded and the ITI was given 30 days to rectify them through the NIMI portal, with a fresh joint inspection by the State Directorate and RDSDE to follow. The RDSDE compliance report found that one fundamental	The SCAA noted that the institute had submitted its reply dated 06.08.2026 in response to the remarks of 32nd SCAA meeting. Therefore, SCAA decided that the reply and supporting documents submitted by the institute shall be verified through a joint physical

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026

Signature Not Verified
Signed By:POOJA VERMA
Signing Date:03.11.2026

Sr. no	ITI Name and Code	Trade/Unit sought for affiliation	Brief Facts of the matter	36th SCAA Remarks
I.	II.	III.	IV.	V.
		2(1+1) 5. Smartphone Technician Cum App Tester-2(1+1)	deficiencies persisted. At the 32nd SCAA, the committee held that the ITI had failed to rectify them despite the opportunity and did not recommend affiliation. The ITI was directed to submit a written justification to DGT within 15 days on why the application should not be rejected, failing which it would be liable for rejection. **Deficiencies observed in 24th SCAA-** 1. Building is old and unsafe for running ITI. 2. Most of the installed fire extinguishers were expired. 3. Old and damaged desk and chairs without height adjustment. teaching accessories not available. 4. Only five computers running. computer specification below norms 1 GB Ram windows 7 etc pillar in the middle of the IT lab. 5. Children play area intended for primary school present in the campus. electricity bill shows regular power consumption in previous months. **6.** BCC Format not as per norms. none of the signatories have put date with signatures. The layout do not tally with physical construction. 7. The ITI could not show any of the receipt for payment made towards machinery bills. many	inspection by a committee of senior officers from the State Directorate and RDSDE. The State Directorate and RDSDE shall jointly submit a detailed verification report, along with specific recommendations, to DGT within one month from the date of issue of these minutes.

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026

Signature Not Verified
Signed By:POOJA VERMA
Signing Date:03.11.2026

Sr. no	ITI Name and Code	Trade/Unit sought for affiliation	Brief Facts of the matter	36th SCAA Remarks
I.	II.	III.	IV.	V.
			of the bills could not be shown except bill attached. 8. Out of thirteen employees listed by ITI only three members present. 9. Majority of machines not installed as per norms. 10. Building is old and damaged in many places. 11. Many cracks in ITI lab and class rooms. buildings connected by a passage (bridge) is not looking safe to use. 12. Land is not as per norms. 13. Building is not as per norms 14. Drawing Hall is not as per norms 15. IT Lab is not as per norms. **Compliance report from RDSDE against the deficiencies raised by the 24th SCAA** 1. **Land & Boundary Demarcation:** The land area (0.174 + 0.350 = 0.5240 hectares) does Not tally with the approved ITI layout plan. Furthermore, a very old building exists at the rear side of the premises, and it is unclear if this structure falls within the ITI land because permanent site demarcation has Not been carried out. 2. **Building Safety & Condition:** The building is old, damaged in many places, and deemed unsafe for running an ITI. Structural cracks	

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026

Signature Not Verified
Signed By:POOJA VERMA
Signing Date:03.11.2026

Sr. no	ITI Name and Code	Trade/Unit sought for affiliation	Brief Facts of the matter	36th SCAA Remarks
I.	II.	III.	IV.	V.
			were explicitly observed on the walls, floor tiles, and ceilings of the workshop building. A passage/bridge connecting the buildings does Not look safe to use. 3. **Floor Restrictions:** The ITI operates on the ground and first floors. The passage to the second floor has been closed off, and the second floor was Not offered for inspection. 4. **Building Completion Certificate (BCC):** The BCC was signed by the Sub-Engineer, Rural Engineering Services, Sub-Division, Durg, dated 15-10-2025. However, records indicate the building was actually constructed around 2005. 5. **Play Area:** A play area is present on the premises and is equipped with two playground swing bays. 6. **Classroom Furniture:** Classroom infrastructure—including boards, tables, and desks—is old, previously used, and damaged. Desks and chairs lack height-adjustment features. 7. **Drawing Hall:** Drawing boards are Not up to standard specifications and are Not adjustable. The stools provided are old, used, and their height adjustment is Not in working condition.	

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026

Signature Not Verified
Signed By:POOJA VERMA
Signing Date:03.11.2026

Sr. no	ITI Name and Code	Trade/Unit sought for affiliation	Brief Facts of the matter	36th SCAA Remarks
I.	II.	III.	IV.	V.
			8. **IT Lab: There** are 15 computers available, all running on an outdated Windows 8 operating system without licensed software and without a UPS backup. 9. Some systems are under-configured, utilizing only 4 GB RAM and 17/18-inch monitors. All computers are assembled units. 10. A physical structural pillar remains in the middle of the IT Lab, obstructing the layout. 11. The lab furniture is old and previously used. 12. **Smartphone Technician Trade:** The lab is improperly shaped (L-shape). Additionally, major equipment like the Microscope and the Digitized Touch Screen Glass Separator Machine have been installed without proper power supply connections. 13. **Electrician Trade:** While most machines are installed, major equipment has Not been provided with separate earthing. Furthermore, the moving parts of the pillar drilling machine are left uncovered, posing a severe safety hazard. 14. **Missing Invoices:** No purchase bills or payment receipts were produced for the computers and software in the COPA trade (and other sections).	

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026

Signature Not Verified
Signed By:POOJA VERMA
Signing Date:03.11.2026

Sr. no	ITI Name and Code	Trade/Unit sought for affiliation	Brief Facts of the matter	36th SCAA Remarks
I.	II.	III.	IV.	V.
			15. **Substandard/Missing Equipment:** No purchase bills were available for the refrigerator in the Health Sanitary Inspector (HSI) trade or the washing machine in the Electrician trade. 16. As per Norms for a 2+2-unit, two washing machines are required, but only one was available, and it was found to be corroded. 17. **Fire Safety:** While the Note mentions "Complied with" regarding expired fire extinguishers in the matrix, the main text highlights that the Fire Safety Certificate does not bear the name of the ITI. Additionally, no emergency exit signage was observed anywhere in the building. 18. **Water & Sanitation:** Drinking water is exclusively available on the ground floor of the administrative building. Critically, there is No toilet facility available in the workshop block. 19. **Signage:** The signboard at the plot entrance does Not meet prescribed Norms. 20. **Staff Deficiencies:** Out of the 14 employees officially listed by the ITI, only 9 members were physically present during the inspection. 21. **The ITI was not recommended at the 32nd SCAA.**	

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026

Signature Not Verified
Signed By:POOJA VERMA
Signing Date:03.11.2026

Sr. no	ITI Name and Code	Trade/Unit sought for affiliation	Brief Facts of the matter	36th SCAA Remarks
I.	**II.**	**III.**	**IV.**	**V.**
			The ITI has submitted its reply dated 06.08.2026, which needs to be re-verified by a committee of senior officers of the State Directorate and RDSDE.	

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026

Signature Not Verified
Signed By:POOJA VERMA
Signing Date:03.11.2026

Name of the State: Jharkhand

Sr. no	ITI Name and Code	Trade/Unit sought for affiliation	Brief Facts of the matter	36th SCAA Remarks
I.	II.	III.	IV.	V.
1.	Vishwakarma Pvt ITI Ramgardhia, Sakhi, Jharkhand – 831005 PR20000177 Grading: 8	1. Electrician - 1(1+0) 2. Fashion Design and Technology - 1(1+0) 3. IoT Technician (Smart City) - 1(1+0) 4. Welder -1(1+0)	**Background:** At the 34th SCAA (06.08.2026), two trades were not recommended for want of infrastructure: Fashion Design and Technology (1+0) and IoT Technician (Smart City) (1+0). For the remaining trades, the ITI was given 30 days to remove the deficiencies and submit documents to the RDSDE through the NIMI compliance module, with the RDSDE to verify and report to DGT within 15 days. **Deficiencies observed by the 34th SCAA** 1. The BCC is not as per norms, as the name of the ITI is not mentioned on it. 2. The electricity bill is in the name of the trustee of the Society and not the ITI. No Society resolution or authorization permitting the ITI to use the connection was provided. **Compliance report from RDSDE against the deficiencies raised by the 34th SCAA** 1. The ITI submitted point-wise justifications, and the documents were verified and found satisfactory. 2. The RDSDE recommends affiliation for extension of **Electrician (1+0)** and **Welder (1+0)**.	ITI needs to remove the following deficiencies and submit the documents to the concerned RDSDE within 30 days from the date of issue of these minutes through the compliance module on NIMI affiliation portal. 1. BCC as per norms Thereafter, concerned RDSDE will verify the documents submitted by the ITI and submit the report with recommendation to DGT within the next 15 days on the online compliance module

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026

Signature Not Verified
Signed By:POOJA VERMA
Signing Date:03.11.2026

Sr. no	ITI Name and Code	Trade/Unit sought for affiliation	Brief Facts of the matter	36th SCAA Remarks
I.	II.	III.	IV.	V.
			TC Section Remark-The BCC is valid only up to 10.02.2026, which has already expired Since the BCC is a mandatory document, a valid or renewed BCC bearing the ITI's name should be obtained.	

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026

Signature Not Verified
Signed By:POOJA VERMA
Signing Date:03.11.2026

Name of the State: Madhya Pradesh

Sr. no	ITI Name and Code	Trade/Unit sought for affiliation	Brief Facts of the matter	36th SCAA Remarks
I.	II.	III.	IV.	V.
1.	Parash Private Industrial Training Institute Kunwarpura, Nai Galla Mandi Road Tikamgarh - 472001 Madhya Pradesh PU23000632 Grading: 5.3	1. Solar Technician (Electrical) - 3(1+1+1) 2. Stenographer Secretarial Assistant (Hindi) - 3(1+1+1)	**Background:** At the 32nd SCAA (02.07.2026 and 03.07.2026), ten deficiencies were observed in this ITI. The ICVC had not recommended Solar Technician (Electrical) 3 (1+1+1) and Stenographer Secretarial Assistant-Hindi 3 (1+1+1). The ITI was given 20 days to submit documents to the RDSDE through the NIMI compliance module, followed by a joint visit by the RDSDE and State Directorate and a report to DGT within 7 days. The Joint Re-inspection Committee found most deficiencies still unresolved and did not recommend the ITI for affiliation. **Deficiencies observed by the 32nd SCAA** 1. The land lease deed is not registered. 2. The BCC is not in the prescribed format and was issued by the Gram Panchayat. 3. Electricity consumption is very low (below 50 units per month for six months). 4. The Raw Material Register is not properly maintained. 5. The desktop purchase bill shows a very low cost (about Rs 7,000 per desktop). 6. Old lathe machines are kept inside the Solar Lab, causing congestion. 7. Solar Technician equipment (Interactive Board, Solar Grid-Tied Inverter, Solar DC Pump, Sun Path Finder, Wind Controller,	SCAA observed fundamental deficiencies related to land, building, machinery, safety, and other essential infrastructural requirements, as mentioned in column V still persist and institute fail to rectify these deficiencies. Hence, the institute is not recommended for grant of affiliation. Before a final decision is taken in the matter, the applicant institute is hereby directed to submit a detailed written justification/reply along with supporting documents and geo-tagged photographs to the DGT on NIMI compliance module within 15 days from the date of issuance of these Minutes, clearly explaining why the affiliation application should not be rejected. In case no reply is received within the stipulated timeframe, or if the response submitted is found unsatisfactory, the affiliation application shall be liable for rejection without any further consideration. In the event that a reply is received, the RDSDE shall conduct a

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026

Signature Not Verified
Signed By:POOJA VERMA
Signing Date:03.11.2026

Sr. no	ITI Name and Code	Trade/Unit sought for affiliation	Brief Facts of the matter	36th SCAA Remarks
I.	II.	III.	IV.	V.
			Hybrid Power Plant, 100 Ah Lead Battery, Weather Monitoring System) is not available, and the desktops are below norms. 8. Stenographer Hindi has no Interactive Board and UPS, and its desktops are below norms. 9. The Drawing Hall is not tiled and not covered up to the roof. 10. Trainers are not CITS-qualified (Solar Technician: Diploma holders; Stenographer Hindi: NTC holders), and the Principal holds only an NTC certificate. **Compliance by the Joint Re-inspection Committee** 1. **Lease deed: not complied.** Only a self-attested affidavit was given instead of a registered deed. 2. **BCC: not complied.** The prescribed format was not mentioned, and the document was not signed by the Sachiv, Gram Panchayat. 3. **Electricity: complied.** Average consumption rose to about 350 units per month in the last three months. 4. **Raw Material Register: not complied.** Bill details were not entered. 5. **Desktop bills: complied.** Invoice dated 06.07.2026 shows Rs 31,250 per computer. 6. **Lathes: complied.** They were shifted outside the Solar Lab.	physical verification with State Directorate of the institute to verify the rectification of deficiencies and submit its inspection report to DGT within 15 days of receipt of the reply.

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026

Signature Not Verified
Signed By:POOJA VERMA
Signing Date:03.11.2026

Sr. no	ITI Name and Code	Trade/Unit sought for affiliation	Brief Facts of the matter	36th SCAA Remarks
I.	II.	III.	IV.	V.
			7. **Solar equipment: not complied.** The workshop was shifted to the first floor and the equipment was kept uninstalled. 8. **Stenographer Hindi: partially complied.** The Interactive Board and UPS are available but not installed, and the desktops were updated. 9. **Drawing Hall: partially complied.** It was shifted to the ground floor, tiled and covered, but the workshop and classroom were shifted during the pendency of the inspection. 10. **Trainers and Principal: not complied.** Qualifications are unchanged, and only one person (M.Tech) was present on the day of inspection. **Deficiencies raised by the TC section-** 1. **Fire Safety Certificate: not complied.** The certificate issued by the Gram Panchayat is not as per norms (it is only signed by the Sachiv). 2. **Interactive Board: not complied.** It remains uninstalled. **Recommendation of the Joint Committee:** The ITI is **not recommended** for affiliation because of the non-compliance with the deficiencies above.	

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026

Signature Not Verified
Signed By:POOJA VERMA
Signing Date:03.11.2026

Name of the State: Maharashtra

Sr. No	ITI Name and Code	Trade/Unit sought for affiliation	Brief Facts of the matter	36th SCAA Remarks
I.	II.	III.	IV.	V.
1.	Baburaoji Adaskar Private ITI Kaij Beed, Beed parli national highway beed road near renu petrol pump kaij TQ Kaij, beed,431123 TMP27470PR1744438337	1. Electrician- 2(1+1) 2. Fire Technology and Industrial Safety Management- 2(1+1) 3. Solar Technician (Electrical)- 2(1+1) 4. Wind Plant Technician -2(1+1)	**Background: Background:** This case was placed before the 28th SCAA dated 28.04.2026 and the 34th SCAA dated 06.08.2026. At the 28th SCAA, three deficiencies were observed in this ITI. The ITI was given 20 days to submit documents to the State Directorate through the NIMI compliance module, with the State Directorate to verify and report to DGT within 7 days. At the 34th SCAA, the committee noted that, as per the State Directorate report, the ITI had produced no document on the Wind Turbine Components or on the Rescue Van and Fire Tender, and did not recommend affiliation. The ITI was directed to submit a written justification, with supporting documents and geo-tagged photographs, to DGT within 15 days on why its application should not be rejected, failing which it would be liable for rejection. **Deficiencies mentioned in the 28th SCAA** 1. Land/building documents have been submitted in a regional language. Notarized English translations are required. Further, lease deed is not registered and the lease validity period is also not clearly mentioned. 2. Availability/details of Wind Turbine Components required for the trade need to be verified/submitted. 3. Invoice, ownership documents/Registration Certificate (RC), and fitness certificate of the	The SCAA noted that the institute had submitted its reply in response to the remarks of 34th SCAA meeting. Therefore, SCAA decided that the reply and supporting documents submitted by the institute shall be verified through a joint physical inspection by a committee of senior officers from the State Directorate and RDSDE. The State Directorate and RDSDE shall jointly submit a detailed verification report, along with specific recommendations, to DGT within 15 days from the date of issue of these minutes.

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026

Signature Not Verified
Signed By:POOJA VERMA
Signing Date:03.11.2026

Sr. No	ITI Name and Code	Trade/Unit sought for affiliation	Brief Facts of the matter	36th SCAA Remarks
I.	II.	III.	IV.	V.
			Rescue Van and Fire Tender have not been submitted. **The ITI was not recommended at the 34th SCAA. The applicant has since submitted a representation against the deficiencies raised by the 34th SCAA.** 1. The State Re-verification Committee visited on 15.06.2026. At that time, the Wind Plant components (coupling, gearbox assembly, old tower components for reassembly and demonstration of working at height, old met-mast with sensors and data loggers, and color charts) could not be shown. The e-classroom, digital room, smart board and updated computer laboratory were also not demonstrated. 2. The ITI states that the fire safety tender had earlier been processed without the competent authority's signature on the agreement, and that it has now obtained the duly signed agreement letter. 3. The ITI states that the Wind Plant components, digital laboratory, e-classroom, smart board and updated computer laboratory have now been made available.	
2.	Veer Madhavrao Nagar Govt Industrial	Cosmetology-1(1+0+0)	**Background:** This case was placed in the 32nd SCAA dated 02.07.2026 and [illegible] 2026.At	SCAA recommended the following trade/Unit:

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026

Signature Not Verified
Signed By:POOJA VERMA
Signing Date:03.11.2026

Sr. No	ITI Name and Code	Trade/Unit sought for affiliation	Brief Facts of the matter	36th SCAA Remarks
I.	II.	III.	IV.	V.
	Training Institutes Loha, Veer Madhavrao Nalge Government Industrial Training Institute, Latur Road,Loha Tq Loha Dist Nanded, 431708,Maharashtra GR27000420 Grading:9.2		the 32nd SCAA, three deficiencies were observed in this ITI. The ITI was given 20 days to submit documents to the State Directorate through the NIMI compliance module, with the State Directorate to verify and report to DGT within 7 days. **Deficiencies mentioned in the 32nd SCAA** 1. Machineries and equipment are available but not installed properly 2. Main building PWD ramp is required. 3. Power Shortage-Required 40.51 Available= 19.33 KW) **Compliance report from State against the deficiencies raised by the 32nd SCAA-** As per the State Directorate Institute has removed all the deficiencies recommended for Cosmetology-1(1+0+0)	Cosmetology-1(1+0)

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026

Signature Not Verified
Signed By:POOJA VERMA
Signing Date:03.11.2026

Name of the State: Odisha

Sr. No	ITI Name and Address	Trade/Unit sought for affiliation	Brief Facts of the matter	36th SCAA Remarks
I.	II.	III.	IV.	V.
1.	BIPF Sukinda ITI Private At-Baulapala, Po-Damodarpur, Via-Sukinda, Dist-Jajpur, Odisha, Pin-755018 PR21000596 Grading: 7.8	Stone Mining Machine Operator-2(1+1)	**Background:** This case was placed in the 32nd SCAA dated 02.07.2026 and 03.07. 2026.At the 32nd SCAA, two deficiencies were observed in this ITI. The ITI was given 20 days to submit documents to the State Directorate through the NIMI compliance module, with the State Directorate to verify and report to DGT within 7 days. **Deficiencies observed by the 32nd SCAA** 1. The Fire Safety Certificate is not available. 2. The BCC is not as per norms. **Compliance report from State against the deficiencies raised by the 32nd SCAA-** 1. **BCC:** BCC has been provided as per norms 2. **Fire Safety Certificate:** The Fire Safety Department states that no certificate is required for the ITI, and the fire equipment has been fitted.	**SCAA recommended the following trade/Units:** Stone Mining Machine Operator-2(1+1)
2.	Madhusudan Industrial Training Institute, Cuttack At-Gandhi Chhal PO-Choudwar – 753007	Information Technology-2(1+1)	**Background:** This case was placed in the 34th SCAA dated 06.08.2026. At the 34th SCAA, two deficiencies were observed in this ITI. The ITI was given 30 days to submit documents to the State Directorate through the NIMI compliance	ITI needs to remove the following deficiencies and submit the documents to the concerned State Directorate within 30 days from the date of issue of these minutes through the compliance module on NIMI affiliation portal.

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026

Signature Not Verified
Signed By:POOJA VERMA
Signing Date:03.11.2026

Sr. No	ITI Name and Address	Trade/Unit sought for affiliation	Brief Facts of the matter	36th SCAA Remarks
I.	II.	III.	IV.	V.
	GU21000500 Grading: 9.2		module, with the State Directorate to verify and report to DGT within 15 days. **Deficiencies observed by the 34th SCAA** 1. Power is short: 53 kW available against 81.51 kW required. 2. The Fire Safety Certificate is not available. **Compliance report from State against the deficiencies raised by the 34th SCAA-** 1. **Power load:** The State reports that the electricity requirement has been complied 2. **Fire Safety Certificate:** The Principal has applied for the certificate, which is likely to be received soon.	1. Fire safety certificate Thereafter, concerned State Directorate will verify the documents submitted by the ITI and submit the report with recommendation to DGT within 15 days on NIMI compliance module.
3.	Govt. ITI, Nayagarh At-Khuntubandha, Po-Khuntubandha, P.S.-Nayagarh – 752079 GU21000587 Grading: 8.8	1. Computer Operator and Programming Assistant-2(1+1) 2. Electrician-2(0+0+2) 3. Refrigeration and Air Conditioning Technician-4(2+2)	**Background:** This case was placed in the 34th SCAA dated 06.08. 2026.The decision of 34th SCAA is given below: **Decision of the 34th SCAA** 1. **Recommended:** Computer Operator and Programming Assistant 2 (1+1) and	SCAA Recommended the following trade: Electrician -2(0+0+2)-*Details of Industry is given below However, Welder-1(0+0+1) Not Recommended as DST details not provided

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026

Signature Not Verified
Signed By:POOJA VERMA
Signing Date:03.11.2026

Sr. No	ITI Name and Address	Trade/Unit sought for affiliation	Brief Facts of the matter	36th SCAA Remarks
I.	II.	III.	IV.	V.
		4. Welder-1(0+0+1)	Refrigeration and Air Conditioning Technician 4 (2+2). 2. **Not recommended:** Welder 1 (0+0+1). 3. **Electrician trade:** The details of the DST MoU were sought from the State Directorate. **TC Section remark:** The State Directorate has submitted the DST format for Electrician trade.	

***DST MoU details for Govt. ITI, Nayagarh At- Khuntubandha, Po-Khuntubandha, P.S.- Nayagarh – 752079 GU21000587**

Name of the industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift ID as per portal	Unit ID(e.g. Unit 1/Unit 2/Unit 3 etc..) as per portal	Conversion/New Units
M/s. Subhalaxmi Agencies Pvt. Ltd., At- Ramabila, Po- Rajsunakhala, Dist- Nayagada, State- Odisha, PIN: 752065	04.07.2026	03.07.2029 (3 years)	Electrician	Shift 3	Unit-1 Unit-2 Total 2 units in 3rd shift	Total 2 New units in 3rd Shift

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026

Signature Not Verified
Signed By:POOJA VERMA
Signing Date:03.11.2026

Name of the State: Telangana

Sr. No	ITI Name and Code	Trade/Unit sought for affiliation	Brief Facts of the matter	36th SCAA Remarks
I.	II.	III.	IV.	V.
1.	Fatima Industrial Training Centre Kazipeta REC post, Fathimanagar, Warangal. Hanumakonda - 506004 PU36000020 Grading: 7.8	1. Computer Operator and Programming Assistant (COPA)- 2(1+1) 2. Electrician - 2(1+1)	**Background:** This case was placed in the 28th dated 28.04.2026 and 32nd SCAA dated 02.07.2026 and 03.07. 2026.At the 28th SCAA, four deficiencies were observed in this ITI. The ITI was given 20 days to submit documents to the RDSDE through the NIMI compliance module, with the RDSDE to verify and report to DGT within 7 days. At the 32nd SCAA, one deficiency was still pending, and the committee granted a final opportunity of 15 days to rectify it, with the State Directorate to verify and report to DGT within the next 7 days. Failure to comply would result in rejection of the application. **Deficiencies observed by the 28th SCAA** 1. The validity of the BCC/Structural Stability Certificate has expired. 2. A classroom is shown as the Drawing Hall, but the required drawing boards/tables are not available. 3. The power load would be sufficient only if the COPA trade is surrendered. 4. The Fire Safety Certificate has not been submitted. **Deficiency pending at the 32nd SCAA**	SCAA recommended the following trade: Electrician-2(1+1) Not Recommended- Computer Operator and Programming Assistant -2(1+1) as surrendered by the institute.

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026

Signature Not Verified
Signed By:POOJA VERMA
Signing Date:03.11.2026

Sr. No	ITI Name and Code	Trade/Unit sought for affiliation	Brief Facts of the matter	36th SCAA Remarks
I.	II.	III.	IV.	V.
			1. The Drawing Hall is not as per norms. **Compliance report from State against the deficiencies raised by the 32nd SCAA-** The State Directorate reports that the institute has addressed the deficiencies, that these have been verified, and that the case is forwarded for grant of affiliation.	

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026

Signature Not Verified
Signed By:POOJA VERMA
Signing Date:03.11.2026

Name of the State: Uttar Pradesh

Sr. no	ITI Name and Code	Trade/Unit sought for affiliation	Brief Facts of the matter	36th SCAA Remark
I.	II.	III.	IV.	V.
1.	Krishna Niji Audhyogik Prashikshan Kendra, KOPAGANJ, District - Mau, Uttar Pradesh – 275305 PR09001970 Grading: 6.6	Bank Guarantee Matter Electrician – 6(2+2+2)	**Background:** The inspection was conducted with reference to the bank guarantee matter. **Deficiencies observed** 1. The land lease is not clear. 2. Safety mats are not available. 3. Lack of cleanliness in the vicinity of the amenities area and inadequate maintenance of the drinking water facility.	ITI needs to remove the following deficiencies and submit the documents to the concerned State Directorate within 30 days from the date of issue of these minutes through the compliance module on NIMI affiliation portal. 1. A Resolution/authorization from the Society permitting the ITI to use the land 2. Affidavit from the Institute confirming that the land is being used exclusively for the functioning and activities of the ITI. 3. Safety mats not available 4. Lack of cleanliness in the vicinity of the amenities area and inadequate maintenance of the drinking water facility. Thereafter, concerned RDSDE will verify the documents submitted by the ITI and submit the report with recommendation to DGT within the next 15 days on the online compliance module.
2.	Gulabi Bhimal Private ITI Vill- Mainpur (Manikpur), Post-Mainpur, Ghazipur, Ghazipur, Uttar Pradesh PR09010713	Bank Guarantee Matter Electrician- 9(3+3+3) Fitter – 3(1+1+1)	**Background:** The inspection was conducted with reference to the bank guarantee matter. **Deficiencies observed** 1. The BCC is not as per norms. 2. Safety mats are not available.	ITI needs to remove the following deficiencies and submit the documents to the concerned State Directorate within 30 days from the date of issue of these minutes through the compliance module on NIMI affiliation portal. 1. BCC is not as per norms. 2. Drawing Hall is not as per norms. 3. The IT Lab does not conform to the

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026

Signature Not Verified
Signed By:POOJA VERMA
Signing Date:03.11.2026

Sr. no	ITI Name and Code	Trade/Unit sought for affiliation	Brief Facts of the matter	36th SCAA Remark
I.	II.	III.	IV.	V.
	Grading: 6.7		3. Drawing Hall is not as per norms. 4. The IT Lab does not conform to the prescribed norms. Further, the purchase details of computers and other IT Lab equipment have not been provided.	prescribed norms. Further, the purchase details of computers and other IT Lab equipment have not been provided. 4. Safety mats not available Thereafter, concerned RDSDE will verify the documents submitted by the ITI and submit the report with recommendation to DGT within the next 15 days on the online compliance module.
3.	BSP Pvt. ITI Kanjuli Ghat , Baldeo, Dist Mathura, UP. PR09901254 Grading: N/A	Bank Guarantee Matter 1. Electrician (1+1) 2. Fitter (2+2)	**Background:** The inspection was conducted with reference to the bank guarantee matter. **Deficiencies observed** 1. The electricity bill has not been provided. 2. The land document is not registered. 3. Safety mats are not available.	ITI needs to remove the following deficiencies and submit the documents to the concerned State Directorate within 30 days from the date of issue of these minutes through the compliance module on NIMI affiliation portal. 1. Latest Electricity Bill 2. Registered Land Documents. 3. Safety mats are not available. Thereafter, concerned RDSDE will verify the documents submitted by the ITI and submit the report with recommendation to DGT within the next 15 days on the online compliance module.
4.	Gandhi Private ITI, hanastanapur,Ambabai	1. Electrician - 36(12+12+12)	Gandhi Private ITI, Jhansi, (PR09001927) was placed before the 18th(dated.27.11.2024),	SCAA recommended the following trade/Units Electrician 20(10+10).

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026

Signature Not Verified
Signed By:POOJA VERMA
Signing Date:03.11.2026

Sr. no	ITI Name and Code	Trade/Unit sought for affiliation	Brief Facts of the matter	36th SCAA Remark
I.	II.	III.	IV.	V.
	,Jhansi, Uttar Pradesh PR09001927 Grading:5.4 State: Uttar Pradesh	2. Fitter-6(2+2+2)	24th(dated.22.09.2025), 26th(dated.15.01.2026), 28th(dated.28.04.2026), 32nd(dated.02.07.2026), and 34th (dated.06.08.2026), SCAA Meetings. The observations and decisions of the SCAA in respect of the ITI are given below: **18th SCAA Remark:** This case was initially placed in the 18th SCAA meeting, remark of that was as follows: *Applicant Institute needs to remove the deficiencies mentioned below, and submit the required documents within 30 days from the date of issue of this minute in Compliance module on NIMI affiliation portal. Thereafter, Senior Officer at the level of Director/Joint Director from State and RDSDE will verify the removal of deficiencies by conducting a joint inspection of the ITI and submit the report with recommendations to DGT within the next 15 days in the Compliance module on the NIMI affiliation portal.* **Deficiencies observed in the 18th SCAA-** 1. Building plan not available 2. For fitter trade instructors are not appointed	Not Recommended: Electrician 12(0+0+12), as 3rd shift is permitted only under DST mode; Fitter 6(2+2+2) is not recommended, as it has been surrendered by the institute.

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026

Signature Not Verified
Signed By:POOJA VERMA
Signing Date:03.11.2026

Sr. no	ITI Name and Code	Trade/Unit sought for affiliation	Brief Facts of the matter	36th SCAA Remark
I.	II.	III.	IV.	V.
			3. For Electrician trades against requirement of 36 only 21 are appointed 4. Power is not sufficient- Power required- 50.31 KW Power available - 47 KVA= 47*.9=42.3KW. 5. Electricity Bill is on the name of individual person, which is not as per Norms. **Compliance report from RDSDE against the deficiencies raised by the 18th SCAA** The stipulated time period has expired, and the institute has not submitted any compliance. **24th SCAA Remark-** The case was again reviewed in 24th SCAA, and SCAA granted one more opportunity to submit its clarification/representation along with supporting documents, within a stipulated period of 15 days. **Compliance report against 24th SCAA** The Institute submitted its compliance and thereafter a joint inspection was carried out on 03.12.2025 by the senior official of Joint Directors of the state and RDSDE to verify the compliance of 24th SCAA and provided the following remarks-	

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026

Signature Not Verified
Signed By:POOJA VERMA
Signing Date:03.11.2026

Sr. no	ITI Name and Code	Trade/Unit sought for affiliation	Brief Facts of the matter	36th SCAA Remark
I.	II.	III.	IV.	V.
			1. Building Plan is approved by registered Architect and approved by Sachiv, Gram Pradhan, Ambavay Panchayat. 2. For Fitter trade, the ITI proposes to surrender the trade. Application in this regard submitted to NCVT. 3. The ITI Now says that it proposes 10+10+0 units of Electrician trade. Hence, only 20 instructors are required to run aforementioned trades. However, only 04 instructors are physically present. Appointment letters are claimed to have been submitted during previous inspections. 4. For 10+10+0 units of Electrician (proposed) and 06 units of Electrician already running, it is claimed that power requirement is of 41.6 KW. The power available is of 47 KVA. With fitter trade surrendered, it is claimed to be sufficient. 5. The electric bill is presented in the name of Gandhi Pvt. ITI. **Other Observation:** 6. IT Lab:10 computers available out of which 01 working. No internet facility available for the IT Lab.	

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026

Signature Not Verified
Signed By:POOJA VERMA
Signing Date:03.11.2026

Sr. no	ITI Name and Code	Trade/Unit sought for affiliation	Brief Facts of the matter	36th SCAA Remark
I.	II.	III.	IV.	V.
			7. Machines are Not properly installed and lack basic grouting. Earthing/Grounding is Not done. 8. Aadhar Based Biometric Attendance system is Not available in the premises. 9. A degree college is functional in the adjacent building in the same premises. 10. No trainees are available even in the earlier affiliated 06 units of Electrician during the working hours/during inspection, Attendance records Not presented either. **26th SCAA Remark:** This case is again reviewed in 26th SCAA, SCAA observed that *the applicant ITI has sought substantially high number of units in Electrician trades and the deficiencies are yet to be rectified. Therefore, as a last opportunity, was given to ITI to rectify the deficiency and the thereafter, concerned RDSDE and State Directorate will conduct joint verification of the compliance documents by a senior level officer preferably in the rank of Joint Director with clear recommendation of trade/units. RDSDE will submit the report to DGT within the next 15 days on the online compliance module.*	

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026

Signature Not Verified
Signed By:POOJA VERMA
Signing Date:03.11.2026

Sr. no	ITI Name and Code	Trade/Unit sought for affiliation	Brief Facts of the matter	36th SCAA Remark
I.	II.	III.	IV.	V.
			Compliance report from Applicant against the deficiencies raised by the 26th SCAA- Points mentioned below are submitted by the applicant on email dated.03.04.2026, 26th SCAA MOM was issued on 05.03.2026. 1. The building plan of the institute has been prepared and approved by a registered architect and verified by the Secretary and Gram Pradhan of Gram Panchayat Ambabay. 2. The Fitter trade has been voluntarily surrendered by the institute and an application in this regard has already been submitted to the competent authority. 3. The required instructors for the proposed Electrician Trade (10+10+0 units) have been duly appointed and their appointment letters are available. 4. Adequate electrical power supply is available in the institute (required approx. 41.6 KW and available capacity approx. 47 KVA). 5. The electricity connection is now in the name of Gandhi Pvt. ITI, Jhansi and the latest electricity bill is available. **Clarification regarding other rema**	

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026

Signature Not Verified
Signed By:POOJA VERMA
Signing Date:03.11.2026

Sr. no	ITI Name and Code	Trade/Unit sought for affiliation	Brief Facts of the matter	36th SCAA Remark
I.	II.	III.	IV.	V.
			With regard to other observations mentioned in the inspection report, necessary improvements and compliance have already been ensured by the institute. At the time of inspection, all relevant documents, machinery, equipment, instructor appointment letters, electrical arrangements and training-related facilities were presented before the inspection committee. All workshop machines in the institute have been properly installed and necessary earthing and grouting arrangements have been ensured. The IT Lab has an adequate number of computers with internet connectivity. An Aadhaar-based biometric attendance system has also been installed and is operational in the institute, and all trainees are regularly attending their training programs. It is respectfully submitted that the Degree College and Gandhi Pvt. ITI are functioning independently. Both institutions are located in separate buildings with separate entrance gates. **Remarks of 28th SCAA -** *The SCAA observed that the reply/clarification submitted by the institute requires verification; therefore,*	

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026

Signature Not Verified
Signed By:POOJA VERMA
Signing Date:03.11.2026

Sr. no	ITI Name and Code	Trade/Unit sought for affiliation	Brief Facts of the matter	36th SCAA Remark
I.	II.	III.	IV.	V.
			inspection of the institute shall be conducted through a higher-level committee. *The committee shall comprise a quorum of four members, including two officials from the RDSDE and two officials from the State Directorate. Additionally, trade expert member may be included in the committee.* *The committee shall submit its report within 20 days from the date of issuance of these Minutes, duly verifying the rectification of deficiencies pertaining to the infrastructure and machinery specified in this and the ITI's reply, along with its recommendations regarding the relevant trades/units for affiliation.* **32nd SCAA Remark-** *The SCAA noted that, despite these opportunities, the institute has not submitted any supporting documents along with its compliance report to substantiate the claimed rectification of deficiencies.* *Accordingly, the compliance submitted by the institute is not satisfactory. The SCAA further observed that, during its 28th meeting, a re-inspection by a higher-level committee comprising officials of the RDSDE and the State Directorate was directed to verify the institute's claims of*	

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026

Signature Not Verified
Signed By:POOJA VERMA
Signing Date:03.11.2026

Sr. no	ITI Name and Code	Trade/Unit sought for affiliation	Brief Facts of the matter	36th SCAA Remark
I.	II.	III.	IV.	V.
			compliance. However, the Regional Director, RDSDE, informed that no further inspection was required since the last inspection had been conducted by the Regional Director himself and requested that the case be decided on the basis of the findings recorded therein. *The SCAA also considered the subsequent reply submitted by the institute. However, in the absence of documentary evidence supporting the claimed compliance, the deficiencies recorded during the physical inspection remain unsubstantiated. The SCAA observed that mere assertions of compliance, without supporting documents or independent verification, cannot outweigh the findings of the inspection team. Nevertheless, in the interest of natural justice, the SCAA decided to grant the institute one final opportunity to submit a comprehensive compliance report along with all supporting documentary evidence to substantiate the rectification of the deficiencies observed during inspection within 07 days from date of this minutes.* *In the event of failure to furnish satisfactory documentary evidence within the stipulated period, the proposal for extension of*	

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026

Signature Not Verified
Signed By:POOJA VERMA
Signing Date:03.11.2026

Sr. no	ITI Name and Code	Trade/Unit sought for affiliation	Brief Facts of the matter	36th SCAA Remark
I.	II.	III.	IV.	V.
			trades/units shall be rejected without any further opportunity. **Compliance report from Applicant against the deficiencies raised by the 32nd SCAA-** Institute submitted the documentary proof for removal of the deficiencies. **34th SCAA Remark-** This matter is again reviewed in 34th SCAA, remark of that was as follows: *SCAA deliberated the matter and decided that joint verification is required. A committee shall be nominated from the DGT Headquarters for the purpose of joint verification. The committee shall verify the documents submitted by the applicant and submit its detailed verification report to DGT HQ for further necessary action within 15 days from date of issue of these minutes.* **Compliance of 34th SCAA meeting** As per the direction of 34th SCAA meeting a team of two Officers visited from DGT Hq and conducted verification on 28.09.2026 and the following are the observations: 1. During the present inspection, 20 instructors (including principal) were physically present, while the ITI staff c	

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026

Signature Not Verified
Signed By:POOJA VERMA
Signing Date:03.11.2026

Sr. no	ITI Name and Code	Trade/Unit sought for affiliation	Brief Facts of the matter	36th SCAA Remark
I.	II.	III.	IV.	V.
			that 38 instructors were on roll. 2. The power available is 47 KVA With fitter trade surrendered is sufficient. Electric bill is presented in the name of Gandhi Pvt. ITI 3. During the present inspection, 32 computers were available and in working condition with internet connectivity. 4. During the present inspection, the machines were found to be properly installed and adequately grouted. 5. During the present inspection, Aadhar Based Biometric Attendance system was found installed in the premises. The invoice was presented before the inspection committee. 6. During the inspection, it was observed that the plot details of both the buildings are different and separate entries along with separate boundary wall was present 7. Trainees were present in the classrooms. The attendance records were presented to the inspection committee.	

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026

Signature Not Verified
Signed By:POOJA VERMA
Signing Date:03.11.2026

Sr. no	ITI Name and Code	Trade/Unit sought for affiliation	Brief Facts of the matter	36th SCAA Remark
I.	II.	III.	IV.	V.
5.	Apex Pvt ITI, Mauranipur Nou Pull k Pass Chhatarpur Road Jhansi – 284204 PR09001872 Grading: 6	Electrician-6(2+2+2)	**Background:** This case was placed in the 34th SCAA dated 06.08. 2026.At the 34th SCAA, one deficiency was observed in this ITI. The ITI was given 30 days to submit documents to the State Directorate through the NIMI compliance module, with the State Directorate to verify and report to DGT within 15 days. **Deficiency observed by the 34th SCAA** 1. The BCC is not as per norms. **Compliance report from State against the deficiencies raised by the 34th SCAA-** The State Directorate reports that the BCC submitted by the ITI is as per norms. .	SCAA recommended the following trade/units: Electrician-4(2+2)

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026

Signature Not Verified
Signed By:POOJA VERMA
Signing Date:03.11.2026

Annexure-3 as referred in Agenda 3 List of Non-receipt of the compliance reports sought in previous SCAA meetings:

Sr. no	ITI Name and Code	Trade/Unit sought for affiliation	Brief Facts of the Matter	Remarks of 36th SCAA
I.	II.	III.	IV.	V.
1.	Government Industrial Training Institute, Sudhagad(pali), Dist: Raigad Behind Bllaleshwer Tempal Devulpada, Bhira Road 410205 GR27000506 Grading-8.4 State: Maharashtra	1. Computer Operator and Programming Assistant (COPA) - 2(1+1) 2. Electrician -2(1+1) 3. Fitter - 1(0+1) 4. Wireman -1(1+0)	**26th SCAA Remarks-** ITI needs to remove the deficiencies as mentioned below and submit the documents to the concerned State Directorate within 30 days from the date of issue of these minutes through the compliance module on NIMI affiliation portal. Thereafter, concerned State Directorate will verify the documents submitted by the ITI and submit the report with recommendation to DGT within the next 15 days on the online compliance module. **Deficiencies mentioned in the 26th SCAA-** 1. As per norms, the full setup of tools is not available and is only partially available. 2. Renovation of Building is required 3. Not Recommended for new batch of Fitter and Wireman trade 4. Drawing Hall not available 5. IT Lab not available **Compliance report from Applicant against the deficiencies raised by the 26th SCAA**	The applicant was granted an opportunity to rectify the deficiencies during the 26th SCAA Meeting; however, the deficiencies have not been addressed. The SCAA observed fundamental deficiencies related to Building, machinery, Tools and equipment safety, and other essential infrastructural requirements. Since the applicant has failed to rectify the deficiencies despite being provided an opportunity to do so, the affiliation application is hereby rejected. The applicant shall, however, be at liberty to submit a fresh application in accordance with the applicable rules and norms when the Affiliation Portal is opened.

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026

Signature Not Verified
Signed By:POOJA VERMA
Signing Date:03.11.2026

Sr. no	ITI Name and Code	Trade/Unit sought for affiliation	Brief Facts of the Matter	Remarks of 36th SCAA
I.	II.	III.	IV.	V.
			Applicant did not submit the compliance/representation within the stipulated timeframe	
2.	Ramakrishna Mission Industrial Training Center (Sponsored) Narendrapur South 24 Parganas -700103 West Bengal GR19000023 Grading: 7.2 State: West Bengal	1. Electrician - 2(1+1) 2. Fitter -2(1+1)	**32nd SCAA Remark-** ITI needs to remove the following deficiencies and submit the documents to the concerned State Directorate within 20 days from the date of issue of these minutes through the compliance module on NIMI affiliation portal. Thereafter, concerned State Directorate will verify the documents submitted by the ITI and submit the report with recommendation to DGT within the next 07 days on the online compliance module **Deficiency observed in the 32nd SCAA** 1. Fire Safety Certificate **Compliance report from Applicant against the deficiencies raised by the 32nd SCAA** **TC Section Remark-** Applicant did not submit the compliance/representation within the stipulated timeframe	The applicant was granted an opportunity to rectify the deficiencies during the 32nd SCAA Meeting; however, the deficiencies have not been addressed. The SCAA observed fundamental deficiencies related to Fire Safety. Since the applicant has failed to rectify the deficiencies despite being provided an opportunity to do so, the affiliation application is hereby rejected. The applicant shall, however, be at liberty to submit a fresh application in accordance with the applicable rules and norms when the Affiliation Portal is opened.

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026

Signature Not Verified
Signed By:POOJA VERMA
Signing Date:03.11.2026

Sr. no	ITI Name and Code	Trade/Unit sought for affiliation	Brief Facts of the Matter	Remarks of 36th SCAA
I.	II.	III.	IV.	V.
3.	ITI, Mathili At/Po Mathili - 764044, Odisha GR21000597 Grading: 9.1 State: Odisha	1. Dress Making - 1(1+0) 2. Electrician - 2(1+1) 3. Solar Technician (Electrical) - 2(1+1)	**34th SCAA Remarks-** Not Recommended the following trades as procurement process is not completed: 1. Solar Technician (Electrical) - 2(1+1) 2. Dress Making - 1(1+0) For Electrician - 2(1+1) ITI needs to remove the following deficiencies and submit the documents to the concerned State Directorate within 30 days from the date of issue of these minutes through the compliance module on NIMI affiliation portal. 1. Fire Safety Certificate Thereafter, concerned State Directorate will verify the documents submitted by the ITI and submit the report with recommendation to DGT within the next 15 days on on the online compliance module. **Compliance report from Applicant against the deficiencies raised by the 34th SCAA** **TC Section Remark-** Applicant did not submit the compliance/representation within the stipulated timeframe	The applicant was granted an opportunity to rectify the deficiencies during the 34th SCAA Meeting; however, the deficiencies have not been addressed. The SCAA observed fundamental deficiencies related to Fire Safety. Since the applicant has failed to rectify the deficiencies despite being provided an opportunity to do so, the affiliation application is hereby rejected. The applicant shall, however, be at liberty to submit a fresh application in accordance with the applicable rules and norms when the Affiliation Portal is opened.
4.	Govt. ITI, Bheden At/ Po- Sunalarambha,	1. Mechanic Electric Vehicle- 2(1+1)	**34th SCAA Remark-**	The applicant was granted an opportunity to rectify the deficiencies during the 34th SCAA

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026

Signature Not Verified
Signed By:POOJA VERMA
Signing Date:03.11.2026

Sr. no	ITI Name and Code	Trade/Unit sought for affiliation	Brief Facts of the Matter	Remarks of 36th SCAA
I.	II.	III.	IV.	V.
	Ps-Bheden ,Bargarh-768104 GR21000615 Grading: 9.1 State: Odisha	2. Solar Technician (Electrical) - 1(1+0)	Since the SCVT member has not submitted the inspection report, the quorum for inspection stands incomplete. The ITI therefore needs to be re-inspected. The ITI shall remove the deficiencies mentioned in Column IV within 30 days. Thereafter, the concerned RDSDE and State Directorate shall jointly conduct reinspection within the subsequent 15 days through the online Compliance Module. **Deficiencies observed in 34th SCAA-** 1. **Mechanic Electric Vehicle**- Not Recommended as out of 33 general machineries, only 20 machineries are available. The essential/main machineries, including EV 2W, EV 3W, EV 4W, car lift, BMS, and electric motor, are not available. 2. **Solar Technician:** Not Recommended, as the required machinery, tools, equipment, space, and instructor are not available. **Compliance report from Applicant against the deficiencies raised by the 34th SCAA**	Meeting; however, the deficiencies have not been addressed. The SCAA observed fundamental deficiencies related to machinery, Tools and equipment, and Instructor. Since the applicant has failed to rectify the deficiencies despite being provided an opportunity to do so, the affiliation application is hereby rejected. The applicant shall, however, be at liberty to submit a fresh application in accordance with the applicable rules and norms when the Affiliation Portal is opened.

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026

Signature Not Verified
Signed By:POOJA VERMA
Signing Date:03.11.2026

Sr. no	ITI Name and Code	Trade/Unit sought for affiliation	Brief Facts of the Matter	Remarks of 36th SCAA
I.	II.	III.	IV.	V.
			TC Section Remark- Applicant did not submit the compliance/representation within the stipulated timeframe	
5.	Government Industrial Training Institute, Malegaon, Dist: Nashik Mochi Corner, Camp Road - 423105 GR27000481 Grading-9 State: Maharashtra	Electrician-2(1+1)	**Remarks of 34th SCAA-** ITI needs to remove the following deficiencies and submit the documents to the concerned State Directorate within 30 days from the date of issue of these minutes through the compliance module on NIMI affiliation portal. 1. IT Lab is not available Thereafter, concerned State Directorate will verify the documents submitted by the ITI and submit the report with recommendation to DGT within the next 15 days on the online compliance module. **Compliance report from Applicant against the deficiencies raised by the 34th SCAA** **TC Section Remark-** Applicant did not submit the compliance/representation within the stipulated timeframe	The applicant was granted an opportunity to rectify the deficiencies during the 34th SCAA Meeting; however, the deficiencies have not been addressed. The SCAA observed fundamental deficiencies related to non-availability of IT Lab. Since the applicant has failed to rectify the deficiencies despite being provided an opportunity to do so, the affiliation application is hereby rejected. The applicant shall, however, be at liberty to submit a fresh application in accordance with the applicable rules and norms when the Affiliation Portal is opened.
6.	Govt Industrial Training Institute, Umerkote	1. Dress Making-2(1+1) 2. Electrician-2(1+1)	**Remarks of 34th SCAA-** ITI needs to remove the following deficiencies and submit the documents	The applicant was granted an opportunity to rectify the deficiencies during the 34th SCAA Meeting; however, the deficiencies have not

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026

Signature Not Verified
Signed By:POOJA VERMA
Signing Date:03.11.2026

Sr. no	ITI Name and Code	Trade/Unit sought for affiliation	Brief Facts of the Matter	Remarks of 36th SCAA
I.	II.	III.	IV.	V.
	REO Road, Gulipatna, Umerkote Nabarangpur – 764073 GU21000508 Grading: 8.5 State: Odisha	3. Fitter-2(1+1)	to the concerned State Directorate within 30 days from the date of issue of these minutes through the compliance module on NIMI affiliation portal. Thereafter, concerned State Directorate will verify the documents submitted by the ITI and submit the report with recommendation to DGT within the next 07 days on the online compliance module. **Deficiencies observed in the 34th SCAA-** 1. Fire Safety Certificate 2. Installation of machinery for Dress Making trade. **Compliance report from Applicant against the deficiencies raised by the 34th SCAA** **TC Section Remark-** Applicant did not submit the compliance/representation within the stipulated timeframe	been addressed. The SCAA observed fundamental deficiencies related to machinery, and Fire Safety. Since the applicant has failed to rectify the deficiencies despite being provided an opportunity to do so, the affiliation application is hereby rejected. The applicant shall, however, be at liberty to submit a fresh application in accordance with the applicable rules and norms when the Affiliation Portal is opened.
7.	Govt I.T.I., Barkote At-Barkote - 768108, Deogarh, Odisha GU21000606	1. Architectural Draughtsman - 2(1+1)	**Remarks of 34th SCAA-** ITI needs to remove the following deficiencies and submit the documents to the concerned State Directorate within 30 days from the date of issue of	The applicant was granted an opportunity to rectify the deficiencies during the 34th SCAA Meeting; however, the deficiencies have not been addressed. The SCAA observed

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026

Signature Not Verified
Signed By:POOJA VERMA
Signing Date:03.11.2026

Sr. no	ITI Name and Code	Trade/Unit sought for affiliation	Brief Facts of the Matter	Remarks of 36th SCAA
I.	II.	III.	IV.	V.
	Grading: 7.2 State: Odisha	2. Refrigeration and Air Conditioning Technician - 2(1+1)	these minutes through the compliance module on NIMI affiliation portal. Thereafter, concerned State Directorate will verify the documents submitted by the ITI and submit the report with recommendation to DGT within the next 15 days on the online compliance module. **Deficiencies observed in the 34th SCAA-** 1. Power Shortage- Required: 70.31KW Available:60 KW 2. Fire Safety Certificate is expired **Compliance report from Applicant against the deficiencies raised by the 34th SCAA** **TC Section Remark-** Applicant did not submit the compliance/representation within the stipulated timeframe	fundamental deficiencies related to Power requirement and safety. Since the applicant has failed to rectify the deficiencies despite being provided an opportunity to do so, the affiliation application is hereby rejected. The applicant shall, however, be at liberty to submit a fresh application in accordance with the applicable rules and norms when the Affiliation Portal is opened.
8.	Government Industrial Training Institute, Beed, Dist: Beed Nagar Road 431122	1. Desktop Publishing Operator -1(1+0) 2. Mechanic Electric Vehicle- 2(1+1) 3. Mechanic Motor Vehicle – 2(1+1)	**Remarks of 34th SCAA-** ITI needs to remove the following deficiencies and submit the documents to the concerned State Directorate within 30 days from the date of issue of these minutes through the compliance module on NIMI affiliation portal.	The applicant was granted an opportunity to rectify the deficiencies during the 34th SCAA Meeting; however, the deficiencies have not been addressed. The SCAA observed fundamental deficiencies related to Power requirements.

Signature Not Verified
GU27000031
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026

Signature Not Verified
Signed By:POOJA VERMA
Signing Date:03.11.2026

Sr. no	ITI Name and Code	Trade/Unit sought for affiliation	Brief Facts of the Matter	Remarks of 36th SCAA
I.	II.	III.	IV.	V.
	Grading: 8.2 State: Maharashtra	4. Mechanic Refrigeration and Air Conditioner – 2(1+1) 5. Wireman-2(1+1)	Thereafter, concerned State Directorate will verify the documents submitted by the ITI and submit the report with recommendation to DGT within the next 15 days on the online compliance module. **Deficiencies observed in the 34th SCAA-** Shortage of power - Required: 390.38 KW Available= 248 KW **Compliance report from Applicant against the deficiencies raised by the 34th SCAA** **TC Section Remark-** Applicant did not submit the compliance/representation within the stipulated timeframe	Since the applicant has failed to rectify the deficiencies despite being provided an opportunity to do so, the affiliation application is hereby rejected. The applicant shall, however, be at liberty to submit a fresh application in accordance with the applicable rules and norms when the Affiliation Portal is opened.
9.	Shri Sai Industrial Training Institute A/P:-Sasure-Vairag,Dhengale Patil Nagar,Solapur Barshi Highway,Tal-Barshi,Dist-Solapur-413402	1. Cosmetology-2(1+1) 2. Electronics Mechanic-2(1+1) 3. Fashion Design & Technology -2(1+1) 4. Marketing Executive-2(1+1) 5. Radiology Technician-2(1+1)	**Remarks of 32nd SCAA-** ITI needs to remove the deficiencies mentioned below and submit the documents to the concerned RDSDE within 20 days from the date of issue of these minutes through the compliance module on NIMI affiliation portal. Thereafter, concerned RDSDE will verify same by conducting joint	The applicant was granted an opportunity to rectify the deficiencies during the 32nd SCAA Meeting; however, the deficiencies have not been addressed. The SCAA observed fundamental deficiencies related to land, building, machinery, safety, and other essential infrastructural requirements. Since the applicant has failed to rectify the deficiencies despite being provided an

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026

Signature Not Verified
Signed By:POOJA VERMA
Signing Date:03.11.2026

Sr. no	ITI Name and Code	Trade/Unit sought for affiliation	Brief Facts of the Matter	Remarks of 36th SCAA
I.	II.	III.	IV.	V.
	PR27000732 Grading: 6.5 State: Maharashtra	6. Solar Technician (Electrical)-2(1+1)	reinspection and submit the report with recommendation to DGT within the next 07 days on the online compliance module **Deficiencies observed in the 32nd SCAA-** 1. **Electronics Mechanic:** As per syllabus, equipment listed at Sr. No. 7, 12, 41, 66, 81, and 86 are Not available or are available in short quantity. Further, many of the equipment are Not as per prescribed specifications. 2. **Solar Technician (Electrical):** As per syllabus, equipment listed at Sr. No. 27, 35, 44, 54, 55, 56, 57, 74, 75, 76, 85, 91, 92, 104, 108, 136, 138, and 140 are Not available or are available in short quantity. In addition, many equipment are Not as per specifications, and solar panels have Not been installed. 3. **Fashion Design & Technology :** Equipment listed at Sr. No. 14, 15, 27, 34, and 36 are Not available or are available in short quantity as per syllabus requirements. 4. **Cosmetology:** Equipment listed at Sr. No. 24, 25, 26, 27, 33, 34	opportunity to do so, the affiliation application is hereby rejected. The applicant shall, however, be at liberty to submit a fresh application in accordance with the applicable rules and norms when the Affiliation Portal is opened.

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026

Signature Not Verified
Signed By:POOJA VERMA
Signing Date:03.11.2026

Sr. no	ITI Name and Code	Trade/Unit sought for affiliation	Brief Facts of the Matter	Remarks of 36th SCAA
I.	II.	III.	IV.	V.
			35, 50, 51, 67, 68, 69, 87, 89, 90, and 98 are Not available or are available in short quantity as per syllabus requirements. 5. **Marketing Executive:** Equipment listed at Sr. No. 18 is Not available or is available in short quantity as per syllabus requirements. 6. **Radiology Technician:** Equipment listed at Sr. No. 2 and 3 are Not available or are available in short quantity as per syllabus requirements. 7. The number of electrical lighting fittings provided is inadequate, with only two fittings available in the workshop. 8. Electrical power point fittings are insufficient for the proper operation of machines and equipment. 9. Some of the working equipment/machines are Not functioning satisfactorily. 10. In the Solar Technician trade, solar equipment is Not in working condition. 11. The classrooms are located away from the ITI building and are provided within the Polytechnic College building on the second floor. Similarly, the ITI ca and	

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026

Signature Not Verified
Signed By:POOJA VERMA
Signing Date:03.11.2026

Sr. no	ITI Name and Code	Trade/Unit sought for affiliation	Brief Facts of the Matter	Remarks of 36th SCAA
I.	II.	III.	IV.	V.
			drawing hall are also located in the Polytechnic College building on the second floor, away from the ITI premises. 12. The building used for theory classes, IT lab, drawing hall, and library is located off-site (outside the ITI land) and is shared with other institutions. 13. The boys' and girls' washrooms/toilets are located far from the main ITI building within the ITI premises. **Not Recommended:** any trade unit **Compliance report from Applicant against the deficiencies raised by the 32nd SCAA** **TC Section Remark-** Applicant did not submit the compliance/representation within the stipulated timeframe	

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026

Signature Not Verified
Signed By:POOJA VERMA
Signing Date:03.11.2026

Annexure-4 as referred in Agenda 4 Discussion on the Inspection reports received from ITIs having more than 15 Units

State: Bihar

Sr.No	ITI Name/Address	Trade/units as per SIDH Portal	Inspection Cum Verification Committee (ICVC) remarks	36th SCAA Remark
I.	II.	III.	IV.	V
1.	Krishna Industrial Training Centre, Bettiah Banuchhapar, Bettiah, West Champaran, Bihar – 845438 **PR10000222** Private; Estd. 2006 Date of Inspection: 15.09.2026	1. Electrician – 16 (8+8) 2. Fitter – 16 (8+8) 3. Mechanic Diesel – 1 (0+1)	**1. Land & Building** • Land lease is not registered **2. Workshops** • Seems to be in tin shed, safety mats not there in workshop **3. Machinery & Equipment** • Unit wise machinery availability not mentioned **4. IT Lab & Drawing Hall** • Not even a single photo of working computers is provided 5. Electricity consumption is very less which shown not regular conduct of training activities **Remarks of Inspection Team** 1. As per DGT order no. DGT-Aff011(47)/02/2022-O/o dt. 17.01.2025, DET Bihar letter no. 367 dt. 29.01.2025 and DGT-Affmisc/4/2026-O/o DIR(TC) dt. 01.06.2026, the ITI is functioning with Electrician (8+8), Fitter (8+8) and Mechanic Diesel (1+1) units.	The matter was discussed in the meeting and the SCAA remarks/decision are as under: 1. SCAA noted that the inspection conducted by the State Directorate officials on 15.09.2026 revealed several deficiencies including the land lease is not registered, the workshops appear to be in a tin shed with no safety mats, unit-wise machinery availability is not mentioned, Electricity consumption is very less and not a single photo of working computers is provided 2. However, in adherence to the principles of natural justice, the concerned ITI is hereby granted an opportunity to show- cause as to why the institute should not be de-affiliated, based upon the deficiency observed 3. The SCAA further recommended that the approved Minutes of the 36th SCAA shall be treated as the Show Cause Notice (SCN) to the concerned ITI. The explanation, if any, must be comprehensive and duly supported by relevant documentary evidence, including proof of operational machinery and equipment with geo tagged photos, geo-tagged photographs of the institute infrastructure and location, and any other substantiating compliance with the

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026

Signature Not Verified
Signed By:POOJA VERMA
Signing Date:03.11.2026

Sr.No	ITI Name/Address	Trade/units as per SIDH Portal	Inspection Cum Verification Committee (ICVC) remarks	36th SCAA Remark
I.	II.	III.	IV.	V
			2. In view of the Joint Inspection Team, the ITI has adequate infrastructure and resources to impart training in the aforementioned trades and units.	prescribed norms. In case the reply consists of multiple pages, the institute shall prepare a proper index and clearly reference all annexures relied upon in the submission. 4. The reply must reach to the DGT within 21 days from the date of issue of these Minutes, through email to tc-deaffiliation@dgt.gov.in with a copy to tc-affiliation@dgt.gov.in. In case no reply is received within the stipulated period, it shall be presumed that the institute(s) have nothing further to submit in the matter, and DGT shall proceed with the de-affiliation proceedings on the basis of the records available, without any further notice.
2.	Lautan Buddha Pvt ITI At+Po-Patahi, PS-Sadar, Dist-Muzaffarpur, Bihar – 843113 PR10000786 Private; Estd. 2015 Date of Inspection: 10.09.2026	1. Electrician – 16(10+6)	**1. Land & Building** • Land lease is not registered • workshops are profiled industrial roof sheets with structural supports or tin sheets needs to be verified. • **Geotagged coordinates of this ITI are practically the same as those of Buddha Tech. Pvt. ITI, Khabra** (Sr. No. 3), inspected on the same day; both ITIs may be operating from the same premises **2. Units Affiliated vs Units on SIDH**	The matter was discussed in the meeting and the SCAA remarks/decision are as under: 1. SCAA noted that the inspection conducted by the State Directorate officials on 10.09.2026 revealed several deficiencies relating to land and building infrastructure, workshops, and the IT Lab. The lease deed was not registered, the workshops appeared to be located in a tin shed without safety mats, unit-wise machinery availability was not specified, and no photographs showing computers in working condition were provided. The

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026
Signature Not Verified
Signed By:POOJA VERMA
Signing Date:03.11.2026

Sr.No	ITI Name/Address	Trade/units as per SIDH Portal	Inspection Cum Verification Committee (ICVC) remarks	36th SCAA Remark
I.	II.	III.	IV.	V
			• The ICVC remarks state the ITI is functioning with 6+6 units. Status of the on portal remaining **16(10+6)** **3. Workshops** • **Electrician – 6 units per shift are run in only 2 workshops** (212.99 sq m and 404.27 sq m; total 617.26 sq m). The total area meets the requirement for 6 units (6 × 98 = 588 sq m), • If the affiliated 10 units per shift are taken as base units, the Electrician area requirement would be 980 sq m against 617.26 sq m available. • **Fitter:** 1 workshop of 100.28 sq m against required 88 sq m – adequate. • Engraving on machinery is not available • Safety mats not available **4. Machinery & Equipment** • Unit wise machinery availability not mentioned **5. Electricity Connection & Consumption** • LT 3-Phase connection (Consumer No. 120402319653), sanctioned load **21 KW**, in the name of the ITI	premises also appeared to be shared with Buddha Tech. 2. However, in adherence to the principles of natural justice, the concerned ITI is hereby granted an opportunity to show- cause as to why the institute should not be de-affiliated, based upon the deficiency observed 3. The SCAA further recommended that the approved Minutes of the 36th SCAA shall be treated as the Show Cause Notice (SCN) to the concerned ITI. The explanation, if any, must be comprehensive and duly supported by relevant documentary evidence, including proof of operational machinery and equipment with geo tagged photos, geo-tagged photographs of the institute infrastructure and location, and any other substantiating compliance with the prescribed norms. In case the reply consists of multiple pages, the institute shall prepare a proper index and clearly reference all annexures relied upon in the submission. 4. The reply must reach to the DGT within 21 days from the date of issue of these Minutes, through email to tc-deaffiliation@dgt.gov.in with a copy to tc-affiliation@dgt.gov.in. In case no reply is received within the stipulated period, it

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026

Signature Not Verified
Signed By:POOJA VERMA
Signing Date:03.11.2026

Sr.No	ITI Name/Address	Trade/units as per SIDH Portal	Inspection Cum Verification Committee (ICVC) remarks	36th SCAA Remark
I.	II.	III.	IV.	V
			• Load required as per Annexure-19: Electrician 6 units × 2.6 KW = 15.6 KW; Fitter 1 × 3.51 KW = 3.51 KW; **total 19.11 KW** against 21 KW sanctioned – adequate for 6+6 and 1+1 units. However, **for 10 Electrician base units the requirement would be 29.51 KW, which exceeds the sanctioned load**. • Electricity consumption is very less which shown not regular conduct of training activities **4. IT Lab** • **No photograph of the IT Lab** has been enclosed **Remarks of Inspection Team** • As per DGT order no. DGT-Aff011(47)/02/2022-O/o dt. 17.01.2025 and DET Bihar letter no. 367 dt. 29.01.2025, the ITI is functioning with Electrician (6+6) and Fitter (1+1) units. • In view of the Joint Inspection Team, the ITI has adequate infrastructure and resources to impart training in the aforementioned trades and u	shall be presumed that the institute(s) have nothing further to submit in the matter, and DGT shall proceed with the de-affiliation proceedings on the basis of the records available, without any further notice.

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026

Signature Not Verified
Signed By:POOJA VERMA
Signing Date:03.11.2026

Sr.No	ITI Name/Address	Trade/units as per SIDH Portal	Inspection Cum Verification Committee (ICVC) remarks	36th SCAA Remark
I.	II.	III.	IV.	V
3.	Buddha Tech. Pvt. ITI At+Po-Khabra, PS-Sadar, Dist-Muzaffarpur, Bihar – 843146 PR10000204 Private; Estd. 2007 Date of Inspection: 10.09.2026	1. Electrician-(7+12)	**1. Land & Building** • Land is on lease under two deeds (8208/15 dt. 01.03.2015, valid up to 28.02.2035; 11677/18 dt. 15.09.2018, valid up to 31.08.2033); total area 1,489.49 sq m. • Land lease is not registered • Total workshop area recorded (1,629.84 sq m) • Building Plan, Structural Safety Certificate and Fire Safety Certificate not provided. **2. Location / Geotagged Photographs** • **All geotagged photographs show "Ginjas, Bihar 843113" with identical coordinates (Lat 26.11604°, Long 85.335645°)**, whereas the ITI address is **Khabra, PIN 843146**. • These coordinates are **practically the same as those of Lautan Buddha Pvt ITI, Patahi (PIN 843113)** (Sr. No. 2), inspected on the same day (10.09.2026) • Electrician workshop areas are almost identical to those of Lautan Buddha Pvt ITI (213.54 / 40.68 sq	1. The matter was discussed in the meeting, and SCAA observed serious discrepancies in the inspection report dated 10.09.2026, including lease deed not registered, identical geo-tagged locations and similar workshop areas to those of another ITI, a shortfall of 85.32 sq. m. in the Mechanic Diesel workshop, absence of engraved machinery and safety mats, and unusually low electricity consumption, raising concerns regarding the actual functioning of the institute. 2. However, in adherence to the principles of natural justice, the concerned ITI is hereby granted an opportunity to show- cause as to why the institute should not be de-affiliated, based upon the deficiency observed 3. The SCAA further recommended that the approved Minutes of the 36th SCAA shall be treated as the Show Cause Notice (SCN) to the concerned ITI. The explanation, if any, must be comprehensive and duly supported by relevant documentary evidence, including proof of operational machinery and equipment with geo tagged photos, geo-tagged photographs of the institute infrastructure and location, and any other substantiating compliance with the prescribed norms. In case the reply

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026

Signature Not Verified
Signed By:POOJA VERMA
Signing Date:03.11.2026

Sr.No	ITI Name/Address	Trade/units as per SIDH Portal	Inspection Cum Verification Committee (ICVC) remarks	36th SCAA Remark
I.	II.	III.	IV.	V
			m here vs 212.99 / 404.27 sq m there) • **Possibility of both ITIs being shown from the same premises** **3. Units Affiliated vs Units on SIDH** • Electrician affiliated 24 (12+12) but only 14 (7+7) on SIDH; Fitter affiliated 10 (5+5) but only 4 (2+2) on SIDH. **Status of the remaining Electrician 10 (5+5) and Fitter 6 (3+3) units not clarified.** • Mechanic Diesel shown as "Shift 1: 01, Shift 1: 01"; to be read as (1+1). **4. Workshops** • **Electrician – 7 units per shift run in only 3 workshops** (213.54, 403.89 and 686.93 sq m). Area is adequate, but separate workshop for each unit is required (Table 24, Sr. 1.2(vi)). • **Fitter – 2 units per shift run in 1 workshop** (200.60 sq m against 176 sq m); separate workshops not available. • **Mechanic Diesel – 124.68 sq m against required 210 sq m; shortfall of 85.32 sq m.** • Safety mats not available	consists of multiple pages, the institute shall prepare a proper index and clearly reference all annexures relied upon in the submission. 4. The reply must reach to the DGT within 21 days from the date of issue of these Minutes, through email to tc-deaffiliation@dgt.gov.in with a copy to tc-affiliation@dgt.gov.in. In case no reply is received within the stipulated period, it shall be presumed that the institute(s) have nothing further to submit in the matter, and DGT shall proceed with the de-affiliation proceedings on the basis of the records available, without any further notice.

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026

Signature Not Verified
Signed By:POOJA VERMA
Signing Date:03.11.2026

Sr.No	ITI Name/Address	Trade/units as per SIDH Portal	Inspection Cum Verification Committee (ICVC) remarks	36th SCAA Remark
I.	II.	III.	IV.	V
			5. Machinery & Equipment • Machinery reported only as "Available"; functional status, STL Sl. No.-wise and unit-wise availability not mentioned. • Engraving on machinery is not available **6. Electricity Connection & Consumption** • Two LT 3-Ph connections (134102313756 – 19 KW; 13410009368 – 16 KW), total 35 KW. **Connection is in the name of "Buddha Technical ITC"**, which differs from the ITI name "Buddha Tech. Pvt. ITI". • Load required: Electrician 7 × 2.6 = 18.2 KW; Fitter 2 × 3.51 = 7.02 KW; Mechanic Diesel 1 × 4.8 = 4.8 KW; total 30.02 KW – adequate. For affiliated units (12 + 5 + 1) the requirement would be 53.55 KW, exceeding the sanctioned load. • Electricity consumption is very less which shown not regular conduct of training activities **9. IT Lab**	

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026

Signature Not Verified
Signed By:POOJA VERMA
Signing Date:03.11.2026

Sr.No	ITI Name/Address	Trade/units as per SIDH Portal	Inspection Cum Verification Committee (ICVC) remarks	36th SCAA Remark
I.	II.	III.	IV.	V
			• 21 working computers with 100 Mbps broadband; marginal against about 20–22 computers required for about 204 trainees per shift. IT Lab area not recorded. **Remarks of Inspection Team** • As per DGT order no. DGT-Aff011(47)/02/2022-O/o dt. 17.01.2025 and DET Bihar letter no. 367 dt. 29.01.2025, the ITI is functioning with Electrician (7+7), Fitter (2+2) and Mechanic Diesel (1+1) units. • In view of the Joint Inspection Team, the ITI has adequate infrastructure and resources to impart training in the aforementioned trades and units.	
4.	Subhash Prasad Pvt ITI Ziradei, Siwan, Bihar – 841245 PR10000966 Private; Estd. 2015 Date of Inspection: 11.09.2026	1. Electrician – 20 (10+10)	**1. Land & Building** • Land lease Not registered • whether profiled industrial sheets (permitted) or tin sheets to be verified. **2. Workshops** • **Electrician – 10 units per shift run in a single workshop** (995 sq m against 980 sq m).	1. The matter was discussed in the meeting, and SCAA observed serious discrepancies in the inspection report dated 11.09.2026, including the institute's infrastructure, non-registration of the land lease, absence of machinery engraving and unit-wise/ STL Sl. No.-wise machinery details, non-submission of IT Lab and Drawing Hall details, and very low electricity consumption raise concerns regarding compliance with prescribed

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026

Signature Not Verified
Signed By:POOJA VERMA
Signing Date:03.11.2026

Sr.No	ITI Name/Address	Trade/units as per SIDH Portal	Inspection Cum Verification Committee (ICVC) remarks	36th SCAA Remark
I.	II.	III.	IV.	V
			• **Fitter – 2 units in 1 workshop** (180 sq m against 176 sq m); separate workshops not available. • Plumber 120 sq m (required 80 sq m) – adequate. Mechanic Diesel 150 sq m + parking = 210 sq m – adequate subject to verification of parking area. **3. Machinery & Equipment** • Machinery reported only as "Available"; functional status, STL Sl. No.-wise and unit-wise availability not mentioned. • Engraving on machinery is not available **4. Electricity** • LT 3-Ph (Consumer No. 12720067463), 41 KW, in the name of the ITI. Load required: Electrician 10 × 2.6 = 26 KW, Fitter 2 × 3.51 = 7.02 KW, Plumber 1 × 3 = 3 KW, Mechanic Diesel 1 × 4.8 = 4.8 KW; **total 40.82 KW against 41 KW – marginal**. Electricity consumption is very less which shown not regular conduct of training activities **5. IT Lab & Drawing Hall**	norms and the regular conduct of training activities as mentioned in column IV. 2. However, in adherence to the principles of natural justice, the concerned ITI is hereby granted an opportunity to show- cause as to why the institute should not be de-affiliated, based upon the deficiency observed 3. The SCAA further recommended that the approved Minutes of the 36th SCAA shall be treated as the Show Cause Notice (SCN) to the concerned ITI. The explanation, if any, must be comprehensive and duly supported by relevant documentary evidence, including proof of operational machinery and equipment with geo tagged photos, geo-tagged photographs of the institute infrastructure and location, and any other substantiating compliance with the prescribed norms. In case the reply consists of multiple pages, the institute shall prepare a proper index and clearly reference all annexures relied upon in the submission. 4. The reply must reach to the DGT within 21 days from the date of issue of these Minutes, through email to tc-deaffiliation@dgt.gov.in with a copy to tc-affiliation@dgt.gov.in. In case no reply is received within the stipulated period, it

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026

Signature Not Verified
Signed By:POOJA VERMA
Signing Date:03.11.2026

Sr.No	ITI Name/Address	Trade/units as per SIDH Portal	Inspection Cum Verification Committee (ICVC) remarks	36th SCAA Remark
I.	II.	III.	IV.	V
			• **IT Lab & Drawing Hall-** Number of working computers, internet and Drawing Hall not provided **<u>Remarks of Inspection Team</u>** • As per DGT order no. DGT-Aff011(47)/02/2022-O/o dt. 17.01.2025 and DET Bihar letter no. 367 dt. 29.01.2025, the ITI is functioning with Electrician (10+10), Fitter (2+2), Plumber (1+1) and Mechanic Diesel (1+1) units. • All T&Es available and functional; better arrangement and orderly placement recommended. • In view of the Joint Inspection Team, the ITI has adequate infrastructure and resources to impart training in the aforementioned trades and units.	shall be presumed that the institute(s) have nothing further to submit in the matter, and DGT shall proceed with the de-affiliation proceedings on the basis of the records available, without any further notice.

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026

Signature Not Verified
Signed By:POOJA VERMA
Signing Date:03.11.2026

State: Madhya Pradesh

Sr. No.	ITI Name/Address	Trade/units as per SIDH Portal	Inspection Cum Verification Committee (ICVC) remarks	36th SCAA Remark
I.	II.	III.	IV.	V
1.	Satpura (Satpuda) Pvt. ITI, Chhindwara Near Ware House, Seoni Road, Chhindwara (M.P.) PR23000299 Date of Inspection: 21.08.2026	1. Electrician-16(8+8)*	**1. Land & Building** • **Building Completion Certificate issued by the Gram Panchayat and not by the Nagar Nigam**, as applicable (recorded by the team). Building plan and Structural Safety Certificate not enclosed. **2. Workshops & Machinery** • **No partition among Electrical Labs 2, 3 and 4**, i.e., they function as a common hall. • **Machinery not available in all 4 labs** as per revised curriculum: AC phase-wound slip ring motor (Sl. 145), Universal motor (Sl. 146), Synchronous motor with accessories (Sl. 147), EV charger 3-phase (Sl. 165) and EV charger home (Sl. 166). Annexure-II also marks **Ceiling fan coil winding machine (Sl. 160)** as not available, which is not mentioned in the findings. • **Non-functional:** Motor-generator (DC to AC) set (Sl. 143), Thyristor/IGBT controlled DC motor drive (Sl. 148) and AC motor drive (Sl. 149). • **Electrical equipment not properly installed and earthing missing on all machines in all 4 labs** – a safety hazard. **3. Tools & Equipment**	The matter was discussed in the meeting and the SCAA remarks/decision are as under: 1. SCAA noted that the inspection conducted by the State Directorate officials on 21.08.2026 revealed several deficiencies, including Building Completion Certificate, workshop, machinery equipment, low power consumption etc as given in column iv 2. Accordingly, in view of the provisions contained in Clause 7.4(i) of the DGT Affiliation Norms, 2025, the Committee recommended initiation of de-affiliation proceedings by DGT against the concerned ITI, without referring the matter to SSDEC/State Government. 3. However, in adherence to the principles of natural justice, the concerned ITI is hereby granted a final opportunity to show- cause as to why the institute should not be de-affiliated, based upon the remarks of inspection team mentioned in column IV. 4. The SCAA further recommended that the approved Minutes of the 36th SCAA shall be treated as the Show Cause Notice (SCN) to the concerned ITI. The explanation, if any, must be

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026

Signature Not Verified
Signed By:POOJA VERMA
Signing Date:03.11.2026

Sr. No.	ITI Name/Address	Trade/units as per SIDH Portal	Inspection Cum Verification Committee (ICVC) remarks	36th SCAA Remark
I.	II.	III.	IV.	V
			• Items marked not available include Crimping tools (Sl. 28), Relays (Sl. 64), Hydrometer (Sl. 66), Digital thermometer (Sl. 73), **Rubber mat, Electrician helmet, RCC pole with accessories and Safety belt (Sl. 90–93)**, Digital wattmeter (Sl. 101), Digital power factor meter (Sl. 104), Phase sequence indicator (Sl. 116), Temperature-controlled soldering iron (Sl. 122), Mixer-grinder and Washing machine (Sl. 126 g, h), Solar panel with battery (Sl. 134) and Computers (Sl. 135). Marks against a few other items (e.g., Sl. 27, 45, 46, 67) are not clearly legible. • Annexure-II has been checked against the list for **one batch of 20 trainees only**; availability of trainee tool kits (Sl. 1–12, required for each additional unit) and shop items for 8/16 units has not been assessed unit-wise. • Absence of basic safety items (rubber mat, helmet, safety belt), together with missing earthing, is a serious safety deficiency. **4. Electricity** • LT 3-Ph (Consumer No. N1712000959), 44 KW, in the name of Principal, Satpura ITI. Load required: Electrician 8 × 2.6 = 20.8 KW per shift – sanctioned load adequate.	comprehensive and duly supported by relevant documentary evidence, including proof of operational machinery and equipment with geo tagged photos, geo-tagged photographs of the institute infrastructure and location, and any other substantiating compliance with the prescribed norms. In case the reply consists of multiple pages, the institute shall prepare a proper index and clearly reference all annexures relied upon in the submission. 5. The reply must reach to the DGT within 21 days from the date of issue of these Minutes, through email to tc-deaffiliation@dgt.gov.in with a copy to tc-affiliation@dgt.gov.in. In case no reply is received within the stipulated period, it shall be presumed that the institute(s) have nothing further to submit in the matter, and DGT shall proceed with the de-affiliation proceedings on the basis of the records available, without any further notice.

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026

Signature Not Verified
Signed By:POOJA VERMA
Signing Date:03.11.2026

Sr. No.	ITI Name/Address	Trade/units as per SIDH Portal	Inspection Cum Verification Committee (ICVC) remarks	36th SCAA Remark
I.	II.	III.	IV.	V
			• Electricity consumption is very less which shown not regular conduct of training activities **5. Biometric attendance machine not available**; physical registers not enclosed. Staff working days for March (19) differ from trainee working days (18). **6. IT Lab & Drawing Hall** • Engineering Drawing tables not as per prescribed norms. **Remarks of Inspection Team (as recorded)** • BCC issued by Gram Panchayat, not by Nagar Nigam; power consumption considerably low compared to sanctioned load; no partition among Electrical Labs 2, 3 and 4. • Electrical equipment not properly installed and earthing missing in all 4 labs; machinery at Sl. 145, 146, 147, 165 and 166 not available and Sl. 143, 148 and 149 non-functional; shortage of tools (Annexure-II). • Classroom name plates not displayed; Engineering Drawing tables not as per norms; biometric machines not available.	

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026

Signature Not Verified
Signed By:POOJA VERMA
Signing Date:03.11.2026

State: Uttar Pradesh

Sr.no	ITI Name/Address	Trade/units as per SIDH Portal	Inspection Cum Verification Committee (ICVC) remarks	Remark of 36th SCAA
I.	II.	III.	IV.	V
1.	Indian ITC, Mirzapur Sajhauli, Chunar, Mirzapur (UP) – 231304 PR09000163 Private; Estd. 2008 Date of Inspection: 13.07.2026	*Electrician 16 (8+8)* *Fitter 16 (8+8)*	**1. Land & Building** • Land shown as "Both" (owned and lease), 3,432 sq m (Araji Nos. 114 and 111); lease valid up to 2038. Ownership/lease documents and Structural Safety Certificate not verified in the report. **2. Workshops & Machinery** • **Electrician – 8 units run in a single workshop** (803.27 sq m) and **Fitter – 8 units in a single workshop** (783.67 sq m). • unit-wise machinery details not recorded. • Workshop seems to be tin shed • Machinery is not engraved, and safety mats are not available. **3. Electricity** • LT 3-Phase (Consumer No. 0879752000), 49 KVA. Load required: Electrician 8 × 2.6 = 20.8 KW + Fitter 8 × 3.51 = 28.08 KW = **48.88 KW, against 49 KVA (about 44 KW)** – inadequate/marginal.	The matter was discussed in the meeting and the SCAA remarks/decision are as under: 1. SCAA noted that the inspection conducted by the State Directorate officials on 13.07.2026 revealed several deficiencies, workshop. Machinery, safety and very low electricity consumption raise concerns regarding compliance with prescribed norms and the regular conduct of training activities. 2. Accordingly, in view of the provisions contained in Clause 7.4(i) of the DGT Affiliation Norms, 2025, the Committee recommended initiation of de-affiliation proceedings by DGT against the concerned ITI, without referring the matter to SSDEC/State Government. 3. However, in adherence to the principles of natural justice, the concerned ITI is hereby granted a final opportunity to show- cause as to why the institute should not be de-affiliated, based upon the remarks of inspection team mentioned in column IV.

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026

Signature Not Verified
Signed By:POOJA VERMA
Signing Date:03.11.2026

Sr.no	ITI Name/Address	Trade/units as per SIDH Portal	Inspection Cum Verification Committee (ICVC) remarks	Remark of 36th SCAA
I.	II.	III.	IV.	V
			• **Electricity consumption is very low – only 1 to 21 kWh per month throughout 2025-26** which shown not regular conduct of training activities	4. The SCAA further recommended that the approved Minutes of the 36th SCAA shall be treated as the Show Cause Notice (SCN) to the concerned ITI. The explanation, if any, must be comprehensive and duly supported by relevant documentary evidence, including proof of operational machinery and equipment with geo tagged photos, geo-tagged photographs of the institute infrastructure and location, and any other substantiating compliance with the prescribed norms. In case the reply consists of multiple pages, the institute shall prepare a proper index and clearly reference all annexures relied upon in the submission. 5. The reply must reach to the DGT within 21 days from the date of issue of these Minutes, through email to tc-deaffiliation@dgt.gov.in with a copy to tc-affiliation@dgt.gov.in. In case no reply is received within the stipulated period, it shall be presumed that the institute(s) have nothing further to submit in the matter, and DGT shall proceed with the de-affiliation

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026

Signature Not Verified
Signed By:POOJA VERMA
Signing Date:03.11.2026

Sr.no	ITI Name/Address	Trade/units as per SIDH Portal	Inspection Cum Verification Committee (ICVC) remarks	Remark of 36th SCAA
I.	II.	III.	IV.	V
				proceedings on the basis of the records available, without any further notice.
2.	Major Ramvir Singh ITC, Firozabad Village & Post Balipur, Shikohabad, Firozabad – 283142 PR09000241 Private; Estd. 2008 Date of Inspection: 21.07.2026	*Electrician 18 (9+9)*	**1. Workshops & Machinery** • **Electrician workshops and 2 Fitter workshops are located in the basement** of the building, which is not permitted • Electrician – 9 workshops (101–105 sq m each) and Fitter – 2 workshops (102–103 sq m) – area adequate. • **Tools of Electrician trade not produced** as per Standard Tool List; **2 lathe machines in Fitter workshop not working.** **2. Electricity** • LT 3-Ph (Consumer No. 46506416000), 34 KW. Load required: Electrician 9 × 2.6 = 23.4 KW + Fitter 2 × 3.51 = 7.02 KW = 30.42 KW – adequate. • **Connection is in the name of "Prabandhak Major Ramvir Singh ITI"**	The matter was discussed in the meeting and the SCAA remarks/decision are as under: 1. SCAA noted serious deficiencies, including workshops located in the basement, non-availability of prescribed Electrician trade tools, non-functional lathe machines, shortage of Electrician instructors, non-production of trainee and staff attendance records and Electricity Consumption details , nil working computers in the IT Lab, and absence of books in the library raise concerns regarding compliance with prescribed norms and the regular conduct of training activities 2. Accordingly, in view of the provisions contained in Clause 7.4(i) of the DGT Affiliation Norms, 2025, the Committee recommended initiation of de-affiliation proceedings by DGT against the

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026

Signature Not Verified
Signed By:POOJA VERMA
Signing Date:03.11.2026

Sr.no	ITI Name/Address	Trade/units as per SIDH Portal	Inspection Cum Verification Committee (ICVC) remarks	Remark of 36th SCAA
I.	II.	III.	IV.	V
			Education Institute", not the ITI; governing body resolution (Para 9.3(iii)) required. • **Monthly energy consumption and bills (Section D2) not provided** **3. Faculty** • **Electrician – only 13 IPRNs against 18 units (shortage of 5)**; **4. Attendance** • Attendance records of trainees and staff not produced. **5. IT Lab, Drawing Hall & Library** • **IT Lab – NIL working computers** • Drawing Hall has only 18 drawing tables; • **Library has no books** (only empty almirahs). **Remarks of Inspection Team** • **Conclusion: Not Recommended.**	concerned ITI, without referring the matter to SSDEC/State Government. 3. However, in adherence to the principles of natural justice, the concerned ITI is hereby granted a final opportunity to show- cause as to why the institute should not be de-affiliated, based upon the remarks of inspection team mentioned in column IV. 4. The SCAA further recommended that the approved Minutes of the 36th SCAA shall be treated as the Show Cause Notice (SCN) to the concerned ITI. The explanation, if any, must be comprehensive and duly supported by relevant documentary evidence, including proof of operational machinery and equipment with geo tagged photos, geo-tagged photographs of the institute infrastructure and location, and any other substantiating compliance with the prescribed norms. In case the reply consists of multiple pages, the institute shall prepare a proper index and clearly reference all annexures relied upon in the submission.

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026

Signature Not Verified
Signed By:POOJA VERMA
Signing Date:03.11.2026

Sr.no	ITI Name/Address	Trade/units as per SIDH Portal	Inspection Cum Verification Committee (ICVC) remarks	Remark of 36th SCAA
I.	II.	III.	IV.	V
				5. The reply must reach to the DGT within 21 days from the date of issue of these Minutes, through email to tc-deaffiliation@dgt.gov.in with a copy to tc-affiliation@dgt.gov.in. In case no reply is received within the stipulated period, it shall be presumed that the institute(s) have nothing further to submit in the matter, and DGT shall proceed with the de-affiliation proceedings on the basis of the records available, without any further notice.
3.	Raj Rajeshwari ITI, Mawana Meerut Road, Mawana, Meerut – 250401 PR09000162 Private; Estd. 2008 Date of Inspection: 16.07.2026	*Fitter 16 (8+8).*	**1. Workshops & Machinery** • Workshop and class seem to be in tin shed • No safety mats in workshop • Machinery stated to be working, but **allied trade gas welding not working**; STL Sl. No.-wise details not provided • Engraving on machinery is not available **2. Electricity** • Electricity consumption is very less which shown not regular conduct of training activities	The matter was discussed in the meeting and the SCAA remarks/decision are as under: 1. SCAA observed that the workshops and classrooms appear to be located in tin sheds, safety mats are unavailable, allied trade gas welding equipment is non-functional, and machinery details as per STL Sl. No. are not provided. Further, the very low electricity consumption raises concerns regarding the regular conduct of training activities, while the IT Lab

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026

Signature Not Verified
Signed By:POOJA VERMA
Signing Date:03.11.2026

Sr.no	ITI Name/Address	Trade/units as per SIDH Portal	Inspection Cum Verification Committee (ICVC) remarks	Remark of 36th SCAA
I.	II.	III.	IV.	V
			3. IT Lab • 15 working computers; IT Lab area not provided • Number of Computers is very less than the required	lacks adequate computers and its area has not been specified. 2. Accordingly, in view of the provisions contained in Clause 7.4(i) of the DGT Affiliation Norms, 2025, the Committee recommended initiation of de-affiliation proceedings by DGT against the concerned ITI, without referring the matter to SSDEC/State Government. 3. However, in adherence to the principles of natural justice, the concerned ITI is hereby granted a final opportunity to show- cause as to why the institute should not be de-affiliated, based upon the remarks of inspection team mentioned in column IV. 4. The SCAA further recommended that the approved Minutes of the 36th SCAA shall be treated as the Show Cause Notice (SCN) to the concerned ITI. The explanation, if any, must be comprehensive and duly supported by relevant documentary evidence, including proof of operational machinery and equipment with geo tagged photos, geo-tagged photographs of the institute infrastructure and location, and any

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026

Signature Not Verified
Signed By:POOJA VERMA
Signing Date:03.11.2026

Sr.no	ITI Name/Address	Trade/units as per SIDH Portal	Inspection Cum Verification Committee (ICVC) remarks	Remark of 36th SCAA
I.	II.	III.	IV.	V
				other substantiating compliance with the prescribed norms. In case the reply consists of multiple pages, the institute shall prepare a proper index and clearly reference all annexures relied upon in the submission. 5. The reply must reach to the DGT within 21 days from the date of issue of these Minutes, through email to tc-deaffiliation@dgt.gov.in with a copy to tc-affiliation@dgt.gov.in. In case no reply is received within the stipulated period, it shall be presumed that the institute(s) have nothing further to submit in the matter, and DGT shall proceed with the de-affiliation proceedings on the basis of the records available, without any further notice.
4.	Super Tech Pvt ITI, Meerut Village Hasanpur Kalan, Post	*Electrician 16 (8+8)*	**1. Land & Building** • Building needs repair. **2. Workshops & Machinery** • **No machine as per syllabus in working condition**; only some hand	The matter was discussed in the meeting and the SCAA remarks/decision are as under: 1. SCAA noted that the inspection conducted by the State Directorate officials on 16.07.2026 revealed

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026

Signature Not Verified
Signed By:POOJA VERMA
Signing Date:03.11.2026

Sr.no	ITI Name/Address	Trade/units as per SIDH Portal	Inspection Cum Verification Committee (ICVC) remarks	Remark of 36th SCAA
I.	II.	III.	IV.	V
	Machhra, Meerut PR09000819 Private; Estd. 2010 Date of Inspection: 16.07.2026		tools available. Workshops of Electrician and Fitter need serious maintenance. • Engraving on machinery is not available • Safety mats not available **4. Electricity** • electricity connection not available **5. Faculty & Attendance** • **No IPRN generated for any trade; no instructor present.** • Yet the attendance register shows **100% trainee and 100% staff attendance** for all months – not credible. **6. Placement, IT Lab & Drawing Hall** • Placement Cell not functional • IT Lab (15 computers) is **used for running other training programmes**; **no Drawing Hall.** • **Other training programmes are running in the premises.** **Remarks of Inspection Team (as recorded)**	serious deficiencies, including absence of functional machinery as per syllabus, non-availability of electricity connection, absence of instructors and IPRNs, poor workshop infrastructure, non-functional Placement Cell, and absence of a Drawing Hall. The reported 100% attendance of trainees and staff despite the absence of instructors raises serious concerns regarding the credibility of attendance records and the actual conduct of training. Further, the IT Lab is being used for other training programmes. 2. However, in adherence to the principles of natural justice, the concerned ITI is hereby granted a final opportunity to show-cause as to why the institute should not be de-affiliated, based upon the remarks of the inspection team for the deficiencies observed. 3. The explanation, if any, must be comprehensive and duly supported by relevant documentary evidence, including proof of operational machinery and equipment with geo-tagged photos, geo-tagged

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026

Signature Not Verified
Signed By:POOJA VERMA
Signing Date:03.11.2026

Sr.no	ITI Name/Address	Trade/units as per SIDH Portal	Inspection Cum Verification Committee (ICVC) remarks	Remark of 36th SCAA
I.	II.	III.	IV.	V
			• No proper infrastructure as per DGT norms; no machine as per norms; no machine in working condition; no electricity connection; no drawing hall. • **The ITI is not recommended; Electrician – not recommended.** Covering letter of DGT representative recommends **closure** of the ITI.	photographs of the institute infrastructure and location, and any other documents substantiating compliance with the prescribed norms. In case the reply consists of multiple pages, the institute shall prepare a proper index and clearly reference all annexures relied upon in the submission. 4. The reply must reach to the DGT within 21 days from the date of issue of these Minutes, through email to tc-deaffiliation@dgt.gov.in with a copy to tc-affiliation@dgt.gov.in. In case no reply is received within the stipulated period, it shall be presumed that the institute(s) have nothing further to submit in the matter, and DGT shall proceed with the de-affiliation proceedings on the basis of the records available, without any further notice.

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026

Signature Not Verified
Signed By:POOJA VERMA
Signing Date:03.11.2026

Annexure-5 Consideration of Replies of ITIs inspected for having more than 15 Affiliated Units in a single trade, in reference to DGT Letter No. DGT-Aff0misc/4/2026-O/o DIR (TC) dated 01.06.2026.

Sr.No	Details of ITI	Brief of Matter	36th SCAA Remarks
I	II	III	IV
1.	Dr. P M R Industrial Training Centre, Tirupati, Andhra Pradesh – Tirupati **MIS Code: PR28000355** **<u>Trade & units</u>** Electrician -16(8+8)	1. The joint inspection of the ITI was conducted on 02.07.2026 and during the inspection the joint inspection team found the following deficiencies: (a) The building and infrastructure need repair and proper facilities are not available. (b) There has been no active electricity connection since May 2025. (c) Only two classrooms exist, both non-functional. (d) Machinery in the Electrician and Fitter workshops is only partial and mostly non-functional. (e) There are no traces of the institute functioning and no training has been conducted for a long period. (f) An old age home operates in the same premises. (g) The ITI's representative could not produce staff, trainee or attendance records. 2. The matter was discussed in the 34th SCAA meeting held on 06.08.2026. Based on the joint inspection report, the Committee observed significant irregularities and recommended initiation of de-affiliation proceedings against the specified trades/units under Clause 7.4(i) of the DGT Affiliation Norms, 2025, without referring the matter to SSDEC/State Government. As a final opportunity under the principles of natural justice, the approved Minutes shall serve as the SCN, requiring the ITI to submit a reply, supported by relevant documentary evidence, including geo-tagged	The matter was discussed in the SCAA meeting, and the SCAA decided as under: 1. In line with the principles of natural justice, the ITI was afforded final opportunity to represent itself by 34th SCAA in its meeting held on 06.08.2026, to submit a show-cause reply explaining why the ITI should not be de-affiliated, based upon the remarks of inspection team along with any supporting representation, within 21 days from the issuance of the minutes of that meeting. 2. The ITI did not avail the final opportunity provided by DGT in the 34th SCAA meeting and failed to submit any reply or representation, thereby exhibiting continued negligence and persistent non-compliance. 3. Further, as per SoP of de-affiliation and clause 7.3. of affiliation norms 2025, the ITI is being granted a final opportunity to submit a show-cause reply explaining why the ITI should not be de-affiliated with all trades and units. 4. The ITI shall treat these Minutes as a final notice issued by DGT. The explanation, if any,

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026

Signature Not Verified
Signed By:POOJA VERMA
Signing Date:03.11.2026

Sr.No	Details of ITI	Brief of Matter	36th SCAA Remarks
I	II	III	IV
		photographs, within 21 days to tc-deaffiliation@dgt.gov.in, with a copy to tc-affiliation@dgt.gov.in. The reply shall include a proper index and referenced annexures, wherever applicable. In the absence of a reply, DGT shall proceed with de-affiliation based on available records without further notice. 3. The ITI did not avail the opportunity granted by 34th SCAA and no reply received from the ITI.	must be comprehensive and duly supported by relevant documentary evidence, including proof of operational machinery and equipment with geo tagged photos, geo-tagged photographs of the institute infrastructure and location, and any other substantiating compliance with the prescribed norms. In case the reply consists of multiple pages, the institute shall prepare a proper index and clearly reference all annexures relied upon in the submission. The reply must reach to the DGT within **07** days from the date of issue of these Minutes, through email to tc-deaffiliation@dgt.gov.in with a copy to tc-affiliation@dgt.gov.in. 5. In case no reply is received within the stipulated period will result in de-affiliation of the ITI without any further notice.
2.	Siddharth Private ITI, Chitragopi More, Jamhor, Aurangabad, Bihar – Aurangabad **MIS Code: PR10000552**	1. The joint inspection of the ITI was conducted on 13.07.2026 and during the inspection the joint inspection committee observed the following: a) The team noted that domestic appliances (S. No. 126) were not available in the workshop, the solar panel with battery (180 W, S. No. 134) was not installed in the workshop, and the IT Lab chairs appeared arranged for temporary use.	The SCAA, upon reviewing the response submitted by the ITI, decided to verify the claim of the ITI asserting full compliance with affiliation norms. Accordingly, joint verification of such ITIs shall be carried out by the Bihar State Directorate and RDSDE Bihar. The report thereof shall be submitted to the DGT within one month and shall be placed for discussion in the next SCAA meeting.

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026

Signature Not Verified
Signed By:POOJA VERMA
Signing Date:03.11.2026

Sr.No	Details of ITI	Brief of Matter	36th SCAA Remarks
I	II	III	IV
	Trade & units Electrician -16(8+8)	(b) The electricity bill is in the name of Harendra Kumar, Principal-cum-Secretary (sanctioned load 28 KW; old meter replaced by a new one). (c) No building plan/map was available and the BCC carried the architect's signature but not that of the State Building Division engineers. (d) Two MoUs with industry exist. (e) Workshop, IT and drawing hall areas are as per norms. (f) Power consumption is very low. 2. The matter was discussed in the 35th SCAA meeting held on 20.08.2026 and 21.08.2026. Based on the joint inspection report, the Committee observed significant irregularities and recommended initiation of de-affiliation proceedings against the specified trades/units under Clause 7.4(i) of the DGT Affiliation Norms, 2025, without referring the matter to SSDEC/State Government. As a final opportunity under the principles of natural justice, the approved Minutes shall serve as the SCN, requiring the ITI to submit a reply, supported by relevant documentary evidence, including geo-tagged photographs, within 21 days to tc-deaffiliation@dgt.gov.in, with a copy to tc-affiliation@dgt.gov.in. The reply shall include a proper index and referenced annexures, wherever applicable. In the absence of a reply, DGT shall proceed with de-affiliation based on available records without further notice. 3. The ITI replied to the SCN on 08.10.2026 and submitted the following :	

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026

Signature Not Verified
Signed By:POOJA VERMA
Signing Date:03.11.2026

Sr.No	Details of ITI	Brief of Matter	36th SCAA Remarks
I	II	III	IV
		(a) The appliances are kept in a secured area inside the workshop because students occasionally damage them, and all items are within the institute and in use. (b) The solar panel is on the roof because it does not charge the battery fully in the low sunlight of the workshop area, and is available for use. (c) The IT Lab chair is armless, meant for permanent use in the lab, 4. The electricity bill is in the Principal-cum-Secretary's name because the electricity department requires the name of the authorised person, the meter belongs to the institute, and the new meter is a prepaid smart meter being installed by the Bihar government.	
3.	Hitech Central Pvt ITI, Khajura, Madhepur, Bihar- Madhubani **MIS Code: PR10001168** **<u>Trades & units</u>**	1. The joint inspection of the ITI was conducted on 28.07.2026 and during the inspection the joint inspection committee observed the following: a. The ITI began as "Central Pvt ITI", Khajura, Madhubani (DGT-6/4/43/2018-TC) from the August 2018 session and was later renamed Hitech Central Pvt. ITI by affidavit. b. It was affiliated for Electrician 4+4 and Fitter 4+4 from August 2018, with Electrician 6+6 and Fitter 4+4 added from August 2019 (total Electrician 10+10 = 20 and Fitter 8+8 = 16 units). c. The land lease is not registered. d. The sanctioned load is 44 KW against 54.02 KW required (shortfall of about 10 KW) with very low consumption, and	The matter was discussed in the SCAA meeting, and the SCAA decided as under: 1. In line with the principles of natural justice, the ITI was afforded final opportunity to represent itself by 35th SCAA in its meeting held on 20.08.2026 and 21.08.2026, to submit a show-cause reply explaining why the ITI should not be de-affiliated, based upon the remarks of inspection team along with any supporting representation, within 21 days from the issuance of the minutes of that meeting.

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026

Signature Not Verified
Signed By:POOJA VERMA
Signing Date:03.11.2026

Sr.No	Details of ITI	Brief of Matter	36th SCAA Remarks
I	II	III	IV
	1. Electrician-20(10+10) 2. Fitter-16(8+8)	the connection is in the name of the Chairman, Expert Group Trust. e. Only 20 of 36 required computers are working in the IT Lab. f. Only 13 classrooms are available. g. Fitter workshop 1 is under soil-filling work with two lathes working, while Fitter workshop 2 is dilapidated with no machinery. h. Electrician workshop 1 has working machinery but tools are kept in store and bench vices lack standard taps, while Electrician workshop 2 has a dilapidated floor and no machinery installed. i. No demarcation lines exist in the workshops. 2. The committee recommended continuing only Electrician 04+04 = 08 units and Fitter 02+02 = 04 units, and de-affiliation of the remaining units due to non-availability of installed machinery and equipment. 3. The matter was discussed in the 35th SCAA meeting held on 20.08.2026 and 21.08.2026. Based on the joint inspection report, the Committee observed significant irregularities and recommended initiation of de-affiliation proceedings against the specified trades/units under Clause 7.4(i) of the DGT Affiliation Norms, 2025, without referring the matter to SSDEC/State Government. As a final opportunity under the principles of natural justice, the approved Minutes shall serve as the SCN, requiring the ITI to submit a reply, supported by relevant documentary evidence, including geo-tagged	2. The ITI did not avail the final opportunity provided by DGT in the 35th SCAA meeting and failed to submit any reply or representation, thereby exhibiting continued negligence and persistent non-compliance. 3. Further, as per SoP of de-affiliation and clause 7.3. of affiliation norms 2025, the ITI is being granted a final opportunity to submit a show-cause reply explaining why the ITI should not be de-affiliated with all trades and units. 4. The ITI shall treat these Minutes as a final notice issued by DGT. The explanation, if any, must be comprehensive and duly supported by relevant documentary evidence, including proof of operational machinery and equipment with geo tagged photos, geo-tagged photographs of the institute infrastructure and location, and any other substantiating compliance with the prescribed norms. In case the reply consists of multiple pages, the institute shall prepare a proper index and clearly reference all annexures relied upon in the submission. The reply must reach to the DGT within **07** days from the date of issue of these Minutes, through email to tc-deaffiliation@dgt.gov.in with a copy to tc-affiliation@dgt.gov.in.

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026

Signature Not Verified
Signed By:POOJA VERMA
Signing Date:03.11.2026

Sr.No	Details of ITI	Brief of Matter	36th SCAA Remarks
I	II	III	IV
		photographs, within 21 days to tc-deaffiliation@dgt.gov.in, with a copy to tc-affiliation@dgt.gov.in. The reply shall include a proper index and referenced annexures, wherever applicable. In the absence of a reply, DGT shall proceed with de-affiliation based on available records without further notice. 4. The ITI did not avail the opportunity granted by 35th SCAA and no reply received from the ITI.	5. In case no reply is received within the stipulated period will result in de-affiliation of the ITI without any further notice.
4.	Priya Institute of Electronic & Technology, Bihar-Patna **MIS Code: PR10000491** **<u>Trade & units</u>** Electrician-30(15+15)	1. The joint inspection of the ITI was conducted on 17.07.2026 and during the inspection the joint inspection committee observed the following: (a) Workshop area shortage in the Electrician trade (531.22 sqm each in Workshops 1 and 2). (b) Old lathes installed but none working. (c) Electricity connections (34 KW and 39 KW) in the company's name with very low consumption. (d) No placement outcome in the last 3 years. (e) 5 of 25 IT Lab computers non-functional. (f) No standard drawing tables. (g) An old building map and a BCC without the Government Building Department's signature. (h) 4 of 18 classrooms without required infrastructure. (i) Insufficient amenities on the first and third floors. (j) No MRAC workshop with machinery.	The SCAA, upon reviewing the response submitted by the ITI, decided to verify the claim of the ITI asserting full compliance with affiliation norms. Accordingly, joint verification of such ITIs shall be carried out by the Bihar State Directorate and RDSDE. The report thereof shall be submitted to the DGT within one month and shall be placed for discussion in the next SCAA meeting.

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026

Signature Not Verified
Signed By:POOJA VERMA
Signing Date:03.11.2026

Sr.No	Details of ITI	Brief of Matter	36th SCAA Remarks
I	II	III	IV
		2. The committee recommended Electrician 04+04 = 08 units in each of Workshop-1 and Workshop-2 only, Fitter 2+2 = 04 units subject to replacement of old lathes, Electronics Mechanic 1+1, rejection of MRAC, and de-affiliation of the remaining units. 3. The matter was discussed in the 35th SCAA meeting held on 20.08.2026 and 21.08.2026. Based on the joint inspection report, the Committee observed significant irregularities and recommended initiation of de-affiliation proceedings against the specified trades/units under Clause 7.4(i) of the DGT Affiliation Norms, 2025, without referring the matter to SSDEC/State Government. As a final opportunity under the principles of natural justice, the approved Minutes shall serve as the SCN, requiring the ITI to submit a reply, supported by relevant documentary evidence, including geo-tagged photographs, within 21 days to tc-deaffiliation@dgt.gov.in, with a copy to tc-affiliation@dgt.gov.in. The reply shall include a proper index and referenced annexures, wherever applicable. In the absence of a reply, DGT shall proceed with de-affiliation based on available records without further notice. 4. The ITI replied to the SCN on 10.10.2026 and submitted the following: (a) It has 1642.34 sq m of covered area against 1470 sq m required (1st floor 586.18, 2nd floor 586.18, 4th floor 469.98 sq m).	

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026

Signature Not Verified
Signed By:POOJA VERMA
Signing Date:03.11.2026

Sr.No	Details of ITI	Brief of Matter	36th SCAA Remarks
I	II	III	IV
		(b) The layout maps were perhaps misconstrued during the visit. (c) It will provide the architect's map with BCC and invoices for new lathes (orders placed) within 15 days. (d) The land and building belong to the parent entity and the institute relies on a diesel generator because of grid fluctuation, which explains the low grid consumption. (e) Many trainees have joined Indian Railways, Metro Rail and Bihar State Electricity Board, and local students prefer such avenues over low-salary private jobs outside the state. (f) 5 IT Lab systems were disrupted by a voltage surge/network glitch days before the inspection and all 25 computers now work. (g) Standard drawing tables, moved during a hall clean-up, will be made as per DGT norms within 15 days. (h) It asked for 15 days to furnish geo-tagged photographs and invoices.	
5.	Jagtaran Kunwar Private ITI, Aropur, Naubatpur, Patna, Bihar – Patna **MIS Code: PR10000723**	1. The joint inspection of the ITI was conducted on 01.08.2026 and during the inspection the joint inspection committee observed the following: (a) The land lease is not registered. (b) The RCC building needs repair with cracks in side walls. (c) The sanctioned load is 27 KW against 28.8 KW required. (d) Instructor details were not produced. (e) Placement outcome is not available.	The matter was discussed in the SCAA meeting, and the SCAA decided as under: 1. In line with the principles of natural justice, the ITI was afforded final opportunity to represent itself by 35th SCAA in its meeting held on 20.08.2026 and 21.08.2026, to submit a show-cause reply explaining why the ITI should not be de-affiliated, based upon the remarks of

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026

Signature Not Verified
Signed By:POOJA VERMA
Signing Date:03.11.2026

Sr.No	Details of ITI	Brief of Matter	36th SCAA Remarks
I	II	III	IV
	Trade & units Electrician- 16 (8+8)	(f) IT Lab computers are non-functional with no internet. (g) No drawing hall is available. (h) Only 6 classrooms exist. (i) The workshops (Nos. 1–8) are under tin roofs with broken floors. (j) The MCB of the power panel is not working, three-phase supply is not provided to the machines, and all installed machinery is non-functional. 2. The committee recommended suspension of admissions in all Electrician units and initiation of de-affiliation at the earliest. 3. The matter was discussed in the 35th SCAA meeting held on 20.08.2026 and 21.08.2026. Based on the joint inspection report, the Committee observed significant irregularities and recommended initiation of de-affiliation proceedings against the specified trades/units under Clause 7.4(i) of the DGT Affiliation Norms, 2025, without referring the matter to SSDEC/State Government. As a final opportunity under the principles of natural justice, the approved Minutes shall serve as the SCN, requiring the ITI to submit a reply, supported by relevant documentary evidence, including geo-tagged photographs, within 21 days to tc-deaffiliation@dgt.gov.in, with a copy to tc-affiliation@dgt.gov.in. The reply shall include a proper index and referenced annexures, wherever applicable. In the absence of a reply, DGT shall proceed with de-affiliation based on available records without further notice.	inspection team along with any supporting representation, within 21 days from the issuance of the minutes of that meeting. 2. The ITI did not avail the final opportunity provided by DGT in the 35th SCAA meeting and failed to submit any reply or representation, thereby exhibiting continued negligence and persistent non-compliance. 3. Further, as per SoP of de-affiliation and clause 7.3. of affiliation norms 2025, the ITI is being granted a final opportunity to submit a show-cause reply explaining why the ITI should not be de-affiliated with all trades and units. 4. The ITI shall treat these Minutes as a final notice issued by DGT. The explanation, if any, must be comprehensive and duly supported by relevant documentary evidence, including proof of operational machinery and equipment with geo tagged photos, geo-tagged photographs of the institute infrastructure and location, and any other substantiating compliance with the prescribed norms. In case the reply consists of multiple pages, the institute shall prepare a proper index and clearly reference all annexures relied upon in the submission. The reply must reach to the DGT within **07** days from the date

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026

Signature Not Verified
Signed By:POOJA VERMA
Signing Date:03.11.2026

Sr.No	Details of ITI	Brief of Matter	36th SCAA Remarks
I	II	III	IV
		4. The ITI did not avail the opportunity granted by 35th SCAA and no reply received from the ITI.	of issue of these Minutes, through email to tc-deaffiliation@dgt.gov.in with a copy to tc-affiliation@dgt.gov.in. 5. In case no reply is received within the stipulated period will result in de-affiliation of the ITI without any further notice.
6.	Raj Deo Yadav Pvt. ITI, Fathepur, Paliganj, Bihar – Patna **MIS Code: PR10000813** **<u>Trade & units</u>** Electrician-36(18+18)	1. The joint inspection of the ITI was initially scheduled for 01.08.2026 and but the Principal refused for joint inspection. 2. Thereafter, it was carried out on 05.08.2026. 3. During inspection, following were observed by the inspecting team: (a) The building needs repair (cracks in the workshop floor). (b) The BCC is not as per norms (signed by the architect). (c) The land lease is not registered. (d) The sanctioned load is 36 KW against 53.82 KW required, with very low consumption. (e) Only 5 of the IT Lab computers were functional with no internet. (f) No standard drawing tables were available. 4. The committee recommended Electrician 10+10 = 20 units and Fitter 2+2 = 4 units, with the remaining Electrician units to be de-affiliated. 5. The matter was discussed in the 35th SCAA meeting held on 20.08.2026 and 21.08.2026. Based on the joint inspection report, the Committee observed significant irregularities and	The SCAA, upon reviewing the response submitted by the ITI, decided to verify the claim of the ITI asserting full compliance with affiliation norms. Accordingly, joint verification of such ITIs shall be carried out by the Bihar State Directorate and RDSDE. The report thereof shall be submitted to the DGT within one month and shall be placed for discussion in the next SCAA meeting.

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026

Signature Not Verified
Signed By:POOJA VERMA
Signing Date:03.11.2026

Sr.No	Details of ITI	Brief of Matter	36th SCAA Remarks
I	II	III	IV
		recommended initiation of de-affiliation proceedings against the specified trades/units under Clause 7.4(i) of the DGT Affiliation Norms, 2025, without referring the matter to SSDEC/State Government. As a final opportunity under the principles of natural justice, the approved Minutes shall serve as the SCN, requiring the ITI to submit a reply, supported by relevant documentary evidence, including geo-tagged photographs, within 21 days to tc-deaffiliation@dgt.gov.in, with a copy to tc-affiliation@dgt.gov.in. The reply shall include a proper index and referenced annexures, wherever applicable. In the absence of a reply, DGT shall proceed with de-affiliation based on available records without further notice. 6. The ITI replied to the SCN on 11.10.2026 and submitted the following: a) The building is in good condition and only small cracks in the workshop floor have been repaired (video attached). b) It holds two BCCs (Circle Officer and Architect, since 2018), both uploaded. c) It is affiliated only for Electrician 12+12 and Fitter 2+2, has admitted trainees accordingly, and the portal wrongly shows Electrician 18+18 despite repeated letters and emails to DGT and RDSDE. d) Its load is 36 KW and it has applied for 5 KW additional load. e) Of 29 computers, 7 had been sent for maintenance and all now work.	

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026

Signature Not Verified
Signed By:POOJA VERMA
Signing Date:03.11.2026

Sr.No	Details of ITI	Brief of Matter	36th SCAA Remarks
I	II	III	IV
		f) New drawing tables have been bought (photo attached).	
7.	Samastipur Institute of Technology, Jitwarpur Chauth, Bihar Samastipur **MIS Code: PR10000824** **<u>Trade & units</u>** Electrician-20(10+10)	1. The joint inspection of the ITI was conducted and during the inspection the joint inspection committee observed the following: (a) The BCC is not as per norms. (b) The boys' and girls' washrooms are in poor condition and drinking water is inadequate. (c) The IT Lab has laptops instead of desktops and is poorly maintained and dusty. (d) No proper drawing hall tables and chairs are available. (e) The machinery is working in Electrician workshops 1–4 (4+4 = 8) but only partially in workshops 5–8 and 9–10. 2. The committee recommended Workshops 1–4: 04+04 = 08 units, Workshops 5–8: 02+02 = 04 units only, and Workshops 9–10: nil. 3. The matter was discussed in the 35th SCAA meeting held on 20.08.2026 and 21.08.2026. Based on the joint inspection report, the Committee observed significant irregularities and recommended initiation of de-affiliation proceedings against the specified trades/units under Clause 7.4(i) of the DGT Affiliation Norms, 2025, without referring the matter to SSDEC/State Government. As a final opportunity under the principles of natural justice, the approved Minutes shall serve as the SCN, requiring the ITI to submit a reply, supported by relevant documentary evidence, including geo-tagged photographs, within 21 days to tc-deaffiliation@dgt.gov.in, with a copy to tc-affiliation@dgt.gov.in. The reply shall include	The SCAA, upon reviewing the response submitted by the ITI, decided to verify the claim of the ITI asserting full compliance with affiliation norms. Accordingly, joint verification of such ITIs shall be carried out by the Bihar State Directorate and RDSDE. The report thereof shall be submitted to the DGT within one month and shall be placed for discussion in the next SCAA meeting.

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026

Signature Not Verified
Signed By:POOJA VERMA
Signing Date:03.11.2026

Sr.No	Details of ITI	Brief of Matter	36th SCAA Remarks
I	II	III	IV
		a proper index and referenced annexures, wherever applicable. In the absence of a reply, DGT shall proceed with de-affiliation based on available records without further notice. 4. The ITI replied to the SCN on 09.10.2026 and submitted the following: a) A BCC has now been obtained (none was prescribed when it was affiliated in 2015). b) The washrooms have been painted and a RO system and mineral water jars are provided. c) 4 desktop computers burnt out two days before the inspection owing to lightning and are now repaired, laptops having been used only briefly and the lab now has only desktops. d) A drawing hall with tables and stools is now available. e) All Electrician machinery was and is working (geo-tagged videos and photographs enclosed). f) The reduction of units on the ground of partly running machines is not legally justified. g) It prayed to be cleared of the objections and for affiliation to be granted.	
8.	Lord Budha Private ITI, Mariwa Road, Bihar Siwan	1. The joint inspection of the ITI was conducted on 14.07.2026 and during the inspection the joint inspection committee observed the following: (a) The building needs repair and no building plan was provided.	The SCAA, upon reviewing the response submitted by the ITI, decided to verify the claim of the ITI asserting full compliance with affiliation norms. Accordingly, joint verification of such ITIs shall be carried out by the Bihar State Directorate and

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026
Signature Not Verified
Signed By:POOJA VERMA
Signing Date:03.11.2026

Sr.No	Details of ITI	Brief of Matter	36th SCAA Remarks
I	II	III	IV
	MIS Code: PR10000711 **<u>Trade & units</u>** Electrician-15(5+10)	(b) Tools were not displayed and lab equipment is outdated. (c) The power available is 25.2 KW against 33.02 KW required and no electricity bill was submitted. (d) The IT Lab is not maintained, with the working of computers not confirmed owing to an electricity problem. 2. It has been further noted by the inspection committee that: (a) The approach road is reachable, one of three Electrician workshops and the Fitter workshop are dilapidated, most equipment is outdated and non-functional. (b) 05+05 Electrician units had already been de-affiliated by DGT Order dt. 17.01.2025 and DET Bihar letter dt. 29.01.2025, leaving 05+05 Electrician and 02+02 Fitter units. 3. The committee found sufficient space for these units for the 2026-27 session. 4. The matter was discussed in the 35th SCAA meeting held on 20.08.2026 and 21.08.2026. Based on the joint inspection report, the Committee observed significant irregularities and recommended initiation of de-affiliation proceedings against the specified trades/units under Clause 7.4(i) of the DGT Affiliation Norms, 2025, without referring the matter to SSDEC/State Government. As a final opportunity under the principles of natural justice, the approved Minutes shall serve as the SCN, requiring the ITI to submit a reply, supported by relevant documentary evidence, including geo-tagged photographs, within 21 days to tc-deaffiliation@dgt.gov.in, with a copy to tc-affiliation@dgt.gov.in. The reply shall include	RDSDE. The report thereof shall be submitted to the DGT within one month and shall be placed for discussion in the next SCAA meeting.

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026

Signature Not Verified
Signed By:POOJA VERMA
Signing Date:03.11.2026

Sr.No	Details of ITI	Brief of Matter	36th SCAA Remarks
I	II	III	IV
		a proper index and referenced annexures, wherever applicable. In the absence of a reply, DGT shall proceed with de-affiliation based on available records without further notice. 5. The ITI replied to the SCN on 08.10.2026 and submitted the following: a) The building is in good condition and the building plan was handed to the inspecting officers. b) Tools were kept in the store room and trainees' lockers, the officers did not inspect the store room, all equipment was operated before them, and DGT's manual has no provision on when equipment becomes "outdated". c) 10 (5+5) Electrician units were cancelled on 29.01.2025 with no admissions in 2025 or 2026, it has enough load for its current units, and the 25.2 KW figure was taken from the electricity bill it had given, which it says shows bias by the officers. d) The IT lab exists and a generator was started at once during a brief power cut.	
9.	Greater Pvt ITI, Chaknasir, Patepur, Bihar -Vaishali **MIS Code: PR10000874**	1. The joint inspection of the ITI was scheduled to be conducted on 01.08.2026; however, the ITI refused to allow the inspection. On the day of inspection, the joint inspection committee also observed the following: a) The location declared on the SIDH portal (25.8788, 85.4957) had no ITI.	The SCAA, upon reviewing the response submitted by the ITI, decided to verify the claim of the ITI asserting full compliance with affiliation norms. Accordingly, joint verification of such ITIs shall be carried out by the Bihar State Directorate and RDSDE. The report thereof shall be submitted to the DGT within one month and shall be placed for discussion in the next SCAA meeting.

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026

Signature Not Verified
Signed By:POOJA VERMA
Signing Date:03.11.2026

Sr.No	Details of ITI	Brief of Matter	36th SCAA Remarks
I	II	III	IV
	Trade & units Electrician-24(12+12)	b) The institute was found about 4 km away at 25.815860, 85.519318. c) Though informed well in advance, the institute was closed, only a security staff member was present, and Director Md. Shams Alam refused to open it, with the ITI's emails stating it would not facilitate inspection until its pending representation was decided. d) From outside, the team recorded no proper approach road, a tin-sheet institute with roofing missing over nearly half the workshop area, no boundary wall and long grass in and around the workshop, and concluded that no meaningful training could be carried out. 2. The matter was discussed in the 35th SCAA meeting held on 20.08.2026 and 21.08.2026. Based on the joint inspection report, the Committee observed significant irregularities and recommended initiation of de-affiliation proceedings against the specified trades/units under Clause 7.4(i) of the DGT Affiliation Norms, 2025, without referring the matter to SSDEC/State Government. As a final opportunity under the principles of natural justice, the approved Minutes shall serve as the SCN, requiring the ITI to submit a reply, supported by relevant documentary evidence, including geo-tagged photographs, within 21 days to tc-deaffiliation@dgt.gov.in, with a copy to tc-affiliation@dgt.gov.in. The reply shall include a proper index and referenced annexures, wherever applicable. In the absence of a reply, DGT shall proceed with	

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026

Signature Not Verified
Signed By:POOJA VERMA
Signing Date:03.11.2026

Sr.No	Details of ITI	Brief of Matter	36th SCAA Remarks
I	II	III	IV
		de-affiliation based on available records without further notice. 3. The ITI replied to the SCN on 11.10.2026 and submitted the following: a) The approach road has been improved, workshop roofing completed, boundary/demarcation work done, grass removed and the premises cleaned. b) Required machinery is available and operational and the ITI is functional with student, attendance, staff and training records available (geo-tagged photographs and documents annexed). c) It requested fresh physical verification/re-inspection and dropping of the de-affiliation proceedings.	
10.	Indira Industrial Training Centre, Tukum, Maharashtra, Chandrapur **MIS Code: PR27000728** **<u>Trade & units</u>**	1. The joint inspection of the ITI was conducted on 09.06.2026 and during the inspection the joint inspection committee observed the following: a) As per the inspection team's remarks, the affiliation order shows 09 Electrician units (01 applied for de-affiliation) whereas the SIDH portal shows 16 units. b) The ITI actually has 08 Electrician units and admits students in 04 units per year. c) In 2025 it completed admission of 80 trainees in 04 units (100%), and in 2024 it admitted 92 trainees against 100 seats in 5 units. 2. The matter was discussed in the 34th SCAA meeting held on 06.08.2026. Based on the joint inspection report, the	The matter was discussed in the SCAA meeting, and the SCAA decided as under: 1. In line with the principles of natural justice, the ITI was afforded final opportunity to represent itself by 34th SCAA in its meeting held on 06.08.2026, to submit a show-cause reply explaining why the ITI should not be de-affiliated, based upon the remarks of inspection team along with any supporting representation, within 21 days from the issuance of the minutes of that meeting.

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026

Signature Not Verified
Signed By:POOJA VERMA
Signing Date:03.11.2026

Sr.No	Details of ITI	Brief of Matter	36th SCAA Remarks
I	II	III	IV
	Electrician-16(11+5)	Committee observed significant irregularities and recommended initiation of de-affiliation proceedings against the specified trades/units under Clause 7.4(i) of the DGT Affiliation Norms, 2025, without referring the matter to SSDEC/State Government. As a final opportunity under the principles of natural justice, the approved Minutes shall serve as the SCN, requiring the ITI to submit a reply, supported by relevant documentary evidence, including geo-tagged photographs, within 21 days to tc-deaffiliation@dgt.gov.in, with a copy to tc-affiliation@dgt.gov.in. The reply shall include a proper index and referenced annexures, wherever applicable. In the absence of a reply, DGT shall proceed with de-affiliation based on available records without further notice. 3. The ITI did not avail the opportunity granted by 34th SCAA and no reply received from the ITI.	2. The ITI did not avail the final opportunity provided by DGT in the 34th SCAA meeting and failed to submit any reply or representation, thereby exhibiting continued negligence and persistent non-compliance. 3. Further, as per SoP of de-affiliation and clause 7.3 of affiliation norms 2025, the ITI is being granted a final opportunity to submit a show-cause reply explaining why the ITI should not be de-affiliated with all trades and units. 4. The ITI shall treat these Minutes as a final notice issued by DGT. The explanation, if any, must be comprehensive and duly supported by relevant documentary evidence, including proof of operational machinery and equipment with geo tagged photos, geo-tagged photographs of the institute infrastructure and location, and any other substantiating compliance with the prescribed norms. In case the reply consists of multiple pages, the institute shall prepare a proper index and clearly reference all annexures relied upon in the submission. The reply must reach to the DGT within **07** days from the date of issue of these Minutes, through email to tc-deaffiliation@dgt.gov.in with a copy to tc-affiliation@dgt.gov.in.

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026

Signature Not Verified
Signed By:POOJA VERMA
Signing Date:03.11.2026

Sr.No	Details of ITI	Brief of Matter	36th SCAA Remarks
I	II	III	IV
			5. In case no reply is received within the stipulated period will result in de-affiliation of the ITI without any further notice.
11.	Sambhaji Sayare Private Industrial Training Institute, Maharashtra Chandrapur **MIS Code: PR27000787** **<u>Trade & units</u>** Electrician- 17(12+5)	1. The joint inspection of the ITI was conducted on 09.06.2026 and during the inspection the joint inspection committee observed the following: (a) The land lease ends on 31.03.2027 (renewed every year, whereas a minimum 6-year lease is required). (b) No IT Lab is available. (c) The drawing hall is available but under painting. (d) The available power is 14.90 KW against 34.71 KW required. 2. The MIS portal shows 12 Electrician units (02 applied for de-affiliation) whereas the SIDH portal shows 17 units, which may be a data entry mistake. 3. The ITI actually has 12 units and admits in 06 units per year, with 90 trainees admitted in 06 units in 2025. 4. The matter was discussed in the 34th SCAA meeting held on 06.08.2026. Based on the joint inspection report, the Committee observed significant irregularities and recommended initiation of de-affiliation proceedings against the specified trades/units under Clause 7.4(i) of the DGT Affiliation Norms, 2025, without referring the matter to SSDEC/State Government. As a final opportunity under the principles of natural justice, the approved Minutes shall serve	The matter was discussed in the SCAA meeting, and the SCAA decided as under: 1. In line with the principles of natural justice, the ITI was afforded final opportunity to represent itself by 34th SCAA in its meeting held on 06.08.2026, to submit a show-cause reply explaining why the ITI should not be de-affiliated, based upon the remarks of inspection team along with any supporting representation, within 21 days from the issuance of the minutes of that meeting. 2. The ITI did not avail the final opportunity provided by DGT in the 34th SCAA meeting and failed to submit any reply or representation, thereby exhibiting continued negligence and persistent non-compliance. 3. Further, as per SoP of de-affiliation and clause 7.3. of affiliation norms 2025, the ITI is being granted a final opportunity to submit a show-cause reply explaining why the ITI should not be de-affiliated with all trades and units.

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026

Signature Not Verified
Signed By:POOJA VERMA
Signing Date:03.11.2026

Sr.No	Details of ITI	Brief of Matter	36th SCAA Remarks
I	II	III	IV
		as the SCN, requiring the ITI to submit a reply, supported by relevant documentary evidence, including geo-tagged photographs, within 21 days to tc-deaffiliation@dgt.gov.in, with a copy to tc-affiliation@dgt.gov.in. The reply shall include a proper index and referenced annexures, wherever applicable. In the absence of a reply, DGT shall proceed with de-affiliation based on available records without further notice. 5. The ITI did not avail the opportunity granted by 34th SCAA and no reply received from the ITI.	4. The ITI shall treat these Minutes as a final notice issued by DGT. The explanation, if any, must be comprehensive and duly supported by relevant documentary evidence, including proof of operational machinery and equipment with geo tagged photos, geo-tagged photographs of the institute infrastructure and location, and any other substantiating compliance with the prescribed norms. In case the reply consists of multiple pages, the institute shall prepare a proper index and clearly reference all annexures relied upon in the submission. The reply must reach to the DGT within **07** days from the date of issue of these Minutes, through email to tc-deaffiliation@dgt.gov.in with a copy to tc-affiliation@dgt.gov.in. 5. In case no reply is received within the stipulated period will result in de-affiliation of the ITI without any further notice.
12.	Gramin ITC, Nehrunagar, Kandhar, Maharashtra Nanded	1. The joint inspection of the ITI was conducted on 15.06.2026 and during the inspection the joint inspection committee observed the following: a) The inspecting members noted tools and equipment deficiencies at Sr. Nos. 19, 96, 101, 116 and 122	The matter was discussed in the SCAA meeting, and the SCAA decided as under: 1. In line with the principles of natural justice, the ITI was afforded final opportunity to represent itself by 34th SCAA in its meeting held on

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026

Signature Not Verified
Signed By:POOJA VERMA
Signing Date:03.11.2026

Sr.No	Details of ITI	Brief of Matter	36th SCAA Remarks
I	II	III	IV
	MIS Code: PR27000157 **<u>Trades & units</u>** 1.Electrician-16(8+8) 2.Wireman-16(8+8)	(Electrician) and Sr. Nos. 24, 54, 56, 95, 128, 129, 137, 138, 139, 156 and 160 (Wireman) b) The ITI is located about 10–12 km from the main road in a rural interior area with limited public transport. c) The institute operates from leased premises: The Leave and License Agreement of 12.08.2020 expired on 31.05.2025, and a fresh agreement of 12.06.2026 valid to 01.03.2031 was produced but not registered. d) Attendance records were manual with no biometric records, and no trainees were present, so actual training could not be verified. e) Electricity consumption was significantly low, tools and machinery were available (in some cases above the minimum) but showed limited use, no IT Laboratory was available, classrooms were inadequate, and commercial establishments (a men's salon, Aadhaar service centre, marriage hall) operate in the same building. f) The RAC Technician and COPA units function from a separate location about 1–1.5 km away, the required instructional and administrative staff were not fully available, and staff attendance, appointment and salary records were not produced despite a request. g) Many staff appear common with another institution of the same trust nearby. 2. The matter was discussed in the 34th SCAA meeting held on 06.08.2026. Based on the joint inspection report, the Committee observed significant irregularities and	06.08.2026, to submit a show-cause reply explaining why the ITI should not be de-affiliated, based upon the remarks of inspection team along with any supporting representation, within 21 days from the issuance of the minutes of that meeting. 2. The ITI did not avail the final opportunity provided by DGT in the 34th SCAA meeting and failed to submit any reply or representation, thereby exhibiting continued negligence and persistent non-compliance. 3. Further, as per SoP of de-affiliation and clause 7.3. of affiliation norms 2025, the ITI is being granted a final opportunity to submit a show-cause reply explaining why the ITI should not be de-affiliated with all trades and units. 4. The ITI shall treat these Minutes as a final notice issued by DGT. The explanation, if any, must be comprehensive and duly supported by relevant documentary evidence, including proof of operational machinery and equipment with geo tagged photos, geo-tagged photographs of the institute infrastructure and location, and any other substantiating compliance with the prescribed norms. In case the reply consists of

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026

Signature Not Verified
Signed By:POOJA VERMA
Signing Date:03.11.2026

Sr.No	Details of ITI	Brief of Matter	36th SCAA Remarks
I	II	III	IV
		recommended initiation of de-affiliation proceedings against the specified trades/units under Clause 7.4(i) of the DGT Affiliation Norms, 2025, without referring the matter to SSDEC/State Government. As a final opportunity under the principles of natural justice, the approved Minutes shall serve as the SCN, requiring the ITI to submit a reply, supported by relevant documentary evidence, including geo-tagged photographs, within 21 days to tc-deaffiliation@dgt.gov.in, with a copy to tc-affiliation@dgt.gov.in. The reply shall include a proper index and referenced annexures, wherever applicable. In the absence of a reply, DGT shall proceed with de-affiliation based on available records without further notice. 3. The ITI did not avail the opportunity granted by 34th SCAA and no reply received from the ITI.	multiple pages, the institute shall prepare a proper index and clearly reference all annexures relied upon in the submission. The reply must reach to the DGT within **07** days from the date of issue of these Minutes, through email to tc-deaffiliation@dgt.gov.in with a copy to tc-affiliation@dgt.gov.in. 5. In case no reply is received within the stipulated period will result in de-affiliation of the ITI without any further notice.
13.	Gramin ITI, Ghodaj Road, Kandhar, Maharashtra Nanded **MIS Code: PR27000993** **<u>Trade & units</u>**	1. The joint inspection of the ITI was conducted on 15.06.2026 and during the inspection the joint inspection committee observed the following: a) The inspecting members found that the building needs repair and that machinery under Tool List Nos. 63, 64, 70, 73, 78, 116 and 122 for the Electrician trade was not available. b) The institute operates from leased premises: The Leave and License Agreement of 12.08.2020 expired on 31.05.2025, and a fresh agreement of 12.06.2026 valid to 01.03.2031 was produced but not registered.	The matter was discussed in the SCAA meeting, and the SCAA decided as under: 1. In line with the principles of natural justice, the ITI was afforded final opportunity to represent itself by 34th SCAA in its meeting held on 06.08.2026, to submit a show-cause reply explaining why the ITI should not be de-affiliated, based upon the remarks of inspection team along with any supporting representation, within 21 days from the issuance of the minutes of that meeting.

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026

Signature Not Verified
Signed By:POOJA VERMA
Signing Date:03.11.2026

Sr.No	Details of ITI	Brief of Matter	36th SCAA Remarks
I	II	III	IV
	Electrician- 16 (8+8)	c) Attendance records were manual with no biometric records, and no trainees were present, so actual training could not be verified. d) Electricity consumption was significantly low, tools and machinery were available (in some cases above the minimum) but showed limited use, no IT Laboratory was available, classrooms were inadequate, and commercial establishments (a men's salon, Aadhaar service centre, marriage hall) operate in the same building. e) The RAC Technician and COPA units function from a separate location about 1–1.5 km away, the required instructional and administrative staff were not fully available, and staff attendance, appointment and salary records were not produced despite a request. f) Many staff appear common with another institution of the same trust nearby. 2. The matter was discussed in the 34th SCAA meeting held on 06.08.2026. Based on the joint inspection report, the Committee observed significant irregularities and recommended initiation of de-affiliation proceedings against the specified trades/units under Clause 7.4(i) of the DGT Affiliation Norms, 2025, without referring the matter to SSDEC/State Government. As a final opportunity under the principles of natural justice, the approved Minutes shall serve as the SCN, requiring the ITI to submit a reply, supported by relevant documentary evidence, including geo-tagged photographs, within 21 days to tc-deaffiliation@dgt.gov.in	2. The ITI did not avail the final opportunity provided by DGT in the 34th SCAA meeting and failed to submit any reply or representation, thereby exhibiting continued negligence and persistent non-compliance. 3. Further, as per SoP of de-affiliation and clause 7.3. of affiliation norms 2025, the ITI is being granted a final opportunity to submit a show-cause reply explaining why the ITI should not be de-affiliated with all trades and units. 4. The ITI shall treat these Minutes as a final notice issued by DGT. The explanation, if any, must be comprehensive and duly supported by relevant documentary evidence, including proof of operational machinery and equipment with geo tagged photos, geo-tagged photographs of the institute infrastructure and location, and any other substantiating compliance with the prescribed norms. In case the reply consists of multiple pages, the institute shall prepare a proper index and clearly reference all annexures relied upon in the submission. The reply must reach to the DGT within **07** days from the date of issue of these Minutes, through email to tc-

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026

Signature Not Verified
Signed By:POOJA VERMA
Signing Date:03.11.2026

Sr.No	Details of ITI	Brief of Matter	36th SCAA Remarks
I	II	III	IV
		with a copy to tc-affiliation@dgt.gov.in. The reply shall include a proper index and referenced annexures, wherever applicable. In the absence of a reply, DGT shall proceed with de-affiliation based on available records without further notice. 3. The ITI did not avail the opportunity granted by 34th SCAA and no reply received from the ITI.	deaffiliation@dgt.gov.in with a copy to tc-affiliation@dgt.gov.in. 5. In case no reply is received within the stipulated period will result in de-affiliation of the ITI without any further notice.
14.	Adarsha ITC, Rantlei, Odisha- Anugul **MIS Code: PR21000142** **<u>Trades & units</u>** 1. Electrician – 12(4+4+4) 2. Fitter - 32(12+8+12)	1. The joint inspection of the ITI was conducted on 10.06.2026 and during the inspection the joint inspection committee observed the following: a) The inspecting members found the infrastructure and amenities in good condition and the workshop and IT Laboratory well equipped. b) MoUs were signed with industries (JSPL, Monnet, NALCO, MCL, etc.) from 2009 to 2018 but none since, which the Principal said has led to low admissions. c) The Transformer Welding Set (allied Welding trade) and the Compressor Unit of the Pneumatics and Hydraulics system are non-functional, and the Fitter workshop area is 710 sq. m. against 1,056 sq. m. required, a shortfall of 346 sq. m. 2. The matter was discussed in the 34th SCAA meeting held on 06.08.2026. Based on the joint inspection report, the Committee observed significant irregularities and recommended initiation of de-affiliation proceedings against the specified trades/units under Clause 7.4(i) of the DGT Affiliation Norms, 2025, without referring the matter to	The matter was discussed in the SCAA meeting, and the SCAA decided as under: 1. In line with the principles of natural justice, the ITI was afforded final opportunity to represent itself by 34th SCAA in its meeting held on 06.08.2026, to submit a show-cause reply explaining why the ITI should not be de-affiliated, based upon the remarks of inspection team along with any supporting representation, within 21 days from the issuance of the minutes of that meeting. 2. The ITI did not avail the final opportunity provided by DGT in the 34th SCAA meeting and failed to submit any reply or representation, thereby exhibiting continued negligence and persistent non-compliance. 3. Further, as per SoP of de-affiliation and clause 7.5. of affiliation norms 2025, the ITI is being

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026

Signature Not Verified
Signed By:POOJA VERMA
Signing Date:03.11.2026

Sr.No	Details of ITI	Brief of Matter	36th SCAA Remarks
I	II	III	IV
		SSDEC/State Government. As a final opportunity under the principles of natural justice, the approved Minutes shall serve as the SCN, requiring the ITI to submit a reply, supported by relevant documentary evidence, including geo-tagged photographs, within 21 days to tc-deaffiliation@dgt.gov.in, with a copy to tc-affiliation@dgt.gov.in. The reply shall include a proper index and referenced annexures, wherever applicable. In the absence of a reply, DGT shall proceed with de-affiliation based on available records without further notice. 3. The ITI did not avail the opportunity granted by 34th SCAA and no reply received from the ITI.	granted a final opportunity to submit a show-cause reply explaining why the ITI should not be de-affiliated with all trades and units. 4. The ITI shall treat these Minutes as a final notice issued by DGT. The explanation, if any, must be comprehensive and duly supported by relevant documentary evidence, including proof of operational machinery and equipment with geo tagged photos, geo-tagged photographs of the institute infrastructure and location, and any other substantiating compliance with the prescribed norms. In case the reply consists of multiple pages, the institute shall prepare a proper index and clearly reference all annexures relied upon in the submission. The reply must reach to the DGT within **07** days from the date of issue of these Minutes, through email to tc-deaffiliation@dgt.gov.in with a copy to tc-affiliation@dgt.gov.in. 5. In case no reply is received within the stipulated period will result in de-affiliation of the ITI without any further notice.

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026

Signature Not Verified
Signed By:POOJA VERMA
Signing Date:03.11.2026

Sr.No	Details of ITI	Brief of Matter	36th SCAA Remarks
I	II	III	IV
15.	DRIEMS Pvt ITI, Kairapari, Tangi, Odisha- Cuttack **MIS Code: PR21000415** **<u>Trades & units</u>** 1. Electrician - 20(10+10) 2. Fitter- 16 (6+10)	1. The joint inspection of the ITI was conducted on 12.06.2026 and during the inspection the joint inspection committee observed the following: (a) Biometric attendance records were not available. (b) Students were not physically present although their attendance was marked in the register. (c) The workshop infrastructure is inadequate and machinery, though working, is outdated and needs modernisation. (d) The IT laboratories have outdated computers. (e) The BCC has not been submitted. 2. The matter was discussed in the 34th SCAA meeting held on 06.08.2026. Based on the joint inspection report, the Committee observed significant irregularities and recommended initiation of de-affiliation proceedings against the specified trades/units under Clause 7.4(i) of the DGT Affiliation Norms, 2025, without referring the matter to SSDEC/State Government. As a final opportunity under the principles of natural justice, the approved Minutes shall serve as the SCN, requiring the ITI to submit a reply, supported by relevant documentary evidence, including geo-tagged photographs, within 21 days to tc-deaffiliation@dgt.gov.in, with a copy to tc-affiliation@dgt.gov.in. The reply shall include a proper index and referenced annexures, wherever applicable. In the absence of a reply, DGT shall proceed with de-affiliation based on available records without further notice.	The matter was discussed in the SCAA meeting, and the SCAA decided as under: 1. In line with the principles of natural justice, the ITI was afforded final opportunity to represent itself by 34th SCAA in its meeting held on 06.08.2026, to submit a show-cause reply explaining why the ITI should not be de-affiliated, based upon the remarks of inspection team along with any supporting representation, within 21 days from the issuance of the minutes of that meeting. 2. The ITI did not avail the final opportunity provided by DGT in the 34th SCAA meeting and failed to submit any reply or representation, thereby exhibiting continued negligence and persistent non-compliance. 3. Further, as per SoP of de-affiliation and clause 7.3. of affiliation norms 2025, the ITI is being granted a final opportunity to submit a show-cause reply explaining why the ITI should not be de-affiliated with all trades and units. 4. The ITI shall treat these Minutes as a final notice issued by DGT. The explanation, if any, must be comprehensive and duly supported by relevant documentary evidence, including proof

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026

Signature Not Verified
Signed By:POOJA VERMA
Signing Date:03.11.2026

Sr.No	Details of ITI	Brief of Matter	36th SCAA Remarks
I	II	III	IV
		3. The ITI did not avail the opportunity granted by 34th SCAA and no reply received from the ITI.	of operational machinery and equipment with geo tagged photos, geo-tagged photographs of the institute infrastructure and location, and any other substantiating compliance with the prescribed norms. In case the reply consists of multiple pages, the institute shall prepare a proper index and clearly reference all annexures relied upon in the submission. The reply must reach to the DGT within **07** days from the date of issue of these Minutes, through email to tc-deaffiliation@dgt.gov.in with a copy to tc-affiliation@dgt.gov.in. 5. In case no reply is received within the stipulated period will result in de-affiliation of the ITI without any further notice.
16.	Sancket Private ITI, Purna Odapada, Raghunathpur, Odisha-Jagatsinghapur **MIS Code: PR21000064**	1. The joint inspection of the ITI was conducted on 10.06.2026 and during the inspection the joint inspection committee observed the following: (a) The Fitter workshop area is 492 sq. m. against 704 sq. m. required (shortfall of 212 sq. m., sufficient for only 5 units). (b) Land documents were produced. (c) The BCC was not produced. (d) No Plumber trade laboratory was available. (e) Instructor registration on the SIDH portal was incomplete. (f) Staff salary records were not produced. (g) 17 staff were present.	The SCAA, upon reviewing the response submitted by the ITI, decided to verify the claim of the ITI asserting full compliance with affiliation norms. Accordingly, joint verification of such ITIs shall be carried out by the State Directorate and RDSDE. The report thereof shall be submitted to the DGT within one month and shall be placed for discussion in the next SCAA meeting.

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026

Signature Not Verified
Signed By:POOJA VERMA
Signing Date:03.11.2026

Sr.No	Details of ITI	Brief of Matter	36th SCAA Remarks
I	II	III	IV
	Fitter – 18 (8+8+2)	(h) Fitter enrolment is low owing to limited local employment opportunities. 2. The matter was discussed in the 34th SCAA meeting held on 06.08.2026. Based on the joint inspection report, the Committee observed significant irregularities and recommended initiation of de-affiliation proceedings against the specified trades/units under Clause 7.4(i) of the DGT Affiliation Norms, 2025, without referring the matter to SSDEC/State Government. As a final opportunity under the principles of natural justice, the approved Minutes shall serve as the SCN, requiring the ITI to submit a reply, supported by relevant documentary evidence, including geo-tagged photographs, within 21 days to tc-deaffiliation@dgt.gov.in, with a copy to tc-affiliation@dgt.gov.in. The reply shall include a proper index and referenced annexures, wherever applicable. In the absence of a reply, DGT shall proceed with de-affiliation based on available records without further notice. 3. The ITI replied to the SCN on 08.09.2026 and submitted the following: a) Its four Fitter labs total 717 sq. m., above the 704 sq. m. required, so the remark should be removed. b) The required land is available. c) The original BCC was being reprinted and the new copy is available. d) A Plumbing laboratory exists (GPS-camera photograph attached).	

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026

Signature Not Verified
Signed By:POOJA VERMA
Signing Date:03.11.2026

Sr.No	Details of ITI	Brief of Matter	36th SCAA Remarks
I	II	III	IV
		e) All instructors' SIDH mapping is complete. f) Staff payments are recorded in the Cash Book and the Accounts Officer was at the bank during the inspection. g) 32 staff are on roll, and some left around 11:00 AM after classes ended for the summer session while the inspection began at 12:00 noon. h) It gave no reply on the low enrolment point.	
17.	Center for Industrial Training (DRIET ITC), Sekhpatana, Odisha-Jagatsinghapur **MIS Code: PR21000094** **<u>Trades & units</u>** 1. Electrician - 15(9+6) 2. Fitter - 20(10+10)	1. The joint inspection of the ITI was conducted on 10.06.2026 and during the inspection the joint inspection committee observed the following: The inspecting members found that: (a) Most machinery and equipment are non-functional and needs repair. (b) The laboratories, classrooms and building need repair. (c) Staff registration on the SIDH portal and staff attendance records were not available. (d) No Plumber workshop was available. (e) Trainee attendance records for June 2026 were not available. (f) The power requirement is 73.1 kW against 63 kVA (about 56.7 kW) available, a shortage of about 16.4 kW, and recorded consumption is low relative to the requirement and approved training activities. 2. The matter was discussed in the 34th SCAA meeting held on 06.08.2026. Based on the joint inspection report, the Committee observed significant irregularities and recommended initiation of de-affiliation proceedings against	The matter was discussed in the SCAA meeting, and the SCAA decided as under: 1. In line with the principles of natural justice, the ITI was afforded final opportunity to represent itself by 34th SCAA in its meeting held on 06.08.2026, to submit a show-cause reply explaining why the ITI should not be de-affiliated, based upon the remarks of inspection team along with any supporting representation, within 21 days from the issuance of the minutes of that meeting. 2. The ITI did not avail the final opportunity provided by DGT in the 34th SCAA meeting and failed to submit any reply or representation, thereby exhibiting continued negligence and persistent non-compliance. 3. Further, as per SoP of de-affiliation and clause 7.3. of affiliation norms 2025, the ITI is being

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026

Signature Not Verified
Signed By:POOJA VERMA
Signing Date:03.11.2026

Sr.No	Details of ITI	Brief of Matter	36th SCAA Remarks
I	II	III	IV
		the specified trades/units under Clause 7.4(i) of the DGT Affiliation Norms, 2025, without referring the matter to SSDEC/State Government. As a final opportunity under the principles of natural justice, the approved Minutes shall serve as the SCN, requiring the ITI to submit a reply, supported by relevant documentary evidence, including geo-tagged photographs, within 21 days to tc-deaffiliation@dgt.gov.in, with a copy to tc-affiliation@dgt.gov.in. The reply shall include a proper index and referenced annexures, wherever applicable. In the absence of a reply, DGT shall proceed with de-affiliation based on available records without further notice. 3. The ITI did not avail the opportunity granted by 34th SCAA and no reply received from the ITI.	granted a final opportunity to submit a show-cause reply explaining why the ITI should not be de-affiliated with all trades and units. 4. The ITI shall treat these Minutes as a final notice issued by DGT. The explanation, if any, must be comprehensive and duly supported by relevant documentary evidence, including proof of operational machinery and equipment with geo tagged photos, geo-tagged photographs of the institute infrastructure and location, and any other substantiating compliance with the prescribed norms. In case the reply consists of multiple pages, the institute shall prepare a proper index and clearly reference all annexures relied upon in the submission. The reply must reach to the DGT within **07** days from the date of issue of these Minutes, through email to tc-deaffiliation@dgt.gov.in with a copy to tc-affiliation@dgt.gov.in. 5. In case no reply is received within the stipulated period will result in de-affiliation of the ITI without any further notice.
18.	Jambukhand Pvt ITI, Kalinjara, Bagidora, Rajasthan, Banswara	1. The joint inspection of the ITI was conducted on 03.07.2026 and during the inspection the joint inspection committee observed the following**:**	The matter was deliberated upon in the SCAA meeting. The SCAA noted that the ITI's reply did not specify which 6 of the 24 units in the Electrician trade are to be de-affiliated. The ITI is therefore directed to

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026

Signature Not Verified
Signed By:POOJA VERMA
Signing Date:03.11.2026

Sr.No	Details of ITI	Brief of Matter	36th SCAA Remarks
I	II	III	IV
	MIS Code: PR08000928 **<u>Trade & units</u>** Electrician- 24 (10+14)	a) The team observed that out of 14 workshops only 8 (4 machinery and 4 tool workshops) were functional, with no tools or equipment in Workshops 9 to 14, while the building, other infrastructure and documents were found satisfactory. 2. The matter was discussed in the 33rd SCAA meeting held on 10.07.2026. Based on the joint inspection report, the Committee observed significant irregularities and recommended initiation of de-affiliation proceedings against the specified trades/units under Clause 7.4(i) of the DGT Affiliation Norms, 2025, without referring the matter to SSDEC/State Government. As a final opportunity under the principles of natural justice, the approved Minutes shall serve as the SCN, requiring the ITI to submit a reply, supported by relevant documentary evidence, including geo-tagged photographs, within 21 days to tc-deaffiliation@dgt.gov.in, with a copy to tc-affiliation@dgt.gov.in. The reply shall include a proper index and referenced annexures, wherever applicable. In the absence of a reply, DGT shall proceed with de-affiliation based on available records without further notice. 3. The ITI replied to the SCN on 18.08.2026 and submitted the following: a) Admissions in the last three years have been low compared to its seats, so it cannot maintain 6 workshops (3 machinery and 3 tool).	submit its clarification on this point to the State Directorate and the RDSDE within 15 days. The matter will then be placed before the next SCAA meeting for a final decision.

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026

Signature Not Verified
Signed By:POOJA VERMA
Signing Date:03.11.2026

Sr.No	Details of ITI	Brief of Matter	36th SCAA Remarks
I	II	III	IV
		b) It has no objection to de-affiliation of 6 units out of 24 units and requested that admission be allowed on the remaining units.	
19.	Shri Mohan Pvt ITI, Police Line, Naheshwara Road, Rajasthan, Dausa **MIS Code: PR08000858** **<u>Trade & units</u>** Electrician – 34 (17+17)	1. The joint inspection of the ITI was conducted on 02.07.2026 and during the inspection the joint inspection committee observed the following**:** (a) Major machinery, tools and equipment in the Electrician trade were non-functional or not available as per the Standard Tool List (STL). (b) Workshops were not properly maintained, with benches and stools lying about. (c) The IT Laboratory was not functional, with no computers installed and no network. (d) Electricity consumption was very low, raising concerns about the institute's operation. (e) The instructors recorded in the attendance register differed from those in the submitted documents. 2. The matter was discussed in the 33rd SCAA meeting held on 10.07.2026. Based on the joint inspection report, the Committee observed significant irregularities and recommended initiation of de-affiliation proceedings against the specified trades/units under Clause 7.4(i) of the DGT Affiliation Norms, 2025, without referring the matter to SSDEC/State Government. As a final opportunity under the principles of natural justice, the approved Minutes shall serve as the SCN, requiring the ITI to submit a reply, supported by relevant documentary evidence, including geo-tagged	The matter was discussed in the SCAA meeting, and the SCAA decided as under: 1. In line with the principles of natural justice, the ITI was afforded final opportunity to represent itself by 33rd SCAA in its meeting held on 10.07.2026, to submit a show-cause reply explaining why the ITI should not be de-affiliated, based upon the remarks of inspection team along with any supporting representation, within 21 days from the issuance of the minutes of that meeting. 2. The ITI did not avail the final opportunity provided by DGT in the 33rd SCAA meeting and failed to submit any reply or representation, thereby exhibiting continued negligence and persistent non-compliance. 3. Further, as per SoP of de-affiliation and clause 7.3. of affiliation norms 2025, the ITI is being granted a final opportunity to submit a show-cause reply explaining why the ITI should not be de-affiliated with all trades and units.

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026

Signature Not Verified
Signed By:POOJA VERMA
Signing Date:03.11.2026

Sr.No	Details of ITI	Brief of Matter	36th SCAA Remarks
I	II	III	IV
		photographs, within 21 days to tc-deaffiliation@dgt.gov.in, with a copy to tc-affiliation@dgt.gov.in. The reply shall include a proper index and referenced annexures, wherever applicable. In the absence of a reply, DGT shall proceed with de-affiliation based on available records without further notice. 3. The ITI did not avail the opportunity granted by 33rd SCAA and no reply received from the ITI.	4. The ITI shall treat these Minutes as a final notice issued by DGT. The explanation, if any, must be comprehensive and duly supported by relevant documentary evidence, including proof of operational machinery and equipment with geo tagged photos, geo-tagged photographs of the institute infrastructure and location, and any other substantiating compliance with the prescribed norms. In case the reply consists of multiple pages, the institute shall prepare a proper index and clearly reference all annexures relied upon in the submission. The reply must reach to the DGT within **07** days from the date of issue of these Minutes, through email to tc-deaffiliation@dgt.gov.in with a copy to tc-affiliation@dgt.gov.in. 5. In case no reply is received within the stipulated period will result in de-affiliation of the ITI without any further notice.
20.	Sorabh Pvt ITI, Agra Road, Khedli, Dausa **MIS Code: PR08000877**	1. The joint inspection of the ITI was conducted on 02.07.2026 and during the inspection the joint inspection committee observed the following: (a) The building needs repair. (b) Major Electrician machinery, tools and equipment were non-functional or not available as per the STL.	The SCAA, upon reviewing the response submitted by the ITI, decided to verify the claim of the ITI asserting full compliance with affiliation norms. Accordingly, joint verification of such ITIs shall be carried out by the State Directorate and RDSDE. The report thereof shall be submitted to the DGT within

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026

Signature Not Verified
Signed By:POOJA VERMA
Signing Date:03.11.2026

Sr.No	Details of ITI	Brief of Matter	36th SCAA Remarks
I	II	III	IV
	Trade & units Electrician -16 (8+8)	(c) The Electrician workshop was in very poor condition with no adequate gangway between connected workshops and materials scattered about. (d) A Degree College was operating in the same building. (e) No Drawing Hall was available. 2. The matter was discussed in the 33rd SCAA meeting held on 10.07.2026. Based on the joint inspection report, the Committee observed significant irregularities and recommended initiation of de-affiliation proceedings against the specified trades/units under Clause 7.4(i) of the DGT Affiliation Norms, 2025, without referring the matter to SSDEC/State Government. As a final opportunity under the principles of natural justice, the approved Minutes shall serve as the SCN, requiring the ITI to submit a reply, supported by relevant documentary evidence, including geo-tagged photographs, within 21 days to tc-deaffiliation@dgt.gov.in, with a copy to tc-affiliation@dgt.gov.in. The reply shall include a proper index and referenced annexures, wherever applicable. In the absence of a reply, DGT shall proceed with de-affiliation based on available records without further notice. 3. The ITI replied to the SCN on 31.08.2026 and submitted the following: a) Repair, cleaning and painting of the building have been done or are in progress.	one month and shall be placed for discussion in the next SCAA meeting.

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026

Signature Not Verified
Signed By:POOJA VERMA
Signing Date:03.11.2026

Sr.No	Details of ITI	Brief of Matter	36th SCAA Remarks
I	II	III	IV
		b) All Electrician machinery has been re-checked, repaired and serviced, with STL item-wise availability ensured through bills and registers. c) The workshop has been cleaned and organized and a safe gangway provided. d) The Degree College does not use the ITI's workshop or facilities and the areas are now separated. e) A housekeeping register has been started. f) A drawing hall with tables and boards has been arranged. g) It requested fresh physical verification/re-inspection, dropping of the de-affiliation proceedings, and reasonable time to remove any remaining deficiency.	
21.	Shyam Pvt ITI, Dehlal-Deedwana, Rajasthan Dausa **MIS Code: PR08001694** **<u>Trade & units</u>** Electrician- 24 (12+12)	1. The joint inspection of the ITI was conducted on 02.07.2026 and during the inspection the joint inspection committee observed the following: (a) The BCC and Structural Safety Certificate were not available and the approved plan covers only the ground floor whereas the building is G+3. (b) Classrooms and the IT Lab function on the first floor contrary to the approved layout. (c) Electricity consumption is disproportionately high for the enrolment. (d) No CITS-qualified instructor was available and the WCS and ED instructor lacks the prescribed qualification. (e) The electricity meter is far from the ITI building.	The SCAA, upon reviewing the response submitted by the ITI, decided to verify the claim of the ITI asserting full compliance with affiliation norms. Accordingly, joint verification of such ITIs shall be carried out by the State Directorate and RDSDE. The report thereof shall be submitted to the DGT within one month and shall be placed for discussion in the next SCAA meeting.

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026

Signature Not Verified
Signed By:POOJA VERMA
Signing Date:03.11.2026

Sr.No	Details of ITI	Brief of Matter	36th SCAA Remarks
I	II	III	IV
		(f) Stock registers, issue registers and log books were not produced. (g) The signboard is a flex banner not as per DGT guidelines. (h) The workshops were non-operational. 2. The matter was discussed in the 33rd SCAA meeting held on 10.07.2026. Based on the joint inspection report, the Committee observed significant irregularities and recommended initiation of de-affiliation proceedings against the specified trades/units under Clause 7.4(i) of the DGT Affiliation Norms, 2025, without referring the matter to SSDEC/State Government. As a final opportunity under the principles of natural justice, the approved Minutes shall serve as the SCN, requiring the ITI to submit a reply, supported by relevant documentary evidence, including geo-tagged photographs, within 21 days to tc-deaffiliation@dgt.gov.in, with a copy to tc-affiliation@dgt.gov.in. The reply shall include a proper index and referenced annexures, wherever applicable. In the absence of a reply, DGT shall proceed with de-affiliation based on available records without further notice. 3. The ITI replied to the SCN on 01.09.2026 and submitted the following: a) The BCC and Structural Safety Certificate, not required at its 2014 affiliation, have now been obtained. b) The G+3 construction began in 2023-24 and classrooms and the IT Lab have been moved back to the ground floor.	

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026

Signature Not Verified
Signed By:POOJA VERMA
Signing Date:03.11.2026

Sr.No	Details of ITI	Brief of Matter	36th SCAA Remarks
I	II	III	IV
		c) The higher consumption is due to the construction and construction machinery. d) All instructors will soon complete CITS training and the WCS and ED instructors are said to hold the prescribed qualification. e) The meter is at the main gate of a large campus. f) Registers could not be produced because the inspection was a surprise and have now been put in order. g) A standard iron-frame signboard has been installed. h) All workshop machines have been serviced and trainees are doing practical training (geo-tagged photographs annexed).	
22.	Ashish ITI, Lalsot Road, Kherla Khurd, Rajasthan Dausa **MIS Code: PU08001731** **<u>Trade & units</u>** Electrician-16 (8+8)	1. The joint inspection of the ITI was conducted on 03.07.2026 and during the inspection the joint inspection committee observed the following: (a) The BCC and Structural Safety Certificate were not produced. (b) Major structural cracks were seen in most classroom and workshop walls. (c) Raw material consumption was significantly low compared to enrolment. (d) No power backup (generator/UPS) was available. (e) Stock registers, issue registers and log books were not produced. (f) Not all instructors were present. (g) Fire extinguishers were not properly installed.	The SCAA, upon reviewing the response submitted by the ITI, decided to verify the claim of the ITI asserting full compliance with affiliation norms. Accordingly, joint verification of such ITIs shall be carried out by the State Directorate and RDSDE. The report thereof shall be submitted to the DGT within one month and shall be placed for discussion in the next SCAA meeting.

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026

Signature Not Verified
Signed By:POOJA VERMA
Signing Date:03.11.2026

Sr.No	Details of ITI	Brief of Matter	36th SCAA Remarks
I	II	III	IV
		(h) Safe drinking water was not available. (i) No separate Engineering Drawing Hall exists. (j) Major machinery and equipment in all eight workshops were non-functional or unavailable as per the latest STL, with shop tools inadequate. 2. The matter was discussed in the 33rd SCAA meeting held on 10.07.2026. Based on the joint inspection report, the Committee observed significant irregularities and recommended initiation of de-affiliation proceedings against the specified trades/units under Clause 7.4(i) of the DGT Affiliation Norms, 2025, without referring the matter to SSDEC/State Government. As a final opportunity under the principles of natural justice, the approved Minutes shall serve as the SCN, requiring the ITI to submit a reply, supported by relevant documentary evidence, including geo-tagged photographs, within 21 days to tc-deaffiliation@dgt.gov.in, with a copy to tc-affiliation@dgt.gov.in. The reply shall include a proper index and referenced annexures, wherever applicable. In the absence of a reply, DGT shall proceed with de-affiliation based on available records without further notice. 3. The ITI replied to the SCN on 27.08.2026 and submitted the following: a) A new Building Safety Certificate has been obtained. b) The structural cracks have been repaired. c) Training is given regularly (the reply on raw material use is incomplete and no evidence is attached).	

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026

Signature Not Verified
Signed By:POOJA VERMA
Signing Date:03.11.2026

Sr.No	Details of ITI	Brief of Matter	36th SCAA Remarks
I	II	III	IV
		d) A diesel generator is available. e) Registers are maintained and, it says, were shown during the inspection (no evidence attached). f) Most instructors were present. g) Fire extinguishers are installed in every workshop. h) Drinking water and a water cooler are available. i) A separate Engineering Drawing hall was not required at its 2015 affiliation (no evidence attached). j) All machinery and tools in the 08 labs are running and available as per the new norms (geo-tagged photographs and videos enclosed).	
23.	Rukmani Devi Pvt ITI, Suratpura Road, Kalwara, Sanganer, Rajasthan, Jaipur **MIS Code: PR08001363** **<u>Trade & units</u>** Electrician –36 (18+18)	1. The joint inspection of the ITI was conducted on 03.07.2026 and during the inspection the joint inspection committee observed the following: a) The institute denied inspection, the ITI was open but no trainees or instructors were present, the Director arrived later and gave only a superficial walkthrough, and the required information and documents (Principal and authorised person details, land and building, workshop and machinery, electricity connection and bills for 2025–26, instructors, attendance, placement and IT Lab details) were not provided. b) The building needs repair. c) The Regional Director, RDSDE Rajasthan, inspected on 14.07.2026 and substantiated these findings: the main gate was locked from inside and opened by the chowkidar. d) No Principal, instructors or staff were present.	The matter was discussed in the SCAA meeting, and the SCAA decided as under: 1. In line with the principles of natural justice, the ITI was afforded final opportunity to represent itself by 33rd SCAA in its meeting held on 10.07.2026, to submit a show-cause reply explaining why the ITI should not be de-affiliated, based upon the remarks of inspection team along with any supporting representation, within 21 days from the issuance of the minutes of that meeting. 2. The ITI did not avail the final opportunity provided by DGT in the 33rd SCAA meeting and failed to submit any reply or representation,

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026

Signature Not Verified
Signed By:POOJA VERMA
Signing Date:03.11.2026

Sr.No	Details of ITI	Brief of Matter	36th SCAA Remarks
I	II	III	IV
		e) The Electrician workshop was dusty with extra desks lying about. f) IT Lab computers were old, not working and dusty with pigeon waste on the desks. g) Local tea stall people said trainees come only one day for practical exams, indicating no training activity. 2. The matter was discussed in the 33rd SCAA meeting held on 10.07.2026. Based on the joint inspection report, the Committee observed significant irregularities and recommended initiation of de-affiliation proceedings against the specified trades/units under Clause 7.4(i) of the DGT Affiliation Norms, 2025, without referring the matter to SSDEC/State Government. As a final opportunity under the principles of natural justice, the approved Minutes shall serve as the SCN, requiring the ITI to submit a reply, supported by relevant documentary evidence, including geo-tagged photographs, within 21 days to tc-deaffiliation@dgt.gov.in, with a copy to tc-affiliation@dgt.gov.in. The reply shall include a proper index and referenced annexures, wherever applicable. In the absence of a reply, DGT shall proceed with de-affiliation based on available records without further notice. 3. The ITI did not avail the opportunity granted by 33rd SCAA and no reply received from the ITI.	thereby exhibiting continued negligence and persistent non-compliance. 3. Further, as per SoP of de-affiliation and clause 7.3. of affiliation norms 2025, the ITI is being granted a final opportunity to submit a show-cause reply explaining why the ITI should not be de-affiliated with all trades and units. 4. The ITI shall treat these Minutes as a final notice issued by DGT. The explanation, if any, must be comprehensive and duly supported by relevant documentary evidence, including proof of operational machinery and equipment with geo tagged photos, geo-tagged photographs of the institute infrastructure and location, and any other substantiating compliance with the prescribed norms. In case the reply consists of multiple pages, the institute shall prepare a proper index and clearly reference all annexures relied upon in the submission. The reply must reach to the DGT within **07** days from the date of issue of these Minutes, through email to tc-deaffiliation@dgt.gov.in with a copy to tc-affiliation@dgt.gov.in. 5. In case no reply is received within the stipulated period will result in de-affiliation of the ITI without any further notice.

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026

Signature Not Verified
Signed By:POOJA VERMA
Signing Date:03.11.2026

Sr.No	Details of ITI	Brief of Matter	36th SCAA Remarks
I	II	III	IV
24.	Vishvkarma Pvt ITI, Village Abhypura, Ladpura, Rajasthan - Kota **MIS Code: PR08000320** **<u>Trade & units</u>** Electrician-16 (8+8)	1. The joint inspection of the ITI was conducted on 03.07.2026 and during the inspection the joint inspection committee observed the following: (a) Not Operational at the notified location. (b) A B.Ed. College was functioning at the premises instead. 2. The institute stated that it had informed DGT and RDSDE by letter dated 01.07.2026 that it had applied for shifting to another location, but no shifting application was found on the DGT portal or at State Directorate level. 3. The matter was discussed in the 33rd SCAA meeting held on 10.07.2026. Based on the joint inspection report, the Committee observed significant irregularities and recommended initiation of de-affiliation proceedings against the specified trades/units under Clause 7.4(i) of the DGT Affiliation Norms, 2025, without referring the matter to SSDEC/State Government. As a final opportunity under the principles of natural justice, the approved Minutes shall serve as the SCN, requiring the ITI to submit a reply, supported by relevant documentary evidence, including geo-tagged photographs, within 21 days to tc-deaffiliation@dgt.gov.in, with a copy to tc-affiliation@dgt.gov.in. The reply shall include a proper index and referenced annexures, wherever applicable. In the absence of a reply, DGT shall proceed with de-affiliation based on available records without further notice.	The matter was discussed in the SCAA meeting, and the SCAA decided as under: 1. In line with the principles of natural justice, the ITI was afforded final opportunity to represent itself by 33rd SCAA in its meeting held on 10.07.2026, to submit a show-cause reply explaining why the ITI should not be de-affiliated, based upon the remarks of inspection team along with any supporting representation, within 21 days from the issuance of the minutes of that meeting. 2. The ITI did not avail the final opportunity provided by DGT in the 33rd SCAA meeting and failed to submit any reply or representation, thereby exhibiting continued negligence and persistent non-compliance. 3. Further, as per SoP of de-affiliation and clause 7.3. of affiliation norms 2025, the ITI is being granted a final opportunity to submit a show-cause reply explaining why the ITI should not be de-affiliated with all trades and units. 4. The ITI shall treat these Minutes as a final notice issued by DGT. The explanation, if any,

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026

Signature Not Verified
Signed By:POOJA VERMA
Signing Date:03.11.2026

Sr.No	Details of ITI	Brief of Matter	36th SCAA Remarks
I	II	III	IV
		4. The ITI did not avail the opportunity granted by 33rd SCAA and no reply received from the ITI.	must be comprehensive and duly supported by relevant documentary evidence, including proof of operational machinery and equipment with geo tagged photos, geo-tagged photographs of the institute infrastructure and location, and any other substantiating compliance with the prescribed norms. In case the reply consists of multiple pages, the institute shall prepare a proper index and clearly reference all annexures relied upon in the submission. The reply must reach to the DGT within **07** days from the date of issue of these Minutes, through email to tc-deaffiliation@dgt.gov.in with a copy to tc-affiliation@dgt.gov.in. 5. In case no reply is received within the stipulated period will result in de-affiliation of the ITI without any further notice.
25.	Param Pvt ITI, Narayan Ka Bas, Khuri Bari, Rajasthan Sikar **MIS Code: PU08001654**	1. The joint inspection of the ITI was conducted on 03.07.2026 and during the inspection the joint inspection committee observed the following: (a) The building needs repair. (b) The address on the electricity bill differs from the affiliation order/departmental records. (c) The IT Lab has no working computers or internet and the computers are inadequate.	The matter was discussed in the SCAA meeting, and the SCAA decided as under: 1. In line with the principles of natural justice, the ITI was afforded final opportunity to represent itself by 33rd SCAA in its meeting held on 10.07.2026, to submit a show-cause reply explaining why the ITI should not be de-affiliated, based upon the remarks of inspection

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026

Signature Not Verified
Signed By:POOJA VERMA
Signing Date:03.11.2026

Sr.No	Details of ITI	Brief of Matter	36th SCAA Remarks
I	II	III	IV
	Trade & units 1. Fire Technology and Industrial Safety Management - 4(2+2) 2. Health Sanitary Inspector - 2(1+1) 3. 4. Food Production (General) - 2(1+1)	(d) No Drawing Hall is available. (e) Classrooms are fewer than required. (f) No instructor or staff was present except the Principal and President, and instructor details were not provided. (g) Attendance records were not available. (h) Electricity consumption was almost nil (0–2 kWh) for most months. 2. During the inspection the Principal and President submitted a letter surrendering the Fireman trade (6-month duration, 8+8 units). 3. The matter was discussed in the 33rd SCAA meeting held on 10.07.2026. Based on the joint inspection report, the Committee observed significant irregularities and recommended initiation of de-affiliation proceedings against the specified trades/units under Clause 7.4(i) of the DGT Affiliation Norms, 2025, without referring the matter to SSDEC/State Government. As a final opportunity under the principles of natural justice, the approved Minutes shall serve as the SCN, requiring the ITI to submit a reply, supported by relevant documentary evidence, including geo-tagged photographs, within 21 days to tc-deaffiliation@dgt.gov.in, with a copy to tc-affiliation@dgt.gov.in. The reply shall include a proper index and referenced annexures, wherever applicable. In the absence of a reply, DGT shall proceed with de-affiliation based on available records without further notice.	team along with any supporting representation, within 21 days from the issuance of the minutes of that meeting. 2. The ITI did not avail the final opportunity provided by DGT in the 33rd SCAA meeting and failed to submit any reply or representation, thereby exhibiting continued negligence and persistent non-compliance. 3. However, 33rd SCAA accepted the institute's request for self-surrender of the Fireman trade (16 units: 8+8) and has been de-affiliated vide DGT de-affiliation order dated 12 08.2026. 4. Further, as per SoP of de-affiliation and clause 7.3 of affiliation norms 2025, the ITI is being granted a final opportunity to submit a show-cause reply explaining why the ITI should not be de-affiliated with all trades and units. 5. The ITI shall treat these Minutes as a final notice issued by DGT. The explanation, if any, must be comprehensive and duly supported by relevant documentary evidence, including proof of operational machinery and equipment with geo tagged photos, geo-tagged photographs of the institute infrastructure and location, and any

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026

Signature Not Verified
Signed By:POOJA VERMA
Signing Date:03.11.2026

Sr.No	Details of ITI	Brief of Matter	36th SCAA Remarks
I	II	III	IV
		4. The ITI did not avail the opportunity granted by 33rd SCAA and no reply received from the ITI.	other substantiating compliance with the prescribed norms. In case the reply consists of multiple pages, the institute shall prepare a proper index and clearly reference all annexures relied upon in the submission. The reply must reach to the DGT within **07** days from the date of issue of these Minutes, through email to tc-deaffiliation@dgt.gov.in with a copy to tc-affiliation@dgt.gov.in. 6. In case no reply is received within the stipulated period will result in de-affiliation of the ITI without any further notice.
26.	Indur Private ITI, Arshapally, Bodhan Road, Telangana , Nizamabad **MIS Code: PR36000036** **Trades & units** 1. Electrician: 10 (5)	1. The joint inspection of the ITI was conducted on 18.06.2026 and during the inspection the joint inspection committee observed the following: (a) The building in good condition and the institute functioning from leased premises with a valid lease up to 09.02.2030. (b) Electrician workshops available but the DC Shunt Motor and Diesel Generator under repair, and the workshop area less than the 480 sqm required. (c) Very low power consumption. (d) Five instructors for the Electrician trade and none for Mechanic Diesel. (e) Trainee attendance of 85–87% and staff attendance of 90–92% for January–May 2026.	The matter was discussed in the SCAA meeting, and the SCAA decided as under: 1. In line with the principles of natural justice, the ITI was afforded final opportunity to represent itself by 34th SCAA in its meeting held on 06.08.2026, to submit a show-cause reply explaining why the ITI should not be de-affiliated, based upon the remarks of inspection team along with any supporting representation, within 21 days from the issuance of the minutes of that meeting.

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026

Signature Not Verified
Signed By:POOJA VERMA
Signing Date:03.11.2026

Sr.No	Details of ITI	Brief of Matter	36th SCAA Remarks
I	II	III	IV
	2. Mechanic Diesel: 2 (1+1) 3. Fitter: 2 (1+1)	(f) A non-functional Placement Cell with no Placement Officer (though 3 MoUs and OJT exist) and very low placement. (g) An IT lab under renovation with no working computers or internet, though a Drawing Hall was available. 2. Of 18 Electrician units (9+9) affiliated, the inspecting members recommended continuing only 8 (4+4) and de-affiliating 10 (5+5), and de-affiliating Mechanic Diesel 2 (1+1) and Fitter 2 (1+1) units. 3. The matter was discussed in the 34th SCAA meeting held on 06.08.2026. Based on the joint inspection report, the Committee observed significant irregularities and recommended initiation of de-affiliation proceedings against the specified trades/units under Clause 7.4(i) of the DGT Affiliation Norms, 2025, without referring the matter to SSDEC/State Government. As a final opportunity under the principles of natural justice, the approved Minutes shall serve as the SCN, requiring the ITI to submit a reply, supported by relevant documentary evidence, including geo-tagged photographs, within 21 days to tc-deaffiliation@dgt.gov.in, with a copy to tc-affiliation@dgt.gov.in. The reply shall include a proper index and referenced annexures, wherever applicable. In the absence of a reply, DGT shall proceed with de-affiliation based on available records without further notice. 3. The ITI did not avail the opportunity granted by 34th SCAA and no reply received from the ITI.	2. The ITI did not avail the final opportunity provided by DGT in the 34th SCAA meeting and failed to submit any reply or representation, thereby exhibiting continued negligence and persistent non-compliance. 3. Further, as per SoP of de-affiliation and clause 7.3. of affiliation norms 2025, the ITI is being granted a final opportunity to submit a show-cause reply explaining why the ITI should not be de-affiliated with all trades and units. 4. The ITI shall treat these Minutes as a final notice issued by DGT. The explanation, if any, must be comprehensive and duly supported by relevant documentary evidence, including proof of operational machinery and equipment with geo tagged photos, geo-tagged photographs of the institute infrastructure and location, and any other substantiating compliance with the prescribed norms. In case the reply consists of multiple pages, the institute shall prepare a proper index and clearly reference all annexures relied upon in the submission. The reply must reach to the DGT within **07** days from the date of issue of these Minutes, through email to tc-deaffiliation@dgt.gov.in with a copy to tc-affiliation@dgt.gov.in.

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026

Signature Not Verified
Signed By:POOJA VERMA
Signing Date:03.11.2026

Sr.No	Details of ITI	Brief of Matter	36th SCAA Remarks
I	II	III	IV
			5. In case no reply is received within the stipulated period will result in de-affiliation of the ITI without any further notice.

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026

Signature Not Verified
Signed By:POOJA VERMA
Signing Date:03.11.2026

Annexure-6 as referred in Agenda 7: Court Cases

7.1 Ratification of action taken by DGT in compliance of orders of the Hon'ble High Courts in writ petitions filed by ITIs against de-affiliation and affiliation decisions

Part A: Interim stay orders of the Hon'ble High Court of Rajasthan, Benches at Jaipur and Jodhpur

The Committee noted that the de-affiliation of eighteen ITIs has been stayed by the Hon'ble High Court. In each case, the status and SIDH portal access were restored provisionally till the next date of hearing, as detailed below.

S. No.	ITI Name & PR No.	Petition No.	OM dated (Court order dated)	De-affiliation stayed
I.	II.	III.	IV.	V.
1	Aman Pvt. ITI, Tonk (PR08000186)	SBCWP No. 12194/2026	OM dt. 20.08.2026 (Order dt. 24.07.2026)	30th SCAA, order dt. 22.06.2026
2	Sadhna Pvt. ITI, Jaipur (PR08001503)	SBCWP No. 12976/2026	OM dt. 20.08.2026 (Order dt. 23.07.2026)	31st SCAA, order dt. 14.07.2026
3	New Subodh Pvt. ITI, Jaipur (PR08001597)	SBCWP No. 14398/2026	OM dt. 20.08.2026 (Order dt. 05.08.2026)	30th SCAA, order dt. 22.06.2026
4	Rajasthan Pvt. ITI, Renwal, Jaipur (PR08001464)	SBCWP No. 13719/2026	OM dt. 31.08.2026 (Order dt. 18.08.2026)	27th SCAA, order dt. 06.04.2026
5	Hari Adarsh Pvt. ITI (PR08001302)	SBCWP No. 20679/2026	OM dt. 21.09.2026 (Order dt. 21.08.2026)	33rd SCAA, order dt. 07.08.2026
6	New Sunrise Pvt. ITI, Jaipur (PU08000304)	SBCWP No. 14420/2026	OM dt. 03.09.2026 (Order dt. 07.08.2026)	27th SCAA, order dt. 06.04.2026
7	Suman Bharti Pvt. ITI, Kota (PU08000496)	SBCWP No. 14506/2026	OM dt. 03.09.2026 (Order dt. 05.08.2026)	27th SCAA, order dt. 06.04.2026
8	Chanakya Pvt. ITI, Jhunjhunu (PR08001804)	SBCWP No. 14678/2026	OM dt. 10.09.2026 (Order dt. 08.09.2026)	30th SCAA, order dt. 22.06.2026
9	Rajasthali Pvt. ITI, Dausa (PR08001816)	SBCWP No. 6259/2026	OM dt. 12.10.2026 (Order dt. 22.09.2026)	33rd SCAA, order dt. 12.08.2026
10	Ramdev Pvt. ITI, Jaipur (PR08000857)	SBCWP No. 16262/2026	OM dt. 12.10.2026 (Order dt. 22.09.2026)	27th SCAA, order dt. 16.04.2026

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026

Signature Not Verified
Signed By:POOJA VERMA
Signing Date:03.11.2026

S. No.	ITI Name & PR No.	Petition No.	OM dated (Court order dated)	De-affiliation stayed
11	Saurabh Pvt. ITI, Alwar (PR08001020)	SBCWP No. 16263/2026	OM dt. 12.10.2026 (Order dt. 22.09.2026)	27th SCAA, order dt. 16.04.2026
12	Agrasen Pvt. ITI, Alwar (PR08000429)	SBCWP No. 18507/2026	OM dt. 12.10.2026 (Order dt. 22.09.2026)	31st SCAA, order dt. 08.07.2026
13	Matsya Pvt. ITI, Alwar (PR08000465)	SBCWP No. 18549/2026	OM dt. 12.10.2026 and Corrigendum dt. 13.10.2026 (Order dt. 22.09.2026)	27th SCAA, order dt. 16.04.2026; restoration effected against PR08000465
14	Mahatma Gandhi Pvt. ITI, Alwar (PR08000897)	SBCWP No. 18509/2026	OM dt. 12.10.2026 (Order dt. 23.09.2026)	31st SCAA, order dt. 08.07.2026
15	Shri Giriraj Pvt. ITI, Alwar (PR08000449)	SBCWP No. 18908/2026	OM dt. 12.10.2026 (Order dt. 23.09.2026)	27th SCAA, order dt. 16.04.2026
16	Jai Hind Pvt. ITI, Jaipur (PR08001431)	SBCWP No. 18932/2026	OM dt. 12.10.2026 (Order dt. 23.09.2026)	31st SCAA, order dt. 08.07.2026
17	Sevanand Pvt. ITI, Tonk (PU08001792)	SBCWP No. 18550/2026	OM dt. 12.10.2026 (Order dt. 22.09.2026)	30th SCAA, order dt. 22.06.2026
18	UBM Pvt. ITI (PR08000841)	SBCWP No. 19131/2026	OM dt. 12.10.2026 (Order dt. 24.09.2026)	30th SCAA, order dt. 22.06.2026

For S. No. 1 to 18 , the status and SIDH portal access were restored provisionally till the next date of hearing.

Decision of the SCAA

The Committee considered the action taken by DGT and agreed on the matter and ratified the action taken through the OMs listed at S. No. 1 to 18, including the Corrigendum dated 13.10.2026, and the corresponding changes made on the SIDH portal.

For S. No. 1 to 18, the Committee noted that the restored status will continue only till the next date of hearing or further orders of the Hon'ble Court. The SIDH portal will be updated as soon as the final outcome of each writ petition is known.

Part B: Decisions taken in compliance of judgments of the Hon'ble High Court of Delhi

The Committee noted that three ITIs stand de-affiliated after inspection, and one expansion request was rejected.

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026

Signature Not Verified
Signed By:POOJA VERMA
Signing Date:03.11.2026

S. No.	ITI Name & PR No.	Petition No.	OM dated (Judgment dated)	Action taken / change on SIDH portal
I.	II.	III.	IV.	V.
19	Radhe Krishna Pvt. ITI, Bihar (PR10000405)	W.P.(C) No. 9841/2026	OM dt. 20.08.2026	Application for expansion of Electrician trade, 8 (4+4) units, rejected; no units added and existing status unchanged. The ITI may apply afresh under the Affiliation Norms 2025. SSDEC advised to conduct a surprise inspection of this ITI and of Ramashish Prasad Pvt. ITI (PR10001075), as both are under common management with no boundary separating them.
20	Shri Vishwakarma Pvt. ITI, Bihar (PR06000270)	W.P.(C) No. 10979/2026	OM dt. 07.09.2026	De-affiliated from session 2026-27 onwards with no fresh admissions, following the joint inspection dt. 14.08.2026 and the SCN dt. 20.08.2026. The ITI may apply afresh under the Affiliation Norms 2025.
21	Career Pvt. ITI, Madhya Pradesh (PU23000357)	W.P.(C) No. 12488/2026	OM dt. 01.10.2026	Reply to the fresh SCN dt. 22.09.2026 rejected after the joint inspection dt. 25.09.2026. The 29th SCAA de-affiliation is upheld; the ITI remains de-affiliated with no fresh admissions and no change on the portal. The ITI may apply afresh under the Affiliation Norms 2025.
22	St. Joseph Pvt. ITI, Jharkhand (PU20000233)	W.P.(C) No. 11070/2026	OM dt. 06.10.2026	De-affiliated from session 2026-27 onwards with no fresh admissions, following the SCN dt. 12.08.2026 and the joint inspection dt. 18.09.2026. The ITI may apply afresh under the Affiliation Norms 2025.

Decision of the SCAA

The Committee considered the action taken by DGT and agreed on the matter and ratified the action taken through the OMs listed at S. No. 19 to 22 and the corresponding changes made on the SIDH portal.

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026

Signature Not Verified
Signed By:POOJA VERMA
Signing Date:03.11.2026

Part C: Legal notice and court case filed by Simirata Devi ITI, Gorakhpur (PR09001294), regarding mapping of Electrician and Fitter trade units on the NCVT-MIS/SIDH Portal.

Sr. No.	ITI Name and Code	Subject	Brief Facts of the Matter	36th SCAA Remarks
I.	II.	III.	IV.	V.
1.	Simirata Devi ITI, Gorakhpur (PR09001294)	Legal notice and court case filed by Simirata Devi ITI, Gorakhpur (PR09001294), regarding mapping of Electrician and Fitter trade units on the NCVT-MIS/SIDH Portal.	The matter regarding the mapping of Electrician and Fitter trade units of Simirata Devi ITI, Gorakhpur (PR09001294), was discussed in the SCAA meeting. The Committee took note of the petitioner's claim regarding the sanctioned units of the aforesaid trades, the pending court case before the Hon'ble High Court of Delhi (15250/2026,) and the deficiencies observed during the physical inspection conducted on 14.10.2026, particularly with regard to the registration of land documents and safety arrangements in the Electrician laboratory.	**Decision of SCAA:** After deliberation, the SCAA decided as under: 1. In view of the deficiencies observed during the inspection and the pending court case, a Show Cause Notice (SCN) was issued to the petitioner Institute on 26.10.2026, granting 21 days to submit its reply along with the requisite supporting documents and clarification regarding the deficiencies pointed out in the inspection report. 2. Upon receipt of the reply to the SCN, RDSDE and the concerned State Directorate are instructed to conduct a joint inspection of the Institute to verify the claims of the petitioner regarding the sanctioned trade units of Electrician and Fitter, the availability and adequacy of the requisite infrastructure, tools and equipment, land documentation, and compliance with the prescribed safety requirements. 3. The team shall submit a comprehensive inspection report, along with its findings

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026

Signature Not Verified
Signed By:POOJA VERMA
Signing Date:03.11.2026

Sr. No.	ITI Name and Code	Subject	Brief Facts of the Matter	36th SCAA Remarks
				and recommendations, to DGT for further consideration and appropriate action in accordance with the applicable affiliation norms and directions of the competent authority. 4. The matter shall be processed further on the basis of the reply submitted by the Institute to the SCN and the findings of the joint inspection.

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026

Signature Not Verified
Signed By:POOJA VERMA
Signing Date:03.11.2026

Annexure-7 as referred in Agenda 8: Other de-affiliation matters arising from previous SCAA meetings – State-wise

Name of the State: Bihar

Sr. No.	ITI Name and Code	Trades/Units	Brief Facts of the Matter	36th SCAA Remarks
I.	II.	III.	IV.	V.
1.	Aditya Raj Pvt. ITI, Samastipur MIS Code: PR10000473	Electrician 16(8+8); Fitter 4(2+2)	**(a) Facts of the case:** (i) The State Directorate of Employment and Training, Bihar initiated de-affiliation proceedings against the ITI with the objective of maintaining the quality of training in private ITIs in the State. (ii) The Joint Inspection Committee of the State conducted a surprise inspection of the ITI on 05.05.2026. (iii) The Joint Inspection Committee found that: • Only 03 instructors were present against the sanctioned posts; • No training environment existed and no trainee was present, and no notice of postponement or suspension of training was displayed; • The week-wise progress of the syllabus was not furnished; • The computers were short in proportion to the number of trainees; • The attendance of the technical staff was about 17 percent; and	***Cases in which a final Show Cause Notice / further opportunity is given*** **Decision of the Committee:** 1. The Committee observed that the deficiencies found in the Joint Inspection of 05.05.2026 are serious and strike at the core of training delivery, and that the explanation of the ITI that training had been suspended does not establish that the suspension was authorised or that training is conducted as per the Norms. The pendency of Writ Petition No. 12787/2026, in which no direction has been passed, does not operate as a stay on the proceedings. 2. Accordingly, these Minutes shall constitute the final Show Cause Notice to the ITI under Para 7.4(iv) of the Norms, and no further Show Cause Notice shall be issued. The ITI shall show cause, within 15 days from the date of issue of these Minutes, why the ITI should not be de-affiliated. The reply shall state

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026

Signature Not Verified
Signed By:POOJA VERMA
Signing Date:03.11.2026

Sr. No.	ITI Name and Code	Trades/Units	Brief Facts of the Matter	36th SCAA Remarks
			• There was neither a system of receipt and issue of stores nor any raw material for training. (iv) A Show Cause Notice was issued to the ITI on 12.05.2026, and the ITI replied on 29.05.2026. (v) In its reply, the ITI stated that: • Training had been suspended after a death-anniversary observance, upon which the instructors, trainees and technical staff had left; • The notice of suspension had been torn off the notice board; • Some computers had been sent for repair; and • The store register and the raw material could not be shown because the storekeeper and the trade instructor were absent. (vi) The 12th State Skill Development and Entrepreneurship Committee (SSDEC), Bihar, in its meeting held on 20.07.2026, considered the reply and recommended de-affiliation of the ITI for non-compliance with the NCVT norms. (vii) The State Directorate forwarded the recommendation to DGT vide letter No. T-03/Training(P)-05/2026-1352 dated 28.07.2026.	the name, MIS code and complete address of the ITI, shall be sent to tc-deaffiliation@dgt.gov.in, and shall be supported by: (i) Proof of the number of instructors and trainees against the sanctioned strength; (ii) Records of syllabus progress, attendance and stores; (iii) Proof of the availability of raw material and of an adequate number of computers; and (iv) The authority for any suspension of training. 3. If no reply is received within the stipulated period, or if the reply is found unsatisfactory, the ITI shall stand de-affiliated under Para 7.2(i), (iv) and (x) of the Norms, without further reference to the Committee. 4. The TC Section shall issue these Minutes to the ITI. On receipt of the reply, it will be forwarded to the RDSDE, Bihar and then the RDSDE and the State Directorate, Bihar shall jointly verify it and

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026

Signature Not Verified
Signed By:POOJA VERMA
Signing Date:03.11.2026

Sr. No.	ITI Name and Code	Trades/Units	Brief Facts of the Matter	36th SCAA Remarks
			(viii) The ITI has filed Writ Petition No. 12787/2026 before the Hon'ble High Court of Delhi, in which no direction has been passed so far. **(b) Issue and applicable provisions:** The Joint Inspection of 05.05.2026 found the ITI without trainees, without instructors in the sanctioned number, and without a training environment, syllabus records, raw material or a stores system; these deficiencies attract Para 7.2(i), (iv) and (x) of the Norms. **(c) Previous direction:** The case has not been considered by the SCAA earlier.	submit their recommendations, along with the verification report and supporting evidence, to DGT. 5. On receipt of the joint verification report, the matter shall be placed before the Committee for consideration. If no reply is received within the stipulated period, the matter shall be processed in accordance with the consequence stated above.
2.	Dikshant Pvt. ITI, Bachwara, Begusarai MIS Code: PR10000950	Electrician 12(6+6); Fitter 4(2+2)	**(a) Facts of the case:** (i) The State Directorate of Employment and Training, Bihar initiated de-affiliation proceedings against the ITI with the objective of maintaining the quality of training in private ITIs in the State. (ii) The Joint Inspection Committee of the State conducted a surprise inspection of the ITI on 05.05.2026. (iii) The Joint Inspection Committee found that: • Classes of Layford International School were being run in 06 classrooms on the second and third floors of the building authorised for the ITI and in another building within its campus;	***Cases in which a final Show Cause Notice / further opportunity is given*** **(d) Decision of the Committee:** 1. The Committee observed that the use of the authorised premises by Layford International School, the presence of only 23 of the 237 enrolled trainees, the condition of the workshops and the absence of essential records constituted serious deficiencies. The explanation furnished by the ITI, citing a storm on the preceding day and the absence of its management, was not considered

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026

Signature Not Verified
Signed By:POOJA VERMA
Signing Date:03.11.2026

Sr. No.	ITI Name and Code	Trades/Units	Brief Facts of the Matter	36th SCAA Remarks
			• Only 23 of the 237 enrolled trainees were present; • Only 5 to 10 percent of the machines in the Electrician workshop were in working condition; • The machines in the Fitter workshop were rusted, no tools, equipment or furniture were available there, and the workshop, with a stage, a sound system and carpets, was being used for other programmes; • Only 08 instructors were present against the sanctioned posts; • The sanctioned staff strength approved by the Trust, the qualification of the Principal, the work allocation register, lesson and demonstration plans, maintenance logbooks and store records were not produced; • There was no separate store, library or fire extinguisher; • 06 of the 13 computers were not working; • The staff were paid in cash, the payment register having been maintained only up to September 2023; and • The CCTV footage was not shown. (iv) Show Cause Notices were issued to the ITI on 12.05.2026 and 11.06.2026, and the ITI replied by e-mail dated 03.06.2026.	sufficient to account for deficiencies of this nature and extent. 2. The Committee noted that the Hon'ble High Court of Delhi, vide order dated 12.10.2026, disposed of Writ Petition No. 15151/2026, directing Respondent No. 1 (DGT) to take a decision, if any, in accordance with the extant rules and the principles of natural justice. Accordingly, these Minutes shall constitute the final Show Cause Notice to the ITI under Para 7.4(iv) of the Norms, and no further Show Cause Notice shall be issued. The ITI shall show cause, within 15 days from the date of issue of these Minutes, why the ITI should not be de-affiliated. The reply shall state the name, MIS code and complete address of the ITI, shall be sent to tc-deaffiliation@dgt.gov.in, and shall be supported by the following documents and evidence: (i) Proof that the authorised premises are used exclusively for the ITI and are separate from Layford International School;

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026

Signature Not Verified
Signed By:POOJA VERMA
Signing Date:03.11.2026

Sr. No.	ITI Name and Code	Trades/Units	Brief Facts of the Matter	36th SCAA Remarks
			(v) In its reply, the ITI stated that: • The school and the ITI are in separate buildings; • Attendance was low because of a storm on the previous day; • The stage is used for convocations and the sound system for job fairs; • The records could not be produced because the management and the Principal were absent; • The store room is located near the entrance gate; and • The banking work of the Trust had been affected by the death of its Chairman. (vi) The 12th State Skill Development and Entrepreneurship Committee (SSDEC), Bihar, in its meeting held on 20.07.2026, considered the reply and recommended de-affiliation of the ITI for non-compliance with the NCVT norms. (vii) The State Directorate forwarded the recommendation to DGT vide letter No. T-03/Training(P)-05/2026-1352 dated 28.07.2026. (viii) The Hon'ble High Court of Delhi, vide order dated 12.10.2026 in W.P.(C) No. 15151/2026, has disposed of the petition, directing Respondent No. 1 (DGT) to take a decision, if any, in accordance with the extant rules and	(ii) Trainee enrolment and attendance records; (iii) The Trust-approved sanctioned staff strength, the staff list, the qualifications of the Principal and the staff payment records; (iv) Geo-tagged photographs showing functional machinery in the Electrician and Fitter workshops; (v) The work allocation register, lesson plans and maintenance logbooks; (vi) Details and supporting records of the store, library and fire safety arrangements; and (vii) CCTV footage relevant to the inspection and the functioning of the ITI. 3. If no reply is received within the stipulated period, or if the reply is found unsatisfactory, the ITI shall stand de-affiliated under Para 7.2(i), (ii), (iv) and (x) of the Norms, without further reference to the Committee.

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026

Signature Not Verified
Signed By:POOJA VERMA
Signing Date:03.11.2026

Sr. No.	ITI Name and Code	Trades/Units	Brief Facts of the Matter	36th SCAA Remarks
			principles of natural justice. In case no decision is to be taken, the petitioner is to be informed accordingly. The petitioner has liberty to take appropriate action in accordance with law. **(b) Issue and applicable provisions:** The Joint Inspection of 05.05.2026 found the premises of the ITI being used for running a school, very low attendance of trainees, non-functional workshops, a shortage of instructors and the absence of essential records and facilities; these findings attract Para 7.2(i), (ii), (iv) and (x) of the Norms. **(c) Previous direction:** The case has not been considered by the SCAA earlier.	4. The TC Section shall issue these Minutes to the ITI. On receipt of the reply, it will be forwarded to the RDSDE, Bihar and then the RDSDE and the State Directorate, Bihar shall jointly verify it and submit their recommendations, along with the verification report and supporting evidence, to DGT. 5. On receipt of the joint verification report, the matter shall be placed before the Committee for consideration. If no reply is received within the stipulated period, the matter shall be processed in accordance with the consequence stated above.
3.	Sushila Thakur Pvt. ITI, Samastipur MIS Code: PR10000929	Electrician 16(8+8); Fitter 4(2+2)	**(a) Facts of the case:** (i) The State Directorate of Employment and Training, Bihar initiated de-affiliation proceedings against the ITI with the objective of maintaining the quality of training in private ITIs in the State. (ii) The Joint Inspection Committee of the State conducted a surprise inspection of the ITI on 05.05.2026. (iii) The Joint Inspection Committee found that:	***Cases in which a final Show Cause Notice / further opportunity is given*** **Decision of the Committee:** 1. The Committee observed that the explanation that all trainees and instructors were on an industrial tour was not supported by an order of the competent authority and was inconsistent with the further explanation that the machines had been switched off because a theory class was in progress. The

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026

Signature Not Verified
Signed By:POOJA VERMA
Signing Date:03.11.2026

Sr. No.	ITI Name and Code	Trades/Units	Brief Facts of the Matter	36th SCAA Remarks
			• Only 04 instructors were present against the sanctioned posts; • The progress of the syllabus was not furnished; • The boundary wall had not been constructed; • Books as per NIMI were not available; • About 85 percent of the machines were non-operational; and • No trainee was present and no training was being conducted. (iv) Show-Cause Notices were issued to the ITI on 12.05.2026 and 11.06.2026, and the ITI replied on 02.06.2026. (v) In its reply, the ITI stated that: • The trainees and the Fitter and Electrician instructors were on an industrial tour under a programme of the Government of Bihar; • The syllabus records could not be produced because the staff concerned were away; • Part of the boundary wall had collapsed and would be rebuilt within 30 days; • The NIMI books had been issued to trainees; and • The machines had been switched off because a theory class was in progress. (vi) The 12th State Skill Development and Entrepreneurship Committee (SSDEC), Bihar,	reconstruction of the boundary wall and the issue of books to trainees did not, by themselves, establish compliance with the prescribed norms. The Committee also noted that no writ petition filed by the ITI was on record. 2. Accordingly, these Minutes shall constitute the final Show Cause Notice to the ITI under Para 7.4(iv) of the Norms, and no further Show Cause Notice shall be issued. The ITI shall show cause, within 15 days from the date of issue of these Minutes, why the ITI should not be de-affiliated. The reply shall state the name, MIS code and complete address of the ITI, shall be sent to tc-deaffiliation@dgt.gov.in, and shall be supported by the following documents and evidence: (i) The order of the competent authority authorising the industrial tour on 05.05.2026, along with the list of participating trainees and instructors; (ii) Attendance records of trainees and instructors,

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026

Signature Not Verified
Signed By:POOJA VERMA
Signing Date:03.11.2026

Sr. No.	ITI Name and Code	Trades/Units	Brief Facts of the Matter	36th SCAA Remarks
			in its meeting held on 20.07.2026, considered the reply and recommended de-affiliation of the ITI for non-compliance with the NCVT norms. (vii) The State Directorate forwarded the recommendation to DGT vide letter No. T-03/Training(P)-05/2026-1352 dated 28.07.2026. **(b) Issue and applicable provisions:** The Joint Inspection of 05.05.2026 found no trainee present and no training in progress, a shortage of instructors, about 85 percent of the machines non-operational, and the absence of syllabus records, NIMI books and a boundary wall; these findings attract Para 7.2(i), (iv) and (x) of the Norms. **(c) Previous direction:** The case has not been considered by the SCAA earlier.	along with the appointment letters and qualifications of the instructors; (iii) Records showing the progress of the prescribed syllabus; (iv) Geo-tagged photographs of the completed boundary wall and functional machinery, along with machine logbooks; and (v) Purchase invoices and the stock register for NIMI books. 3. If no reply is received within the stipulated period, or if the reply is found unsatisfactory, the ITI shall stand de-affiliated under Para 7.2(i), (iv) and (x) of the Norms, without further reference to the Committee. 4. The TC Section shall issue these Minutes to the ITI. On receipt of the reply, it will be forwarded to the RDSDE, Bihar and then the RDSDE and the State Directorate, Bihar shall jointly verify it and submit their recommendations,

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026

Signature Not Verified
Signed By:POOJA VERMA
Signing Date:03.11.2026

Sr. No.	ITI Name and Code	Trades/Units	Brief Facts of the Matter	36th SCAA Remarks
				along with the verification report and supporting evidence, to DGT. 5. On receipt of the joint verification report, the matter shall be placed before the Committee for consideration. If no reply is received within the stipulated period, the matter shall be processed in accordance with the consequence stated above.
4.	R N Pvt. ITI, Samastipur MIS Code: PR10001441	Electrician 4(2+2); Fitter 4(2+2)	**(a) Facts of the case:** (i) The State Directorate of Employment and Training, Bihar initiated de-affiliation proceedings against the ITI with the objective of maintaining the quality of training in private ITIs in the State. (ii) The Director, Employment and Training, Bihar ordered a surprise inspection of the ITI vide order No. T-03/Training(P)-05/2026-790 dated 05.05.2026, and the Joint Inspection Committee of the State conducted it on 06.05.2026. (iii) At 10:58 AM on 06.05.2026, the Joint Inspection Committee found the ITI closed without any written intimation, and the trainees, instructors and Principal absent. (iv) The Director of the ITI stated that the ITI was closed on account of the ward [illegible] of its	***Cases in which a final Show Cause Notice / further opportunity is given*** **Decision of the Committee:** 1. The Committee observed that the closure of an affiliated ITI without prior intimation, on the basis of an oral holiday, and the refusal to permit inspection of its workshops and records constituted serious lapses, preventing verification of whether training was being imparted in accordance with the prescribed norms. The pendency of Writ Petition No. 13969/2026, in the absence of any stay order, does not by itself preclude further proceedings. 2. The State Directorate, Bihar shall furnish to DGT a copy of the ITI's

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026
Signature Not Verified
Signed By:POOJA VERMA
Signing Date:03.11.2026

Sr. No.	ITI Name and Code	Trades/Units	Brief Facts of the Matter	36th SCAA Remarks
			daughter on that day, for which a holiday had been declared orally; he declined to have the workshops and classrooms opened and refused to furnish or show any document demanded as per the inspection proforma. (v) Show Cause Notices were issued to the ITI vide No. T-03/Training(P)-05/2026-837 dated 12.05.2026 and No. T-03/Training(P)-05/2026-1014 dated 11.06.2026. (vi) As reported by the State Directorate, the ITI replied to the Show Cause Notices; however, a copy of the reply has not been furnished to DGT. (vii) The 12th State Skill Development and Entrepreneurship Committee (SSDEC), Bihar, in its meeting held on 20.07.2026, considered the reply and recommended de-affiliation of the ITI for non-compliance with the NCVT norms. (viii) The State Directorate forwarded the recommendation to DGT vide letter No. T-03/Training(P)-05/2026-1352 dated 28.07.2026. (ix) The ITI has filed Writ Petition No. 13969/2026 before the Hon'ble High Court of Delhi, in which no direction has been passed so far. **(b) Issue and applicable provisions:** The ITI was found closed without intimation, and its Director refused to open the workshops and class rooms and	reply to the Show Cause Notices, along with its date of receipt, within 7 days. 3. Accordingly, these Minutes shall constitute the final Show Cause Notice to the ITI under Para 7.4(iv) of the Norms, and no further Show Cause Notice shall be issued. The ITI shall show cause, within 15 days from the date of issue of these Minutes, why the ITI should not be de-affiliated. The reply shall state the name, MIS code and complete address of the ITI, shall be sent to tc-deaffiliation@dgt.gov.in, and shall be supported by the following documents and evidence: (i) The reasons for the closure on 06.05.2026 and documentary proof of the authority under which the closure was ordered; (ii) Attendance records of trainees, instructors and the Principal for 06.05.2026; (iii) The documents and records required under the prescribed inspection proforma; and

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026
Signature Not Verified
Signed By:POOJA VERMA
Signing Date:03.11.2026

Sr. No.	ITI Name and Code	Trades/Units	Brief Facts of the Matter	36th SCAA Remarks
			to produce records, so that its functioning could not be verified; this attracts Para 7.2(ix) of the Norms, and the deficiencies alleged attract Para 7.2(x). **(c) Previous direction:** The case has not been considered by the SCAA earlier.	(iv) Geo-tagged photographs of the workshops, classrooms and equipment in working condition. 4. If no reply is received within the stipulated period, or if the reply is found unsatisfactory, the ITI shall stand de-affiliated under Para 7.2(ix) and (x) of the Norms, without further reference to the Committee. 5. The TC Section shall issue these Minutes to the ITI. On receipt of the reply, it will be forwarded to the RDSDE, Bihar and then the RDSDE and the State Directorate, Bihar shall jointly verify it and submit their recommendations, along with the verification report and supporting evidence, to DGT. 6. On receipt of the joint verification report, the matter shall be placed before the Committee for consideration. If no reply is received within the stipulated period, the matter shall be processed in accordance with the consequence stated above.

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026

Signature Not Verified
Signed By:POOJA VERMA
Signing Date:03.11.2026

Name of the State: Gujarat

Sr. No.	ITI Name and Code	Trades/Units	Brief Facts of the Matter	36th SCAA Remarks
I.	**II.**	**III.**	**IV.**	**V.**
1.	Maharshi Dayanand College ITI, Baspa, Sami, Patan MIS Code: PR24008174	Computer Operator and Programming Assistant 3(1+1+1)	**(a) Facts of the case:** (i) The State Directorate intimated the self-surrender by e-mail dated 18.12.2025. (ii) The 26th SCAA (meetings of 15.01.2026 and 20.01.2026; Minutes dated 05.03.2026, Agenda 5.1, Annexure-9) directed the State Directorate to send the proposal with the recommendation of the State Skill Development and Entrepreneurship Committee (SSDEC). (iii) The 6th SSDEC, Gujarat (27.02.2026) approved the request and directed that it be forwarded to DGT. (iv) The RDSDE, Gujarat forwarded the approved minutes (DFA/110775, Note Nos. 89–95 dated 17.03.2026). (v) By e-mail dated 22.10.2026, the RDSDE, Gujarat forwarded the supporting documents, including the request of the Society and the letter of the GCVT dated 03.09.2024. **(b) Issue and applicable provisions:** The Society (Shree Arya Seva Sangh, Baspa) has requested the surrender/de-affiliation of Computer Operator and Programming Assistant (COPA) 3(1+1+1), the only trade of the ITI, owing to nil admissions in the last	***Cases of surrender of trades/units*** **Decision of the Committee:** 1. The Committee considered the recommendation of the 6th SSDEC, Gujarat and accepted the surrender of COPA 3(1+1+1). As COPA is the only trade of the ITI, the ITI shall be made inactive on the portal. 2. The TC Section shall issue the surrender order, and DGT MIS shall take action on the portal. The State Directorate, Gujarat shall confirm that no trainee is on roll and that no admission has been made in the trade. The matter shall be closed on issue of the order.

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026

Signature Not Verified
Signed By:POOJA VERMA
Signing Date:03.11.2026

Sr. No.	ITI Name and Code	Trades/Units	Brief Facts of the Matter	36th SCAA Remarks
			three years; the request falls under Para 7.3.3 (Table 20) of the Norms. **(c) Previous direction:** The 26th SCAA directed the State Directorate to send the self-surrender proposal with the recommendation of the SSDEC.	

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026

Signature Not Verified
Signed By:POOJA VERMA
Signing Date:03.11.2026

Name of the State: Haryana

Sr. No.	ITI Name and Code	Trades/Units	Brief Facts of the Matter	36th SCAA Remarks
I.	**II.**	**III.**	**IV.**	**V.**
1.	DGM Pvt. ITI, Mankawas, Charkhi Dadri MIS Code: PU06000357	Electrician 4(2+2); Fitter 2(1+1)	**(a) Facts of the case:** (i) Inspections of the ITI were conducted on 04.07.2024 and 07.05.2025. (ii) The State Directorate issued a Show Cause Notice on 05.06.2025, and the seats were suspended for 2025-26. (iii) On the direction of the 6th State Skill Development and Entrepreneurship Committee (SSDEC), a Joint Inspection was conducted by the State Directorate and the RDSDE on 14.07.2025. (iv) The State Directorate thereafter issued a Show Cause Notice on 13.08.2025 and reminders on 12.09.2025 and 24.04.2026, to none of which a reply was received. (v) The 7th SSDEC (18.06.2026) recommended de-affiliation. (vi) The 34th SCAA (Minutes dated 19.08.2026) issued a final Show Cause Notice, with the reply due by 09.09.2026. (vii) No reply was received within the stipulated period. **(b) Issue and applicable provisions:** Persons were falsely presented as trainees, the procurement bills did not correspond to the equipment, the workshops were non-functional, and the IT lab and electricity	***Cases in which de-affiliation is agreed*** **Decision of the Committee:** 1. The Committee noted that the ITI did not reply to the final Show Cause Notice issued through the 34th SCAA, and that the deficiencies recorded in the inspections stand unrebutted. 2. The Committee decided that all trades and units of the ITI, namely Electrician 4(2+2) and Fitter 2(1+1), be de-affiliated under Para 7.2(i) and (viii) of the Norms. 3. The TC Section shall issue the de-affiliation order, and DGT MIS shall take action on the portal. Consequential action, including debarment, shall follow as set out in the general directions of the Committee.

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026

Signature Not Verified
Signed By:POOJAAVERMA
Signing Date:03.11.2026

Sr. No.	ITI Name and Code	Trades/Units	Brief Facts of the Matter	36th SCAA Remarks
			connection were shared with a school; these attract Para 7.2(i) and (viii) of the Norms. **(c) Previous direction:** The 34th SCAA directed the issue of a final Show Cause Notice with 21 days for reply and decided that a final decision would be taken without further notice if no reply was received.	
2.	Guru Brahmanand Pvt. ITI, Arjhajeri, Karnal MIS Code: PR06000120	Health Sanitary Inspector 4(2+2); Fitter 2(1+1); Welder 1(1+0); Electrician 8(4+4)	**(a) Facts of the case:** (i) The ITI was inspected on 16.06.2025, when no staff or trainees were found. (ii) The State Directorate issued a Show Cause Notice on 03.07.2025 and suspended the seats for 2025-26. (iii) Following a further inspection on 28.08.2025, the State Directorate issued a Show Cause Notice on 17.11.2025, a reminder on 12.02.2026 and a final opportunity on 24.04.2026, but no reply was received. (iv) The 7th State Skill Development and Entrepreneurship Committee (SSDEC) (18.06.2026) recommended de-affiliation. (v) The 34th SCAA (Minutes dated 19.08.2026) issued a final Show Cause Notice, with the reply due by 09.09.2026. (vi) No reply was received within the stipulated period, which expired on 09.09.2026. **(b) Issue and applicable provisions:** Staff and trainees were absent, there was a shortage of 40% of the machinery, about 80% of the tools were not in	***Cases in which de-affiliation is agreed*** **Decision of the Committee:** 1. The Committee noted that the ITI did not reply to the final Show Cause Notice issued through the 34th SCAA, and that the deficiencies recorded in the inspections stand unrebutted. 2. The Committee decided that all trades and units of the ITI, namely Health Sanitary Inspector 4(2+2), Fitter 2(1+1), Welder 1(1+0) and Electrician 8(4+4), be de-affiliated under Para 7.2(i) and (iv) of the Norms. 3. The TC Section shall issue the de-affiliation order, and DGT MIS shall take action on the portal. Consequential action, including debarment, shall follow as set out in

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026

Signature Not Verified
Signed By:POOJA VERMA
Signing Date:03.11.2026

Sr. No.	ITI Name and Code	Trades/Units	Brief Facts of the Matter	36th SCAA Remarks
			working condition, there was no IT lab or DG set, and the Electrician workshop was not in use; these deficiencies attract Para 7.2(i) and (iv) of the Norms. **(c) Previous direction:** The 34th SCAA directed the issue of a final Show Cause Notice with 21 days for reply and decided that a final decision would be taken without further notice if no reply was received.	the general directions of the Committee.
3.	Swastik Pvt. ITI, Tosham, Bhiwani MIS Code: PR06000292	Electrician 4(2+2); Health Sanitary Inspector 2(1+1)	**(a) Facts of the case:** (i) A surprise Joint Inspection was conducted by the State Directorate and the RDSDE on 17.02.2026. (ii) The State Directorate issued a Show Cause Notice on 24.03.2026, to which the ITI replied on 13.04.2026. (iii) The 7th State Skill Development and Entrepreneurship Committee (SSDEC) (18.06.2026) recommended de-affiliation, and the seats were suspended for 2026-27. (iv) The 34th SCAA (Minutes dated 19.08.2026) issued a final Show Cause Notice, with the reply due by 09.09.2026. (v) No reply was received within the stipulated period. **(b) Issue and applicable provisions:** A school is being run in the premises of the ITI, the workshop is non-functional, there is no working machinery or tools, and there are no trainees or staff; these attract Para 7.2(i), (ii) and (iv) of the Norms.	***Cases in which de-affiliation is agreed*** **Decision of the Committee:** 1. The Committee noted that the ITI did not reply to the final Show Cause Notice issued through the 34th SCAA, and that the deficiencies recorded in the inspections stand unrebutted. 2. The Committee decided that all trades and units of the ITI, namely Electrician 4(2+2) and Health Sanitary Inspector 2(1+1), be de-affiliated under Para 7.2(i), (ii) and (iv) of the Norms. 3. The TC Section shall issue the de-affiliation order, and DGT MIS shall take action on the portal. Consequential action, including debarment, shall follow as set out in

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026

Signature Not Verified
Signed By:POOJA VERMA
Signing Date:03.11.2026

Sr. No.	ITI Name and Code	Trades/Units	Brief Facts of the Matter	36th SCAA Remarks
			(c) Previous direction: The 34th SCAA directed the issue of a final Show Cause Notice with 21 days for reply and decided that a final decision would be taken without further notice if no reply was received.	the general directions of the Committee.
4.	Govt.-aided Deaf and Dumb ITI, Gurugram MIS Code: GU06000402	Fitter (Shift 2/Unit 1); Welder (Shift 2/Unit 1)	**(a) Facts of the case:** (i) The units were de-affiliated on 17.01.2025 as non-operational during 2018–2023. (ii) The ITI submitted a grievance, citing admission in 2019, and the Grievance Redressal Committee (Minutes dated 05.08.2025) ordered a Joint Inspection. (iii) The ITI sought postponement of the inspection, as conveyed by the RDSDE (NCR) letter dated 27.04.2026. (iv) The 28th SCAA (Minutes dated 18.05.2026) granted a relaxation of 2 months, with the inspection by the RDSDE (NCR) to be conducted after 18.07.2026. (v) The Joint Inspection report of the RDSDE (NCR) has not been received as on 14.10.2026. **(b) Issue and applicable provisions:** The ITI has filed a grievance against the de-affiliation, on 17.01.2025, of units found non-operational during 2018–2023, and a Joint Inspection is required to verify the infrastructure.	***Deferred and pending cases*** **Decision of the Committee:** 1. The matter is deferred until the Joint Inspection Report is received. 2. The State Directorate, Haryana shall coordinate with the RDSDE (NCR), and the pending inspection shall be completed within 15 days. 3. The Committee shall decide the matter on receipt of the report.

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026

Signature Not Verified
Signed By:POOJA VERMA
Signing Date:03.11.2026

Sr. No.	ITI Name and Code	Trades/Units	Brief Facts of the Matter	36th SCAA Remarks
			(c) Previous direction: The 28th SCAA granted two months' relaxation and directed the RDSDE (NCR) to inspect thereafter.	

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026

Signature Not Verified
Signed By:POOJA VERMA
Signing Date:03.11.2026

Name of the State: Jharkhand

Sr. No.	ITI Name and Code	Trades/Units	Brief Facts of the Matter	36th SCAA Remarks
I.	**II.**	**III.**	**IV.**	**V.**
1.	Kiran Pvt. ITI, Hehal, Ranchi MIS Code: PR20000156	Electrician 4(2+2); Fitter 4(2+2)	**(a) Facts of the case:** (i) Following an inspection on 23.08.2023, Show Cause Notices were issued on 12.09.2023 and 09.06.2025, to which the ITI replied on 16.06.2025. (ii) A flying-squad visit on 18.07.2025 and a Joint Inspection on 01.09.2025 found the ITI non-functional. (iii) The 5th State Skill Development and Entrepreneurship Committee (SSDEC), on 06.02.2026, recommended de-affiliation. (iv) The 29th SCAA (Minutes dated 01.06.2026) issued a final Show Cause Notice, to which the ITI replied on 20.06.2026. (v) The 35th SCAA (Minutes dated 21.09.2026) directed joint verification by the RDSDE and the State Directorate within one month, with the report due by 21.10.2026. (vi) The joint verification report of the RDSDE and the State Directorate, due on 21.10.2026, is awaited. (vii) The State Directorate has nominated its representative for the joint verification. **(b) Issue and applicable provisions:** The ITI was found non-functional, with the workshops dismantled and used as a godown and garage; the last expired	***Deferred and pending cases*** **Decision of the Committee:** 1. The matter is deferred until the Joint Inspection Report is received. 2. The State Directorate / RDSDE, Jharkhand shall carry out the joint verification in the following week. 3. The matter shall be placed before the Committee on receipt of the report.

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026

Signature Not Verified
Signed By:POOJAAVERMA
Signing Date:03.11.2026

Sr. No.	ITI Name and Code	Trades/Units	Brief Facts of the Matter	36th SCAA Remarks
			on 01.09.2025, the Building Completion Certificate has not been approved, and the IT laboratory and Drawing Hall are not available. These attract Para 7.2(i), (iii) and (v) of the Norms. **(c) Previous direction:** The 35th SCAA directed a joint verification and inspection by the RDSDE and the State Directorate, with the report to be submitted within one month.	

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026

Signature Not Verified
Signed By:POOJA VERMA
Signing Date:03.11.2026

Name of the State: Madhya Pradesh

Sr. No.	ITI Name and Code	Trades/Units	Brief Facts of the Matter	36th SCAA Remarks
I.	II.	III.	IV.	V.
1.	H L Somani Pvt. ITI, Sikroda, Jhansi Road, Gwalior MIS Code: PR23001078	Electrician 6(2+2+2); Stenographer & Secretarial Assistant (Hindi) 3(1+1+1)	**(a) Facts of the case:** (i) The State Directorate issued a Show Cause Notice on 04.08.2025, to which the ITI replied. (ii) The 11th State Skill Development and Entrepreneurship Committee (SSDEC) (15.09.2025) directed a Joint Inspection. (iii) The Joint Inspection conducted on 18.11.2025 did not find the ITI at the given address, a nursing college being found in the premises. (iv) The RDSDE issued Show Cause Notices on 03.12.2025 and 18.12.2025, to which no reply was received. (v) The 12th SSDEC (05.03.2026) recommended de-affiliation. (vi) The 29th SCAA (Minutes dated 01.06.2026) issued a final Show Cause Notice, to which the ITI replied on 21.06.2026. (vii) The 35th SCAA (Minutes dated 21.09.2026) directed a joint verification by the RDSDE and the State Directorate within one month. (viii) The ITI did not permit the joint verification on 08.10.2026. (ix) The joint verification reports of the RDSDE, Madhya Pradesh and the State Directorate on the visit of 08.10.2026 were e-mailed by the	***Cases in which de-affiliation is agreed*** **Decision of the Committee:** 1. The Committee noted that the ITI was not found at its address, a nursing college being found in the premises, and that on 08.10.2026 it refused the joint verification directed by the 35th SCAA. 2. The Committee decided that all trades and units, namely Electrician 6(2+2+2) and Stenographer and Secretarial Assistant (Hindi) 3(1+1+1), be de-affiliated under Para 7.2(iii) and (ix) of the Norms. 3. The TC Section shall issue the de-affiliation order, and DGT MIS shall take action on the portal. Consequential action, including debarment, shall follow as set out in the general directions of the Committee.

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026

Signature Not Verified
Signed By:POOJA VERMA
Signing Date:03.11.2026

Sr. No.	ITI Name and Code	Trades/Units	Brief Facts of the Matter	36th SCAA Remarks
			RDSDE, Madhya Pradesh on 12.10.2026, within the due date of 21.10.2026. **(b) Issue and applicable provisions:** The ITI was not found at the given address and refused to permit the joint verification directed by the SCAA, which attracts Para 7.2(iii) and (ix) of the Norms. **(c) Previous direction:** The 35th SCAA directed a joint verification/inspection by the RDSDE and the State Directorate, with the report to be submitted within one month.	
2.	Indraprastha Pvt. ITI, Kailaras, Morena MIS Code: PU23000558	Electrician 6(2+2+2)	**(a) Facts of the case:** (i) The 8th SCAA (12.04.2023) referred the matter to the State Skill Development and Entrepreneurship Committee (SSDEC). (ii) Joint Inspections were conducted on 04.04.2025 and 04.07.2025, in which the ITI was found closed. (iii) The 11th SSDEC (15.09.2025) recommended de-affiliation. (iv) The 26th SCAA (Minutes dated 05.03.2026) issued a final Show Cause Notice, to which the ITI replied on 27.03.2026. (v) The 29th SCAA (Minutes dated 01.06.2026) de-affiliated the ITI. (vi) By corrigendum, the reply was treated as having been received in time, and a Joint	***Cases in which de-affiliation is agreed*** **Decision of the Committee:** 1. The Committee noted that the Joint Inspection conducted from 16.09.2026 to 18.09.2026 found the deficiencies unremoved and recommended de-affiliation of all units. 2. The Committee decided that Electrician 6(2+2+2) be de-affiliated under Para 7.2(i) and (v) of the Norms, on account of the shortage of machinery, equipment and infrastructure and the failure to establish lawful occupancy of the premises.

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026

Signature Not Verified
Signed By:POOJA VERMA
Signing Date:03.11.2026

Sr. No.	ITI Name and Code	Trades/Units	Brief Facts of the Matter	36th SCAA Remarks
			Inspection was directed to verify the removal of the deficiencies within one month. (vii) The Joint Inspection was conducted from 16.09.2026 to 18.09.2026. (viii) The Joint Inspection reports of the RDSDE and the State Directorate, prepared by the NCVT and SCVT members, were e-mailed by the RDSDE, Madhya Pradesh on 21.09.2026 and re-forwarded on 12.10.2026, after the expiry of the period of one month. **(b) Issue and applicable provisions:** The deficiencies, namely the shortage of machinery, equipment and infrastructure for the Electrician trade, have not been removed, and the ITI has failed to establish lawful occupancy of the premises; these attract Para 7.2(i) and (v) of the Norms. **(c) Previous direction:** The 29th SCAA, as modified by corrigendum, directed a Joint Inspection to verify the removal of the deficiencies within one month.	3. The TC Section shall issue the de-affiliation order, and DGT MIS shall take action on the portal. Consequential action, including debarment, shall follow as set out in the general directions of the Committee.
3.	New Molecular Pvt. ITI, Bada Gaon, Chitora Road, Gwalior MIS Code: PR23000985	Electrician 6(2+2+2); Fitter 3(1+1+1)	**(a) Facts of the case:** (i) The State Directorate issued a Show Cause Notice on 04.08.2025, to which the ITI replied. (ii) The 11th State Skill Development and Entrepreneurship Committee (SSDEC) (15.09.2025) directed a Joint Inspection, which the ITI refused on 12.11.2025.	***Cases in which de-affiliation is agreed*** **Decision of the Committee:** 1. The Committee noted that the ITI refused the Joint Inspection on 12.11.2025 and again on 07.10.2026, on the second occasion citing a pending grievance, although the 35th SCAA

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026

Signature Not Verified
Signed By:POOJA VERMA
Signing Date:03.11.2026

Sr. No.	ITI Name and Code	Trades/Units	Brief Facts of the Matter	36th SCAA Remarks
			(iii) The RDSDE issued a Show Cause Notice on 03.12.2025, to which the ITI replied on 13.12.2025. (iv) The 12th SSDEC (05.03.2026) recommended de-affiliation. (v) The 29th SCAA (Minutes dated 01.06.2026) issued a final Show Cause Notice, to which the ITI replied on 18.06.2026. (vi) The 35th SCAA (Minutes dated 21.09.2026) directed a Joint Inspection by the RDSDE and the State Directorate within one month, recording that an ITI cannot decline a Joint Inspection citing a pending petition. (vii) The ITI refused the Joint Inspection on 07.10.2026. (viii) The Joint Inspection reports of the RDSDE, Madhya Pradesh and the State Directorate on the visit of 07.10.2026 were e-mailed by the RDSDE, Madhya Pradesh on 12.10.2026, within the due date of 21.10.2026. **(b) Issue and applicable provisions:** The ITI has repeatedly refused the Joint Inspection, as a result of which its functioning has never been verified; this attracts Para 7.2(ix) of the Norms. **(c) Previous direction:** The 35th SCAA directed a joint verification/inspection by the RDSDE and the State Directorate, with the report to be submitted	had specifically recorded that an ITI cannot decline a Joint Inspection on the ground of a pending petition or for any other reason. The grievance pending before the Grievance Redressal Committee relates to a verification order, not to de-affiliation, and does not operate as a stay. The functioning of the ITI has thus never been verified, and both inspecting members have recommended de-affiliation. Deliberate denial of inspection is a ground under Para 7.2(ix) of the Norms. 2. The Committee decided that all trades and units of the ITI, namely Electrician 6(2+2+2) and Fitter 3(1+1+1), be de-affiliated under Para 7.2(ix) of the Norms. 3. The TC Section shall issue the de-affiliation order, and DGT MIS shall take action on the portal. Consequential action, including debarment, shall follow as set out in the general directions of the Committee.

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026

Signature Not Verified
Signed By:POOJA VERMA
Signing Date:03.11.2026

Sr. No.	ITI Name and Code	Trades/Units	Brief Facts of the Matter	36th SCAA Remarks
			within one month, and held that the ITI cannot refuse the Joint Inspection citing a pending petition.	
4.	D.S.M. Pvt. ITI, Jhansi Road, Gwalior MIS Code: PU23000802	Electrician 6(2+2+2); Stenographer & Secretarial Assistant (Hindi) 3(1+1+1)	**(a) Facts of the case:** (i) The State Directorate issued a Show Cause Notice on 04.08.2025, to which the ITI replied. (ii) The 11th State Skill Development and Entrepreneurship Committee (SSDEC) (15.09.2025) ordered a Joint Inspection. (iii) The ITI denied the Joint Inspection on 27.11.2025 on the basis of WP No. 46465/2025, which has since been withdrawn. (iv) The RDSDE issued a Show Cause Notice on 03.12.2025, to which the ITI replied on 12.12.2025. (v) The 12th SSDEC (05.03.2026) recommended de-affiliation. (vi) The 29th SCAA (Minutes dated 01.06.2026) issued a final Show Cause Notice, to which the ITI replied on 21.06.2026. (vii) The 35th SCAA (Minutes dated 21.09.2026) directed the RDSDE and the State Directorate to conduct a Joint Inspection within one month, with the report due by 21.10.2026. (viii) The Joint Inspection report of the RDSDE and the State Directorate, due on 21.10.2026, has not been received.	***Cases of surrender of trades/units*** **Decision of the Committee:** 1. The Committee accepted the surrender of Stenographer and Secretarial Assistant (Hindi) 3(1+1+1) on the request of the ITI made by e-mail. The TC Section shall issue the surrender order. 2. Electrician 6(2+2+2) shall be decided on receipt of the Joint Inspection report. The RDSDE/State Directorate, Madhya Pradesh shall submit the Joint Inspection report, and the case in respect of Electrician shall be placed before the Committee on receipt of the report.

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026

Signature Not Verified
Signed By:POOJA VERMA
Signing Date:03.11.2026

Sr. No.	ITI Name and Code	Trades/Units	Brief Facts of the Matter	36th SCAA Remarks
			(ix) The only communication received is letter No. 131/DSMiti/2026 dated 01.10.2026 of the ITI, received by forwarding on 05.10.2026, seeking surrender of Stenographer and Secretarial Assistant (Hindi) from session 2026-27. **(b) Issue and applicable provisions:** The ITI denied the Joint Inspection on 27.11.2025 on the basis of WP No. 46465/2025, which has since been withdrawn, and the functioning of the ITI has not been verified; this attracts Para 7.2(ix) of the Norms. **(c) Previous direction:** The 35th SCAA directed a joint verification/inspection by the RDSDE and the State Directorate, with the report to be submitted within one month.	
5.	JKN Pvt. ITI, Nainagir, Morar, Gwalior MIS Code: PR23000565	Fitter 3(1+1+1); Electrician 3(1+1+1)	**(a) Facts of the case:** (i) The State Directorate issued a Show Cause Notice on 04.08.2025, to which the ITI replied. (ii) The 11th State Skill Development and Entrepreneurship Committee (SSDEC), on 15.09.2025, ordered a Joint Inspection. (iii) The ITI denied the Joint Inspection on 28.11.2025. (iv) The RDSDE issued a Show Cause Notice on 03.12.2025, to which the ITI replied on 10.12.2025. (v) The 12th SSDEC, on 05.03.2026, recommended de-affiliation.	***Deferred and pending cases*** **Decision of the Committee:** 1. The matter is deferred until the Joint Inspection Report is received. 2. The RDSDE / State Directorate, Madhya Pradesh shall submit the Joint Inspection Report. 3. The matter shall be placed before the Committee on receipt of the report.

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026

Signature Not Verified
Signed By:POOJA VERMA
Signing Date:03.11.2026

Sr. No.	ITI Name and Code	Trades/Units	Brief Facts of the Matter	36th SCAA Remarks
			(vi) The 29th SCAA (Minutes dated 01.06.2026) issued a final Show Cause Notice, to which the ITI replied on 21.06.2026. (vii) The 35th SCAA (Minutes dated 21.09.2026) directed the RDSDE and the State Directorate to conduct a Joint Inspection within one month, with the report due by 21.10.2026. (viii) The joint verification and inspection report of the RDSDE and the State Directorate, which was due on 21.10.2026, had not been received by the date of the meeting. **(b) Issue and applicable provisions:** The ITI denied the Joint Inspection on 28.11.2025 on the basis of WP No. 46242/2025, in which no stay had been granted, and there are discrepancies in its reply; this attracts Para 7.2(ix) of the Norms. **(c) Previous direction:** The 35th SCAA directed a joint verification and inspection by the RDSDE and the State Directorate, with the report to be submitted within one month.	
6.	New Adarsh Pvt. ITI, Semariya, Rewa MIS Code: PU23000426	Electrician 6(2+2+2)	**(a) Facts of the case:** (i) On a complaint dated 29.09.2025, the RDSDE issued a Show Cause Notice on 30.09.2025. (ii) The Joint Inspection of 04.12.2025 found serious deficiencies. (iii) The RDSDE issued a further Show Cause Notice on 08.12.2025, to which the ITI replied on 11.12.2025.	***Deferred and pending cases*** **Decision of the Committee:** 1. The matter is deferred until the Joint Inspection Report is received. 2. The RDSDE / State Directorate, Madhya Pradesh shall submit the Joint Inspection Report.

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026

Signature Not Verified
Signed By:POOJA VERMA
Signing Date:03.11.2026

Sr. No.	ITI Name and Code	Trades/Units	Brief Facts of the Matter	36th SCAA Remarks
			(iv) The 12th State Skill Development and Entrepreneurship Committee (SSDEC), on 05.03.2026, recommended de-affiliation. (v) The 29th SCAA issued a final Show Cause Notice, to which the ITI replied on 16.06.2026. (vi) The 35th SCAA (Minutes dated 21.09.2026) directed a joint verification by the RDSDE and the State Directorate within 1 month, that is, by 21.10.2026. (vii) The joint verification and inspection report of the RDSDE and the State Directorate, which was due on 21.10.2026, had not been received by the date of the meeting. **(b) Issue and applicable provisions:** The Joint Inspection of 04.12.2025 found serious deficiencies relating to land, the Building Completion Certificate, electricity, machinery, staff and fire safety, and there is a gap between the claimed rectification and the supporting documents; this attracts Para 7.2(i) of the Norms. **(c) Previous direction:** The 35th SCAA directed a joint verification and inspection by the RDSDE and the State Directorate, with the report to be submitted within one month.	3. The matter shall be placed before the Committee on receipt of the report.
7.	SR Pvt. ITI, Kherikapura (Ghuisar), Gohad, Bhind	Electrician 10(6+2+2); Fitter 3(1+1+1)	**(a) Facts of the case:** (i) DGT issued a Show Cause Notice on 15.09.2021 for illegal use of the NCVT-MIS login.	***Deferred and pending cases*** **Decision of the Committee:** 1. The matter is deferred until the Joint Inspection Report is received.

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026

Signature Not Verified
Signed By:POOJA VERMA
Signing Date:03.11.2026

Sr. No.	ITI Name and Code	Trades/Units	Brief Facts of the Matter	36th SCAA Remarks
	MIS Code: PR23001049		(ii) The 8th State Skill Development and Entrepreneurship Committee (SSDEC), held on 09.12.2024 and 10.12.2024, sought the guidance of DGT. (iii) A Joint Inspection was conducted on 22.05.2025, and a Show Cause Notice was issued on 26.05.2025, to which the ITI replied. (iv) The matter was considered by the 11th SSDEC on 15.09.2025, and a further Joint Inspection was conducted on 27.11.2025. (v) The 12th SSDEC, on 05.03.2026, recommended de-affiliation. (vi) The 29th SCAA issued a final Show Cause Notice, to which the ITI replied on 22.06.2026. (vii) The 35th SCAA (Minutes dated 21.09.2026) directed the RDSDE and the State Directorate to re-verify the ITI within one month, with the report due by 21.10.2026. (viii) The joint verification and inspection report of the RDSDE and the State Directorate, which was due on 21.10.2026, had not been received by the date of the meeting. **(b) Issue and applicable provisions:** The Joint Inspections of 22.05.2025 and 27.11.2025 found the ITI non-functional and deficient, and the claimed rectification remains unverified; this attracts Para 7.2(i) of the Norms.	2. The RDSDE / State Directorate, Madhya Pradesh shall submit the Joint Inspection Report. 3. The matter shall be placed before the Committee on receipt of the report.

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026

Signature Not Verified
Signed By:POOJA VERMA
Signing Date:03.11.2026

Sr. No.	ITI Name and Code	Trades/Units	Brief Facts of the Matter	36th SCAA Remarks
			(c) Previous direction: The 35th SCAA directed a joint verification and inspection by the RDSDE and the State Directorate, with the report to be submitted within one month.	

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026

Signature Not Verified
Signed By:POOJA VERMA
Signing Date:03.11.2026

Name of the State: Rajasthan

Sr. No.	ITI Name and Code	Trades/Units	Brief Facts of the Matter	36th SCAA Remarks
I.	**II.**	**III.**	**IV.**	**V.**
1.	Gyan Ganga Pvt. ITI, Balupura (Jaitaran), Pali MIS Code: PR08001631	Mechanic Diesel 2(1+1)	**(a) Facts of the case:** (i) The ITI declined to act as an Examination Self Centre for the Craftsmen Training Scheme (CTS) Supplementary examination, citing shifting, and the State Directorate issued a Show Cause Notice on 22.03.2024. (ii) In the general drive, a Joint Inspection was conducted on 10.06.2025. (iii) The 9th State Skill Development and Entrepreneurship Committee (SSDEC) (17.09.2025) recommended continuation, with which the 25th SCAA (Minutes dated 23.12.2025) agreed. (iv) The 11th SSDEC (10.06.2026) recommended de-affiliation on account of shifting. (v) The 33rd SCAA (Minutes dated 07.08.2026) issued a final Show Cause Notice, with the reply due by 22.08.2026. (vi) The ITI replied on 17.08.2026, within time, enclosing the portal application RJPE202625629 for change of location, the fee for which was paid on 03.06.2026, and a lease deed dated 21.05.2026 for the new site. **(b) Issue and applicable provisions:** The ITI has shifted from the affiliated premises without prior approval and is not operating at affiliated	***Cases in which de-affiliation is agreed*** **Decision of the Committee:** 1. The Committee found that the ITI shifted its training operations to a new site before applying for, and without obtaining, the prior approval required under Para 3.2.1 of the Norms, the application for change of location having been made only after the shift. This is a violation of Para 3.2.2(xviii) and constitutes a ground under Para 7.2(vii) of the Norms. 2. The Committee decided that the ITI, i.e., Mechanic Diesel 2(1+1), be de-affiliated. In terms of Para 3.2.2(xvi) of the Norms, a completely de-affiliated ITI is not eligible to apply for relocation; the application RJPE202625629 accordingly does not survive. 3. The TC Section shall issue the de-affiliation order, DGT MIS shall take action on the portal within two weeks of the order, and the State Directorate shall ensure

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026

Signature Not Verified
Signed By:POOJA VERMA
Signing Date:03.11.2026

Sr. No.	ITI Name and Code	Trades/Units	Brief Facts of the Matter	36th SCAA Remarks
			location, which attracts Para 3.2.1, Para 3.2.2(xviii) and Para 7.2(vii) of the Norms. **(c) Previous direction:** The 33rd SCAA directed the issue of a final Show Cause Notice for unauthorised shifting, with 15 days for reply.	compliance. The ITI shall be debarred under Para 7.4(vi) of the Norms and may thereafter apply afresh under Chapter 2 of the Norms.
2.	Mahala Pvt. ITI, Reengus, Sikar MIS Code: PR08000334	Electrician 18(6+6+6)	**(a) Facts of the case:** (i) On a complaint regarding denial of an examination centre, the State Directorate issued a Show Cause Notice on 14.10.2025, to which a reply was received. (ii) An inspection by the Joint Director, Regional Office Jaipur recommended de-affiliation. (iii) The 11th State Skill Development and Entrepreneurship Committee (SSDEC) (10.06.2026) directed a Joint Inspection, which the ITI refused on 18.06.2026. (iv) The 12th SSDEC (23.06.2026) proposed de-affiliation. (v) The 33rd SCAA (Minutes dated 07.08.2026) issued a final Show-Cause Notice, with the reply due by 22.08.2026. (vi) No reply to the final Show-Cause Notice was received within the stipulated period, which ended on 22.08.2026, and no reply has been received thereafter. **(b) Issue and applicable provisions:** The ITI refused the Joint Inspection on 18.06.2026, and other institutions are functioning in the same	***Cases in which de-affiliation is agreed*** **Decision of the Committee:** 1. The Committee noted that the ITI refused, on 18.06.2026, the Joint Inspection directed by the 11th SSDEC, as a result of which its functioning has not been verified, and that other institutions are functioning in the same campus. The 33rd SCAA, in terms of Para 7.4(iv) of the Norms, issued a final Show Cause Notice to the ITI, returnable by 22.08.2026; the ITI has not replied, and the reasonable opportunity required by the Norms has thus been afforded. Deliberate denial of inspection is a ground for de-affiliation under Para 7.2(ix) of the Norms, and the use of the premises by other institutions is a ground under Para 7.2(ii). 2. In the absence of any reply, the Committee treated the non-

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026
Signature Not Verified
Signed By:POOJA VERMA
Signing Date:03.11.2026

Sr. No.	ITI Name and Code	Trades/Units	Brief Facts of the Matter	36th SCAA Remarks
			campus; these attract Para 7.2(ix) and (ii) of the Norms. **(c) Previous direction:** The 33rd SCAA directed the issue of a final Show Cause Notice for Electrician 18(6+6+6), returnable within 15 days.	compliance as persistent and decided that Electrician 18(6+6+6) be de-affiliated under Para 7.2(ix) and (ii) of the Norms. 3. The TC Section shall issue the de-affiliation order, and DGT MIS shall take action on the portal. Consequential action, including debarment, shall follow as set out in the general directions of the Committee.
3.	Sanskar Pvt. ITI, Nadbai, Bharatpur MIS Code: PU08001761	Electrician 3(1+1+1); Fitter 3(1+1+1) (as per the Show Cause Notice)	**(a) Facts of the case:** (i) The State Directorate inspected the ITI on 24.12.2024 and issued a Show Cause Notice on 03.01.2025, to which the ITI replied on 16.01.2025. (ii) The Joint Inspection of 20.08.2025 found the machinery not installed. (iii) The 10th State Skill Development and Entrepreneurship Committee (SSDEC) (23.09.2025) recommended continuation, and the 25th SCAA (Minutes dated 23.12.2025) directed removal of the deficiencies, following which the State Directorate issued a Show Cause Notice. (iv) A further Joint Inspection was conducted on 18.06.2026, and the 12th SSDEC (23.06.2026) proposed de-affiliation.	***Cases in which de-affiliation is agreed*** **Decision of the Committee:** 1. The Committee did not accept the belated reply, which in any case did not establish removal of the deficiencies recorded in the Joint Inspection of 18.06.2026. 2. The Committee decided that Electrician 3(1+1+1) and Fitter 3(1+1+1) be de-affiliated under Para 7.2(i) and (x) of the Norms. 3. The TC Section shall issue the de-affiliation order, and DGT MIS shall take action on the portal. Consequential action shall follow

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026

Signature Not Verified
Signed By:POOJA VERMA
Signing Date:03.11.2026

Sr. No.	ITI Name and Code	Trades/Units	Brief Facts of the Matter	36th SCAA Remarks
			(v) The 33rd SCAA (Minutes dated 07.08.2026) issued a final Show Cause Notice, with the reply due by 22.08.2026. (vi) The ITI replied on 24.08.2026, two days after the stipulated date, and also filed the reply on the GRC portal on 02.09.2026. **(b) Issue and applicable provisions:** The Joint Inspection of 18.06.2026 found that the classrooms, library and toilets had been shifted to an incomplete building without a Building Completion Certificate, that the wiring was unsafe, that the machinery was not fixed and that there was no partition between the Fitter and Electrician labs; these deficiencies attract Para 7.2(i) and (x) of the Norms. **(c) Previous direction:** The 33rd SCAA directed the issue of a final Show Cause Notice for Electrician 3(1+1+1) and Fitter 3(1+1+1), returnable within 15 days.	as set out in the general directions of the Committee.
4.	Sanskar Pvt. ITI, Sirohi, Deoli (Tonk) MIS Code: PR08000346	Electrician 14(7+7)	**(a) Facts of the case:** (i) A complaint received in DGT was forwarded to the State Directorate on 30.09.2025. (ii) The State Directorate issued a Show Cause Notice on 14.10.2025, to which the ITI replied on 11.11.2025. (iii) The 11th State Skill Development and Entrepreneurship Committee (SSDEC) (10.06.2026) directed a Joint Inspection, which	***Cases in which de-affiliation is agreed*** **Decision of the Committee:** 1. The Committee did not accept the belated reply, which in any case did not establish removal of the deficiencies recorded in the Joint Inspection of 19.06.2026. 2. The Committee decided that Electrician 14(7+7) be de-affiliated

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026

Signature Not Verified
Signed By:POOJA VERMA
Signing Date:03.11.2026

Sr. No.	ITI Name and Code	Trades/Units	Brief Facts of the Matter	36th SCAA Remarks
			was conducted on 19.06.2026 and recommended de-affiliation. (iv) The 12th SSDEC (23.06.2026) proposed de-affiliation. (v) The 33rd SCAA (Minutes dated 07.08.2026) issued a final Show Cause Notice, with the reply due by 22.08.2026. (vi) The ITI replied on 24.08.2026, two days after the stipulated date, and furnished the supporting documents only through a Google Drive link. **(b) Issue and applicable provisions:** The Joint Inspection of 19.06.2026 found a tin-shed roof in place of the false ceiling provided in the approved map, near-zero electricity consumption and a shortage of tool-list items 155, 156, 161 and 166; these deficiencies attract Para 7.2(i) and (x) of the Norms. **(c) Previous direction:** The 33rd SCAA directed the issue of a final Show Cause Notice for Electrician 14(7+7), returnable within 15 days.	under Para 7.2(i) and (x) of the Norms. 3. The TC Section shall issue the de-affiliation order, and DGT MIS shall take action on the portal. Consequential action shall follow as set out in the general directions of the Committee.
5.	Vinayak Pvt. ITI, Sardarshahar, Churu MIS Code: PR08001909	Electrician 2(1+1)	**(a) Facts of the case:** (i) The State Directorate inspected the ITI on 24.12.2024 and issued a Show Cause Notice on 08.01.2025, to which the ITI replied on 29.01.2025. (ii) A Joint Inspection was conducted on 30.07.2025, and the 9th State Skill	***Cases in which de-affiliation is agreed*** **Decision of the Committee:** 1. The Committee noted that the Drawing Hall of 25.34 sq. m falls far short of the 110 sq. m prescribed under Para 9.2 of the Norms, and

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026
Signature Not Verified
Signed By:POOJAAVERMA
Signing Date:03.11.2026

Sr. No.	ITI Name and Code	Trades/Units	Brief Facts of the Matter	36th SCAA Remarks
			Development and Entrepreneurship Committee (SSDEC) (17.09.2025) recommended de-affiliation. (iii) The 25th SCAA issued a Show Cause Notice, to which the ITI replied within time on 12.01.2026. (iv) The reply was overlooked and the 27th SCAA de-affiliated the ITI for non-reply, whereupon DGT, by corrigendum dated 29.05.2026, changed the status of the case to verification. (v) A Joint Verification was conducted on 08.06.2026. (vi) The 35th SCAA (Minutes dated 21.09.2026) allowed Electrician 2(1+1) and directed the State Directorate to verify the Drawing Hall within one month, with the report due by 21.10.2026. (vii) The verification was carried out on 28.09.2026 by Govt. ITI Churu and reported vide letter No. 3187 dated 30.09.2026. (viii) The verification recorded that: • The Drawing Hall measured 6.4 m × 3.96 m, that is, 25.34 sq. m, against the larger size shown in the building plan; • The Head of the ITI accepted in writing that the figure in the plan is incorrect; and • The verifying officer reported the Drawing Hall as not conforming to the norms.	that the building plan furnished by the ITI misstated its size. 2. Having afforded opportunities through the 25th and 35th SCAA, the Committee decided that Electrician 2(1+1), being all the trades and units of the ITI, be de-affiliated under Para 7.2(i) of the Norms. 3. The TC Section shall issue the de-affiliation order, and DGT MIS shall take action on the portal. Consequential action, including debarment, shall follow as set out in the general directions of the Committee.

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026

Signature Not Verified
Signed By:POOJA VERMA
Signing Date:03.11.2026

Sr. No.	ITI Name and Code	Trades/Units	Brief Facts of the Matter	36th SCAA Remarks
			(b) Issue and applicable provisions: The issue is the non-availability of a Drawing Hall of the prescribed size, which attracts Para 9.2 (Item 1.4: multipurpose hall of 110 sq. m) read with Para 7.2(i) of the Norms. **(c) Previous direction:** The 35th SCAA allowed Electrician 2(1+1) and directed the State Directorate to verify the Drawing Hall within one month.	
6.	Shekhawati Pvt. ITI, Kadoda, Surajgarh, Jhunjhunu MIS Code: PR08001723	Electrician 4(2+2)	**(a) Facts of the case:** (i) The State Directorate inspected the ITI on 24.12.2024 and issued a Show Cause Notice on 07.01.2025, to which the ITI replied on 16.01.2025. (ii) A Joint Inspection was conducted on 08.09.2025, and the 10th State Skill Development and Entrepreneurship Committee (SSDEC) (23.09.2025) recommended de-affiliation. (iii) The 25th SCAA issued a Show Cause Notice, to which the ITI replied on 12.01.2026. (iv) The 27th SCAA (Minutes dated 13.04.2026) ordered a Joint Inspection, which was conducted on 15.05.2026. (v) The 31st SCAA (Minutes dated 08.07.2026) allowed Electrician 2(1+1) subject to removal of the deficiencies and sought the comments of the State Directorate on the remaining 2(1+1) units.	***Case of partial de-affiliation*** **Decision of the Committee:** 1. The Committee noted that the State Directorate had confirmed that the Drawing Hall was not as per the prescribed norms, thereby confirming that the deficiency recorded in the Joint Inspection of 15.05.2026 and by the 31st SCAA continued to persist. The Committee further noted that the Fire Safety Certificate submitted by the ITI was dated 26.07.2016 and that its current validity had not been established. The Joint Inspection had also treated the two Electrician workshops, combined without a separation wall and having two gates instead of the prescribed four, as a single workshop.

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026

Signature Not Verified
Signed By:POOJA VERMA
Signing Date:03.11.2026

Sr. No.	ITI Name and Code	Trades/Units	Brief Facts of the Matter	36th SCAA Remarks
			(vi) The Director Training, DTE Jodhpur, vide letter No. DTE/Training/2026/12678 dated 18.08.2026 to the RDSDE (copy to DGT, letter No. 12679–682), forwarded the compliance statement in respect of the remark of the 31st SCAA, 'State shall ensure removal of deficiency'. (vii) The verifying committee recorded: 'Drawing hall not as per norms. Fire safety certificate dated 26.07.2016 is provided.' **(b) Issue and applicable provisions:** The Joint Inspection of 15.05.2026 treated the two Electrician workshops as a single workshop, since they were combined without a separation wall and provided with only two gates in place of four, and the Drawing Hall and the Fire Safety Certificate were also not available; these deficiencies attract Para 7.2(i) of the Norms. **(c) Previous direction:** The 31st SCAA allowed Electrician 2(1+1) subject to removal of the deficiencies and sought the comments of the State Directorate on the remaining Electrician 2(1+1) units.	2. Accordingly, the Committee decided that the remaining Electrician 2(1+1) units, for which no infrastructure was found, be de-affiliated under Para 7.2(i) of the Norms. The TC Section shall issue the partial de-affiliation order, and DGT MIS shall take action on the portal. 3. With regard to the Electrician 2(1+1) units allowed by the 31st SCAA subject to removal of the deficiencies, these Minutes shall constitute the final Show Cause Notice to the ITI under Para 7.4(iv) of the Norms, and no separate notice shall be issued. The ITI shall show cause, within one month from the date of issue of these Minutes, why these units should not be de-affiliated for failure to rectify the following deficiencies: (i) Non-availability of a Drawing Hall conforming to Para 9.2, Item 1.4 of the Norms; and (ii) Failure to establish the validity of a current Fire Safety Certificate.

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026

Signature Not Verified
Signed By:POOJA VERMA
Signing Date:03.11.2026

Sr. No.	ITI Name and Code	Trades/Units	Brief Facts of the Matter	36th SCAA Remarks
				4. The reply shall state the name, MIS code and complete address of the ITI, shall be sent to tc-deaffiliation@dgt.gov.in, shall specifically address the above deficiencies and shall be supported by valid documentary evidence. 5. If no reply is received within the stipulated period, or if the reply and supporting documents are found unsatisfactory, the matter shall be processed for de-affiliation of these units in accordance with the Norms and the decision of the competent authority. The Committee will decide on the continuing Electrician 2(1+1) units on the basis of the reply/verification.
7.	Jagdish Prasad Bohara Pvt. ITI, Dausa MIS Code: PR08000619	Electrician 6(3+3); Mechanic Diesel 2(1+1)	**(a) Facts of the case:** (i) The State Directorate inspected the ITI on 24.12.2024 and issued a Show Cause Notice on 07.01.2025. (ii) A Joint Inspection was conducted on 01.08.2025, and the 9th State Skill Development and Entrepreneurship Committee (SSDEC) (17.09.2025) recommended de-affiliation.	***Cases in which compliance is accepted*** **Decision of the Committee:** 1. The Committee noted that the joint verification of the State Directorate, conducted on 04.08.2026 and forwarded with the DTE letter dated 11.08.2026, confirms that the Drawing Hall, being the only deficiency to be removed under the

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026

Signature Not Verified
Signed By:POOJA VERMA
Signing Date:03.11.2026

Sr. No.	ITI Name and Code	Trades/Units	Brief Facts of the Matter	36th SCAA Remarks
			(iii) The 25th SCAA issued a Show Cause Notice, to which the ITI replied on 12.01.2026 and 15.01.2026. (iv) The 27th SCAA ordered a fresh Joint Inspection, which was conducted on 24.04.2026, recommended Electrician (3+3) and recorded that the Society would not run Mechanic Diesel. (v) The 30th SCAA (Minutes dated 22.06.2026) directed the ITI to provide the Drawing Hall within two weeks and the State Directorate to verify compliance within seven days, with the report due by 13.07.2026. (vi) The verification was conducted on 04.08.2026 under RCVET Order No. 25068 dated 31.07.2026 by the Deputy Director (Training), Government ITI Dausa, with Sh. Ajit Kumar, JI. (vii) The joint verification report of the State Directorate was forwarded with DTE Rajasthan letter No. DTE/Training/2026/25244 dated 11.08.2026, addressed to the Director (TC), after the due date of 13.07.2026. (viii) These documents are on file only as attachments to the e-mail of the ITI dated 30.09.2026. **(b) Issue and applicable provisions:** The Joint Inspection of 24.04.2026 found that the Drawing Hall	direction of the 30th SCAA, is available. 2. The compliance is accepted, and no further compliance is required. Electrician 6(3+3) shall continue. 3. The Committee accepted the surrender of Mechanic Diesel 2(1+1), which the Society has stated it will not run, The TC Section shall issue the surrender order and then DGT MIS will take action on the portal.

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026

Signature Not Verified
Signed By:POOJA VERMA
Signing Date:03.11.2026

Sr. No.	ITI Name and Code	Trades/Units	Brief Facts of the Matter	36th SCAA Remarks
			was not available, which attracts Para 7.2(i) of the Norms. **(c) Previous direction:** The 30th SCAA directed the ITI to rectify the deficiencies within two weeks and the State Directorate to verify the rectification and report within seven days.	
8.	R.N.T. Pvt. ITI, Bari, Dholpur MIS Code: PR08000123	Electrician 2(1+1); Mechanic Diesel 2(1+1)	**(a) Facts of the case:** (i) The State Directorate inspected the ITI on 24.12.2024 and issued a Show Cause Notice on 03.01.2025, to which the ITI replied on 27.01.2025. (ii) The Joint Inspection of 29.07.2025 did not find the ITI at its MIS location, and the 9th State Skill Development and Entrepreneurship Committee (SSDEC) (17.09.2025) recommended de-affiliation. (iii) The 25th SCAA issued a Show Cause Notice, to which the ITI replied on 31.12.2025. (iv) The Joint Inspection of 18.05.2026 recorded the ITI in the same building, recommended Electrician and found a shortage of General Shop Outfit items in Mechanic Diesel. (v) The 31st SCAA allowed Electrician and issued a final Show Cause Notice for Mechanic Diesel, to which the ITI replied on 21.07.2026. (vi) The 35th SCAA (Minutes dated 21.09.2026) directed the State Directorate and the RDSDE	***Cases in which compliance is accepted*** **Decision of the Committee:** 1. The Committee examined the joint verification report dated 30.09.2026. The report confirms the Fire NOC No. LSG/BARI/FIRENOC/2025-26/57534 of Nagar Palika Bari, valid till 01.12.2027, and the physical availability, in working condition, of all 14 General Shop Outfit items of the Mechanic Diesel trade. The deficiencies under Para 7.2(i) of the Norms recorded in the Joint Inspection of 18.05.2026 stand removed. 2. The Committee accepted the compliance and decided that Mechanic Diesel 2(1+1) shall continue, along with Electrician 2(1+1).

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026

Signature Not Verified
Signed By:POOJA VERMA
Signing Date:03.11.2026

Sr. No.	ITI Name and Code	Trades/Units	Brief Facts of the Matter	36th SCAA Remarks
			to verify compliance within one month, that is, by 21.10.2026. (vii) The joint verification report dated 30.09.2026, prepared by Sh. J.P. Meena, TO, NSTI Jodhpur and Sh. Ashok Pal Jadoun, ADT, Govt. ITI Bari, was forwarded by the Director Training, Rajasthan vide letter No. F.7(12)/T-1/pvt/2026/13409 dated 13.10.2026 and received by e-mail on 13.10.2026, within the stipulated period. (viii) The report enclosed the Fire NOC, bills, vehicle donation papers, RTO e-fee receipts and geo-tagged photographs. **(b) Issue and applicable provisions:** The Joint Inspection of 18.05.2026 found a shortage of General Shop Outfit items at Sr. 178 to 200 in the Mechanic Diesel trade and the non-availability of the Fire Safety Certificate, which attracts Para 7.2(i) of the Norms. **(c) Previous direction:** The 35th SCAA allowed Electrician 2(1+1) and directed the RDSDE and the State Directorate to verify compliance in Mechanic Diesel within one month.	3. The two donated vehicles at Sr. 178 and 188, whose transfer is under process with RTO Dholpur, shall be registered in the name of the Society. The ITI shall obtain the Registration Certificates of the two vehicles in the name of the Society within 30 days and furnish them to the State Directorate, which shall confirm the same. The matter is closed, subject to the transfer of the Registration Certificates.
9.	Wagd Pvt. ITI, Gowari, Dungarpur MIS Code: PR08001897	Electrician 2(1+1); Wireman 2(1+1)	**(a) Facts of the case:** (i) The State Directorate inspected the ITI on 24.12.2024 and issued Show Cause Notices on 03.01.2025 and 30.01.2025.	***Cases in which compliance is accepted*** **Decision of the Committee:** The Committee noted that the renewed rental agreement has been received

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026
Signature Not Verified
Signed By:POOJA VERMA
Signing Date:03.11.2026

Sr. No.	ITI Name and Code	Trades/Units	Brief Facts of the Matter	36th SCAA Remarks
			(ii) The Joint Inspection of 19.06.2025 found that the lease had not been renewed since 2021. (iii) The 9th State Skill Development and Entrepreneurship Committee (SSDEC) (17.09.2025) recommended continuation, and the 25th SCAA (Minutes dated 23.12.2025) sought clarification from the SSDEC regarding the lease, which the 11th SSDEC (10.06.2026) did not furnish. (iv) The 33rd SCAA (Minutes dated 07.08.2026) issued a final Show Cause Notice, with the reply due by 22.08.2026. (v) The ITI submitted letter No. D.W.ITI/2026/61 dated 14.08.2026, the mode and date of receipt of which are not on file. (vi) A registered lease deed dated 10.07.2026 was received by e-mail from wagdpvtiti@gmail.com on 09.09.2026, after the stipulated period, on the e-mail thread of the Minutes of the 25th SCAA. **(b) Issue and applicable provisions:** The issue is the non-renewal of the rental agreement of the building since 2021, which attracts Para 7.2(v) of the Norms. **(c) Previous direction:** The 33rd SCAA directed the issue of a Show Cause Notice requiring the ITI to submit a valid lease within 15 days, failing which no admission would be made in 2026-27.	and that the deficiency relating to the lease stands resolved. The proceedings on this ground are closed.

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026

Signature Not Verified
Signed By:POOJA VERMA
Signing Date:03.11.2026

Sr. No.	ITI Name and Code	Trades/Units	Brief Facts of the Matter	36th SCAA Remarks
10.	BKLG Pvt. ITI, Tonk MIS Code: PR08000588	Electrician 18(6+6+6)	**(a) Facts of the case:** (i) The State Directorate inspected the ITI on 24.12.2024 and issued a Show Cause Notice on 04.01.2025, to which the ITI replied on 27.01.2025. (ii) A Joint Inspection was conducted on 31.07.2025. (iii) The 9th SSDEC, in its meeting held on 17.09.2025, recommended de-affiliation. (iv) The 25th SCAA issued a Show Cause Notice, to which the ITI replied on 13.01.2026. (v) A further Joint Inspection, conducted on 11.05.2026, recommended no trade. (vi) The 31st SCAA (Minutes dated 08.07.2026) issued a final Show Cause Notice, to which the ITI replied on 20.07.2026. (vii) The 35th SCAA (Minutes dated 21.09.2026) directed the State Directorate, through the Principal of the Nodal ITI, to verify the computer bills, the machinery and the Drawing Hall within seven days, the report being due by 28.09.2026. (viii) Govt ITI Tonk attempted the verification on 29.09.2026 (letter No. 1927 dated 29.09.2026), but it could not be carried out, as the ITI sought 30 days, stating that the roof had leaked and the machinery had been removed from its foundations.	***Cases in which a final Show Cause Notice / further opportunity is given*** **Decision of the Committee:** 1. The Committee noted that the ITI had, by its own admission, not installed the prescribed machinery, and that the claimed rectification remained unverified. 2. Accordingly, these Minutes shall constitute the final Show Cause Notice to the ITI under Para 7.4(iv) of the Norms; no separate notice shall be issued, and no further Show Cause Notice shall be issued by the TC Section. The ITI shall show cause, within one month from the date of issue of these Minutes, why Electrician 18(6+6+6) should not be de-affiliated. The reply shall state the name, MIS code and complete address of the ITI, shall be sent to tc-deaffiliation@dgt.gov.in, and shall be supported by documentary evidence of the installation of the prescribed machinery. 3. The State Directorate, Rajasthan shall verify the installation of the machinery on expiry of the 30-day

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026

Signature Not Verified
Signed By:POOJA VERMA
Signing Date:03.11.2026

Sr. No.	ITI Name and Code	Trades/Units	Brief Facts of the Matter	36th SCAA Remarks
			(ix) The rectification of the deficiencies could therefore not be verified. **(b) Issue and applicable provisions:** The Joint Inspection of 11.05.2026, which recommended no trade, found that the machinery at Sr. 69, 140, 143 and 144 was not working, the meters were faulty, there was a shortage of computers (only 10 being available, of which 4 were not working), there was no Drawing Hall and the fire extinguishers had expired; these deficiencies attract Para 7.2(i) of the Norms. **(c) Previous direction:** The 35th SCAA directed the State Directorate, through the Principal of the Nodal ITI, to verify the claims of rectification made by the ITI within seven days.	period sought by the ITI and shall submit its verification report to DGT. 4. The Committee shall decide the matter on the basis of the reply and the verification report. If no reply is received within the stipulated period, or if the reply and the verification report are found unsatisfactory, the matter shall be processed for further action, including de-affiliation, in accordance with the applicable SOP and the Norms.
11.	Chandel Pvt. ITI, Chomu, Jaipur MIS Code: PR08001310	Electrician 12(4+4+4)	**(a) Facts of the case:** (i) The State Directorate inspected the ITI on 24.12.2024 and issued a Show Cause Notice on 07.01.2025, to which the ITI replied on 22.01.2025. (ii) The ITI refused the Joint Inspection on 12.05.2025. (iii) The 9th SSDEC, in its meeting held on 17.09.2025, recommended de-affiliation. (iv) The 25th SCAA issued a Show Cause Notice, to which the ITI replied on 08.01.2026. (v) A Joint Inspection was conducted on 06.05.2026 and recommended no trade.	***Cases in which a final Show Cause Notice / further opportunity is given*** **Decision of the Committee:** 1. The Committee noted that the deficiency relating to the prescribed electric load persisted and that the tools and equipment had not been verified item-wise. 2. Accordingly, these Minutes shall constitute the final Show Cause Notice to the ITI under Para 7.4(iv) of the Norms; no separate notice shall be issued, and no further Show Cause Notice shall be issued

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026

Signature Not Verified
Signed By:POOJA VERMA
Signing Date:03.11.2026

Sr. No.	ITI Name and Code	Trades/Units	Brief Facts of the Matter	36th SCAA Remarks
			(vi) The 31st SCAA (Minutes dated 08.07.2026) issued a final Show Cause Notice, to which the ITI replied on 22.07.2026. (vii) The 35th SCAA (Minutes dated 21.09.2026) directed the State Directorate, through the Principal of the Nodal ITI, to verify the claims of the ITI within seven days, that is, by 28.09.2026. (viii) The verification was carried out on 28.09.2026 (letter No. 1686 dated 29.09.2026), and the following were reported: • The machinery, 10 computers and a 20 kVA DG set were found working; • The electric load had not been enhanced from 5 kW, only the demand note having been paid on 29.09.2026, after the verification; • The STL items at Sl. 135 and 155–166 were not verified item-wise; and • The bills were irregular, showing the full balance as due, duplicated items and dates after the Minutes of the 35th SCAA. **(b) Issue and applicable provisions:** The Joint Inspection of 06.05.2026, which recommended no trade, found that the electric load was 5 kW less than the required load, STL items 135 and 155 to 166 were short, about 20% of the machines in Lab-2 were not in working condition and only 9 computers were	by the TC Section. The ITI shall show cause, within one month from the date of issue of these Minutes, why Electrician 12(4+4+4) should not be de-affiliated. The reply shall state the name, MIS code and complete address of the ITI, shall be sent to tc-deaffiliation@dgt.gov.in, and shall be supported by documentary evidence addressing the persisting deficiencies. 3. The State Directorate, Rajasthan shall verify the tools and equipment item-wise, verify the genuineness of the bills submitted by the ITI, and forward its verification report, along with supporting findings, to DGT. 4. The Committee shall decide the matter on the basis of the reply and the verification report. If no reply is received within the stipulated period, or if the reply and the verification findings are found unsatisfactory, the matter shall be processed for further action, including de-affiliation, in accordance with the applicable SOP and the Norms.

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026

Signature Not Verified
Signed By:POOJA VERMA
Signing Date:03.11.2026

Sr. No.	ITI Name and Code	Trades/Units	Brief Facts of the Matter	36th SCAA Remarks
			in working condition, which attracts Para 7.2(i) of the Norms; the earlier refusal of the Joint Inspection attracts Para 7.2(ix) of the Norms. **(c) Previous direction:** The 35th SCAA directed the State Directorate, through the Principal of the Nodal ITI, to verify the claims of rectification made by the ITI within seven days.	
12.	Guru Diksha Pvt. ITI, Mahuwa, Dausa MIS Code: PR08000607	Fitter 2(1+1); Electrician 2(1+1)	**(a) Facts of the case:** (i) The State Directorate inspected the ITI on 24.12.2024 and issued a Show Cause Notice on 07.01.2025, to which the ITI replied on 28.01.2025. (ii) A Joint Inspection was conducted on 16.09.2025. (iii) The 10th SSDEC, in its meeting held on 23.09.2025, recommended de-affiliation. (iv) The 25th SCAA issued a Show Cause Notice, to which the ITI replied on 15.01.2026. (v) A Joint Inspection conducted on 14.05.2026 made a NIL recommendation. (vi) The 31st SCAA (Minutes dated 08.07.2026) issued a final Show Cause Notice, to which the ITI replied on 24.07.2026, one day after the stipulated date. (vii) The 35th SCAA (Minutes dated 21.09.2026) directed the State Directorate, through the Principal of the Nodal ITI, to verify the claims of	***Cases in which a final Show Cause Notice / further opportunity is given*** **Decision of the Committee:** 1. The Committee noted that the Drawing Hall does not meet the prescribed minimum area of 110 sq. m under Para 9.2 (Item 1.4) of the Norms, that the Fire Safety Certificate is not on record, and that the genuineness of the supporting bills requires verification. 2. Accordingly, these Minutes shall constitute the final Show Cause Notice to the ITI under Para 7.4(iv) of the Norms; no separate notice shall be issued, and no further Show Cause Notice shall be issued by the TC Section. The ITI shall show cause, within one month from the date of issue of these Minutes, why Fitter 2(1+1) and Electrician 2(1+1) should not be de-affiliated.

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026

Signature Not Verified
Signed By:POOJA VERMA
Signing Date:03.11.2026

Sr. No.	ITI Name and Code	Trades/Units	Brief Facts of the Matter	36th SCAA Remarks
			the ITI within seven days, the report being due by 28.09.2026. (viii) Govt ITI Dausa carried out the verification on 28.09.2026 (letter No. 1127 dated 30.09.2026) and reported all six deficiencies as rectified, without an item-wise check of the Fitter machinery (Sr. 166–174, 189 and 204). (ix) The verification report and the documents on record further show that: • the Drawing Hall measures 56.25 sq. m and is a converted workshop, for which no revised plan has been approved; • the PWD safety certificate excludes the tin-shed portion; • the report is silent on the Fire Safety Certificate; and • the bills are doubtful, showing nil quantities and the GSTIN of another supplier. **(b) Issue and applicable provisions:** The Joint Inspection of 14.05.2026, which made a NIL recommendation, found that the Building Completion Certificate was not as per the Norms, that there was a shortage of Electrician and Fitter machinery, including Fitter Sr. 166 to 174, 189 and 204, that the building layout had been altered without permission, and that there was no Drawing Hall and no fire extinguisher in the laboratories; these deficiencies attract Para 7.2(i) of the Norms.	The reply shall state the name, MIS code and complete address of the ITI, shall be sent to tc-deaffiliation@dgt.gov.in, and shall be supported by documentary evidence addressing the above deficiencies. 3. The State Directorate, Rajasthan shall verify the genuineness of the bills submitted by the ITI, including through the GST portal, and shall forward its findings, along with supporting documents, to DGT. 4. The Committee shall decide the matter on the basis of the reply and the verification findings. If the documents submitted are found to be false, action shall be taken under Para 7.2(viii) of the Norms. If no reply is received within the stipulated period, or if the reply and the verification findings are found unsatisfactory, the matter shall be processed for further action, including de-affiliation, in accordance with the applicable SOP and the Norms.

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026

Signature Not Verified
Signed By:POOJA VERMA
Signing Date:03.11.2026

Sr. No.	ITI Name and Code	Trades/Units	Brief Facts of the Matter	36th SCAA Remarks
			(c) Previous direction: The 35th SCAA directed the State Directorate, through the Principal of the Nodal ITI, to verify the claims of rectification made by the ITI within seven days.	
13.	Gurukripa Pvt. ITI, Newai, Tonk MIS Code: PU08001789	Electrician 12(4+4+4)	**(a) Facts of the case:** (i) The State Directorate inspected the ITI on 24.12.2024 and issued Show Cause Notices on 04.01.2025 and 03.02.2025. (ii) A Joint Inspection was conducted on 30.07.2025. (iii) The 9th SSDEC, in its meeting held on 17.09.2025, recommended de-affiliation. (iv) The 25th SCAA issued a Show Cause Notice, to which the ITI replied on 08.01.2026. (v) The 27th SCAA (Minutes dated 13.04.2026) ordered a Joint Inspection, which was conducted on 13.05.2026 and recommended no unit. (vi) The 31st SCAA (Minutes dated 08.07.2026) issued a final Show Cause Notice, to which the ITI replied on 21.07.2026. (vii) The 35th SCAA (Minutes dated 21.09.2026) directed the State Directorate, through the Principal of the Nodal ITI, to verify the claims of the ITI within seven days, the report being due by 28.09.2026. (viii) Govt ITI Tonk carried out the verification on 01.10.2026, after the due date (letter No. 1962	***Cases in which a final Show Cause Notice / further opportunity is given*** **Decision of the Committee:** 1. The Committee noted that the deficiencies relating to machinery, library facilities and fire safety persisted. 2. Accordingly, these Minutes shall constitute the final Show Cause Notice to the ITI under Para 7.4(iv) of the Norms; no separate notice shall be issued, and no further Show Cause Notice shall be issued by the TC Section. As a final opportunity, the ITI shall rectify the above deficiencies and show cause, within one month from the date of issue of these Minutes, why Electrician 12(4+4+4) should not be de-affiliated. The reply shall state the name, MIS code and complete address of the ITI, shall be sent to tc-deaffiliation@dgt.gov.in, and shall be supported by documentary evidence of the rectification. The ITI

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026

Signature Not Verified
Signed By:POOJA VERMA
Signing Date:03.11.2026

Sr. No.	ITI Name and Code	Trades/Units	Brief Facts of the Matter	36th SCAA Remarks
			dated 03.10.2026), and found the IT Lab and the drawing furniture rectified. (ix) The verification also found that: • The machinery at Sl. 147 and 154 was not available, and that at Sl. 140–142 in Workshop 2 was non-functional; • The library books were insufficient; • The electricity connection was in the name of an individual; • The Fire Safety Certificate had not been obtained, the application dated 18.07.2026 being pending; and • The electricity consumption was very low. **(b) Issue and applicable provisions:** The Joint Inspection of 13.05.2026, which recommended no unit, found that the machinery at Sl. 140 to 142 and 147 was not functioning and that at Sl. 154, 164 and 165 was not available, the IT Lab computers were non-functional and without internet connectivity, the number of library books was insufficient, drawing furniture was absent, the electricity connection was in the name of another person and the Fire Safety Certificate was not available; these deficiencies attract Para 7.2(i) of the Norms. **(c) Previous direction:** The 35th SCAA directed the State Directorate, through the Principal of the Nodal ITI, to verify the claims of rectification made by the ITI within seven days.	shall also submit a valid Fire Safety Certificate before the commencement of the next admission cycle (Academic Session 2027-28). 3. The State Directorate, Rajasthan shall follow up on the Fire Safety Certificate, verify the rectification of the deficiencies and the validity of the Fire Safety Certificate before the next admission cycle, and forward its verification report, along with supporting documents, to DGT. 4. The Committee shall decide the matter thereafter. If no reply is received within the stipulated period, or if the deficiencies remain unrectified or the documents submitted are found unsatisfactory, the matter shall be decided on the basis of the available records, in accordance with the applicable SOP and the Norms.

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026

Signature Not Verified
Signed By:POOJA VERMA
Signing Date:03.11.2026

Sr. No.	ITI Name and Code	Trades/Units	Brief Facts of the Matter	36th SCAA Remarks
14.	Jai Giriraj Pvt. ITI, Udaipurwati, Jhunjhunu MIS Code: PU08001636	Electrician 2(1+1); Health Sanitary Inspector 1(1+0); Early Childhood Educator 2(1+1); Fitter 2(1+1)	**(a) Facts of the case:** (i) The State Directorate inspected the ITI on 24.12.2024 and issued a Show Cause Notice on 07.01.2025, to which the ITI replied on 23.01.2025. (ii) A Joint Inspection Committee (Sh. R.K. Verma, TO, RDSDE Jaipur, and Smt. Uma Kumari, Superintendent, Govt ITI Jhunjhunu) inspected the ITI on 18.09.2025. It recommended Electrician 2 and Health Sanitary Inspector 1, did not recommend Fitter as the pneumatics and hydraulics tools and accessories were not available, and recorded that Early Childhood Educator is not included in the affiliation order dated 30.07.2015. (iii) By letter No. JG/2025/338 dated 18.09.2025, the ITI stated that Early Childhood Educator is not its trade and requested its removal. (iv) The 10th SSDEC, in its meeting held on 23.09.2025, recommended Electrician 2(1+1) and Health Sanitary Inspector 1(1+0). (v) The 25th SCAA (Minutes dated 23.12.2025) continued Electrician and Health Sanitary Inspector and sought the clarification of the SSDEC on Fitter 2(1+1) and Early Childhood Educator 2(1+1). (vi) The 27th SCAA (Minutes dated 13.04.2026, Agenda 8.1) noted that the clarification had not	***Cases in which a final Show Cause Notice / further opportunity is given*** **Decision of the Committee:** 1. The Committee agreed with the recommendation of the 11th SSDEC and decided as follows: (i) Electrician 2(1+1) and Health Sanitary Inspector 1(1+0) shall continue, as decided by the 25th SCAA; (ii) Early Childhood Educator 2(1+1), which is not reflected in the affiliation order dated 30.07.2015 and has been disowned by the ITI, shall be removed from NCVT-MIS/SIDH after confirming that no admission has been made in the trade; and (iii) Fitter 2(1+1) shall be dealt with as set out below. 2. In respect of Fitter 2(1+1), the Committee noted that no notice specifically addressing the deficiency identified in the Joint Inspection of 18.09.2025 was on record. Accordingly, these Minutes shall constitute the final Show

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026

Signature Not Verified
Signed By:POOJA VERMA
Signing Date:03.11.2026

Sr. No.	ITI Name and Code	Trades/Units	Brief Facts of the Matter	36th SCAA Remarks
			been received and directed the State Directorate and the RDSDE to expedite it. (vii) The 11th SSDEC, Rajasthan, in its meeting held on 10.06.2026 (Annexure-3, Sl. 58), decided to forward the proposal for de-affiliation of Early Childhood Educator and Fitter. (viii) The Fitter trade has trainees on roll. **(b) Issue and applicable provisions:** The Joint Inspection of 18.09.2025 found that the pneumatics and hydraulics tools for the Fitter trade were not available, and Early Childhood Educator 2(1+1) is shown on NCVT-MIS although it was not included in the affiliation order dated 30.07.2015 and has been disowned by the ITI; the clarification of the SSDEC was pending, and the deficiency in the Fitter trade attracts Para 7.2(i) of the Norms. **(c) Previous direction:** The 27th SCAA noted that the clarification of the SSDEC/State Directorate was awaited and directed that it be expedited.	Cause Notice to the ITI under Para 7.4(iv) of the Norms, and no separate notice shall be issued. The ITI shall establish, within 30 days from the date of issue of these Minutes, the availability of the prescribed pneumatics and hydraulics tools and accessories. The reply shall state the name, MIS code and complete address of the ITI, shall be sent to tc-deaffiliation@dgt.gov.in, and shall be supported by documentary evidence. 3. If the ITI fails to submit a satisfactory reply within the stipulated period, Fitter 2(1+1) shall stand de-affiliated under Para 7.2(i) of the Norms, without further reference to the Committee. Trainees already on roll shall be permitted to complete their training in accordance with the applicable norms. 4. The TC Section shall carry out the NCVT-MIS correction in respect of Early Childhood Educator, and DGT MIS shall remove the trade. If a reply is received in respect of

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026

Signature Not Verified
Signed By:POOJA VERMA
Signing Date:03.11.2026

Sr. No.	ITI Name and Code	Trades/Units	Brief Facts of the Matter	36th SCAA Remarks
				Fitter, the State Directorate, Rajasthan shall verify it.
15.	Maa Sharda Pvt. ITI, Jhalawar MIS Code: PR08000773	Fitter 2(2+0); Electrician 6(2+2+2)	**(a) Facts of the case:** (i) The State Directorate inspected the ITI on 24.12.2024 and issued a Show Cause Notice on 30.12.2024, to which the ITI replied on 21.01.2025. (ii) The ITI refused the Joint Inspection on 09.06.2025. (iii) The 9th SSDEC, in its meeting held on 17.09.2025, recommended de-affiliation. (iv) The 25th SCAA issued a Show Cause Notice, to which the ITI replied on 06.01.2026. (v) A Joint Inspection was conducted on 11.05.2026. (vi) The 31st SCAA (Minutes dated 08.07.2026) issued a final Show Cause Notice, to which the ITI replied on 22.07.2026. (vii) The 35th SCAA (Minutes dated 21.09.2026) directed the State Directorate, through the Principal of the Nodal ITI, to verify the claims of the ITI within seven days, the report being due by 28.09.2026. (viii) Govt ITI Jhalawar carried out the verification on 28.09.2026 (letter No. 3147 dated 28.09.2026) and found that the pneumatics had been	***Cases in which a final Show Cause Notice / further opportunity is given*** **Decision of the Committee:** 1. The Committee noted that the items at Sr. 81, 89 and 165 and the Fire Safety Certificate remained unavailable. 2. Accordingly, these Minutes shall constitute the final Show Cause Notice to the ITI under Para 7.4(iv) of the Norms, and no separate notice shall be issued. The ITI shall show cause, within one month from the date of issue of these Minutes, why Fitter 2(2+0) and Electrician 6(2+2+2) should not be de-affiliated. The reply shall state the name, MIS code and complete address of the ITI, shall be sent to tc-deaffiliation@dgt.gov.in, and shall be supported by documentary evidence addressing the persisting deficiencies. 3. The State Directorate, Rajasthan shall verify the claims of rectification and submit its verification report, along with

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026

Signature Not Verified
Signed By:POOJA VERMA
Signing Date:03.11.2026

Sr. No.	ITI Name and Code	Trades/Units	Brief Facts of the Matter	36th SCAA Remarks
			installed and that the Electrician machines at Sr. 138, 143, 144 and 149 were working. (ix) However, the ELCB and RCCB, the bus bar and the EV charger (Sr. 81, 89 and 165) had been billed but were not available, and the Fire Safety Certificate had not been obtained, the Fire NOC having been applied for on 28.09.2026. **(b) Issue and applicable provisions:** The Joint Inspection of 11.05.2026 found that bills for the machinery required under the new syllabus were not produced, pneumatics equipment was unavailable in the Fitter trade, the Electrician machines at Sr. 138, 143, 144 and 149 were non-functional and the Fire Safety Certificate was not available, which attracts Para 7.2(i) of the Norms; the earlier refusal to permit the Joint Inspection attracts Para 7.2(ix) of the Norms. **(c) Previous direction:** The 35th SCAA directed the State Directorate, through the Principal of the Nodal ITI, to verify the claims of rectification made by the ITI within seven days.	supporting documents, to DGT within one month from the date of issue of these Minutes. 4. If no reply is received within the stipulated period, or if the reply and the verification findings are found unsatisfactory, the matter shall be placed for a decision by the competent authority in accordance with the Norms and the applicable SOP.
16.	Radha Krishna Pvt. ITI, Dhikoli, Kota MIS Code: PR08000734	Electrician 6(2+2+2)	**(a) Facts of the case:** (i) The State Directorate inspected the ITI on 24.12.2024 and issued a Show Cause Notice on 30.12.2024, to which the ITI replied on 21.01.2025.	***Cases in which a final Show Cause Notice / further opportunity is given*** **Decision of the Committee:** 1. The Committee noted that the deficiencies relating to land use, the competence of the authorities

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026
Signature Not Verified
Signed By:POOJA VERMA
Signing Date:03.11.2026

Sr. No.	ITI Name and Code	Trades/Units	Brief Facts of the Matter	36th SCAA Remarks
			(ii) The ITI denied the Joint Inspection on 11.08.2025. (iii) The 10th SSDEC, in its meeting held on 23.09.2025, recommended de-affiliation. (iv) The 25th SCAA issued a Show Cause Notice, to which the ITI replied on 08.01.2026. (v) The Joint Inspection of 13.05.2026 recommended de-affiliation of Electrician (2+2). (vi) The 31st SCAA (Minutes dated 08.07.2026) issued a final Show Cause Notice, to which the ITI replied on 22.07.2026. (vii) The 35th SCAA (Minutes dated 21.09.2026) directed the State Directorate, through the Principal of the Nodal ITI, to verify the claims of the ITI within seven days, the report being due by 28.09.2026. (viii) ITI BTC Chemical, Kota carried out the verification on 28.09.2026 (letter dated 29.09.2026) and found the machinery (except item 92), the computers, six instructors and a Drawing Hall of 36 sq. m. (ix) However, the verification also found that: • The Building Completion Certificate and the fire certificate dated 13.07.2026 had been issued by a private engineer and a private consultant respectively; • The land is of residential categ...	issuing the Building Completion Certificate and the Fire Safety Certificate, the area of the Drawing Hall (36 sq. m against the 110 sq. m prescribed under Para 9.2 of the Norms) and the qualifications of the instructors remained unresolved. The Committee also noted that the ITI had not admitted any trainees in the last three years. 2. Accordingly, these Minutes shall constitute the final Show Cause Notice to the ITI under Para 7.4(iv) of the Norms; no separate notice shall be issued, and no further Show Cause Notice shall be issued by the TC Section. The ITI shall show cause, within one month from the date of issue of these Minutes, why Electrician 6(2+2+2) should not be de-affiliated. The reply shall state the name, MIS code and complete address of the ITI, shall be sent to tc-deaffiliation@dgt.gov.in, and shall be supported by documentary evidence. 3. The competent authority shall decide the matter on the basis of the reply

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026

Signature Not Verified
Signed By:POOJA VERMA
Signing Date:03.11.2026

Sr. No.	ITI Name and Code	Trades/Units	Brief Facts of the Matter	36th SCAA Remarks
			• Only one of the six instructors holds CITS; and • No admission was made on SIDH in 2024, 2025 and 2026. **(b) Issue and applicable provisions:** The Joint Inspection of 13.05.2026 found that the land had been converted for residential use, the Building Completion Certificate was not available, 3 instructors were absent and 6 were without CITS, 13 items of machinery were not available and there was no Drawing Hall, and the Fire Safety Certificate is also not available; these deficiencies attract Para 7.2(i) and (iv) of the Norms. **(c) Previous direction:** The 35th SCAA directed the State Directorate, through the Principal of the Nodal ITI, to verify the claims of rectification made by the ITI within seven days.	and the supporting documents received or, if no reply is received within the stipulated period, on the basis of the available records, in accordance with the applicable SOP and the Norms.
17.	Vidhya Pvt. ITI, Haled, Bhilwara MIS Code: PR08001765	Electrician 4(2+2)	**(a) Facts of the case:** (i) The State Directorate inspected the ITI on 24.12.2024 and issued a Show Cause Notice on 04.01.2025, to which the ITI replied on 23.01.2025. (ii) The ITI refused the Joint Inspection on 19.06.2025. (iii) The 9th SSDEC, in its meeting held on 17.09.2025, recommended de-affiliation. (iv) The 25th SCAA issued a Show Cause Notice, to which the ITI replied on 08.01.2026	***Cases in which a final Show Cause Notice / further opportunity is given*** **Decision of the Committee:** 1. The Committee noted that the period of one month allowed by the 35th SCAA for the submission of the Fire Safety Certificate expired on 21.10.2026, that the letter of the ITI dated 26.09.2026 did not enclose a Fire Safety Certificate, and that the State Directorate had also reported

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026

Signature Not Verified
Signed By:POOJA VERMA
Signing Date:03.11.2026

Sr. No.	ITI Name and Code	Trades/Units	Brief Facts of the Matter	36th SCAA Remarks
			(v) A Joint Inspection was conducted on 07.05.2026. (vi) The 31st SCAA (Minutes dated 08.07.2026) issued a Show Cause Notice in respect of Fitter, to which the ITI replied on 29.07.2026, surrendering Fitter. (vii) The State Directorate, by letter No. DTE/Training/2026/12678 dated 18.08.2026, reported that the machinery and Drawing Hall deficiencies had been verified, but that the Fire Safety Certificate had not been provided. (viii) The 35th SCAA (Minutes dated 21.09.2026) de-affiliated Fitter and allowed Electrician 4(2+2), subject to the submission of the Fire Safety Certificate within one month, that is, by 21.10.2026. (ix) The ITI submitted a letter dated 26.09.2026, received by e-mail on 26.09.2026, without enclosing a Fire Safety Certificate. (x) The Fire Safety Certificate, due by 21.10.2026, is awaited. **(b) Issue and applicable provisions:** The issue is the non-availability of a Fire Safety Certificate from the competent authority, which attracts Para 7.2(i) of the Norms. **(c) Previous direction:** The 35th SCAA allowed Electrician 4(2+2), subject to the submission of the Fire Safety Certificate within one month	that the Fire Safety Certificate was not provided. 2. The TC Section shall first ascertain whether a Fire Safety Certificate was sent by the ITI but omitted from its e-mail. 3. Accordingly, these Minutes shall constitute the final Show Cause Notice to the ITI under Para 7.4(iv) of the Norms, and no separate notice shall be issued. The ITI shall show cause, within 15 days from the date of issue of these Minutes, why Electrician 4(2+2) should not be de-affiliated. The reply shall state the name, MIS code and complete address of the ITI, shall be sent to tc-deaffiliation@dgt.gov.in, and shall be supported by a valid Fire Safety Certificate issued by the competent authority. 4. The State Directorate, Rajasthan shall verify the Fire Safety Certificate, if furnished. If no reply is received within the stipulated period, or if the reply is found unsatisfactory, Electrician 4(2+2) shall stand de-affiliated under Para

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026

Signature Not Verified
Signed By:POOJA VERMA
Signing Date:03.11.2026

Sr. No.	ITI Name and Code	Trades/Units	Brief Facts of the Matter	36th SCAA Remarks
				7.2(i) of the Norms, without further reference to the Committee.
18.	Sardar Vallabh Bhai Patel Pvt. ITI, Bhadra, Hanumangarh MIS Code: PR08000057	Electrician 4(2+2)	**(a) Facts of the case:** (i) The State Directorate inspected the ITI on 24.12.2024 and issued a Show Cause Notice on 08.01.2025, to which the ITI replied on 11.02.2025. (ii) A Joint Inspection by the RDSDE and the State Directorate on 15.07.2025 recommended Electrician 4(2+2), but observed that: • The electricity bill is in the name of the Adhyaksh (President) of the managing body; • 10 percent of the tools and equipment are short; and • A B.Ed. college and a PG degree college are operating on the ITI campus. (iii) The 9th SSDEC, in its meeting held on 17.09.2025, recommended continuation of affiliation. (iv) The 25th SCAA (meeting held on 13–14.11.2025; Minutes dated 23.12.2025; Annexure-3, Sl. 78) continued the affiliation, directing the ITI to remove the deficiencies identified in the Joint Inspection and the State Directorate to ensure their removal. (v) The Director Training, DTE Jodhpur, by letter No. DTE/Training/2026/12706 dated 18.08.2026 to the RDSDE, Rajasthan,	***Cases in which a final Show Cause Notice / further opportunity is given*** **Decision of the Committee:** 1. The Committee observed that the ITI had neither rectified the deficiencies nor responded to the two notices issued by the State Directorate. The shortage of equipment adversely affects practical training, while the operation of other institutions on the same campus compromises the exclusive use of the infrastructure by the ITI. 2. Accordingly, these Minutes shall constitute the final Show Cause Notice to the ITI under Para 7.4(iv) of the Norms; no separate notice shall be issued, and no further Show Cause Notice shall be issued by the TC Section. The ITI shall show cause, within 15 days from the date of issue of these Minutes, why it should not be de-affiliated. The reply shall state the name, MIS code and complete address of the ITI, shall be sent to tc-

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026
Signature Not Verified
Signed By:POOJA VERMA
Signing Date:03.11.2026

Sr. No.	ITI Name and Code	Trades/Units	Brief Facts of the Matter	36th SCAA Remarks
			reported that notices dated 20.01.2026 and 11.02.2026 were issued to the ITI, but that the ITI did not reply. (vi) The RDSDE, Rajasthan forwarded the letter to DGT by e-mail dated 23.09.2026. **(b) Issue and applicable provisions:** The ITI has not removed the deficiencies identified in the Joint Inspection of 15.07.2025, namely the shortage of tools and equipment and the electricity connection not being in its name, which attract Para 7.2(i) of the Norms; the operation of a B.Ed. college and a PG degree college on the ITI campus attracts Para 7.2(ii) of the Norms. **(c) Previous direction:** The 25th SCAA continued the affiliation and directed the ITI to remove the deficiencies identified in the Joint Inspection and the State Directorate to ensure their removal.	deaffiliation@dgt.gov.in, and shall be supported by: (i) invoices and geo-tagged photographs of the tools and equipment currently available in the ITI; (ii) proof of an electricity connection in the name of the ITI or its managing Society; and (iii) a site plan and geo-tagged photographs establishing that the ITI premises are separate from, and not used by, the B.Ed. and PG colleges. 3. If no reply is received within the stipulated period, or if the reply is found unsatisfactory, the ITI shall stand de-affiliated under Para 7.2(i) and (ii) of the Norms, without further reference to the Committee.
19.	Maa Jawala Pvt. ITI, Garh, Dausa MIS Code: PU08001901	Electrician 3(2+1); Health Sanitary Inspector 3(1+1+1); COPA 3(1+1+1); Early	**(a) Facts of the case:** (i) The State Directorate inspected the ITI on 24.12.2024 and issued a Show Cause Notice on 07.01.2025, to which the ITI replied on 31.01.2025.	***Cases in which a final Show Cause Notice / further opportunity is given*** **Decision of the Committee:** 1. The Committee observed that the ITI had neither rectified the deficiencies nor responded to the two notices issued by the State

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026

Signature Not Verified
Signed By:POOJA VERMA
Signing Date:03.11.2026

Sr. No.	ITI Name and Code	Trades/Units	Brief Facts of the Matter	36th SCAA Remarks
		Childhood Educator (PSMA) 3(1+1+1)	(ii) A Joint Inspection by the RDSDE and the State Directorate on 11.09.2025 recommended all the trades and units, but recorded that: • the Electrician tools were not in working condition; • the LCD projector was not available in the Health Sanitary Inspector trade; • in the COPA trade, the computers (6th generation) and the internet connectivity were slow, the software was outdated and the air-conditioner was not working; and • the tools and equipment of the Early Childhood Educator trade were not in working condition. (iii) The 10th SSDEC, in its meeting held on 23.09.2025, recommended continuation of affiliation. (iv) The 25th SCAA (meeting held on 13–14.11.2025; Minutes dated 23.12.2025; Annexure-3, Sl. 190) continued the affiliation, directing the ITI to remove the deficiencies identified in the Joint Inspection and the State Directorate to ensure their removal. (v) The Director Training, DTE Jodhpur, by letter No. DTE/Training/2026/12706 dated 18.08.2026 to the RDSDE, Rajasthan, reported that notices dated 20.01.2026 and	Directorate. The Committee further noted that non-functional tools and equipment, outdated computers and software, and the absence of teaching aids deprived the trainees of the practical exposure required for their training. 2. Accordingly, these Minutes shall constitute the final Show Cause Notice to the ITI under Para 7.4(iv) of the Norms; no separate notice shall be issued, and no further Show Cause Notice shall be issued by the TC Section. The ITI shall show cause, within 15 days from the date of issue of these Minutes, why the trades and units listed above should not be de-affiliated. The reply shall state the name, MIS code and complete address of the ITI, shall be sent to tc-deaffiliation@dgt.gov.in, and shall be supported by the following documentary evidence: (i) invoices and geo-tagged photographs of functional tools and equipment in the Electrician and Early Childhood Educator trades;

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026

Signature Not Verified
Signed By:POOJA VERMA
Signing Date:03.11.2026

Sr. No.	ITI Name and Code	Trades/Units	Brief Facts of the Matter	36th SCAA Remarks
			11.02.2026 were issued to the ITI, but that the ITI did not reply. (vi) The RDSDE, Rajasthan forwarded the letter to DGT by e-mail dated 23.09.2026. **(b) Issue and applicable provisions:** The ITI has not removed the deficiencies in tools, equipment, computers and teaching aids identified in the Joint Inspection of 11.09.2025; these deficiencies attract Para 7.2(i) of the Norms. **(c) Previous direction:** The 25th SCAA continued the affiliation and directed the ITI to remove the deficiencies identified in the Joint Inspection and the State Directorate to ensure their removal.	(ii) proof of installation of the LCD projector in the Health Sanitary Inspector trade; and (iii) proof of upgraded computers, updated software, adequate internet connectivity and a functional air-conditioner in the COPA trade. 3. If no reply is received within the stipulated period, or if the reply is found unsatisfactory, the trades and units listed above shall stand de-affiliated under Para 7.2(i) of the Norms, without further reference to the Committee. 4. The State Directorate, Rajasthan shall verify the reply, if received, and submit its verification report, along with supporting findings, to DGT. The matter shall be processed on the basis of the reply and the verification report, if any.
20.	Shree Vitthal Pvt. ITI, Vallabhbari, Kota MIS Code: PR08000199	Electrician 3(1+1+1)	**(a) Facts of the case:** (i) The State Directorate inspected the ITI on 24.12.2024 and issued a Show Cause Notice on 30.12.2024, to which the ITI replied on 18.01.2025.	***Cases in which a final Show Cause Notice / further opportunity is given*** **Decision of the Committee:** 1. The Committee observed that the rectification of the deficiency had not been established within the

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026
Signature Not Verified
Signed By:POOJA VERMA
Signing Date:03.11.2026

Sr. No.	ITI Name and Code	Trades/Units	Brief Facts of the Matter	36th SCAA Remarks
			(ii) A Joint Inspection by the RDSDE and the State Directorate on 08.09.2025 recommended Electrician 3(1+1+1), but recorded that 20 percent of the tools and equipment required under the revised syllabus were not available. (iii) The 10th SSDEC, in its meeting held on 23.09.2025, recommended continuation of affiliation. (iv) The 25th SCAA (meeting held on 13–14.11.2025; Minutes dated 23.12.2025; Annexure-3, Sl. 228) continued the affiliation, directing the ITI to remove the deficiencies identified in the Joint Inspection and the State Directorate to ensure their removal. (v) The Director Training, DTE Jodhpur, by letter No. DTE/Training/2026/12706 dated 18.08.2026 to the RDSDE, Rajasthan, reported that notices dated 20.01.2026 and 11.02.2026 were issued to the ITI, but that the ITI did not reply. (vi) The RDSDE, Rajasthan forwarded the letter to DGT by e-mail dated 23.09.2026. (vii) The statement of the State Directorate forwarded with the e-mail of the RDSDE records that a late reply was received; a copy of that reply has not been furnished to DGT. **(b) Issue and applicable provisions:** The ITI have not established the availability of the 20 percent of	stipulated period and that the late reply stated to have been received was not available on record. 2. Accordingly, these Minutes shall constitute the final Show Cause Notice to the ITI under Para 7.4(iv) of the Norms, and no separate notice shall be issued. The ITI shall show cause, within 15 days from the date of issue of these Minutes, why Electrician 3(1+1+1) should not be de-affiliated. The reply shall state the name, MIS code and complete address of the ITI, shall be sent to tc-deaffiliation@dgt.gov.in, and shall be supported by invoices and geo-tagged photographs of the tools and equipment procured and installed in accordance with the revised syllabus. 3. If no reply is received within the stipulated period, or if the reply is found unsatisfactory, Electrician 3(1+1+1) shall stand de-affiliated under Para 7.2(i) of the Norms, without further reference to the Committee.

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026
Signature Not Verified
Signed By:POOJA VERMA
Signing Date:03.11.2026

Sr. No.	ITI Name and Code	Trades/Units	Brief Facts of the Matter	36th SCAA Remarks
			the tools and equipment required under the revised syllabus that were found wanting in the Joint Inspection of 08.09.2025; this attracts Para 7.2(i) of the Norms. **(c) Previous direction:** The 25th SCAA continued the affiliation and directed the ITI to remove the deficiencies identified in the Joint Inspection and the State Directorate to ensure their removal.	4. The State Directorate, Rajasthan shall provide a copy of the late reply, if available, verify the reply submitted against the final Show Cause Notice, and forward its verification report, along with supporting documents, to DGT. The matter shall be processed on the basis of the reply, including the late reply, if available, and the verification report.
21.	Diwakar Pvt. ITI, Tara Nagar, Churu MIS Code: PR08001626	Electrician 4(2+2) (Fitter 2(1+1) de-affiliated by the 31st SCAA)	**(a) Facts of the case:** (i) The State Directorate inspected the ITI on 24.12.2024 and issued a Show Cause Notice on 08.01.2025, to which the ITI replied on 22.01.2025. (ii) A Joint Inspection on 30.06.2025 recommended de-affiliation, having found that: • The qualification of the Principal was not as per the Norms; • Only one of the 09 trainers was CITS-qualified; • No instructor was available for Engineering Drawing, IT and Employability Skills; • The rent agreement did not mention the complete address; and • The machinery and computers were largely not in working condition.	***Cases in which a final Show Cause Notice / further opportunity is given*** **Decision of the Committee:** 1. The Committee observed that the deficiencies recorded by the 31st SCAA had not been rectified and that the comments of the State Directorate on the Electrician trade were awaited. 2. No admission shall be made in the Electrician trade until the Building Completion Certificate and the registered lease agreement are verified, as directed by the 31st SCAA. 3. Accordingly, these Minutes shall constitute the final Show Cause Notice to the ITI under Para 7.4(iv)

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026

Signature Not Verified
Signed By:POOJA VERMA
Signing Date:03.11.2026

Sr. No.	ITI Name and Code	Trades/Units	Brief Facts of the Matter	36th SCAA Remarks
			(iii) The 9th SSDEC, in its meeting held on 17.09.2025, recommended de-affiliation. (iv) The 25th SCAA (Minutes dated 23.12.2025) issued a final Show Cause Notice, to which the ITI replied on 07.01.2026. (v) The 27th SCAA (meeting held on 06.03.2026; Minutes dated 13.04.2026) directed a fresh Joint Inspection, which was conducted on 13.05.2026. (vi) The Joint Inspection Committee did not recommend the Electrician trade, without recording reasons, and recorded that the ITI refused inspection of the Fitter trade and sought its permanent closure, that the Building Completion Certificate was not available, and that the rent agreement, expiring on 05.12.2026, was not registered. (vii) The 31st SCAA (meeting held on 18.06.2026; Minutes dated 08.07.2026; Annexure-2, Sl. 50) de-affiliated Fitter 2(1+1), sought the comments of the State Directorate on the Electrician trade, and observed that the Building Completion Certificate and the Fire Safety Certificate were not available and that the rent agreement was not registered. (viii) The Director Training, DTE Jodhpur, by letter No. DTE/Training/2026/12706 dated 18.08.2026 to the RDSDE, Rajasthan, reported that notices No. 1221 dated	of the Norms; no separate notice shall be issued, and no further Show Cause Notice shall be issued by the TC Section. The ITI shall show cause, within 15 days from the date of issue of these Minutes, why Electrician 4(2+2) should not be de-affiliated. The reply shall state the name, MIS code and complete address of the ITI, shall be sent to tc-deaffiliation@dgt.gov.in, and shall be supported by: (i) the Building Completion Certificate and the Fire Safety Certificate issued by the competent authorities; (ii) a registered rent or lease agreement valid beyond 05.12.2026; and (iii) proof of the availability of qualified staff and functional machinery in the Electrician trade, supported by geo-tagged photographs. 4. If no reply is received within the stipulated period, or if the reply is found unsatisfactory, Electrician 4(2+2) shall stand de-affiliated

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026

Signature Not Verified
Signed By:PRAJA VERMA
Signing Date:03.11.2026

Sr. No.	ITI Name and Code	Trades/Units	Brief Facts of the Matter	36th SCAA Remarks
			21.07.2026 and No. 12373 dated 03.08.2026 were issued to the ITI, but that the ITI did not reply. (ix) The RDSDE, Rajasthan forwarded the letter to DGT by e-mail dated 23.09.2026. (x) The statement of the State Directorate forwarded with the e-mail of the RDSDE records that a late reply was received; a copy of that reply has not been furnished to DGT. (xi) The comments of the State Directorate on the Electrician trade, sought by the 31st SCAA, have not been received. **(b) Issue and applicable provisions:** The ITI has not furnished the Building Completion Certificate, the Fire Safety Certificate or a registered rent or lease agreement, the existing agreement expiring on 05.12.2026, and the Electrician trade was not recommended by the Joint Inspection of 13.05.2026; these matters attract Para 7.2(i) and (v) of the Norms. **(c) Previous direction:** The 31st SCAA de-affiliated Fitter 2(1+1) on the request of the ITI for its closure, sought the comments of the State Directorate on the non-recommendation of the Electrician trade, and directed the State Directorate to ensure that the ITI submits the Building Completion Certificate and a registered rent or lease agreement before any decision on admissions is taken.	under Para 7.2(i) and (v) of the Norms, without further reference to the Committee. 5. The State Directorate, Rajasthan shall furnish its comments, with reasons, on the Electrician trade, along with a copy of the late reply, within 15 days, and shall verify the reply of the ITI to the final Show Cause Notice. The matter shall be processed on the basis of the reply of the ITI, the comments of the State Directorate and the verification report.

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026

Signature Not Verified
Signed By:POOJA VERMA
Signing Date:03.11.2026

Sr. No.	ITI Name and Code	Trades/Units	Brief Facts of the Matter	36th SCAA Remarks
22.	Sunrise Pvt. ITI, Rewasa, Sikar MIS Code: PR08000519	Electrician 8(4+4)	**(a) Facts of the case:** (i) The State Directorate inspected the ITI on 24.12.2024 and issued a Show Cause Notice on 07.01.2025, to which the ITI replied on 24.01.2025. (ii) A Joint Inspection on 27.08.2025 found old-age care centre activities being run on the premises of the ITI. (iii) The 10th SSDEC, in its meeting held on 23.09.2025, recommended de-affiliation. (iv) The 25th SCAA (Minutes dated 23.12.2025) issued a final Show Cause Notice. The ITI replied on 07.01.2026, through the grievance portal and after the stipulated period, stating that no inspection had taken place on 27.08.2025 as it was a holiday and that the only elderly person on the premises was its gardener. (v) The 27th SCAA (meeting held on 06.03.2026; Minutes dated 13.04.2026) directed a fresh Joint Inspection, which was conducted on 06.05.2026. (vi) The Joint Inspection Committee recommended Electrician 8(4+4) and recorded that the Building Completion Certificate was not available. (vii) The 31st SCAA (meeting held on 18.06.2026; Minutes dated 08.07.2026; Annex-I, Sl. 71)	***Cases in which a final Show Cause Notice / further opportunity is given*** **Decision of the Committee:** 1. The Committee observed that the condition imposed by the 31st SCAA for permitting admissions had not been fulfilled, as the ITI had only applied for the Fire Safety Certificate and the certificate submitted by it was not the Building Completion Certificate required. 2. Accordingly, these Minutes shall constitute the final Show Cause Notice to the ITI under Para 7.4(iv) of the Norms, and no further Show Cause Notice shall be issued. The ITI shall show cause, within 15 days from the date of issue of these Minutes, why Electrician 8(4+4) should not be de-affiliated. The reply shall state the name, MIS code and complete address of the ITI, shall be sent to tc-deaffiliation@dgt.gov.in, and shall be supported by: (i) the Building Completion Certificate issued by the competent authority; and

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026

Signature Not Verified
Signed By:POOJA VERMA
Signing Date:03.11.2026

Sr. No.	ITI Name and Code	Trades/Units	Brief Facts of the Matter	36th SCAA Remarks
			allowed admissions in Electrician 8(4+4) subject to submission of the Building Completion Certificate and the Fire Safety Certificate. (viii) The Director Training, DTE Jodhpur, vide letter No. DTE/Training/2026/12706 dated 18.08.2026 to the RDSDE, Rajasthan, reported that: • Notices No. 12221 dated 21.07.2026 and No. 12409 dated 03.08.2026 had been issued to the ITI; • The ITI had submitted a building safety certificate; and • The ITI had applied for the Fire Safety Certificate. (ix) The RDSDE, Rajasthan forwarded the letter to DGT by e-mail dated 23.09.2026. **(b) Issue and applicable provisions:** The ITI has not obtained the Fire Safety Certificate, and the building safety certificate submitted by it does not establish that a Building Completion Certificate has been issued by the competent authority; this attracts Para 7.2(i) of the Norms. **(c) Previous direction:** The 31st SCAA allowed admissions for the Academic Session 2026-27 in Electrician 8(4+4) subject to removal of the deficiencies, namely the non-availability of the Building Completion Certificate and the Safety	(ii) a valid Fire Safety Certificate issued by the competent authority. 3. If no reply is received within the stipulated period, or if the reply is found unsatisfactory, Electrician 8(4+4) shall stand de-affiliated under Para 7.2(i) of the Norms, without further reference to the Committee. 4. The TC Section shall issue these Minutes to the ITI. The State Directorate, Rajasthan shall verify the nature and validity of the building safety certificate submitted by the ITI, and the ITI's reply, and submit its verification report, along with supporting documents, to DGT. 5. The matter shall thereafter be processed on the basis of the ITI's reply and the State Directorate's verification report.

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026
Signature Not Verified
Signed By:POOJA VERMA
Signing Date:03.11.2026

Sr. No.	ITI Name and Code	Trades/Units	Brief Facts of the Matter	36th SCAA Remarks
			Certificate, and directed the State Directorate to ensure their removal before the commencement of the session.	
23.	Dhapudevi Pvt. ITI, Nagaur MIS Code: PR08000821	Electrician 4(2+2)	**(a) Facts of the case:** (i) The State Directorate inspected the ITI on 24.12.2024 and issued a Show Cause Notice on 04.01.2025, to which the ITI replied on 22.01.2025. (ii) A Joint Inspection on 15.07.2025 found that: • Stock registers and indent books were not maintained; • No raw material had been purchased; • Some machines were not working; • Tool kits were available for 4 units only; • The workshop equipment was not as per the latest syllabus; and • The fire extinguishers had been empty and expired since 2014, and no fire bucket was available. (iii) The Joint Inspection Committee recommended de-affiliation, and the 9th SSDEC, in its meeting held on 17.09.2025, also recommended de-affiliation. (iv) The 25th SCAA (Minutes dated 23.12.2025) issued a final Show Cause Notice, to which the ITI replied on 12.01.2026.	***Cases in which a final Show Cause Notice / further opportunity is given*** **Decision of the Committee:** 1. The Committee noted that the Drawing Hall had been provided; however, the Fire Safety Certificate, essential for ensuring the safety of trainees and staff, had not been furnished despite the condition imposed by the 31st SCAA. 2. Accordingly, these Minutes shall constitute the final Show Cause Notice to the ITI under Para 7.4(iv) of the Norms, and no further Show Cause Notice shall be issued. The ITI shall show cause, within 15 days from the date of issue of these Minutes, why Electrician 4(2+2) should not be de-affiliated. The reply shall state the name, MIS code and complete address of the ITI, shall be sent to tc-deaffiliation@dgt.gov.in, and shall be supported by a valid Fire Safety

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026

Signature Not Verified
Signed By:POOJA VERMA
Signing Date:03.11.2026

Sr. No.	ITI Name and Code	Trades/Units	Brief Facts of the Matter	36th SCAA Remarks
			(v) The 27th SCAA (meeting held on 06.03.2026; Minutes dated 13.04.2026) directed a fresh Joint Inspection, which was conducted on 05.05.2026. (vi) The Joint Inspection Committee recommended Electrician 4(2+2) and recorded that a Drawing Hall was not available. (vii) The 31st SCAA (meeting held on 18.06.2026; Minutes dated 08.07.2026; Annexure-2, Sl. 67) allowed admissions in Electrician 4(2+2) subject to the provision of a Drawing Hall and a Fire Safety Certificate. (viii) The Director Training, DTE Jodhpur, vide letter No. DTE/Training/2026/12678 dated 18.08.2026 to the RDSDE, Rajasthan, reported that the Drawing Hall had been verified by the committee of the State Directorate, but that the ITI had not provided the Fire Safety Certificate. (ix) The RDSDE, Rajasthan forwarded the letter to DGT by e-mail dated 23.09.2026. (x) This ITI is distinct from Smt. Dhapu Devi Memorial Pvt. ITI, Barmer (PU08001697). **(b) Issue and applicable provisions:** The ITI has not furnished the Fire Safety Certificate, a condition of the decision of the 31st SCAA, while the earlier Joint Inspection had found empty and expired fire extinguishers; this attracts Para 7.2(i) of the Norms.	Certificate issued by the competent authority. 3. If no reply is received within the stipulated period, or if the reply is found unsatisfactory, Electrician 4(2+2) shall stand de-affiliated under Para 7.2(i) of the Norms, without further reference to the Committee. 4. The TC Section shall issue these Minutes to the ITI. The State Directorate, Rajasthan shall verify the Fire Safety Certificate, if furnished, and submit its verification report to DGT. 5. The matter shall thereafter be processed on the basis of the ITI's reply and the State Directorate's verification report.

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026
Signature Not Verified
Signed By:POOJA VERMA
Signing Date:03.11.2026

Sr. No.	ITI Name and Code	Trades/Units	Brief Facts of the Matter	36th SCAA Remarks
			(c) Previous direction: The 31st SCAA allowed admissions for the Academic Session 2026-27 in Electrician 4(2+2) subject to the provision of a Drawing Hall and a Fire Safety Certificate, and directed the State Directorate to ensure the removal of these deficiencies before the commencement of the session.	
24.	Shree Ram Pvt. ITI, Raja Park Colony, Bikaner MIS Code: PR08000404	Electrician 2(1+1)	**(a) Facts of the case:** (i) The State Directorate inspected the ITI on 24.12.2024 and issued a Show Cause Notice on 08.01.2025, to which the ITI replied on 18.01.2025. (ii) At the Joint Inspection of 10.06.2025, the ITI did not allow the inspection, citing, by its letter dated 09.06.2025, a strike declared by the State-level ITI Association. (iii) The 9th SSDEC, in its meeting held on 17.09.2025, recommended de-affiliation. (iv) The 25th SCAA (Minutes dated 23.12.2025) issued a final Show Cause Notice, to which the ITI replied on 09.01.2026. (v) The 27th SCAA (meeting held on 06.03.2026; Minutes dated 13.04.2026) directed a fresh Joint Inspection, which was conducted on 18.05.2026. (vi) The Joint Inspection Committee recommended Electrician 2(1+1) and recorded that: • The land lease would end on 28.08.2026;	***Cases in which a final Show Cause Notice / further opportunity is given*** **Decision of the Committee:** 1. The Committee noted that the Fire Safety Certificate had not been furnished despite the condition imposed by the 31st SCAA, and that the land lease had expired on 28.08.2026. 2. Accordingly, these Minutes shall constitute the final Show Cause Notice to the ITI under Para 7.4(iv) of the Norms, and no further Show Cause Notice shall be issued. The ITI shall show cause, within 15 days from the date of issue of these Minutes, why Electrician 2(1+1) should not be de-affiliated. The reply shall state the name, MIS code and complete address of the ITI, shall be sent to tc-

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026

Signature Not Verified
Signed By:POOJA VERMA
Signing Date:03.11.2026

Sr. No.	ITI Name and Code	Trades/Units	Brief Facts of the Matter	36th SCAA Remarks
			• The rent agreement was not registered; • The machinery bills were only partially available; • The 2 instructors were not CITS-trained; • Engineering Drawing was taught in a classroom; and • The Fire Safety Certificate was not available. (vii) The 31st SCAA (meeting held on 18.06.2026; Minutes dated 08.07.2026; Annexure-2, Sl. 15) allowed admissions in Electrician 2(1+1) subject to the removal of the deficiencies relating to the rent agreement, the machinery bills, the Drawing Hall and the Fire Safety Certificate. (viii) The Director Training, DTE Jodhpur, vide letter No. DTE/Training/2026/12678 dated 18.08.2026 to the RDSDE, Rajasthan, reported that the deficiencies relating to the rent agreement, the machinery bills and the Drawing Hall had been verified by the committee of the State Directorate, but that the ITI had not provided the Fire Safety Certificate. (ix) The RDSDE, Rajasthan forwarded the letter to DGT by e-mail dated 23.09.2026. **(b) Issue and applicable provisions:** The ITI has not furnished the Fire Safety Certificate, and the land lease recorded in the Joint Inspection of 18.05.2026 ended on 28.08.2026, so that a register-house valid	deaffiliation@dgt.gov.in, and shall be supported by: (i) a valid Fire Safety Certificate issued by the competent authority; and (ii) a registered lease or rent deed valid for the current period. 3. If no reply is received within the stipulated period, or if the reply is found unsatisfactory, Electrician 2(1+1) shall stand de-affiliated under Para 7.2(i) and (v) of the Norms, without further reference to the Committee. 4. The TC Section shall issue these Minutes to the ITI. The State Directorate, Rajasthan shall verify the Fire Safety Certificate and the lease or rent deed, if furnished, and submit its verification report, along with supporting documents, to DGT. 5. The matter shall thereafter be processed on the basis of the ITI's reply and the State Directorate's verification report.

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026

Signature Not Verified
Signed By:POOJA VERMA
Signing Date:03.11.2026

Sr. No.	ITI Name and Code	Trades/Units	Brief Facts of the Matter	36th SCAA Remarks
			for the current period has not been established; this attracts Para 7.2(i) and (v) of the Norms. **(c) Previous direction:** The 31st SCAA allowed admissions for the Academic Session 2026-27 in Electrician 2(1+1) subject to the registration of the rent agreement, the production of the machinery bills, the provision of a Drawing Hall and the Fire Safety Certificate, and directed the State Directorate to ensure the removal of these deficiencies before the commencement of the session.	
25.	New Basic Pvt. ITI, Bajju, Bikaner MIS Code: PR08001509	Electrician 4(2+2)	**(a) Facts of the case:** (i) The State Directorate inspected the ITI on 24.12.2024 and issued a Show Cause Notice on 08.01.2025, to which the ITI replied on 21.01.2025. (ii) The Joint Inspection ordered in June 2025 could not be conducted, as the ITI, by its letter No. 167 dated 08.06.2025, sought its postponement in view of a strike declared by the State-level ITI Association. (iii) The 9th SSDEC, in its meeting held on 17.09.2025, recommended de-affiliation. (iv) The 25th SCAA (Minutes dated 23.12.2025) issued a final Show Cause Notice, to which the ITI replied on 11.01.2026. (v) The 27th SCAA (meeting held on 06.03.2026; Minutes dated 13.04.2026) directed a fresh Joint Inspection, which was conducted on	***Cases in which a final Show Cause Notice / further opportunity is given*** **Decision of the Committee:** 1. The Committee noted that the deficiencies relating to the IT Lab and the Drawing Hall had been rectified; however, the Fire Safety Certificate had not been furnished despite the condition imposed by the 31st SCAA. 2. Accordingly, these Minutes shall constitute the final Show Cause Notice to the ITI under Para 7.4(iv) of the Norms, and no further Show Cause Notice shall be issued. The ITI shall show cause, within 15 days from the date of issue of these Minutes, why Electrician 4(2+2) should not be de-affiliated. The

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026
Signature Not Verified
Signed By:POOJA VERMA
Signing Date:03.11.2026

Sr. No.	ITI Name and Code	Trades/Units	Brief Facts of the Matter	36th SCAA Remarks
			20.05.2026. The Joint Inspection Committee recommended Electrician 4(2+2). (vi) The 31st SCAA (meeting held on 18.06.2026; Minutes dated 08.07.2026; Annexure-2, Sl. 17) allowed admissions in Electrician 4(2+2) subject to the removal of the deficiencies relating to laptops in the IT Lab, the furniture of the Drawing Hall and the Fire Safety Certificate. (vii) The Director Training, DTE Jodhpur, vide letter No. DTE/Training/2026/12678 dated 18.08.2026 to the RDSDE, Rajasthan, reported that the deficiencies relating to the laptops and the furniture of the Drawing Hall had been verified by the committee of the State Directorate, but that the ITI had not provided the Fire Safety Certificate. (viii) The RDSDE, Rajasthan forwarded the letter to DGT by e-mail dated 23.09.2026. **(b) Issue and applicable provisions:** The ITI has not furnished the Fire Safety Certificate, a condition of the decision of the 31st SCAA; this attracts Para 7.2(i) of the Norms. **(c) Previous direction:** The 31st SCAA allowed admissions for the Academic Session 2026-27 in Electrician 4(2+2) subject to the replacement of laptops in the IT Lab, the provision of furniture in the Drawing Hall and the Fire Safety Certificate, and directed the State Directorate to ensure the removal	reply shall state the name, MIS code and complete address of the ITI, shall be sent to tc-deaffiliation@dgt.gov.in, and shall be supported by a valid Fire Safety Certificate issued by the competent authority. 3. If no reply is received within the stipulated period, or if the reply is found unsatisfactory, Electrician 4(2+2) shall stand de-affiliated under Para 7.2(i) of the Norms, without further reference to the Committee. 4. The TC Section shall issue these Minutes to the ITI. The State Directorate, Rajasthan shall verify the Fire Safety Certificate, if furnished, and submit its verification report, along with supporting documents, to DGT. 5. The matter shall thereafter be processed on the basis of the ITI's reply and the State Directorate's verification report.

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026

Signature Not Verified
Signed By:POOJA VERMA
Signing Date:03.11.2026

Sr. No.	ITI Name and Code	Trades/Units	Brief Facts of the Matter	36th SCAA Remarks
			of these deficiencies before the commencement of the session.	
26.	Tagore Pvt. ITI, Kuchera, Nagaur MIS Code: PR08000208	Electrician 4(2+2) (the remaining units; the other Electrician 4(2+2) was de-affiliated by the 31st SCAA)	**(a) Facts of the case:** (i) The State Directorate inspected the ITI on 24.12.2024 and issued a Show Cause Notice on 04.01.2025, to which the ITI replied on 23.01.2025. (ii) At the Joint Inspection of 24.06.2025, the ITI was found closed, and its officials refused the inspection, citing a strike declared by the State-level ITI Association. (iii) The 9th SSDEC, in its meeting held on 17.09.2025, recommended de-affiliation. (iv) The 25th SCAA (Minutes dated 23.12.2025) issued a final Show Cause Notice, to which the ITI replied on 15.01.2026. (v) The 27th SCAA (meeting held on 06.03.2026; Minutes dated 13.04.2026) directed a fresh Joint Inspection, which was conducted on 08.05.2026. (vi) The Joint Inspection Committee recommended Electrician 4(2+2) and recorded a deficiency of machinery in the second workshop, that some machines were not working and that the EV charger was not available. (vii) The 31st SCAA (meeting held on 18.06.2026; Minutes dated 08.07.2026; Annexure-2, Sl. 70) de-affiliated Electrician 4(2+2) [illegible] allowed	***Cases in which a final Show Cause Notice / further opportunity is given*** **Decision of the Committee:** 1. The Committee observed that neither of the conditions imposed by the 31st SCAA had been fulfilled. The absence of drawing tables deprived trainees of the infrastructure required for Engineering Drawing, while the non-submission of the Fire Safety Certificate raised concerns regarding the safety of trainees and staff. 2. Accordingly, these Minutes shall constitute the final Show Cause Notice to the ITI under Para 7.4(iv) of the Norms, and no further Show Cause Notice shall be issued. The ITI shall show cause, within 15 days from the date of issue of these Minutes, why the remaining Electrician 4(2+2) should not be de-affiliated. The reply shall state the name, MIS code and complete address of the ITI, shall be sent to

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026

Signature Not Verified
Signed By:POOJAVERMA
Signing Date:03.11.2026

Sr. No.	ITI Name and Code	Trades/Units	Brief Facts of the Matter	36th SCAA Remarks
			admissions in the remaining Electrician 4(2+2) subject to the provision of drawing tables in the Drawing Hall and the Fire Safety Certificate. (viii) The Director Training, DTE Jodhpur, vide letter No. DTE/Training/2026/12678 dated 18.08.2026 to the RDSDE, Rajasthan, reported that drawing tables were not available in the Drawing Hall and that the ITI had not provided the Fire Safety Certificate. (ix) The RDSDE, Rajasthan forwarded the letter to DGT by e-mail dated 23.09.2026. **(b) Issue and applicable provisions:** The ITI has removed neither of the deficiencies subject to which admissions were allowed by the 31st SCAA, namely the absence of drawing tables in the Drawing Hall and the non-availability of the Fire Safety Certificate; this attracts Para 7.2(i) of the Norms and Para 9.2 (item 1.4). **(c) Previous direction:** The 31st SCAA de-affiliated Electrician 4(2+2) for want of machinery, and allowed admissions for the Academic Session 2026-27 in the remaining Electrician 4(2+2) subject to the provision of drawing tables in the Drawing Hall and the Fire Safety Certificate.	tc-deaffiliation@dgt.gov.in, and shall be supported by: (i) Invoices and geo-tagged photographs establishing the provision of drawing tables in the Drawing Hall; and (ii) A valid Fire Safety Certificate issued by the competent authority. 3. If no reply is received within the stipulated period, or if the reply is found unsatisfactory, Electrician 4(2+2) shall stand de-affiliated under Para 7.2(i) of the Norms, without further reference to the Committee. 4. The TC Section shall issue these Minutes to the ITI. The State Directorate, Rajasthan shall verify the reply, if received, and submit its verification report, along with supporting documents, to DGT. 5. The matter shall thereafter be processed on the basis of the ITI's reply and the State Directorate's verification report.

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026

Signature Not Verified
Signed By:POOJA VERMA
Signing Date:03.11.2026

Sr. No.	ITI Name and Code	Trades/Units	Brief Facts of the Matter	36th SCAA Remarks
27.	Laxman Pvt. ITI, Gangapur City, Sawai Madhopur MIS Code: PR08000333	Electrician 9(3+3+3)	**(a) Facts of the case:** (i) The State Directorate inspected the ITI on 24.12.2024 and issued a Show Cause Notice vide letter No. 10255 dated 03.01.2025. (ii) The ITI replied vide letter No. LAX PVT ITI/179 dated 22.01.2025, stating that most of the staff were away at a bereavement and that the trainees had been released early on the day of the inspection. (iii) At the Joint Inspection of 10.06.2025, the ITI, by its letter No. 0185 dated 10.06.2025, declined the inspection, stating that it supported the indefinite strike of the private ITI association and could not allow an inspection; the inspection committee recorded a nil recommendation. (iv) The 9th SSDEC, in its meeting held on 17.09.2025, recommended de-affiliation of the ITI for refusal of inspection. (v) The case does not figure in the letters of the State Directorate dated 18.08.2026, and no later inspection or reply of the ITI is on record. **(b) Issue and applicable provisions:** The ITI refused the Joint Inspection of 10.06.2025, so that its functioning has not been verified; deliberate denial of inspection attracts Para 7.2(ix) of the Norms.	***Cases in which a final Show Cause Notice / further opportunity is given*** **Decision of the Committee:** 1. The Committee observed that permitting inspection is an inherent condition of affiliation, as compliance with the prescribed norms cannot be verified without an on-site assessment. The Committee further noted that the SCAA had consistently held, in its 27th and 31st meetings, that a strike called by an association of ITIs does not constitute a valid ground for refusing inspection. 2. Accordingly, these Minutes shall constitute the final Show Cause Notice to the ITI under Para 7.4(iv) of the Norms, and no further Show Cause Notice shall be issued. The ITI shall show cause, within 15 days from the date of issue of these Minutes, why the ITI should not be de-affiliated. The reply shall state the name, MIS code and complete address of the ITI, shall be sent to tc-deaffiliation@dgt.gov.in, and shall include:

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026

Signature Not Verified
Signed By:POOJA VERMA
Signing Date:03.11.2026

Sr. No.	ITI Name and Code	Trades/Units	Brief Facts of the Matter	36th SCAA Remarks
			(c) Previous direction: No decision of the SCAA on the recommendation of the 9th SSDEC in respect of this ITI is on record.	(i) A statement regarding the ITI's current operational status and the number of trainees on roll; and (ii) An undertaking expressing willingness to undergo a Joint Inspection on dates fixed by the State Directorate. 3. If no reply is received within the stipulated period, or if the reply is found unsatisfactory, the ITI shall stand de-affiliated under Para 7.2(ix) of the Norms, without further reference to the Committee. 4. The TC Section shall issue these Minutes to the ITI. The State Directorate, Rajasthan shall report the current status of the ITI to DGT. If a reply is received, the State Directorate and the RDSDE, Rajasthan shall conduct a Joint Inspection within 30 days of receipt of the reply and submit the inspection report to DGT. 5. If the ITI replies, the matter shall be processed on the basis of the Joint Inspection report.

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026

Signature Not Verified
Signed By:POOJA VERMA
Signing Date:03.11.2026

Sr. No.	ITI Name and Code	Trades/Units	Brief Facts of the Matter	36th SCAA Remarks
28.	Kalpna Pvt. ITI, Taranagar, Churu MIS Code: PR08000720	Electrician 8(4+4)	**(a) Facts of the case:** (i) The State Directorate inspected the ITI on 24.12.2024 and issued a Show Cause Notice on 08.01.2025, to which the ITI replied on 18.01.2025. (ii) A Joint Inspection was conducted on 09.07.2025. (iii) The 9th State Skill Development and Entrepreneurship Committee (SSDEC), on 17.09.2025, recommended de-affiliation. (iv) The 25th SCAA issued a Show Cause Notice, to which the ITI replied on 08.01.2026. (v) The 27th SCAA (Minutes dated 13.04.2026) ordered a Joint Inspection, which was conducted on 12.05.2026. (vi) The 31st SCAA (Minutes dated 08.07.2026) allowed Electrician 6(3+3), directed the ITI to submit a legible Fire Safety Certificate and sought the comments of the State Directorate on the remaining 2(1+1) units. (vii) The ITI submitted a letter dated 18.07.2026, addressed to DTE, Jodhpur and received by e-mail at DGT on 21.07.2026, enclosing a re-issued Fire Safety Certificate. (viii) The comments of the State Directorate on the remaining Electrician 2(1+1) units have not been received.	***Cases referred to the State Directorate for verification or comments*** **Decision of the Committee:** 1. The Committee noted that the re-issued Fire Safety Certificate No. NAGARPALIKA/2026/146 dated 17.07.2026 of Nagar Palika Taranagar addresses the observation regarding the illegible date, but is a copy attested only by the Principal and was issued after the Minutes of the 31st SCAA; and that the comments of the State Directorate on the remaining Electrician 2(1+1) units have not been received. 2. Electrician 6(3+3) shall continue. The State Directorate, Rajasthan shall, within 15 days, as required under Para 7.4(iv) and Tables 18/19 of the Norms: (i) Verify the genuineness of the Fire Safety Certificate from the issuing authority; and (ii) Furnish its comments, with reasons, on the remaining Electrician 2(1+1) units.

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026

Signature Not Verified
Signed By:POOJA VERMA
Signing Date:03.11.2026

Sr. No.	ITI Name and Code	Trades/Units	Brief Facts of the Matter	36th SCAA Remarks
			(b) Issue and applicable provisions: The Joint Inspection of 12.05.2026 recommended Electrician 6(3+3) without recording reasons in respect of the remaining 2(1+1) units, and the date on the Fire Safety Certificate is not legible; this attracts Para 7.2(i) of the Norms. **(c) Previous direction:** The 31st SCAA sought the comments of the State Directorate on the remaining Electrician 2(1+1) units.	3. The Committee shall decide on the remaining 2(1+1) units on receipt of the comments; if the deficiency persists, a final notice shall be issued under the SOP.
29.	Mahipal Pvt. ITI, Tinwari, Jodhpur MIS Code: PR08000226	Electrician 4(2+2)	**(a) Facts of the case:** (i) The State Directorate inspected the ITI on 24.12.2024 and issued a Show Cause Notice on 04.01.2025, to which the ITI replied on 24.01.2025. (ii) A Joint Inspection was conducted on 26.06.2025, and the 9th State Skill Development and Entrepreneurship Committee (SSDEC), on 17.09.2025, recommended continuation. (iii) The 25th SCAA (Minutes dated 23.12.2025) sought clarification, following which the State Directorate issued a Show Cause Notice. (iv) A Joint Inspection conducted on 16.06.2026 found deficiencies, and the 12th SSDEC, on 23.06.2026, recommended de-affiliation. (v) The 33rd SCAA (Minutes dated 07.08.2026) issued a final Show Cause Notice, with the reply due by 22.08.2026, [illegible] barred	***Cases referred to the State Directorate for verification or comments*** **Decision of the Committee:** 1. The reply of the ITI, received within time, shall be verified by the State Directorate and the RDSDE, Rajasthan, who shall submit a reasoned verification report. 2. The Committee shall decide the matter on receipt of the report.

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026

Signature Not Verified
Signed By:POOJA VERMA
Signing Date:03.11.2026

Sr. No.	ITI Name and Code	Trades/Units	Brief Facts of the Matter	36th SCAA Remarks
			admissions for Academic Session 2026-27 until the deficiencies were rectified and verified. (vi) The ITI submitted a reply dated 18.08.2026, received by e-mail on 20.08.2026, within the stipulated period. The same reply was forwarded by DTE, Jodhpur under State letter No. DTE/Training/2026/12714 dated 19.08.2026, received by e-mail on 21.08.2026. (vii) No verification report of the State Directorate or the RDSDE has been received. **(b) Issue and applicable provisions:** The Joint Inspection of 16.06.2026 found the sanctioned load, machinery, tools, laboratory area and staff to be insufficient, which attracts Para 7.2(i) of the Norms. **(c) Previous direction:** The 33rd SCAA directed the issue of a final Show Cause Notice, returnable within 15 days, and directed that no admission be made in 2026-27 until the deficiencies are rectified and verified.	
30.	Pooja Pvt. ITI, Piparcity, Jodhpur MIS Code: PR08000568	Electrician 6(2+2+2)	**(a) Facts of the case:** (i) The State Directorate inspected the ITI on 24.12.2024 and issued a Show Cause Notice on 04.01.2025, to which the ITI replied on 21.01.2025. (ii) The ITI refused the Joint Inspection on 24.06.2025, and the 9th State Skill Development and Entrepreneurship	***Cases referred to the State Directorate for verification or comments*** **Decision of the Committee:** 1. The Committee observed that the verification report does not address the Drawing Hall, the Fire Safety

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026
Signature Not Verified
Signed By:POOJA VERMA
Signing Date:03.11.2026

Sr. No.	ITI Name and Code	Trades/Units	Brief Facts of the Matter	36th SCAA Remarks
			Committee (SSDEC), on 17.09.2025, recommended de-affiliation. (iii) The 25th SCAA issued a Show Cause Notice, to which the ITI replied on 07.01.2026. (iv) The Joint Inspection conducted on 07.05.2026 made a NIL recommendation. (v) The 31st SCAA (Minutes dated 08.07.2026) issued a final Show Cause Notice, to which the ITI replied on 18.07.2026. (vi) The 35th SCAA (Minutes dated 21.09.2026) directed the State Directorate, through the Nodal ITI Principal, to verify the claims of the ITI within 7 days, with the report due by 28.09.2026. (vii) The verification was carried out on 28.09.2026 by the Superintendent (Training), DTE, Jodhpur (letter No. 170942 dated 29.09.2026), and not by the Nodal ITI Principal as directed. (viii) The verification report: • States that the machinery is functional; • States that some machinery under the new syllabus has been provided, without details; • States that the fire extinguishers are valid, the computers are working and the load is 8 kW; • Records that no trainee was present; and • The Committee has not made any observations or recommendation regarding	Certificate and the roof, and is not item-wise. 2. The State Directorate, Rajasthan shall submit a supplementary report, through the Nodal ITI Principal, on these points, with a specific recommendation. 3. The Committee shall decide the matter on receipt of the report; if the deficiencies persist, a final notice shall be issued under the SOP.

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026
Signature Not Verified
Signed By:POOJA VERMA
Signing Date:03.11.2026

Sr. No.	ITI Name and Code	Trades/Units	Brief Facts of the Matter	36th SCAA Remarks
			the Drawing Hall, the Fire Safety Certificate, and the tin-shed roof **(b) Issue and applicable provisions:** The Joint Inspection of 07.05.2026, which made a NIL recommendation, found that machinery as per the new syllabus and the related bills were not available, 8 major machines were not working, and there was no Drawing Hall and no valid fire extinguisher; the Fire Safety Certificate is also not available. These deficiencies attract Para 7.2(i) of the Norms, and the earlier refusal of the Joint Inspection attracts Para 7.2(ix). **(c) Previous direction:** The 35th SCAA directed the State Directorate, through the Nodal ITI Principal, to verify the ITI's claims of rectification within seven days.	
31.	R.K. Pvt. ITI, Phulera, Jaipur MIS Code: PR08001451	Electrician 4(2+2)	**(a) Facts of the case:** (i) The State Directorate inspected the ITI on 24.12.2024 and issued a Show Cause Notice on 07.01.2025, to which the ITI replied on 16.01.2025. (ii) At the Joint Inspection of 26.06.2025, the ITI was found closed and inspection was refused. (iii) The 9th State Skill Development and Entrepreneurship Committee (SSDEC), on 17.09.2025, recommended de-affiliation. (iv) The 25th SCAA issued a Show Cause Notice, to which the ITI replied on 09.01.2026	***Cases referred to the State Directorate for verification or comments*** **Decision of the Committee:** 1. The Committee noted that the ITI claims to hold a Fire Safety Certificate of Nagar Palika Phulera and has stated that an additional room will be used as the Drawing Hall, but has not enclosed either; and that the comments of the State Directorate on the remaining

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026
Signature Not Verified
Signed By:POOJAAVERMA
Signing Date:03.11.2026

Sr. No.	ITI Name and Code	Trades/Units	Brief Facts of the Matter	36th SCAA Remarks
			(v) The 27th SCAA (Minutes dated 13.04.2026) ordered a Joint Inspection, which was conducted on 12.05.2026. (vi) The 31st SCAA (Minutes dated 08.07.2026) allowed Electrician 3(1+2), subject to removal of the deficiencies, and sought the comments of the State Directorate on the remaining 1(1+0) unit. (vii) The ITI submitted its own letter No. 804/26 dated 11.08.2026, received by e-mail on 11.08.2026. (viii) The comments of the State Directorate on the remaining Electrician 1(1+0) unit have not been received. **(b) Issue and applicable provisions:** The Joint Inspection of 12.05.2026 recommended Electrician 3(1+2) without recording reasons in respect of the remaining 1(1+0) unit, and the Drawing Hall and the Fire Safety Certificate are not available; this attracts Para 7.2(i) of the Norms. **(c) Previous direction:** The 31st SCAA sought the comments of the State Directorate on the remaining 1(1+0) unit.	Electrician 1(1+0) unit have not been received. 2. The request of the ITI for restoration of Electrician 6(2+2+2) is outside the scope of the direction of the 31st SCAA and is not considered. 3. The matter is referred to the State Directorate, Rajasthan, which shall: (i) Verify the Fire Safety Certificate and the Drawing Hall; (ii) Examine the remaining Electrician 1(1+0) unit; and (iii) Take action in accordance with the Norms (Para 7.2(i), Para 7.4(iv) and Tables 18/19), and report the outcome to DGT. 4. The matter shall be placed before the Committee on receipt of the report of the State Directorate.
32.	Shri Krishna Pvt. ITI, Tigariya, Jaipur MIS Code: PR08001572	Electrician 6(2+2+2)	**(a) Facts of the case:** (i) The State Directorate inspected the ITI on 24.12.2024 and issued a Show Cause Notice on 07.01.2025 and a reminder on 06.02.2025, to which the ITI replied on 10.02.2025	***Cases referred to the State Directorate for verification or comments*** **Decision of the Committee:**

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026

Signature Not Verified
Signed By:POOJA VERMA
Signing Date:03.11.2026

Sr. No.	ITI Name and Code	Trades/Units	Brief Facts of the Matter	36th SCAA Remarks
			(ii) The ITI refused the Joint Inspection on 03.07.2025, and the 9th State Skill Development and Entrepreneurship Committee (SSDEC), on 17.09.2025, recommended de-affiliation. (iii) The 25th SCAA issued a Show Cause Notice, to which the ITI replied on 10.01.2026. (iv) The Joint Inspection conducted on 05.05.2026 recommended Electrician 4(2+2). (v) The 31st SCAA (Minutes dated 08.07.2026) issued a final Show Cause Notice, to which the ITI replied on 29.07.2026, after the stipulated period. (vi) The 35th SCAA (Minutes dated 21.09.2026) directed the State Directorate, through the Nodal ITI Principal, to verify the claims of the ITI within 7 days, that is, by 28.09.2026. (vii) The verification was carried out on 29.09.2026, after the due date, by the Assistant Director (Training), Govt. ITI Sanganer, whose report is undated and unnumbered and reports all deficiencies as rectified without item-wise findings. (viii) On the documents produced by the ITI, it was observed that: • The Building Completion Certificate was issued by the Gram Panchayat;	1. The Committee observed that the verification report is not in proper form and does not establish compliance. 2. A joint verification shall be conducted by the RDSDE and the State Directorate, Rajasthan, covering: (i) Land conversion and title; (ii) The Building Completion Certificate from the competent authority; (iii) The Drawing Hall; (iv) Item-wise machinery; and (v) The genuineness of the bills. 3. The status of CW/23208/2026, if it relates to this ITI, shall be reported. 4. The Committee shall decide the matter on receipt of the report.

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026

Signature Not Verified
Signed By:POOJA VERMA
Signing Date:03.11.2026

Sr. No.	ITI Name and Code	Trades/Units	Brief Facts of the Matter	36th SCAA Remarks
			• The land record shows a Khasra number and area different from those in the sale deed, and the land is agricultural and has not been converted; • The bills are handwritten; and • The documents were issued after the Minutes of the 31st SCAA. **(b) Issue and applicable provisions:** The Joint Inspection of 05.05.2026 found that the Building Completion Certificate and the Fire Safety Certificate were not available, the machinery prescribed under the new syllabus was not available, most major machines were not in working condition, an additional floor was not shown in the building map, laptops had been provided in the IT Lab and there was no Drawing Hall; these deficiencies attract Para 7.2(i) of the Norms. **(c) Previous direction:** The 35th SCAA directed the State Directorate, through the Nodal ITI Principal, to verify the ITI's claims of rectification within seven days.	
33.	SPR Pvt. ITI, Baghsara East, Sujangarh, Churu MIS Code: PU08000273	Electrician 4(2+2)	**(a) Facts of the case:** (i) The State Directorate inspected the ITI on 24.12.2024 and issued a Show Cause Notice on 08.01.2025, to which the ITI replied on 28.01.2025; a reminder was also issued on 06.02.2025.	***Cases referred to the State Directorate for verification or comments*** **Decision of the Committee:** 1. The Committee noted that the comments of the State Directorate on the remaining Electrician 1(0+1)

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026

Signature Not Verified
Signed By:POOJA VERMA
Signing Date:03.11.2026

Sr. No.	ITI Name and Code	Trades/Units	Brief Facts of the Matter	36th SCAA Remarks
			(ii) Inspection was refused at the Joint Inspection of 26.06.2025, and the 9th State Skill Development and Entrepreneurship Committee (SSDEC), on 17.09.2025, recommended de-affiliation. (iii) The 25th SCAA issued a Show Cause Notice, to which the ITI replied on 08.01.2026. (iv) The 27th SCAA (Minutes dated 13.04.2026) ordered a Joint Inspection, which was conducted on 15.05.2026. (v) The 31st SCAA (Minutes dated 08.07.2026) allowed Electrician 3(2+1), subject to the Fire Safety Certificate, and sought the comments of the State Directorate on the remaining 1(0+1) unit. (vi) The Director Training, DTE, Jodhpur, vide letter No. DTE/Training/2026/12706 dated 18.08.2026, reported that notice No. 12377 dated 03.08.2026 was issued to the ITI, but the Fire Safety Certificate was not provided. (vii) The ITI addressed a letter dated 17.08.2026 to the JD Training, DTE, Jodhpur, received by DGT by e-mail on 24.08.2026, enclosing a supplier's certificate dated 08.08.2026 and geo-tagged photographs dated 09.08.2026. (viii) The comments of the State Directorate on the remaining Electrician 1(0+1) unit have not been received.	unit, sought by the 31st SCAA, have not been received, and that the document furnished by the ITI as a Fire Safety Certificate is only a certificate of a private supplier for four fire extinguishers, which is not a Fire Safety Certificate. 2. Electrician 3(2+1) shall continue, subject to production of a valid Fire Safety Certificate from the competent authority. 3. In accordance with the procedure, time is allowed to the State Directorate, Rajasthan, which shall furnish its comments on the remaining unit, together with verification of the Fire Safety Certificate, within 15 days. 4. The matter shall be placed before the next SCAA on receipt of the comments.

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026

Signature Not Verified
Signed By:POOJA VERMA
Signing Date:03.11.2026

Sr. No.	ITI Name and Code	Trades/Units	Brief Facts of the Matter	36th SCAA Remarks
			(b) Issue and applicable provisions: The Joint Inspection of 15.05.2026 recommended Electrician 3(2+1) without recording reasons in respect of the remaining 1(0+1) unit, and the Fire Safety Certificate is not available; this attracts Para 7.2(i) of the Norms. **(c) Previous direction:** The 31st SCAA sought the comments of the State Directorate on the remaining Electrician 1(0+1) unit.	
34.	Ansh Pvt. ITI, Kandoli, Rajgarh (Alwar) MIS Code: PR08001805	Fitter 4(2+2); Electrician 4(2+2)	**(a) Facts of the case:** (i) The State Directorate inspected the ITI on 24.12.2024 and issued a Show Cause Notice on 07.01.2025, to which the ITI replied on 13.02.2025. (ii) A Joint Inspection was conducted on 30.07.2025, and the 9th State Skill Development and Entrepreneurship Committee (SSDEC), on 17.09.2025, recommended de-affiliation. (iii) The 25th SCAA issued a Show Cause Notice, to which replies were received on 06.01.2026, 12.01.2026 and 11.02.2026. (iv) The 27th SCAA ordered a fresh Joint Inspection, which was conducted on 28.04.2026 and recommended Electrician and Fitter. (v) The 30th SCAA (Minutes dated 22.06.2026) directed the ITI to furnish the Fire Safety Certificate and Building Completion Certificate	***Deferred and pending cases*** **Decision of the Committee:** 1. The matter is deferred until the Joint Inspection Report is received. 2. The State Directorate, Rajasthan shall submit its verification report on the Fire Safety Certificate and the Building Completion Certificate within two days, quoting the name and MIS code of the ITI. 3. The Committee shall decide the matter on receipt of the report.

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026

Signature Not Verified
Signed By:POOJA VERMA
Signing Date:03.11.2026

Sr. No.	ITI Name and Code	Trades/Units	Brief Facts of the Matter	36th SCAA Remarks
			within 2 weeks, and the State Directorate to verify within 7 days, the verification being due by 13.07.2026. (vi) The ITI submitted letter No. ANSH/ITI/2026/F-NOC/88 dated 19.08.2026, addressed to the Directorate of Technical Education (DTE), Jodhpur and sent by e-mail on 19.08.2026 with a copy to tc-deaffiliation@dgt.gov.in, after the stipulated period, which ended on 06.07.2026. The letter enclosed Fire NOC No. LSG/RAJGARH/FIRENOC/2026-27/70918 dated 17.08.2026 issued by Nagar Palika Rajgarh. (vii) The verification report of the State Directorate has not been received. **(b) Issue and applicable provisions:** The issue is the non-submission of the Fire Safety Certificate and the submission of a Building Completion Certificate not in the prescribed format, as recorded by the 30th SCAA, which attracts Para 7.2(i) of the Norms. **(c) Previous direction:** The 30th SCAA directed the ITI to rectify the deficiencies within two weeks and the State Directorate to verify the rectification and report within seven days.	
35.	Arpan Pvt. ITI, Uchchain, Roopbas, Bharatpur	Electrician 2(1+1); Fitter 2(1+1)	**(a) Facts of the case:** (i) The State Directorate inspected the ITI on 24.12.2024 and issued a Show Cause Notice	***Deferred and pending cases*** **Decision of the Committee:** 1. The matter is deferred until the Joint Inspection Report is received.

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026

Signature Not Verified
Signed By:POOJAVERMA
Signing Date:03.11.2026

Sr. No.	ITI Name and Code	Trades/Units	Brief Facts of the Matter	36th SCAA Remarks
	MIS Code: PR08000056		on 03.01.2025, to which the ITI replied on 21.01.2025. (ii) Following the Joint Inspection of 09.09.2025, the 10th State Skill Development and Entrepreneurship Committee (SSDEC), on 23.09.2025, recommended continuation of Electrician 2(1+1) and de-affiliation of Fitter. (iii) The 25th SCAA issued a Show Cause Notice, to which the ITI replied on 12.01.2026. (iv) The 27th SCAA (Minutes dated 13.04.2026) directed a Joint Inspection, which was conducted on 18.05.2026. (v) The 31st SCAA (Minutes dated 08.07.2026) issued a Show Cause Notice, to which the ITI replied on 23.07.2026. (vi) The 35th SCAA (Minutes dated 21.09.2026) allowed both trades and directed a fresh Joint Inspection of the Fitter trade within 3 months, that is, by 21.12.2026. (vii) The report of the fresh Joint Inspection of Fitter 2(1+1), due on 21.12.2026, has not yet been received. **(b) Issue and applicable provisions:** The Joint Inspection of 09.09.2025 found deficiencies in the Fitter tools and equipment, and the Joint Inspection of 18.05.2026 did not find the ITI at the NCVT-MIS coordinates; the ITI's claim that there is no deficiency in the Fitter trade is subject to verification a fresh	2. The State Directorate / RDSDE, Rajasthan shall conduct the fresh Joint Inspection of the Fitter units, which is due by 21.12.2026. 3. The matter shall be placed before the Committee on receipt of the report.

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026

Signature Not Verified
Signed By:POOJA VERMA
Signing Date:03.11.2026

Sr. No.	ITI Name and Code	Trades/Units	Brief Facts of the Matter	36th SCAA Remarks
			Joint Inspection, and the matter attracts Para 7.2(i) of the Norms. **(c) Previous direction:** The 35th SCAA accepted the compliance and directed a fresh Joint Inspection of the Fitter units within three months.	
36.	Balaji Pvt. ITI, Govindgarh, Jaipur MIS Code: PR08001524	Electrician 4(2+2)	**(a) Facts of the case:** (i) The State Directorate inspected the ITI on 24.12.2024 and issued a Show Cause Notice on 07.01.2025, to which the ITI replied on 29.01.2025. (ii) The ITI refused the Joint Inspection on 25.06.2025, and the 9th State Skill Development and Entrepreneurship Committee (SSDEC), on 17.09.2025, recommended de-affiliation. (iii) The 25th SCAA issued a Show Cause Notice, to which the ITI replied on 12.01.2026. (iv) The 27th SCAA ordered a fresh Joint Inspection, which was conducted on 24.04.2026 and recommended Electrician (2+2). (v) The 30th SCAA (Minutes dated 22.06.2026) directed the ITI to remove the deficiencies within 2 weeks and the State Directorate to verify within 7 days, the verification being due by 13.07.2026. (vi) The verification report of the State Directorate on removal of the deficiencies, due on	***Deferred and pending cases*** **Decision of the Committee:** 1. The matter is deferred until the Joint Inspection Report is received. All submissions shall identify the ITI by name and MIS code. 2. The Committee shall decide the matter on receipt of the report.

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026

Signature Not Verified
Signed By:POOJAAVERMA
Signing Date:03.11.2026

Sr. No.	ITI Name and Code	Trades/Units	Brief Facts of the Matter	36th SCAA Remarks
			13.07.2026, has not been received, and no compliance report of the ITI is on record. **(b) Issue and applicable provisions:** The 30th SCAA recorded the provision of laptops instead of computer systems in the IT Lab and the non-availability of the Fire Safety Certificate and the Building Completion Certificate, and the ITI had earlier refused the Joint Inspection on 25.06.2025; these attract Para 7.2(i) and (ix) of the Norms. **(c) Previous direction:** The 30th SCAA directed the ITI to rectify the deficiencies within two weeks and the State Directorate to verify the rectification and report within seven days.	
37.	Balaji Pvt. ITI, Geejgarh (Sikrai), Dausa MIS Code: PR08000758	Electrician 4(2+2)	**(a) Facts of the case:** (i) The State Directorate inspected the ITI on 24.12.2024 and issued a Show Cause Notice on 07.01.2025, to which the ITI replied on 25.01.2025. (ii) A Joint Inspection was conducted on 04.07.2025, and the 9th State Skill Development and Entrepreneurship Committee (SSDEC), on 17.09.2025, recommended continuation. (iii) The 25th SCAA (Minutes dated 23.12.2025) directed removal of the deficiencies, whereupon the State Directorate issued a Show Cause Notice.	***Deferred and pending cases*** **Decision of the Committee:** 1. The matter is pending the inspection report of the Commissioner appointed by the Hon'ble Court, the cost of which is to be borne by the petitioner. 2. The TC Section (Court Cases), DGT shall obtain the Commissioner's report. 3. The matter shall be placed before the Committee on receipt of the Commissioner's report and considered further in accordance with the orders of the Hon'ble Court.

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026

Signature Not Verified
Signed By:POOJAVERMA
Signing Date:03.11.2026

Sr. No.	ITI Name and Code	Trades/Units	Brief Facts of the Matter	36th SCAA Remarks
			(iv) The Joint Inspection conducted on 18.06.2026 found severe deficiencies, and the 12th SSDEC, on 23.06.2026, recommended de-affiliation. (v) The 33rd SCAA (Minutes dated 07.08.2026) issued a final Show Cause Notice, with the reply due by 22.08.2026, and directed that no admissions be made until the deficiencies are rectified. (vi) No reply to the final Show Cause Notice has been received. (vii) The Hon'ble Court has appointed a Commissioner to inspect the ITI; the inspection and the Commissioner's report are awaited. **(b) Issue and applicable provisions:** The Joint Inspection of 18.06.2026 found an unregistered lease, an electricity connection not in the name of the ITI, a shortage of staff and machinery, structural cracks and the absence of a Fire Safety Certificate; these deficiencies attract Para 7.2(i), (v) and (x) of the Norms. **(c) Previous direction:** The 33rd SCAA directed the issue of a final Show Cause Notice, returnable within 15 days, and directed that no admission be made in 2026-27 until the deficiencies are rectified and verified.	

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026

Signature Not Verified
Signed By:POOJA VERMA
Signing Date:03.11.2026

Sr. No.	ITI Name and Code	Trades/Units	Brief Facts of the Matter	36th SCAA Remarks
38.	L.S.M.D. Bharatpur Pvt. ITI, Bharatpur MIS Code: PU08001504	Electrician 2(1+1); Fitter 2(1+1)	**(a) Facts of the case:** (i) The State Directorate inspected the ITI on 24.12.2024 and issued a Show Cause Notice on 03.01.2025, to which the ITI replied on 18.01.2025. (ii) A Joint Inspection was conducted on 18.08.2025, and the 10th State Skill Development and Entrepreneurship Committee (SSDEC), on 23.09.2025, recommended de-affiliation. (iii) The 25th SCAA issued a Show Cause Notice, to which the ITI replied on 02.01.2026. (iv) The 27th SCAA (Minutes dated 13.04.2026) ordered a Joint Inspection, which was conducted on 20.05.2026. (v) The 31st SCAA (Minutes dated 08.07.2026) issued a Show Cause Notice, to which the ITI replied on 22.07.2026. (vi) The 35th SCAA (Minutes dated 21.09.2026) allowed Electrician 2(1+1), directed submission of the Fire Safety Certificate within 1 month, that is, by 21.10.2026, and directed a fresh Joint Inspection within 3 months, that is, by 21.12.2026. (vii) The Fire Safety Certificate, due on 21.10.2026, has not been furnished; the e-mail of the ITI dated 09.10.2026 encloses only the Fire NOC application dated 22.07.2026.	***Deferred and pending cases*** **Decision of the Committee:** 1. The Committee noted that the Fire Safety Certificate required by the 35th SCAA by 21.10.2026 has not been furnished, the ITI having produced only an online Fire NOC application dated 22.07.2026, and that the area of the premises in the registered rent deed (683.80 sq. m) differs from that in the plan and the Fire NOC application (about 1,367 sq. m). 2. The matter is deferred until the Joint Inspection Report is received. 3. The ITI shall produce the Fire Safety Certificate before the Joint Inspection. 4. The State Directorate / RDSDE, Rajasthan shall conduct the Joint Inspection by 21.12.2026, and the Joint Inspection shall specifically verify the following, with reference to Para 7.2(i) and (v) and Chapters 9 and 10 of the Norms: (i) the Fire Safety Certificate; (ii) the lease and the land area; (iii) the building layout; and

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026

Signature Not Verified
Signed By:POOJA VERMA
Signing Date:03.11.2026

Sr. No.	ITI Name and Code	Trades/Units	Brief Facts of the Matter	36th SCAA Remarks
			(viii) The report of the fresh Joint Inspection, due on 21.12.2026, has not yet been received. **(b) Issue and applicable provisions:** The Joint Inspection of 20.05.2026 found that the lease was not registered, the name of the ITI did not match, the building layout did not match the site and the workshop was a tin shed; in addition, the Drawing Hall does not conform to the Norms and the Fire Safety Certificate is not available. These deficiencies attract Para 7.2(i) and (v) of the Norms. **(c) Previous direction:** The 35th SCAA accepted the compliance and directed a fresh Joint Inspection within three months.	(iv) the Drawing Hall. 5. The matter shall be placed before the Committee on receipt of the Joint Inspection Report.
39.	Smt. Dhapu Devi Memorial Pvt. ITI, Barmer MIS Code: PU08001697	Electrician 2(1+1); Fire Technology and Industrial Safety Management (FTISM) 4(2+2); Health Safety and Environment 1(1+0); Health Sanitary Inspector 1(1+0)	**(a) Facts of the case:** (i) The State Directorate inspected the ITI on 24.12.2024 and issued a Show Cause Notice on 04.01.2025, to which the ITI replied on 25.01.2025; a reminder was also issued on 03.02.2025. (ii) The ITI refused the Joint Inspection on 16.06.2025, and the 9th State Skill Development and Entrepreneurship Committee (SSDEC), on 17.09.2025, recommended de-affiliation. (iii) The 25th SCAA issued a Show Cause Notice, to which the ITI replied on 12.01.2026.	***Deferred and pending cases*** **Decision of the Committee:** 1. The Committee noted the documents submitted. 2. The State Directorate, Rajasthan shall verify the availability of the Fire Tender under the MoU and the ownership, type and availability of the Rescue Van, along with the Dead Stock Register, and shall submit a verification report, with a specific recommendation on the FTISM units, within two weeks, as prescribed under the Norms.

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026

Signature Not Verified
Signed By:POOJA VERMA
Signing Date:03.11.2026

Sr. No.	ITI Name and Code	Trades/Units	Brief Facts of the Matter	36th SCAA Remarks
			(iv) The 27th SCAA (Minutes dated 13.04.2026) ordered a Joint Inspection, which was conducted on 14.05.2026. (v) The 31st SCAA (Minutes dated 08.07.2026) allowed Electrician, Health Sanitary Inspector and Health Safety and Environment, subject to the Dead Stock Register, and sought the comments of the State Directorate on the Fire Tender and Rescue Van for FTISM. (vi) On 21.10.2026, the State Directorate and the RDSDE forwarded an MoU dated 07.08.2025 with Nagar Parishad, Barmer for the use of its Fire Tender for practical training, valid for five years, and the registration certificate of a vehicle offered as the Rescue Van. (vii) No verification by the State Directorate is on record. **(b) Issue and applicable provisions:** In the FTISM trade, the Joint Inspection of 14.05.2026 found trainee tool kits available for one unit only and no staff for the second unit, and the availability of the Fire Tender and Rescue Van has not been confirmed; these attract Para 7.2(i) and (iv) of the Norms. **(c) Previous direction:** The 31st SCAA allowed Electrician, Health Sanitary Inspector and Health Safety and Environment, subject to the Dead Stock Register, and sought the comments of the State	3. The matter shall be placed before the next meeting of the Committee on receipt of the report.

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026

Signature Not Verified
Signed By:POOJA VERMA
Signing Date:03.11.2026

Sr. No.	ITI Name and Code	Trades/Units	Brief Facts of the Matter	36th SCAA Remarks
			Directorate on the Fire Tender and Rescue Van for FTISM.	
40.	Vinayak Pvt. ITI, Newai, Tonk MIS Code: PR08001217	Electrician 4(2+2)	**(a) Facts of the case:** (i) The State Directorate inspected the ITI on 24.12.2024 and issued a Show Cause Notice on 04.01.2025, to which the ITI replied on 24.01.2025. (ii) A Joint Inspection was conducted on 29.07.2025, and the 9th State Skill Development and Entrepreneurship Committee (SSDEC), on 17.09.2025, recommended de-affiliation. (iii) The 25th SCAA issued a Show Cause Notice, to which the ITI replied on 13.01.2026. (iv) The 27th SCAA (Minutes dated 13.04.2026) ordered a Joint Inspection, which was conducted on 12.05.2026. (v) The 31st SCAA (Minutes dated 08.07.2026) issued a final Show Cause Notice, to which the ITI replied on 22.07.2026. (vi) The 35th SCAA (Minutes dated 21.09.2026) allowed admission for 2026-27 and directed a fresh Joint Inspection within 3 months, that is, by 21.12.2026. (vii) The fresh Joint Inspection is due on 21.12.2026, and no verification report for this ITI is on record.	***Deferred and pending cases*** **Decision of the Committee:** 1. The matter is deferred until the Joint Inspection Report is received. 2. The State Directorate / RDSDE, Rajasthan shall conduct the fresh Joint Inspection by 21.12.2026. 3. The Committee shall decide the matter in accordance with the Norms on receipt of the report.

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026

Signature Not Verified
Signed By:POOJA VERMA
Signing Date:03.11.2026

Sr. No.	ITI Name and Code	Trades/Units	Brief Facts of the Matter	36th SCAA Remarks
			(b) Issue and applicable provisions: The Joint Inspection of 12.05.2026, which recommended no unit, found that the Drawing Hall was not available, the IT Lab computers were non-functional, the rooms did not conform to the Norms, the original records were not produced and the Fire Safety Certificate was not available; these deficiencies attract Para 7.2(i) of the Norms, and compliance is to be verified by a fresh Joint Inspection. **(c) Previous direction:** The 35th SCAA directed a fresh Joint Inspection within three months.	

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026

Signature Not Verified
Signed By:POOJA VERMA
Signing Date:03.11.2026

Annexure-8 as referred in Agenda 9: Miscellaneous Matters

Sr. No.	ITI Name and Code	State	Brief Facts of the Matter	36th SCAA Remarks
I.	II.	III.	IV.	V.
1.	Laxmi Devi Pvt. ITI PR08001587	Rajasthan	**Brief of matter:** 1. The matter of Laxmi Devi Pvt. ITI (PR08001587), Rajasthan was discussed in the 6th SCAA meeting dated 30.08.2022 under Agenda 2.6.2, Page 54. The SCAA did not recommend the shifting of the ITI to the new location because of certain deficiencies. The minutes of that meeting were also published in the public domain. 2. In Court case WP 10551/2020, the Hon'ble Court passed an interim order dated 07.10.2020 directing the respondents to provisionally include the petitioner institute in the Seat Matrix 2020. This prayer has already been complied with. The case has not been listed for a long time and still shows as pending. The ITI is active and affiliated at the old location. 3. As, the shifting is not recommended at the new location, ITI must be de-affiliated at the old location. As ITI does not exist at either of the locations since the shifting is not recommended at the new location and as per clause 3.5.1 of Affiliation norms 2018, if any ITI relocates to the new location it leads to de-affiliation of the Institute at the old location. 4. On the contrary, if ITI had been recommended for shifting to a new location, the address on the	The matter was discussed in the 36th SCAA, and based of the facts of the case SCAA observed that the prayer in WPC 10551/2020 has already been complied with and the case has not been listed for a long time. It also noted that the 6th SCAA had not recommended the ITI at the new location. Accordingly, the 36th SCAA decided that the all affiliated trades/units at the old location stand de-affiliated.

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026

Signature Not Verified
Signed By:POOJA VERMA
Signing Date:03.11.2026

Sr. No.	ITI Name and Code	State	Brief Facts of the Matter	36th SCAA Remarks
			SIDH portal would have been updated but on the SIDH portal shows the old address of the ITI . 5. The ITI is therefore liable to be de-affiliated at the old location.	
2.	VNBP Pvt. ITI PR09001655	Uttar Pradesh	**Brief of Matter:** 1. The petitioner Institute, V.N.B.P Private ITC, Gorakhpur, Uttar Pradesh (MIS Code: PR09001655), was placed at Sr. No. 70 of the list of ITIs de-affiliated vide decision dated 22.10.2020 (10th recommendation meeting dated 15.10.2020), and the de-affiliation order was issued on 28.01.2021. The said decision was challenged by the Institute before the Hon'ble High Court of Delhi in W.P.(C) No. 1506/2021, seeking (a) quashing of the decision dated 22.10.2020, (b) restoration of affiliation for 2 units in Electrician trade and permission to admit trainees from session 2020-21, and (c) affiliation for 4 additional units of Electrician trade, against which the Institute had deposited a Bank Guarantee of Rs. 6,00,000/-. 2. The Hon'ble Court, vide order dated 22.11.2022, disposed of the writ petition, holding that the decision dated 22.10.2020 and the de-affiliation order dated 28.01.2021 were not preceded by any show-cause notice, that the former was a non-speaking order, and that the latter was passed while a stay order was operating and cited deficiencies never intimated to the Institute.	The 36th SCAA deliberated on the matter and, based on the facts of the case, noted that the WPC No. 1506/2021 was disposed of by the Hon'ble Court vide order dated 22.11.2022, which directed that the order dated 28.01.2021 be treated as a show-cause notice, with the Institute to file its reply within three weeks, i.e., by 13.12.2022, after which the DGT was to pass a speaking order. No reply was received from the ITI. The SCAA also noted that the 10th SCAA had decided to de-affiliate the ITI on the NCVT MIS portal in terms of the order dated 28.01.2021, In view of the above, the 36th SCAA directed the TC Section to issue a reasoned, speaking de-affiliation order in respect of the ITI in compliance of Hon'ble High Court directions.

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026

Signature Not Verified
Signed By:POOJA VERMA
Signing Date:03.11.2026

Sr. No.	ITI Name and Code	State	Brief Facts of the Matter	36th SCAA Remarks
			Both were accordingly set aside qua the Institute. The Hon'ble Court directed that the order dated 28.01.2021 be treated as a show-cause notice, with the Institute to file its reply within three weeks, i.e., by 13.12.2022; that DGT thereafter pass a speaking order, preferably within four weeks from receipt of the reply; and that the Institute, if aggrieved, may avail remedies available under law. The Hon'ble Court expressed no opinion on the merits of the case. 3. The Institute, however, did not submit any reply/response to DGT by 13.12.2022 and did not avail the opportunity granted by the Hon'ble Court to put forth its stand against the deficiencies cited. 4. Thereafter, the matter was placed before the 10th SCAA on 16.06.2023 (Agenda Item 4.4.4, page 40 of the MoM), wherein, based upon the State report, it was decided to de-affiliate the ITI on the NCVT MIS portal as per the order dated 28.01.2021. Further, speaking order for de-affiliation is to be issued in compliance of Hon'ble Court directions.	
3.	Srinivasa Pvt. ITI PR29000168	Karnataka	1. The petitioner Institute, Srinivasa ITI (MIS Code: PR29000168), had shifted/relocated its institute premises outside the district. Accordingly, as per the decision of the 7th SCAA Meeting held on 22.11.2022, the Institute was not recommended for affiliation at the new location in [illegible] of the	The 36th SCAA deliberated on the matter and, based on the facts of the case, noted that WPC No. 5104/2023 was disposed of by the Hon'ble Court vide order dated 27.11.2023, dismissing the writ petition as

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026

Signature Not Verified
Signed By:POOJAVERMA
Signing Date:03.11.2026

Sr. No.	ITI Name and Code	State	Brief Facts of the Matter	36th SCAA Remarks
			extant policy. The said decision was challenged by the Institute before the Hon'ble Court in W.P.(C) No. 5104/2023. 2. In a batch of writ petitions concerning ITIs in Karnataka, the Hon'ble Court had granted interim relief permitting the petitioners to upload the data for the session 2022-23. In compliance thereof, 05 OMs were issued by DGT for admission of trainees, including the petitioner Institute. Further, pursuant to the directions of the Hon'ble Court, the NIMI portal was opened from 18.08.2023 to 17.09.2023 to enable the concerned ITIs to regularize shifting as per the new guidelines issued on 30.06.2023. 3. The Hon'ble Court, vide order dated 27.11.2023, dismissed the writ petition as withdrawn, as the petitioner sought permission to withdraw the petition stating that only the formality of issuance of the certificate was pending, with liberty to approach the Hon'ble Court in the event the re-affiliation certificate was not issued. 4. It is pertinent to mention that, out of the concerned petitioners, only 06 petitioners applied and deposited the requisite fee on the portal when it was opened pursuant to the directions of the Hon'ble Court. The petitioner Institute, however, did not apply or deposit the requisite fee during the said period.	withdrawn, the petitioner having sought permission to withdraw it on the ground that only the formality of issuing the certificate was pending, with liberty to approach the Court if the re-affiliation certificate was not issued. Pursuant to the Court's directions, the NIMI portal was opened from 18.08.2023 to 17.09.2023 to enable the concerned ITIs to regularize shifting as per the new guidelines dated 30.06.2023; however, the Institute neither applied nor deposited the requisite fee during this period. The SCAA also noted that the Institute's case for affiliation at the relocated/new location had already not been recommended by the 7th SCAA. Since the writ petition was withdrawn and the Hon'ble Court's order dated 27.11.2023 contained no specific direction regarding continuation of affiliation or re-affiliation of the Institute, the SCAA decided that all affiliated trades/units of the ITI at the old location stand de-affiliated. The Institute may apply afresh for affiliation in accordance with the New Affiliation Norms, 2025.

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026

Signature Not Verified
Signed By:POOJA VERMA
Signing Date:03.11.2026

Sr. No.	ITI Name and Code	State	Brief Facts of the Matter	36th SCAA Remarks
			5. At present, the petitioner Institute is shown as active and affiliated on the portal at its old location in District Kolar. However, its case for affiliation at the relocated/new location had already been not recommended by the 7th SCAA Meeting. Further, since the writ petition was withdrawn and no specific direction regarding continuation of affiliation or re-affiliation of the Institute was passed by the Hon'ble Court in its order dated 27.11.2023, the status of the trades/units at the old location is required to be dealt with in accordance with the applicable affiliation policy and the decision of the SCAA. 6. Accordingly, the withdrawal of the writ petition does not, by itself, confer any approval for affiliation/re-affiliation of the Institute at the new location. Hence, the ITI is liable to be de-affiliated at old location.	

Signature Not Verified
Signed By:KETANKUMAR PRAVINBHAI PATEL
Signing Date:03.11.2026

Signature Not Verified
Signed By:POOJA VERMA
Signing Date:03.11.2026