

Shram Shakti Bhawan, New Delhi Dated: 20.01.2017

To,

The Director of Industrial Training Directorate of Industrial Training Technical Education & Training Department, Government of West Bengal, Karigori Bhaban, Rajarhat, Kolkata-700160

Sub : Correction in the number of Trade/Units granted to the Institute in respect of Ausgram II Govt. ITI, Bardhaman Debshala, Ausgram, II West Bengal, Pin- 713156,Issue of Corrigendum

Sir,

It is to inform you in respect of Ausgram II Govt. ITI, Bardhaman Debshala, Ausgram, II West Bengal, Pin-713156, regarding the Correction in the number of Trade/Units granted to the Institute.

Accordingly the correction has been carried out for affiliation orders no DGT 12/1/2016 -TC dated 07.10.2016 (S. No.48 / West Bengal) and affiliation order after getting clarification from QCI meeting dated 07.10.2016 (S. No. 12/ West Bengal) QCI application No. A16002689 and amended as :-

For

S.	Name, Address & File No. of the	Trade	Unit for wh	nich affiliation	sought/recommen	nded by
NO.	Institute		instt.	QCI	Approved by sub committee of NCVT	Remarks
48	Ausgram II Govt. ITI Bardhaman Debshala, Ausgarm, II West Bengal	Suveyor Welder Sewing Technology	3(1+1+1) 3(1+1+1) 3(1+1+1)	3(1+1+1) 3(1+1+1) 3(1+1+1)	3(1+1+1) 3(1+1+1) 3(1+1+1)	A16002689 w.e.f. Aug 2016
	Read as				1 Associations	
48 12	MIS Code : GR19000224 Ausgram II Govt. ITI Bardhaman Debshala,	Suveyor Welder	3(1+1+1) 3(1+1+1)	3(1+1+1) 3(1+1+1)	3(1+1+1) 3(1+2+1)	A16002689 w.e.f. Aug 2016
	Ausgarm, II West Bengal, Pin- 713156 DGT-6/25/43/2016-TC	Sewing Technology	3(1+1+1)	3(1+1+1)	3(1+1+1)	
-	in the state stress in the state of	COPA	3(1+1+1)	3(1+1+1)	3(1+1+1)	$\left(\right)$

In view of above, you may update your records accordingly.

ours faithfully

(Raj Kumar Pathalo)

Member Secretary (NCVT)

Copy to: 1. The C. E. O. NABET c/o Quality Council of India, ITPI Building, 6th Floor, 4 A, Ring Road, I P Estate, Delhi – 110002.

- The Principal, Ausgram II Govt. ITI, Bardhaman Debshala, Ausgram, II West Bengal, Pin- 713156
- Officer dealing with NCVT MIS Portal to Update Data.
- 4. Fill No DGT-6/25/43/2016-TC

(M. C Kardam) Joint Director of Training Email: mc.kardam@nic.in



Shram Shakti Bhawan , New Delhi Dated :20-01-2017

To,

The Director

Directorate of Employment & Training Guru Gobind Singh Marg, Lucknow – 226004 Uttar Pradesh

Sub : Affiliation of S.B.G.M Private ITI, 8/11 Mundera Bazar, Chauri-Chaura, Distric-Gorakhpur-273201, Uttar Pradesh , Issue of Corrigendum

Sir,

I am directed to inform you in respect of S.B.G.M Private ITI, 8/11 Mundera Bazar, Chauri-Chaura, Distric- Gorakhpur-273201, Uttar Pradesh regarding the <u>Correction in the address of the</u> Institute.

Accordingly the correction has been carried out for affiliation order no DGET 12/1/2016 -TC dated 07-10-2016 (S. No. 54 / Uttar Pradesh) QCI A16000822 and amended as:

For

SBGM Private ITI, Gonda 8/11 Mundera Bazar, Chauri-Chaura, Distric- Gorakhpur-273201, Uttar Pradesh

Read as MIS Code:- PU09900260 SBGM Private ITI, 8/11 Mundera Bazar, Chauri-Chaura, Distric- Gorakhpur-273201, Uttar Pradesh DGT-6/24/212/2016-TC

In view of above, you may update your records accordingly.

ours faithfully

(Raj Kumar Pathak) Director of Training/ Member Secretary (NCVT)

Copy to: 1. The C. E. O. NABET c/o Quality Council of India, ITPI Building, 6th Floor, 4 A, Ring Road, I P Estate, Delhi – 110002.

- The Principal, S.B.G.M Private ITI, 8/11 Mundera Bazar, Chauri-Chaura, Distric- Gorakhpur- 273201, Uttar Pradesh.
- 3. Officer dealing with NCVT MIS Portal to Update Data.
- 4. File No. DGT-6/24/212/2016-TC



Shram Shakti Bhawan , New Delhi Dated : 20-01-2017

To,

The Commisioner, Employment & Training, Koshaliya Bhawan, Dairy Circle, Banargatta Road, Bangalore-560029 Karnataka

Sub : Affiliation of Sri Goggachannabasaiah Private ITI, Sanapur Road, Near Govt. Hospital, Kampli, Bellary, Pin- 583132, KarnatakaIssue of Corrigendum

Sir,

I am directed to inform you in respect of Sri Goggachannabasaiah Private ITI, Sanapur Road, Near Govt. Hospital, Kampli, Bellary, Pin- 583132, Karnataka regarding the <u>Correction in the address</u> of the Institute.

Accordingly the correction has been carried out for affiliation order no DGET 12/1/2016 -TC dated 16-09-2016 (S. No. 6 / Karnataka) QCI A16000198 and amended as:

For

Sri Goggachannabasaiah Private ITI Bellary, Sanapur Road, Near Govt. Hospital, Kampli, Karnataka

Read as

MIS Code:- PU29000995 Sri Goggachannabasaiah Private ITI, Sanapur Road, Near Govt. Hospital, Kampli, Bellary, Pin- 583132, Karnataka In view of above, you may update your records accordingly.

burs faithfully

(Raj Kumar Pathak) Director of Training/ Member Secretary (NCVT)

Copy to: 1. The C. E. O. NABET c/o Quality Council of India, ITPI Building, 6th Floor, 4 A, Ring Road, I P Estate, Delhi – 110002.

 The Principal, Sri Goggachannabasaiah Private ITI, Sanapur Road, Near Govt. Hospital, Kampli, Bellary, Pin- 583132, Karnataka.

Officer dealing with NCVT MIS Portal to Update Data.

4. File No. DGT-6/10/91/2009-TC

winda



Shram Shakti Bhawan, New Delhi Dated: 20.01.2017

To.

The Director Directorate of Technical Education & Training. Killa Maidan, Cuttack-753001, Orissa

Sub: Correction in the number of units/trades in respect of Government ITI BOUDH, Boudh, Odisha-762014... Issue of Corrigendum

Sir,

It is to inform you in respect of Government ITI BOUDH, Boudh, Odisha -762014 regarding the Correction in the number of Trade/Units granted to the Institute.

Accordingly the correction has been carried out for affiliation order no DGET 12/1/2016 -TC dated 07.10.2016 (S. No.2 / Odisha-) and amended as :-For

SI	App. No.	Name & Address	Old/ New			or which affilia ended/approv		DGT file reference
N 0.				Trade	Instt.	δ C I	Approved by Sub- Committee of NCVT	
2	NXT003490	Government ITI BOODH BOUDH, Boudh, Boudh, Odisha-762014	Old	Textile Wet Processing Dress Making Electronics Mechanic	3(1+1+1) 3(1+1+1) 3(1+1+1)	3(1+1+1) 3(1+1+1) 3(1+1+1)	3(1+1+1) 3(1+1+1) 3(1+1+1)	w.e.f. August 2016

	4XT003490	MIS code: GU21000496 Government ITT BOUDH BOUDH, Odisha-762014	Old	Fitter	6(2+2+2)	6(2+2+2)	6(2+2+2)	DEGT- 6/18/11/97-TC w.e.f. August 2016
--	-----------	---	-----	--------	----------	----------	----------	---

In view of above, you may update your records accordingly.

Yours faithfully

(Raj Kumar Pathak) Director of Training/ Member Secretary (NCVT)

Copy to: 1. The C. E. O. NABET c/o Quality Council of India, ITPI Building, 6th Floor, 4 A, Ring Road, I P Estate, Delhi - 110002

- 2. The Principal , Government ITI BOUDH , Boudh , Odisha-762014.
- 3. Officer dealing with NCVT MIS Portal to Update Data.
- 4. File No. DEGT-6/18/11/97-TC

DU



Shram Shakti Bhawan, New Delhi Dated: 20.01.2017

To,

The Director Directorate of Technical Education & Training. Killa Maidan, Cuttack-753001, Orissa

Sub: Correction in the number of units/trades in respect of Govt.ITI Purushottampur, At-Jagannathpalli, Po-Jagannathpur, Near Tara Tarini Junction, Via-Bhatakumarada, Chatrapur, GANJAM, Odisha-761003...Issue of Corrigendum

Sir,

It is to inform you in respect of Govt.ITI Purushottampur, At-Jagannathpalli, Po-Jagannathpur, Near Tara Tarini Junction, Via-Bhatakumarada, Chatrapur, GANJAM, Odisha-761003 regarding the Correction in the number of Trade/Units granted to the Institute.

Accordingly the correction has been carried out for affiliation order no DGET 12/1/2016 -TC dated 30.08.2016 (S. No.4 / Odisha-) and amended as :-

SI	App. No.	Name & Address	Old/ New		rade /units f ught/recomm			DGT file reference
N 0.				Trade	Instt.	QCI	Approved by Sub-Committee of NCVT	
4	APP004806	Govt.ITI Purushottampur, At- Jagannathpalii, Po- Jagannathpur, Near Tara Tarini Junction, Via- Bhatakumarada, Chatrapur, GANJAM, Odisha-761003	Old	Fitter Welder COPA Painter (G) Plumber Wireman	3(1+1+1) 2(0+0+2) 2(1+1) 2(1+1) 2(1+1) 2(1+1) 2(1+1)	3(1+1+1) 2(0+0+2) 2(1+1) 2(1+1) 2(1+1) 2(1+1) 2(1+1)	3(1+1+1)2(0+0+2)2(1+1)2(1+1)2(1+1)2(1+1)2(1+1)	w.e.f. August 2016
	R	lead as			10			
4	APP004806	Govt.ITI Purushottampur, At- Jagannathpalli, Po- Jagannathpur, Near Tara Tarini Junction, Via- Bhatakumarada, Chatrapur, GANJAM, Odisha-761003	Old	Fitter Welder COPA Painter (G) Plumber Wireman Electrician	3(1+1+1) 2(0+0+2) 2(1+1) 2(1+1) 2(1+1) 2(1+1) 6(2+2+2)	3(1+1+1) 2(0+0+2) 2(1+1) 2(1+1) 2(1+1) 2(1+1) 6(2+2+2)	3(1+1+1) 2(0+0+2) 2(1+1) 2(1+1) 2(1+1) 2(1+1) 6(2+2+2)	w.e.f. August 2016

In view of above, you may update your records accordingly.

Yours faithfully

(Raj Kumar Pathak)²⁴ Director of Training/

Member Secretary (NCVT)

Copy to: 1. The C. E. O. NABET c/o Quality Council of India, ITPI Building, 6th Floor, 4 A, Ring Road, I P Estate, Delhi – 110002

 The Principal, Govt.ITI Purushottampur, At-Jagannathpalli, Po-Jagannathpur, Near Tara Tarini Junction, Via-B hatakumarada, Chatrapur, GANJAM, Odisha-761003

3. Officer dealing with NCVT MIS Portal to Update Data.

an



Shram Shakti Bhawan, New Delhi Dated: 20.01.2017

To,

The Director Directorate of Technical Education & Training. Killa Maidan, Cuttack-753001, Orissa

Sub: Correction in the number of units/trades in respect of Madhusudan Govt. ITI, B.O.S.E Campus, Po-SCB Medical College, Cuttack, Odisha-753007... Issue of Corrigendum

Sir,

It is to inform you in respect of Madhusudan Govt. ITI, B.O.S.E Campus, Po-SCB Medical College, Cuttack, Odisha-753007 regarding the Correction in the number of Trade/Units granted to the Institute.

Accordingly the correction has been carried out for affiliation order no DGET 12/1/2016 -TC dated 16.09.2016 (S. No.14 / Odisha-) and amended as :-

SI. No.	App. No.	Name & Address	Old/ New		Trade /units for which affiliation sought/recommended/approved by				
				Trade	Instt.	QCI	Approved by Sub-Committee of NCVT	·	
14	APP005053	Madhusudan Govt. ITI, B.O.S.E Campus, Po- SCB Medical College, Cuttack, Odisha- 753007	Old	Draghtsman (Civil)	1(0+1)	1(0+1)	1(0+1)	w.e.f. August 2016	
	R	lead as	1		1				
14	APP005053	Madhusudan Govt. ITI, B.O.S.E Campus, Po- SCB Medical College, Cuttack, Odisha- 753007	Old	Draghtsman (Civil) Fitter Electrician	1(0+1) 2(0+0+2) 2(0+0+2)	1(0+1) 2(0+0+2) 2(0+0+2)	1(0+1) 2(0+0+2) 2(0+0+2)	w.e.f. August 2016	
				Electronics Mechanic	1(0+0+1)	1(0+0+1)	1(0+0+1)	~	

(Raj Kumar Pathak) Director of Training/

Yours faithfully

Member Secretary (NCVT)

Copy to: 1. The C. E. O. NABET c/o Quality Council of India, ITPI Building, 6th Floor, 4 A, Ring Road, I P Estate, Delhi - 110002

2. The Principal, Madhusudan Govt. ITI, B.O.S.E Campus, Po-SCB Medical College, Cuttack, Odisha- 753007

3. Officer dealing with NCVT MIS Portal to Update Data.



Shram Shakti Bhawan, New Delhi Dated: 20-01-2017

To,

The Director Directorate of Technical Education W-6, Residency Road, Jodhpur-342001, Rajasthan

Sub : Affiliation of Nathdwara Private ITI, Upali Oden, Nathdwara, Rajsamand, Rajasthan-313301.....Issue of Corrigendum

Sir.

I am directed to inform you in respect of Nathdwara Private ITI, Upali Oden, Nathdwara, Rajsamand, Rajasthan - 313301 regarding the Correction in the name of the Institute.

Accordingly the correction has been carried out for affiliation order no DGET 12/1/2015 -TC dated 28-8-2015 (S. No.92 / Uttar Pradesh) QCI App004192 and amended as:

For

Govt. ITI, Nathdwara, Dist. Rajsamad, Pin-313301, Rajasthan

DGT-6/20/1/1997-TC

Read as

Nathdwara Private ITI, Upali Oden, Nathdwara, Rajsamand, Rajasthan-313301

DGT-6/20/1/1997-TC In view of above, you may update your records accordingly.

Yours faithfully

(Raj Kumar Pathak Director of Training/ Member Secretary (NCVT

- Copy to: 1. The C. E. O. NABET c/o Quality Council of India, ITPI Building, 6th Floor, 4 A. Ring Read, I P Estate, Delhi - 110002
 - The Principal, Nathdwara Private ITI, Upali Oden, Nathdwara, Rajsamand, Rajasthan-313301
 - 3. Officer dealing with NCVT MIS Portal to Update Data.
 - 4. Fill no. DGT-6/20/1/1997-TC

day

(M.C. Kardam) Joint Director of Training E-mail-: mc.kardam@nic.in



Shram Shakti Bhawan, New Delhi Dated: 20-01-2017

To,

The Director Directorate of Employment & Training, Thycaud, Thiruvananthapuram - 695014, Kerala

Sub : Correction in the address of Institutes (Govt. ITI Rajakkad, Dist. Ldukki, Pin-685566, Kerala & Majmau Orphange Pvt. ITI Urangattiri, Therattammal PO Malappuram-673639, Kerala).....Issue of Corrigendum

Sir,

I am directed to inform you in respect of (Govt. ITI Rajakkad, Dist. Ldukki, Pin-685566, Kerala & Majmau Orphange Pvt. ITI Urangattiri, Therattammal PO Malappuram-673639, Kerala) regarding the Correction in the Address of the Institute.

Accordingly the correction have been carried out and amended for as given below the ITI's:

SI no.	Name & Address of the institute	For	Read As
1.	Govt. ITI Rajakkad, Dist. Ldukki, Pin-685566, Kerala DGET-6/11/6/2010-TC	Pin - 685516	Pin-685566
2.	Majmau Orphange Pvt. ITI Urangattiri, Therattammal PO Malappuram-673639, Kerala DGET-6/11/54/2008-TC	Theramattammal PO	Therattammal PO

In view of above, you may update your records accordingly.

Yours faithfully

((Raj Kumar Pathak) Director of Training/ Member Secretary (NCVT

Copy to: 1. The C. E. O. NABET c/o Quality Council of India, ITPI Building, 6th Floor, 4 A, Ring Road, I P Estate, Delhi – 110002

- 2. The Principal, Govt. ITI Rajakkad, Dist. Ldukki, Pin-685566, Kerala
- 3. The Principal, Majmau Orphange Pvt. ITI, Urangattiri, Therattammal, PO Malappuram-673639, Kerala
- Officer dealing with NCVT MIS Portal to Update Data.
- 5. Fill no. DGET-6/11/6/2010-TC, DGET-6/11/54/2008-TC



No. MSDE/DGT- 6/Corrigendum/2016-TC Government of India Ministry of Skill Development and Entrepreneurship Directorate General of Training

> Shram Shakti Bhawan , New Delhi Dated : 20.01.2017

To,

The Director Directroate of Technical Education Vocaional & Industrial Training, Dist. Sundernagar, Himachal Pradesh,

Sub : Correction in the name of the Institute in respect of Khanchi Private ITI, Near Home Guard Training Centre, Vill. Chakki Dhanoto, Tehsil. Shahpur, Dist- Kangra, Pin- 176203, Himachal Pradesh,Issue of Corrigendum

Sir,

It is to inform you in respect of Khanchi Private ITI, Near Home Guard Training Centre, Vill. Chakki Dhanoto, Tehsil. Shahpur, Dist- Kangra, Pin- 176203, Himachal Pradesh, regarding the <u>Correction In</u> <u>the name of the Institute</u>.

Accordingly the correction has been carried out and amended as :-

For Kanchi Private ITI, Village & PO Dhanotu Shapur, Dist. Kangra, Himachal Pradesh

DGET-6/8/1/2011-TC (Part File)

Read as MIS Code: PR02000048 Khanchi Private ITI, Near Home Guard Training Centre, Vill. Chakki Dhanoto, Tehsil. Shahpur, Dist- Kangra, Pin- 176203, Himachal Pradesh

DGET-6/8/1/2011-TC (Part File)

In view of above, you may update your records accordingly.

Yours faithfully

(Raj Kumar Pathak) Director of Training/ Member Secretary (NCVT)

Copy to: 1. The C. E. O. NABET c/o Quality Council of India, ITPI Building, 6th Floor, 4 A, Ring Road, I P Estate, Delhi – 110002

> The Principal Khanchi Private ITI, Near Home Guard Training Centre, VIII. Chakki Dhanoto, Tehsil. Shahpur, Dist-Kangra, Pin- 176203, Himachal Pradesh

Officer dealing with NCVT MIS Portal to Update Data.

4. File no DGET-6/8/1/2001-TC (Part File)

COL



Shram Shakti Bhawan, New Delhi Dated: 20.01.2017

To,

The Director Directorate of Employment & Training, Block No. 9, Civic Centre, Madhatal Jabalpur-482002 Madhya Pradesh

Sub : Correction in the units/trades of the Institute in respect of Rupali PVT. ITI , Gram Bharda Panagar, Jabalpur, Madhya Pradesh-483220Issue of Corrigendum.

Sir,

It is to inform you in respect of Rupali PVT. ITI , Gram Bharda Panagar, Jabalpur, Madhya Pradesh-483220, regarding the Correction in the number of Trade/Units granted to the Institute.

Accordingly the correction has been carried out for affiliation order no DGET 12/1/2016 -TC dated 25.08.2015 (S. No.121 / Madhya Pradesh) QCI application no. App004164 and amended as :-For

S. NO.	Name, Address& File No. of the Institute	Trade	1 State 1	it for which ight/recom		Remarks
			Instt.	QCI	Approved by sub committee of NCVT	
121	Rupali PVT. ITI , Gram Bharda Panagar, Jabalpur, Madhya Pradesh-483220	Electrician	2(1+1)	2(1+1)	2(1+1)	App004164 w.e.f. Aug 2016
	Read as				a none-trans	
121	MIS Code: PR23000229	Electrician	3/1-1-11	3/1+1+1)	3(1+1+1)	App004164

121	MIS Code: PR23000229 Rupali PVT. ITI , Gram Bharda Panagar, Jabalpur, Madhya Pradesh-483220	Electrician	3(1+1+1)	3(1+1+1)	3(1+1+1)	App004164 w.e.1. Aug 2016
-----	--	-------------	----------	----------	----------	------------------------------

In view of above, you may update your records accordingly.

ours faithfully

Raj Kumar-Pathak)

Copy to: 1. The C. E. O. NABET c/o Quality Council of India, ITPI Building, 6th Floor, 4 A, Ring Road, I P Estate, Delhi – 110002.

2. The Principal, Rupali PVT. ITI, Gram Bharda Panagar, Jabalpur, Madhya Pradesh-483220

3. Officer dealing with NCVT MIS Portal to Update Data.

4. Fill No. DGET-6/12/37/2012-TC

ball

(M. C Kardam) Joint Director of Training Email: mc.kardam@nic.in



Shram Shakti Bhawan, New Delhi Dated: 20-01-2017

To,

The Director Training, Department of Labour, Employment and Training Nepal House, Doranda, Ranchi - 834002 Jharkhand

Sub : Correction in the Name, MIS Code & File No. of Chittaranjan Private ITI, Piyalsola, Mihijam, Dist. Jamtara, Pin- 815354, Jharkhand ... Issue of Corrigendum

Sir,

I am directed to inform you in respect of Chittaranjan Private ITI, Piyalsola, Mihijam, Dist. Jamtara, Pin- 815354, Jharkhand regarding the Correction in the Name, MIS Code & File No. of the Institute.

Accordingly the correction has been carried out for affiliationorder no DGET 12/1/2013 -TC dated 26.09.2013 (S. No.1 / Jharkhand) and amended as:

SI No	Name & Address of the Institute	For	Read as
1.	Chittaranjan Private ITI, Piyalsola, Mihijam,	MIS Code: PR0000223	MIS Code: PR20000183
	Dist. Jamtara, Pin- 815354 Jharkhand	File No: DGET-6/34/17/2010-TC	File No. DGT-6/34/4/2013-TC

In view of above, you may update your records accordingly.

Yours faithfully

(Raj Kumar Pathak) Director of Training/ Member Secretary (NCVT

Copy to: 1. The C. E. O. NABET c/o Quality Council of India, ITPI Building, 6th Floor, 4 A, Ring Road,

- I P Estate, Delhi 110002
- 2. The Principal, Chittaranjan Private ITI, Piyalsola, Mihijam, Dist. Jamtara, Pin- 815354, Jharkhand
- 3. Officer dealing with NCVT MIS Portal to Update Data.
- 4. Fill no. DGET-6/11/6/2010-TC, DGET-6/11/54/2008-TC

(M.C. Kardam) Joint Director of Training E-mail-: mc.kardam@nic.in



Shram Shakti Bhawan, New Delhi Dated: 20-01-2017

To,

The Director Directorate of Technical Education 6, Residency Road, Jodhpur-342001, Rajasthan

Sub : Correction in the File No. of MODI Private ITI, Plot No 2, Sector No 2, Swamivivekanand Nagar, Kota, Pin-324010, Rajasthan ... Issue of Corrigendum

Sir,

I am directed to inform you in respect of MODI Private ITI, Plot No 2, Sector No 2, Swamivivekanand Nagar, Kota, Pin-324010, Rajasthan regarding the Correction in the & File No. of the Institute.

Accordingly the correction has been carried out for affiliationorder no DGET 12/1/2013 -TC dated 30.08.2016 (S. No.38 / Rajasthan) and amended as:

SI No	Name & Address of the Institute	For	Read as
38.	MODI Private ITI, Plot No 2, Sector No 2, Swamivivekanand Nagar, Kota, Pin-324010, Rajasthan	File No: DGT-6/20/323/2004-TC	File No. DGT-6/20/323/2014-TC

In view of above, you may update your records accordingly.

Yours faithfully

(Raj Kumar Rateak) MP Director of Training/ Member Secretary (NCVT

Copy to: 1. The C. E. O. NABET c/o Quality Council of India, ITPI Building, 6th Floor, 4 A, Ring Road, I P Estate, Delhi – 110002

2. The Principal, MODI Private ITI, Plot No 2, Sector No 2, Swamivivekanand Nagar, Kota, Pin-324010, Rajasthan

3. Officer dealing with NCVT MIS Portal to Update Data.

4. Fill no. DGET-6/11/6/2010-TC, DGET-6/11/54/2008-TC

(M.C. Kardam) Joint Director of Training E-mail-: mc.kardam@nic.in



Shram Shakti Bhawan, New Delhi Dated: 20.01.2017

To,

The Director Directorate of Technical Education 6, Residency Road, Jodhpur-342001, Rajasthan

Sub : Correction in the number of Trade/Units of the Institute in respect of CH Mota Ram Meel Memorial Private ITI, Chak 5 Nrd, Vill. - Nirwana, Tehsil - Suratgarh, Distt. - Sri Ganganagar, Pin-335804, Rajasthan....Issue of Corrigendum.

Sir,

I am directed to inform you in respect of CH Mota Ram Meel Memorial Private ITI, Chak 5 Nrd, Vill. -Nirwana, Tehsil - Suratgarh, Distt. - Sri Ganganagar, Pin-335804, Rajasthan, regarding the Correction in the number of Trade/Units of the Institute.

Accordingly the correction has been carried out for affiliation order no DGET 12/1/2016 -TC dated 16.09.2016 (S. No.63 / Rajasthan) QCI application no. A16000621 and amended as :-

S. NO.	Name, Address& File No. of the Institute	Trade		hit for which af ught/recomme		Remarks
			Instt.	QCI	Approved by sub committee of NCVT	
63	CH Mota Ram Meel Memorial Private ITI, Chak 5 Nrd, Vill Nirwana, Tehsil-Suratgarh, Distt Sri Ganganagar, Pin-335804, Rajasthan	Electrician	3(1+1+1)	3(1+1+1)	3(1+1+1)	A16000621 w.e.f. August 2016
	Read as	2		4		
63	MIS Code: Not Exist CH Mota Ram Meel Memorial	Electrician	3(1+1+1)	3(1+1+1)	3(1+1+1)	A16000621 w.e.f. August 2016
	Private ITI, Chak 5 Nrd, Vill Nirwana, Tehsil-Suratgarh, Distt Sri Ganganagar, Pin-335804, Rajasthan DGT-6/20/36/2016-TC	Plumber	3(1+1+1)	3(1+1+1)	3(1+1+1)	

In view of above, you may update your records accordingly.

Yours faithfull

(Raj Kumar Pathak) Director of Training/ Member Secretary (NCVT)

Copy to: 1. The C. E. O. NABET c/o Quality Council of India, ITPI Building, 6th Floor, 4 A, Ring Road,

I P Estate, Delhi - 110002.

 The Principal, CH Mota Ram Meel Memorial Private ITI, Chak 5 Nrd, VIII. - Nirwana, Tehsil - Suratgarh, Distt. - Sri Ganganagar, Pin-335804, Rajasthan

3. Officer dealing with NCVT MIS Portal to Update Data.

4. Fill No. DGT-6/20/36/2016-TC

(M. C Kardam) Joint Director of Training Email: mc.kardam@nic.in



Shram Shakti Bhawan, New Delhi Dated: 20.01.2017

To

The Commissioner Employment & Training D / Block, 3rd & 4th Floors, BRK Bhavan, Tankbund Road, Hyderabad Andhra pradesh

Sub: Cumulative information on affiliation granted (numer of trades/ Units) in respect of National Private ITI Kongareddy Palle Road Door No 22-11, 32/6 SBI Colony, Chittoor, Pin- 517001, Andhra PradeshIssue of Corrigendum.

Sir,

It is to inform you that the Correction in number of trades/ Units in respect of National Private ITI Kongareddy Palle Road Door No 22-11, 32/6 SBI Colony, Chittoor, Pin- 517001, Andhra Pradesh has been carried out and ammended as below :-

For :-

National Industrial Training Centre Kongareddy Palle Road Door No. 22-11, 32/6 SBI Col Chittoor, Pin- 517001, Andhra Pradesh DGET-6/1/41/82-TC (pvt.)

Read as :-

S. No.	Name and address of Institutes	Trades/Units affiliated to NCVT As per DGET record and MIS portal					
1	MIS Code : PR28000359 National Private ITI Kongareddy Palle Road Door No 22-11, 32/6 SBI Colony, Chittoor, Pin- 517001, Andhra Pradesh DGET-6/1/41/82-TC	 Electrician Mechanic Diesel Draghutsman Civil Fitter 	6(3+3) 2 (1+1) 2(1+1) 2(1+1)				
	Т	otal – 12 units	\cap				

In view of above, you may update your records accordingly.

(Raj Kumar Pathak)

Yours faithfully

Director of Training/ Member Secretary (NCVT)

Copy to: 1. The C. E. O. NABET c/o Quality Council of India, ITPI Building, 6th Floor, 4 A, Ring Road, I P Estate, Delhi – 110002.

 The Principal, National Private ITI Kongareddy Palle Road Door No 22-11, 32/6 SBI Colony, Chittoor, Pin- 517001, Andhra Pradesh

3. Officer dealing with NCVT MIS Portal to Update Data.

4. Fill No. DGET-6/1/41/82-TC

a



Shram Shakti Bhawan, New Delhi Dated: 20.01.2017

To

The Commissioner Employment & Training D / Block, 3rd & 4th Floors, BRK Bhavan, Tankbund Road, Hyderabad Andhra pradesh

Sub: Cumulative information on affiliation granted (numer of trades/ Units) in respect of Repalle Christian Private ITI, Bethapudi, Repalle Mandal, Distt. Guntur, Pin- 522414, Andhra PradeshIssue of Corrigendum.

Sir,

It is to inform you that the Correction in number of trades/ Units in respect of Repalle Christian Private ITI, Bethapudi, Repaile Mandal, Ditt. Guntur, Pin- 522414, Andhra Pradesh has been carried out and ammended as below :-

For :-

R.C.Industrial Training Centre, Nagaram	
Distt. Guntur, Pin- 522414, Andhra Pradesh	
DGET-6/1/31/98-TC	

Read as :-

S. No.	Name and address of Institutes	Trades/Units affiliated to NCVT As per DGET record and MIS portal			
1	MIS Code : PR28000342 Repalle Christian Private ITI, Bethapudi, Repalle Mandal, Distt. Guntur, Pin- 522414, Andhra Pradesh DGET-6/1/31/98-TC	 Electrician Mechanic Diesel Fitter 	4(2+2) 2 (1+1) 2(1+1)		
	1. 1	otal – 10 units	\cap		

In view of above, you may update your records accordingly.

Yours faithfully

(Raj Kumar Pathak)) / " Director of Training/ Member Secretary (NCVT)

Copy to: 1. The C. E. O. NABET c/o Quality Council of India, ITPI Building, 6th Floor, 4 A, Ring Road, I P Estate, Delhi – 110002.

 The Principal, Repalle Christian Private ITI, Bethapudi, Repalle Mandal, Ditt. Guntur, Pin- 522414, Andhra Pradesh

3. Officer dealing with NCVT MIS Portal to Update Data.

4. Fill No. DGET-6/1/31/98-TC



Shram Shakti Bhawan, New Delhi Dated: 20.01.2017

To

The Commissioner Employment & Training D / Block, 3td & 4th Floors, BRK Bhavan, Tankbund Road, Hyderabad Andhra pradesh

Supersedes previous letter no. MSDE/DGT-6/ Corrigendum/2016-TC dated 09.11. 2016

Sub: Cumulative information on affiliation granted (numer of trades/ Units) J V R R Memorial Pvt. Industial Training Institute, Nandyal, L.K.R Estate V. C Colony, R.S, Road Nandyal, Kurnool – 518502, Andhra Pradesh.... Issue of Corrigendum.

Sir,

5

6

It is to inform you that the Correction in number of trades/ Units in respect of J V R R Memorial Pvt. Industial Training Institute, Nandyal, L.K.R Estate V. C Colony, R.S. Road Nandyal, Kurnool - 518502, Andhra Pradesh.has been carried out and ammended as below :-

Nandyal, I Kurnool - DGET-6/1	morial Pvt. Industial Training Insti L.K.R Estate V. C Colony, R.S, Ro - 518502, Andhra Pradesh /15/1993-TC		
and the second se	ad as :- : PU28000043		
	Nandyal, L.K.R Est Kurnool	Il Pvt. Industial Training Institute ate V. C Colony, R.S, Road Nand - 518502, Andhra Pradesh GET-6/1/15/1993-TC	
S.No.	Trade	Units	Remark
1	Draughtsman Civil	5 (2+2+1)	
2	Electrician	18 (6+6+6)	
3	Fitter	7 (3+3+1)	

Total Units - 44 Nos.

4(2+2)

6 (2+2+2)

In view of above, you may update your records accordingly.

ours faithfu

(Raj Kumar Pathak Director of Training/ Member Secretary (NCVT)

Copy to: 1. The C. E. O. NABET c/o Quality Council of India, ITPI Building, 6th Floor, 4 A. Ring Road, I P Estate, Delhi - 110002.

2.. The Principal, J V R R Memorial Pvt. Industial Training Institute, Nandyal, L.K.R Estate V. C Colony, R.S. Road Nandyal, Kurnool - 518502, Andhra Pradesh

3. Officer dealing with NCVT MIS Portal to Update Data.

4. Fill No. DGET-6/1/15/1993-TC

Mechanic Motor Vehicle

Mechanic Diesel



Shram Shakti Bhawan, New Delhi Dated: 20.01.2017

To,

The Director Directorate of Technical Education W-6, Residency Road, Jodhpur-342001, Rajasthan

Sub : Correction in the number of Trade/Units of the Institute in respect of Rajasthali Private ITI, Vill. Doika Bas Bandikui Road, Dist. Dausa, Pin-303326, RajasthanIssue of Corrigendum.

Sir,

It is to inform you that the Correction in number of trades/ Units in respect of Rajasthali Private ITI, Vill. Doika Bas Bandikui Road, Dist. Dausa, Pin-303326, Rajasthan.

Accordingly the correction has been carried out for affiliation order no DGET 12/1/2016 -TC dated 25.08.2015 (S. No.85 / Rajasthan) QCI application no. App003076 and amended as :-

S. NO.	Name, Address& File No. of the Institute			Init for which a ought/recomm		Remarks
			Instt.	QCI	Approved by sub committee of NCVT	
85	Rajasthali Private ITI, VIII. Dolka Bas Bandikul Road, Dist. Dausa, Pin-303326 Rajasthan DGET-6/20/577/2014-TC	Electrician	Addl. 6(2+2+2)	Addi. 6(2+2+2)	Addl.6(2+2+2) Total 12(4+4+4)	Assessment- 03/8/2015 App003076 w.e.f. Aug 2015
05	Read as MIS Code; Nil Deleathedi Deleate ITI	Electrician	Addl.	Addl.	Addl. 6(2+2+2)	Assessment-
85	Rajasthali Private ITI, Vill. Doika Bas Bandikui Road, Dist. Dausa, Pin-303326 Rajasthan		6(2+2+2)	6(2+2+2)	Total 9(3+3+3)	03/8/2015 App003076 w.e.f. Aug 2015
	DGET-6/20/577/2014-TC	·				

In view of above, you may update your records accordingly.

Yours faithfully

as

(Raj Kumar Pathak) Director of Training/ Member Secretary (NCVT)

Copy to: 1. The C. E. O. NABET c/o Quality Council of India, ITPI Building, 6th Floor, 4 A, Ring Road,

- I P Estate, Delhi 110002.
- 2. The Principal, Rajasthali Private ITI, Vill. Doika Bas Bandikul Road, Dist. Dausa, Pin-303326, Rajasthan.
- 3. Officer dealing with NCVT MIS Portal to Update Data.
- 4. Fill No. DGET-6/20/577/2014-TC

(M. C Kardam) Joint Director of Training Email: mc.kardam@nic.in



Shram Shakti Bhawan, New Delhi Dated: 20.01.2017

To,

The Director Directorate of Technical Education & Industrial Training Takniki Bhavan, Plot No.1A, Sector 36, Chandigarh-160036, Punjab.

Sub : Correction in the number of Trade/Units of the Institute in respect of Deol Private ITI, Guraspur, Vill. Bariar Adda Ranjit Bagh, Pin- 143521, Punjab Issue of Corrigendum.

Sir,

It is to inform you that Deol Private ITI, Guraspur, Vill. Bariar Adda Ranjit Bagh, Pin- 143521, Punjab, regarding the Correction in the number of Trade/Units of the Institute.

Accordingly the correction has been carried out for affiliation order no DGET 12/1/2016 -TC dated 29.09.2016 (S. No.08 / Punjab) QCI application no. A16000974 and amended as :-

S. NO.	Name, Address& File No. of the Institute			Trade		Unit for which affiliation sought/recommended by		Remarks
			Instt.	QCI	Approved by sub committee of NCVT			
08	Deol Private ITI, Guraspur, Vill. Bariar Adda Ranjit Bagh, Pin- 143521, Punjab	Sewing Technology	2(1+1)	2(1+1)	2(1+1)	A16000974 w.e.f. August 2016		

08	MIS Code: PR03000347 Deol Private ITI, Guraspur, VIII. Bariar Adda	Sewing Technology	2(1+1)	2(1+1)	2(1+1)	A16000974 w.e.f. August 2016
	Ranjit Bagh, Pin- 143521, Punjab DGET-6/19/12/2015-TC	Fashion Design Technology	2(1+1)	2(1+1)	2(1+1)	

In view of above, you may update your records accordingly.

Yours faithfull

(Raj Kumar Pathak) Director of Training/ Member Secretary (NCVT)

Copy to: 1. The C. E. O. NABET c/o Quality Council of India, ITPI Building, 6th Floor, 4 A, Ring Road, I P Estate, Delhi – 110002.

2. The Principal, Deol Private ITI, Guraspur, VIII. Barlar Adda Ranjit Bagh, Pin- 143521, Punjab.

3. Officer dealing with NCVT MIS Portal to Update Data.

4. Fill No. DGET-6/19/12/2015-TC



Shram Shakti Bhawan, New Delhi Dated: 20-01-2017

To,

The Director Directorate of Technical Education W-6. Residency Road, Jodhpur-342001. Rajasthan

Sub : Affiliation of Mahesh Private ITI, Opp BSNL office Nehru Road, District Bhilwara, Pin-3011001, Rajasthan....Issue of Corrigendum

Sir,

I am directed to inform you in respect of Mahesh Private ITI, Opp BSNL office Nehru Road, District Bhilwara, Pin-3011001, Rajasthan regarding the Correction in the Name of the trade/units of the institute.

Accordingly the correction has been carried out for affiliation order no DGET 12/1/2015 -TC dated 25.08.2015 Part-II (S. No.11 / Rajasthan), Re-affiliation and amended as:

SI No	Name & Address of the Institute	For	Read as
11	MIS Code : PR08000408 Mahesh Private ITI, Opp BSNL office Nehru Road, District Bhilwara, Pin- 3011001, Rajasthan DGT-6/20/102/2007-TC (Part File)	Electrician – 2(1+1)	Electronics Mechanic – 2(1+1)

In view of above, you may update your records accordingly.

Yours faithfully

(Raj Kumar Pathak) Director of Training/ Member Secretary (NCVT

Copy to: 1. The C. E. O. NABET c/o Quality Council of India, ITPI Building, 6th Floor, 4 A, Ring Road, I P Estate, Delhi - 110002

2. The Principal, Mahesh Private ITI, Opp BSNL office Nehru Road, District Bhilwara, Pin-3011001, Rajasthan

Officer dealing with NCVT MIS Portal to Update Data.

4. Fill no. DGT-6/20/102/2007-TC (Part File)

01

(M.C. Kardam) Joint Director of Training E-mail-: mc.kardam@nic.in



Shram Shakti Bhawan, New Delhi Dated: 20-01-2017

To,

The Director

Directorate of Technical Education & Vocational Training, 3- Mahapalika Marg, P.Box No. 10067, Mumbai – 400001, Maharashtra

Sub : Affiliation of Khandesh Private ITI, Main Road, District Jalgaon, Pin-424101, Maharashtra.....Issue of Corrigendum

Sir,

I am directed to inform you in respect of Khandesh Private ITI, Main Road, District Jalgaon, Pin-424101, Maharashtra regarding the Correction in the Name of the trade/units of the institute.

Accordingly the correction has been carried out for affiliation order no DGET 12/1/2016 -TC dated 16.09.2016 (S. No.1 / Maharashtra) and amended as:

SI No.	Name & Address of the Institute	For	Read as
1	MIS Code : PR27000881 Khandesh Private ITI, Main Road, District Jalgaon, Pin-424101, Maharashtra DGT-6/13/1/2016-TC	Sheet Metal Worker - 3(1+1+1)	Fitter – 3(1+1+1)

In view of above, you may update your records accordingly.

Yours faithfully

(Raj Kumar Pathak) Director of Training/ Member Secretary (NCVT

Copy to: 1. The C. E. O. NABET c/o Quality Council of India, ITPI Building, 6th Floor, 4 A, Ring Road, I P Estate, Delhi – 110002

- 2. The Principal, Khandesh Private ITI, Main Road, District Jalgaon, Pin-424101, Maharashtra
- 3. Officer dealing with NCVT MIS Portal to Update Data.
- 4. Fill no. DGT-6/13/1/2016-TC

(M.C. Kardam) Joint Director of Training E-mail-: mc.kardam@nic.in



Shram Shakti Bhawan, New Delhi Dated: 20-01-2017

To,

The Director Industrial Training & Vocational Education 30, Bay's Building, Sector-17, Chandigarh-160017, Haryana

Sub : Affiliation of Government ITI Hansi, Delhi Road National Highway -10, Near Paradise Hotel Hansi, Distt. Hisar, Pin- 125033, Haryana.....Issue of Corrigendum

Sir,

I am directed to inform you in respect of Government ITI Hansi, Delhi Road National Highway -10, Near Paradise Hotel Hansi, Distt. Hisar, Pin-125033, Haryana regarding the <u>Correction in the Name</u> of the trade/units of the institute.

Accordingly the correction has been carried out for Affiliation order after getting clarification from QCI meeing 16.09.2016 no DGET 12/1/2016 -TC dated 16.09.2016 (S. No.2 / Haryana) QCI application no. A16000788 and amended as:

SI No.	Name & Address of the Institute	For	Read as
2	MIS Code : GR06000315 Government ITI Hansi, Delhi Road National Highway -10, Near Paradise Hotel Hansi, Distt. Hisar, Pin- 125033, Haryana DGT-6/7/15/2016-TC	Turner – 2(1+1)	Turner – 4(2+2)

In view of above, you may update your records accordingly.

Yours faithfully

(Raj Kumar Pathak) Director of Training/ Member Secretary (NCVT

Copy to: 1. The C. E. O. NABET c/o Quality Council of India, ITPI Building, 6th Floor, 4 A, Ring Road, I P Estate, Delhi – 110002

2. The Principal, Government ITI Hansi, Delhi Road National Highway -10, Near Paradise Hotel Hansi, Distt. Hisar, Pin- 125033, Haryana

3. Officer dealing with NCVT MIS Portal to Update Data.

4. Fill no. DGT-6/7/15/2016-TC

Qu

(M.C. Kardam) Joint Director of Training E-mail-: mc.kardam@nic.in



Shram Shakti Bhawan, New Delhi Dated: 24.01.2017

To

The Commissioner Employment & Training D / Block, 3rd & 4th Floors, BRK Bhavan, Tankbund Road, Hyderabad Telangana

Sub: Cumulative information on affiliation granted (numer of trades/ Units) in respect of Sarada Private ITI, Balapur, Saroonager, Dist. Ranga Reddy, Pin- 500035, TelanganaIssue of Corrigendum.

Sir,

It is to inform you that the Correction in number of trades/ Units in respect of Sarada Private ITI, Balapur, Saroonager, Dist. Ranga Reddy, Pin- 500035, Telangana has been carried out and ammended as below :-For :-

Sarada Private ITI,	
Balapur, Saroonager, Dist. Ranga Reddy,	
Pin- 500035, Telangana	
DGET-06(1)/15/88-TC	

Read as :-

S. No.	Name and address of Institutes	Trades/Units affiliated to NCVT As per DGET record and MIS portal		
1	MIS Code : PU36000059 Sarada Private ITI, Balapur, Saroonager, Dist. Ranga Reddy, Pin- 500035, Telangana DGET-06(1)/15/88-TC	 Electrician Fitter Draughtsman (Civil) 	6(2+2+2) 6(2+2+2) 2(1+1)	
	Т	otal – 14 units		

In view of above, you may update your records accordingly.

Yours faithfully

(Raj Kumar Pathak

(Haj Kumar Patnak) Director of Training/ Member Secretary (NCVT)

Copy to: 1. The C. E. O. NABET c/o Quality Council of India, ITPI Building, 6th Floor, 4 A, Ring Road, I P Estate, Delhi – 110002.

2. The Principal, Sarada Private ITI, Balapur, Saroonager, Dist. Ranga Reddy, Pin- 500035, Telangana

- 3. Officer dealing with NCVT MIS Portal to Update Data.
- 4. Fill No. DGET-06(1)/15/88-TC

W



> Shram Shakti Bhawan, New Delhi Dated: 24.01.2017

To

The Commissioner Employment & Training D / Block, 3rd & 4th Floors, BRK Bhavan, Tankbund Road, Hyderabad Telangana

Sub: Cumulative information on affiliation granted (numer of trades/ Units) in respect of Rehana Memorial Private ITI, H.N.S-9-97 Inside Fort Khammah Ballepalli, Dist. Khammam, Pin-507001, TelanganaIssue of Corrigendum.

Sir,

It is to inform you that the Correction in number of trades/ Units in respect of Rehana Memorial Private ITI, H.N.S-9-97 Inside Fort Khammah Ballepalli, Dist. Khammam, Pin-507001, Telangana has been carried out and ammended as below :-

For :-

Rehana Memorial Private ITI, H.N.S-9-97 Inside Fort Khammah Ballepalli, Dist. Khammam, Pin-507001, Telangana DGET-6/1/169/93-TC

Read as :-

S. No.	Name and address of Institutes	Trades/Units affiliated to No record and MIS portal	CVT As per DGET
1	MIS Code : PU36000095 Rehana Memorial Private ITI, H.N.S-9-97 Inside Fort Khammah Ballepalli, Dist. Khammam, Pin-507001, Telangana DGET-6/1/169/93-TC	 Electrician Fitter Mechanic Diesel 	6(2+2+2) 2(1+1) 2(1+1)
	1	otal – 10 units	\frown

In view of above, you may update your records accordingly.

(Raj Kumar Pathak) Director of Training/ Member Secretary (NCVT)

Yours faithfully

Copy to: 1. The C. E. O. NABET c/o Quality Council of India, ITPI Building, 6th Floor, 4 A, Ring Road, I P Estate, Delhi – 110002.

 The Principal, Rehana Memorial Private ITI, H.N.S-9-97 Inside Fort Khammah Ballepalli, Dist. Khammam, Pin-507001, Telangana

3. Officer dealing with NCVT MIS Portal to Update Data.

4. Fill No. DGET-6/1/169/93-TC

(M. C Kardam) Joint Director of Training Email: mc.kardam@nic.in



> Shram Shakti Bhawan, New Delhi Dated: 24.01.2017

To

The Commissioner Employment & Training D / Block, 3rd & 4th Floors, BRK Bhavan, Tankbund Road, Hyderabad Telangana

Sub: Cumulative information on affiliation granted (numer of trades/ Units) in respect of Nandi Private ITI, Kodangal Ragadamaila Varamkodangail, Dist. Mahbubnagar, Pin-509339, TelanganaIssue of Corrigendum.

Sir,

It is to inform you that the Correction in number of trades/ Units in respect of Nandi Private ITI, Kodangal Ragadamaila Varamkodangail, Dist. Mahbubnagar, Pin-509339, Telangana has been carried out and ammended as below :-

For :-

Nandi Private ITI, Kodangal Ragadamaila Varamkodangail, Dist. Mahbubnagar, Pin-509339, Telangana DGET-6/1/21/99-TC

Read as :-

S. No.	Name and address of Institutes	Trades/Units affiliated to NCVT As per DGET record and MIS portal		
1	MIS Code : PR36000179 Nandi Private ITI, Kodangal Ragadamaila Varamkodangail, Dist. Mahbubnagar, Pin- 509339, Telangana DGET-6/1/21/99-TC	 Electrician Draughtsman (Civil) Mechanic Diesel 	8(4+4) 2(1+1) 2(1+1)	
	Т	otal – 12 units	\cap	

In view of above, you may update your records accordingly.

Yours faithfully

(Raj Kumar Pathak) Director of Training/ Member Secretary (NCVT)

Copy to: 1. The C. E. O. NABET c/o Quality Council of India, ITPI Building, 6th Floor, 4 A, Ring Road, I P Estate, Delhi – 110002.

2. The State Director of Telangana, Nandi Private ITI, Kodangal Ragadamaila Varamkodangail, Dist.

- Mahbubnagar, Pin-509339, Telangana
- 3. Officer dealing with NCVT MIS Portal to Update Data.
- 4. Fill No. DGET-6/1/21/99-TC

ON



Shram Shakti Bhawan, New Delhi Dated: 20.01.2017

To,

The Director Directorate of Technical Education W-6, Residency Road, Jodhpur-342001, Rajasthan

Sub : Correction in the number of Trade/Units of the Institute in respect of Vinayak Private ITI, Opp. Veterinary Hospital Tonk Road, Newal, Distt Tonk, Pin-304021, RajasthanIssue of Corrigendum.

Sir,

It is to inform you that the in respect of Vinayak Private ITI, Opp. Veterinary Hospital Tonk Road, Newai, Distt Tonk, Pin-304021, Rajasthan, Correction in number of trades/ Units of the institute.

Accordingly the correction has been carried out for affiliation order no DGET 12/1/2016 -TC dated 30.08.2016 (S. No.28 / Rajasthan -) and amended as :-

SL No.	App. No.	Name & Address	Old/ New	Trade /units for which affiliation sought/recommended/approved by				DGT file reference
				Trade	Insti.	QCI	Approved by Sub- Committee of NCVT	
28	N16001720	Vinayak Private ITI, Opp. Veterinary Hospital Tonk Road, Newal, Distt Tonk, Pin-304021, Rajasthan	Old	Electrician	2(0+0+2)	2(0+0+2)	2(0+0+2)	w.e.f. August 2016

Read as

28	N16001720	Vinayak Private ITI, Opp.	Old	Electrician*	2(1+1)	2(1+1)	2(1+1)	w.e.f. August 2016
	MIS Code – PR08001217	Veterinary Hospital Tonk		Electrician	4(1+1+2)	4(1+1+2)	4(1+1+2)	* Re- affiliation
		Road, Newai, Distt Tonk, Pin-304021, Rajasthan					Total- 6(2+2+2)	
		DGET6/20/70/20 09-TC						6

In view of above, you may update your records accordingly.

Yours faithfully

atw (Raj Kumar Pathek)

Director of Training/ Member Secretary (NCVT)

Copy to: 1. The C. E. O. NABET c/c Quality Council of India, ITPI Building, 6th Floor, 4 A, Ring Road, I P Estate, Delhi – 110002.

2. The Principal, Vinayak Private ITI, Opp. Veterinary Hospital Tonk Road, Newai, Distt Tonk, Pin-304021, Rajasthan.

3. Officer dealing with NCVT MIS Portal to Update Data.

4. Fill No. DGET6/20/70/2009-TC