

GOVERNMENT OF INDIA MINISTRY OF SKILL DEVELOPMENT & ENTREPRENEURSHIP DIRECTORATE GENERAL OF TRAINING

COMPETENCY BASED CURRICULUM

WELDER (WELDING & INSPECTION)

(Duration: One Year) Revised in July 2022

CRAFTSMEN TRAINING SCHEME (CTS) NSQF LEVEL- 3



SECTOR – CAPITAL GOODS AND MANUFACTURING



WELDER (WELDING & INSPECTION)

(Engineering Trade)

(Revised in July 2022)

Version: 2.0

CRAFTSMEN TRAINING SCHEME (CTS)

NSQF LEVEL-3

Developed By

Ministry of Skill Development and Entrepreneurship

Directorate General of Training

CENTRAL STAFF TRAINING AND RESEARCH INSTITUTE

EN-81, Sector-V, Salt Lake City, Kolkata – 700 091 www.cstaricalcutta.gov.in

CONTENTS

S No.	Topics	Page No.
1.	Course Information	1
2.	Training System	2
3.	Job Role	6
4.	General Information	8
5.	Learning Outcome	10
6.	Assessment Criteria	11
7.	Trade Syllabus	15s
8.	Annexure I(List of Trade Tools & Equipment)	24



1. COURSE INFORMATION

During the one-year duration a candidate is trained on subjects Professional Skill, Professional Knowledge and Employability Skills related to job role. In addition to this a candidate is entrusted to make/do project work and Extra Curricular Activities to build up confidence. The practical skills are imparted in simple to complex manner & simultaneously theory subject is taught in the same fashion to apply cognitive knowledge while executing task. The practical part starts with basic welding work viz. gas welding, arc gauging etc. and performing different testing methods viz. bend test, tensile test, impact test, dye penetrant inspection etc. The broad components covered under Professional Skill subject are as below:

The practical part starts with basic welding and the candidate is imparted training on viz., Welding (Gas & Arc), pipe joints, MS sheet / plate joints which leads to multi-skilling. The safety aspects cover components like OSH&E, PPE, Fire extinguisher, First Aid etc. Perform visual inspection of metal by using different methods like bend test, tensile test, hardness test, impact test etc. The learner does practical of surface defects inspection by dye penetrant inspection, sub surface inspection by magnetic particle testing method, interprets radiographic films of weldments and prepares reports after welding inspection.

Professional Knowledge subject is simultaneously taught in the same fashion to apply cognitive knowledge while executing task. In addition, components like Physical properties of engineering materials, different types of iron, properties and uses, Heat & Temperature are also covered under theory part.

Projects need to be completed by the candidates in a group. In addition to above components the core skills components viz., Workshop calculation & science, Engineering drawing, employability skills are also covered. These core skills are essential skills which are necessary to perform the job in any given situation.



2.1 GENERAL

Directorate General of Training (DGT) under Ministry of Skill Development & Entrepreneurship offers range of vocational training courses catering to the need of different sectors of economy/ Labour market. The vocational training programmes are delivered under aegis of Directorate General of Training (DGT). Craftsman Training Scheme (CTS) with variantsand Apprenticeship Training Scheme (ATS) are two pioneer programmes of DGT for propagating vocational training.

Welder (Welding & Inspection) trade under CTS is delivered nationwide through network of ITIs. The course is of one year duration. It mainly consists of Domain area and Core area. The Domain area (Trade Theory & Practical) imparts professional skills and knowledge, while Core area (Employability Skills) imparts requisite core skills, knowledge and life skills. After passing out of the training program, the trainee is awarded National Trade Certificate (NTC) by DGT which is recognized worldwide.

Broadly candidates need to demonstrate that they are able to:

- Read & interpret technical parameters/document, plan and organize work processes, identify necessary materials and tools;
- Perform task with due consideration to safety rules, accident prevention regulations and environmental protection stipulations;
- Apply professional skill, knowledge, core skills & employability skills while performing jobs.
- Check the job/assembly as per drawing for functioning, identify and rectify errors in job/assembly.
- Document the technical parameters related to the task undertaken.

2.2 PROGRESSION PATHWAYS

- Can join industry as Technician and will progress further as Senior Technician, Supervisor and can rise up to the level of Manager.
- Can become Entrepreneur in the related field.
- Can take admission in diploma course in notified branches of Engineering by lateral entry.
- Can join Apprenticeship programme in different types of industries leading to National Apprenticeship certificate (NAC).
- Can join Crafts Instructor Training Scheme (CITS) in the trade for becoming instructor in ITIs.
- Can join Advanced Diploma (Vocational) courses under DGT as applicable.



2.3 COURSE STRUCTURE

Table below depicts the distribution of training hours across various course elements during a period of one year:-

S No.	Course Element	Notional Training Hours
1	Professional Skill (Trade Practical)	840
2	Professional Knowledge (Trade Theory)	240
5	Employability Skills	120
	Total	1200

Every year 150 hours of mandatory OJT (On the Job Training) at nearby industry, wherever not available then group project is mandatory.

On the Job Training (OJT)/ Group Project	150

Trainees of one-year or two-year trade can also opt for optional courses of up to 240 hours in each year for 10th/ 12th class certificate along with ITI certification, or, add on short term courses.

2.4 ASSESSMENT & CERTIFICATION

The trainee will be tested for his skill, knowledge and attitude during the period of course through formative assessment and at the end of the training programme through summative assessment as notified by the DGT from time to time.

- a) The **Continuous Assessment (Internal)** during the period of training will be done by **Formative assessment method** by testing for assessment criteria listed against learning outcomes. The training institute have to maintain individual *trainee portfolio* as detailed in assessment guideline. The marks of internal assessment will be as per the formative assessment template provided on www.bharatskills.gov.in
- b)) The final assessment will be in the form of summative assessment. The All India Trade Test for awarding NTC will be conducted by **Controller of examinations**, **DGT** as per the guidelines. The pattern and marking structure is being notified by DGT from time to time. **The learning outcome and assessment criteria will be basis for setting question papers for final assessment. The examiner during final examination will also check individual trainee's profile as detailed in assessment guideline before giving marks for practical examination.**

2.4.1 PASS REGULATION

For the purposes of determining the overall result, weightage of 100% is applied for six months and one year duration courses and 50% weightage is applied to each



examination for two years courses. The minimum pass percent for Trade Practical and Formative assessment is 60% & for all other subjects is 33%.

2.4.2 ASSESSMENT GUIDELINE

Appropriate arrangements should be made to ensure that there will be no artificial barriers to assessment. The nature of special needs should be taken into account while undertaking the assessment. Due consideration should be given while assessing for teamwork, avoidance/reduction of scrap/wastage and disposal of scrap/waste as per procedure, behavioral attitude, sensitivity to the environment and regularity in training. The sensitivity towards OSHE and self-learning attitude are to be considered while assessing competency.

Assessment will be evidence based comprising some of the following:

- Job carried out in labs/workshop
- Record book/ daily diary
- Answer sheet of assessment
- Viva-voce
- Progress chart
- Attendance and punctuality
- Assignment
- Project work
- Computer based multiple choice question examination
- Practical Examination

Evidences and records of internal (Formative) assessments are to be preserved until forthcoming examination for audit and verification by examining body. The following marking pattern to be adopted for formative assessment:

Performance Level	Evidence
(a) Marks in the range of 60%-75% to be allott	ed during assessment
For performance in this grade, the candidate should produce work which demonstrates attainment of an acceptable standard of craftsmanship with occasional guidance, and due regard for safety procedures and practices	 Demonstration of good skill in the use of hand tools, machine tools and workshop equipment. 60-70% accuracy achieved while undertaking different work with those demanded by the component/job. A fairly good level of neatness and consistency in the finish. Occasional support in completing the project/job.



(b) Marks in the range of 75%-90% to be allotted during assessment

For this grade, a candidate should produce work which demonstrates attainment of a reasonable standard of craftsmanship, with little guidance, and regard for safety procedures and practices

- Good skill levels in the use of hand tools, machine tools and workshop equipment.
- 70-80% accuracy achieved while undertaking different work with those demanded by the component/job.
- A good level of neatness and consistency in the finish.
- Little support in completing the project/job.

(c) Marks in the range of more than 90% to be allotted during assessment

For performance in this grade, the candidate, with minimal or no support in organization and execution and with due regard for safety procedures and practices, has produced work which demonstrates attainment of a high standard of craftsmanship.

- High skill levels in the use of hand tools, machine tools and workshop equipment.
- Above 80% accuracy achieved while undertaking different work with those demanded by the component/job.
- A high level of neatness and consistency in the finish.
- Minimal or no support in completing the project.



Welder, Gas; fuses metal parts together using welding rod and oxygen acetylene flame. Examines parts to be welded, cleans portion to be joined, holds them together by some suitable device and if necessary, makes narrow groove to direct flow of molten metal to strengthen joint. Selects correct type and size of welding rod, nozzle etc. and tests welding, torch. Wears dark glasses and other protective devices while welding. Releases and regulates valves of oxygen and acetylene cylinders to control their flow into torch. Ignites torch and regulates flame gradually. A guide flame along joint and heats it to melting point, simultaneously melting welding rod and spreading molten metal along joint shape, size etc. and rectifies defects if any. May join part at various spots to prevent distortion of shape, form dimension etc. May preheat materials like cast iron prior to welding. May also weld by other gases such as argon coal etc.

Welder, Electric; Arc Welder fuses metals using arc-welding apparatus and electrodes (welding material). Examines parts to be welded, cleans them and sets joints together with clamps or any other suitable device. Starts generator or transformer (welding apparatus and regulates current according to material and thickness of welding. Clamps one lead (insulated wire carrying current from generator) to part to be welded, selects required type of electrode and clamps it to holder connected with other lead). Generates sparks between electrode and joint, simultaneously guiding and depositing melting electrode uniformly for welding. Takes precautionary measures such as wearing rubber gloves, holding welding screen of dark glass etc. May join parts first at various points for holding at specified angles, shape, form and dimension.

Welder, Machine; operates gas or electric welding machine to joint metal parts by fusion. Sets machine for operation by igniting burners and adjusting flames or by switching on current. Regulates flow of gas or current and adjusts machine according to material to be welded. Checks cooling system and adjusts movement of conveyor, if any. Feeds material to be welded with either one by one or in batch according to type of machine and welds them by pressing paddle, or by automatic arrangements. May use fixtures or other suitable devices for mass production work is designated as SPOT WELDER, FLASH WELDER, etc. according to machine and type of work done.

Gas Cutter; Flame Cutter cuts metal to required shape and size by gas flame either manually or by machine. Examines material to be cut and marks it according to instruction of specification. Mounts template and sets machine to cut to specifications. Makes necessary connections and fits required size of nozzle or burner in welding torch. Releases and regulates flow of gas in nozzle or burner, ignites and adjusts flame. Guides flame by hand or machine along cutting line at required speed and cuts metal to required size. May use oxyacetylene or any other appropriate gas flame.

Brazer; fuses metal parts by heating using flux and fillings. Cleans and fastens parts to be joined face to face by wire, by seaming or by any other suitable means and prepares paste of flux and fillings. Applies it to joint and hearts in furnace or by torch to melt filling into joint. Allows it to cool down. welding or joining two or more metals together using resistive heat caused by

changing electromagnetic fields. Examines induction welded joints and cleans them by filing, buffing etc.

Reference NCO-2015:

- (i) 7212.0100 Welder, Gas
- (ii) 7212.0200 Welder, Electric
- (iii) 7212.0300 Welder, Machine
- (iv) 7212.0400 Gas Cutter
- (v) 7212.0500 Brazer

Reference NOS:

- i) CSC/N0204
- ii) CSC/N0201
- iii) CSC/N0212
- iv) CSC/N0209
- v) CSC/N0603



4. GENERAL INFORMATION

Name of the Trade	WELDER (WELDING & INSPECTION)	
Trade Code	DGT/1098	
NCO - 2015	7212.0100, 7212.0200, 7212.0300, 7212.0400, 7212.0500	
NOS Covered	CSC/N0204, CSC/N0201, CSC/N0212, CSC/N0209, CSC/N0603	
NSQF Level	Level-3	
Duration of Craftsmen Training	One year (1200 Hours + 150 hours OJT/Group Project)	
Entry Qualification	Passed 8 th class examination	
Minimum Age	14 years as on first day of academic session.	
Eligibility for PwD	LD, LC, DW, AA, DEAF, HH	
Unit Strength (No. Of Student)	20 (There is no separate provision of supernumerary seats)	
Space Norms	100 sq. m	
Power Norms	16 KW	
Instructors Qualification for		
1. Welder (Welding & Inspection) Trade	B.Voc/Degree in Mechanical/ Metallurgy/ Production Engineering/ Mechatronics from AICTE /UGC recognized university with one year experience in relevant field. OR 03 years Diploma in Mechanical and allied from AICTE / recognized technical board of education or relevant Advanced Diploma (Vocational) from DGT with two years experience in relevant field. NTC/ NAC passed in "Welder" Trade with 3 years' experience in relevant trade. Essential Qualification: Relevant Regular / RPL variants of National Craft Instructor Certificate (NCIC) under DGT. NOTE:-Out of two Instructors required for the unit of 2(1+1), one must have Degree/Diploma and other must have NTC/NAC qualifications. However, both of them must possess	
2. Workshop Calculation & Science	NCIC in any of its variants. B.Voc/Degree in Engineering from AICTE/UGC recognized Engineering College/ university with one-year experience in the relevant field.	

	OR 03 years Diploma in Engineering from AICTE / recognized board of technical education or relevant Advanced Diploma (Vocational) from DGT with two years' experience in the relevant field. OR	
	NTC/ NAC in any one of the engineering trades with three years' experience.	
	Essential Qualification: Regular / RPL variants of National Craft Instructor Certificate (NCIC) in relevant trade	
	OR Regular / RPL variants NCIC in RoDA or any of its variants under DGT	
3. Engineering Drawing	B.Voc/Degree in Engineering from AICTE/UGC recognized Engineering College/ university with one-year experience in the relevant field.	
	OR	
	03 years Diploma in Engineering from AICTE / recognized board of technical education or relevant Advanced Diploma (Vocational) from DGT with two years' experience in the relevant field.	
	OR	
	NTC/ NAC in any one of the Mechanical group (Gr-I) trades categorized under Engg. Drawing'/ D'man Mechanical / D'man Civil' with three years' experience.	
	Essential Qualification:	
	Regular / RPL variants of National Craft Instructor Certificate (NCIC) in relevant trade	
	OR	
	Regular / RPL variants of NCIC in RoDA / D'man (Mech /civil) or any of its variants under DGT.	
4. Employability Skill	MBA/ BBA / Any Graduate/ Diploma in any discipline with Two years' experience with short term ToT Course in Employability Skills from DGT institutes.	
	(Must have studied English/ Communication Skills and Basic Computer at 12th / Diploma level and above) OR	
	Existing Social Studies Instructors in ITIs with short term ToT	
	Course in Employability Skills from DGT institutes.	
5. Minimum Age for Instructor	21 Years	
List of Tools and Equipment	As per Annexure – I	



Learning outcomes are a reflection of total competencies of a trainee and assessment will be carried out as per the assessment criteria.

5.1 LEARNING OUTCOMES (TRADE SPECIFIC)

- 1. Perform joining of MS sheet by Gas welding in different positions following safety precautions. (NOS: CSC/N0204)
- 2. Join MS plate by SMAW in different positions. (NOS: CSC/N0204)
- Perform straight, bevel & circular cutting on MS plate by Oxy-acetylene cutting process. (NOS: CSC/N0201)
- 4. Perform different types of MS pipe joints by Gas welding (OAW). NOS: CSC/N0204)
- 5. Weld different types of MS pipe joints by SMAW. (NOS: CSC/N0204)
- 6. Join Aluminium & Stainless Steel sheets by GTAW in different position. (NOS: CSC/N0212)
- 7. Perform Arc gauging on MS plate. (NOS: CSC/N0207), NOS: CSC/N0212)
- 8. Join MS sheets/ plates by GMAW in various positions using different modes of metal transfer. (NOS: CSC/N0209)
- 9. Perform visual inspection / testing of welded joint. (NOS: CSC/N0209)
- 10. Perform destructive Inspection of metal by using different methods like, Bend test, tensile test, hardness test and Impact test etc. (NOS: CSC/N0209)
- 11. Perform surface defects inspection by Dye penetrant Inspection. (NOS: CSC/N0209)
- 12. Perform sub surface inspection by Magnetic particle testing method. (NOS: CSC/N0209)
- 13. Perform sub surface inspection by Ultrasonic Flaw detector of weldments. (NOS: ISC/N9405)
- 14. Perform Interpretation of Radiographic films of weldments. (NOS: CSC/N0603)
- 15. Read and apply engineering drawing for different application in the field of work. (NOS: CSC/N9401)
- 16. Demonstrate basic mathematical concept and principles to perform practical operations. Understand and explain basic science in the field of study. (NOS: CSC/N9402)



6. ASSESSMENT CRITERIA

	LEARNING OUTCOMES	ASSESSMENT CRITERIA		
1.	Perform joining ofMS sheets by Gas welding in	Plan and select the nozzle size, working pressure type of flame, filler rod as per requirement.		
	different positions	Prepare, set and tack the pieces as per drawing.		
	following safety	Setting up the tacked joint in specific position.		
	precautions.(NOS: CSC/N0204)	Deposit the weld following proper welding technique and safety aspect.		
		Carry out visual inspection to ascertain quality weld joint.		
2.	JoinMS plates by SMAW in different positions.	Plan and select the type & size of electrode, welding current, type of edge preparation etc. as per requirement.		
	(NOS: CSC/N0204)	Prepare, set and tack the pieces as per drawing.		
		Set up the tacked pieces in specific position.		
		Deposit the weld maintaining appropriate arc length, electrode		
		angle, welding speed, weaving technique and safety aspects.		
		Clean the welded joint thoroughly.		
		Carry out visual inspection for appropriate weld joint.		
		Inspect the weld using DPT/MPT.		
3.	Perform straight, bevel & circular cutting on MS	Plan and mark on MS plate surface for straight/bevel/circular cutting.		
	plate by Oxy-acetylene cutting process.	Select the nozzle size and working pressure of gases as per requirement.		
	(NOS: CSC/N0201)	Set the marked plate properly on cutting table.		
	(,	Perform the straight and bevel cutting operation maintaining		
		proper techniques and all safety aspects.		
		Perform the circular cutting operation by using profile cutting		
		machine maintaining proper techniques and all safety aspects.		
		Clean the cutting burrs and inspect the cut surface for soundness		
		of cutting.		
4.	Perform different types of	Plan and prepare the development for a specific type of pipe joint.		
	MS pipe joints by Gas	Mark and cut the MS pipe as per development.		
	welding (OAW).(NOS:	Select the size of filler rod, size of nozzle, working pressure etc.		
	CSC/N0204)	Set and tack the pieces as per drawing.		
		Deposit the weld bead maintaining proper technique and safety aspects.		
		Inspect the welded joint visually for poor penetration, uniformity of bead and surface defects.		

MS pipe joints by SMAW. (NOS: CSC/N0204) Mark and cut the MS pipe as per development. Select the electrode size and welding current for welding. Set and tack the pieces as per drawing. Deposit the weld bead maintaining proper technique and safet aspects. Insect the welded joint visually for root penetration, uniformity or bead and surface defects. Select power source as per material, size and type of Tungste electrode, welding current, gas nozzle size, gas flow rate and fille rod size as per requirement. Prepare, set and tack the pieces as per drawing. Set up the tacked joint in specific position. Deposit the weld by adapting proper weldin technique and safety aspects. Carry out visual inspection to ensure quality or welded joint. Inspect the weld using Dye-penetration Test (DPT)//Magnetic particle Test (MPT). Identify the materials and measuring instruments. Carry out buttl & fillet welds on sheet metals. Mark on plates on structural sections- I, L, C etc. Perform gas cutting of MS plate, I section and channels profil cutting. Perform root run welding by using backing strip. Install GTAW welding plant. Carry out seading by TIG. Carry out straight line beads on MS plate by CO2 welding. Carry out straight line beads on MS plate by CO2 welding. Carry out straight line beads on MS plate by CO2 welding. Carry out straight line beads on MS plate by CO2 welding. Carry out straight line beads on MS plate by CO2 welding. Carry out signle V—butt joint by CO2 welding. Develop pipe weld joint and fit up on elbow and T-joint. Perform pipe joint root welding by TIG. Perform gouging adapting proper gouging technique. Clean and check to ascertain the required stock removed.	MS pipe joints by SMAW. (NOS: CSC/N0204) Select the electrode size and welding current for welding. Set and tack the pieces as per dawing. Deposit the weld bead maintaining proper technique and sa aspects. Insect the welded joint visually for root penetration, uniformit bead and surface defects. 6. Join Aluminum &Stainless Steel sheets by GTAW in different position.(NOS: CSC/N0212) Select power source as per material, size and type of Tung electrode, welding current, gas nozzle size, gas flow rate and it rod size as per requirement. Prepare, set and tack the pieces as per drawing. Set up the tacked joint in specific position. Deposit the weld by adapting proper well technique and safety aspects. Carry out visual inspection to ensure quality welded joint. Inspect the weld using Dye-penetration (DPT)/Magnetic particle Test (MPT). Identify the materials and measuring instruments. Carry out butt & fillet welds on sheet metals. Mark on plates on structural sections- I, L, C etc. Perform gas cutting of MS plate, I section and channels protting. Perform root run welding by using backing strip. Install GTAW welding plant. Carry out beading by TIG. Carry out square butt and corner joint on MS by TIG. Perform butt, T and corner joint on MS plate by CO2 welding. Carry out lap T and corner joint on MS plate by CO2 welding. Carry out lap T and corner joint on MS plate by CO2 welding. Carry out lap T and corner joint on MS plate by CO2 welding. Carry out lap T and corner joint on MS plate by CO2 welding. Carry out lap T and corner joint on MS plate by CO2 welding. Carry out lap T and corner joint on MS plate by CO2 welding. Carry out lap T and corner joint on MS plate by CO2 welding. Carry out lap T and corner joint on MS plate by CO2 welding. Carry out lap T and corner joint on MS plate by CO2 welding. Carry out lap T and corner joint on MS plate by CO2 welding. Carry out lap T and corner joint on MS plate by CO2 welding. Carry out lap T and corner joint on MS plate by CO2 welding. Carry out joint no			
(NOS: CSC/N0204) Select the electrode size and welding current for welding.	(NOS: CSC/N0204) Select the electrode size and welding current for welding. Set and tack the pieces as per drawing. Deposit the weld bead maintaining proper technique and sa aspects. Insect the welded joint visually for root penetration, uniformit bead and surface defects. Select power source as per material, size and type of Tung electrode, welding current, gas nozzle size, gas flow rate and it rod size as per requirement. Position.(NOS: CSC/N0212) Select power source as per material, size and type of Tung electrode, welding current, gas nozzle size, gas flow rate and it rod size as per requirement. Perpare, set and tack the pieces as per drawing. Set up the tacked joint in specific position. Deposit the weld by adapting proper well technique and safety aspects. Carry out visual inspection to ensure quality welded joint. Inspect the weld using Dye-penetration (DPT)/Magnetic particle Test (MPT). Identify the materials and measuring instruments. Carry out butt & fillet welds on sheet metals. Mark on plates on structural sections- I, I, C etc. Perform gas cutting of MS plate, I section and channels prouting. Perform or un welding by using backing strip. Install GTAW welding plant. Carry out beading by TIG. Carry out square butt and corner joint on MS by TIG. Perform butt, T and corner joint on MS plate by CO2 welding. Carry out square butt and corner joint on MS plate by CO2 welding. Carry out single V – butt joint by CO2 welding. Carry out single V – butt joint by CO2 welding. Carry out single V – butt joint on welding by TIG. Perform pipe joint root welding by TIG. Perform gouging adapting proper gouging technique. Carry	5. We	- · · · · · · · · · · · · · · · · · · ·	Plan and prepare the development for a specific type of pipe joint.
Set and tack the pieces as per drawing. Deposit the weld bead maintaining proper technique and safet aspects. Insect the welded joint visually for root penetration, uniformity of bead and surface defects. Select power source as per material, size and type of Tungste electrode, welding current, gas nozzle size, gas flow rate and filler rod size as per requirement. Prepare, set and tack the pieces as per drawing. Set up the tacked joint in specific position. Deposit the weld by adapting proper weldin technique and safety aspects. Carry out visual inspection to ensure quality of welded joint. Inspect the weld using Dye-penetration Test (DPT)/Magnetic particle Test (MPT). Identify the materials and measuring instruments. Carry out butt & fillet welds on sheet metals. Mark on plates on structural sections—I, L, C etc. Perform gas cutting of MS plate, I section and channels profil cutting. Perform root run welding by using backing strip. Install GTAW welding plant. Carry out square butt and corner joint on MS by TIG. Perform butt, T and corner joint on SS sheet. Carry out square butt and corner joint on SS sheet. Carry out square butt and corner joint on MS by TIG. Perform butt, T and corner joint on MS plate by CO2 welding. Carry out single V—butt joint by CO2 welding. Carry out single V—butt joint by CO2 welding. Carry out single V—butt joint by CO2 welding. Develop pipe weld joint and fit up on elbow and T-joint. Perform pipe joint root welding by TIG. Carry out pipe joint root welding by TIG. Carry out polarity and current as per requirement. Perform gouging adapting proper gouging technique. Clean and check to ascertain the required stock removed.	Set and tack the pieces as per drawing. Deposit the weld bead maintaining proper technique and sa aspects. Insect the welded joint visually for root penetration, uniformit bead and surface defects. Select power source as per material, size and type of Tung electrode, welding current, gas nozzle size, gas flow rate and it rod size as per requirement. Prepare, set and tack the pieces as per drawing. Set up the tacked joint in specific position. Deposit the weld by adapting proper wel technique and safety aspects. Carry out visual inspection to ensure quality welded joint. Inspect the weld using Dye-penetration (DPT)/Magnetic particle Test (MPT). Identify the materials and measuring instruments. Carry out butt & fillet welds on sheet metals. Mark on plates on structural sections- I, I, C etc. Perform gas cutting of MS plate, I section and channels prouting. Perform root run welding by using backing strip. Install GTAW welding plant. Carry out square butt and corner joint on MS by TIG. Perform butt, T and corner joint on MS plate by CO2 welding. Carry out saguere butt and corner joint on MS plate by CO2 welding. Carry out single V – butt joint by CO2 welding. Carry out single V – butt joint by CO2 welding. Carry out single V – butt joint and fit up on elbow and T-joint. Perform pipe joint root welding by TIG. CSC/NO207), NOS: CSC/NO207), NOS: CSC/NO207), NOS: CSC/NO212) Select the polarity and current as per requirement. Perform gouging adapting proper gouging technique. Clean and check to ascertain the required stock removed.	MS		Mark and cut the MS pipe as per development.
Deposit the weld bead maintaining proper technique and safet aspects. Insect the welded joint visually for root penetration, uniformity obead and surface defects. Select power source as per material, size and type of Tungste electrode, welding current, gas nozzle size, gas flow rate and filler od size as per requirement. Prepare, set and tack the pieces as per drawing. Set up the tacked joint in specific position. Deposit the weld by adapting proper welding technique and safety aspects. Carry out visual inspection to ensure quality of welded joint. Inspect the weld using Dye-penetration Test (DPT)/Magnetic particle Test (MPT). Identify the materials and measuring instruments. Carry out butt & fillet welds on sheet metals. Mark on plates on structural sections - I, L, C etc. Perform gas cutting of MS plate, I section and channels profil cutting. Perform root run welding by using backing strip. Install GTAW welding plant. Carry out beading by TIG. Carry out square butt and corner joint on MS by TIG. Perform butt, T and corner joint on MS plate by CO2 welding. Carry out square butt and corner joint on MS plate by CO2 welding. Carry out square butt joint by CO2 welding. Carry out single V – butt joint by CO2 welding. Carry out single V – butt joint by CO2 welding. Carry out single V – butt joint and fit up on elbow and T-joint. Perform pipe joint root welding by TIG. Carry out polarity and current as per requirement. Perform goaging and current as per requirement. Perform goag	Deposit the weld bead maintaining proper technique and sa aspects. Insect the welded joint visually for root penetration, uniformit bead and surface defects. 6. Join Aluminum & Stainless Steel sheets by GTAW in different position. (NOS: CSC/N0212) Select power source as per material, size and type of Tung electrode, welding current, gas nozzle size, gas flow rate and it of size as per requirement. Prepare, set and tack the pieces as per drawing. Set up the tacked joint in specific position. Deposit the weld by adapting proper well technique and safety aspects. Carry out visual inspection to ensure quality welded joint. Inspect the weld using Dye-penetration (DPT)/Magnetic particle Test (MPT). Identify the materials and measuring instruments. Carry out but & fillet welds on sheet metals. Mark on plates on structural sections- I, L, C etc. Perform gas cutting of MS plate, I section and channels prouting. Perform root run welding by using backing strip. Install GTAW welding plant. Carry out square butt and corner joint on MS by TIG. Perform butt, T and corner joint on MS plate by CO2 welding. Carry out straight line beads on MS plate by CO2 welding. Carry out straight line beads on MS plate by CO2 welding. Carry out straight line beads on MS plate by CO2 welding. Carry out straight line beads on MS plate by CO2 welding. Carry out straight line beads on MS plate by CO2 welding. Perform butt, T and corner joint on MS plate by CO2 welding. Carry out straight line beads on MS plate by CO2 welding. Carry out straight line beads on MS plate by CO2 welding. Carry out straight line beads on MS plate by CO2 welding. Carry out straight line beads on MS plate by CO2 welding. Carry out straight line beads on MS plate by CO2 welding. Carry out straight line beads on MS plate by CO2 welding. Carry out straight line beads on MS plate by CO2 welding. Carry out straight line beads on MS plate by CO2 welding. Carry out straight line beads on MS plate by CO2 welding. Carry out straight line beads on MS p	(NC	OS: CSC/N0204)	Select the electrode size and welding current for welding.
aspects. Insect the welded joint visually for root penetration, uniformity of bead and surface defects. 6. Join Aluminum 8. Stainless Steel sheets by GTAW in different position.(NOS: CSC/N0212) 6. Select power source as per material, size and type of Tungste electrode, welding current, gas nozzle size, gas flow rate and filler rod size as per requirement. 7. Perform Arc gauging on MS plate.(NOS: CSC/N0212) 8. Select power source as per material, size and type of Tungste electrode, welding current, gas nozzle size, gas flow rate and filler rod size as per requirement. 8. Select power source as per material, size and type of Tungste electrode, welding current, gas nozzle size, gas flow rate and filler rod size as per requirement. 8. Select power source as per material, size and type of Tungste electrode, welding current, gas nozzle size, gas flow rate and filler rod size as per requirement. 8. Select power source as per material, size and type of Tungste electrode, welding read and size, gas flow rate and filler rod size as per requirement. 8. Select power source as per material, size and type of Tungste electrode for Arc gouging. 8. Select the welding person per gouging stechnique. 9. Select the welding person per gouging technique. 9. Select the size of electrode for Arc gouging. 9. Select the polarity and current as per requirement. 9. Perform gouging adapting proper gouging technique. 9. Clean and check to ascertain the required stock removed.	aspects. Insect the welded joint visually for root penetration, uniformit bead and surface defects. Select power source as per material, size and type of Tung electrode, welding current, gas nozzle size, gas flow rate and trods size as per requirement. Position.(NOS: CSC/N0212) Set up the tacked joint in specific position. Deposit the weld by adapting proper well technique and safety aspects. Carry out visual inspection to ensure quality welded joint. Inspect the weld using Dye-penetration (DPT)/Magnetic particle Test (MPT). Identify the materials and measuring instruments. Carry out butt & fillet welds on sheet metals. Mark on plates on structural sections- I, L, C etc. Perform gas cutting of MS plate, I section and channels prouting. Perform root run welding by using backing strip. Install GTAW welding plant. Carry out seading by TiG. Carry out square butt and corner joint on MS by TiG. Perform butt, T and corner joint on MS plate by CO2 welding. Carry out single V -butt joint by CO2 welding. Carry out single V -butt joint by CO2 welding. Carry out single V -butt joint by CO2 welding. Carry out single V -butt joint by CO2 welding. Carry out single V -butt joint by CO2 welding. Carry out single V -butt joint by CO2 welding. Carry out single V -butt joint by CO2 welding. Carry out single V -butt joint by CO2 welding. Carry out single V -butt joint by CO2 welding. Carry out single V -butt joint by CO2 welding. Carry out single V -butt joint by CO2 welding. Carry out single V -butt joint by CO2 welding. Carry out single V -butt joint by CO2 welding. Carry out single V -butt joint by CO2 welding. Carry out single V -butt joint by CO2 welding. Carry out single V -butt joint by CO2 welding. Carry out single V -butt joint by CO2 welding. Carry out single V -butt joint by CO2 welding. Carry out single V -butt joint by CO2 welding. Carry out single V -butt joint by CO2 welding. Carry out single V -butt joint by CO2 welding. Carry out single V -butt joint by CO2 welding. Carry out s			Set and tack the pieces as per drawing.
Insect the welded joint visually for root penetration, uniformity of bead and surface defects. Select power source as per material, size and type of Tungste electrode, welding current, gas nozzle size, gas flow rate and filler rod size as per requirement. Prepare, set and tack the pieces as per drawing. Set up the tacked joint in specific position. Deposit the weld by adapting proper welding technique and safety aspects. Carry out visual inspection to ensure quality of welded joint. Inspect the weld using Dye-penetration Test (DPT)/Magnetic particle Test (MPT). Identify the materials and measuring instruments. Carry out butt & fillet welds on sheet metals. Mark on plates on structural sections- I, I, C etc. Perform gas cutting of MS plate, I section and channels profil cutting. Perform root run welding by using backing strip. Install GTAW welding plant. Carry out beading by TIG. Carry out lap T and corner joint on MS by TIG. Perform butt, T and corner joint on MS plate by CO2 welding. Carry out lap T and corner joint by CO2 welding. Carry out straight line beads on MS plate by CO2 welding. Carry out single V – butt joint by CO2 welding. Carry out single V – butt joint by CO2 welding. Develop pipe weld joint and fit up on elbow and T-joint. Perform pipe joint root welding by TIG. 7. Perform Arc gauging on MS plate. (NOS: CSC/NO2077), NOS: CSC/NO2077), NOS: CSC/NO212) Plan and select the size of electrode for Arc gouging. Select the polarity and current as per requirement. Perform gouging adapting proper gouging technique. Clean and check to ascertain the required stock removed.	Insect the welded joint visually for root penetration, uniformit bead and surface defects. Select power source as per material, size and type of Tung electrode, welding current, gas nozzle size, gas flow rate and rod size as per requirement. Prepare, set and tack the pieces as per drawing. Set up the tacked joint in specific position. Deposit the weld by adapting proper wel technique and safety aspects. Carry out visual inspection to ensure quality welded joint. Inspect the weld using Dye-penetration (DPT)/Magnetic particle Test (MPT). Identify the materials and measuring instruments. Carry out butt & fillet welds on sheet metals. Mark on plates on structural sections- I, I, C etc. Perform gas cutting of MS plate, I section and channels prouting. Perform root run welding by using backing strip. Install GTAW welding plant. Carry out square butt and corner joint on MS by TIG. Perform butt, T and corner joint on MS plate by CO2 welding. Carry out single V – butt joint by CO2 welding. Carry out single V – butt joint by CO2 welding. Carry out single V – butt joint and fit up on elbow and T-joint. Perform pipe joint root welding by TIG. Perform popipe weld joint and fit up on elbow and T-joint. Perform pipe joint root welding by TIG. Perform popipe weld joint and fit up on elbow and T-joint. Perform pipe joint root welding by TIG. Perform gouging adapting proper gouging technique. CSC/N0207), NOS: CSC/N0207), NOS: CSC/N0212) Select the polarity and current as per requirement. Prepare, set and tack the pieces as per drawing.			Deposit the weld bead maintaining proper technique and safety
Insect the welded joint visually for root penetration, uniformity of bead and surface defects. Select power source as per material, size and type of Tungste electrode, welding current, gas nozzle size, gas flow rate and fille rod size as per requirement. Prepare, set and tack the pieces as per drawing. Set up the tacked joint in specific position. Deposit the weld by adapting proper weldin technique and safety aspects. Carry out visual inspection to ensure quality of welded joint. Inspect the weld using Dye-penetration Test (DPT)/Magnetic particle Test (MPT). Identify the materials and measuring instruments. Carry out butt & fillet welds on sheet metals. Mark on plates on structural sections- I, I, C etc. Perform gas cutting of MS plate, I section and channels profil cutting. Perform root run welding by using backing strip. Install GTAW welding plant. Carry out beading by TIG. Carry out up a day and the profile to the profile of the profi	Insect the welded joint visually for root penetration, uniformit bead and surface defects. Select power source as per material, size and type of Tung electrode, welding current, gas nozzle size, gas flow rate and rod size as per requirement. Prepare, set and tack the pieces as per drawing. Set up the tacked joint in specific position. Deposit the weld by adapting proper wel technique and safety aspects. Carry out visual inspection to ensure quality welded joint. Inspect the weld using Dye-penetration (DPT)/Magnetic particle Test (MPT). Identify the materials and measuring instruments. Carry out butt & fillet welds on sheet metals. Mark on plates on structural sections- I, I, C etc. Perform gas cutting of MS plate, I section and channels prouting. Perform root run welding by using backing strip. Install GTAW welding plant. Carry out square butt and corner joint on MS by TIG. Perform butt, T and corner joint on MS plate by CO2 welding. Carry out single V – butt joint by CO2 welding. Carry out single V – butt joint by CO2 welding. Carry out single V – butt joint and fit up on elbow and T-joint. Perform pipe joint root welding by TIG. Perform popipe weld joint and fit up on elbow and T-joint. Perform pipe joint root welding by TIG. Perform popipe weld joint and fit up on elbow and T-joint. Perform pipe joint root welding by TIG. Perform gouging adapting proper gouging technique. CSC/N0207), NOS: CSC/N0207), NOS: CSC/N0212) Select the polarity and current as per requirement. Prepare, set and tack the pieces as per drawing.			aspects.
bead and surface defects. Select power source as per material, size and type of Tungste electrode, welding current, gas nozzle size, gas flow rate and fille rod size as per requirement. Prepare, set and tack the pieces as per drawing. Set up the tacked joint in specific position. Deposit the weld by adapting proper weldin technique and safety aspects. Carry out visual inspection to ensure quality of welded joint. Inspect the weld using Dye-penetration Test (DPT)/Magnetic particle Test (MPT). Identify the materials and measuring instruments. Carry out butt & fillet welds on sheet metals. Mark on plates on structural sections- I, I, C etc. Perform gas cutting of MS plate, I section and channels profil cutting. Perform root run welding by using backing strip. Install GTAW welding plant. Carry out beading by TIG. Carry out straight line beads on MS plate by CO2 welding. Carry out straight line beads on MS plate by CO2 welding. Carry out single V –butt joint by CO2 welding. Carry out single V –butt joint by CO2 welding. Carry out single V –butt joint on MS plate by CO2 welding. Perform pipe joint root welding by TIG. Perform pipe joint root welding by TIG. 7. Perform Arc gauging on MS plate. (NOS: CSC/N0207), NOS: CSC/N0212) Plan and select the size of electrode for Arc gouging. Select the polarity and current as per requirement. Perform gouging adapting proper gouging technique. Clean and check to ascertain the required stock removed.	6. Join Aluminum &Stainless Steel sheets by GTAW in different position.(NOS: CSC/N0212) Set up the tacked joint in specific position. Deposit the weld by adapting proper wel technique and safety aspects. Carry out visual inspection to ensure quality welded joint. Inspect the weld using Dye-penetration (DPT)/Magnetic particle Test (MPT). Identify the materials and measuring instruments. Carry out butt & fillet welds on sheet metals. Mark on plates on structural sections- I, I, C etc. Perform gas cutting of MS plate, I section and channels proutting. Perform root run welding by using backing strip. Install GTAW welding plant. Carry out beading by TIG. Carry out straight line beads on MS plate by CO2 welding. Carry out single V -butt joint by CO2 welding. Carry out single V -butt joint by CO2 welding. Carry out single V -butt joint by CO2 welding. Carry out single V -butt joint by CO2 welding. Carry out single V -butt joint by CO2 welding. Carry out single V -butt joint by CO2 welding. Carry out single V -butt joint by CO2 welding. Carry out single V -butt joint by CO2 welding. Carry out single V -butt joint by CO2 welding. Carry out single V -butt joint by CO2 welding. Carry out single V -butt joint by CO2 welding. Carry out single V -butt joint by CO2 welding. Carry out single V -butt joint by CO2 welding. Carry out single V -butt joint by CO2 welding. Carry out single V -butt joint by CO2 welding. Carry out single V -butt joint by CO2 welding. Carry out single V -butt joint by CO2 welding. Carry out single V -butt joint by CO2 welding. Carry out joint and fit up on elbow and T-joint. Perform pipe joint root welding by TIG. 7. Perform Arc gauging on MS plate, (NOS: CSC/N0207), NOS: CSC/N0212) Select the polarity and current as per requirement. Perform gouging adapting proper gouging technique. Clean and check to ascertain the required stock removed.			·
&Stainless Steel sheets by GTAW in different position. (NOS: CSC/N0212) Prepare, set and tack the pieces as per drawing. Set up the tacked joint in specific position. Deposit the weld by adapting proper weldin technique and safety aspects. Carry out visual inspection to ensure quality or welded joint. Inspect the weld using Dye-penetration Test (DPT)/Magnetic particle Test (MPT). Identify the materials and measuring instruments. Carry out butt & fillet welds on sheet metals. Mark on plates on structural sections-I, L, C etc. Perform gas cutting of MS plate, I section and channels profil cutting. Perform root run welding by using backing strip. Install GTAW welding plant. Carry out beading by TIG. Carry out square butt and corner joint on MS by TIG. Perform butt, T and corner joint on SS sheet. Carry out single V – butt joint by CO2 welding. Carry out single V – butt joint by CO2 welding. Carry out single V – butt joint by CO2 welding. Develop pipe weld joint and fit up on elbow and T-joint. Perform pipe joint root welding by TIG. 7. Perform Arc gauging on MS plate. (NOS: CSC/N0207), NOS: CSC/N0207), NOS: CSC/N0212) Plan and select the size of electrode for Arc gauging. Select the polarity and current as per requirement. Perform gouging adapting proper gouging technique. Clean and check to ascertain the required stock removed.	electrode, welding current, gas nozzle size, gas flow rate and rod size as per requirement. Prepare, set and tack the pieces as per drawing. Set up the tacked joint in specific position. Deposit the weld by adapting proper wel technique and safety aspects. Carry out visual inspection to ensure quality welded joint. Inspect the weld using Dye-penetration (DPT)/Magnetic particle Test (MPT). Identify the materials and measuring instruments. Carry out butt & fillet welds on sheet metals. Mark on plates on structural sections- I, L, C etc. Perform gas cutting of MS plate, I section and channels prouting. Perform root run welding by using backing strip. Install GTAW welding plant. Carry out square butt and corner joint on MS by TIG. Perform butt, T and corner joint on MS plate by CO2 welding. Carry out lap T and corner joint on MS plate by CO2 welding. Carry out single V – butt joint by CO2 welding. Carry out single V – butt joint by CO2 welding. Develop pipe weld joint and fit up on elbow and T-joint. Perform pipe joint root welding by TIG. 7. Perform Arc gauging on MS plate. (NOS: CSC/N0207), NOS: CSC/N0207), NOS: CSC/N0212) Plan and select the size of electrode for Arc gouging. Select the polarity and current as per requirement. Prepare, set and tack the pieces as per drawing.			· · · · · · · · · · · · · · · · · · ·
electrode, welding current, gas nozzle size, gas flow rate and fille rod size as per requirement. Prepare, set and tack the pieces as per drawing. Set up the tacked joint in specific position. Deposit the weld by adapting proper weldin technique and safety aspects. Carry out visual inspection to ensure quality of welded joint. Inspect the weld using Dye-penetration Test (DPT)/Magnetic particle Test (MPT). Identify the materials and measuring instruments. Carry out butt & fillet welds on sheet metals. Mark on plates on structural sections-I, L, C etc. Perform gas cutting of MS plate, I section and channels profil cutting. Perform root run welding by using backing strip. Install GTAW welding plant. Carry out beading by TIG. Carry out square butt and corner joint on MS by TIG. Perform butt, T and corner joint on MS plate by CO2 welding. Carry out single V – butt joint by CO2 welding. Carry out single V – butt joint by CO2 welding. Carry out single V – butt joint by CO2 welding. Develop pipe weld joint and fit up on elbow and T-joint. Perform pipe joint root welding by TIG. 7. Perform Arc gauging on MS plate. (NOS: CSC/N0207), NOS: CSC/N0212) Plan and select the size of electrode for Arc gauging. Select the polarity and current as per requirement. Perform gouging adapting proper gouging technique. Clean and check to ascertain the required stock removed.	electrode, welding current, gas nozzle size, gas flow rate and rod size as per requirement. Prepare, set and tack the pieces as per drawing. Set up the tacked joint in specific position. Deposit the weld by adapting proper wel technique and safety aspects. Carry out visual inspection to ensure quality welded joint. Inspect the weld using Dye-penetration (DPT)/Magnetic particle Test (MPT). Identify the materials and measuring instruments. Carry out butt & fillet welds on sheet metals. Mark on plates on structural sections- I, L, C etc. Perform gas cutting of MS plate, I section and channels prouting. Perform root run welding by using backing strip. Install GTAW welding plant. Carry out square butt and corner joint on MS by TIG. Perform butt, T and corner joint on MS plate by CO2 welding. Carry out lap T and corner joint on MS plate by CO2 welding. Carry out single V – butt joint by CO2 welding. Carry out single V – butt joint by CO2 welding. Develop pipe weld joint and fit up on elbow and T-joint. Perform pipe joint root welding by TIG. 7. Perform Arc gauging on MS plate. (NOS: CSC/N0207), NOS: CSC/N0207), NOS: CSC/N0212) Plan and select the size of electrode for Arc gouging. Select the polarity and current as per requirement. Prepare, set and tack the pieces as per drawing.			
&Stainless Steel sheets by GTAW in different position. (NOS: CSC/N0212) Prepare, set and tack the pieces as per drawing. Set up the tacked joint in specific position. Deposit the weld by adapting proper weldin technique and safety aspects. Carry out visual inspection to ensure quality or welded joint. Inspect the weld using Dye-penetration Test (DPT)/Magnetic particle Test (MPT). Identify the materials and measuring instruments. Carry out butt & fillet welds on sheet metals. Mark on plates on structural sections-I, L, C etc. Perform gas cutting of MS plate, I section and channels profil cutting. Perform root run welding by using backing strip. Install GTAW welding plant. Carry out beading by TIG. Carry out square butt and corner joint on MS by TIG. Perform butt, T and corner joint on SS sheet. Carry out single V – butt joint by CO2 welding. Carry out single V – butt joint by CO2 welding. Carry out single V – butt joint by CO2 welding. Develop pipe weld joint and fit up on elbow and T-joint. Perform pipe joint root welding by TIG. 7. Perform Arc gauging on MS plate. (NOS: CSC/N0207), NOS: CSC/N0207), NOS: CSC/N0212) Plan and select the size of electrode for Arc gauging. Select the polarity and current as per requirement. Perform gouging adapting proper gouging technique. Clean and check to ascertain the required stock removed.	electrode, welding current, gas nozzle size, gas flow rate and rod size as per requirement. Prepare, set and tack the pieces as per drawing. Set up the tacked joint in specific position. Deposit the weld by adapting proper wel technique and safety aspects. Carry out visual inspection to ensure quality welded joint. Inspect the weld using Dye-penetration (DPT)/Magnetic particle Test (MPT). Identify the materials and measuring instruments. Carry out butt & fillet welds on sheet metals. Mark on plates on structural sections- I, L, C etc. Perform gas cutting of MS plate, I section and channels prouting. Perform root run welding by using backing strip. Install GTAW welding plant. Carry out square butt and corner joint on MS by TIG. Perform butt, T and corner joint on MS plate by CO2 welding. Carry out lap T and corner joint on MS plate by CO2 welding. Carry out single V – butt joint by CO2 welding. Carry out single V – butt joint by CO2 welding. Develop pipe weld joint and fit up on elbow and T-joint. Perform pipe joint root welding by TIG. 7. Perform Arc gauging on MS plate. (NOS: CSC/N0207), NOS: CSC/N0207), NOS: CSC/N0212) Plan and select the size of electrode for Arc gouging. Select the polarity and current as per requirement. Prepare, set and tack the pieces as per drawing.	6. Joir	n Aluminum	Select power source as per material, size and type of Tungsten
GTAW in different position. (NOS: CSC/N0212) Set up the tacked joint in specific position. Deposit the weld by adapting proper weldin technique and safety aspects. Carry out visual inspection to ensure quality of welded joint. Inspect the weld using Dye-penetration Test (DPT)/Magnetic particle Test (MPT). Identify the materials and measuring instruments. Carry out butt & fillet welds on sheet metals. Mark on plates on structural sections- I, L, C etc. Perform gas cutting of MS plate, I section and channels profil cutting. Perform root run welding by using backing strip. Install GTAW welding plant. Carry out beading by TIG. Carry out seading by TIG. Carry out square butt and corner joint on MS by TIG. Perform butt, T and corner joint on MS plate by CO2 welding. Carry out lap T and corner joint on MS plate by CO2 welding. Carry out single V -butt joint by CO2 welding. Carry out single V -butt joint and fit up on elbow and T-joint. Perform pipe joint root welding by TIG. 7. Perform Arc gauging on MS plate. (NOS: CSC/N0207), NOS: CSC/N0212) Plan and select the size of electrode for Arc gouging. Select the polarity and current as per requirement. Perform gouging adapting proper gouging technique. Clean and check to ascertain the required stock removed.	rod size as per requirement. Prepare, set and tack the pieces as per drawing. Set up the tacked joint in specific position. Deposit the weld by adapting proper wel technique and safety aspects. Carry out visual inspection to ensure quality welded joint. Inspect the weld using Dye-penetration (DPT)/Magnetic particle Test (MPT). Identify the materials and measuring instruments. Carry out butt & fillet welds on sheet metals. Mark on plates on structural sections- I, L, C etc. Perform gas cutting of MS plate, I section and channels prouting. Perform root run welding by using backing strip. Install GTAW welding plant. Carry out square butt and corner joint on MS by TIG. Perform butt, T and corner joint on SS sheet. Carry out straight line beads on MS plate by CO2 welding. Carry out single V – butt joint by CO2 welding. Carry out single V – butt joint by CO2 welding. Carry out single V – butt joint and fit up on elbow and T-joint. Perform pipe joint root welding by TIG. 7. Perform Arc gauging on MS plate. (NOS: CSC/NO207), NOS: CSC/NO207), NOS: CSC/NO207), NOS: CSC/NO212) Plan and select the size of electrode for Arc gouging. Select the polarity and current as per requirement. Perform gouging adapting proper gouging technique. Clean and check to ascertain the required stock removed.	&S1		
position.(NOS: CSC/N0212) Prepare, set and tack the pieces as per drawing. Set up the tacked joint in specific position. Deposit the weld by adapting proper welding technique and safety aspects. Carry out visual inspection to ensure quality of welded joint. Inspect the weld using Dye-penetration Test (DPT)/Magnetic particle Test (MPT). Identify the materials and measuring instruments. Carry out butt & fillet welds on sheet metals. Mark on plates on structural sections- I, L, C etc. Perform gas cutting of MS plate, I section and channels profil cutting. Perform root run welding by using backing strip. Install GTAW welding plant. Carry out square butt and corner joint on MS by TIG. Perform butt, T and corner joint on MS plate by CO2 welding. Carry out straight line beads on MS plate by CO2 welding. Carry out single V – butt joint by CO2 welding. Carry out single V – butt joint by CO2 welding. Develop pipe weld joint and fit up on elbow and T-joint. Perform pipe joint root welding by TIG. 7. Perform Arc gauging on MS plate.(NOS: CSC/N0207), NOS: CSC/N0212) Plan and select the size of electrode for Arc gouging. Select the polarity and current as per requirement. Perform gouging adapting proper gouging technique. Clean and check to ascertain the required stock removed.	position.(NOS: CSC/N0212) Prepare, set and tack the pieces as per drawing. Set up the tacked joint in specific position. Deposit the weld by adapting proper wel technique and safety aspects. Carry out visual inspection to ensure quality welded joint. Inspect the weld using Dye-penetration (DPT)/Magnetic particle Test (MPT). Identify the materials and measuring instruments. Carry out butk fillet welds on sheet metals. Mark on plates on structural sections- I, L, C etc. Perform gas cutting of MS plate, I section and channels prouting. Perform root run welding by using backing strip. Install GTAW welding plant. Carry out beading by TIG. Carry out square butt and corner joint on MS by TIG. Perform butt, T and corner joint on SS sheet. Carry out straight line beads on MS plate by CO2 welding. Carry out ap T and corner joint on MS plate by CO2 welding. Carry out single V -butt joint by CO2 welding. Carry out single V -butt joint and fit up on elbow and T-joint. Perform pipe joint root welding by TIG. Perform Arc gauging on MS plate.(NOS: CSC/NO207), NOS: CSC/NO207), NOS: CSC/NO212) Plan and select the size of electrode for Arc gouging. Select the polarity and current as per requirement. Perform gouging adapting proper gouging technique. Clean and check to ascertain the required stock removed. Select size of electrode wire, welding voltage, flow rate, wire feed rate as per requirement. Prepare, set and tack the pieces as per drawing.			
Set up the tacked joint in specific position. Deposit the weld by adapting proper weldin technique and safety aspects. Carry out visual inspection to ensure quality of welded joint. Inspect the weld using Dye-penetration Test (DPT)/Magnetic particle Test (MPT). Identify the materials and measuring instruments. Carry out butt & fillet welds on sheet metals. Mark on plates on structural sections- I, L, C etc. Perform gas cutting of MS plate, I section and channels profil cutting. Perform root run welding by using backing strip. Install GTAW welding plant. Carry out beading by TIG. Carry out square butt and corner joint on MS by TIG. Perform butt, T and corner joint on SS sheet. Carry out square butt and corner joint on MS plate by CO2 welding. Carry out saright line beads on MS plate by CO2 welding. Carry out single V –butt joint by CO2 welding. Carry out single V –butt joint and fit up on elbow and T-joint. Perform pipe joint root welding by TIG. 7. Perform Arc gauging on MS plate. (NOS: CSC/N0207), NOS: CSC/N0207), NOS: CSC/N0212) Plan and select the size of electrode for Arc gouging. Select the polarity and current as per requirement. Perform gouging adapting proper gouging technique. Clean and check to ascertain the required stock removed.	CSC/N0212) Set up the tacked joint in specific position. Deposit the weld by adapting proper wel technique and safety aspects. Carry out visual inspection to ensure quality welded joint. Inspect the weld using Dye-penetration (DPT)/Magnetic particle Test (MPT). Identify the materials and measuring instruments. Carry out butt & fillet welds on sheet metals. Mark on plates on structural sections- I, L, C etc. Perform gas cutting of MS plate, I section and channels prouting. Perform root run welding by using backing strip. Install GTAW welding plant. Carry out beading by TIG. Carry out square butt and corner joint on MS by TIG. Perform butt, T and corner joint on SS sheet. Carry out straight line beads on MS plate by CO2 welding. Carry out straight line beads on MS plate by CO2 welding. Carry out single V -butt joint by CO2 welding. Carry out single V -butt joint and fit up on elbow and T-joint. Perform pipe joint root welding by TIG. 7. Perform Arc gauging on MS plate. (NOS: CSC/NO207), NOS: CSC/NO207), NOS: CSC/NO212) Plan and select the size of electrode for Arc gouging. Select the polarity and current as per requirement. Perform gouging adapting proper gouging technique. Clean and check to ascertain the required stock removed. Select size of electrode wire, welding voltage, flow rate, wire feed rate as per requirement. Prepare, set and tack the pieces as per drawing.			
Deposit the weld by adapting proper weldin technique and safety aspects. Carry out visual inspection to ensure quality of welded joint. Inspect the weld using Dye-penetration Test (DPT)/Magnetic particle Test (MPT). Identify the materials and measuring instruments. Carry out butt & fillet welds on sheet metals. Mark on plates on structural sections- I, L, C etc. Perform gas cutting of MS plate, I section and channels profil cutting. Perform root run welding by using backing strip. Install GTAW welding plant. Carry out seading by TIG. Carry out square butt and corner joint on MS by TIG. Perform butt, T and corner joint on SS sheet. Carry out straight line beads on MS plate by CO2 welding. Carry out lap T and corner joint on MS plate by CO2 welding. Carry out single V –butt joint by CO2 welding. Carry out single V –butt joint by CO2 welding. Develop pipe weld joint and fit up on elbow and T-joint. Perform pipe joint root welding by TIG. 7. Perform Arc gauging on MS plate. (NOS: CSC/N0207), NOS: CSC/N0212) Plan and select the size of electrode for Arc gouging. Select the polarity and current as per requirement. Perform gouging adapting proper gouging technique. Clean and check to ascertain the required stock removed.	Deposit the weld by adapting proper wel technique and safety aspects. Carry out visual inspection to ensure quality welded joint. Inspect the weld using Dye-penetration (DPT)/Magnetic particle Test (MPT). Identify the materials and measuring instruments. Carry out butt & fillet welds on sheet metals. Mark on plates on structural sections- I, L, C etc. Perform gas cutting of MS plate, I section and channels procuting. Perform root run welding by using backing strip. Install GTAW welding plant. Carry out sequare butt and corner joint on MS by TIG. Perform butt, T and corner joint on MS by TIG. Carry out straight line beads on MS plate by CO2 welding. Carry out single V —butt joint by CO2 welding. Carry out single V —butt joint by CO2 welding. Carry out single V —butt joint by CO2 welding. Perform pipe joint root welding by TIG. 7. Perform Arc gauging on MS plate.(NOS: CSC/N0207), NOS: CSC/N0212) Plan and select the size of electrode for Arc gouging. Select the polarity and current as per requirement. Perform gouging adapting proper gouging technique. Clean and check to ascertain the required stock removed. Select size of electrode wire, welding voltage, flow rate, wire feed rate as per requirement. Prepare, set and tack the pieces as per drawing.	-	•	
technique and safety aspects. Carry out visual inspection to ensure quality of welded joint. Inspect the weld using Dye-penetration Test (DPT)/Magnetic particle Test (MPT). Identify the materials and measuring instruments. Carry out butt & fillet welds on sheet metals. Mark on plates on structural sections- I, L, C etc. Perform gas cutting of MS plate, I section and channels profil cutting. Perform root run welding by using backing strip. Install GTAW welding plant. Carry out beading by TIG. Carry out square butt and corner joint on MS by TIG. Perform butt, T and corner joint on SS sheet. Carry out straight line beads on MS plate by CO2 welding. Carry out lap T and corner joint on MS plate by CO2 welding. Carry out single V -butt joint by CO2 welding. Develop pipe weld joint and fit up on elbow and T-joint. Perform pipe joint root welding by TIG. 7. Perform Arc gauging on MS plate. (NOS: CSC/N0207), NOS: CSC/N0212) Perform gouging adapting proper gouging technique. Clean and check to ascertain the required stock removed.	technique and safety aspects. Carry out visual inspection to ensure quality welded joint. Inspect the weld using Dye-penetration (DPT)/Magnetic particle Test (MPT). Identify the materials and measuring instruments. Carry out butt & fillet welds on sheet metals. Mark on plates on structural sections- I, L, C etc. Perform gas cutting of MS plate, I section and channels pr cutting. Perform root run welding by using backing strip. Install GTAW welding plant. Carry out beading by TIG. Carry out square butt and corner joint on MS by TIG. Perform butt, T and corner joint on SS sheet. Carry out straight line beads on MS plate by CO2 welding. Carry out lap T and corner joint on MS plate by CO2 welding. Carry out single V –butt joint by CO2 welding. Carry out single V –butt joint by CO2 welding. Develop pipe weld joint and fit up on elbow and T-joint. Perform pipe joint root welding by TIG. 7. Perform Arc gauging on MS plate. (NOS: CSC/N0207), NOS: CSC/N0212) Perform gouging adapting proper gouging technique. Clean and check to ascertain the required stock removed. 8. Join MS sheets/ plates by GMAW in various positions using different Perpare, set and tack the pieces as per drawing.		,	
Carry out visual inspection to ensure quality of welded joint. Inspect the weld using Dye-penetration Test (DPT)/Magnetic particle Test (MPT). Identify the materials and measuring instruments. Carry out butt & fillet welds on sheet metals. Mark on plates on structural sections- I, L, C etc. Perform gas cutting of MS plate, I section and channels profil cutting. Perform root run welding by using backing strip. Install GTAW welding plant. Carry out sequare butt and corner joint on MS by TIG. Perform butt, T and corner joint on SS sheet. Carry out straight line beads on MS plate by CO2 welding. Carry out single V –butt joint by CO2 welding. Carry out single V –butt joint by CO2 welding. Develop pipe weld joint and fit up on elbow and T-joint. Perform pipe joint root welding by TIG. 7. Perform Arc gauging on MS plate. (NOS: CSC/N0207), NOS: CSC/N0212) Plan and select the size of electrode for Arc gouging. Select the polarity and current as per requirement. Perform gouging adapting proper gouging technique. Clean and check to ascertain the required stock removed.	Carry out visual inspection to ensure quality welded joint. Inspect the weld using Dye-penetration (DPT)/Magnetic particle Test (MPT). Identify the materials and measuring instruments. Carry out butt & fillet welds on sheet metals. Mark on plates on structural sections- I, L, C etc. Perform gas cutting of MS plate, I section and channels pr cutting. Perform root run welding by using backing strip. Install GTAW welding plant. Carry out seading by TIG. Carry out square butt and corner joint on MS by TIG. Perform butt, T and corner joint on MS plate by CO2 welding. Carry out single V -butt joint by CO2 welding. Carry out single V -butt joint by CO2 welding. Carry out single V -butt joint by CO2 welding. Develop pipe weld joint and fit up on elbow and T-joint. Perform pipe joint root welding by TIG. 7. Perform Arc gauging on MS plate. (NOS: CSC/N0207), NOS: CSC/N0212) Plan and select the size of electrode for Arc gouging. Select the polarity and current as per requirement. Perform gouging adapting proper gouging technique. Clean and check to ascertain the required stock removed. 8. Join MS sheets/ plates by GMAW in various positions using different Prepare, set and tack the pieces as per drawing.			, , , , , ,
welded joint. Inspect the weld using Dye-penetration Test (DPT)/Magnetic particle Test (MPT). Identify the materials and measuring instruments. Carry out butt & fillet welds on sheet metals. Mark on plates on structural sections- I, L, C etc. Perform gas cutting of MS plate, I section and channels profil cutting. Perform root run welding by using backing strip. Install GTAW welding plant. Carry out beading by TIG. Carry out square butt and corner joint on MS by TIG. Perform butt, T and corner joint on SS sheet. Carry out straight line beads on MS plate by CO2 welding. Carry out single V –butt joint by CO2 welding. Carry out single V –butt joint and fit up on elbow and T-joint. Perform pipe joint root welding by TIG. 7. Perform Arc gauging on MS plate. (NOS: CSC/N0207), NOS: CSC/N0212) Plan and select the size of electrode for Arc gouging. Select the polarity and current as per requirement. Perform gouging adapting proper gouging technique. Clean and check to ascertain the required stock removed.	welded joint. Inspect the weld using Dye-penetration (DPT)/Magnetic particle Test (MPT). Identify the materials and measuring instruments. Carry out butt & fillet welds on sheet metals. Mark on plates on structural sections- I, L, C etc. Perform gas cutting of MS plate, I section and channels procuriting. Perform root run welding by using backing strip. Install GTAW welding plant. Carry out beading by TIG. Carry out square butt and corner joint on MS by TIG. Perform butt, T and corner joint on MS plate by CO2 welding. Carry out straight line beads on MS plate by CO2 welding. Carry out single V -butt joint by CO2 welding. Carry out single V -butt joint by CO2 welding. Develop pipe weld joint and fit up on elbow and T-joint. Perform pipe joint root welding by TIG. 7. Perform Arc gauging on MS plate.(NOS: CSC/N0207), NOS: CSC/N0212) Perform gouging adapting proper gouging technique. Clean and check to ascertain the required stock removed. Select size of electrode wire, welding voltage, flow rate, wire feed rate as per requirement. Prepare, set and tack the pieces as per drawing.			
Inspect the weld using Dye-penetration Test (DPT)/Magnetic particle Test (MPT). Identify the materials and measuring instruments. Carry out butt & fillet welds on sheet metals. Mark on plates on structural sections- I, L, C etc. Perform gas cutting of MS plate, I section and channels profil cutting. Perform root run welding by using backing strip. Install GTAW welding plant. Carry out beading by TIG. Carry out square butt and corner joint on MS by TIG. Perform butt, T and corner joint on SS sheet. Carry out straight line beads on MS plate by CO2 welding. Carry out lap T and corner joint on MS plate by CO2 welding. Carry out single V – butt joint by CO2 welding. Develop pipe weld joint and fit up on elbow and T-joint. Perform pipe joint root welding by TIG. 7. Perform Arc gauging on MS plate. (NOS: CSC/N0207), NOS: CSC/N0212) Plan and select the size of electrode for Arc gouging. Select the polarity and current as per requirement. Perform gouging adapting proper gouging technique. Clean and check to ascertain the required stock removed.	Inspect the weld using Dye-penetration (DPT)/Magnetic particle Test (MPT). Identify the materials and measuring instruments. Carry out butt & fillet welds on sheet metals. Mark on plates on structural sections- I, L, C etc. Perform gas cutting of MS plate, I section and channels prouting. Perform root run welding by using backing strip. Install GTAW welding plant. Carry out beading by TIG. Carry out square butt and corner joint on MS by TIG. Perform butt, T and corner joint on SS sheet. Carry out straight line beads on MS plate by CO2 welding. Carry out single V –butt joint by CO2 welding. Carry out single V –butt joint and fit up on elbow and T-joint. Perform pipe joint root welding by TIG. 7. Perform Arc gauging on MS plate. (NOS: CSC/N0207), NOS: CSC/N0212) Perform gouging adapting proper gouging technique. Clean and check to ascertain the required stock removed. 8. Join MS sheets/ plates by GMAW in various positions using different Prepare, set and tack the pieces as per drawing.			· · · · · · · · · · · · · · · · · · ·
(DPT)/Magnetic particle Test (MPT). Identify the materials and measuring instruments. Carry out butt & fillet welds on sheet metals. Mark on plates on structural sections- I, L, C etc. Perform gas cutting of MS plate, I section and channels profil cutting. Perform root run welding by using backing strip. Install GTAW welding plant. Carry out beading by TIG. Carry out square butt and corner joint on MS by TIG. Perform butt, T and corner joint on SS sheet. Carry out straight line beads on MS plate by CO2 welding. Carry out lap T and corner joint on MS plate by CO2 welding. Carry out single V – butt joint by CO2 welding. Develop pipe weld joint and fit up on elbow and T-joint. Perform pipe joint root welding by TIG. 7. Perform Arc gauging on MS plate. (NOS: CSC/N0207), NOS: CSC/N0212) Plan and select the size of electrode for Arc gouging. Select the polarity and current as per requirement. Perform gouging adapting proper gouging technique. Clean and check to ascertain the required stock removed.	(DPT)/Magnetic particle Test (MPT). Identify the materials and measuring instruments. Carry out butt & fillet welds on sheet metals. Mark on plates on structural sections- I, L, C etc. Perform gas cutting of MS plate, I section and channels prouting. Perform root run welding by using backing strip. Install GTAW welding plant. Carry out seading by TIG. Carry out square butt and corner joint on MS by TIG. Perform butt, T and corner joint on SS sheet. Carry out straight line beads on MS plate by CO2 welding. Carry out lap T and corner joint on MS plate by CO2 welding. Carry out single V –butt joint by CO2 welding. Carry out single V –butt joint by CO2 welding. Develop pipe weld joint and fit up on elbow and T-joint. Perform pipe joint root welding by TIG. 7. Perform Arc gauging on MS plate. (NOS: CSC/N0207), NOS: CSC/N0212) Plan and select the size of electrode for Arc gouging. Select the polarity and current as per requirement. Perform gouging adapting proper gouging technique. Clean and check to ascertain the required stock removed. Select size of electrode wire, welding voltage, flow rate, wire feed rate as per requirement. Prepare, set and tack the pieces as per drawing.			
Identify the materials and measuring instruments. Carry out butt & fillet welds on sheet metals. Mark on plates on structural sections- I, L, C etc. Perform gas cutting of MS plate, I section and channels profil cutting. Perform root run welding by using backing strip. Install GTAW welding plant. Carry out beading by TIG. Carry out square butt and corner joint on MS by TIG. Perform butt, T and corner joint on SS sheet. Carry out straight line beads on MS plate by CO2 welding. Carry out lap T and corner joint on MS plate by CO2 welding. Carry out single V –butt joint by CO2 welding. Carry out single V –butt joint by CO2 welding. Develop pipe weld joint and fit up on elbow and T-joint. Perform pipe joint root welding by TIG. 7. Perform Arc gauging on MS plate. (NOS: CSC/N0207), NOS: CSC/N0212) Plan and select the size of electrode for Arc gouging. Select the polarity and current as per requirement. Perform gouging adapting proper gouging technique. Clean and check to ascertain the required stock removed.	Identify the materials and measuring instruments. Carry out butt & fillet welds on sheet metals. Mark on plates on structural sections- I, L, C etc. Perform gas cutting of MS plate, I section and channels prouting. Perform root run welding by using backing strip. Install GTAW welding plant. Carry out beading by TIG. Carry out square butt and corner joint on MS by TIG. Perform butt, T and corner joint on SS sheet. Carry out straight line beads on MS plate by CO2 welding. Carry out single V –butt joint by CO2 welding. Carry out single V –butt joint by CO2 welding. Develop pipe weld joint and fit up on elbow and T-joint. Perform pipe joint root welding by TIG. 7. Perform Arc gauging on MS plate.(NOS: CSC/N0207), NOS: CSC/N0212) Plan and select the size of electrode for Arc gouging. Select the polarity and current as per requirement. Perform gouging adapting proper gouging technique. Clean and check to ascertain the required stock removed. Select size of electrode wire, welding voltage, flow rate, wire feed rate as per requirement. Prepare, set and tack the pieces as per drawing.			_ · · · · · · · · · · · · · · · · · · ·
Carry out butt & fillet welds on sheet metals. Mark on plates on structural sections- I, L, C etc. Perform gas cutting of MS plate, I section and channels profil cutting. Perform root run welding by using backing strip. Install GTAW welding plant. Carry out beading by TIG. Carry out square butt and corner joint on MS by TIG. Perform butt, T and corner joint on SS sheet. Carry out straight line beads on MS plate by CO2 welding. Carry out lap T and corner joint on MS plate by CO2 welding. Carry out single V –butt joint by CO2 welding. Carry out single V –butt joint and fit up on elbow and T-joint. Perform pipe joint root welding by TIG. 7. Perform Arc gauging on MS plate. (NOS: CSC/N0207), NOS: CSC/N0212) Plan and select the size of electrode for Arc gouging. Select the polarity and current as per requirement. Perform gouging adapting proper gouging technique. Clean and check to ascertain the required stock removed.	Carry out butt & fillet welds on sheet metals. Mark on plates on structural sections- I, L, C etc. Perform gas cutting of MS plate, I section and channels prouting. Perform root run welding by using backing strip. Install GTAW welding plant. Carry out beading by TIG. Carry out square butt and corner joint on MS by TIG. Perform butt, T and corner joint on SS sheet. Carry out straight line beads on MS plate by CO2 welding. Carry out lap T and corner joint on MS plate by CO2 welding. Carry out single V – butt joint by CO2 welding. Develop pipe weld joint and fit up on elbow and T-joint. Perform pipe joint root welding by TIG. 7. Perform Arc gauging on MS plate.(NOS: CSC/N0207), NOS: CSC/N0212) Plan and select the size of electrode for Arc gouging. Select the polarity and current as per requirement. Perform gouging adapting proper gouging technique. Clean and check to ascertain the required stock removed. Select size of electrode wire, welding voltage, flow rate, wire feed rate as per requirement. Prepare, set and tack the pieces as per drawing.			
Mark on plates on structural sections- I, L, C etc. Perform gas cutting of MS plate, I section and channels profil cutting. Perform root run welding by using backing strip. Install GTAW welding plant. Carry out beading by TIG. Carry out square butt and corner joint on MS by TIG. Perform butt, T and corner joint on SS sheet. Carry out straight line beads on MS plate by CO2 welding. Carry out lap T and corner joint on MS plate by CO2 welding. Carry out single V –butt joint by CO2 welding. Develop pipe weld joint and fit up on elbow and T-joint. Perform pipe joint root welding by TIG. 7. Perform Arc gauging on MS plate.(NOS: CSC/N0207), NOS: CSC/N0212) Plan and select the size of electrode for Arc gouging. Select the polarity and current as per requirement. Perform gouging adapting proper gouging technique. Clean and check to ascertain the required stock removed.	Mark on plates on structural sections- I, L, C etc. Perform gas cutting of MS plate, I section and channels procutting. Perform root run welding by using backing strip. Install GTAW welding plant. Carry out beading by TIG. Carry out square butt and corner joint on MS by TIG. Perform butt, T and corner joint on SS sheet. Carry out straight line beads on MS plate by CO2 welding. Carry out lap T and corner joint on MS plate by CO2 welding. Carry out single V –butt joint by CO2 welding. Develop pipe weld joint and fit up on elbow and T-joint. Perform pipe joint root welding by TIG. 7. Perform Arc gauging on MS plate.(NOS: CSC/N0207), NOS: CSC/N0212) Perform gouging adapting proper gouging technique. Clean and check to ascertain the required stock removed. Select size of electrode wire, welding voltage, flow rate, wire feed rate as per requirement. Prepare, set and tack the pieces as per drawing.			
Perform gas cutting of MS plate, I section and channels profil cutting. Perform root run welding by using backing strip. Install GTAW welding plant. Carry out beading by TIG. Carry out square butt and corner joint on MS by TIG. Perform butt, T and corner joint on SS sheet. Carry out straight line beads on MS plate by CO2 welding. Carry out lap T and corner joint on MS plate by CO2 welding. Carry out single V –butt joint by CO2 welding. Develop pipe weld joint and fit up on elbow and T-joint. Perform pipe joint root welding by TIG. 7. Perform Arc gauging on MS plate.(NOS:	Perform gas cutting of MS plate, I section and channels procutting. Perform root run welding by using backing strip. Install GTAW welding plant. Carry out beading by TIG. Carry out square butt and corner joint on MS by TIG. Perform butt, T and corner joint on SS sheet. Carry out straight line beads on MS plate by CO2 welding. Carry out lap T and corner joint on MS plate by CO2 welding. Carry out single V –butt joint by CO2 welding. Carry out single V –butt joint and fit up on elbow and T-joint. Perform pipe joint root welding by TIG. 7. Perform Arc gauging on MS plate.(NOS: CSC/N0207), NOS: CSC/N0207), NOS: CSC/N0212) Plan and select the size of electrode for Arc gouging. Select the polarity and current as per requirement. Perform gouging adapting proper gouging technique. Clean and check to ascertain the required stock removed. 8. Join MS sheets/ plates by GMAW in various positions using different Prepare, set and tack the pieces as per drawing.			-
cutting. Perform root run welding by using backing strip. Install GTAW welding plant. Carry out beading by TIG. Carry out square butt and corner joint on MS by TIG. Perform butt, T and corner joint on SS sheet. Carry out straight line beads on MS plate by CO2 welding. Carry out lap T and corner joint on MS plate by CO2 welding. Carry out single V –butt joint by CO2 welding. Carry out single V –butt joint by CO2 welding. Develop pipe weld joint and fit up on elbow and T-joint. Perform pipe joint root welding by TIG. 7. Perform Arc gauging on MS plate.(NOS: CSC/N0207), NOS: CSC/N0212) Plan and select the size of electrode for Arc gouging. Select the polarity and current as per requirement. Perform gouging adapting proper gouging technique. Clean and check to ascertain the required stock removed.	cutting. Perform root run welding by using backing strip. Install GTAW welding plant. Carry out beading by TIG. Carry out square butt and corner joint on MS by TIG. Perform butt, T and corner joint on SS sheet. Carry out straight line beads on MS plate by CO2 welding. Carry out lap T and corner joint on MS plate by CO2 welding. Carry out single V –butt joint by CO2 welding. Develop pipe weld joint and fit up on elbow and T-joint. Perform pipe joint root welding by TIG. 7. Perform Arc gauging on MS plate.(NOS: CSC/N0207), NOS: CSC/N0212) Plan and select the size of electrode for Arc gouging. Select the polarity and current as per requirement. Perform gouging adapting proper gouging technique. Clean and check to ascertain the required stock removed. 8. Join MS sheets/ plates by GMAW in various positions using different Prepare, set and tack the pieces as per drawing.			·
Perform root run welding by using backing strip. Install GTAW welding plant. Carry out beading by TIG. Carry out square butt and corner joint on MS by TIG. Perform butt, T and corner joint on SS sheet. Carry out straight line beads on MS plate by CO2 welding. Carry out lap T and corner joint on MS plate by CO2 welding. Carry out single V –butt joint by CO2 welding. Carry out single V –butt joint by CO2 welding. Develop pipe weld joint and fit up on elbow and T-joint. Perform pipe joint root welding by TIG. 7. Perform Arc gauging on MS plate.(NOS: CSC/N0207), NOS: CSC/N0212) Plan and select the size of electrode for Arc gouging. Select the polarity and current as per requirement. Perform gouging adapting proper gouging technique. Clean and check to ascertain the required stock removed.	Perform root run welding by using backing strip. Install GTAW welding plant. Carry out beading by TIG. Carry out square butt and corner joint on MS by TIG. Perform butt, T and corner joint on SS sheet. Carry out straight line beads on MS plate by CO2 welding. Carry out lap T and corner joint on MS plate by CO2 welding. Carry out single V –butt joint by CO2 welding. Develop pipe weld joint and fit up on elbow and T-joint. Perform pipe joint root welding by TIG. 7. Perform Arc gauging on MS plate.(NOS: CSC/N0207), NOS: CSC/N0212) Plan and select the size of electrode for Arc gouging. Select the polarity and current as per requirement. Perform gouging adapting proper gouging technique. Clean and check to ascertain the required stock removed. Select size of electrode wire, welding voltage, flow rate, wire feed rate as per requirement. Prepare, set and tack the pieces as per drawing.			
Install GTAW welding plant. Carry out beading by TIG. Carry out square butt and corner joint on MS by TIG. Perform butt, T and corner joint on SS sheet. Carry out straight line beads on MS plate by CO2 welding. Carry out lap T and corner joint on MS plate by CO2 welding. Carry out single V –butt joint by CO2 welding. Develop pipe weld joint and fit up on elbow and T-joint. Perform pipe joint root welding by TIG. 7. Perform Arc gauging on MS plate.(NOS: CSC/N0207), NOS: CSC/N0212) Plan and select the size of electrode for Arc gouging. Select the polarity and current as per requirement. Perform gouging adapting proper gouging technique. Clean and check to ascertain the required stock removed.	Install GTAW welding plant. Carry out beading by TIG. Carry out square butt and corner joint on MS by TIG. Perform butt, T and corner joint on SS sheet. Carry out straight line beads on MS plate by CO2 welding. Carry out lap T and corner joint on MS plate by CO2 welding. Carry out single V – butt joint by CO2 welding. Develop pipe weld joint and fit up on elbow and T-joint. Perform pipe joint root welding by TIG. 7. Perform Arc gauging on MS plate.(NOS:			
Carry out beading by TIG. Carry out square butt and corner joint on MS by TIG. Perform butt, T and corner joint on SS sheet. Carry out straight line beads on MS plate by CO2 welding. Carry out lap T and corner joint on MS plate by CO2 welding. Carry out single V –butt joint by CO2 welding. Develop pipe weld joint and fit up on elbow and T-joint. Perform pipe joint root welding by TIG. 7. Perform Arc gauging on MS plate.(NOS: CSC/N0207), NOS: CSC/N0207), NOS: CSC/N0212) Plan and select the size of electrode for Arc gouging. Select the polarity and current as per requirement. Perform gouging adapting proper gouging technique. Clean and check to ascertain the required stock removed.	Carry out beading by TIG. Carry out square butt and corner joint on MS by TIG. Perform butt, T and corner joint on SS sheet. Carry out straight line beads on MS plate by CO2 welding. Carry out single V – butt joint by CO2 welding. Carry out single V – butt joint by CO2 welding. Develop pipe weld joint and fit up on elbow and T-joint. Perform pipe joint root welding by TIG. 7. Perform Arc gauging on MS plate.(NOS:			
Carry out square butt and corner joint on MS by TIG. Perform butt, T and corner joint on SS sheet. Carry out straight line beads on MS plate by CO2 welding. Carry out lap T and corner joint on MS plate by CO2 welding. Carry out single V –butt joint by CO2 welding. Develop pipe weld joint and fit up on elbow and T-joint. Perform pipe joint root welding by TIG. 7. Perform Arc gauging on MS plate.(NOS:	Carry out square butt and corner joint on MS by TIG. Perform butt, T and corner joint on SS sheet. Carry out straight line beads on MS plate by CO2 welding. Carry out lap T and corner joint on MS plate by CO2 welding. Carry out single V –butt joint by CO2 welding. Develop pipe weld joint and fit up on elbow and T-joint. Perform pipe joint root welding by TIG. 7. Perform Arc gauging on MS plate. (NOS: CSC/N0207), NOS: CSC/N0207), NOS: CSC/N0212) Perform gouging adapting proper gouging technique. Clean and check to ascertain the required stock removed. 8. Join MS sheets/ plates by GMAW in various positions using different Prepare, set and tack the pieces as per drawing.			
Perform butt, T and corner joint on SS sheet. Carry out straight line beads on MS plate by CO2 welding. Carry out lap T and corner joint on MS plate by CO2 welding. Carry out single V – butt joint by CO2 welding. Develop pipe weld joint and fit up on elbow and T-joint. Perform pipe joint root welding by TIG. 7. Perform Arc gauging on MS plate.(NOS:	Perform butt, T and corner joint on SS sheet. Carry out straight line beads on MS plate by CO2 welding. Carry out single V – butt joint by CO2 welding. Carry out single V – butt joint by CO2 welding. Develop pipe weld joint and fit up on elbow and T-joint. Perform pipe joint root welding by TIG. 7. Perform Arc gauging on MS plate.(NOS: CSC/N0207), NOS: CSC/N0212) Plan and select the size of electrode for Arc gouging. Select the polarity and current as per requirement. Perform gouging adapting proper gouging technique. Clean and check to ascertain the required stock removed. 8. Join MS sheets/ plates by GMAW in various positions using different Prepare, set and tack the pieces as per drawing.			, , ,
Carry out straight line beads on MS plate by CO2 welding. Carry out lap T and corner joint on MS plate by CO2 welding. Carry out single V –butt joint by CO2 welding. Develop pipe weld joint and fit up on elbow and T-joint. Perform pipe joint root welding by TIG. 7. Perform Arc gauging on MS plate.(NOS: CSC/N0207), NOS: CSC/N0212) Plan and select the size of electrode for Arc gouging. Select the polarity and current as per requirement. Perform gouging adapting proper gouging technique. Clean and check to ascertain the required stock removed.	Carry out straight line beads on MS plate by CO2 welding. Carry out lap T and corner joint on MS plate by CO2 welding. Carry out single V –butt joint by CO2 welding. Develop pipe weld joint and fit up on elbow and T-joint. Perform pipe joint root welding by TIG. 7. Perform Arc gauging on MS plate.(NOS:			·
Carry out lap T and corner joint on MS plate by CO2 welding. Carry out single V –butt joint by CO2 welding. Develop pipe weld joint and fit up on elbow and T-joint. Perform pipe joint root welding by TIG. 7. Perform Arc gauging on MS plate.(NOS:	Carry out lap T and corner joint on MS plate by CO2 welding. Carry out single V –butt joint by CO2 welding. Develop pipe weld joint and fit up on elbow and T-joint. Perform pipe joint root welding by TIG. 7. Perform Arc gauging on MS plate. (NOS: CSC/N0207), NOS: CSC/N0207), NOS: CSC/N0212) Plan and select the size of electrode for Arc gouging. Select the polarity and current as per requirement. Perform gouging adapting proper gouging technique. Clean and check to ascertain the required stock removed. 8. Join MS sheets/ plates by GMAW in various positions using different Prepare, set and tack the pieces as per drawing.			
Carry out single V –butt joint by CO2 welding. Develop pipe weld joint and fit up on elbow and T-joint. Perform pipe joint root welding by TIG. 7. Perform Arc gauging on MS plate.(NOS: CSC/N0207), NOS: CSC/N0212) Plan and select the size of electrode for Arc gouging. Select the polarity and current as per requirement. Perform gouging adapting proper gouging technique. Clean and check to ascertain the required stock removed.	Carry out single V –butt joint by CO2 welding. Develop pipe weld joint and fit up on elbow and T-joint. Perform pipe joint root welding by TIG. 7. Perform Arc gauging on MS plate.(NOS: CSC/N0207), NOS: CSC/N0212) Plan and select the size of electrode for Arc gouging. Select the polarity and current as per requirement. Perform gouging adapting proper gouging technique. Clean and check to ascertain the required stock removed. 8. Join MS sheets/ plates by GMAW in various positions using different Select size of electrode wire, welding voltage, flow rate, wire feed rate as per requirement. Prepare, set and tack the pieces as per drawing.			. , , , , , , , , , , , , , , , , , , ,
Develop pipe weld joint and fit up on elbow and T-joint. Perform pipe joint root welding by TIG. 7. Perform Arc gauging on MS plate.(NOS: CSC/N0207), NOS: CSC/N0212) Plan and select the size of electrode for Arc gouging. Select the polarity and current as per requirement. Perform gouging adapting proper gouging technique. Clean and check to ascertain the required stock removed.	Develop pipe weld joint and fit up on elbow and T-joint. Perform pipe joint root welding by TIG. 7. Perform Arc gauging on MS plate. (NOS: CSC/N0207), NOS: CSC/N0212) Plan and select the size of electrode for Arc gouging. Select the polarity and current as per requirement. Perform gouging adapting proper gouging technique. Clean and check to ascertain the required stock removed. Select size of electrode wire, welding voltage, flow rate, wire feed rate as per requirement. Prepare, set and tack the pieces as per drawing.			
7. Perform Arc gauging on MS plate.(NOS: CSC/N0207), NOS: CSC/N0212) Plan and select the size of electrode for Arc gouging. Select the polarity and current as per requirement. Perform gouging adapting proper gouging technique. Clean and check to ascertain the required stock removed.	Perform pipe joint root welding by TIG. 7. Perform Arc gauging on MS plate. (NOS: CSC/N0207), NOS: CSC/N0212) 8. Join MS sheets/ plates by GMAW in various positions using different Plan and select the size of electrode for Arc gouging. Select the polarity and current as per requirement. Perform gouging adapting proper gouging technique. Clean and check to ascertain the required stock removed. Select size of electrode wire, welding voltage, flow rate, wire feed rate as per requirement. Prepare, set and tack the pieces as per drawing.			
7. Perform Arc gauging on MS plate.(NOS: CSC/N0207), NOS: CSC/N0212) Plan and select the size of electrode for Arc gouging. Select the polarity and current as per requirement. Perform gouging adapting proper gouging technique. Clean and check to ascertain the required stock removed.	7. Perform Arc gauging on MS plate. (NOS: CSC/N0207), NOS: CSC/N0212) 8. Join MS sheets/ plates by GMAW in various positions using different Plan and select the size of electrode for Arc gouging. Select the polarity and current as per requirement. Perform gouging adapting proper gouging technique. Clean and check to ascertain the required stock removed. Select size of electrode wire, welding voltage, flow rate, wire feed rate as per requirement. Prepare, set and tack the pieces as per drawing.			
MS plate.(NOS:	MS plate.(NOS:			Perform pipe joint root welding by TIG.
MS plate.(NOS:	MS plate.(NOS:			
CSC/N0207), NOS:	CSC/N0207), NOS: CSC/N0212) Perform gouging adapting proper gouging technique. Clean and check to ascertain the required stock removed. Select size of electrode wire, welding voltage, flow rate, wire feed rate as per requirement. Prepare, set and tack the pieces as per drawing.		0 0 0	
CSC/N0212) Clean and check to ascertain the required stock removed.	CSC/N0212) Clean and check to ascertain the required stock removed. 8. Join MS sheets/ plates by GMAW in various positions using different Clean and check to ascertain the required stock removed. Select size of electrode wire, welding voltage, flow rate, wire feed rate as per requirement. Prepare, set and tack the pieces as per drawing.		•	· · · ·
olean and elleak to appartain the required stock removed.	8. Join MS sheets/ plates by GMAW in various positions using different Select size of electrode wire, welding voltage, flow rate, wire feed rate as per requirement. Prepare, set and tack the pieces as per drawing.		′ ′	
	GMAW in various flow rate, wire feed rate as per requirement. positions using different Prepare, set and tack the pieces as per drawing.	CS	C/N0212)	Clean and check to ascertain the required stock removed.
	GMAW in various flow rate, wire feed rate as per requirement. positions using different Prepare, set and tack the pieces as per drawing.			
, , , , , , , , , , , , , , , , , , , ,	positions using different Prepare, set and tack the pieces as per drawing.	, , ,		, , , , ,
, 1 1				flow rate, wire feed rate as per requirement.
	modes of motel transfer Cat a that a deal to the test	-	positions using different modes of metal transfer. (NOS: CSC/N0209)	Prepare, set and tack the pieces as per drawing.
modes of metal transfer. Set up the tacked joint in specific position	/			Set up the tacked joint in specific position.
	(NOS: CSC/N0209) Deposit the weld adapting proper wel	(NC		Deposit the weld adapting proper welding

	technique and safety aspects.		
	Carry out visual inspection to ensure quality of welded joint. Inspect the weld using Dye-penetration (DPT)/Magnetic particle		
	Test (MPT).		
9. Perform visual inspection			
of welded joint.	Carry out visual inspection to ascertain quality of weld joint.		
(NOS: CSC/N0209)	Locate and mark out visual defects if any for repair.		
	Record the observation in the Inspection report.		
10. Perform destructive	Cut the welded joint to the required size.		
Inspection of metal by using different methods	Prepare the specimen according to the testing method.		
like, Bend test, tensile	Test with the DT method.		
test, hardness test and Impact test etc. (NOS: CSC/N0209)	Record the observation in the Inspection report.		
11. Perform surface defects	Clean the welded joint thoroughly.		
inspection by Dye	Carry out visual inspection to ascertain quality of weld joint.		
penetrantInspection. (NOS: CSC/N0209)	Locate and mark out visual defects if any for repair.		
(1103. C3C/110209)	Record the observation in the Inspection report.		
12. Perform sub surface	Clean the welded joint thoroughly.		
inspection by Magnetic	Carry out visual inspection to ascertain quality weld joint.		
particle testing method.	Select the appropriate testing methods.		
(NOS: CSC/N0209)	Perform testing of welded joints adapting standard operating procedure.		
	Accept/reject the job based on test result.		
13. Perform sub surface	Clean the welded joint thoroughly.		
inspection by Ultrasonic	Carry out visual inspection to ascertain quality weld joint.		
Flaw detector of	Select the appropriate testing methods.		
weldments. (NOS: ISC/N9405)	Perform testing of welded joints adapting standard operating procedure.		
	Use correct angle probes as per metals and its density.		
	Save the graph image for reference.		
	Accept/reject the job based on test result.		
14. Interpret Radio graphic	Clean the welded joint thoroughly.		
films of weldment.	Carry out visual inspection to ascertain quality weld joint.		
(NOS: CSC/N0603)	Select the appropriate testing methods.		
	Accept/reject the job based on test result.		
45 Book of the st	Dood 9 intermed the information of the information		
15. Read and apply	Read & interpret the information on drawings and apply in		
engineering drawing for	executing practical work.		

Read & analyze the specification to ascertain the material requirement, tools and assembly/maintenance parameters. Encounter drawings with missing/unspecified key information and make own calculations to fill in missing dimension/parameters to carry out the work.
Solve different mathematical problems
Explain concept of basic science related to the field of study



7. TRADE SYLLABUS

	SYLLABUS FOR WELDER (WELDING & INSPECTION) TRADE				
		DURATION: ONE YEAR			
Duration	Reference Learning Outcome	Professional Skills (Trade Practical) With Indicative Hours	Professional Knowledge (Trade Theory)		
Professional Skill 67 hrs; Professional Knowledge 12 hrs	Perform joining MS sheet by Gas welding in different positions following safety precautions. (NOS: CSC/N0204)	 Induction training: Familiarization with the Institute. Importance of trade Training. Machinery used in the trade. Introduction to safety equipment and their use etc. Hack sawing, filing square to dimensions. Marking out on MS plate and punching. 	General discipline in the Institute. Elementary First Aid. Importance of Welding in Industry. Safety precautions in Shielded Metal Arc Welding, and Oxy-Acetylene Welding and Cutting.		
		 Setting up of Arc welding machine & accessories and striking an arc. (10hrs.) Setting of oxy-acetylene welding equipment, Lighting and setting of flame. 	Introduction and definition of welding. Arc and Gas Welding Equipment, tools and accessories. Various Welding Processes and its applications. Arc and Gas Welding terms and definitions.		
		 Fusion run without and with filler rod on M.S. sheet 2 mm thick in flat position. Edge joint on MS sheet 2 mm thick in flat position without filler rod. Marking and straight line cutting of MS plate. 10 mm thick by gas. 	Different process of metal joining methods: Bolting, riveting, soldering, brazing etc. Types of welding joints and its applications. Edge preparation and fit up for different thickness. Surface Cleaning.		

Professional Join MS plate by 12 Straight line heads	on M.S. Pasic electricity applicable to
Professional Join MS plate by 12. Straight line beads Skill 117Hrs; SMAW in different Professional positions.	
Knowledge (Mapped NOS: 13. Weaved bead on M CSC/N0204) 10mm thick in flat po	osition. terms related to welding.
	Principle of arc welding. And characteristics of arc.
14. Square butt joint	
sheet 2 mm thick	3
Position. 15. Fillet "T" joint on M	temperatures and uses. 1.S. Plate Types of oxy-acetylene flames
10 mm thick in flat p	
	Oxy-Acetylene Cutting
	Equipment principle, parameters and application.
16. Beveling of MS pl	
mm thick. By gas cut	
17. Open corner joint sheet 2 mm thick	7.
Position.	maintenance.
18. Fillet lap joint on M	.
10 mm thick in flat p	disadvantages of A.C. and D.C. welding machines.
19. Test the hardness of	
21, 22, 23 with ro	
hardness testing ma 20. Fillet "T" joint on M	
20. Fillet 1 joint on W	·
21. Open Corner joint	
plate 10 mm thick position.	k in flat
22. Fillet Lap joint on N	AS sheet Arc length - types - effects of
2 mm thick in flat po	osition. arc length.
23. Single "V" Butt joint plate 12 mm thick	
position (1G).	τη πατ αρρικατίσης.
24. Square Butt joint	
sheet. 2 mm to the sheet to the sheet to the sheet. 2 mm to the sheet to the sheet to the sheet. 2 mm to the sheet to the	hick in hazards. (6 hrs.) Acetylene gas properties
25. Straight line bear	
multi layer practice	
Plate 10 mm t Horizontal position.	
26. F "T" 10 mm t	
Horizontal position.	
Professional Perform straight, 27. Fillet Lap joint on M. Skill 70Hrs; bevel & circular 2 mm thick in ho	
	orizontal Charging process of oxygen

Knowledge 12Hrs	by Oxy-acetylene cutting process. (Mapped NOS: CSC/N0201)	28.	Fillet Lap joint on M.S. plate 10 mm thick in horizontal position.	Oxygen and Dissolved Acetylene gas cylinders and Color coding for different gas cylinders. Single stage & double stage Gas regulators and uses.
		29. 30.	•	Oxy acetylene gas welding Systems (Low pressure and High pressure). Difference between gas welding blow
		31.	sheet. 2 mm thick in vertical position. Single Vee Butt joint on M.S. plate 12 mm thick in horizontal position (2G).	pipe (LP & HP) and gas cutting blowpipe. Gas welding techniques. Rightward and Leftward techniques.
		32. 33.	Test GMAW welded joints by DPT test and make the final report. Fillet "T" joint on M.S sheet	Arc blow - causes and methods of controlling. Distortion in arc & gas welding and methods
			2 mm thick in vertical position. F "T" 10 mm thick in vertical position.	employed to minimize distortion. Arc Welding defects, causes and Remedies.
Professional Skill 62Hrs; Professional	Perform different types of MS pipe joints by Gas welding (OAW).		Structural pipe welding butt joint on MS pipe 0 50 and 3mm WT in 1G position. Fillet Lap joint on M.S. Plate	Specification of pipes, various types of pipe joints, pipe welding positions, and procedure.
Knowledge 12Hrs	(NOS: CSC/N0204)		10 mm in vertical position.	Difference between pipe welding and plate welding.
			Open Corner joint on MS plate 10 mm thick in vertical position.	Pipe development for Elbow joint, "T" joint, Y joint and branch joint.
		38.	Pipe welding - Elbow joint on MS pipe 0 -50 and 3mm WT.	Manifold system and uses.
		39. 40.	Pip e welding "T" joint on MS pipe 0 5 0 and 3mm WT. Single "V" Butt joint on M S p late 12 mm thick in	Gas welding filler rods, specifications and sizes. Gas welding fluxes - types and functions.
			vertical position (3G).	Gas Brazing & Soldering: principles, types fluxes & uses. Gas welding defects, causes and remedies.
Professional Skill 69Hrs;	Weld different types of MS pipe joints by SMAW.	41.	Pipe welding 45° angle joint on MS pipe φ 50 and 3mm WT.	Electrode: types, functions of flux, coating factor, sizes of electrode.

Professional Knowledge 14Hrs	(Mapped NOS: CSC/N0204)	42.	Straight line beads on M.S. plate 10mm thick in over head position.	Effects of moisture pick up. Storage and baking of electrodes.
141113		43.	Pipe Flange joint on M.S plate with MS pipe 0 50 mm	Weldability of metals, importance of pre heating,
		44.	X 3mm WT. F "T"10 mm thick in over head position.	post heating and maintenance of inter pass temperature.
		45.	Pipe welding butt joint on MS pipe 0 50 and 5 mm WT.	Welding of low, medium and high carbon steel and alloy
		46.	in 1G position. Fillet Lap joint on M.S. plate 10 mm thick in over head position.	steels.
		47.	Single "V" Butt joint on MS plate 10mm thick in over head position(4G).	Stainless steel: types- weld decay and weldability.
		48.	Pipe butt joint on MS pipe φ 50mm WT 6mm (1G Rolled).	
Professional Skill 70Hrs;	Join Aluminum & Stainless Steel sheets by GTAW in	49.	Square Butt joint on S.S. sheet. 2 mm thick in flat position.	Brass - types - properties and welding methods. Copper - types - properties
Professional Knowledge 12Hrs	different position. (Mapped NOS: CSC/N0212)	50.	Square Butt joint on S.S. Sheet 2 mm thick in flat position.	and welding methods.
	Perform Arc gauging	51.	Square Butt joint on Brass sheet 2 mm thick in flat position.	
	on MS plate. (NOS: CSC/N0207), NOS: CSC/N0212)	52. 53.	Square Butt & Lap joint on M.S. sheet 2 mm thick by brazing. Single "V" butt joint C.I. plate 6mm thick in flat	Aluminum properties and weldability, welding methods. Arc cutting & gouging.
		54.	position. Arc gouging on MS plate 10 mm thick.	
		55. 56.	Square Butt joint on Aluminium sheet. 3 mm thick in flat position. Bronze welding of cast iron (Single "V" butt joint) 6mm thick plate.	Cast iron and its properties types. Welding methods of cast iron.
Professional Skill 21Hrs; Professional	Join MS sheets/ plates by GMAW in various positions using different	57.	Handling of measuring instruments - Steel tape, Vernier Caliper, spirit level, micrometer, Try square,	Outline of various subjects to be covered Quality and its definition Inspection methods. Measuring
Knowledge	modes of metal		Plum bob etc.	Instruments and least count

05 Hrs	transfer. (Mapped NOS: CSC/N0209)	58.	Simple dimensional measurements using the appropriate instruments.	Dimension report preparation Types of metals & characteristics Classification of steels.
Professional Skill 162 Hrs; Professional	Join Aluminium & Stainless Steel sheets by GTAW in different position.	59.	Identification of materials.	Types of welding process Advantages & limitations Various types of welding power sources.
Knowledge 31Hrs	vledge (Mapped NOS:	60.	Simple gas welding exercises on sheet metals (Butt & Fillet welds).	Welding parameters Different types of weld joints Gas welding principle and application Safety in welding and cutting.
		61.62.63.	Lay out marking on plates. Marking on structural sections - I, L, C etc. Development marking for cylinders.	Marking with pantograph Gas cutting principles, basic CNC profile cutting. Different size and shape of rolled sections.
		64.	Test GMAW welded joint by magnetic particle test method and make final test report as standard method.	Basic welding metallurgy (pre heating, post heating etc.) Welding symbol and its nomenclatures Effects of heat.
		65. 66.	Making square butt joint on MS sheet in down hand position by SMAW. Making single V - Butt joint	Principle of Shielded metal Arc welding (SMAW) Function of flux and baking requirements Selection of
			on MS sheet in down hand position by SMAW.	electrodes and coating factors Different type of edge
		67.	Use of backing strip for root runs welding.	preparation. Welding procedure - Edge preparation and fit up, use of backing strips and bars, root run welding and cover pass welding.
		68.	Setting up GTAW welding plant. Beading practicing by TIG Square butt and corner joint on M.S by TIG Butt, T and Corner joint on S.S sheet.	Introduction to GTAW welding TIG welding equipments Advantages of TIG welding process. Tungsten electrode, Types, sizes, and uses. Type of shielding gases Purging Methods Parameter setting.
		69.	Setting up GMAW welding plant Straight line beads on MS plate by CO ₂ welding Lap T & corner joint on MS	GMAW welding process Power source & accessories Wire Feed unit Modes of metal transfer - Dip,

		ı		
			plate by CO ₂ welding Single V - Butt joint by CO ₂ welding.	Globular, spray &pulsed transfer and its significance Welding wire types and specification & Parameter setting.
		70.	Pipe weld joint development &fit up on elbow and T- joint.	Classifications of pipes and tubes Various types of pipe joints Development of pipe - elbow and T- joint.
		71.	Pipe joint root welding by TIG.	Various equipments used for root pass cleaning Pipe bending Pipe welding procedure.
Professional Skill 18Hrs; Professional Knowledge 04Hrs			Visual Inspection of welds. Application of weld gauge.	Types of Welding defects (Cracks, Inclusions, Incomplete penetration, Lack of fusion, Under cut, Burn through, Overlap etc.)
Professional Skill 39Hrs; Professional	Perform destructive Inspection of metal by using different methods like, Bend	74.	Dimensional inspection of weldments using weld measuring gauges.	Causes for defects. Remedial measures Inspection methods.
Knowledge 08Hrs	test, tensile test, hardness test and Impact test etc. (Mapped NOS: CSC/N0209)	76.	Hardness Testing. Bend Testing of Weldments. Tensile testing.	Mechanical Testing of Metals. Principles, Applications of - Hardness testing (Rockwell and Brinell) - Impact testing (Izod and Charpy) - Tensile testing and Bend Test.
Professional Skill 36Hrs; Professional Knowledge 08Hrs	Perform surface defects inspection by Dye penetrant Inspection. (Mapped NOS: CSC/N0209)	78.	Evaluation of welding defects using Dye penetrant testing method on plate.	Nondestructive Testing of Metals. Visual inspection Dye penetrant test - Principles - Advantages -Limitations - Types of Penetrants - Cleaners -Dwelling time.
		79.	Evaluation of welding defects using Dye penetrant testing method on pipe.	Dye penetrant test (DPT) - Types of Penetrants -Cleaners - Dwelling time.
Professional Skill 18Hrs;	Perform sub surface inspection by Magnetic particle	80.	Evaluation of welding defects using Magnetic Particle Testing method.	Magnetic Particle Test (MPT)- Principles - Advantages - Limitations -Types of
Professional Knowledge 04Hrs	testing method. (Mapped NOS: CSC/N0209)			Magnetation - Current requirements - Testing equipments - Indication and Interpretations.
Professional Skill 54Hrs;	Perform sub surface inspection by Ultrasonic Flaw	81.	Ultrasonic Flaw detector- Setting & calibration.	Ultrasonic Testing (UT)- Principles - Advantage - Limitation.
Professional	detector of	82.	Ultrasonic Flaw detector-	Types of UT Waves -

Knowledge 13 Hrs	weldments. (NOS: ISC/N9405)	probe identification & application on pipes & plates. 83. Ultrasonic Flaw detectorapplication on weldments of various metals.	Attenuation - Types of Transducers - Couplants - Equipments and controls - Type of scans. Measuring Techniques - Standard reference blocks. Contact Testing procedure - Indications and
Professional Skill 37Hrs; Professional Knowledge 08Hrs	Perform Interpretation of Radiographic films of weldments. (Mapped NOS: CSC/N0603)	84. Study of IIW / ASTM reference Radiograph.	interpretations. Radiographic testing (RT) - Principles – Advantages Limitations - Basic Radiation Physics - X-Rays -Gama Rays - Radiation Sources - Types of Films -Film Processing.
		85. Interpretation of Radiographic films.86. Preparation of welding inspection reports.	Radiographic Sensitivity - Image Quality indicators- Radiographic Techniques - Radiographic Interpretation and Evaluation - Radiation Hazard and Control. Certification methods for welding inspectors. Codes and standards for welding inspection. Welding procedure specifications (WPS) Procedure qualification Record (PQR).
		Engineering Drawing: 40 Hrs.	
Professional Knowledge ED- 40 hrs	Read and apply engineering drawing for different application in the field of work. (NOS: CSC/N9401)	Engineering Drawing: 40 Hrs. ENGINEERING DRAWING (40 hrs): Introduction to Engineering Drace Conventions Sizes and layout of drawing sheet Title Block, its position and context Drawing Instrument Free hand drawing of; Geomet dimension Transferring measurement from hand sketches. Free hand drawing of hand tools Lines Types and applications in drawing Drawing of Geometrical figures; Angle, Triangle, Circle, Rectangle Lettering & Numbering — Single Service - Reading of dimension and Dimered Reading of fabrication drawing, sof welding Joints. Sectional view	wing and Drawing Instruments; ets ent trical figures and blocks with the given object to the free and measuring tools. g e, Square, Parallelogram. Stroke, double stroke, inclined asioning Practice. sectional view of different types

		- Symbolic representation
		different symbols used in the related trades
		Reading of Job Drawing of related trades.
	Works	shop Calculation & Science: 38 Hrs.
Professional	Demonstrate basic	WORKSHOP CALCULATION & SCIENCE (38 hrs):
Knowledge	mathematical	- Unit, Fractions
	concept and	- Square root, Ratio and Proportions, Percentage
WC- 38 hrs.	principles to	- Material Science
	perform practical	- Mass, Weight, Volume and Density
	operations.	- Heat & Temperature and Pressure
	Understand and	- Basic Electricity
	explain basic science	- Mensuration
	in the field of study.	- Trigonometry
	(NOS: CSC/N9402)	



SYLLABUS FOR CORE SKILLS

1. Employability Skills (Common for all CTS trades) (120 hrs)

Learning outcomes, assessment criteria, syllabus and Tool List of Core Skills subjects which is common for a group of trades, provided separately in www.bharatskills.gov.in / dgt.gov.in



ANNEXURE-I

LIST OF TOOLS AND EQUIPMENT				
	WELDER (WELDING & INSPECTION) (For Batch of 20 Candidates)			
SI. No.	Name of the Tool &Equipment	Specification	Quantity	
A. TRAINE	ES TOOLS KIT			
1.	Welding helmet fiber		21(20 +1) Nos.	
2.	Welding hand shield fiber		21(20 +1) Nos.	
3.	Chipping hammer with metal handle	250 Grams	21(20 +1) Nos.	
4.	Chisel cold flat	19 mm x 150 mm	21(20 +1) Nos.	
5.	Centre punch	9 mm x 127 mm	21(20 +1) Nos.	
6.	Dividers	200 mm	21(20 +1) Nos.	
7.	Stainless steel rule(engraved)	300mm	21(20 +1) Nos.	
8.	Scriber	150 mm double point	21(20 +1) Nos.	
9.	Flat Tongs	350mm long	21(20 +1) Nos.	
10.	Hack saw frame fixed	300 mm	21(20 +1) Nos.	
11.	File half round bastard	300 mm	21(20 +1) Nos.	
12.	File flat	350 mm bastard	21(20 +1) Nos.	
13.	Hammer ball pane	1 kg with handle	21(20 +1) Nos.	
14.	Tip Cleaner for gas welding torch		21(20 +1) Nos.	
15.	Try square	6"	21(20 +1) Nos.	
B. GENER	AL MACHINERY SHOP OUTFIT			
16.	Spindle key (O ₂ , CO ₂ , C ₂ H ₂ , Ar)		2 Nos. each gas	
17.	Screw Driver	300mm blade and 250 mm blade	1 No. each	
18.	Number punch	6 mm	2 set	
19.	Letter punch	6 mm	2 set	
20.	Magnifying glass	100 mm. dia.	2 nos.	
21.	Universal Weld measuring gauge		2 nos.	
22.	Spanner D.E.	6 mm to 32mm	2 sets each	
23.	C-Clamps	10 cm and 15 cm	2 each	
24.	Hammer sledge double faced	4 kg	2 No.	

25.	S.S tape 5 meters flexible in case		5 No.
26.	H.P. Welding torch with	5 nozzles	2 sets
27.	Oxygen Gas Pressure regulator double stage		2 nos.
28.	Acetylene Gas Pressure regulator double		2 nos.
	stage		
29.	CO ₂ Gas pressure regulator, with flow meter		2 set
	(gas heater)		
30.	Argon Gas pressure regulator with flow		2 set
	meter		
31.	Metal rack	182 cm x 152 cm x 45 cm	1 No.
32.	First Aid box		1 No.
33.	Steel lockers	with 8 Pigeon holes	2 nos.
34.	Steel almirah / cupboard		4 nos.
35.	Black board and easel with stand		1 No.
36.	Flash back arrester (torch mounted)		4 pairs
37.	Flash back arrester (cylinder mounted)		4 pairs
38.	Auto Darkening Welding Helmet		5 nos.
C. GENE	RAL INSTALLATION	<u>'</u>	
39.	Welding Transformer with all accessories	400A , OCV 60 - 100 V,	1 sets
		60% duty cycle	
40.	Welding Transformer or Inverter based	300A , OCV 60 - 100 V,	1 sets
	welding machine with all accessories	60% duty cycle	
41.	D.C Arc welding rectifiers set with all	400 A. OCV 60 -100 V,	1 sets
	accessories	60% duty cycle	
42.	GMAW welding machine 400A capacity with		1 set
	air cooled torch, Regulator, Gas preheater,		
	Gas hose and Standard accessories		
43.	AC/DC GTAW welding machine with water		1set
	cooled torch 300 A, Argon regulator, Gas		
	hose, water circulating system and standard		
	accessories.		
44.	Air Plasma cutting equipment with all	capacity to cut 12 mm	01 set
	accessories	clear cut	
45.	Air compressor suitable for air plasma	02 stage compressor, 3-	01 no.
	cutting system	phase 3HP motor,	
		pressure 8-10 bar,	
		capacity 110-120 m ² /hr	
46.	Fillet weld gauge		8 Nos.
47.	Welding Simulators for SMAW/ GTAW/		1 each
	GMAW		(Optional)
48.	Pug cutting machine Capable of cutting		1 set

	Straight & Circular with all accessories		
49.	Pedestal grinder fitted with coarse and	dia. 300 mm	02 no.
	medium grain size grinding wheels		
50.	Bench grinder fitted with fine grain size	dia. 150 mm	01 no.
	silicon carbide green grinding wheel		
51.	AG 4 Grinder		4 Nos.
52.	Suitable gas welding table with fire bricks		2 Nos.
53.	Suitable Arc welding table with positioner		6 Nos.
54.	Trolley for cylinder (H.P. Unit)		2 nos.
55.	Hand shearing machine	capacity to cut 6 mm	1 no.
		sheets and flats	
56.	Power saw machine	18'' or 450 mm	1 no.
57.	Portable drilling machine (Cap. 6 mm)		2 no.
58.	Oven, electrode drying	0 to 250°C, 10 kg	1 no.
		capacity, depth 450-500	
		mm	
59.	Work bench	340x120x75 cm with 4	5 sets
		bench vices of 150 mm	
		jaw opening	
60.	Oxy Acetylene Gas cutting blow pipe		2 sets
61.	Oxygen, Acetylene Cylinders		2 each*
62.	CO ₂ cylinder		2 No *
63.	Argon gas cylinder		2 No *
64.	Anvil 24 sq. inches working area with stand		1 no.
65.	Swage block		1 no.
66.	Fire extinguishers	foam type and CO ₂ type	1 no.
67.	Fire buckets with stand		4 nos.
68.	Portable abrasive cut-off machine		1 no.
69.	IIW/ASTM reference radiographic standard		1 set
	for steel fusion welds		
70.	Ultrasonic Flaw detector with accessories		1 set
71.	Rockwell hardness testing machine		1 set
72.	Universal Testing machine		Optional
73.	Suitable gas cutting table		1 No.
74.	Induction/Brazing welding machine with stand. Accessories with water cooling system	250 – 300 amp	1
	and tank	G: 1 1	_
75.	Plastic welding machine for PE,PP and PVC with stand. accessories	Single phase	1
D. LIST O	F CONSUMABLE		
76.	Leather Hand Gloves	14 "	21 pairs.
·		· · · · · · · · · · · · · · · · · · ·	·

77.	Cotton hand Gloves	8"	21 pairs.
78.	Leather Apron leather		21 pairs.
79.	S.S Wire brush	5 rows and 3 rows	21 nos. each
80.	Leather hand sleeves	16"	21 pairs.
81.	Safety boots for welders	Sizes 7,8,9,10	21 pairs.
82.	Leg guards leather		21 pairs.
83.	Rubber hose clips	1/2"	21 nos.
84.	Rubber hose oxygen	8 mm dia. X 10 Mts. long as per BIS	2 nos.
85.	Rubber hose acetylene	8 mm dia. X 10 Mts. long as per BIS	2 nos.
86.	Arc welding cables multi cored copper	400/ 600 amp as per BIS	45 mts. each
87.	Arc welding single coloured glasses	108 mm x 82 mm x 3	42 nos.
	Arc welding single coloured glasses	mm. DIN 11A &12 A	
88.	Arc welding plain glass	108 mm x 82 mm x 3 mm.	68 nos.
89.	Bubble face shield with adjustable head band	light dark in color	42 nos.
90.	Bubble face shield with adjustable head band	clear	42 nos.
91.	Spark lighter/cup lighter for welding		6 nos.
92.	AG 4 Grinding wheels		50 nos.
93.	AG 4 cutting wheels		100 nos.
94.	Power hacksaw blade (10 TPI)		05
95.	Earth clamp	600A	6 nos.
96.	Electrode holder	600 amps	6 Nos.
97.	Dye penetrant testing kit		1 set
98.	Magnetic particle testing Kit		1 set

Note: -

- 1. * Optionally Gas cylinders can also be hired as and when required
- 2. No additional items are required to be provided for unit or batch working in the Second shift except the items under trainee's tool kit and steel lockers.



ABBREVIATIONS:

	·
CTS	Craftsmen Training Scheme
ATS	Apprenticeship Training Scheme
CITS	Craft Instructor Training Scheme
DGT	Directorate General of Training
MSDE	Ministry of Skill Development and Entrepreneurship
NTC	National Trade Certificate
NAC	National Apprenticeship Certificate
NCIC	National Craft Instructor Certificate
LD	Locomotor Disability
СР	Cerebral Palsy
MD	Multiple Disabilities
LV	Low Vision
НН	Hard of Hearing
ID	Intellectual Disabilities
LC	Leprosy Cured
SLD	Specific Learning Disabilities
DW	Dwarfism
MI	Mental Illness
AA	Acid Attack
PwD	Person with disabilities
OAW	Oxy-Acetylene gas Welding
OAGC	Oxy-Acetylene Gas Cutting
F	Fitting
WT	Wall Thickness.
SMAW	Shielded Metal Arc welding
GTAW	Gas Tungsten Arc Welding
SAW	Submerged Arc Welding
GMAW	Gas Metal Arc Welding
MIG	Metal Inert Gas
PP	Polypropylene
PE	Polyethylene
PVC	Polyvinylchloride
	1



