

DGT-Aff011(51)/4/2025-O/o DIR (TC) (E- 75283)
Government of India/भारत सरकार
Ministry of Skill Development and Entrepreneurship/ कौशल विकास और उद्यमिता मंत्रालय
Directorate General of Training/ प्रशिक्षण महानिदेशालय

Kaushal Bhawan, New Moti
Bagh Chanakyapuri, New
Delhi- 110023
Date: 05.03.2026

To,

1. The State Directors

Andhra Pradesh, Assam, Bihar, Chhattisgarh, Gujarat, Haryana, Himachal Pradesh, Jharkhand, Karnataka, Kerala, Maharashtra, Madhya Pradesh, Rajasthan, Telangana, Tamil Nadu, Uttar Pradesh and West Bengal

2. The Regional Directors, RDSDEs

Andhra Pradesh, Assam, Bihar, Chhattisgarh, Gujarat, Haryana, Himachal Pradesh, Jharkhand, Karnataka, Kerala, Maharashtra, Madhya Pradesh, Rajasthan, Telangana, Tamil Nadu, Uttar Pradesh and West Bengal

Subject: Minutes of the 26th Meeting of the Standing Committee on Accreditation and Affiliation (SCAA) held on 15.01.2026 and 20.01.2026 - regarding.

Madam/Sir,

Please find enclosed approved Minutes of the 26th Meeting of “Standing Committee on Accreditation and Affiliation (SCAA)” dated 15.01.2026 and 20.01.2026, However, implementation orders agenda item wise will be issued in due course.

2. Any grievances regarding the decision outlined in these minutes may be raised through the NIMI portal (<https://nimionlineadmission.in/iti/GrievancePortal/register.php>) within 30 days from the date of issue of this minute. Grievances submitted after this period will not be considered.

3. This issues with the approval of Competent Authority.

Yours faithfully,

(Ujjwal Biswas/ उज्ज्वल बिस्वास)
Director - TC/ निदेशक - टी.सी

Copy to:

1. Sr PPS to DG/SS, DGT, Delhi
2. PPS to DDG (HQ), PPS to DDG (South), PPS to DDG (East)
3. DGT MIS Portal in charge, DGT HQ, New Delhi, with a request to upload MoM on DGT MIS Portal.

(Shramev Sharma/ श्रमेव शर्मा)
Deputy Director -TC/ उप निदेशक - टी.सी

DGT-Aff011(51)/4/2025-O/o DIR (TC) (E- 75283)
Government of India/भारत सरकार
Ministry of Skill Development and Entrepreneurship/कौशल विकास और उद्यमशीलता मंत्रालय
Directorate General of Training/ प्रशिक्षण महानिदेशालय
Kaushal Bhawan, New Moti Bagh, Chanakyapuri, New Delhi- 110023/ कौशल भवन, न्यू मोती बाग, चाणक्यपुरी, नई दिल्ली- 110023

Minutes of 26th Meeting of “Standing Committee on Accreditation and Affiliation” held on dated 15.01.2026 and 20.01.2026

The 26th Standing Committee on Accreditation and Affiliation (SCAA) meeting was held on 15.01.2026 and 20.01.2026 through VC. During the meeting, the committee discussed matters related to the affiliation and de-affiliation of ITIs. The list of participants who attended the meeting is attached at **Annexure-1**.

At the outset, Shri Sunil Kumar Gupta, Deputy Director General and Chairperson of SCAA, extended a warm welcome to all the committee members and participants. Thereafter, Shri Ujjwal Biswas, Director, TC took agenda points for detailed discussions. The details of discussions, deliberations, and agenda-wise decisions taken by the Chair, are as follows.

Agenda 1: Action taken report of 25th SCAA meeting held on 13.11.2025

Minutes of the 25th SCAA meeting held on 13.11.2025 have been issued and uploaded on the DGT MIS Portal also. The Minutes of the meeting have been communicated to all the members.

Agenda 2: 66 New Accreditation/ Affiliation proposals for Existing and New ITIs from 10 States.

Inspection reports of 66 New / existing ITIs received on NIMI portal for opening of New ITIs/ trade & units' addition/Shifting of ITIs from 18.09.2025 to 12.01.2026. State-wise numbers of inspection reports received are given below:

Table 1: State-wise number of inspection reports received from 18.09.2025 to 12.01.2026.

Sr.no	State	Existing		Existing Total	New		New Total	Grand Total
		Govt.	Private		Govt.	Private		
1.	Andhra Pradesh	0	1	1	0	1	1	2
2.	Bihar	0	7	7	0	3	3	10
3.	Gujarat	17	1	18	0	2	2	20
4.	Haryana	0	2	2	0	1	1	3
5.	Himachal Pradesh	0	1	1	0	0	0	1

6.	Karnataka	1	3	4	0	0	0	4
7.	Kerala	1	2	3	0	0	0	3
8.	Maharashtra	12	4	16	0	0	0	16
9.	Telangana	0	1	1	1	0	1	2
10.	Uttar Pradesh	0	2	2	0	3	3	5
Grand Total		31	24	55	1	10	11	66

Remarks of 26th SCAA: The SCAA examined all the accreditation and affiliation proposals. The remarks of the SCAA are provided in *Annexure-2*.

Agenda 3: Compliance report/reply against the Show Cause Notice of previous SCAA meetings

In the previous meetings of the SCAA, deficiencies were noticed in certain cases, and the institutes were given an opportunity to submit compliance reports for the same. Further, in cases where Show Cause Notices (SCN) were issued, the institutes were also given an opportunity to submit their replies. The compliance reports received, and the replies to the SCN were placed before the SCAA for deliberation.

Table 2: State-wise number of compliance case received.

Sr. No	State	No. of Cases
1.	Chhattisgarh	1
2.	Himachal Pradesh	1
3.	Jharkhand	1
4.	Maharashtra	8
5.	Madhya Pradesh	1
6.	Uttar Pradesh	16
Grand Total		28

Remarks of 26th SCAA: The SCAA examined the reports, and its remarks are given in *Annexure-3*.

Agenda 4: Affiliation proposals received from State Skill Developments and Entrepreneurship Committees of various states

Affiliation proposals received through the State Skill Developments and Entrepreneurship Committee (SSDEC) meeting minutes from the States of Assam, Chhattisgarh, Haryana, Madhya Pradesh, and Karnataka have been examined. These proposals were discussed and deliberated with the respective State Directorates and RDSDEs, as per the details provided below.

4.1 SSDEC Assam: State Council for Vocational Training to National Council for Vocational Education and Training conversion proposal for 16 ITIs

The SSDEC Assam has sent proposal for 16 State Council for Vocational Training (SCVT) trades to the National Council for Vocational Education and Training (NCVET) trades.

Remark of 26th SCAA-The proposals have been reviewed by the SCAA, and it has been decided that major deficiencies have been observed in these ITIs. The institutes must remove these deficiencies, thereafter the cases will be discussed in the next SCAA meeting. The details of the ITIs are given in *Annexure-4*.

4.2 SSDEC Chhattisgarh: SSDEC vide its letter 25.11.2025 has sent the proposal for granting NCVET affiliation to the Computer Operator and Programming Assistant (COPA) trade at Government ITI, Pusaur, District Raigarh

Brief facts of the matter:

The Directorate of Training & Employment, Chhattisgarh, vide letter No. क्रमांक/सरोप्र/टीटीसी/एफि./2025/632 dated 25.11.2025 has requested grant of NCVET affiliation to the COPA trade at Government ITI, Pusaur, District Raigarh, with retrospective effect from February 2006 In place of August 2006.

The Directorate of Employment and Training, Chhattisgarh, based on the approval of the Standing Committee, had recommended the grant of NCVT affiliation w.e.f. February 2006 through various communications dated 14.02.2007, 16.07.2007, 29.09.2023, 26.09.2024, and 20.11.2024. However, the DGT order dated 02.02.2007 granted affiliation w.e.f. August 2006.

Subsequently, vide letter dated 04.01.2025, the State Directorate requested issuance of National Trade Certificates (NTCs) to trainees admitted in February 2006 who appeared in and passed the NCVET examination.

26th SCAA Remark-After detailed deliberation, it was decided that retrospective affiliation cannot be granted. Accordingly, the SCAA did not consider the request for grant of NCVET affiliation to the COPA trade at Government ITI, Pusaur, District Raigarh, with retrospective effect from February 2006 instead of August 2006, as no provision exists under the norms for granting retrospective affiliation.

4.3 SSDEC Haryana:

4.3.1 Dual System of Training (DST) proposals: The HSDEC Haryana sent the proposal of 5 Govt. ITIs under Dual System of Training scheme for which admissions are to be made in session 2026-27.

26th SCAA remarks- The proposal has been discussed and the remarks of SCAA are given in *Annexure-5*.

4.3.2 Proposal regarding updating the name of the revised MoU executed under the DST Scheme-Govt ITI Sonapat (GU06000006)

The SSDEC has sent the proposal regarding updating the name of Industry as per the the revised MoU executed under the DST Scheme for the trades Tool & Die, Turner, Machinist, Plastic Processing Operator, Fitter & Painter at the Government Industrial Training Institute, Sonapat on the NCVET MIS Portal/SIDH Portal.

Brief fact of the matter- Initially, an MoU was signed between Government ITI, Sonapat and JSG Innotech Pvt. Ltd., Sonapat for 6 units of Tool & Die, Turner, Machinist, Plastic Processing Operator, Fitter, and Painter trades for the academic session 2025–26.

Subsequently, the Principal Government ITI, Sonapat requested cancellation of the said MoU and execution of revised MoUs with Deep Machine Tools Ltd. and Lars Medicare Pvt. Ltd. The SSDEC has granted approval for the revised MoUs in place of JSG Innotech Pvt. Ltd.

Remarks of 26th SCAA- The SCAA approved the updating of the name of industry as per the revised MoU, details of which are given below:

Name and address of ITI	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift	No. of units	Conversion of Existing Affiliated Unit/New Unit	26 th SCAA Remarks
Govt. Industrial Training Institute Sonapat GU06000006	Lars Medicare Pvt. Ltd Bahalgarh chowk Sonipat 131021	08.12.2025	07.12.2029	Plastic Processing Operator	1 st and 2 nd shift	2(1+1)	Conversion	Recommended
		08.12.2025	07.12.2029	Fitter	1 st and 2 nd shift	2(1+1)	Conversion	Recommended
		08.12.2025	07.12.2029	Painter General	1 st shift	1(1+0)	Conversion	Recommended
		08.12.2025	07.12.2029	Turner	1 st and 2 nd shift	2(1+1)	Conversion	Recommended
	Lars Medicare Pvt. Ltd Bahalgarh chowk Sonipat 131021	08.12.2025	07.12.2029	Machinist	1 st shift, 2 nd shift and 3 rd shift	3(1+1+1)	Conversion	Recommended

Name and address of ITI	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift	No. of units	Conversion of Existing Affiliated Unit/New Unit	26 th SCAA Remarks
	Deep Machine Tools Rai Industrial	28.11.2025	27.11.2029					Recommended
	Deep Machine Tools Rai Industrial	28.11.2025	27.11.2029	Tool & Die Maker (Dies & Moulds)	1 st shift	1(1+0)	Conversion	Recommended

4.4 SSDEC Madhya Pradesh:

4.4.1 SCVT to NCVET Conversion of trade/units in Govt ITIs: Based on the joint inspection report, SSDEC Madhya Pradesh vide its 11th meeting dated 15.09.2025 sent the proposal for SCVT to NCVET conversion of trade/units in 18 Govt ITIs.

26th SCAA remarks- The proposal has been discussed/reviewed, and details of SCAA remarks are given in *Annexure-6*.

4.4.2 DST Affiliation proposal: SSDEC, Madhya Pradesh, in its 11th SSDEC meeting has recommended a proposal for DST conversion/new unit affiliation in Government/Private ITIs.

26th SCAA remarks- The proposal has been discussed/reviewed and details of SCAA remarks are given in *Annexure-7*

4.5 SSDEC Karnataka: SSDEC, Karnataka, in its 4th SSDEC meeting, has recommended for DST conversion/new unit affiliation in Government/Private ITIs.

26th SCAA remarks- The proposal has been discussed/reviewed and details of SCAA remarks are given in *Annexure-8*

Agenda 5: Matters related to De-affiliation/self-surrender/self-closure of ITIs:

5.1 Proposal regarding self-surrender of trades/units and self-closure of ITIs received from various States along with SSDEC recommendations.

Details thereof and remarks of the 26th SCAA are provided at *Annexure-9*.

5.2 Proposal for de-affiliation of 71 ITIs received from the State of Karnataka, along with SSDEC recommendations. Details thereof and remarks of the 26th SCAA are provided at *Annexure-10*.

26th SCAA remarks- The matter was deliberated in the SCAA meeting. Based on the recommendations of the SSDEC and the material facts available on record, it is evident that the concerned ITIs have violated the prescribed norms and guidelines, thereby defeating the sole objectives of the CTS.

However, in accordance with the principles of natural justice, the concerned ITIs are hereby provided a final opportunity to present their case as to why the institute(s) should not be de-affiliated, based on the inspection team's observations and the SSDEC's recommendations listed in the respective column (4) referred to in *Annexure-10*.

The explanation, if any, must be comprehensive and duly supported by relevant documentary evidence, including proof of operational machinery and equipment with geo tagged photos, Geo-tagged photographs of the institute infrastructure and location, and any other documents substantiating compliance with the prescribed norms. In case the reply consists of multiple pages, the institute shall prepare a proper index and clearly reference all annexures relied upon in the submission.

The reply must reach to DGT within 21 days from the date of issuance of these minutes at the email ID **tc-deaffiliation@dgt.gov.in**, using the following subject line: "Reply to Notice of 26th SCAA Minutes – <ITI Name>, <MIS Code>, <State Name>"

In case no reply is received within the stipulated period, or if the reply is found unsatisfactory, a final decision regarding de-affiliation shall be taken without any further notice.

5.3 Proposal for de-affiliation/affiliation of 08 ITIs received from the State of Bihar, along with SSDEC recommendations. The details thereof and remarks of the 26th SCAA are provided at *Annexure-11*.

26th SCAA remarks: The matter was deliberated in the SCAA meeting. Based on the recommendations of the SSDEC and the material facts available on record, it is evident that the concerned ITIs have violated the prescribed norms and guidelines, thereby defeating the objectives of the CTS.

However, in accordance with the principles of natural justice, the concerned ITIs are hereby provided a final opportunity to present their case as to why the institute(s) should not be de-affiliated, based on the inspection team's observations and the SSDEC's recommendations listed in the respective column (4) referred to in *Annexure-11*.

The explanation, if any, must be comprehensive and duly supported by relevant documentary evidence, including proof of operational machinery and equipment with geo tagged photos, Geo-tagged photographs of the institute infrastructure and location, and any other documents substantiating compliance with the prescribed norms. In case the reply consists of multiple pages, the institute shall prepare a proper index and clearly reference all annexures relied upon in the submission.

The reply must reach to DGT within 21 days from the date of issuance of these minutes at the email ID **tc-deaffiliation@dgt.gov.in**, using the following subject line: "Reply to Notice of 26th SCAA Minutes – <ITI Name>, <MIS Code>, <State Name>"

In case no reply is received within the stipulated period, or if the reply is found unsatisfactory, a final decision regarding de-affiliation shall be taken without any further notice.

5.4 Proposal for de-affiliation/affiliation of 32 ITIs received from the State of Madhya Pradesh, along with SSDEC recommendations. The details thereof and remarks of the 26th SCAA are provided at *Annexure-12*.

Agenda 6: Miscellaneous matters

6.1 Non-receipt of the compliance reports sought in previous SCAA meetings

Discussion on the cases of ITIs that failed to submit their compliance reports within the stipulated timeline prescribed by the SCAA, despite multiple opportunities being provided.

26th SCAA remarks: The matters were discussed in the meeting, wherein it was observed that the institute(s) had failed to rectify the identified deficiencies. The decisions and directions issued in each of these meetings were uploaded in the public domain and also communicated to the applicant institute through the NIMI Affiliation Portal via the registered email ID.

Now, these applicant institutes are hereby directed to submit their clarification/representation, along with supporting documents, explaining why their applications for affiliation should not be rejected, and to furnish the requisite rectification/compliance documents within a period of 15 days from the date of issuance of these minutes.

In case satisfactory and verifiable compliance is not submitted within the prescribed timeline, the application shall be rejected without any further notice from the DG.

The list of such ITIs is enclosed at *Annexure-13*.

6.2 Affiliation matter of 13 ITI under Public Private Partnership mode.

The proposal for affiliation of 13 Government ITIs established under the PPP mode was received from State Skill Development and Entrepreneurship Committee (SSDEC), Uttar Pradesh. The matter was presented during the 23rd Standing Committee on Accreditation and Affiliation(SCAA) meeting held on 18.07.2025, where the following observations were made:

These are newly established ITIs, and none have completed the application process through the NIMI portal. Inspections were carried out offline, without utilizing the NIMI mobile application, resulting in the absence of geo-tagged photographs and real-time infrastructure status. The physical inspection reports were lacking in key details regarding land, buildings, power supply, and machinery. Additionally, the proposal did not clearly define the ownership structure or the responsibilities of the State Directorate concerning these PPP ITIs.

Remarks of 23rd SCAA were as follows: *“The 23rd SCAA had advised the State Directorate to submit a detailed proposal with complete online inspection reports, including geo-tagged photographs, for further consideration”*.

Since compliance report was not received from State Directorate, therefore, a Video Conference was again held on 10.09.2025 to discuss the affiliation matter of these 13 Government ITIs established under PPP mode in Uttar Pradesh. During the meeting, the following points were noted:

(i) The Director (TC) emphasized that inspections must be conducted strictly through the NIMI portal in online mode. Offline inspections are not acceptable.

(ii) The proposal was found incomplete and could not be processed in its present form. The State Directorate was advised to furnish the following documents/information to RDSDE, Uttar Pradesh:

- Land/lease documents
- Building completion certificate, approved building plan, and fire safety certificate
- Electricity connection details
- Machinery details (invoices, installation proof, engraving, and video evidence of working condition)
- Status of instructor appointments
- Geo-tagged photographs of the institute, classrooms, workshops (all trades), IT lab, etc.

RDSDE Uttar Pradesh subsequently submitted the compliance report, which was placed before the 26th SCAA for consideration.

26th SCAA remarks: The compliance report submitted by RDSDE, Uttar Pradesh was examined in detail during the 26th SCAA meeting. The remarks of 26th SCAA meeting are placed at **Annexure-14**.

Further, the Committee categorically emphasized that, henceforth, no offline inspections shall be conducted for any ITIs established under the PPP mode. All inspections must be carried out strictly through the NIMI Affiliation Portal in online mode. The concerned institutes are required to submit their applications through the Affiliation Portal and adhere to the complete prescribed process for grant of affiliation.

6.3 Merger of Siddharth Pvt. Industrial Training Institute Palhipatti, Varanasi, Uttar Pradesh (PR09001652) with J.S. Pvt. Industrial Training Institute, Palhipatti, Varanasi – Varanasi Uttar Pradesh (PR09000085)

Brief of the matter:

- i. SSDEC UP in its 4th meeting has recommended merger of Siddharth Pvt. Industrial Training Institute Palhipatti, Varanasi, Uttar Pradesh (PR09001652) with J.S. Pvt. Industrial Training Institute ((PR09000085).
- ii. However, no clarity was provided regarding the availability of infrastructure, machinery, instructors, or safety provisions in the proposal received either from the SSDEC.
- iii. Further, RSDSE and State were requested to conduct joint inspection of these ITIs along with following documents.
 - a. A self-declaration from the society confirming that there is no ongoing legal dispute among its members.

- b. A resolution passed by a two-thirds (2/3) majority of the society members confirming that both the parent and child institutes are operated by the same entity.
- c. A separate resolution, also passed by a two-thirds (2/3) majority, clearly stating the rationale for the merger and expressing the society's formal consent to the proposed merger.
- iv. Inspection has been conducted and the required documents have been provided by the RDSDE.

26th SCAA Remark- The matter was discussed and the SCAA recommended the merger of Electrician – 12 (6+6) units of Siddharth Pvt. Industrial Training Institute (PR09001652) with J.S. Pvt. Industrial Training Institute (PR09000085). However, the ITI is required to convert all relevant document in the name of J.S. Pvt. Industrial Training Institute, Palhipatti, Varanasi (MIS Code: PR09000085), and submit the same to RDSDE within 30 days from the date of issuance of these minutes. Further, RDSDE to submit the documents to DGT.

Thereafter, the Siddharth Pvt. Industrial Training Institute (PR09001652) shall be de-affiliated on the portal.

6.4 SCVT to NCVT proposal from Govt. ITI Vadakari, Chennai MIS Code: GR33000677

Remark of 26th SCAA- State Directorate shall send the recommendations of SSDEC to DGT for the SCVT to NCVET conversion.

6.5 Admission related matters

6.5.1 Compliance reports of 23rd SCAA meetings have been received from 4 ITIs.

The details and 26th SCAA remarks are provided at *Annexure-15*

6.5.2 Matter related to relaxation from de-activation of trades/units of 3 ITIs whose 100% seats are lying vacant for 2 consecutive years

With reference to letter No. DGT-MIS011/1/2022-TC SECTION [53887] dated 10.11.2022 regarding one-time relaxation from de-activation of trades/units of ITIs having 100% vacant seats for two consecutive years, the concerned State Directorates were directed to ascertain the readiness of the ITI(s) and forward the recommendations of the State Standing Committee on Affiliation and Accreditation (SSDEC) to DGT.

In this regard, the recommendations of SSDEC have been received from the Karnataka State Directorate and the same were placed before the SCAA. The decision of 26th SCAA is provided at *Annexure-16*

6.5.3 Compliance of Hon'ble court order dated 26.11.2025 passed by the Hon'ble High Court of Karnataka, Bengaluru Bench in IA 01/2025 in W.P. No. 22527/2025 titled Hi-Tech Pvt. ITI vs. DGT & Others.

A copy of the letter received from the State Directorate dated 12.12.2025 in compliance with the interim directions dated 26.11.2025, wherein the State Directorate, furnished the data of 28 trainees for the 2023–25 session and 30 trainees for the 2024–26 session for the purpose of enabling their admission on the SIDH portal and facilitating their participation in the examination. The State Directorate has further submitted that the petitioner did not obtain

re-affiliation at its original location despite having the opportunity to apply on the NIMI Affiliation Portal, and therefore these admissions were not allowed on the State Admission Portal. In order to comply with the directions passed by the Hon'ble Court, the State Directorate has forwarded the data to facilitate the admission and examination process for these trainees at DGT end.

Brief facts:

1. Briefly, the case is that the petitioner has shifted its place to another location from the affiliated location and admitted the trainees till 2022-23 through the Hon'ble Court orders in earlier petitions. Meanwhile, the petitioner has shifted back to the original place, however, the state directorate has issued the order 03.03.2025 whereby the representation of the petitioner to run institute at its old-affiliated location was rejected. This order is again challenged by the petitioner in present ongoing petition W.P. (C) No. 22527/2025 inter alia prying to allow the admission for session 2025-26 and continue affiliation at original location.
2. The Hon'ble Court has allowed the petitioner provisionally in the interim relief in judgment dated 26.11.2025 to appear the trainees claimed to be admitted for session 2023-25 and 2024-26 in the ensuing Examination scheduled from 24.11.2025 to 26.01.2026 as the prayer made in the IA 01/2025. The state directorate has forwarded the letter 12.12.2025 to comply the interim judgment passed in petitioner case, for issuance of an examination center code in the supplementary examination scheduled for December 2025 for the petitioner, Hi-Tech Pvt. ITI for trainees claimed to have been admitted in sessions 2023–25 and 2024–26.
3. Since the admission data for the 2023–25 session and 2024-26 is not available on the Skill India Digital Hub (SIDH) portal, the examination activities cannot be carried out in the absence of the Permanent Registration Number (PRN) for each trainee. There is a technical constraint to alter the ongoing examination cycle of the supplementary/leftover examination in December 2025, therefore, once the PRN is generated on the SIDH portal, the eligible trainees may appear in next subsequent examination cycle of regular or supplementary cycle subject to fulfilling the examination guidelines.
4. In compliance to the judgement DGT has issued an OM on 30.12.2025 inter alia allowing the petitioner provisionally to upload the data of 28 trainees for the 2023–25 session and 30 trainees for the 2024–26 session, as furnished by the State Directorate.
5. As per 4th SSDEC meeting held on 02.09.2025, it has been decided that the institute needs to remove deficiencies observed in the Joint Inspection held on 21.05.2025, within 6 months. hence State directorate and RDSDE officials are instructed to re-inspect ITI and submit the report in next SSDEC meeting.
6. Existing trade is Electrician 2(1+1) and Fitter -2(1+1) at location Address:Indu Complex Bellery Road Pavagada, Dist TUMAKURU on SIDH portal.
7. The reinspection was conducted on 30.12.2025 and the following deficiencies were found the ICVC –
 - i. The institute is under lease for five years from 01.11.2022 to 01.11.2027 Building stability certificate is available but building completion certificate is not available.
 - ii. Tools are available for the trades Fitter (1+1) and Electrician (1+1); 80% Machineries are installed only 50% machineries are in working condition computer are required regular maintenance.
 - iii. Institute is requesting for 6 months to renovate separate classrooms and drawing hall and to maintain all machineries in working condition.

- iv. 2023-25 academic year 28 trainees are admitted and batch has completed training under the trade Fitter and Electrician but not appeared for examination due to shifting of ITI. 2024-26 academic year the 30 trainees are admitted in the trade Fitter and Electrician are undergoing training of the second year but not appeared to the first-year examination due to shifting of ITI. Machineries are installed but not maintained only 50% are in working conditions. Required separate classroom, drawing hall and toilets to be renovate.
- v. Machinery Bills are 95 % available as per norms.
- vi. IT lab is having only 5 systems against 10 systems. Drawing hall is made up with sheet roof.
- vii. Only 2 classrooms are available out of one is shown as drawing hall.
- viii. Drinking water available Ramp for physically handicapped students near classroom First Aid box available Toilets are under construction Parking Available Playground is available but not maintained properly.
- ix. The ITI is located in prime area of Pavagada, if the institute maintain neat campus, if machineries are in good working condition for the trade Fitter (1+1) and Electrician (1+1) and if renovation of building is taken place then, the trade Fitter (1+1) and Electrician (1+1) are recommended

TC section observation:

- i. The institute has not rectified the deficiencies of 1st inspection conducted on 21.05.2025, even after grant of 6 months' time period by SSDEC.
- ii. Building completion certificate is not available. (For BCC please refer page no.108 of affiliation norms 2018)
- iii. Lease is not sufficient as per norms; minimum 3 years period is required.
- iv. Electricity bill is in the name of Mr Balaji GA, not in the name of ITI.
- v. Classroom is made of tin shade which seems not safe for the trainees, from photos it seen that it is poorly maintained. One of the classrooms no-1 is made in open space without any wall.
- vi. IT lab and drawing hall is not as per norms as per report.

26th SCAA remarks:

The matter was discussed in the SCAA, and it has been decided that the petitioner ITI needs to remove the deficiencies mentioned by ICVC and the TC section in para –7 above, and submit the documents to the concerned RDSDE Karnataka within 15 days from the date of issue of these minutes.

Thereafter, concerned RDSDE and State Directorate will conduct joint verification of the compliance documents and RDSDE will submit the report with recommendation to DGT within the next 15 days on the NIMI portal and forward to DGT HQ along with recommendation.

If the petitioner institute fails to remove the deficiencies within the stipulated time, the affiliation proposal shall not be considered further and will be rejected without any further notice from DGT

Further, the admissions allowed to the petitioner vide DGT OM dated 30.12.2025 for the academic sessions 2023–24, 2024–25, and 2025–26 shall remain provisional in nature and shall be subject to the final outcome of W.P. No. 22527/2025 pending before the Hon’ble High Court of Karnataka, Bengaluru Bench.

6.6 Compliance with the Hon'ble High Court of Madhya Pradesh Judgment dated 15.10.2025 passed in WPC 8606/2021 titled Asha Samaj Sewa Awam Shiksha Prasar Samiti Shivpuri (Running Institute in the name of NEP Pvt. ITI) vs. Union of India & Others.

Brief of the matter:

1. The petitioner ITI i.e NEP Private ITI (MIS Code-PU23000925) has filed WPC 8606/2021, inter alia challenging the DGT order dated 05.02.2021 (impugned order) passed by the respondent DGT whereby, the petitioner's institution, has been de-affiliated entirely for Electrician – 3 (1+1+1) units and Stenographer – 2 (1+1) units.
2. The Hon’ble High Court vide its judgement dated 15.10.2025 disposed of the petition inter alia, directed the respondent DGT to proceed in accordance with law. The relevant paragraphs of the judgment are reproduced below for ready reference:

*“22. In spite there being proposal by the Joint Inspection Committee for communication of the alleged deficiencies noticed during inspection to the Principal of the petitioner's institution for rectification of defects, no such communication was made by the respondents No.1 and 2. Thus, no adequate opportunity of hearing has been afforded to the petitioner prior to passing of the impugned order dated 5.2.2021 and the same has been passed against the settled principles of natural justice and fair play. Accordingly, the instant writ petition is allowed. The order dated 5.2.2021 is hereby quashed. **Liberty is reserved in favour of the respondents to proceed in accordance with law, if they so desire.**”*

3. It is an admitted position of the petitioner, as recorded in the judgment dated 15.10.2025, that adequate infrastructure and facilities were available with the institution in accordance with the guidelines issued by the respondent DGT for grant and continuation of affiliation, and as earlier noted by the authorities in the impugned de-affiliation order dated 05.02.2021.
4. In compliance with the above judgment, the impugned de-affiliation order dated 05.02.2021 was withdrawn by DGT vide email dated 27.10.2025. Further, in accordance with the liberty granted by the Hon’ble Court, it was informed that since the petitioner ITI has remained non-functional for nearly four years following the issuance of the impugned order, so decision regarding continuation of affiliation shall be taken on the basis of the fresh joint inspection report, in the interest of ensuring that the enrolled trainees receive essential skill training as per the NCVET-approved syllabus and the DGT affiliation norms of the affiliated trade. Accordingly, a prior intimation was issued to the petitioner vide email dated 27.10.2025, directing that the requisite infrastructure be made available and fully compliant with the prescribed norms for the purpose of conducting the inspection.
5. In response to the inspection notice, the petitioner submitted a representation dated 04.11.2025 to RDSDE, Madhya Pradesh, wherein it unjustifiably questioned the proposed inspection. The petitioner contended that since the ITI remained closed from 2020 to 2025 due to de-affiliation and no admissions were made during this period, therefore no inspection could be conducted. The petitioner further claimed that, as the Hon’ble Court has quashed the de-affiliation order, the DGT is obliged to grant affiliation without insisting on inspection.

6. The prior intimation for the fresh inspection was duly provided to the petitioner institute by DGT vide email dated 27.10.2025, followed by subsequent notices issued by RDSDE and the State Directorate. Accordingly, a joint inspection of the ITI was conducted by officials of RDSDE and the State on 18.11.2025. The observations of the Joint Inspection Committee are reproduced hereunder:
- The ITI was found closed.*
 - Other commercial activities were being operated on the premises, and parts of the campus had been rented out for residential purposes.*
 - Power supply to the premises was disconnected.*
 - Brij Library was found functioning within the ITI premises, and the ITI infrastructure was being utilized for commercial purposes.”*
7. DGT has issued a detailed Show Cause Notice dated 26.11.2025 to the petitioner ITI in adherence to principle of natural justice to show cause as why the petitioner ITI should not be completely de-affiliated, based on the remarks of the inspection team and the DGT. The petitioner ITI submitted its reply dated 09.12.2025 in response to the Show Cause Notice, the brief summary of the para-wise submissions made by the ITI is set out hereunder:

Sr No	Brief Objection by the petitioner	Remarks of DGT
1.	In para no. 1 to 10 of the reply, the ITI has reiterated the same facts and submissions already placed before the DGT earlier and has primarily relied upon its own interpretation of the directions of the Hon’ble Court. The ITI has contended that the Hon’ble Court had directed the DGT to restore the affiliation of the institute immediately and without conducting any inspection and, on this basis, has asserted that the inspection conducted and the deficiencies observed therein are not sustainable and that the affiliation ought to be restored as a matter of course.	<p>The petitioner has misinterpreted the judgment dated 15.10.2025 passed by the Hon’ble Court for its own convenience. The Directorate General of Training (DGT), vide email dated 27.10.2025, has already withdrawn the de-affiliation order and, in order to safeguard the interests of the trainees, has decided to conduct an inspection to verify the availability of infrastructure and machinery, in accordance with the liberty granted by the Hon’ble Court.</p> <p>Accordingly, the objections raised by the petitioner in paragraphs 1 to 10 of its reply are devoid of merit and are hereby rejected.</p>
2.	In paragraphs 11 to 13 of the reply, the ITI has again declined to accept the requirement of inspection and has attempted to question the inspection process by alleging shortcomings on the part of the inspection committee and by disputing the deficiencies observed during inspection.	<p>The petitioner has failed to submit any substantive documentary evidence, records, or verifiable proof to rebut the specific deficiencies highlighted in the Show Cause Notice. Mere assertions without supporting material cannot be treated as compliance with the prescribed affiliation norms.</p> <p>It is an admitted fact, as recorded in the judgment dated 15.10.2025, that the petitioner institution possessed adequate infrastructure and facilities as required under the DGT guidelines for grant and continuation of affiliation. Accordingly, a fresh inspection was proposed to verify the availability of infrastructure, tools, and equipment with an objective to decide the restoration of affiliation and admissions in petitioner institute. A prior intimation for the joint inspection was duly issued by DGT vide</p>

		<p>email dated 27.10.2025, and the petitioner was expected to keep the requisite infrastructure, documents, and trade equipment ready.</p> <p>Further, the petitioner had sufficient opportunity to seek extension or rescheduling of the inspection prior to 18.11.2025. However, instead of cooperating with the inspection process, the petitioner submitted a representation dated 04.11.2025 raising untenable objections and effectively obstructing the inspection. In this regard, the Hon'ble High Court of Madhya Pradesh, in its order dated 01.04.2025 passed in W.P. No. 8116/2025 (Maa Shitla Pvt. I.T.I. vs. Union of India & Ors.), has categorically held that there is no prohibition on the competent authority conducting inspections, including repeat inspections, where required. The Hon'ble Court further observed that the competent authority is duty-bound to examine complaints and undertake verification, including on-site inspection, to ascertain factual compliance.</p> <p>Accordingly, in the present case, the inspection was duly proposed in order to safeguard the interests and future of the trainees and to objectively assess the availability of training infrastructure. The petitioner cannot refuse or obstruct such inspection on unreasonable or unsubstantiated grounds.</p> <p>Therefore, the reply submitted by the petitioner in paragraphs 11 to 13 is devoid of merit and is hereby rejected, as it is unsupported by any substantive documentary evidence or proof.</p>
3.	<p>In paragraph 14 and subsequent submissions, the ITI has sought restoration of its affiliation on the grounds that it has allegedly been subjected to harassment by the DGT and that no adequate opportunity of hearing was granted to it. The ITI has further stated that it has been suffering losses for the past four years, causing mental and financial hardship, and that the institute has remained non-functional during this period with no admissions taken and a poor financial condition. On these grounds, the ITI has requested a period of four to five months' time for inspection and has also sought permission to operate the ITI from another building.</p>	<p>The petitioner was required to remain prepared for the inspection and ensure the availability of the requisite infrastructure and machinery. Further, the petitioner had sufficient time to make necessary arrangements for infrastructure and machinery after the judgment dated 15.10.2025 passed by the Hon'ble Court.</p> <p>Further, as per the prescribed shifting guidelines, the institute is required to follow the shifting guidelines for relocation and installation of machinery and infrastructure. However, no such efforts were made by the petitioner. Moreover, the petitioner failed to demonstrate the availability of the required infrastructure and machinery during the inspection process. This lackadaisical approach on the part of the petitioner has resulted in unnecessary expenditure of time and resources of both DGT and the State Directorate, as no adequate arrangements were found in place. Moreover, rescheduling the inspection is not feasible, as it would adversely impact the timely</p>

		<p>processing of pending affiliation matters and undermine the the nspection and affiliation process.</p> <p>Accordingly, the reply submitted by the petitioner in paragraph 14 onwards has no merits and same are hereby rejected on the grounds stated above.</p>
--	--	---

26th SCAA Remarks: The matter was deliberated in 26th SCAA meeting. Based on the above remarks of DGT, and the facts established in the inspection report, it is evident that the petitioner ITI is not in a position to conduct training, as the requisite infrastructure, machinery, and associated facilities are not available. It is submitted that compliance with DGT affiliation norms is mandatory to ensure that trainees receive quality vocational training. The wellbeing and future of the trainees is of paramount importance to DGT, and in the absence of adequate infrastructure and machinery, the very purpose of imparting vocational training stands defeated.

In view of above, the SCAA decided that the reply submitted by the petitioner ITI 09.12.2025 is not satisfactory and therefore same is hereby **“Rejected”**. Consequently, the petitioner ITI is hereby de-affiliated in respect of all trades/units by way of this fresh order, and no further admissions shall be permitted in the institute.

The three-year de-affiliation period, reckoned from 05.02.2021, has already elapsed in petitioner case. Therefore, the petitioner ITI is at liberty to submit a fresh application for affiliation in accordance with the Affiliation Norms for ITIs, 2025, notified on 18.12.2025.

In view of the above, the directions issued by the Hon’ble High Court of Madhya Pradesh in its judgment dated 15.10.2025 passed in W.P. No. 8606/2021 stand duly complied with.

6.7 Discussion on batch creation of Swami Vivekanand Pvt. I.T.I. Balaghat Private Industrial Training Institute, Balaghat, Madhya Pradesh (PU23000310)

Brief case of the matter:

As per the Institute’s prayer, the application was submitted for starting new trades and not for change of name/address or shifting of ITI. NOC for addition of trades and units was duly obtained from the State Directorate. However, the application was inadvertently submitted in 2025 under Category-3 (Change of Name/Address).

The portal does not provide an option to upload both the old and new institute names, resulting in a technical limitation. The matter was placed before the 6th GRC held on 07.10.2025, wherein it was observed that the application was pending at the desktop level, and the GRC did not permit editing of the application. All required details have now been filled up to Stage-III, and the application is presently pending for batch creation. At no stage during the NOC process or application submission was the Institute informed about the incorrect category selection.

In view of the above, RDSDE has raised a query regarding batch creation. Accordingly, the matter is submitted for consideration and decision regarding inspection of the application.

Remark of 26th SCAA- The SCAA deliberated and discussed the matter and decided that the RDSDE may create the batch for inspection.

6.8 Compliance with Hon'ble High Court's order in respect of RR Private ITI

Brief of the matter:

1. The State Directorate had received a complaint against the Petitioner ITI and on a surprise inspection held on 05/06/2020, the ITI was found to be closed. Thereafter, a Show Cause Notice dated 26/06/2020 was sent to the Petitioner ITI by DGT. Thereafter, based upon the joint inspection report conducted on 02.07.2022, due to various deficiencies, DGT has de-affiliated the petitioner institute in 10th SCAA meeting held on 16.06.2023 w.e.f. from session 2023-24 via impugned order dated 09.08.2023.
2. The Petitioner has filed the instant Writ Petition before this Hon'ble Court under Article 226 of the Constitution of India seeking quashing and setting aside of impugned de-affiliation order dated 09.08.2023 decision taken by Respondent in its 10th meeting of Standing Committee on Accreditation and Affiliation (SCAA) held on 16.06.2023.
3. The direction was sought that the respondents may be refrained from de-affiliation the petitioner institution and further be directed to re-activate the petitioner institute on online portal of NCVET from the session 2024-25. Further it is also prayed that the petitioner institution be included in the seat matrix for admission process for the session 2025-26 onwards and its seats be filled.
4. The Hon'ble Court has disposed of the matter vide its order dated 04.11.2025, inter alia, directing the respondents to re-inspect the petitioner institute and thereafter pass appropriate orders upon completion of the inspection. The relevant portion of the order is extracted hereunder:

"..In view of above, the present writ petition is disposed of in terms of the order dated 03.02.2025 passed by this Court in the case of Hanumangarh BRC Pvt. Industrial Training Institute (supra), which reads as under :

Heard learned counsel for the parties.vThe present writ petition has been filed for the following reliefs:-

By an appropriate writ, order or direction, the action of the respondents in recommending for de- affiliation of the petitioner college may be declared illegal and unjustified, and the order dated 06.06.2023 (Annexure-4) as well as the decision taken by the respondents in its 16th meeting wherein the petitioner has been shown at serial No.5 as referred in Agenda 5.1 De-affiliation of ITIs of Rajasthan State qua the petitioner, may kindly be declared illegal and be quashed and set aside.

(ii)By appropriate writ, order or direction, the respondents may be refrained from de- affiliating the petitioner institution and further be directed to re- activate the petitioner institution on online Portal of NCVT from the 2024-25 session onwards.

*(iii)That further it is prayed that the petitioner institution be included in the admission process for the year 2024-25onwards and its seats be filled".
Learned counsel for the petitioner submits that in pursuance of the directions issued by this court on 30.08.2024, the petitioner institute was inspected by respondent No.5 wherein certain infirmities were pointed out. Learned counsel further submits that the shortcomings so pointed out*

have rectified/corrected by the petitioner. He, therefore, prays that the respondent No.5 may be directed to re-inspect the petitioner's institute and if the same is found in order, necessary orders for affiliation of the petitioner institute may be passed in accordance with law.

Learned counsel for the respondents is not in a position to refute the submission made by learned counsel for the petitioner. However, learned counsel for the respondents submits that liberty may be granted to the respondents to issue appropriate orders after inspecting the institute of the petitioner in accordance with law.

Considering the submissions made before this court, the present writ petition is disposed of with a direction to the respondent No.5 for re-inspecting the petitioner institute and pass appropriate orders. Needless to say that if the petitioner institute is found meeting all the criteria for affiliation then necessary orders for affiliation of the petitioner institute may be passed, in accordance with the rules.

If the petitioner institute is found to be lacking in requisite facilities then orders may be passed for not affiliating the petitioner institute in accordance with law."

5. *The order passed in case of Hanumangarh BRC Pvt. Industrial Training Institute (supra), shall be applicable to the present case mutatis mutandis.*
6. *Needless to say, that the compliance of the afore-referred direction shall be made expeditiously preferably within a period of eight weeks from the receipt of copy of this order.*
7. *Stay application and any other pending application, if any, also stand disposed of."*
8. The state directorate of Rajasthan vide its letter dated 03.12.2025 has requested RDSDE to nominate the member for inspection in compliance to the above judgment. Now the petitioner has made a representation on 26.12.2025 to allow the petitioner for the admission and affiliation for session 2025-26 in respect to the Hon'ble Court order 04.11.2025.
9. In compliance with the judgment dated 04.11.2025, the following had been decided as under:

A joint inspection at the premises of the petitioner ITI shall be conducted in compliance with the directions of the Hon'ble Court. The concerned management of the ITI shall be intimated of the date of inspection in advance by the Regional Directorate of Skill Development and Entrepreneurship (RDSDE), Rajasthan, in coordination with the State Directorate.

- It is pertinent to state that categorically, there is no direction from the Hon'ble Court to permit the admissions claimed by the petitioner for the academic session 2025–26. Further, the institute already stands de-affiliated vide order dated 09.08.2023, and accordingly, the petitioner institute was not permitted to admit any fresh trainees from issue of the said de-affiliation order 09.08.2023. Moreover, the cut-off date for admissions for the academic session 2025–26 has also expired on 17.10.2025. In view of the above, no fresh admissions can be permitted at this stage, and any decision regarding future admissions shall be strictly contingent upon the inspection report and the subsequent final decision of DGT on restoration of affiliation.
- The petitioner institute may treat this communication as prior intimation for inspection and shall keep all infrastructure and requisite documents ready in accordance with the latest syllabus and rules/norms prescribed by DGT. The petitioner shall coordinate with RDSDE Rajasthan to finalise the date of joint inspection within 15 days from the date of issuance of this communication. Once the inspection date is finalised, no further opportunity shall be granted in the event the petitioner institute denies or fails to facilitate the inspection on the scheduled date.
- The inspection team shall verify the infrastructure, tools, and equipment pertaining to the de-affiliated trades/units as per DGT order dated 09.08.2023, and shall furnish clear recommendations for each trade and unit. Reasons shall also be clearly recorded for any trade or unit that is not recommended. The inspection report shall thereafter be placed before SCAA/DGT for taking a final decision on restoration of affiliation.

10. Accordingly, the petitioner was informed vide an email dated 30.12.2025 for joint inspection of the ITI.
11. Thereafter, the joint inspection committee visited the petitioner ITI for inspection on 05.01.2026 . During inspection the following were observed:
- a) No signboard of the ITI was found
 - b) ITI was found locked.
 - c) ITI staff, Principal were not present
 - d) No supporting documents were provided by ITI with reference to Annexure -III.
 - e) ITI expressed its inability to conduct joint inspection and the ITI owner's wife submitted the letter and stated that the principal of the ITI is not well and she does not have main gate key of the ITI due to which unable for inspection and requires 1month time for inspection.

26th SCAA remarks: The matter was discussed in the SCAA meeting, wherein it was noted that the petitioner institute was supposed to be ready for inspection after the directions from Hon'ble court dated 04.11.2025 a prior communication for inspection was also made by DGT as well as by RDSDE However on the day of the inspection the petitioner institute has blatantly refused for the inspection and sought additional time without any reasonable grounds . This lackadaisical approach on the part of the petitioner has resulted in unnecessary expenditure of time and resources of both DGT and the State Directorate, as no adequate arrangements were found in place. Moreover, rescheduling the inspection is not feasible, as it would adversely impact the timely processing of pending affiliation matters and undermine the inspection and affiliation process.

In view of the above, in adherence to the principles of natural justice, the concerned ITIs are hereby granted a final opportunity to show cause as to why the status of your institute(s) should not be remained as “de-affiliated” on SIDH Portal.

The explanation, if any, must be comprehensive and duly supported by relevant documentary evidence, including Proof of operational machinery and equipment with geo tagged photos, Geo-tagged photographs of the institute infrastructure and location, and any other documents substantiating compliance with the prescribed norms. In case the reply consists of multiple pages, the institute shall prepare a proper index and clearly reference all annexures relied upon in the submission.

The reply must reach to DGT within 21 days from the date of issuance of these minutes at the email ID **tc-deaffiliation@dgt.gov.in**, using the following subject line: “Reply to Notice of 26th SCAA Minutes – <ITI Name>, <MIS Code>, <State Name>”

Annexure-1 List of Participants

The following DGT Officers were present during the meeting:

1. Sh. Sunil Kumar Gupta, Deputy Director General
2. Sh. Ujjwal Biswas, Director, TC, DGT – Member
3. Sh. Satish Kumar, Joint Director, TC Section, DGT
4. Sh. Raju Kannam, Deputy Director, TC-Section, DGT
5. Sh. Shramev Sharma, Deputy Director, TC Section, DGT
6. Sh. Rajesh Kumar, Deputy Director, TC-Section, DGT
7. Ms. Pooja Verma, Deputy Director, TC-Section, DGT
8. Ms. Kanika Kalhan, Training Officer, TC-Section DGT
9. Ms. Babita Prasad, Training Officer, TC-Section DGT
10. Ms. Komal Sharma, Training Officer, TC-Section DGT

The following officers from RDSDEs and State Directorate attended the meeting (through VC):

Sr. No.	State	Name of RDSDE Officials	Name of State Officials
1.	Andhra Pradesh	Shri Ravi Chilukoti, Regional Director Shri Pediredla Mouli, Deputy Director	Shri Satya Narayan, Joint Director
2.	Assam	Rohan, AD	Ranjit Borthakur
3.	Bihar	Shri RC Mandal, Joint Director	Shri Suman Kumar
4.	Chhattisgarh	Shri Ganesh Chandra Deka, Director Incharge,	Santosh Verma, TO , Meena Ganvir
5.	Gujarat	Shri Ketan Patel, Director and Smt. P. H. Ravat, Assistant Director of Training	Mrs. Shilpa Parmar, Assistant Director
6.	Haryana	Shri Sushil Aggarwal, Regional Director	Shri Manoj Saini, Assistant Director
7.	Himachal Pradesh	Shri Mohinder Lal Verma, Assistant Director	Shri Naresh Verma, Additional Director Shri Kali Dass Sharma, Assistant Director
8.	Jharkhand	Shri B K Dubey Regional Director,	Nishikant Mishra, Joint Director Bishan Sarkar, Assistant Director
9.	Karnataka	Shri Piyush Ramteke, Assistant Director	Shri Chidananda, Director
10.	Kerala	Shri P G Rajendran, Deputy Director	Vinod Kumar and
11.	Maharashtra	Shri G Venkatesh, Joint Director	Shri Prashant Dongre, Assistant Director

Sr. No.	State	Name of RDSDE Officials	Name of State Officials
12.	Madhya Pradesh	D L Meena Joint Director Sumant Kumar, Deputy Director	Shri R K Austin, Deputy Director
13.	Rajasthan		Shri Shalender Verma, Assistant Director
14.	Tamil Nadu		
15.	Telangana	Shri Ravi Chilukoti, Regional Director	Shri Nagesh, Joint Director
16.	Uttar Pradesh	Shri Amritpal Singh, Regional Director Shri Amit Kumar Yadav, Deputy Director	Shri Man Pal Singh. Shri Ranjit
17.	West Bengal	Shri Abhishek Anand, Deputy Director	Shri Shankha Mishra, Deputy Director

Annexure-2 as referred in Agenda 2: 66 New Accreditation/ Affiliation proposals for Existing and New ITIs from 10 States

Name of the State: Andhra Pradesh

Sr. No.	ITI name/Address	Trade/units sought for Affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 26th SCAA
(1)	(2)	(3)	(4)	(5)	(6)
1.	Kripa Kamal Memo. Industrial Training Centre Christian Pet Narsapur West Godavari- 534275 Andhra Pradesh PR28000118 Grading: 8.3	1. Computer Operator and Programming Assistant (COPA) – 2 (2+0) 2. Electrician -1 (0+1) 3. Refrigeration and Air Conditioning Technician - 4 (2+2) 4. Solar Technician (Electrical) -2 (2+0)	1. Recommended for- a) Electrician:1(0+1) b) COPA:2(1+1) c) Solar Technician (Electrical): 2(1+1) 2. Machinery installation for Electrician and COPA trades has been completed however installation of a few items is pending in the Solar Technician and R&AC trades. 3. Affiliation will be considered only after rectification of the deficiencies. 4. R&AC trade is recommended for joint re-inspection.	1. The Fire Safety Certificate has expired. 2. The institute has informed that they have applied for issuance of a new Fire Safety Certificate. 3. ICVC has recommended the units different than the applied units.	ITI needs to remove the deficiencies mentioned in column (4) and (5) and submit the documents to the concerned RDSDE within 30 days from the date of issue of these minutes through the compliance module on NIMI affiliation portal. Thereafter, concerned RDSDE and State Directorate will conduct joint verification of the compliance documents and RDSDE will submit the report with recommendation to DGT within the

Sr. No.	ITI name/Address	Trade/units sought for Affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 26th SCAA
(1)	(2)	(3)	(4)	(5)	(6)
					<p>next 15 days on the online compliance module.</p> <p>If the institute fails to remove the deficiencies within the stipulated time, the affiliation proposal shall not be considered further and will be rejected without any further notice from DGT.</p>
2.	<p>Rajanna ITI, Guntur</p> <p>Near Check Post, Ravipadu Village, Narasaraopet Mandal Palnadu District 522603 Andhra Pradesh. -522603</p> <p>TMP28506PR1743585900</p> <p>New ITI</p>	<ol style="list-style-type: none"> 1. Computer Operator and Programming Assistant (COPA) – 2 (1+1). 2. Draughtsman (Civil) – 2 (1+1) 3. Electrician – 8 (4+4) 4. Fitter – 4 (2+2) 5. Mechanic Diesel – 2 (1+1) 	<p>No trade and units were recommended due to non-availability of infrastructure, tools and equipment as per the norms</p> <p>Electricity connection</p> <ol style="list-style-type: none"> 1. As per Lr NoDEE/OSD/NRT/F.No/23/.D.No 3242/23Dt 26/12/2023 connected load is 24.992 KW. 2. As per monthly bill sanctioned load is 31 KW against requirement of 28.65 KW <p>Machinery bills</p>	<ol style="list-style-type: none"> 1. The institute does not possess original land ownership documents or registered lease documents. 2. Trust registration documents and resolutions for opening an ITI with approved members are not available. 	<p>ITI needs to remove the deficiencies mentioned in column (4) and (5) and submit the documents to the concerned RDSDE within 30 days from the date of issue of these minutes through the compliance module on NIMI affiliation portal.</p>

Sr. No.	ITI name/Address	Trade/units sought for Affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 26th SCAA
(1)	(2)	(3)	(4)	(5)	(6)
			<p>3. GST Bills were partially available for Electrical, COPA, Fitter, and Draughtsman Civil Trades.</p> <p>4. GST bills were not available for Mechanic Diesel trade, IT lab, Drawing Hall, and classroom infrastructure.</p> <p>Instructor detail and biometric attendance-</p> <p>5. The institute did not provide any staff documents during the inspection. ITI staff are not available during the inspection.</p> <p>6. No biometric attendance is available for staff.</p> <p>Machinery Status</p> <p>7. Machinery installed for Electrical, Fitter & partially for COPA and Draughtsman Civil Trades.</p> <p>8. No equipment installed for the D.M trade.3. No licensed software is available for D.C., COPA& IT lab.</p> <p>9. Electrical machinery burnt out while operation; Machinery was unable to run even 10 Min.</p> <p>10. Fitter trade machinery partially in working conditions. Licensed</p>	<p>3. Building Completion Certificate (BCC) is not available in the DGT-prescribed format, clearly stating building details and certifying that the premises are suitable for running an ITI/Educational Institute and compliant with local bylaws / NBC of India.</p> <p>4. Availability of power load is not clearly mentioned in the electricity bill.</p> <p>5. Drawing halls are not available.</p> <p>6. Licensed software, UPS, and internet facilities are not available.</p>	<p>Thereafter, concerned RDSDE and State Directorate will conduct joint verification of the compliance documents and RDSDE will submit the report with recommendation to DGT within the next 15 days on the online compliance module.</p> <p>If the institute fails to remove the deficiencies within the stipulated time, the affiliation proposal shall not be considered further and will be rejected without any further notice from DGT.</p>

Sr. No.	ITI name/Address	Trade/units sought for Affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 26th SCAA
(1)	(2)	(3)	(4)	(5)	(6)
			<p>software not available -COPA, IT & D.C</p> <p>Civil Infrastructure</p> <p>11. Civil infrastructure partially available as per norms. Electrical lab 2 Nos-each 150Sq.M Fitter lab - 120 Sq.M, 4 Classrooms with tables and 3 C. Rs without infra- Each 50 Sq. M, admin block -50sqm</p> <p>12. The building which are having COPA Lab, IT Lab, Draughtsman civil Lab, Class rooms, principal room, is at satisfactory level. However civil structure for workshops are not as per norms.</p> <p>Land Documents</p> <p>13. The Institute does not have original land ownership documents and registered lease documents.</p> <p>14. BCC is not available in DGT prescribed format, stating that details of building, Suitable for running the ITI/Educational Institute and as per local bylaws/ NBC of India.</p> <p>15. The specific area / location details of the Institute have not been mentioned / No boundary wall of the Institute.</p>		

Name of the State: Bihar

Sr. No.	ITI name	Trade/units sought for Affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 26th SCAA
(1)	(2)	(3)	(4)	(5)	(6)
1.	<p>Adarsh ITC, Old Address: Adarsh ITC, Daudnagar AT-, Growth Centre, Jasoia More Daudnagar Aurangabad BIHAR</p> <p>New Address: Adarsh ITC, Daudnagar Aurangabad At-, Growth Centre, Jasoia More Daudnagar -824143 Aurangabad Bihar</p> <p>PR10000142</p> <p>Grading: 8.2</p> <p>(Shifting matter)</p>	Electrician – 8 (4+4)	<ol style="list-style-type: none"> 1. Load required is as per applied trade and existing trade is 22.6 kw which is suitable for old affiliated unit fitter 2+2 and electrician 2+2 and newly applied electrician trade 2+2 only. 2. The required Civil Infrastructure for Electrician old and fitter Trade old Workshop is available but the workshop area available for New Electrician Trade is only as $-99.75 \times 2 = 199.51$ Sqm, Which Fulfils the available area for only Trade Electrician New- $02+02=04$ units. 3. Old Tools and equipment available for existing Trades have been uploaded at New location workshop of trade fitter and Electrician. 4. The Tools and Equipment installed for fitter trade at New Location Workshop area has been uploaded with- $02+02=04$ units. 	<ol style="list-style-type: none"> 1. The tables in drawing hall required to replace with standard drawing Tables as per Norms. 2. Power load is sufficient as per recommended units. 3. New Address of the institute is not provided in the inspection report. 	<p>SCAA observed that following details/clarifications are not available in the inspection report:</p> <ol style="list-style-type: none"> 1. New Shifting address of the Institute along with details of Plot No./Khasra No. 2. RDSDE Bihar has forwarded the agreement paper of the ITI on 27.01.2026 but the registered land lease copy clearly stating the lease period of the shifted ITI is not available. Hence, Land lease document of the ITI at New location is required. 3. Land Lease document of old location of the institute. 4. Availability of drawing tables in the drawing hall. 5. BCC of new location as per norms (For BCC

Sr. No.	ITI name	Trade/units sought for Affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 26th SCAA
(1)	(2)	(3)	(4)	(5)	(6)
			<p>5. The major Tools & Equipment of old electrician trade are installed in the workshop at New Location as workshop No- 01 & 02 and different tools put for display on Tables are for trade Electrician with old units only as - 02+02= 04 units.</p> <p>6. The major tools and equipment are installed with other accessories items under trade Electrician New in the workshop No-03 & 04 is sufficiently available as per Norms for only trade Electrician New = 02+02= 04 Units</p> <p>7. Shifting of The Adarsh ITC Building at New location is recommended with all old running trades with units are as: Electrician-02+02 =04 units Fitter- 02+02=04 units.</p> <p>8. The committee also recommends for Electrician New trade with units are as- 02+02 = 04 units only, due to</p>		<p>please refer page no.108 of affiliation norms 2018)</p> <p>6. Electricity bill of old location and Electricity connection details of new location</p> <p>7. Fire safety Certificate at the new building.</p> <p>Therefore, the ITI shall submit the required documents within 30 days from the date of issuance of these minutes.</p> <p>Thereafter, the concerned RDSDE shall verify the documents and submit its verification report with recommendations to DGT.</p>

Sr. No.	ITI name	Trade/units sought for Affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 26th SCAA
(1)	(2)	(3)	(4)	(5)	(6)
			Shortage of available Electrical power, Civil workshop infrastructure and major tools and equipment installed.		
2.	Bijay ITC At. Lodipur, P.O Jahanabad Jehanabad Bihar – PR10000376 Grading: 8.3	Electrician – 4 (2+2)	Recommended for Electrician (New) Trade for - 4 (2+2) Unit.	No adverse deficiency mentioned by ICVC.	SCAA Recommended the following trades: 1. Electrician - 4(2+2)
3.	Maa Laxmi Private ITI At. Obra, PS+PO. obra Aurangabad Bihar PR10000479 Grading: 7.7	Electrician – 16 (8+8)	Recommended: Electrician New trade/unit with 06+06=12 Units 1. Trainees Tool kit on 2nd Floor electrician New workshop were less in Counting from S.no.01 to 12 as per Electrician NSQF syllabus. 2. Inverter with 12v. battery (1KVA) was not installed in the 2nd floor Electrician workshop and solar panel with battery (18 watt)-1set was not set up with rooftop. 3. Solar panel with battery (18 watt) -(1set) was not properly	The workshop area is common for some units. Workshop/Classroom bifurcation is not showing in the layout plan.	The SCAA observed that, since the number of units sought for affiliation in the Electrician trade is substantial high, it is necessary to ensure the availability of dedicated workshops and adequate machinery. Therefore, the ITI shall submit the required documents by rectifying the deficiencies mentioned in Colum no (4) and (5) within 30 days from the date of issuance of these minutes.

Sr. No.	ITI name	Trade/units sought for Affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 26th SCAA
(1)	(2)	(3)	(4)	(5)	(6)
			<p>set up with roof top in the workshop for testing and showing output on display board.</p> <p>4. Discrete component Trainer kits were not properly arranged for testing in 2nd Electrician Workshop on 2nd Floor for display output.</p> <p>5. IT Teacher was not much Experienced and need to be upgraded with the new systems and training process.</p> <p>6. At least 2(Two Feet) height iron or steel structure enclosure needed to be fitted with cemented concrete on front wall for safety of the trainees on first and 2nd Floor of the both part of the building i.e. Class room Side part and workshop building part.</p>		<p>The SCAA decided that re-verification of the institute shall be conducted by a different inspecting member preferably from a nearby RDSDE/NSTI within 30 days from the date of issuance of these minutes and submit the re-verification report with recommendations to DGT.</p>
4.	<p>Golden Private Industrial Training Institute, Aurangabad Address: Jasoia More, Near Lord Buddha Public School, Aurangabad - 824101, Bihar</p>	<p>1. Electrician - 16(8+8) 2. Fitter - 4(2+2) 3. Computer Operator and Programming Assistant</p>	<p>1. The land and building are available as per prescribed norms; however, the workshop area for the Electrician trade, as applied for 08+08 = 16 units, is not ready.</p>	<p>1. Fire safety certificate is expired. 2. Load is sufficient only for trade/units recommended by inspection team</p>	<p>ITI needs to remove the deficiencies mentioned in column (4) & (5) and submit the documents to the concerned RDSDE within 30 days from the date of issue of these</p>

Sr. No.	ITI name	Trade/units sought for Affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 26th SCAA
(1)	(2)	(3)	(4)	(5)	(6)
	TMP10189PU1582264494	(COPA) - 2(1+1) 4. Mechanic Diesel -2(1+1)	<p>2. Area available in the workshop and RCC building as below:</p> <p>a) Electrician workshop Area- 14.47X14.86=215.46 sqm b) Fitter w/shop Area- 14.48X6.10=88.33 sqm (Shortage for 02+02=04) c) Mech. Diesel W/shop area - 14.48X14.73=213.29 sqm d) COPA-14.07X4.62=65.00 Sqm. e) ED Hall Area- 9.27X6.10=56.54 Sqm., f) Library area-30.50 sqm g) Ground Floor B/U area- 958.47 sqm. First Floor Built up Area- 27.89X14.86=414.64 sqm, 2nd Floor Built up Area- 27.89X14.86=414.64 sqm, the constructed area is available as per Norms.</p> <p>3. Machinery: As per Norms only for trade-</p> <p>a) Electrician – 4 (2+2) b) COPA – 2 (1+1) c) Mech. Diesel – 2 (1+1)</p>	<p>3. Standard Table in Drawing Hall was not available for training purpose and institute informed to replace with standard table within shortest period of one week</p>	<p>minutes through the compliance module on NIMI affiliation portal.</p> <p>Thereafter, concerned RDSDE will verify the documents submitted by the ITI and submit the report with recommendation to DGT within the next 15 days on the online compliance module</p>

Sr. No.	ITI name	Trade/units sought for Affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 26th SCAA
(1)	(2)	(3)	(4)	(5)	(6)
			<p>d) Fitter – 2 (1+1)</p> <p>4. Tools and equipment of Electrician trade in the workshop are installed and available only for- 02+02=04 units and not installed and not available for rest applied electrician trade with units for (06+06=12 units).</p> <p>5. Recommended for the following Trades with units are as follows.</p> <p>a) Electrician – 4 (2+2)</p> <p>b) COPA – 2 (1+1)</p> <p>c) Mech. Diesel – 2 (1+1)</p> <p>d) Fitter – 2 (1+1)</p>		
5.	<p>R.N. ITC, Gachhi Tole (Near Railway Mal Godown) Begusarai, Bihar</p> <p>PR10000243</p> <p>Grading: 7.6</p>	1. Electrician – 6 (2+2+2)	1. Recommended for Electrician New trade with Units as: Electrician -4(02+02)	1. The Building Completion Certificate (BCC) has been issued without any covering letter and without a reference number; only the official seal is available on the certificate.	ITI needs to remove the following deficiencies and submit the documents to the concerned State Directorate within 30 days from the date of issue of these minutes through the compliance module on NIMI affiliation portal.

Sr. No.	ITI name	Trade/units sought for Affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 26th SCAA
(1)	(2)	(3)	(4)	(5)	(6)
					<p>1. BCC not as per norms (For BCC please refer page no.108 of affiliation norms 2018)</p> <p>Thereafter, concerned State Directorate will verify the documents submitted by the ITI and submit the report with recommendation to DGT within the next 15 days on the online compliance module</p>
6.	Ravi Singh Private Industrial Training Institute, Aurangabad Salempur, Itwan, Haspura, Aurangabad 824120 – Bihar TMP10189PR1582808446	<p>1. Electrician-24 (8+8+8)</p> <p>2. Fitter – 6 (2+2+2)</p> <p>3. Computer Operator and Programming Assistant (COPA) - 3(1+1+1)</p> <p>4. Electronics Mechanic - 3(1+1+1)</p>	<p>Recommended for affiliation of following trades:</p> <p>a) Electrician-8(4+4)</p> <p>b) Fitter- 2(1+1)</p> <p>c) Computer Operator and Programming Assistant (COPA)-2(1+1)</p> <p>d) Electronics Mechanic – 2(1+1)</p> <p>Remarks:</p> <p>1. Tools and equipment are installed as per norms of the Electrician trade for</p>	<p>Bills of Computer Operator and Programming Assistant and IT lab computers are required to be reverified.</p>	<p>The SCAA observed that, since the number of units sought for affiliation in the Electrician trade is substantial high, it is necessary to ensure the availability of a dedicated workshop and adequate machinery.</p> <p>Therefore, the ITI shall submit the required documents by rectifying the deficiencies mentioned in</p>

Sr. No.	ITI name	Trade/units sought for Affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 26th SCAA
(1)	(2)	(3)	(4)	(5)	(6)
			<p>04+04 = 08 units only; however, there is a shortage of workshop area as well as major tools and equipment installation for the remaining applied units of the Electrician trade (04+04 = 08 units).</p> <p>2. Only a single lathe machine was available in the Fitter trade workshop; all other tools and equipment were available.</p>		<p>Colum no (4) and (5) within 30 days from the date of issuance of these minutes.</p> <p>The SCAA decided that re-verification of the institute shall be conducted by a different inspecting member preferably from a nearby RDSDE/NSTI within 30 days from the date of issuance of these minutes and submit the re-verification report with recommendations to DGT.</p>
7.	Maa Kali MSTI Private Industrial Training Institute, Vaishali Village and Post Jurawanpur Barari Police Station Jurawanpur District Vaishali State Bihar – 844508 TMP10224PR1582276963	<p>1. Electrician – 4 (2+2)</p> <p>2. Fitter - 2 (1+1)</p>	<p>1. Rejected all units applied for Electrician and Fitter trades for MSTI at Barari Panchyat at Jurawanpur, Vaishali</p> <p>2. A wrong email was sent regarding flood conditions and rusting of tools and equipment at the location under Jurawan Panchayat. Sufficient time was provided to the institute, and a second inspection was scheduled on 18.11.2025.</p> <p>3. No technical or non-technical manpower was present at the</p>	<p>1. NOC was not found for MSTI.</p>	<p>The applicant institute is required to submit its clarification/representation, along with supporting documents, explaining why its application for affiliation should not be rejected, and to furnish rectification/compliance documents within a period of 15 days to DGT.</p> <p>Failure to submit satisfactory and verifiable compliance within the prescribed time shall result</p>

Sr. No.	ITI name	Trade/units sought for Affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 26th SCAA
(1)	(2)	(3)	(4)	(5)	(6)
			<p>time of inspection, despite prior intimation sent through the RDSDE official email.</p> <p>4. No RCC building structure or constructed workshop area was found near Maa Kali Temple, close to the residence of the Chairman of the Trust, as mentioned in the application.</p> <p>5. No power supply was available for the sanctioned electrical load at the institute.</p> <p>6. The institute is not recommended for any of the applied trades and units, and all trades with all applied units are rejected due to the following deficiencies:</p> <ul style="list-style-type: none"> a) Non-availability of required infrastructure b) Non-availability of land and building layout/map c) Absence of Building Completion Certificate (BCC) d) Non-availability of three-phase electricity connection 		in rejection of the application.

Sr. No.	ITI name	Trade/units sought for Affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 26th SCAA
(1)	(2)	(3)	(4)	(5)	(6)
			e) Non-availability of required tools and equipment. f) Non-availability of a 10 KVA generator, as required		
8.	Sri Sai Central Private ITI, Vill. +P.O.+P.S.-Kaler, Distt. -Arwal (Bihar) Arwal - 824127 PU10000915 Grading: 8.2	1. Electrician – 12 (6+6) 2. Surveyor – 4 (2+2)	Workshop area is available as per Norms and details are as follows: 1. Old Fitter w/shop Area- 213.61sqm. 2. Old Electrician W/shop Area-213.61 sqm, 3. Engg. drawing area- 85.03 sqm, 4. IT Lab area- 103.09 sqm. Library-80.35 sqm, 5. Surveyor New w/shop area- 139.03 sqm. 6. New Electrician w/shop area (4+4)- 23.77X18.04= 428.81 sqm, 7. New Electrician w/shop Area (2+2)- 7.32X33.25=243.39 sqm. 8. Total Plot area-4452.13 sqm, Ground Floor B/U area- 2280.15 sqm	The applicant has also filed an application under the old batch; however, the inspection and NOC were issued for the 2023 session.	The SCAA observed that, since the number of units sought for affiliation in the Electrician trade is substantial high, it is necessary to ensure the availability of a dedicated workshop and adequate machinery. The SCAA decided that re-verification of the infrastructure and availability of the machineries shall be conducted by a different inspecting member preferably from a nearby RDSDE/NSTI within 30 days from the date of issuance of these minutes and submit the re-verification report with recommendations to DGT.

Sr. No.	ITI name	Trade/units sought for Affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 26th SCAA
(1)	(2)	(3)	(4)	(5)	(6)
			<p>9. First floor area-299.37 sqm, Total B/U area-2579.52 sqm. Accordingly, the following existing trades with units are recommended:</p> <ol style="list-style-type: none"> 1. Electrician Existing trade- 4(02+02) 2. Fitter Existing trade- 4(02+02) 3. Electrician New trade- 12 (06+06) 4. Surveyor New trade – 4 (02+02) 		
9.	Adarsh Keshav Private ITI Bairbigha, Karpi ARWAL – 804419 PR10001037 Grading: 8.1	Electrician – 6 (3+3)	Recommended for affiliation of trade Electrician 03+03=06 units.	No adverse deficiency mentioned by ICVC.	SCAA recommended the following trades: 1. Electrician – 6 (3+3)
10.	S.N. Pvt ITI Chandmari - Purbi Champaran – 845401 PU10000821 Grading: 8.2	Electrician - 8(4+4)	<ol style="list-style-type: none"> 1. The Committee recommended the Electrician trade with additional units as follows: Electrician-8(04+04) 2. The CITS Instructor requirement shall be followed for the old Electrician trade with affiliated units. 	Building Completion Certificate (BCC) is not available.	ITI needs to remove the following deficiencies and submit the documents to the concerned State Directorate within 30 days from the date of issue of these minutes through the compliance module on NIMI affiliation portal.

Sr. No.	ITI name	Trade/units sought for Affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 26th SCAA
(1)	(2)	(3)	(4)	(5)	(6)
					<p>1. BCC not as per norms (For BCC please refer page no.108 of affiliation norms 2018)</p> <p>2. Qualification of Instructors</p> <p>Thereafter, concerned State Directorate will verify the documents submitted by the ITI and submit the report with recommendation to DGT within the next 15 days on the online compliance module</p>

Name of the State: Gujarat

Sr. No.	ITI name	Trade/units sought for Affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 26th SCAA
(1)	(2)	(3)	(4)	(5)	(6)
1.	Government Industrial Training Institute Kankrej Near Dugawada Hanuman Temple and Govt Model School, At Ratanpura (Shihori), Ta Kankrej, Dist Banasknatha -385550 TMP24441GR1742983173	1. Electrician - 2(1+1) 2. Cosmetology - 1(0+1)	Inspection committee jointly recommended for NCVET affiliation. 1. Electrician - 2(1 + 1) 2. Cosmetology-1(0 + 1)	1. This is an existing ITI and applied in category 2 for addition of trades 2. Drawing Hall area is 48.80 sqm required 50 sqm	ITI needs to remove the following deficiencies and submit the documents to the concerned State Directorate within 30 days from the date of issue of these minutes through the compliance module on NIMI affiliation portal. 1. Drawing Hall area is less Thereafter, concerned State Directorate will verify the documents submitted by the ITI and submit the report with recommendation to DGT within the next 15 days on the online compliance module
2.	Govt.ITI, Bavla Ramnagar Kochariya Road, At. Ta.- Bavla	1. Machinist - 1(0+1+1) 2. Computer Operator and Programming	Recommended for affiliation under DST MoU. 1. Machinist-(0+0+1)		SCAA recommended the following trades: 1. Machinist-(0+0+1)*

Sr. No.	ITI name	Trade/units sought for Affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 26th SCAA
(1)	(2)	(3)	(4)	(5)	(6)
	Ahmedabad – 382220 GR24008163 Grading: 7.8	Assistant (COPA) - 1(0+0+1) 3. Welder - 1(0+0+1) 4. Mechanic Diesel - 1(0+0+1)	2. Mechanic Diesel-(0+0+1) 3. Computer Operator and Programming Assistant (COPA)-(0+0+1) 4. Welder-(0+0+1)		2. Mechanic Diesel-(0+0+1)* 3. COPA-(0+0+1) * 4. Welder-(0+0+1) * Details of MOU are available at Annexure-17 .
3.	Industrial Training Institute, Tharad (Government) Govt. ITI, Tharad, At Malupur, Tharad-Deesa High Banas Kantha 385565 GU24000125 Grading: 8.6	1. Solar Technician (Electrical) - 2(1+1) 2. Welder- 1(0+1) 3. Sewing Technology - 1(0+1)	Inspection committee jointly recommended 1. Solar Technician (Electrical) - 2 (1+1) 2. Welder – 1(0+1) 3. Sewing Technology – 1 (0 +1+0)	In IT lab 16 computers required whereas available only 10.	ITI needs to remove the following deficiencies and submit the documents to the concerned State Directorate within 30 days from the date of issue of these minutes through the compliance module on NIMI affiliation portal. 1. No of Computers- Required -16 Available -10 Thereafter, concerned State Directorate will verify the documents submitted by the ITI and submit the report with recommendation to DGT within the next 15 days on the online compliance module.

Sr. No.	ITI name	Trade/units sought for Affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 26th SCAA
(1)	(2)	(3)	(4)	(5)	(6)
2.	Govt.ITI, Deodar Opp. Mamlatdar Office, Bhabhar Khimana Highway BANAS Kantha - 385330 GU24008145 Grading: 7.8	1. Electrician - 1(0+0+1) 2. Wireman - 1(0+1)	1. Recommended for Electrician 1(0+0+1) under DST MoU with Industry. Machinery in working condition for Electrician trade. 2. Wireman trade is not recommended due to lack of machinery and teaching staff. No Major Machinery available for Wireman trade	1. Wireman Trade – Deficiencies Observed a) In the Wireman trade, the machinery available is not adequate as per the prescribed norms. b) The required teaching staff for the Wireman trade is not available. c) No major machinery has been installed for the Wireman trade as mandated under the guidelines.	SCAA recommended the following trade: 1. Electrician-1(0+0+1) * * Details of MOU are available at Annexure-17 For wireman trade, ITI needs to remove the following deficiencies related to wireman trade and submit the documents to the concerned State Directorate within 30 days from the date of issue of these minutes through the compliance module on NIMI affiliation portal. 1. Major Machinery of wireman trade 2. Instructor for wireman trade Thereafter, concerned State Directorate will verify the documents submitted by the ITI and submit the report with recommendation to DGT within the next 15 days on

Sr. No.	ITI name	Trade/units sought for Affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 26th SCAA
(1)	(2)	(3)	(4)	(5)	(6)
					the online compliance module.
3.	Industrial Training Institute, Bardoli (Government) GR24000413 Grading: 7.7	1. Electrician - 3(1+1+1)	Recommended for affiliation for Electrician trade (1+1+1) units with third shift MoU attached.	1. Available load is not visible on the Bill	ITI also needs to remove the following deficiencies and submit the documents to the concerned State Directorate within 30 days from the date of issue of these minutes through the compliance module on NIMI affiliation portal. 1. Load not visible on the Electricity Bill Thereafter, concerned State Directorate will verify the documents submitted by the ITI and submit the report with recommendation to DGT within the next 15 days on the online compliance module.
4.	Industrial Training Institute (Women), Navsari (Government) Govt. ITI, Navsari, B/H Jilla Seva Sadan, Greed R	1. Solar Technician (Electrical) - 2(1+1) 2. Health Sanitary Inspector - 2(1+1)	Recommended for affiliation for 1. Solar Technician (Electrical) - 2(1+1)	DST MOU details are not provided for Electrician trade	SCAA recommended the following trades: 1. Solar Technician (1+1+0),

Sr. No.	ITI name	Trade/units sought for Affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 26th SCAA
(1)	(2)	(3)	(4)	(5)	(6)
	Navsari – 396445 GU24000428 Grading: 8.2	3. Fashion Design & Technology - 2(1+1) 4. Sewing Technology - 2(1+1) 5. Electrician - 1(0+1+0) 6. Wireman - 1(0+0+1) 7. Fitter - 1(0+0+1)	2. Health Sanitary Inspector - 2(1+1) 3. Fashion Design & Technology - 2(1+1) 4. Sewing Technology - 2(1+1) And Fitter, Wireman and Electrician (0+0+1) each unit under DST MoU		2. Health Sanitary Inspector (1+1+0), 3. Fashion Design Technology (1+1+0) 4. Sewing Technology (1+1+0). 5. Wireman- 1(0+0+1) * 6. Fitter-1(0+0+1) * * Details of MOU is given in Annexure 17. Not Recommended 1. Electrician- 1(0+0+1) 3rd shift is only allowed under DST mode, however details of DST MOU not provided.
8.	Govt. ITI, Talod (Women) Harsol Road, Near Essar Petrol Pump, At. Ta.- Talod	1. Health Sanitary Inspector - 2(1+1)	Recommended: 1. Health Sanitary Inspector – 2 (1+1)	No adverse deficiency mentioned by ICVC.	SCAA recommended the following trades: 1. Health Sanitary Inspector - 2(1+1)

Sr. No.	ITI name	Trade/units sought for Affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 26th SCAA
(1)	(2)	(3)	(4)	(5)	(6)
	- Sabar Kantha - 383305 GR24008130 Grading: 7.2				
9.	Sf Jamiah Uttumal Private Iti, Jamiah Uttumal (Self Finance) Pvt. Iti, Jamiah Uttumal Darul Quran Campus, By Pass Road Jambusar, Darul Quran Campus, By Pass Road Jambusar, Dabha Chokdi Jambusar, Jambusar, Jambusar, -1, Gujarat Bharuch-392150 PR24000851 Grading: 6	1. Attendant Operator (Chemical Plant) - 2(1+1) 2. Refrigeration and Air Conditioning Technician - 2(1+1) 3. Solar Technician (Electrical)- 2(1+1)	Recommended for – 1. Attendant Operator (Chemical Plant)- 2(1+1) 2. Refrigeration and Air Conditioning Technician-2(1+1) 3. Solar Technician (Electrical)- 2(1+1)	No adverse deficiency mentioned by ICVC	SCAA recommended the following trades: 1. Attendant Operator (Chemical Plant) - 2(1+1) 2. Refrigeration and Air Conditioning Technician - 2(1+1) 3. Solar Technician (Electrical)-2(1+1)
10.	Govt. ITI, Shinor Near Railway Fatak, Sinor - Vadodara 391115 GR24008108	1. Computer Operator and Programming Assistant (Copa) - 1(0+1+0) 2. Electrician - 1(0+1) 3. Fitter - 1(1+0)	Recommended: 1. Computer Operator and Programming Assistant (COPA) - 1(0+1+0) 2. Electrician - 1(0+1) 3. Fitter - 1(1+0) 4. Wireman - 1(1+0)	No adverse deficiency is observed.	SCAA recommended the following trades: 1. Computer Operator and Programming Assistant (COPA) - 1(0+1+0) 2. Electrician - 1(0+1)

Sr. No.	ITI name	Trade/units sought for Affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 26th SCAA
(1)	(2)	(3)	(4)	(5)	(6)
	Grading: 7.6	4. Wireman - 1(1+0)			3. Fitter - 1(1+0) 4. Wireman - 1(1+0)
11.	Sardar Patel ITI, Surendranagar Village Zamar Ta. Lakhatar Dist. Surendrnagar 382775 Surendranagar – Gujarat TMP24460PR1742372136	1. Fire Technology and Industrial Safety Management - 2(1+1) 2. Fireman - 2(1+1) 3. Computer Operator and Programming Assistant (COPA) - 2(1+1) 4. Health Sanitary Inspector - 10(5+5)	Recommended for affiliation for – 1. Fireman, Fire Technology and Industrial Management- 2(1+1) 2. Computer Operator and Programming Assistant (COPA)-2(1+1+0) 3. Health Sanitary Inspector- 10(5+5+0)	1. The land lease documents have been submitted in Gujarati language- require translated copy 2. The Building Completion Certificate (BCC) is not as per prescribed norms and does not mention anything about building safety. 3. The drawing hall area Available- 49 sqm Required-50 sqm 4. The IT lab is not as per norms. The required area is 80 sqm, whereas only 25 sqm is available. The number of computers is not mentioned. 5. Instructor details regarding qualification and experience have not	ITI needs to remove the deficiencies mentioned in column (5) and submit the documents to the concerned RDSDE within 30 days from the date of issue of these minutes through the compliance module on NIMI affiliation portal. Thereafter, concerned State Directorate and RDSDE will conduct joint inspection and submit the report with recommendation to DGT within the next 15 days on the online compliance module.

Sr. No.	ITI name	Trade/units sought for Affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 26th SCAA
(1)	(2)	(3)	(4)	(5)	(6)
				<p>been submitted. Out of 16 total instructors, appointment letters for only 07 instructors have been provided.</p> <p>6. The workshop area for Fire Technology and Industrial Safety Management – 2 (1+1) units is not adequate.</p> <p>7. The workshop area for Fireman – 2 (1+1) units is not adequate. For practical training, 1000 sqm area is required; however, only 100 sqm is available.</p>	
12.	<p>Smt. Dahiben Shivabhai Patel I.T.I., Vasad (Government)</p> <p>Govt. ITI, Vasad B/H Payal Cinema, Brahmin Tekro, Opp Maheshwari Society, Vasad, Anand, -1, Gujarat - Anand – 388306</p> <p>GR24000216</p>	<p>1. Attendant Operator (Chemical Plant) - 1(0+1+0)</p> <p>2. Instrument Mechanic (Chemical Plant) - 1(0+1+0)</p> <p>3. Maintenance Mechanic (Chemical Plant) - 1(1+0+0)</p>	<p>Recommended for-</p> <p>1. Electrician-2 (1+1+0)</p> <p>Not Recommended for-</p> <p>1. Attendant Operator (Chemical Plant) - 1(0+1+0)</p>	<p>1. Drawing Hall area- 31.72 are less than required</p> <p>2. Library area-31.72 are less than required</p> <p>3. Power Shortage- Required Power- 142.91 Kw Available- 87 Kw</p> <p>4. Workshops are not available for the additional units</p>	<p>ITI needs to remove the deficiencies mentioned in column (4) and (5) and submit the documents to the concerned State Directorate within 30 days from the date of issue of these minutes through the compliance module on NIMI affiliation portal.</p>

Sr. No.	ITI name	Trade/units sought for Affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 26th SCAA
(1)	(2)	(3)	(4)	(5)	(6)
	Grading: 8.2	4. Electrician - 2(1+1)	2. Instrument Mechanic (Chemical Plant) - 1(0+1+0) 3. Maintenance Mechanic (Chemical Plant) - 1(1+0+0) As the additional lab/workshop required for the proposed additional unit is not available, and the existing power supply is inadequate as per NCVT norms.	sought for affiliation in Attendant Operator (Chemical Plant), Instrument Mechanic (Chemical Plant), and Maintenance Mechanic (Chemical Plant).	Thereafter, concerned State Directorate will verify the documents submitted by the ITI and submit the report with recommendation to DGT within the next 15 days on the online compliance module.
13.	Govt.ITI, Barvala Opp. Khodiyar Mandir, Ahmedabad-Bhavnagar Highway Botad – 382450 GR24008136 Grading: 7.8	1. Health Sanitary Inspector - 1(0+0+1)	Health Sanitary Inspector-(0+0+1) recommended for affiliation in DST		SCAA Recommended the following trades: 1. Health Sanitary Inspector - 1(0+0+1) * * Details of MOU are available at Annexure-17 .
14.	Industrial Training Institute, Himatnagar (Government)	1. Computer Operator and Programming Assistant (COPA) - 3(0+3+0)	1. Joint recommended affiliation for the COPA trade with (1+2+0) = 03 units. 2. However, due to an inadvertent error on	1. Fire NOC yet to be received from authority 2. Power is not sufficient	ITI needs to remove the following deficiencies and submit the documents to the concerned State Directorate within 30 days from the date of issue of

Sr. No.	ITI name	Trade/units sought for Affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 26th SCAA
(1)	(2)	(3)	(4)	(5)	(6)
	Govt. ITI, Himatnagar, Opp-66 K.V. G.E.B. Substa Sabar Kantha- 383001 GU24000114 Grading: 8.7		the part of the Institute, the application was mistakenly submitted as (0+3+0) instead of (1+2+0).	Required=158.14 KW; Available=109.5 KW	these minutes through the compliance module on NIMI affiliation portal. 1. The Fire safety certificate 2. Power is not sufficient Required=158.14 KW Available= 109.5 KW Thereafter, concerned State Directorate will verify the documents submitted by the ITI and submit the report with recommendation to DGT within the next 15 days on the online compliance module
15.	Industrial Training Institute (Women), Rajkot (City)(Women) (Government) Govt. ITI, Rajkot (City)(Women), Nr. Bt Savani K Rajkot – 360005 GU24000335	1. Computer Operator and Programming Assistant (COPA) - 1(0+1+0)	Recommended: Computer Operator and Programming Assistant (COPA) - 1(0+1+0)	No adverse deficiency is observed.	SCAA recommended the following trades: 1. Computer Operator and Programming Assistant (COPA) - 1(0+1+0)

Sr. No.	ITI name	Trade/units sought for Affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 26th SCAA
(1)	(2)	(3)	(4)	(5)	(6)
	Grading: 8				
16.	Govt. ITI, Vadgam Kharodiya Chokadi, Vadgam, At. Ta.- Vadgam, Banas Kantha 385001 – GR24008141 Grading: 8	Sewing Technology - 1(0+1+0)	1. Sewing Technology (0+1+0) trade is recommended for affiliation	No adverse deficiency is observed.	SCAA recommended the following trades: 1. Sewing Technology - 1(0+1+0)
17.	Industrial Training Institute, Patan (Government) Govt. ITI, Patan, At & Post - Rajpur, Ta & Dist - Patan, Gujarat 384265 GU24000121 Grading: 8.8	1. Cosmetology - 1(1+0) 2. Electrician - 1(0+0+1) 3. Computer Operator and Programming Assistant (COPA) - 3(0+2+1) 4. Wireman - 1(0+0+1)	Recommended for following trade units 1. Cosmetology – (1+0+0) 2. Electrician – (0+0+1) 3. Computer Operator and Programming Assistant (COPA) – 3 (0+2+1), 4. Wireman -1 (0+0+1)	1. 3rd Shift is only permitted in DST mode and for DST MOU details not provided in prescribed format. 2. Power is not sufficient Required- 101.52 KW Available- 31 KW	ITI needs to remove the following deficiency and submit the documents to the concerned State Directorate within 30 days from the date of issue of these minutes through the compliance module on NIMI affiliation portal. 1. Power Shortage- Required= 101.52 KW Available= 31 KW Thereafter, concerned State Directorate will

Sr. No.	ITI name	Trade/units sought for Affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 26th SCAA
(1)	(2)	(3)	(4)	(5)	(6)
					verify the documents submitted by the ITI and submit the report with recommendation to DGT within the next 15 days on the online compliance module.
17.	Jivuba Institute of ITI Banas Kantha TMP24441PR1742793882	1. Health Sanitary Inspector - 2(1+1) 2. Computer Operator and Programming Assistant (Copa) - 2(1+1) 3. Physiotherapy Technician - 2(1+1) 4. Radiology Technician - 2(1+1)	Trades recommended for affiliation. 1. Health Sanitary Inspector-2 (1+1+0) 2. Computer Operator and Programming Assistant (COPA)-2(1+1+0) 3. Physiotherapy Technician -2(1+1+0) 4. Radiology Technician - 2(1+1+0) MoU is attached for Radiology Technician and Physiotherapy Technician.	1. The land is registered in the name of one of the members of the Trust, not in the name of the Trust/Institute. 2. Details of only five (05) instructors have been provided. Required instructor details are incomplete. 3. The electricity bill has been submitted in the name of a Trust member, not in the name of the Trust/Institute. 4. The sanctioned /available electricity load has not been mentioned or documented. 5. The ITI has attached the MoU copy however, it is not	ITI needs to remove the deficiencies mentioned in column (5) and submit the documents to the concerned RDSDE within 30 days from the date of issue of these minutes through the compliance module on NIMI affiliation portal. Thereafter, concerned RDSDE will verify the documents submitted by the ITI and infrastructure available in the premises of the institute for Physiotherapy technician and Radiology technician submit the report with recommendation to DGT within the next 15 days on the online compliance module.

Sr. No.	ITI name	Trade/units sought for Affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 26th SCAA
(1)	(2)	(3)	(4)	(5)	(6)
				clear that under which clause/order of the CTS syllabus the MoU is signed or how the training will be imparted to trainees.	
18.	<p>Industrial Training Institute, Visnagar (Government)</p> <p>Govt. ITI, Visnagar, Kheralu Road, Visnagar, Gujarat, Mahesana – 384315</p> <p>GR24000107</p> <p>Grading: 8.5</p>	<p>1. Health Sanitary Inspector - 2(1+1)</p> <p>2. Attendant Operator (Chemical Plant) - 2(1+1)</p> <p>3. Instrument Mechanic - 2(1+1)</p> <p>4. Fashion Design & Technology - 1(0+1+0)</p> <p>5. Mechanic Electric Vehicle - 1(0+1+0)</p>	<p>Recommended trades are given below:</p> <p>1. Health Sanitary Inspector- 2 (1+1+0)</p> <p>2. Attendant Operator (Chemical Plant) – (1+1+0,</p> <p>3. Instrument Mechanic=1+1+0,</p> <p>4. Fashion Design & Technology =0+1+0,</p> <p>5. Mechanic Electric Vehicle =0+1+0</p>	<p>1. Power Shortage- Required= 646.52 KW Available= 93/298 KW (Not Visible on bill)</p>	<p>ITI needs to remove the following deficiencies and submit the documents to the concerned State Directorate within 30 days from the date of issue of these minutes through the compliance module on NIMI affiliation portal.</p> <p>1. Power Shortage- Required= 646.52 KW Available= 93/298 KW (Not Visible on bill)</p> <p>Thereafter, concerned State Directorate will verify the documents submitted by the ITI and submit the report with recommendation to DGT within the next 15 days on the online compliance module</p>

Sr. No.	ITI name	Trade/units sought for Affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 26th SCAA
(1)	(2)	(3)	(4)	(5)	(6)
19.	Govt. ITI, Malpur At. Sompur, Po. Mahiyapur, Ta.- Malpur Arvalli – 383345 GR24008138 Grading: 7.2	1. Mechanic Diesel - 3(1+2) 2. Electrician - 3(1+2)	Electrician: 2(1+1+0) Mechanic Diesel: 2(1+1+0)	No adverse deficiency is observed.	SCAA recommended the following trades: 1. Electrician: 2(1+1+0) 2. Mechanic Diesel: 2(1+1+0)
20.	Industrial Training Institute, Ankleshwar (Government) Govt. Iti, Ankleshwar Iti, Station Road, Nr City Bharuch - 393001 Gujarat GU24000403	1. Computer Operator and Programming Assistant (COPA) - 5(2+3) 2. Electrician - 3(2+1) 3. Fitter - 2(1+1) 4. Mechanic Motor Vehicle - 3(2+1) 5. Turner - 2(1+1)	Recommended- 1. Computer Operator and Programming Assistant (COPA)- 5(2+3+0), 2. Fitter - 2(1+1+0), 3. Mechanic Motor Vehicle 3(2+1+0) Not recommended – 1. Electrician - 3(2+1+0) 2. Turner - 2(1+1+0)	1. Mechanic Motor Vehicle Available workshop area is 77 sqm. Required= 210 sqm 2. Power shortage Required Power= 807 KW Available Power= 250 KVA	ITI needs to remove the following deficiencies and submit the documents to the concerned State Directorate within 30 days from the date of issue of these minutes through the compliance module on NIMI affiliation portal. 1. Power Shortage- Required:807KW Available:250KVA 2. Mechanic Motor Vehicle Workshop Area Available: 77 sqm, Required: 210 sqm Thereafter, concerned State Directorate will

Sr. No.	ITI name	Trade/units sought for Affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 26th SCAA
(1)	(2)	(3)	(4)	(5)	(6)
					verify the documents submitted by the ITI and submit the report with recommendation to DGT within the next 15 days on the online compliance module

Name of the State: Haryana

Sr. No.	ITI name	Trade/units sought for Affiliation	Inspection Verification Committee (ICVC) remarks	Cum (ICVC) Remarks of TC Section	Remarks of 26 th SCAA
(1)	(2)	(3)	(4)	(5)	(6)
1.	Guru Dham Pvt. ITI Vpo- Khadar Hisar - 125121 PR06000212 Grading: 7.9	Computer Operator and Programming Assistant (COPA) - 4(2+2)	Not Recommended for- 1. Computer Operator and Programming Assistant (COPA) - 2(1+1) Inspection was conducted on dated 22.09.2025 for the COPA - 2(1+1), during inspection following points were observed: 1. Biometric attendance system is not available. 2. Drawing hall is not available. 3. Desktop computers are not as per NCVET norms. IT lab not as per norms. 4. Bills submitted are recent; however, some PCs are old,	1. The applicant has asked for Computer Operator and Programming Assistant (COPA) 4 units but inspection was conducted for 2 units only. 2. Drawing hall is not as per norms.	ITI needs to remove the deficiencies mentioned in column (4) and (5) and submit the documents to the concerned State Directorate within 30 days from the date of issue of these minutes through the compliance module on NIMI affiliation portal. Thereafter, concerned RDSDE and State Directorate will conduct reinspection and submit the report with recommendation to DGT within the next 15 days on the online compliance module.

Sr. No.	ITI name	Trade/units sought for Affiliation	Inspection Verification Committee remarks Cum (ICVC)	Remarks of TC Section	Remarks of 26 th SCAA
(1)	(2)	(3)	(4)	(5)	(6)
			<p>indicating mismatch between bills and installed equipment.</p> <p>5. Computers in the COPA lab are not as per norms; RAM of some PCs is only 1 GB and hard disk capacity is approximately 128 GB.</p> <p>6. Only one toilet is available and it is in poor condition.</p> <p>7. Separate toilet facility for girl trainees is not available.</p> <p>8. Water cooler without RO facility is available.</p> <p>9. COPA lab dimensions are 16.50 m × 4.42 m; minimum required width of 5 m as per norms.</p> <p>10. Total COPA lab area is 72.93 sq. m,</p>		

Sr. No.	ITI name	Trade/units sought for Affiliation	Inspection Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 26 th SCAA
(1)	(2)	(3)	(4)	(5)	(6)
			which is not as per prescribed norms.		
2.	SDS Private Industrial Training Institute Tohana Fatehabad Damkora Road Tohana 125120 – Haryana TMP661PR1744978173	1. Electrician - 4(2+2) 2. Computer Operator and Programming Assistant (COPA) - 2(1+1) 3. Artificial Intelligence Programming Assistant - 2(1+1) 4. Dental Laboratory Equipment Technician - 2(1+1) 5. Solar Technician (Electrical) - 2(1+1) 6. Health Sanitary Inspector - 2(1+1)	1. Computer Operator and Programming Assistant (COPA)- 2(1+1) 2. Artificial Intelligence Programming Assistant - 2(1+1) 3. Dental Laboratory Equipment Technician- 2(1+1) 4. Electrician - 4(2+2) Recommended for- 1. Computer Operator and Programming Assistant - 2(1+1) 2. Artificial Intelligence Programming Assistant - 2(1+1) 3. Dental Laboratory Equipment Technician- 2(1+1) 4. Electrician -4(2+2)	1. Power load is sufficient for recommended four trades.	SCAA recommended the following trades: 1. Computer Operator and Programming Assistant (COPA) - 2(1+1) 2. Artificial Intelligence Programming Assistant -2(1+1) 3. Dental Laboratory Equipment Technician- 2(1+1) 4. Electrician - 4(2+2)

Sr. No.	ITI name	Trade/units sought for Affiliation	Inspection Verification Committee remarks	Cum (ICVC)	Remarks of TC Section	Remarks of 26 th SCAA
(1)	(2)	(3)	(4)	(5)	(6)	(6)
		7. Fire Technology and Industrial Safety Management - 2(1+1) 8. Draughtsman (Civil) - 2(1+1)				
3.	Bpr ITI, Masana. Near G.T Road, Kuruskhetra, Haryana -136118 PR06000410 Grading: 5.9	1. Electrician - 4(2+2) 2. Welder - 2(1+1)	Inspection was conducted on dated 24.09.2025 for the affiliation of the following trades: 1. Electrician- 4(2+2) Recommended for- 1. Electrician 4(2+2)	Inspection was conducted for Electrician trade only. The institute was not ready for inspection of the Welder trade.	SCAA recommended the following trades: 1. Electrician - 4(2+2) Not Recommended- Welder - 2(1+1), as the ITI has informed that it does not intend to opt for the Welder trade.	

Name of the State: Himachal Pradesh

Sr. No.	ITI name	Trade/units sought for Affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 26 th SCAA
(1)	(2)	(3)	(4)	(5)	(6)
1.	Shobhit Private Industrial Training Institute VPO Chalola, UNA, 174303 PR02000119 Grading: 6.4	1. Electrician - 2(1+1) 2. Mechanic Electric Vehicle - 2(1+1)	Recommended new trades for affiliation 1. Electrician 2(1+1) 2. Mechanic Electric Vehicle 2(1+1)	Building Completion Certificate (BCC) is given by architect, not as per norms	ITI needs to remove the following deficiencies and submit the documents to the concerned State Directorate within 30 days from the date of issue of these minutes through the compliance module on NIMI affiliation portal. 1. BCC not as per norms (For BCC please refer page no.108 of affiliation norms 2018) Thereafter, concerned State Directorate will verify the documents submitted by the ITI and submit the report with recommendation to DGT within the next 15 days on the online compliance module.

Name of the State: Karnataka

Sr. No.	ITI name	Trade/units sought for Affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 26 th SCAA
(1)	(2)	(3)	(4)	(5)	(6)
1.	Sri Renukamba ITI Ghataprabha, S.M.Patil Vidya Bhavan, Ghataprabha, Gokak Tq. Bagalkote – 591306 PR29000841 Grading: 8.1	Electrician - 2(1+1)	Recommended for Electrician-2(1+1)	No adverse deficiency is observed.	SCAA recommended the following trades: 1. Electrician - 2(1+1)
2.	JSP Sangha's Sri Renuka Private Industrial Training Institute, Munavalli, Tq: Sonadatti, Dist: Belgaum 591117 PR29000722 Grading: 6.3	1. Electrician - 1(0+1) 2. Fitter - 1(0+1)	Recommended for NCVT affiliation for additional 1 unit each in Electrician & Fitter trade in second shift along with existing units in first shift. 1. Electrician - 1(0+1) 2. Fitter - 1(0+1)	No adverse deficiency is observed.	SCAA recommended the following trades: 1. Electrician - 1(0+1) 2. Fitter - 1(0+1)
3.	Sri Banashankari Industrial Training	Existing trades	Recommended for affiliation:	The ITI has filed the court case W. P. No. 107637/2025 (EDN-RES) at the Hon'ble	State needs to provide clarification on following points:

Sr. No.	ITI name	Trade/units sought for Affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 26 th SCAA
(1)	(2)	(3)	(4)	(5)	(6)
	Institute Ranebennur Mruthyunjaya Nagar 2nd Cross P.B Road Ranebennur Haveri – 581115 PR29001026 Grading: 5.6	1. Electrician – 4 (2+2) 2. Fitter- 2 (1+1)	1. Electrician - 4(2+2+0) 2. Fitter - 2(1+1+0)	High Court Bench of Dharwad for taking admission in session 2025 at shifted location. In compliance to the order dated 16.10.2025 DGT has issued an OM dated 17.12.2025 wherein the ITI was provisionally allowed for admission and decided to conduct an inspection of the ITI. Inspection was conducted on 23.12.2025 and the following deficiencies observed- 1. Fire safety certificate is not uploaded. 2. Shifted address is not clear from land document. 3. Railing on the stairs not available 4. BCC-Issuing authority not clear 5. Stools not available for trainees to sit in Drawing hall	1. Shifting address not clear from the land document 2. Location of shifting whether as per norms or not. 3. State need to clarify whether shifting is within same block or not. Further, ITI needs to remove the following deficiencies and submit the documents to the concerned State Directorate within 30 days from the date of issue of these minutes through the compliance module on NIMI affiliation portal. 1. Fire safety certificate is not uploaded. 2. Shifted address is not clear from land document. 3. Railing on the stairs not available

Sr. No.	ITI name	Trade/units sought for Affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 26 th SCAA
(1)	(2)	(3)	(4)	(5)	(6)
				6. IT Lab not as per norms. Laptops are available instead of PCs	<p>4. Clarification required on whether shifting is within block or not.</p> <p>5. BCC-Issuing authority not clear</p> <p>6. Stools not available for trainees to sit in Drawing hall</p> <p>7. IT Lab not as per norms. Laptops are available instead of PCs</p> <p>Thereafter, concerned State Directorate will verify the documents submitted by the ITI and submit the report with recommendation to DGT within the next 15 days on the online compliance module.</p>
4.	<p>Govt. Industrial Training Institute Guledagudda</p> <p>Bagalkote - 587203 Karnataka</p> <p>New Address: Govt. ITI, Guledgudd Near</p>	Application for shifting	Recommended Fitter-2(1+1) units and Electrician-2(1+1) units	As per the Fire Safety Recommendation Certificate issued by the District Fire Department, certain recommendations have been made which the ITI is required to comply with within 3 months.	ITI needs to remove the following deficiencies and submit the documents to the concerned State Directorate within 30 days from the date of issue of these minutes through the compliance module on NIMI affiliation portal.

Sr. No.	ITI name	Trade/units sought for Affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 26 th SCAA
(1)	(2)	(3)	(4)	(5)	(6)
	Parvati Village Hullikeri Road Taluk: Guledgudd Dist: Bagalkote Pin: 587203 Bagalkote, Karnataka GU29000325 Grading: 8.3				1. Fire safety certificate Fire safety certificate not provided Thereafter, concerned State Directorate will verify the documents submitted by the ITI and submit the report with recommendation to DGT within the next 15 days on the online compliance module

Name of the State: Kerala

Sr. No.	ITI name	Trade/units sought for Affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 26 th SCAA
(1)	(2)	(3)	(4)	(5)	(6)
1.	<p>N.S.S Computer Private Industrial Training Institute</p> <p>Old Address: N.S.S Computer Private Industrial Training Institute P.O. Pulamon Kottarakkara Kollam - 691531</p> <p>New Address: N S S Computer Private Iti Kollam</p> <p>N S S Computer Private Iti, Asoka Complex, Opp. Govt. Girls High School, Chanthamukku, Kottarakara, Kollam (Dist)-691506 PR32000458 Grading: 6.6</p>	<p>Shifting case</p> <p>Existing trades:</p> <p>1. Computer Operator and Programming Assistant - 2(1+1)</p>	<p>Recommended for-</p> <p>Computer Operator and Programming Assistant - 2(1+1)</p>	<p>1. Fire safety certificate not provided.</p> <p>2. New address not clear</p> <p>3. Translated copy of land documents not available</p>	<p>The ITI is required to rectify the following deficiencies and submit the requisite documents to the concerned State Directorate within 30 days from the date of issuance of these minutes through the compliance module on the NIMI Affiliation Portal:</p> <ol style="list-style-type: none"> 1. Fire Safety Certificate 2. Translated copy of the land document 3. New address along with all relevant supporting documents as proof of the revised address <p>Thereafter, the concerned State Directorate shall verify the documents submitted by the ITI and submit its verification report, along with clear recommendations and confirmation as to whether the shifting is in accordance with the prescribed norms, to DGT within</p>

Sr. No.	ITI name	Trade/units sought for Affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 26 th SCAA
(1)	(2)	(3)	(4)	(5)	(6)
					the subsequent 15 days through the online compliance module.
2.	Govt. ITI, Thiruvambady, Thiruvambady Po Kozhikkode-673603 Govt. ITI, Thiruvambady, Thiruvambady Kozhikkode – 673603 GR32000666 Shifting matter	Existing Category – 4 Shifting matter Existing trades Electrician-2(1+1) Draughtsman civil-2(1+1) Plumber 2(1+1)	Recommended for: 1. Electrician-2(1+1) 2. Draughtsman Civil-2(1+1) 3. Plumber 2(1+1) Deficiencies observed- 1. Some of machineries need to be installed in electrician and plumber trade. 2. In Draughtsman Civil trade, 8 items are short/not available; in	1. Fire safety certificate not available. 2. It is not clear whether the shifting norms have been followed.	The ITI is required to rectify the following deficiencies and submit the requisite documents to the concerned State Directorate within 30 days from the date of issuance of these minutes through the compliance module on the NIMI Affiliation Portal: 1. Fire Safety Certificate 2. New address along with all relevant supporting documents as proof of the revised address Thereafter, the concerned State Directorate shall verify the documents submitted by the ITI and submit its verification report, along with clear recommendations and confirmation as to whether the shifting is in accordance with the prescribed norms, to DGT within the subsequent 15 days through the online compliance module.

Sr. No.	ITI name	Trade/units sought for Affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 26 th SCAA
(1)	(2)	(3)	(4)	(5)	(6)
			Electrician trade, 8 items are short/not available; and in Plumber trade, 30 items are short/not available.		Additionally, the State is required to provide comments on whether the shifting has been carried out as per the prescribed norms.
3.	<p>Datatech Computer Private Industrial Training Institute</p> <p>Mitchel Junction, Mavelikkara</p> <p>Alappuzha – 690101</p> <p>New Address: Datatech Computer Private Iti, Pulimoodu Junction, Mavelikara Alappuzha 690101</p> <p>Pin: 690101</p> <p>Alappuzha, Kerala</p>	<p>Applied for Shifting.</p> <p>Existing Trade:</p> <p>1. COPA- 2(1+1)</p>	<p>Recommended for</p> <p>Computer Operator and Programming Assistant (NSQF) - 2 (1+1)</p>	<p>1. Fire Safety Certificate not available.</p> <p>2. No Comments provided regarding location i.e., whether shifting is within block or outside</p> <p>3. No separate IT Lab is provided. Practical lab of COPA is used as IT Lab.</p>	<p>The ITI is required to rectify the following deficiencies and submit the requisite documents to the concerned State Directorate within 30 days from the date of issuance of these minutes through the compliance module on the NIMI Affiliation Portal:</p> <ol style="list-style-type: none"> 1. Fire Safety Certificate is not available. 2. No Comments provided regarding location i.e., whether shifting is within block or outside 3. No separate IT Lab is provided. Practical lab of COPA is used as IT Lab

Sr. No.	ITI name	Trade/units sought for Affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 26 th SCAA
(1)	(2)	(3)	(4)	(5)	(6)
					<p>Thereafter, the concerned State Directorate shall verify the documents submitted by the ITI and submit its verification report, along with clear recommendations and confirmation as to whether the shifting is in accordance with the prescribed norms, to DGT within the subsequent 15 days through the online compliance module.</p>

Name of the State: Maharashtra

Sr. No.	ITI name	Trade/units sought for Affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 26 th SCAA
(1)	(2)	(3)	(4)	(5)	(6)
1.	Don Bosco Private ITI Premier Automobiles Road, Kurla (West) Mumbai Suburban - 400070 PR27000039 Grading: 7.6	Cosmetology - 1(1+0)	Recommended- 1. Cosmetology (1+0+0)	1. IT lab is common for all trades and the Principal has certified that the same lab will be used for cosmetology trainees once affiliation is granted. 2. No adverse deficiency is observed.	SCAA recommended the following trade: 1. Cosmetology - 1(1+0)
2.	Government Industrial Training Institute, Parola, Dist: Jalgaon Kasoda Road Jalgaon - 425111 GR27000314 Grading: 8.7	Electrician - 2(1+1)	Recommended- Electrician - 2 (1+1)	No adverse deficiency is observed.	SCAA recommended the following trade: 1. Electrician - 2(1+1)
3.	Government Industrial Training Institute, Basmatnager, Dist: Hingoli Parbhani Road Basmathnagar Hingoli - 431512	1. Electronics Mechanic - 2(1+1) 2. Refrigeration and Air Conditioning	1. Some machines are not installed as per norms. 2. Some Machinery not available for	1. Power Shortage- Required= 79.87 KW Available= 67 KW	ITI needs to remove the deficiencies mentioned in column (4) and (5) and submit the documents to the

Sr. No.	ITI name	Trade/units sought for Affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 26 th SCAA
(1)	(2)	(3)	(4)	(5)	(6)
	GR27000108 Grading: 8.6	Technician - 2(1+1) 3. Computer Operator and Programming Assistant (Copa) - 2(1+1) 4. Solar Technician (Electrical) - 2(1+1) 5. Cosmetology 1(1+0) 6. Dress Making 1(1+0) 7. Wood Work Technician - 1(1+0) 8. Electrician - 1(0+1) 9. Mechanic Motor Vehicle - 1(0+1)	RAC and electrician trade. 3. Tools are not available for RAC trades. Not Recommended- 1. Electronics Mechanic (New) -2(1+1) 2. Refrigeration and air Conditioning Technician (New) -2(1+1) 3. COPA-2(1+1) 4. Dressmaking 5. Wood Work Technician (New)- 1(1+0) Recommended- 1. Solar Technician (Electrical)(New) 1+1	2. Electronics Mechanic – Machinery is available and functional; however, machines are not installed in the lab and power outlets are not provided. 3. RAC (Refrigeration & Air Conditioning) – Partial machinery available; tools are not available. Not recommended. 4. COPA – Tools and equipment are available and installed for one unit; however, only 20 computers are available.	concerned State Directorate within 30 days from the date of issue of these minutes through the compliance module on NIMI affiliation portal. Thereafter, concerned State Directorate will verify the documents submitted by the ITI and submit the report with clear recommendation on the trade/units to DGT within the next 15 days on the online compliance module.

Sr. No.	ITI name	Trade/units sought for Affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 26 th SCAA
(1)	(2)	(3)	(4)	(5)	(6)
			2. Cosmetology (New) -1(1+0) 3. MMV (0+1+1) 4. Electrician (New)- 1(0+1+1)	5. Solar Technician – Tools are not available and machinery is not installed. 6. Cosmetology – Machinery and tools are available for one unit, but not installed. 7. Dress Making – No machinery and no tools available; 8. Woodwork Technician – No machinery and no tools available; trade may be de-affiliated. 9. Electrician – Partial machinery available; workbenches are insufficient. 10. MMV (Mechanic	

Sr. No.	ITI name	Trade/units sought for Affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 26 th SCAA
(1)	(2)	(3)	(4)	(5)	(6)
				Motor Vehicle) – Partial machinery available; vehicles such as truck and Tata Sumo are available.	
4.	Government Industrial Training Institute, Bramhapuri, Dist: Chandrapur Khed Road Chandrapur – 441206 GR27000327 Grading: 8.9	1. Information and Communication Technology System Maintenance - 1(0+1)	1. Fire safety certificate is available but validity expired however, ITI applied for extension of validity to Municipal Council. 2. Recommended One unit in Second Shift of ICTSM Trade.	Fire safety certificate is available but validity expired however ITI applied for extension of validity to Municipal Council.	ITI needs to remove the following deficiencies and submit the documents to the concerned State Directorate within 30 days from the date of issue of these minutes through the compliance module on NIMI affiliation portal. 1. Fire safety certificate Thereafter, concerned State Directorate will verify the documents

Sr. No.	ITI name	Trade/units sought for Affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 26 th SCAA
(1)	(2)	(3)	(4)	(5)	(6)
					submitted by the ITI and submit the report with recommendation to DGT within the next 15 days on the online compliance module
5.	Government Industrial Training Institute, Shirur, Dist: Pune P-45, M.I.D.C. Ranjangaon Pune – 412220 GR27000502 Grading: 8.7	Electrician - 2(1+1)	Recommended for Electrician-2(1+1)	No adverse deficiency is observed.	SCAA recommended the following trade: 1. Electrician - 2(1+1)
6.	Government Industrial Training Institute, Akot, Dist: Akola Popatkhed Road - 444101 GR27000081 Grading: 9	1. Computer Operator and Programming Assistant (COPA) - 1(1+0) 2. Draughtsman (Civil) - 1(1+0)	1. In COPA trade all Tools and Equipment are available as per syllabus and found ok. 2. In Draughtsman Civil trade as per syllabus sr.no.14,30,35,36,49 and 50 are not available.	1. Power Shortage- Required= 170.45 KW Available = 94 KW	Applicant institute needs to remove the following deficiency and submit the documents to the concerned State within 30 days from the date of issue of this minute through

Sr. No.	ITI name	Trade/units sought for Affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 26 th SCAA
(1)	(2)	(3)	(4)	(5)	(6)
			<p>Recommended for Computer Operator and Programming Assistant (COPA)- 1(1+0)</p> <p>Not Recommended for Draughtsman Civil- 1(1+0)</p>		<p>NIMI compliance portal</p> <p>1. Power Shortage- Required- 170.45 KW Available- 94 KW</p> <p>Thereafter, the State will verify the documents submitted and send the report with recommendation to DGT within the next 15 days through NIMI compliance portal.</p>
7.	<p>Government Industrial Training Institute, Sudhagad(pali), Dist: Raigad</p> <p>Behind Bllaleshwer Tempal Devulpada, Bhira Road 410205</p> <p>GR27000506</p>	<p>1. Fitter - 1(0+1)</p> <p>2. Wireman - 1(1+0)</p> <p>3. Computer Operator and Programming Assistant (COPA) - 2(1+1)</p>	<p>1. As per norms, the full setup of tools is not available and is only partially available.</p> <p>2. Renovation of Building is Required</p>	<p>1. Drawing Hall not available</p> <p>2. IT Lab not available</p>	<p>ITI needs to remove the deficiencies as mentioned in column (4) and (5) and submit the documents to the concerned State Directorate within 30 days from the</p>

Sr. No.	ITI name	Trade/units sought for Affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 26 th SCAA
(1)	(2)	(3)	(4)	(5)	(6)
	Grading: 8.4	4. Electrician - 2(1+1)	3. Not Recommended for new batch of Fitter and Wireman trade		<p>date of issue of these minutes through the compliance module on NIMI affiliation portal.</p> <p>Thereafter, concerned State Directorate will verify the documents submitted by the ITI and submit the report with recommendation to DGT within the next 15 days on the online compliance module</p>
8.	<p>Government Industrial Training Institute, Manora, Dist: Washim</p> <p>M.I.D.C. Area Devthana Road Washim – 444404</p> <p>GR27000518</p> <p>Grading: 8.9</p>	Surveyor - 2(1+1)	Recommended for Surveyor-2(1+1)	<p>Power Shortage- Required= 50.71 KW</p> <p>Available= 47 KW</p>	<p>ITI needs to remove the following deficiencies and submit the documents to the concerned State Directorate within 30 days from the date of issue of these minutes through the</p>

Sr. No.	ITI name	Trade/units sought for Affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 26 th SCAA
(1)	(2)	(3)	(4)	(5)	(6)
					<p>compliance module on NIMI affiliation portal.</p> <p>1. Power Shortage- Required= 50.71 KW Available= 47 KW</p> <p>Thereafter, concerned State Directorate will verify the documents submitted by the ITI and submit the report with recommendation to DGT within the next 15 days on the online compliance module</p>
9.	<p>Government Industrial Training Institute (Adivasi), Karjat, Dist: Raigad</p> <p>Bamnoli, Post-Kirvali</p> <p>Raigad – 410201</p>	<p>1. Machinist - 2(1+1)</p> <p>2. Painter (General) - 2(1+1)</p>	<p>Recommended for one unit each, in Machinist and Painter General trade</p>	<p>Power not sufficient Required= 69.67 KW Available= 60 KW</p>	<p>ITI needs to remove the following deficiencies and submit the documents to the concerned State Directorate within 30 days from the</p>

Sr. No.	ITI name	Trade/units sought for Affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 26 th SCAA
(1)	(2)	(3)	(4)	(5)	(6)
	GR27000357 Grading: 9				<p>date of issue of these minutes through the compliance module on NIMI affiliation portal.</p> <p>1. Power Shortage- Required= 69.67 KW Available= 60 KW</p> <p>Thereafter, concerned State Directorate will verify the documents submitted by the ITI and submit the report with recommendation to DGT within the next 15 days on the online compliance module</p>

Sr. No.	ITI name	Trade/units sought for Affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 26 th SCAA
(1)	(2)	(3)	(4)	(5)	(6)
10.	Government Industrial Training Institute, Radhanagari, Dist: Kolhapur Near St Depo Opp-Gajanan Maharaj Mandir Kolhapur – 416212 GR27000372 Grading: 8.8	Electrician - 2(1+1)	Recommended for - Electrician - 2(1+1)	No adverse deficiency is observed	SCAA recommended the following trades: 1. Electrician - 2(1+1)
11.	Government Industrial Training Institute (Adivasi), Armori, Wadsa Road Gadchiroli 441208 GR27000335 Grading: 9.1	Cosmetology - 1(1+0)	Recommended for- Cosmetology - 1(1+0)	No adverse deficiency is observed	SCAA recommended the following trades: 1. Cosmetology - 1(1+0)
12.	Government Industrial Training Institute, Achalpur, Dist: Amravati Vilayatpura Amravati – 444806 GR27000303 Grading: 9	Refrigeration and Air Conditioning Technician - 2(1+1)	Recommended for Refrigeration and Air Conditioning Technician - 2(1+1)	No adverse deficiency is observed	SCAA recommended the following trades: 1. Refrigeration and Air Conditioning Technician - 2(1+1)

Sr. No.	ITI name	Trade/units sought for Affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 26 th SCAA
(1)	(2)	(3)	(4)	(5)	(6)
13.	Aadarsh Hightech Private ITI Kanhale, Tal.: Bhusaval Jalgaon – 425311 Maharashtra PR27000937 Grading: 8.8	Electrician - 4(2+2)	All required tools, equipment, machinery, power, infrastructure, and staff are available for Electrician (New)-4(2+2) units are recommended for affiliation.	No adverse deficiency is observed	SCAA recommended the following trades: 1. Electrician - 4(2+2)
14.	Hon. Ratnakarraoji Gutte Industrial Training Institute, Wadgaon (St.) Tq-Sonpeth, Dist-Parbhani - 431516 PR27000792 Grading: 5.9	1. Solar Technician (Electrical) - 2(1+1) 2. Health Sanitary Inspector - 2(1+1)	Recommended for- 1. Solar Technician (Electrician)- 2(1+1) 2. Health Sanitary Inspector- 2(1+1)	Reinspection may be conducted as it is noticed in the meeting that activities other than ITIs are being conducted in institute.	The State Directorate and RDSDE shall conduct a fresh joint inspection of the institute and submit a report to DGT within 30 days, clearly indicating whether any other activity is being carried out on the institute premises and verifying the adequacy of tools, equipment, and instructors, along

Sr. No.	ITI name	Trade/units sought for Affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 26 th SCAA
(1)	(2)	(3)	(4)	(5)	(6)
					with their recommendations.
15.	<p>Tarashakti Private Industrial Training Institute, Tadalj Dist Chandrapur</p> <p>Survey No. 178/1A-1, Nagpur Highway, Tadali, Chandrapur. - 442914</p> <p>PR27000783</p> <p>Grading: 8.6</p>	<p>Computer Operator and Programming Assistant (Copa) - 2(1+1)</p>	<ol style="list-style-type: none"> 1. Electrician & Fitter machines are in working condition 2. In COPA section, old computer are in working condition but not as per norms in syllabus specifications 3. COPA instructor appointed is just ITI passed out and not any experience. 4. Drawing Hall available but drawing board are not available. <p>Not Recommended</p>	<ol style="list-style-type: none"> 1. Inspecting team has not provided any photos or documents in the report. 2. Land Document is not available. 3. BCC is not provided. 4. IT lab available as per norms but merged with COPA Lab 5. Electricity bill not provided. 6. Power Shortage- Required- 14.21KW Available- 18KW 	<p>SCAA observed several serious deficiencies in the institute. Therefore, the applicant institute is required to submit its clarification/representation along with supporting documents to DGT, explaining why its application for affiliation should not be rejected, and to furnish rectification/compliance documents within a stipulated period of 15 days. Failure to submit satisfactory and verifiable compliance within the prescribed time will result in the</p>

Sr. No.	ITI name	Trade/units sought for Affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 26 th SCAA
(1)	(2)	(3)	(4)	(5)	(6)
					rejection of the application
16.	Government Industrial Training Institute, Belapur, Dist: Thane Sect-29, Agroli Gaon, C.B.D. Belapur, PO- Kokanbha- Thane – 415611 GR27000076 Grading: 8.7	Electrician - 2(1+1)	Recommended for Electrician - 2(1+1)	State has submitted the electricity bill in which Available Power is-79.04 KW and required is-63.73KW	SCAA recommended the following trades: 1. Electrician - 2(1+1)

Name of the State: Telangana

Sr. No.	ITI name	Trade/units sought for Affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 26th SCAA
(1)	(2)	(3)	(4)	(5)	(6)
1.	Govt ITI, For Girls Ghatkesar At Kondapur Village Village, Ghatkesar, Medchal Malkajgiri Dist. PIN: 501301 TMP36700GU1744873587	1. Computer Operator and Programming Assistant (COPA) - 2(1+1) 2. Computer Aided Embroidery & Designing - 2(1+1) 3. Fashion Design & Technology - 2(1+1) 4. Electrician -2(1+1) 5. Electronics Mechanic -2(1+1)	Recommended for affiliation of - 1. Computer Operator and Programming Assistant (Copa) - 2(1+1) 2. Computer Aided Embroidery & Designing - 2(1+1) 3. Fashion Design & Technology - 2(1+1) 4. Electrician - 2(1+1) 5. Electronics Mechanic - 2(1+1)	1. Instructor appointment details are not available 2. Fire safety certificate is not available	ITI needs to remove the following deficiencies and submit the documents to the concerned State Directorate within 30 days from the date of issue of these minutes through the compliance module on NIMI affiliation portal. 1. Instructor appointment details are not available. 2. Fire safety certificate is not available Thereafter, concerned State Directorate will verify the documents submitted by the ITI and submit the report with recommendation to DGT within the next 15 days on the

Sr. No.	ITI name	Trade/units sought for Affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 26th SCAA
(1)	(2)	(3)	(4)	(5)	(6)
					online compliance module
2.	Sri Saradhi ITI Godavarikhani Peddapalli – 505209 PU36000271 Grading: 6.6	Fitter - 2(1+1)	Recommended for affiliation: Fitter - 2(1+1)	Fire Safety certificate is not available.	ITI needs to remove the following deficiencies and submit the documents to the concerned State Directorate within 30 days from the date of issue of these minutes through the compliance module on NIMI affiliation portal. 1. Fire Safety certificate not available. Thereafter, concerned State Directorate will verify the documents submitted by the ITI and submit the report with recommendation to DGT within the next 15 days on the online compliance module

Name of the State: Uttar Pradesh

Sr. No.	ITI name	Trade/units sought for Affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 26 th SCAA
(1)	(2)	(3)	(4)	(5)	(6)
1.	Shri Ram Private I T I Vill. Pondari Post Podari Dist Etah -301307 PR09900671 Grading: 6.5	1. Fitter - 3(1+1+1) 2. Computer Operator and Programming Assistant (COPA) - 4(2+2) 3. Solar Technician (Electrical) - 2(1+1) 4. Electrician - 9(3+3+3)	Recommended- 1. Electrician- 2(1+1) 2. Solar Technician (Electrical)- 02(1+1) 3. Computer Operator and Programming Assistant COPA- 02(1+1) Because infrastructure tools machineries and electrical load available for recommended trade/units. Not Recommended- 1. Fitter-3(1+1+1) workshop, tools machines, electric load and staff not available	1. Fire safety certificate to be renewed. 2. IT lab not as per norms. Some Laptops instead of PCs were available	ITI needs to remove the following deficiencies and submit the documents to the concerned State Directorate within 30 days from the date of issue of these minutes through the compliance module on NIMI affiliation portal. 1. The Fire safety certificate 2. IT Lab not as per norms Thereafter, concerned State Directorate will verify the documents submitted by the ITI and submit the report with recommendation to DGT within the next 15 days on the online compliance module.

Sr. No.	ITI name	Trade/units sought for Affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 26 th SCAA
(1)	(2)	(3)	(4)	(5)	(6)
2.	Sunbeam International Private Iti Azamgarh Bhavarajpur Bhagwanpur Post Haraura Tehsil Mehnagar Azamgarh U.P - 276126 TMP9123PR1649899574	1. Electrician - 3(1+1+1) 2. Fitter - 3(1+1+1) 3. Computer Operator and Programming Assistant (COPA) - 2(1+1) 4. Sewing Technology - 2(1+1)	Recommended for- 1. Electrician- 02(1+1) 2. Fitter-02(1+1), 3. Computer Operator and Programming Assistant (COPA)-- 02(1+1) 4. Sewing Technology - 02(1+1)	No adverse deficiency is observed.	SCAA recommended the following trades: 1. Electrician – 02 (1+1) 2. Fitter – 02 (1+1), 3. Computer Operator and Programming Assistant – 02 (1+1) 4. Sewing Technology - 02 (1+1)
3.	Maa Kailashi Baburam Pandey Private Industrial Training Institute, Azamgarh Village -Gondapur, Post-Sardaha, Tehsil- Sagri, District- Azamgarh, Uttar Pradesh, Pin Code-276139 TMP9123PR1580477351	1. Electrician - 3(1+1+1) 2. Fitter - 3(1+1+1) 3. Plumber - 3(1+1+1) 4. Computer Operator and Programming Assistant - 3(1+1+1)	Recommended- 1. Electrician- 2(1+1) 2. Fitter-2(1+1) 3. Plumber-2(1+1) 4. Computer Operator and Programming Assistant (COPA)- 2(1+1)	No adverse deficiency is observed.	SCAA recommended the following trades: 1. Electrician- 2(1+1) 2. Fitter-2(1+1) 3. Plumber-2(1+1) 4. Computer Operator and Programming Assistant - 2(1+1)
4.	Ishaq Nisha Pvt ITI, Village Mukrampur Block Bhawalkhera Tehsil Sadar D Shahjahanpur – 242306 PR09901299	Electrician - 6(2+2+2)	Recommended for (2+2) unit for Electrician trade as a newly added unit for affiliation.	ITI has applied all trades in existing category instead of new trades.	SCAA recommended the following trades: 1. Electrician - 4(2+2)

Sr. No.	ITI name	Trade/units sought for Affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 26 th SCAA
(1)	(2)	(3)	(4)	(5)	(6)
	Grading: 7.5		ITI has wrongly opted for existing option by mistake filling in NIMI application form.	State has provided NOC to the ITI on dated 11.04.2022.	
5.	H R D Verma Private Industrial Training Institute, Firozabad Prempur, Repura Fatehabad Road Firozabad 283203 TMP9143PU1581837259	1. Electrician - 6(2+2+2) 2. Fitter - 6(2+2+2) 3. Mechanic Motor Vehicle - 3(1+1+1) 4. Mechanic Diesel - 3(1+1+1)	Recommended for affiliation for: 1. Electrician – 4 (2+2) 2. Fitter – 4 (2+2) 3. Mechanical Motor Vehicle – 2 (1+1) 4. Mechanic Diesel – 2 (1+1)	1. IT lab not as per norms 2. The language of BCC is not as per standard, as defined in norms	ITI needs to remove the following deficiencies and submit the documents to the concerned State Directorate within 30 days from the date of issue of these minutes through the compliance module on NIMI affiliation portal. 1. IT Lab not as per norms 2. BCC not as per norms (For BCC please refer page no.108 of affiliation norms 2018) Thereafter, concerned State Directorate will verify the documents submitted by the ITI and submit the report with recommendation to DGT within the next 15 days on

Sr. No.	ITI name	Trade/units sought for Affiliation	Inspection Cum Verification Committee (ICVC) remarks	Remarks of TC Section	Remarks of 26th SCAA
(1)	(2)	(3)	(4)	(5)	(6)
					the online compliance module

Annexure-3 as referred in Agenda 3: Compliance report/Reply against the Show Cause Notice of previous SCAA meetings

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	26 th SCAA Remark
(1)	(2)	(3)	(4)	(5)
1.	Govt. ITI Basna GR22000062 Grading-8.10 State: Chhattisgarh	1. Mechanic Diesel - 2 (1+1)	<p>15th SCAA Remark-</p> <p>This case was initially discussed in the 15th SCAA meeting, remark of that was as follows:</p> <p>Applicant needs to remove the following deficiencies and submit the supporting documents to the concerned State Directorate within 30 days from the date of issue of these minutes through NIMI compliance portal.</p> <p>Thereafter, the State Directorate and RDSDE will have to conduct a fresh joint inspection of the ITI and submit the report to DGT with recommendation within the next 15 days.</p> <p>Deficiencies mentioned in the MoM of 15th SCAA-</p> <p>1. Machinery bills not available as per norms, as per norms machinery bills</p>	<p>SCAA observed that the affiliation matter has been pending for a considerable period due to non-receipt of confirmation regarding removal of the deficiencies from the applicant institute. Despite providing adequate opportunity to the institute to rectify the deficiencies, no compliance has been submitted.</p> <p>Therefore, SCAA has not recommended the addition of Mechanic Diesel – 2 (1+1) units.</p>

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	26 th SCAA Remark
(1)	(2)	(3)	(4)	(5)
			<p>not older than 6 months are required.</p> <p>2. Drawing hall is not as per norms.</p> <p>3. Machinery not available.</p> <p>4. Instructors not available as per guidelines.</p> <p>5. Basic amenities facilities like drinking water and toilets are not maintained properly.</p> <p>Compliance report from RDSDE against the deficiencies raised by the 15th SCAA</p> <p>1. RDSDE mentions that DET CG may confirm removal of deficiencies by the ITI so that the inspection can be planned.</p> <p>2. Despite the lapse of 5 month the join inspection has not been conducted due to non-confirmation of removal of deficiency from ITI .</p>	
2.	<p>Narayan Private ITI Sungal Bilaspur, Himachal Pradesh</p> <p>TMP215PR1714471654</p>	<p>1. Electrician-2(1+1)</p> <p>2. Computer Operator and</p>	<p>24th SCAA Remark:</p>	<p>SCAA recommended for the following trades:</p> <p>1. Electrician-2(1+1)</p>

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	26 th SCAA Remark
(1)	(2)	(3)	(4)	(5)
	State: Himachal Pradesh	Programming Assistant- 2(1+1) 3. Fitter-2(1+1) 4. Solar Technician (Electrical)- 2(1+1)	<p>This case was initially placed in the 24th SCAA meeting, remark of that was as follows:</p> <p>Applicant needs to remove the following deficiencies and submit the documents to the concerned State Directorate within 30 days from the date of issue of these minutes through the compliance module on NIMI affiliation portal.</p> <p>Deficiencies mentioned in the 24th SCAA-</p> <ol style="list-style-type: none"> 1. Firefighting systems/ extinguishers installed, buildings lack proper handrails throughout all floors, Electric tension wires going above top roof, requires attention. 2. Amenities are partially available and require more additions and attention. 	<ol style="list-style-type: none"> 2. Computer Operator and Programming Assistant (COPA)- 2(1+1) 3. Fitter-2(1+1) 4. Solar Technician (Electrical)- 2(1+1)

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	26 th SCAA Remark
(1)	(2)	(3)	(4)	(5)
			<p>3. Machines were found partially in working conditions and not properly installed.</p> <p>4. Machinery requires proper installation.</p> <p>5. No Biometric Attendance Machine found.</p> <p>6. Instructors appointed as CTI qualified but experience and norms one ITI/CTI and another Diploma/Degree+ CTI FOR TWO UNITS AND instructors for Empl Skills/ Drawing cum W/shop Sc Cal not available.</p> <p>7. Transformer has not yet been connected, Gen Set for alternate power back up was not installed.</p> <p>8. Land is available as per relaxed norms for hilly area.</p> <p>9. The land leased of 2100 Sq. Mtrs, falls in the category of relaxation of norms for affiliation for Hilly areas.</p> <p>10. Drawing hall not available.</p>	

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	26 th SCAA Remark
(1)	(2)	(3)	(4)	(5)
			<p>11. BCC not as per norms 12. Drawing Hall not available. 13. IT Lab is available but no LAN/ WAN connected.</p> <p>Compliance report from State against the deficiencies raised by the 24th SCAA</p> <p>Inspection has been completed on 29.11.2025 and following points has been observed:</p> <ol style="list-style-type: none"> 1. Land is available as per relaxed norms for hilly area 2. Library space available, Books are not available right now. /Library not available (Insp report comment) 3. Standard Supply of 400 v is available as per bill submitted. <p>NOC for High tension line is provided. (connected load-19.45KW)</p> <ol style="list-style-type: none"> 4. IT Lab and Engg. Drawing Hall found.IT Lab is connected with LAN. 	

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	26 th SCAA Remark
(1)	(2)	(3)	(4)	(5)
			<p>Drawing Hall and Hand rails are installed.</p> <p>5. Biometric Attendance Machine available</p> <p>6. Machinery in working condition.</p> <p>7. NOC for electric tension wires.</p> <p>As per discussion in the 26th SCAA, the State directorate vide its letter dated 16.01.2026 provided the photos and bill copy of the books purchased by the ITI along with video of library, and requested to consider for affiliation.</p>	
3.	<p>RCD ITI College Giridih, Jharkhand</p> <p>TMP20329PU1713794402</p> <p>State: Jharkhand</p>	<ol style="list-style-type: none"> 1. Fitter-4(2+2) 2. Electrician-4(2+2) 3. Welder-2(1+1) 4. Fashion Design and Technology-2(1+1) 	<p>23rd SCAA Remark-</p> <p>This case was initially placed in the 23rd SCAA meeting, remark of that was as follows:</p> <p>The Applicant Institute is required to rectify the deficiencies and submit the necessary documents within 15 days from the date of issuance of these minutes in the compliance module on the NIMI Affiliation Portal.</p>	<p>SCAA noted that despite opportunity granted in the 23rd SCAA meeting, the institute failed to remove the identified deficiencies and also not ready for the inspection. The decisions and directions of the meeting were uploaded on the public domain and also communicated to the applicant through the NIMI Affiliation Portal via the registered email ID.</p> <p>SCAA further observed that the major deficiencies continue to</p>

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	26 th SCAA Remark
(1)	(2)	(3)	(4)	(5)
			<p>Thereafter, the State Directorate and RDSDE will have to conduct a fresh joint inspection of the ITI and submit the report to DGT with recommendations within the next 07 days.</p> <p>Deficiencies mentioned in the 23rd SCAA-</p> <ol style="list-style-type: none"> 1. Not recommended power norms are not lagging (just 1kw against requirements of over 15kW) major machines are not available. 2. All machines not available, Major machines are not available. 3. Major equipment and Big machinery are not available for the trades of Fitter, Electrician. e.g lathe machine, DC-AC motor not available. 4. Requirements are of approximately 15 kW - 3 phase connection. Availability is just 1 kW and just one phase. 5. Drawing hall and IT lab are not available as per norms. 	<p>persist in the institute. The ITI was granted sufficient opportunity to rectify the deficiencies. Although, the applicant ITI has claimed that all the deficiencies have been rectified, while submitting report in portal on 24.08.2025 yet no sufficient infrastructure was shown at the time of inspection with no intention to rectify the deficiencies in its letter dated 11.11.2025.</p> <p>In view of the persistent non-compliance and lack of any substantive corrective measures by the applicant, the application for affiliation is hereby “Rejected”.</p> <p>The applicant ITI may apply a fresh in accordance with the newly launched affiliation Norms 2025 on 18.12.2025.</p>

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	26 th SCAA Remark
(1)	(2)	(3)	(4)	(5)
			<p>6. Library not available as per norms.</p> <p>7. Land Document not as per norms.</p> <p>8. The land is in the name of R. C. Prakash Pung Trust; however, in the application, the organization name is mentioned as RCD ITI College. There is no mention of R. C. Prakash Pung Trust in the application.</p> <p>9. Power Shortage Available: 1 KW, Required: 33.2 KW Adequate trainers not available.</p> <p>10. Building plan not signed by architect, not as per norms</p> <p>11. Fire safety certificate not available.</p> <p>Reply from ITI:</p> <p>The ITI has submitted its reply in portal on 24.08.2025 stating that-</p> <p><i>“Deficiencies mentioned in the MOM have been removed and institute is ready for the</i></p>	

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	26 th SCAA Remark
(1)	(2)	(3)	(4)	(5)
			<p><i>inspection. in this portal I submitted only two documents and rest of the 10 documents I mailed it in RDSDE mail ID and RDSDE director mail id due to some fault I cant submit. when I contact with NIMI Chennai he said kindly send your documents to your concerned RDSDE.”</i></p> <p>Compliance report from RDSDE against the deficiencies raised by the 23rd SCAA</p> <p>1. The RDSDE submitted the compliance report and a letter from ITI on 11.11.2025 stating that till date Sufficient Power was not available and Institute is not prepared for the Inspection</p>	
4.	<p>Vishwakarma Niji Audyogik Prashikshan Sansthan Panna</p> <p>PU23000789</p> <p>Grading-8.6</p> <p>State: Madhya Pradesh</p>	<p>1. Electrician - 2(1+1)</p> <p>2. Solar Technician (Electrical) - 1(1+0)</p> <p>3. IoT Technician (Smart Health Care)- 1(1+0)</p>	<p>21st SCAA Remark-</p> <p>This case was initially placed in the 21st SCAA meeting, remark of that was as follows:</p> <p>Applicant needs to remove the following deficiencies given</p>	<p>SCAA recommended the following applied trade/ units.</p> <p>1. Electrician – 2 (1+1)</p> <p>2. Solar Technician (Electrical) – 1 (1+0)</p> <p>3. IoT Technician (Smart Health Care)- 1 (1+0)</p>

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	26 th SCAA Remark
(1)	(2)	(3)	(4)	(5)
			<p>below and submit the documents through compliance module on NIMI affiliation portal within 30 days from date of issue of these minutes.</p> <p>Thereafter, the State Directorate and RDSDE will have to conduct a fresh joint inspection of the ITI and submit the report to DGT with recommendation within the next 15 days.</p> <p>Deficiencies observed in 21st SCAA</p> <ol style="list-style-type: none"> 1. Dead stock register Raw Material register not properly maintained. 2. Staff and student attendance not available 3. Machinery not properly installed 4. Machinery not installed in Solar Technician & IOT 5. Student record not authenticated and not properly maintained 6. Principal room (9.4503 sqm) and staff room 	

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	26 th SCAA Remark
(1)	(2)	(3)	(4)	(5)
			<p>(12.3728 sqm) not as per norms</p> <p>7. Fire safety certificate from competent authority is not available.</p> <p>8. Some portion of the building as shown in the building plan is not being used for the ITI.</p> <p>9. In Electrician new units not recommended as 66% of equipment and shop machinery are not as per specifications/norms.</p> <p>10. Solar Technician (Electrical) (New)- All units not recommended as Machinery, equipment and tools not installed.</p> <p>11. Staff not as per norms.</p> <p>12. IoT Technician (Smart Health Care) (New) - all not recommended Tool & Equipment not installed. Staff not as per norms</p> <p>13. Not recommended for addition of units in Electrician and for addition of trades Solar Technician (Electrician) & IOT Technician (Smart HealthCare)</p>	

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	26 th SCAA Remark
(1)	(2)	(3)	(4)	(5)
			<p>14. Name of the Institute as per NCVT MIS portal is: "Vishwakarma Niji Audyogik Prashikshan Sansthan", but the name "Vishwakarma Private ITI" or "Vishwakarma Pvt ITI" is mentioned in the documents provided by ITI.</p> <p>15. Instructors do not possess NCIC and Required experience as per technical qualifications. 2. BSC graduates have been appointed for WSC and ED.</p> <p>16. Power shortage</p> <p style="padding-left: 40px;">Available = 15.5 KW</p> <p style="padding-left: 40px;">Required= 20.36 KW</p> <p>17. Only 4 out of 8 computers are working. Specifications of these computers are not as per norms and It is set up in the basement.</p> <p>18. Approval of govt engineer or Competent authority is not available on BCC.</p> <p>Compliance report from RDSDE against the</p>	

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	26 th SCAA Remark
(1)	(2)	(3)	(4)	(5)
			<p>deficiencies raised by the 21st SCAA</p> <p>RDSDE has mentioned that ICVC member has recommended for-</p> <ol style="list-style-type: none"> 1. Electrician (1+1), 2. Solar Technician (1+1) 3. IoT Smart Health Care (1+0) <p>There is a mismatch in the units recommended by ICVC for Solar Technician</p>	
5.	<p>Jagdamb Private Industrial Training Institute Chandur Bazar Amravati</p> <p>TMP27468PR1711176136</p> <p>State: Maharashtra</p>	<ol style="list-style-type: none"> 1. Electrician-4(2+2) 2. Computer Operator and Programming Assistant -2(1+1) 3. Welder-2(1+1) 4. Solar Technician (Electrical) - 2(1+1) 	<p>23rd SCAA Remark- This case was first placed in 23rd SCAA meeting, remarks of that was as follows:</p> <p>Applicant Institute needs to remove the following deficiencies and submit the required documents within 15 days from the date of issue of these minutes in the Compliance module on NIMI affiliation portal.</p> <p>Thereafter, concerned State Directorate to verify the documents submitted by the ITI</p>	<p>SCAA recommended for the following trades:</p> <ol style="list-style-type: none"> 1. Electrician - 4(2+2) 2. Computer Operator and Programming Assistant - 2(1+1) 3. Welder - 2(1+1) 4. Solar Technician (Electrical) - 2(1+1)

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	26 th SCAA Remark
(1)	(2)	(3)	(4)	(5)
			<p>and submit the report to DGT within the next 07 days on the online compliance module.</p> <p>Deficiencies observed in 23rd SCAA</p> <ol style="list-style-type: none"> 1. The building plan uploaded in the application does not match the one in the inspection report, with a discrepancy noted in the Welder lab area. 2. The land documents are in regional language, and a translated notarized copy has not been provided. <p>Compliance report from State against the deficiencies raised by the 23rd SCAA</p> <ol style="list-style-type: none"> 1. The State Directorate mentioned that it has verified the institute's Building Plan, Welder lab area, & Translated, Notarized copy of the land documents. It is as per norms. 	

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	26 th SCAA Remark
(1)	(2)	(3)	(4)	(5)
			<p>2. Hence Recommended for</p> <ul style="list-style-type: none"> a) Electrician- 4(2+2) b) COPA-2(1+1) c) Welder- 2(1+1) d) Solar Technician (Electrical)- 2(1+1). <p>3. However, the TC section observed that the area of the land in the land document is 0.81 acre which is not as per norms.</p> <p>24th SCAA Remark-</p> <p>This case was again reviewed in 24th SCAA and remark of that was as follows:</p> <p>SCAA observed that the area of the land is not as per norms. In view of the above discrepancy, the ITI is required to submit clarification along with supporting documents through the Compliance Module on the NIMI Affiliation Portal within 30 days from the date of issue of these minutes. Thereafter, State Directorate shall verify the compliance and submit a report with its recommendation to DGT within the next 15 days.</p>	

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	26 th SCAA Remark
(1)	(2)	(3)	(4)	(5)
			<p>Compliance report from State against the deficiencies raised by the 24th SCAA</p> <p>The State Directorate submitted the compliance and mentioned that the Institute has submitted the following documents.</p> <ol style="list-style-type: none"> 1. Clarification of the land is as per norms 2. Provided the Land Documents. 3. Revised, translated, notarized copy of land documents. <p>The Directorate has verified the ITI's land area. It is as per norms. (Total Land Area available 8100 Sq. Mt.). Hence, Recommended for</p> <ol style="list-style-type: none"> 1. Electrician- 4(2+2) 2. Computer Operator and Programming Assistant- 2(1+1) 3. Welder- 2(1+1) 4. Solar Technician (Electrical)- 2(1+1) 	

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	26 th SCAA Remark
(1)	(2)	(3)	(4)	(5)
6.	Vidyavardhini Industrial Training Institute Pal Kolhapur PR27000746 Grading: 8.4 State: Maharashtra	1. Electrician-2(1+1)	<p>24th SCAA Remark:</p> <p>This case was initially placed in the 24th SCAA meeting, remark of that was as follows:</p> <p>State Directorate shall reverify the dedicated infrastructure for the ITI of the premises on the institute and submit the report along with the geotagged photographs within 30 days from date of issue of this MOM.</p> <p>Deficiencies observed in 24th SCAA</p> <p>SCAA observed that the Polytechnic college, Junior college is running in the same premises.</p> <p>Compliance report from State against the deficiencies raised by the 24th SCAA</p> <p>The State Directorate submitted the compliance and mentioned that the Institute has submitted the following documents.</p>	SCAA recommended for the following trades: 1. Electrician-2(1+1)

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	26 th SCAA Remark
(1)	(2)	(3)	(4)	(5)
			<ol style="list-style-type: none"> 1. Geo-tag photographs of dedicated infrastructure for the ITI. 2. The Directorate has physically verified and confirmed that the separate building, classrooms, workshops, machinery, tools, equipment and separate electricity connection are available for ITI & all this infrastructure is dedicated to the ITI. It is as per norms. 3. Hence Recommended for - Electrician- 2 (1+1) 	
7.	Government ITI Chandwad Dist Nashik GR27000113 Grading:8.8 State: Maharashtra	<ol style="list-style-type: none"> 1. Electrician-2(1+1) 2. Surveyor-2(1+1) 	24th SCAA Remark: This case was initially placed in the 24 th SCAA meeting, remark of that was as follows: Applicant need to remove the following deficiency and submit the documents to the concerned State Directorate within 30 days from the date of issue of these minutes through the compliance	SCAA recommended for the following trades: <ol style="list-style-type: none"> 1. Electrician-2(1+1) 2. Surveyor- 2(1+1)

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	26 th SCAA Remark
(1)	(2)	(3)	(4)	(5)
			<p>module on NIMI affiliation portal.</p> <p>Thereafter, concerned State Directorate will verify the documents submitted by the ITI and submit the report with recommendation to DGT within the next 15 days on the online compliance module</p> <p>Deficiencies observed in 24th SCAA</p> <ol style="list-style-type: none"> 1. The Fire safety certificate is in regional language, and a translated notarized copy has not been provided. <p>Compliance report from State against the deficiencies raised by the 24th SCAA</p> <p>The State Directorate submitted the compliance and mentioned that the Institute has submitted the following documents.</p> <ol style="list-style-type: none"> 1. Fire Safety Certificate-The Directorate has verified the institute's Fire Safety 	

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	26 th SCAA Remark
(1)	(2)	(3)	(4)	(5)
			<p>Certificate. It is as per norms.</p> <p>2. Hence recommended for -</p> <p>a) Electrician- 2 (1+1)</p> <p>b) Surveyor -2(1+1)</p>	
8.	<p>Government Industrial Training Institute Desaiganj</p> <p>GR27000130</p> <p>Grading: 9.1</p> <p>State: Maharashtra</p>	Surveyor -2(1+1)	<p>23rd SCAA Remark:</p> <p>This case was initially placed in the 23rd SCAA meeting, remark of that was as follows:</p> <p>Applicant need to rectify the deficiency mentioned and submit the documents to the concerned State Directorate within 15 days from the date of issue of these minutes through the compliance module on NIMI affiliation portal.</p> <p>Thereafter, concerned State Directorate will verify the documents submitted by the ITI and submit the report with recommendation to DGT within the next 07 days on the online compliance module.</p> <p>Deficiencies observed in 23rd SCAA</p>	<p>ITI needs to remove the following deficiencies and submit the documents to the concerned State Directorate within 30 days from the date of issue of these minutes through the compliance module on NIMI affiliation portal.</p> <p>1. Purchase of Differential Global Positioning System(DGPS) (Latest Version) equipment</p> <p>Thereafter, concerned State Directorate will verify the documents submitted by the ITI and submit the report with recommendation to DGT within the next 15 days on the online compliance module</p>

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	26 th SCAA Remark
(1)	(2)	(3)	(4)	(5)
			<ol style="list-style-type: none"> 1. Two instructors required for 02 units of Surveyor trade but only one is available. 2. As per syllabus sr no 47 of Tools and equipment list required 02 nos of DGPS- Latest version but 01 no only available, 01 no shortfall. ITI Principal have given undertaking stating that the 01 no shortfall will be purchased as soon as possible. 3. Not Recommended Major machine DGPS is Short. 4. Power shortage Available= 65 KW Required = 92.96 KW <p>Compliance report from State against the deficiencies raised by the 23rd SCAA</p> <p>The State Directorate submitted the compliance and mentioned that the Institute has submitted the following documents.</p> <ol style="list-style-type: none"> 1. Staff appointment Order. 	

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	26 th SCAA Remark
(1)	(2)	(3)	(4)	(5)
			<p>2. Documents of the process of purchase of DGPS-Latest version</p> <p>3. Power Calculation Sheet & Affiliation Order.</p> <p>The Directorate has verified the following documents.</p> <p>1. The ITI has appointed an instructor for the second unit as per norms.</p> <p>2. The required power load for ITIs is 63.5 kW, whereas the ITI has 65 kW power load available as per norms. The power calculation sheet and the affiliation order of the second unit trade are enclosed for reference.</p> <p>3. A letter by the Directorate, rectifying the wrongly displayed shift on the NCVT portal, is also enclosed.</p> <p>4. The procurement process for DGPS (Latest Version) equipment is currently in</p>	

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	26 th SCAA Remark
(1)	(2)	(3)	(4)	(5)
			<p>progress. The Directorate will ensure that the said equipment will be available before the commencement of the forthcoming session.</p> <p>5. Hence Recommended for Surveyor -2(1+1)</p>	
9.	<p>Dhanwantari ITI Buldhana TMP27472PR1713862838</p> <p>State: Maharashtra</p>	<ol style="list-style-type: none"> 1. Electrician 2(1+1) 2. Wireman -2(1+1) 3. Marketing Executive-2(1+1) 4. Health Sanitary Inspector-2(1+1) 5. Geo-Informatics Assistant- 2(1+1) 	<p>22nd SCAA Remark-</p> <p>This case was initially placed in the 22nd SCAA meeting, remark of that was as follows:</p> <p>Applicant needs to remove the following deficiencies and submit the documents through Compliance module on NIMI affiliation portal within 30 days from date of issue of these minutes.</p> <p>Thereafter, the State Directorate and RDSDE will have to conduct a fresh joint inspection of the ITI and submit the report to DGT with recommendations within the next 15 days.</p>	<p>Upon scrutiny of the documents and inspection findings, the SCAA has noted that still there are serious deficiencies as listed in column (4).</p> <p>The applicant institute is required to submit its clarification/representation along with supporting documents, explaining why its application for affiliation should not be rejected, and to furnish rectification/compliance documents to DGT on email id tc-affiliation@dgt.gov.in, within a period of 15 days.</p> <p>Failure to submit satisfactory and verifiable compliance within the prescribed time will result in the rejection of the application.</p>

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	26 th SCAA Remark
(1)	(2)	(3)	(4)	(5)
			<p>Deficiencies observed in 22nd SCAA</p> <ol style="list-style-type: none"> 1. Half the workshop was covered with a tin shed & the other portions were covered with slabs. 2. Most of the machinery in the Electrician and Wireman workshop is not properly installed. 3. A few of the working machines are not functioning satisfactorily i.e dc shunt generator, motor generator (AC to DC), dc compound generator, DC series motor, motor generator (DC to AC), thyristor/IGBT controlled DC motor drive, AC motor drive, AC slip ring motor. 4. In the Electrician and wireman trade, most of the machinery was found to be under-capacity. 5. In the Electrician trade the following tools and equipment are not available as per syllabus. Sr No 126(h). Washing machine 	

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	26 th SCAA Remark
(1)	(2)	(3)	(4)	(5)
			<p>semi-automatic, 127. oil testing kit, 129. voltage stabilizer, 131. Battery charger, 133.potential transformer, 153. diesel generator set, 154. used dc generators series, shunt and compound type for overhauling practice 164. Working bench only 01 no is available out of 4 165.Wiring board. 170. Almirah</p> <p>6. In wireman trade the following tools and equipment are not available as per syllabus. Sr no 39. outside micrometer, 47. 3 phase kw meter, 48-watt meter dyna, 49. clamp on ammeter,54. meter reading instrument, 57 conduit pipe cutting and threading machine,58 conduit type bending machine.62crimping tool. ,63crimping tool.65 small crimping tool. 69. wiring board on stand ,106 tower ladder on type wheels ,107 portable extension ladder ,110 knife switch dpdt fitted</p>	

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	26 th SCAA Remark
(1)	(2)	(3)	(4)	(5)
			<p>with fuse terminals ,111 knife switch TPDT fitted with fuse terminals ,128.solar street light ,129solar traffic light,130 solar dc pump,135 solar panels ,136 solar charge controller with manual switch (day lighting),137 EV charger ,138 EV charger (home),139 motion detector ,142 automatic reverse forward starter,144 DOL starter ,145 soft starter ,148 solar street light lamp set,149 field regulator,150 transformer single phase,156.ups with battery,157.personal computer system with printer,159 all domestic appliances (a to k) 164. Demonstration table</p> <p>7. Health Sanitary Inspector trade the following tools and equipment not available as per syllabus: sr no 4-ventilation system,5 sewage system and treatment plant,6 water purification plant,7 sanitary plant,8 waste disposal plant, chemical</p>	

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	26 th SCAA Remark
(1)	(2)	(3)	(4)	(5)
			<p>disinfection unit this working Models are not available and Sr no 15 instrument for noise measurement 17 microwave.</p> <p>8. Geo-Informatics Assistant trades the following tools and equipment not available as per syllabus: sr no 1 9 Computers are available out of 12. sr no 7 ups, 10.24-inch plotter ink printer colored. 19 tables for trainees with sliding tray for key board 20 split type air conditioners.</p> <p>9. No machinery tools/equipment are available for the Marketing Executive Trade as per syllabus.</p> <p>10. Raw material register, dead stock register and machinery bills are not available for Marketing Executive.</p> <p>11. Experience of instructor for Health Sanitary Inspector and Geo-Informatics Assistant is not as per norms.</p>	

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	26 th SCAA Remark
(1)	(2)	(3)	(4)	(5)
			<p>2. Fire safety certificate in Marathi language. However, notarized English translation has not been provided.</p> <p>Compliance report from State against the deficiencies raised by the 22nd SCAA</p> <p>Joint Inspection was conduct on 18.07.2025 remark of that given below:</p> <p>1. Instructor Qualifications:</p> <p>a) Health Sanitary Inspector and Marketing Executive Trade Instructors' qualifications do not match the required norms.</p> <p>b) Geo-Informatics Assistant Instructor's experience is below the required level.</p> <p>c) Only two out of five instructors possess CITS training; the remaining three instructors do not</p>	

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	26 th SCAA Remark
(1)	(2)	(3)	(4)	(5)
			<p>meet the experience or CITS requirements.</p> <p>d) Each trade requires two instructors, but only one instructor per trade has been appointed.</p> <p>2. Infrastructure – Classrooms & Workshops:</p> <p>a) Although the area requirement is fulfilled, classrooms and workshops for all trades are located in the same hall without proper partition.</p> <p>3. Electrical Load:</p> <p>a) Required electrical load is 21.6 kW, whereas the connected load is only 20 kW.</p> <p>b) The ITI has applied for a 25 kW load, but the same is not reflected in the electricity bill.</p> <p>4. Tools, Equipment & Facilities Not Available:</p>	

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	26 th SCAA Remark
(1)	(2)	(3)	(4)	(5)
			<p>a) Electrician Trade: Diesel generator and one i5/i7 computer are not available.</p> <p>b) Wireman Trade: Major machinery/equipment is missing.</p> <p>c) Marketing Executive Trade: Two air conditioners and one smart board are not available.</p> <p>d) Geo-Informatics Assistant Trade: Required trainee tables with sliding keyboard trays (12 nos.) and split ACs are not available.</p> <p>Based on the above deficiencies, the institute is not recommended for all trades.</p>	
10.	<p>Government Industrial Training Institute (Adivasi) Rajur</p> <p>GR27000294</p> <p>Grading-8.5</p>	1. Mechanic Motor Vehicle (MMV) - 2(1+1)	<p>20th SCAA Remark-</p> <p>Applicant needs to remove the deficiencies and submit the required documents within 30 days from the date of issue of these minutes in Compliance</p>	SCAA observed that ITI needs to remove the deficiencies and submit the documents to the concerned State Directorate against the compliance report of 20 th SCAA, submitted by the concerned State Directorate, as

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	26 th SCAA Remark
(1)	(2)	(3)	(4)	(5)
	State: Maharashtra		<p>module on NIMI affiliation portal.</p> <p>Thereafter, the State Directorate and RDSDE will verify the removal of deficiencies by conducting a joint inspection of the ITI. RDSDE will then submit the report to DGT with recommendations within the next 15 days in the Compliance module on the NIMI affiliation portal.</p> <p>Deficiencies observed in the 20th SCAA</p> <ol style="list-style-type: none"> 1. Air Conditioned CRDI Vehicle 2. Diesel Engine 6 Cylinder in running Condition 3. Working condition EV Car 4. Wheel alignment machine Computerized 5. 2 post Car lift 6. Working Model of Air brake Assembly 7. Cut Section 4/6 Cylinder Diesel Engine 8. Air Bag Simulator 9. Instructor not appointed yet 	<p>mentioned in column (4) within 30 days from the date of issue of these minutes through the compliance module on NIMI affiliation portal.</p> <p>Thereafter, concerned State Directorate will verify the documents submitted by the ITI and submit the report with recommendation to DGT within the next 15 days on the online compliance module.</p>

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	26 th SCAA Remark
(1)	(2)	(3)	(4)	(5)
			<p>Compliance report from State against the deficiencies raised by the 20th SCAA-</p> <ol style="list-style-type: none"> 1. The five discrepancy items were internally transferred from other ITIs; however, the procurement documentation—such as invoices or cost justifications, inventory records were unavailable. 2. Notably, the approval from the Joint Director, Nashik Region, was provided. 3. The associated procurement records date back from 2007 to the present.sR.NO.186:- Working Condition of E.V (Electric Vehicle) Car of Tools & Equipment from list of tools and equipment (mechanic motor vehicle) not available. 4. Tools Equipment & Machinery Was Temporary Installed. 5. The 5 discrepancy items were physically available in the institute. 	

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	26 th SCAA Remark
(1)	(2)	(3)	(4)	(5)
			<p>a) Working model of Air Brake Assembly - sr.no.134 - 01no</p> <p>b) Air conditioned CRDI Vehicle in running condition -LMV - 1NO. - sR.NO.160.</p> <p>c) Cut section of 4/6 cylinder diesel engine in moving condition to show movement of internal parts - 01no. - Sr.no.170.</p> <p>d) Diesel Engine six Cylinder in running condition - 01no. - Sr.no.171</p> <p>e) Air bag simulator - 01no. - Sr.no.172</p> <p>6. May be recommended for conditional affiliation, subject to the following remedial actions:</p> <p>a) Urgent procurement of the electronic vehicle as per MMV syllabus to meet essential training standards.</p> <p>b) Regularization of the five discrepancy items through proper documentation like</p>	

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	26 th SCAA Remark
(1)	(2)	(3)	(4)	(5)
			<p>invoices & inventory records.</p> <p>c) Physical inspection and audit of all tools, equipment, and machinery for compliance with DGT norms and Stores SOP.</p> <p>d) Strict adherence to Stores SOP for purchasing, handling, and condemnation to ensure transparency and accountability.</p> <p>e) Proper documentation of all future procurements and transfers with necessary approvals and invoices.</p> <p>f) Conditional affiliation, subject to compliance with these recommendations and verification in the next inspection.</p>	
11.	<p>Mahatma Gandhi Private Industrial Training Institute Nanded</p> <p>TMP27485PR1649834771</p>	<p>1. Electrician-2(1+1)</p> <p>2. Wireman-2(1+1)</p> <p>3. Fitter-2(1+1)</p>	<p>23rd SCAA Remark-</p> <p>This case was first placed in 23rd SCAA meeting, remarks of that was as follows:</p>	<p>SCAA observed that the status of removal of deficiencies is not clearly indicated by inspection team. Therefore, inspection team need to submit the status against</p>

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	26 th SCAA Remark
(1)	(2)	(3)	(4)	(5)
	State: Maharashtra	4. Solar Technician (Electrical) - 2(1+1) 5. Fashion Design and Technology- 2(1+1)	<p>Applicant Institute needs to remove the following deficiencies and submit the required documents within 15 days from the date of issue of these minutes in the Compliance module on NIMI affiliation portal.</p> <p>Thereafter, concerned State Directorate to verify the documents submitted by the ITI and submit the report to DGT within the next 07 days on the online compliance module.</p> <p>Deficiencies observed in 23rd SCAA</p> <ol style="list-style-type: none"> 1. Loose wiring in workshop 2. Half of the wall of the workshop is made up of tin shed 3. Safety mat not available 4. Engraving on machinery is not done 5. Remarks of inspecting member regarding the land is not clear, whether the society has embarked the 	<p>each and every deficiency and submit the documents to the DGT along with recommendation through the RD, RDSDE within 15 days from the date of issue of these minutes.</p>

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	26 th SCAA Remark
(1)	(2)	(3)	(4)	(5)
			<p>land for the use of ITI purpose</p> <p>6. Electricity consumption is huge and it is a new ITI, school activities is also mentioned in the campus.</p> <p>Compliance report from State against the deficiencies raised by the 23rd SCAA</p> <p>The Institute has submitted the following documents.</p> <ol style="list-style-type: none"> 1. Photos of machinery wires are fitted properly. 2. Workshop Photos of profiled industrial roof sheets & Clarification. 3. Photos of Safety mat & Tax Invoice bill 4. Photos of work done on Engraving on machinery 5. Resolution regarding embarkation of land & building for uses for ITI. 6. Photos of replacement of faulty old meter and installation of new meter. 	

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	26 th SCAA Remark
(1)	(2)	(3)	(4)	(5)
			<p>The Directorate has verified the institute's submitted documents & Photos. It is as per norms.</p> <p>Hence Recommended for-</p> <ul style="list-style-type: none"> a) Electrician- 2 (1+1) b) Wireman-2(1+1) c) Fitter- 2(1+1) d) Solar Technician (Electrical)- 2(1+1) e) Fashion Design and Technology- 2(1+1) <p>24th SCAA Remark-</p> <p>This case is reviewed in 24th SCAA remark of that was as follows-</p> <p>SCAA observed that, despite the opportunity provided in the 23rd SCAA, half of the workshop wall continues to be made of a tin shed/prefabricated structure, which is not in conformity with the prescribed norms. Accordingly, SCAA decided that senior officers from the State Directorate and RDSDE shall conduct a fresh joint</p>	

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	26 th SCAA Remark
(1)	(2)	(3)	(4)	(5)
			<p>inspection of the ITI and submit a detailed report with recommendations to DGT within 30 days. Thereafter the case shall be placed in next SCAA.</p> <p>Compliance report from State against the deficiencies raised by the 24th SCAA</p> <ol style="list-style-type: none"> 1. NCVT final Remark-Deficiency has been rectified by ITI and same has been verified. Hence Upheld the recommendations of trades and units in earlier inspection. 2. SCVT Final Remark-Deficiency has been rectified by ITI as observed by 23rd SCAA and same has been verified <ol style="list-style-type: none"> a) Wires fitted properly b) Full wall has been constructed in Workshop c) Safety Mat provided 	
12.	Government Industrial Training Institute Sadak Arjuni	1. Electrician-3(1+2)	22nd SCAA Remark-	SCAA recommended the following trades:

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	26 th SCAA Remark
(1)	(2)	(3)	(4)	(5)
	GR27000451 Grading:8.30 State: Maharashtra	2. Turner - 2(1+1)	<p>This case was first placed in 22nd SCAA meeting, remarks of that was as follows:</p> <p>Applicant needs to remove the following deficiencies and submit the documents to the concerned State Directorate within 30 days from the date of issue of these minutes through the Compliance module on NIMI affiliation portal.</p> <p>Thereafter, concerned State Directorate will verify the documents submitted by the ITI and submit the report with recommendation to DGT within the next 15 days on the online compliance module.</p> <p>Deficiencies observed in 22nd SCAA</p> <p>1. Fire safety certificate not available</p> <p>Compliance report from State against the deficiencies raised by the 22nd SCAA</p>	1. Electrician-3(1+2) 2. Turner -2(1+1)

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	26 th SCAA Remark
(1)	(2)	(3)	(4)	(5)
			<p>The stipulated time period has expired, and the institute has not submitted any compliance.</p> <p>24th SCAA Remark-</p> <p>The case was again reviewed in 24th SCAA, remark of that was as follows:</p> <p>Despite being given opportunity in SCAA meetings, the institute failed to remove the identified deficiencies. The decisions and directions from each of these meetings were uploaded on the public domain and also communicated to the applicant through the NIMI Affiliation Portal via the registered email ID. Therefore, the applicant institute is required to submit its clarification/representation along with supporting documents, explaining why its application for affiliation should not be rejected, and to furnish rectification/compliance documents within a stipulated period of 15 days. Failure to submit satisfactory and</p>	

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	26 th SCAA Remark
(1)	(2)	(3)	(4)	(5)
			<p>verifiable compliance within the prescribed time will result in the rejection of the application.</p> <p>Compliance report against 24th SCAA</p> <p>Fire Safety Certificate is now available, signed by Chief Executive Officer.</p>	
13.	<p>R D Y Private Industrial Training Institute, FIROZABAD</p> <p>TMP9143PR1580202483</p> <p>State: Uttar Pradesh</p>	<ol style="list-style-type: none"> 1. Electrician-6(2+2+2) 2. Fitter-6(2+2+2) 3. Health Sanitary Inspector-3(1+1+1) 4. Plumber-3(1+1+1) 	<p>22nd SCAA Remark-</p> <p>This case was first placed in the 22nd SCAA meeting, remarks of that was as follows:</p> <p>Applicant needs to remove the following deficiencies and submit the documents to the concerned State Directorate within 30 days from the date of issue of these minutes through the Compliance module on NIMI affiliation portal.</p> <p>Thereafter, concerned State Directorate will verify the documents submitted by the ITI and submit the report with recommendation to DGT within the next 15 days on the online compliance module.</p>	<p>SCAA recommended the following trades:</p> <ol style="list-style-type: none"> 1. Electrician -4(2+2) 2. Fitter-4(2+2) 3. Health Sanitary Inspector-2(1+1) 4. Plumber-2(1+1)

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	26 th SCAA Remark
(1)	(2)	(3)	(4)	(5)
			<p>Deficiencies observed in 22nd SCAA</p> <p>1. Proper installation of wiring in the workshops.</p> <p>Compliance report from State against the deficiencies raised by the 22nd SCAA</p> <p>1. The State Directorate submitted photographs of the workshop with proper wiring and stated that, as per the attached documents, the compliance issues have been resolved by the respective institute.</p> <p>2. However, one complaint was received against this institute, and for its verification, the matter was forwarded to the State Directorate on 09.07.2025, with a reminder sent on 29.08.2025. Till now, no compliance report has been received in this regard.</p> <p>Remark of 24th SCAA</p>	

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	26 th SCAA Remark
(1)	(2)	(3)	(4)	(5)
			<p>This case was reviewed in 24th SCAA, remark of that was as follows:</p> <p>During the approval process, a complaint was received against this Institute regarding the submission of forged documents. Considering the seriousness of the allegation, the matter was forwarded to the concerned State Directorate on 09.07.2025 for verification, with a reminder issued on 29.08.2025. To date, no compliance report has been received.</p> <p>The State Directorate and RDSDE are require to submit the verification report within seven days from the date of issuance of these minutes.</p> <p>Compliance report from State against the deficiencies raised by the 24th SCAA</p> <p>1. State has submitted that, the building of the institute was constructed in 2020 and</p>	

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	26 th SCAA Remark
(1)	(2)	(3)	(4)	(5)
			<p>2021 but due to Corona period and due to non-confirmation of BG, the inspection could not be done.</p> <p>2. The inspection dated 14.07.2025 was carried out by the Standing Committee.</p> <p>3. In the meeting of the SCAA held on 16.06.2025, the NC of wiring deficiency was fixed, after which the report has been sent to the State Directorate after inspection to the concerned officer.</p> <p>4. Observations of the Inspection Committee-</p> <p>a) Furniture, tools, machinery were found almost complete.</p> <p>b) Electrical verification, B.C.C. certificate is available</p> <p>c) The basic structure of the institute was found to be complete.</p> <p>d) The above complaint is made out to be malicious which is far from reality.</p> <p>Therefore, it is recommended.</p>	

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	26 th SCAA Remark
(1)	(2)	(3)	(4)	(5)
14.	Dr. Harivansh Rai Bachchan Pvt. ITI Unnao PR09901354 Grading-6.4 State: Uttar Pradesh	1. Draughtsman (Civil)-3(1+1+1) 2. Footwear Maker-3(1+1+1) 3. Leather Goods Maker-3(1+1+1) 4. Electrician (Existing)-3(1+1+1)	<p>Remark of 23rd SCAA-</p> <p>This case was first placed in the 23rd SCAA meeting, remarks of that was as follows:</p> <p>Applicant Institute needs to remove the following deficiencies and submit the required documents within 15 days from the date of issue of these minutes in the compliance module on NIMI affiliation portal.</p> <p>Thereafter, the State Directorate and RDSDE will have to conduct a fresh joint inspection of the ITI and submit the report to DGT with recommendations within the next 07 days.</p> <p>Deficiencies observed in 23rd SCAA</p> <ol style="list-style-type: none"> 1. New trades not Recommended due to Electricity meter was not available due to burning. 2. Drawing Hall available but furniture in drawing Hall not available as per norms. 	<p>SCAA recommended the following trades:</p> <ol style="list-style-type: none"> 1. Draughtsman (Civil)- 2(1+1) 2. Footwear Maker- 2(1+1) 3. Leather Goods Maker- 2(1+1) 4. Electrician- 2(1+1)

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	26 th SCAA Remark
(1)	(2)	(3)	(4)	(5)
			<p>3. IT LAB available but there were laptop instead of desktop computers.</p> <p>4. Meter sealing certificate/ Electricity bills uploaded, Electricity meter was not available due to burning.</p> <p>5. Staff is partially available, recruitment is underway.</p> <p>6. Sewing Machines in Footwear maker and Leather goods maker trades not available as per syllabus.</p> <p>7. Drawing table in D/Man civil trade not available as per norms.</p> <p>8. Drawing Hall not as per norms</p> <p>9. IT lab not as per norms</p> <p>10. ITI bill in the name of the society</p> <p>Compliance report from RDSDE against the deficiencies raised by the 23rd SCAA</p> <p>RDSDE has submitted that the institute has rectified all the deficiencies, which have been verified by the Inspection</p>	

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	26 th SCAA Remark
(1)	(2)	(3)	(4)	(5)
			<p>Committee members for affiliation.</p> <p>The Inspecting Committee has also recommended an additional 2 units for the Electrician trade (1+1).</p> <p>As per discussion in 26th SCAA, the state directorate has forwarded the NOC and bank guarantee of the ITI vide its letter dated 22.01.2026 worth Rs 6 Lakh issued by Bank of India.</p>	
15.	<p>Gandhi Private ITI, Jhansi, Uttar Pradesh</p> <p>PR09001927</p> <p>Grading: 6.30</p> <p>State: Uttar Pradesh</p>	<p>1. Electrician-36(12+12+12)</p> <p>2. Fitter-6(2+2+2)</p>	<p>18th SCAA Remark:</p> <p>This case was initially placed in the 18th SCAA meeting, remark of that was as follows:</p> <p>Applicant Institute needs to remove the deficiencies mentioned below, and submit the required documents within 30 days from the date of issue of this minute in Compliance module on NIMI affiliation portal.</p>	<p>The applicant ITI has sought substantially high number of units in Electrician trades and the deficiencies are yet to be rectified.</p> <p>Therefore, as a last opportunity, the ITI needs to remove the deficiencies mentioned by the inspection conducted on 03.12.2025 and the remarks given against the compliance report of 24th SCAA in column (4) and submit the documents to the concerned RDSDE within 30 days from the date of issue of these minutes through the</p>

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	26 th SCAA Remark
(1)	(2)	(3)	(4)	(5)
			<p>Thereafter, Senior Officer at the level of Director/Joint Director from State and RDSDE will verify the removal of deficiencies by conducting a joint inspection of the ITI and submit the report with recommendations to DGT within the next 15 days in the Compliance module on the NIMI affiliation portal.</p> <p>Deficiencies observed in the 18th SCAA-</p> <ol style="list-style-type: none"> 1. Building plan not available 2. For fitter trade instructors are not appointed 3. For Electrician trades against requirement of 36 only 21 are appointed 4. Power is not sufficient <p>Power required- 50.31 KW</p> <p>Power available - 47 KVA= 47*.9=42.3</p>	<p>compliance module on NIMI affiliation portal.</p> <p>Thereafter, concerned RDSDE and State Directorate will conduct joint verification of the compliance documents by a senior level officer preferably in the rank of Joint Director with clear recommendation of trade/units. RDSDE will submit the report to DGT within the next 15 days on the online compliance module.</p> <p>If the institute fails to remove the deficiencies within the stipulated time, the affiliation proposal shall not be considered further and will be rejected without any further notice from DGT.</p>

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	26 th SCAA Remark
(1)	(2)	(3)	(4)	(5)
			<p>5. Electricity Bill is on the name of individual person, which is not as per norms</p> <p>Compliance report from RDSDE against the deficiencies raised by the 18th SCAA</p> <p>The stipulated time period has expired, and the institute has not submitted any compliance.</p> <p>24th SCAA Remark-</p> <p>The case was again reviewed in 24th SCAA, remark of that was as follows:</p> <p>Despite being given opportunity in SCAA meetings, the institute failed to remove the identified deficiencies. The decisions and directions from each of these meetings were uploaded on the public domain and also communicated to the applicant through the NIMI Affiliation Portal via the registered email ID.</p>	

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	26 th SCAA Remark
(1)	(2)	(3)	(4)	(5)
			<p>Therefore. the applicant institute is required to submit its clarification/representation along with supporting documents, explaining why its application for affiliation should not be rejected, and to furnish rectification/compliance documents within a stipulated period of 15 days.</p> <p>Failure to submit satisfactory and verifiable compliance within the prescribed time will result in the rejection of the application.</p> <p>Compliance report against 24th SCAA remarks:</p> <p>A joint inspection was carried out on 03.12.2025 by the senior official of Joint Directors of the state and RDSDE to verify the compliance of 24th SCAA and provided the following remarks-</p> <ol style="list-style-type: none"> 1. Building Plan is approved by registered Architect and approved by Sachiv, Gram 	

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	26 th SCAA Remark
(1)	(2)	(3)	(4)	(5)
			<p>Pradhan, Ambavay Panchayat</p> <p>2. For Fitter trade, the ITI proposes to surrender the trade. Application in this regard submitted to NCVT.</p> <p>3. The ITI now says that it proposes 10+10+0 units of Electrician trade. Hence, only 20 instructors are required to run aforementioned trades. However, only 04 instructors are physically present. Appointment letters are claimed to have been submitted during previous inspections.</p> <p>4. For 10+10+0 units of electrician (proposed) and 06 units of electrician already running, it is claimed that power requirement is of 41.6 KW. The power available is of 47 KVA. With fitter trade surrendered, it is claimed to be sufficient.</p> <p>5. The electric bill is presented in the name of Gandhi Pvt. ITI.</p>	

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	26 th SCAA Remark
(1)	(2)	(3)	(4)	(5)
			<p>Other Observation: IT Lab:</p> <p>6. 10 computers available out of which 01 working. No internet facility available for the IT Lab.</p> <p>7. Machines are not properly installed and lack basic grouting. Earthing/Grounding is not done.</p> <p>8. Aadhar Based Biometric Attendance system is not available in the premises.</p> <p>9. A degree college is functional in the adjacent building in the same premises.</p> <p>10. No trainees are available even in the earlier affiliated 06 units of Electrician during the working hours/during inspection, Attendance records not presented either.</p>	
16.	DR. APJ Kalam Private Industrial Training Institute	1. Electrician - 6(2+2+2)	18th SCAA Remarks –	SCAA recommended for the following trades:

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	26 th SCAA Remark
(1)	(2)	(3)	(4)	(5)
	<p>Jhansi Private Industrial Training Institute, Jhansi, Uttar Pradesh</p> <p>PU09900352</p> <p>Grading: 8.5</p> <p>State: Uttar Pradesh</p>		<p>This case was initially placed in the 18th SCAA meeting, remark of that was as follows:</p> <p>Applicant institute needs to remove the following deficiency and submit the documents to the concerned State within 30 days from the date of issue of this minute through NIMI compliance portal</p> <ol style="list-style-type: none"> 1. Fire safety certificate is expired. 2. Only 03 instructor details are provided against the required 10 for new as well as existing trades. <p>Thereafter, the State will verify the documents submitted and send the report with recommendation to DGT within the next 15 days through NIMI compliance portal.</p> <p>Compliance against 18th SCAA</p>	<p>Electrician-4(2+2)</p>

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	26 th SCAA Remark
(1)	(2)	(3)	(4)	(5)
			<p>1. NOC is not validated by the Fire NOC Portal. "Fire NOC id does not exist" message is displayed on the Portal.</p> <p>2. Instructor details uploaded by the applicant is not legible completely.</p> <p>State Description: Fire NOC is not as per norms.</p> <p>21st SCAA Remark-</p> <p>This case was again reviewed in 21st SCAA, remark of that was as follows-</p> <p>SCAA has observed that the institute has not fully addressed the deficiencies indicated during the previous SCAA meeting. The following deficiencies are still pending:</p> <p>1. Fire safety certificate is not as per norms.</p> <p>SCAA has decided to grant a final opportunity to the institute to remove the above deficiencies and submit the</p>	

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	26 th SCAA Remark
(1)	(2)	(3)	(4)	(5)
			<p>necessary supporting documents through the Compliance module on the NIMI Affiliation Portal within 30 days from the date of issue of these minutes.</p> <p>Subsequently, the State Directorate shall verify the compliance and submit its report along with recommendations to DGT through the Compliance module within the next 15 days.</p> <p>Failure to comply within the stipulated timeline will result in rejection of the affiliation application.</p> <p>Compliance against 21st SCAA-</p> <p>Fire Safety Certificate is submitted by the institute. (Signed by Chief Fire Officer)</p>	
17.	S R Technical College Firozabad TMP9143PU1647866906	1. Computer Operator and Programming Assistant -2(1+1)	24th SCAA Remark- This case was initially placed in the 24 th SCAA meeting, remark of that was as follows:	SCAA recommended the following trades:

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	26 th SCAA Remark
(1)	(2)	(3)	(4)	(5)
	State: Uttar Pradesh	2. Electrician- 9(3+3+3) 3. Fitter- 6(2+2+2) 4. Solar Technician (Electrical)- 2(1+1)	<p>The institute does not fulfill the mandatory criteria of offering four trades required for a new ITI.</p> <p>Applicant institute needs to remove the deficiencies of Solar technician (Electrical) trade as mentioned below and submit the documents to the concerned RDSDE within 30 days from the date of issue of these minutes through the compliance module on NIMI affiliation portal.</p> <p>Availability and installation of machinery in trade Solar Technician (Electrical)</p> <p>Thereafter, concerned State Directorate and RDSDE will conduct reinspection and submit the report with recommendation to DGT within the next 15 days on the online compliance module.</p> <p>Deficiencies observed in the 24th SCAA-</p>	1. Computer Operator and Programming Assistant (COPA)- 2(1+1) 2. Electrician- 6(3+3) 3. Fitter- 4(2+2) 4. Solar Technician (Electrical)- 2(1+1)

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	26 th SCAA Remark
(1)	(2)	(3)	(4)	(5)
			<p>1. Solar technician (Electrical) machinery available but not installed properly.</p> <p>2. Recommendations for all applicable trade and units as - Electrician 6(3+3), Fitter 4(2+2), Computer Operator and Programming Assistant (COPA)- 2(1+1)</p> <p>Compliance report has been received from the concerned RDSDE against the deficiencies raised by the SCAA in its 24th SCAA</p> <p>RDSDE mentions that machinery in trade Solar Technician (Electrical) has been installed.</p>	
18.	<p>Ajay Private ITI Sonbhadra</p> <p>TMP9184PR1648100357</p> <p>State: Uttar Pradesh</p>	<p>1. Fitter -1(1+0)</p> <p>2. Electrician - 1(1+0)</p> <p>3. Welder- 1(1+0)</p> <p>4. Computer Operator and Programming Assistant</p>	<p>23rd SCAA Remarks-</p> <p>This case was initially placed in the 23rd SCAA meeting, remark of that was as follows:</p> <p>Upon scrutiny of the documents and inspection findings, the SCAA has noted serious deficiencies as listed in column (4) & (5).</p>	<p>SCAA observed that the following major deficiencies continue to persist in the institute:</p> <p>1. The Electricity Connection was not made completely as per norms</p> <p>2. The machineries in Electrician, Fitter, Computer Operator and Programming</p>

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	26 th SCAA Remark
(1)	(2)	(3)	(4)	(5)
		(COPA)- 1(1+0)	<p>The applicant institute is required to submit its clarification/representation along with supporting documents, explaining why its application for affiliation should not be rejected, and to furnish rectification/compliance documents within a stipulated period of 15 days.</p> <p>Failure to submit satisfactory and verifiable compliance within the prescribed time will result in the rejection of the application.</p> <p>Deficiency observed in 23rd SCAA</p> <p>Not Recommended: ITI not fit as per norms</p> <p>Remarks:</p> <p>1. 3 phase supply was missing and wiring was not as per load.</p> <p>2. Machinery partially available. Machinery installations are not</p>	<p>Assistant, Welder Workshop are not made fully available.</p> <p>3. Welder Class Room: Available Drawing hall: Drawing class found but Drawing tables were not found.</p> <p>4. The deficiencies in IT lab were not rectified.</p> <p>5. Drawing hall is not made as per norms</p> <p>6. Building used for ITI was not found as per approved drawing. As per drawing first floor plan proposed and Under Construction</p> <p>7. The infrastructure like building plan is not made available as per norms.</p> <p>8. Rest the ICVC in its report has mentioned other serious infrastructural deficiencies such is building is not made as per approved plan, fire safety certificate etc.</p> <p>In view of the above, SCAA noted that despite repeated opportunities granted in the 23rd</p>

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	26 th SCAA Remark
(1)	(2)	(3)	(4)	(5)
			<p>proper. welder workshop not available.</p> <p>3. Welder room, Drawing hall and some other related sections not available.</p> <p>4. Valid Fire safety certificate not available.</p> <p>5. Only few computers were available and found working.</p> <p>6. IT lab and Drawing hall not available as per norms.</p> <p>7. Only single-phase connection is available.</p> <p>8. Land document not registered, not as per norms</p> <p>9. Building used for ITI is not as per norms, and under construction. as per map first floor is not completed.</p> <p>10. BCC is not as per norms</p> <p>11. Leased document is not notarized,</p>	<p>& 24th SCAA meetings, the institute consistently failed to remove the identified deficiencies. The decisions and directions from each of these meetings were uploaded on the public domain and also communicated to the applicant through the NIMI Affiliation Portal via the registered email ID.</p> <p>In view of the persistent non-compliance and lack of any substantive corrective measures by the applicant, the application for affiliation is hereby <i>“Rejected”</i>.</p> <p>ITI has liberty to apply a fresh in accordance with the new affiliation norms of 2025 released on 18.12.2025.</p>

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	26 th SCAA Remark
(1)	(2)	(3)	(4)	(5)
			<p>12. Power shortage-</p> <p>Available: 5 KW</p> <p>Required: 30.21 KW</p> <p>15. Building plan also not available.</p> <p>Reply from the institute is received on dated 20.08.2025</p> <p>24th SCAA Remark-</p> <p>This case was again reviewed in 24th SCAA, remark of that was as follows:</p> <p>The case of Ajay Private ITI, Sonbhadra (TMP9184PR1648100357) was considered by the SCAA in its 23rd meeting.</p> <p>The SCAA observed that the reply/clarification submitted by the institute requires verification; therefore, a re-inspection of the institute shall be conducted jointly by the RDSDE and the State</p>	

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	26 th SCAA Remark
(1)	(2)	(3)	(4)	(5)
			<p>Directorate. The inspection team shall specifically verify the rectification of the deficiencies observed during the 23rd SCAA.</p> <p>The inspection team shall submit a factual and comprehensive compliance verification report to the SCAA within 30 days from the date of issue of these minutes.</p> <p>Compliance report from RDSDE against the deficiencies raised by the 24th SCAA</p> <ol style="list-style-type: none"> 1. 31 KW Electricity Connection with Transformer found but Electricity meter not found physically. 2. Electrician, Fitter, COPA, Welder Workshop: Machinery Partially available & Few Machineries Installation are not proper as per norms. 3. Welder Class Room: Available Drawing hall: Drawing class found but 	

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	26 th SCAA Remark
(1)	(2)	(3)	(4)	(5)
			<p>Drawing tables were not found.</p> <p>4. Fire Safety certificate available.</p> <p>5. 11 Computer found physically in computer Lab</p> <p>6. IT Lab: IT Lab Class found but No computer found in IT Lab. Drawing hall: Drawing class found but Drawing Tables was not found.</p> <p>7. Land Documents found as per Norms</p> <p>8. Building Used for ITI was not found as per approved drawing. As per Drawing first floor plan proposed and Under Construction</p> <p>9. BCC Certificate available.</p> <p>10. Leased Document available</p> <p>11. All Workshop found but workshop was not found as per approved drawing</p>	
19.	<p>Maa Shanti Private ITI, Address Village Babuganj, District Allahabad State Uttar Pradesh Pincode 212402</p> <p>PR09900954</p>	<p>1. Electrician 6(2+2+2)</p>	<p>22nd SCAA Remark-</p> <p>This case was initially placed in the 22nd SCAA meeting, remark of that was as follows:</p>	<p>SCAA recommended the following trades:</p> <p>1. Electrician-4(2+2)</p>

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	26 th SCAA Remark
(1)	(2)	(3)	(4)	(5)
	Grading:6.5 State: Uttar Pradesh		<p>Applicant needs to remove the following deficiencies and submit the documents to the concerned State Directorate within 30 days from the date of issue of these minutes through the Compliance module on NIMI affiliation portal.</p> <p>Thereafter, concerned State Directorate will verify the documents submitted by the ITI and submit the report with recommendation to DGT within the next 15 days on the online compliance module.</p> <p>Deficiencies observed in the 22nd SCAA-</p> <ol style="list-style-type: none"> 1. Land Lease as per norms 2. Electricity Bill on the name of institute <p>Compliance against 22nd SCAA-</p> <p>The stipulated time period has expired, and the institute has not submitted any compliance.</p>	

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	26 th SCAA Remark
(1)	(2)	(3)	(4)	(5)
			<p>24th SCAA Remark-</p> <p>The case was again reviewed in 24th SCAA, remark of that was as follows:</p> <p>Despite being given opportunity in SCAA meetings, the institute failed to remove the identified deficiencies. The decisions and directions from each of these meetings were uploaded on the public domain and also communicated to the applicant through the NIMI Affiliation Portal via the registered email ID.</p> <p>Therefore. the applicant institute is required to submit its clarification/representation along with supporting documents, explaining why its application for affiliation should not be rejected, and to furnish rectification/compliance documents within a stipulated period of 15 days. Failure to submit satisfactory and verifiable compliance within the</p>	

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	26 th SCAA Remark
(1)	(2)	(3)	(4)	(5)
			<p>prescribed time will result in the rejection of the application.</p> <p>Compliance report against 24th SCAA</p> <p>The State Directorate has submitted letter dated 24.07.2025 from the Principal, Government Industrial Training Institute (ITI), Naini, Prayagraj, regarding renewal of the lease deed of the institution and change of the name of the institute in the Electricity Bill. As per the letter the deficiencies have been rectified.</p>	
20.	<p>Shri Ganesh Private ITI , Address Vill.- Thariya, Post - Utraon, District Allahabad State Uttar Pradesh Pincode 221508</p> <p>PR09900985</p> <p>Grading: 5.8</p>	1. Electrician 6(2+2+2)	<p>22nd SCAA Remark-</p> <p>This case was initially placed in the 22nd SCAA meeting, remark of that was as follows:</p> <p>Applicant needs to remove the following deficiencies and submit the documents to the concerned State Directorate within 30 days from the date of issue of these minutes through the Compliance module on NIMI affiliation portal.</p>	<p>SCAA recommended the following trades:</p> <p>1. Electrician-4(2+2)</p>

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	26 th SCAA Remark
(1)	(2)	(3)	(4)	(5)
	<p>State: Uttar Pradesh</p>		<p>1. Land Lease as per norms. 2. Electricity Bill as per norms.</p> <p>Thereafter, concerned State Directorate will verify the documents submitted by the ITI and submit the report with recommendation to DGT within the next 15 days on the online compliance module.</p> <p>Compliance against 22nd SCAA-</p> <p>The stipulated time period has expired, and the institute has not submitted any compliance.</p> <p>24th SCAA Remark-</p> <p>The case was again reviewed in 24th SCAA, remark of that was as follows:</p> <p>Despite being given opportunity in SCAA meetings, the institute failed to remove the identified deficiencies. The decisions and directions from each of these meetings were uploaded on the public domain and also</p>	

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	26 th SCAA Remark
(1)	(2)	(3)	(4)	(5)
			<p>communicated to the applicant through the NIMI Affiliation Portal via the registered email ID.</p> <p>Therefore, the applicant institute is required to submit its clarification/representation along with supporting documents, explaining why its application for affiliation should not be rejected, and to furnish rectification/compliance documents within a stipulated period of 15 days. Failure to submit satisfactory and verifiable compliance within the prescribed time will result in the rejection of the application.</p> <p>Compliance against 24th SCAA Remark submitted by the State</p> <p>The State Directorate has submitted letter dated 29.07.2025 from the Principal, Government Industrial Training Institute (ITI), Naini, Prayagraj, regarding renewal of the lease deed of the institution and change of the name of the</p>	

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	26 th SCAA Remark
(1)	(2)	(3)	(4)	(5)
			institute in the Electricity Bill. As per the letter the deficiencies have been rectified.	
21.	<p>Maa Narama Private ITI Vill- Hafijpur Tehsil Sadar, Dist Azamgarh, Uttar Pradesh – 276001</p> <p>PR09901355</p> <p>Grading:0</p> <p>State: Uttar Pradesh</p>	<p>1. Computer Operator and Programming Assistant - 3(1+1+1)</p> <p>2. Electrician - 3(1+1+1)</p> <p>3. Fitter - 3(1+1+1)</p> <p>4. Health Sanitary Inspector - 3(1+1+1)</p>	<p>Background of the case-</p> <p>1 The State Directorate of Uttar Pradesh, vide letter dated 17.08.2021, reported cases of submission of fake bank guarantees by certain ITIs.</p> <p>2 The matter was placed before the 3rd SCAA at agenda point 3.8 in its meeting held on 07.09.2021, wherein the applications were rejected, and rejection orders were issued by DGT on 17.09.2021.</p> <p>3 Aggrieved ITIs approached the Hon'ble High Court of Uttar Pradesh (Allahabad and Lucknow Benches), which granted interim relief in various cases, directing that no coercive action be taken, subject to deposit of Rs. 50,000/- per unit bank guarantee.</p> <p>4 Subsequently, the State Directorate, Uttar Pradesh, forwarded a list of 79 ITIs</p>	<p>These matters were reopened pursuant to the recommendation of the State Directorate and in compliance with the directions of the Hon'ble Court for submission of a fresh bank guarantee to the State Directorate.</p> <p>SCAA after due consideration, observed that despite multiple opportunities granted in the 3rd, 10th, 14th, and 20th SCAA meetings, the applicant institute consistently failed to rectify the identified deficiencies. The decisions and directions issued during these meetings were duly uploaded on the public domain and communicated to the applicant institute through the NIMI Affiliation Portal via its registered email ID.</p> <p>It is further noted that, in compliance with the decision of the 20th SCAA meeting, a show cause notice dated 08.04.2025 was issued to the applicant ITI. Although the institute submitted</p>

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	26 th SCAA Remark
(1)	(2)	(3)	(4)	(5)
			<p>on 11.01.2023 and sought reconsideration based on fresh bank guarantees. The matter was discussed in the 10th SCAA meeting held on 16.06.2023, wherein it was informed that a decision would be taken after completion of vigilance proceedings by the State Government.</p> <p>5 Thereafter, DGT sought consolidated remarks and recommendations from the State Directorate vide letter dated 06.11.2023. The issue was further examined in the 14th SCAA meeting held on 28.02.2024, wherein SSDEC was empowered to make recommendations in de-affiliation matters, subject to verification of bank guarantees and joint inspection.</p> <p>6 In compliance, the State Directorate submitted a list of 56 ITIs whose bank guarantees were found correct in terms of Hon'ble Court directions. This case was included in that list and</p>	<p>its reply, the same was found unsatisfactory. Major deficiencies relating to machinery, infrastructure, and fire safety continued to persist at the institute.</p> <p>Further, these applications cannot be kept open indefinitely for compliance. The applicant institute was provided sufficient opportunities and reasonable timelines to rectify the deficiencies; however, the institute failed to take any substantive corrective measures to address and rectify the identified deficiencies.</p> <p>In view of the persistent non-compliance and lack of any substantive corrective measures by the applicant, the application for affiliation is hereby <i>Rejected</i>.</p> <p>ITI has liberty to apply a fresh in accordance with the new</p>

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	26 th SCAA Remark
(1)	(2)	(3)	(4)	(5)
			<p>placed before the meeting held on 21.08.2024, wherein it was decided that this institute was de-affiliated by the DGT and is not running from last 03 years so a joint inspection shall be conducted through the NIMI portal, and to place the inspection-based recommendations before SCAA for final decision.</p> <p>20th SCAA Remark-</p> <p>The case was placed in the 20th SCAA, remark of that was as follows:</p> <p>It has been observed that the applicant institute has failed to comply with the necessary requirements for the affiliation process. The Hon'ble Court had granted relief to the applicant to deposit a fresh bank guarantee with the State Directorate, and accordingly, this case was scheduled for inspection as per the decision taken in the meeting held on 21.08.2024.</p>	<p>affiliation norms of 2025 released on 18.12.2025.</p>

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	26 th SCAA Remark
(1)	(2)	(3)	(4)	(5)
			<p>The minutes of this meeting were also made publicly available on the NCVT portal, and extract of that is placed at Agenda-4, and according to that the applicant was required to be prepared for inspection.</p> <p>However, on the scheduled day of inspection, the following critical deficiencies were observed:</p> <ol style="list-style-type: none"> 1. The institute building was still under construction, rendering it unfit for conducting training. 2. No requisite documents were provided by the institute to the inspecting members. <p>In view of the above non-compliance, the institute is not recommended for affiliation. Before a final decision is taken, the applicant is hereby directed to submit a written justification to DGT within 15 days from the issuance of these minutes,</p>	

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	26 th SCAA Remark
(1)	(2)	(3)	(4)	(5)
			<p>explaining why their application should not be formally rejected.</p> <p>Failure to provide a reply within the stipulated timeframe will result in the rejection of the affiliation application without further consideration.</p> <p>Compliance against 20th SCAA</p> <ol style="list-style-type: none"> 1 The notice was issued to the applicant institute on 08.04.2025, directing it to submit a clarification within 15 days. The last date for submission of the reply was 23.04.2025. 2 The institute has submitted reply dated 23.04.2025 stating that the building is not under construction and enclosed certain documents. <p>On scrutiny of the compliance, the following deficiencies are observed at DGT level:</p> <ol style="list-style-type: none"> 1. Land lease document is not proper (lease expiry date and ITI name not mentioned). 	

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	26 th SCAA Remark
(1)	(2)	(3)	(4)	(5)
			2. Approved building plan not submitted. 3. Fire Safety Certificate not submitted. 4. Instructor details incomplete. 5. Machinery purchase bills and images of Machines not submitted. 6. Photographs of mandatory amenities not submitted. 7. Geo tagged photos not attached. 8. Meter sealing report not available The compliance is incomplete and not in accordance with the prescribed norms.	
22.	Shri Durga Ji Pvt ITI Village Sehda, Post Mahrajpur, Tehsil Sadar, Dist Azamgarh – 276135 PR09901358 Grading:0	1. Computer Operator and Programming Assistant-3(1+1+1) 2. Draughtsman (Mechanical)-3(1+1+1) 3. Electrician-3(1+1+1)	1. The State Directorate of Uttar Pradesh, vide letter dated 17.08.2021, reported cases of submission of fake bank guarantees by certain ITIs. The matter was placed before the 3rd SCAA at agenda point 3.8 in its meeting held on 07.09.2021, wherein the applications were rejected, and rejection orders were issued by DGT on 17.09.2021.	These matters were reopened pursuant to the recommendation of the State Directorate and in compliance with the directions of the Hon'ble Court for submission of a fresh bank guarantee to the State Directorate. SCAA after due consideration, observed that despite multiple opportunities granted in the 3rd, 10th, 14th, and 20th SCAA meetings, the applicant institute

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	26 th SCAA Remark
(1)	(2)	(3)	(4)	(5)
	<p align="center">State: Uttar Pradesh</p>	<p>4. Welder - 3(1+1+1)</p>	<p>2. Aggrieved ITIs approached the Hon'ble High Court of Uttar Pradesh (Allahabad and Lucknow Benches), which granted interim relief in various cases, directing that no coercive action be taken, subject to deposit of Rs. 50,000/- per unit.</p> <p>3. Subsequently, the State Directorate, Uttar Pradesh, forwarded a list of 79 ITIs on 11.01.2023 and sought reconsideration based on fresh bank guarantees. The matter was discussed in the 10th SCAA meeting held on 16.06.2023, wherein it was informed that a decision would be taken after completion of vigilance proceedings by the State Government.</p> <p>4. Thereafter, DGT sought consolidated remarks and recommendations from the State Directorate vide letter dated 06.11.2023. The issue was further examined in the 14th SCAA meeting held on 28.02.2024, wherein SSDEC was empowered to</p>	<p>consistently failed to rectify the identified deficiencies. The decisions and directions issued during these meetings were duly uploaded on the public domain and communicated to the applicant institute through via its registered email ID.</p> <p>It is further noted that, in compliance with the decision of the 20th SCAA meeting, a show cause notice dated 08.04.2025 was issued to the applicant ITI. Although the institute submitted its reply, the same was found unsatisfactory as the reply was submitted without mentioning any subject and without enclosing supporting documents.</p> <p>Further, these applications cannot be kept open indefinitely for compliance. The applicant institute was provided sufficient opportunities and reasonable timelines to rectify the deficiencies; however, the institute failed to take any substantive corrective measures</p>

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	26 th SCAA Remark
(1)	(2)	(3)	(4)	(5)
			<p>make recommendations in de-affiliation matters, subject to verification of bank guarantees and joint inspection.</p> <p>5. In compliance, the State Directorate submitted a list of 56 ITIs whose bank guarantees were found correct in terms of Hon'ble Court directions. This case was included in that list and placed before the meeting held on 21.08.2024, wherein it was decided that this institute was de-affiliated by the DGT and is not running from last 03 years, so a joint inspection shall be conducted through the NIMI portal, and to place the inspection-based recommendations before SCAA for final decision.</p> <p>20th SCAA Remark-</p> <p>The case was placed in the 20th SCAA, remark of that was as follows:</p>	<p>to address and rectify the identified deficiencies.</p> <p>In view of the persistent non-compliance and lack of any substantive corrective measures by the applicant, the application for affiliation is hereby <i>Rejected</i>.</p> <p>ITI has liberty to apply a fresh in accordance with the new affiliation norms of 2025 released on 18.12.2025.</p>

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	26 th SCAA Remark
(1)	(2)	(3)	(4)	(5)
			<p>It has been observed that the applicant institute has failed to meet the essential requirements for the affiliation process. As per the decision taken in the meeting held on 21.08.2024, the applicant was required to be prepared for inspection.</p> <p>However, on the day of inspection, the following critical deficiencies were observed:</p> <ol style="list-style-type: none"> 1. No documents related to the institute land, building, electricity connection, staff has been provided to the inspecting member. 2. No machinery was installed for imparting training. <p>In view of the above non-compliance, the institute is not recommended for affiliation.</p> <p>Before a final decision is taken, the applicant is hereby directed to submit a written justification to DGT within 15 days from the issuance of these minutes,</p>	

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	26 th SCAA Remark
(1)	(2)	(3)	(4)	(5)
			<p>explaining why their application should not be formally rejected.</p> <p>Failure to provide a satisfactory response within the stipulated timeframe will result in the rejection of the affiliation application without further consideration.</p> <p>The notice was issued to the applicant institute on 08.04.2025, directing it to submit a clarification within 15 days. The last date for submission of the reply was 23.04.2025.</p> <p>The institute has submitted a reply without mentioning any subject and without enclosing supporting documents dated 18.08.2025 after the lapse of stipulated time frame to the RDSDE.</p>	
23.	<p>Maa Vaishno Pvt ITI Mahawatgarh, Azamgarh, Uttar Pradesh.</p> <p>Azamgarh – 276124</p> <p>PR09901247</p>	<p>1. Electrician-3(1+1+1)</p> <p>2. Computer Operator and Programming</p>	<p>1. The State Directorate of Uttar Pradesh, vide letter dated 17.08.2021, reported cases of submission of fake bank guarantees by certain ITIs. The matter was placed before the 3rd SCAA at</p>	<p>These matters were reopened pursuant to the recommendation of the State Directorate and in compliance with the directions of the Hon'ble Court for submission</p>

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	26 th SCAA Remark
(1)	(2)	(3)	(4)	(5)
			<p>State Directorate vide letter dated 06.11.2023. The issue was further examined in the 14th SCAA meeting held on 28.02.2024, wherein SSDEC was empowered to make recommendations in de-affiliation matters, subject to verification of bank guarantees and joint inspection.</p> <p>5. In compliance, the State Directorate submitted a list of 56 ITIs whose bank guarantees were found correct in terms of Hon'ble Court directions. This case was included in that list and placed before the meeting held on 21.08.2024, wherein it was decided that this institute was de-affiliated by the DGT and is not running from last 03 years, so a joint inspection shall be conducted through the NIMI portal, and to place the inspection-based recommendations before SCAA for final decision</p>	<p>compliance. The applicant institute was provided sufficient opportunities and reasonable timelines to rectify the deficiencies; however, the institute failed to take any substantive corrective measures to address and rectify the identified deficiencies.</p> <p>In view of the persistent non-compliance and lack of any substantive corrective measures by the applicant, the application for affiliation is hereby <i>Rejected</i>.</p> <p>ITI has liberty to apply a fresh in accordance with the new affiliation norms of 2025 released on 18.12.2025.</p>

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	26 th SCAA Remark
(1)	(2)	(3)	(4)	(5)
			<p>20th SCAA Remark-The case was placed in the 20th SCAA, remark of that was as follows:</p> <p>It has been observed that the applicant institute has failed to meet the essential requirements for the affiliation process. As per the decision taken in the meeting held on 21.08.2024, the applicant was required to be prepared for inspection.</p> <p>However, on the day of inspection, the following critical deficiencies were observed:</p> <ol style="list-style-type: none"> 1. No documents related to the institute land, building, electricity connection, staff has been provided to the inspecting member. 2. No machinery was installed for imparting training. <p>In view of the above non-compliance, the institute is not recommended for affiliation.</p>	

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	26 th SCAA Remark
(1)	(2)	(3)	(4)	(5)
			<p>Before a final decision is taken, the applicant is hereby directed to submit a written justification to DGT within 15 days from the issuance of these minutes, explaining why their application should not be formally rejected.</p> <p>Failure to provide a satisfactory response within the stipulated timeframe will result in the rejection of the affiliation application without further consideration.</p> <p>Compliance against 20th SCAA</p> <p>The notice was issued to the applicant institute on 08.04.2025, directing it to submit a clarification within 15 days. The last date for submission of the reply was 23.04.2025.</p> <p>The institute has submitted reply dated 23.04.2025 stating that the Documents were available at the time of the</p>	

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	26 th SCAA Remark
(1)	(2)	(3)	(4)	(5)
			<p>inspection and enclosed certain documents.</p> <p>On scrutiny of the compliance, the following deficiencies are observed at DGT:</p> <ol style="list-style-type: none"> 1. Building Plan not available 2. Fire Safety certificate not attached 3. Drawing hall image not attached 4. Photos of Machines not attached 5. Geo-tagged photos not attached. 6. Meter sealing report not available 	
24.	<p>Ramesh Krishak Pvt ITI Surai Sathiyano Tehsil Sadar Dist Azamgarh. - Azamgarh – 276406</p> <p>PR09901248</p> <p>Grading:0</p> <p>State: Uttar Pradesh</p>	<ol style="list-style-type: none"> 1. Computer Operator and Programming Assistant- 3(1+1+1) 2. Electrician- 3(1+1+1) 3. Fitter - 3(1+1+1) 4. Sewing Technology- 3(1+1+1) 	<ol style="list-style-type: none"> 1. The State Directorate of Uttar Pradesh, vide letter dated 17.08.2021, reported cases of submission of fake bank guarantees by certain ITIs. The matter was placed before the 3rd SCAA at agenda point 3.8 in its meeting held on 07.09.2021, wherein the applications were rejected, and rejection orders were issued by DGT on 17.09.2021. 	<p>These matters were reopened pursuant to the recommendation of the State Directorate and in compliance with the directions of the Hon'ble Court for submission of a fresh bank guarantee to the State Directorate.</p> <p>SCAA after due consideration, observed that despite multiple opportunities granted in the 3rd, 10th, 14th, and 20th SCAA meetings, the applicant institute</p>

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	26 th SCAA Remark
(1)	(2)	(3)	(4)	(5)
			<p>2. Aggrieved ITIs approached the Hon'ble High Court of Uttar Pradesh (Allahabad and Lucknow Benches), which granted interim relief in various cases, directing that no coercive action be taken, subject to deposit of Rs. 50,000/- per unit.</p> <p>3. Subsequently, the State Directorate, Uttar Pradesh, forwarded a list of 79 ITIs on 11.01.2023 and sought reconsideration based on fresh bank guarantees. The matter was discussed in the 10th SCAA meeting held on 16.06.2023, wherein it was informed that a decision would be taken after completion of vigilance proceedings by the State Government.</p> <p>4. Thereafter, DGT sought consolidated remarks and recommendations from the State Directorate vide letter dated 06.11.2023. The issue was further examined in the 14th SCAA meeting held on 28.02.2024, wherein SSDEC was empowered to</p>	<p>consistently failed to rectify the identified deficiencies. The decisions and directions issued during these meetings were duly uploaded on the public domain and communicated to the applicant institute through via its registered email ID.</p> <p>It is further noted that, in compliance with the decision of the 20th SCAA meeting, a show cause notice dated 08.04.2025 was issued to the applicant ITI. Although the institute submitted its reply, the same was found unsatisfactory. The allegation made by the applicant ITI regarding denial of inspection on the ground of alleged personal demand appears to be merely an attempt to avoid the inspection. No supporting documentary evidence has been furnished by the ITI to substantiate its claim or to demonstrate that adequate infrastructure and machinery were available at the institute.</p> <p>Further, these applications cannot be kept open indefinitely for</p>

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	26 th SCAA Remark
(1)	(2)	(3)	(4)	(5)
			<p>make recommendations in de-affiliation matters, subject to verification of bank guarantees and joint inspection.</p> <p>5. In compliance, the State Directorate submitted a list of 56 ITIs whose bank guarantees were found correct in terms of Hon'ble Court directions. This case was included in that list and placed before the meeting held on 21.08.2024, wherein it was decided that this institute was de-affiliated by the DGT and is not running from last 03 years, so a joint inspection shall be conducted through the NIMI portal, and to place the inspection-based recommendations before SCAA for final decision.</p> <p>20th SCAA Remark-</p> <p>The case was placed in the 20th SCAA, remark of that was as follows:</p>	<p>compliance. The applicant institute was provided sufficient opportunities and reasonable timelines to rectify the deficiencies; however, the institute failed to take any substantive corrective measures to address and rectify the identified deficiencies.</p> <p>In view of the persistent non-compliance and lack of any substantive corrective measures by the applicant, the application for affiliation is hereby <i>Rejected</i>.</p> <p>ITI has liberty to apply a fresh in accordance with the new affiliation norms of 2025 released on 18.12.2025.</p>

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	26 th SCAA Remark
(1)	(2)	(3)	(4)	(5)
			<p>It has been observed that the applicant institute refused to undergo the inspection despite the prior information. As per the decision taken in the meeting held on 21.08.2024, the applicant was required to be prepared for inspection.</p> <p>However, on the day of inspection, institute refused to get the inspection done.</p> <p>In view of the above, the institute is not recommended for affiliation.</p> <p>Before a final decision is taken, the applicant is hereby directed to submit a written justification to DGT within 15 days from the issuance of these minutes, explaining why their application should not be formally rejected.</p> <p>Failure to provide a satisfactory response within the stipulated timeframe will result in the rejection of the affiliation application without further consideration.</p>	

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	26 th SCAA Remark
(1)	(2)	(3)	(4)	(5)
			<p>Compliance against 20th SCAA</p> <ol style="list-style-type: none"> The notice was issued to the applicant institute on 08.04.2025, directing it to submit a clarification within 15 days. The last date for submission of the reply was 23.04.2025. The institute has submitted a reply dated 23.04.2025 stating that it was ready for inspection; however, the inspection could not be conducted as the institute alleged non-compliance with the personal demands made by the inspecting member, due to which the inspection team did not carry out the inspection. 	
25.	<p>Yogendra Pvt ITI Vill-Kamhariya, Kharihani, Dist Azamgarh, Up</p> <p>Azamgarh – 276123</p> <p>PR09901246</p>	<ol style="list-style-type: none"> Electrician- 3(1+1+1) Fitter - 3(1+1+1) Sewing Technology- 3(1+1+1) 	<ol style="list-style-type: none"> The State Directorate of Uttar Pradesh, vide letter dated 17.08.2021, reported cases of submission of fake bank guarantees by certain ITIs. The matter was placed before the 3rd SCAA at agenda point 3.8 in its meeting held on 07.09.2021, 	<p>These matters were reopened pursuant to the recommendation of the State Directorate and in compliance with the directions of the Hon'ble Court for submission of a fresh bank guarantee to the State Directorate.</p>

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	26 th SCAA Remark
(1)	(2)	(3)	(4)	(5)
	Grading:0 State: Uttar Pradesh		<p>wherein the applications were rejected, and rejection orders were issued by DGT on 17.09.2021.</p> <p>2. Aggrieved ITIs approached the Hon'ble High Court of Uttar Pradesh (Allahabad and Lucknow Benches), which granted interim relief in various cases, directing that no coercive action be taken, subject to deposit of Rs. 50,000/- per unit.</p> <p>3. Subsequently, the State Directorate, Uttar Pradesh, forwarded a list of 79 ITIs on 11.01.2023 and sought reconsideration based on fresh bank guarantees. The matter was discussed in the 10th SCAA meeting held on 16.06.2023, wherein it was informed that a decision would be taken after completion of vigilance proceedings by the State Government.</p> <p>4. Thereafter, DGT sought consolidated remarks and recommendations from the State Directorate vide letter dated 06.11.2023. The issue</p>	<p>SCAA after due consideration, observed that despite multiple opportunities granted in the 3rd, 10th, 14th, and 20th SCAA meetings, the applicant institute consistently failed to rectify the identified deficiencies. The decisions and directions issued during these meetings were duly uploaded on the public domain and communicated to the applicant institute through via its registered email ID.</p> <p>It is further noted that, in compliance with the decision of the 20th SCAA meeting, a show cause notice dated 08.04.2025 was issued to the applicant ITI. Although the institute submitted its reply, the same was found unsatisfactory. No supporting documentary evidence has been furnished by the ITI to substantiate its claim or to demonstrate that adequate infrastructure and machinery were available at the institute.</p> <p>Further, these applications cannot be kept open indefinitely for</p>

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	26 th SCAA Remark
(1)	(2)	(3)	(4)	(5)
			<p>was further examined in the 14th SCAA meeting held on 28.02.2024, wherein SSDEC was empowered to make recommendations in de-affiliation matters, subject to verification of bank guarantees and joint inspection.</p> <p>5. In compliance, the State Directorate submitted a list of 56 ITIs whose bank guarantees were found correct in terms of Hon'ble Court directions. This case was included in that list and placed before the meeting held on 21.08.2024, wherein it was decided that this institute was de-affiliated by the DGT and is not running from last 03 years, so a joint inspection shall be conducted through the NIMI portal, and to place the inspection-based recommendations before SCAA for final decision</p> <p>20th SCAA Remark-</p>	<p>compliance. The applicant institute was provided sufficient opportunities and reasonable timelines to rectify the deficiencies; however, the institute failed to take any substantive corrective measures to address and rectify the identified deficiencies.</p> <p>In view of the persistent non-compliance and lack of any substantive corrective measures by the applicant, the application for affiliation is hereby <i>Rejected</i>".</p> <p>ITI has liberty to apply a fresh in accordance with the new affiliation norms of 2025 released on 18.12.2025.</p> <p>The institute's response is not satisfactory. Despite being given multiple opportunities, the institute failed to comply with the decision of the SCAA. Hence, the application of the institute is rejected.</p>

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	26 th SCAA Remark
(1)	(2)	(3)	(4)	(5)
			<p>The case was first placed in the 20th SCAA, remark of that was as follows:</p> <p>It has been observed that the applicant institute refused to undergo the inspection despite the prior information. As per the decision taken in the meeting held on 21.08.2024, the applicant was required to be prepared for inspection.</p> <p>However, the institute was found closed on the day of scheduled inspection.</p> <p>In view of the above, the institute is not recommended for affiliation.</p> <p>Before a final decision is taken, the applicant is hereby directed to submit a written justification to DGT within 15 days from the issuance of these minutes, explaining why their application should not be formally rejected.</p> <p>Failure to provide a satisfactory response within the stipulated</p>	

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	26 th SCAA Remark
(1)	(2)	(3)	(4)	(5)
			<p>timeframe will result in the rejection of the affiliation application without further consideration.</p> <p>Compliance against 20th SCAA</p> <ol style="list-style-type: none"> 1. The notice was issued to the applicant institute on 08.04.2025, directing it to submit a clarification within 15 days. The last date for submission of the reply was 23.04.2025. 2. The institute has submitted reply dated 23.04.2025 stated that the ITI is in running condition and that a responsible person is always available in the institute. 	
26.	<p>Mk Private ITI, Vill-Sonadeeh Post-Sonadeeh Tehsil-Belthra Road Dist-Ballia</p> <p>PR09900665</p> <p>Grading:7.6</p> <p>State: Uttar Pradesh</p>		<ol style="list-style-type: none"> 1. The State Directorate of Uttar Pradesh, vide letter dated 17.08.2021, reported cases of submission of fake bank guarantees by certain ITIs. The matter was placed before the 3rd SCAA at agenda point 3.8 in its meeting held on 07.09.2021, wherein the applications were rejected, and rejection 	<p>Due to forced circumstances, the SCAA has considered the request for additional time for inspection.</p> <p>The concerned State Directorate and RDSDE shall conduct joint inspection and submit the report with recommendation to DGT within the next 30 days on the online compliance module.</p>

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	26 th SCAA Remark
(1)	(2)	(3)	(4)	(5)
			<p>orders were issued by DGT on 17.09.2021.</p> <p>2. Aggrieved ITIs approached the Hon'ble High Court of Uttar Pradesh (Allahabad and Lucknow Benches), which granted interim relief in various cases, directing that no coercive action be taken, subject to deposit of Rs. 50,000/- per unit.</p> <p>3. Subsequently, the State Directorate, Uttar Pradesh, forwarded a list of 79 ITIs on 11.01.2023 and sought reconsideration based on fresh bank guarantees. The matter was discussed in the 10th SCAA meeting held on 16.06.2023, wherein it was informed that a decision would be taken after completion of vigilance proceedings by the State Government.</p> <p>4. Thereafter, DGT sought consolidated remarks and recommendations from the State Directorate vide letter dated 06.11.2023. The issue was further examined in the 14th SCAA meeting held on</p>	

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	26 th SCAA Remark
(1)	(2)	(3)	(4)	(5)
			<p>28.02.2024, wherein SSDEC was empowered to make recommendations in de-affiliation matters, subject to verification of bank guarantees and joint inspection.</p> <p>5. In compliance, the State Directorate submitted a list of 56 ITIs whose bank guarantees were found correct in terms of Hon'ble Court directions. This case was included in that list and placed before the meeting held on 21.08.2024, wherein it was decided that this application was directly rejected from the NIMI Portal, so application will be reopened in the NIMI Portal from the stages where it was previously rejected.</p> <p>Institute has requested to provide the 10 days additional time on 05.08.2025 due to floods.</p>	
27.	Shri Bharat Singh Kamla Devi Private ITI	<ol style="list-style-type: none"> 1. Electrician-6(2+2+2) 2. Fitter-6(2+2+2) 	<p>Background-</p> <ol style="list-style-type: none"> 1. The State Directorate of Uttar Pradesh, vide letter 	<p>SCAA recommended the following trades:</p> <ol style="list-style-type: none"> 1. Electrician-4(2+2)

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	26 th SCAA Remark
(1)	(2)	(3)	(4)	(5)
	PR09901365 Grading:0 State: Uttar Pradesh	3. Plumber-3(1+1+1) 4. Health Sanitary Inspector-3(1+1+1)	<p>dated 17.08.2021, reported cases of submission of fake bank guarantees by certain ITIs. The matter was placed before the 3rd SCAA at agenda point 3.8 in its meeting held on 07.09.2021, wherein the applications were rejected, and rejection orders were issued by DGT on 17.09.2021.</p> <p>2. Aggrieved ITIs approached the Hon'ble High Court of Uttar Pradesh (Allahabad and Lucknow Benches), which granted interim relief in various cases, directing that no coercive action be taken, subject to deposit of Rs. 50,000/- per unit.</p> <p>3. Subsequently, the State Directorate, Uttar Pradesh, forwarded a list of 79 ITIs on 11.01.2023 and sought reconsideration based on fresh bank guarantees. The matter was discussed in the 10th SCAA meeting held on 16.06.2023, wherein it was informed that a decision would be taken after completion of vigilance</p>	2. Fitter-4(2+2) 3. Plumber-2(1+1) 4. Health Sanitary Inspector-2(1+1)

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	26 th SCAA Remark
(1)	(2)	(3)	(4)	(5)
			<p>proceedings by the State Government.</p> <p>4. Thereafter, DGT sought consolidated remarks and recommendations from the State Directorate vide letter dated 06.11.2023. The issue was further examined in the 14th SCAA meeting held on 28.02.2024, wherein SSDEC was empowered to make recommendations in de-affiliation matters, subject to verification of bank guarantees and joint inspection.</p> <p>5. In compliance, the State Directorate submitted a list of 56 ITIs whose bank guarantees were found correct in terms of Hon'ble Court directions. This case was included in that list and placed before the meeting held on 21.08.2024, wherein it was decided that this application was directly rejected from the NIMI Portal, so application will be reopened in the NIMI Portal from the stages where it was previously rejected.</p>	

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	26 th SCAA Remark
(1)	(2)	(3)	(4)	(5)
			<p>As per the instructions issued in the meeting dated 21.08.2024, the rejection status of the applications was revoked, and Joint Inspection was conducted on 05.08.2025.</p> <p>Observation of the joint inspection is given below:</p> <ol style="list-style-type: none"> 1. No adverse deficiency is mentioned by the inspecting member. 2. May be Recommended for- <ol style="list-style-type: none"> a) Electrician trade-4(2+2) b) Fitter-4(2+2+) c) Plumber-2 (1+1) d) Health sanitary inspector-2(1+1) 	
28.	D N Private ITI Ballia 1809025683 State: Uttar Pradesh	<ol style="list-style-type: none"> 1. Electrician*-9(3+3+3) 2. Fitter- 3(1+1+1) 3. Welder - 3(1+1+1) 4. Computer operator and Programing 	<ol style="list-style-type: none"> 1. This is the matter pertaining to bank guarantee wherein the State Directorate earlier informed that institute submitted bank guarantee which is not genuine and later on confirmed that bank guarantee is genuine. 2. The institute submitted several representations and RDSDE and state 	Recommended for the following trades- <ol style="list-style-type: none"> 1. Electrician- 6 (3+3) 2. Fitter - 2 (1+1) 3. Welder - 2(1+1) 4. Computer Operator and Programing Assistant - 2(1+1)

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	26 th SCAA Remark
(1)	(2)	(3)	(4)	(5)
		Assistant - 3(1+1+1)	<p>Directorate were informed to conduct ether joint inspection however no inspection was carried out since then. The initial inspection was carried out in 2020 .</p> <p>3. The matter was placed in the GRC (Grievance Redressal Committee) dated.05.04.2024, GRC discussed the matter and it is recommended that the concerned State Directorate may be informed to take up the matter in SSDEC. Thereafter, the SSDEC recommendations may be sent to DGT HQ.</p> <p>4. Now SSDEC submitted its recommendations for granting affiliation.</p> <p>23rd SCAA remarks</p> <p>The SCAA noted that this is a long-pending case, and the initial inspection was conducted in 2020. Given that five years have elapsed since then, it is not appropriate to consider affiliation based on an outdated</p>	

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	26 th SCAA Remark
(1)	(2)	(3)	(4)	(5)
			<p>inspection report. Accordingly, the State Directorate and the concerned RDSDE are advised to conduct a fresh online inspection through the NIMI mobile application within 15 days. The affiliation decision shall be taken thereafter, based on the findings of the inspection and in accordance with the prevailing affiliation norms.</p> <p>Compliance against 23rd SCAA Inspecting team recommended - a) Electrician-6(3+3) b) Fitter-2(1+1) c) Welder-2(1+1) d) Computer Operator and Programing Assistant - 2(1+1)</p> <p>The matter was discussed in 26th SCAA for clarification of the Electrician-9(3+3+3) applied units, and the state directorate vide its letter dated 22.01.2026 has submitted the bank guarantee of the ITI worth Rs 9 Lakh issued from Central bank of India. Further the state vide its letter dated 22.04.2024 has</p>	

Sr. No.	ITI Name and details	Trade/Unit sought for affiliation	Brief facts of the case	26 th SCAA Remark
(1)	(2)	(3)	(4)	(5)
			submitted to DGT that the bank guarantee was deposited against the applied trade Electrician 9(3+3+3), Fitter 3(1+1+1), Welder - 3(1+1+1) and Computer Operator and Programing Assistant - 3(1+1+1)	

Annexure-4 as referred in Agenda 4.1: SCVT to NCVET conversions proposal for 16 ITIs of Assam

Sr. No.	ITI name	Shift wise Trade and Units for which affiliation has now been sought under NCVET	Shift wise Trade and Units recommended by Joint Inspection Team	Shift wise Trade and Units recommended for conversion by SSDEC	Reasons for not recommended other trade(s) by SSDEC
(1)	(2)	(3)	(4)	(5)	(6)
1.	Govt ITI Rangia Kamrup	1. Basic Designer and Virtual Verifier Mechanical (1+0+0) 2. Computer Operator and Programming Assistant (1+1+0) 3. Cosmetology- (1+0+0) 4. Fitter-(1+0+0) 5. Industrial Robotics and Digital Manufacturing Technician (1+0+0) 6. Information and Communication Technology System Maintenance (ICTSM)-(1+0+0) 7. Welder (1+0+0) 8. Painter (General) (1+0+0) 9. Wiremen (1+0+0)	1. Basic Designer and Virtual Verifier Mechanical (1+0+0) 2. Computer Operator and Programming Assistant (1+1+0) 3. Cosmetology- (1+0+0) 4. Industrial Robotics and Digital Manufacturing Technician (1+0+0) 5. Welder (1+0+0)	1. Basic Designer and Virtual Verifier Mechanical (1+0+0) 2. Computer Operator and Programming Assistant (1+1+0) 3. Cosmetology- (1+0+0) 4. Industrial Robotics and Digital Manufacturing Technician (1+0+0) 5. Welder (1+0+0)	Tool equipment and sufficient infrastructure is not available for 1. Fitter-(1+0+0), 2. Information and Communication Technology System Maintenance (ICTSM)-(1+0+0) 3. Painter (General) (1+0+0), 4. Wiremen (1+0+0) Hence these trades are not recommended
2.	Govt ITI Morigaon MARIGAON	1. Basic Designer and Virtual Verifier (Mechanical) - (1+0+0) 2. Electrician-(0+1+0)	1. Basic Designer and Virtual Verifier (Mechanical) - (1+0+0)	1. Basic Designer and Virtual Verifier (Mechanical) - (1+0+0) 2. Electrician-(0+1+0)	NIL

		<p>3. Industrial Robotics & Digital Manufacturing Technician- (1+0+0)</p> <p>4. Mechanic Diesel- (0+1+0)</p> <p>5. Mechanic Motor Vehicle-((0+1+0)</p>	<p>2. Electrician- (0+1+0)</p> <p>3. Industrial Robotics & Digital Manufacturing Technician- (1+0+0)</p> <p>4. Mechanic Diesel- (0+1+0)</p> <p>5. Mechanic Motor Vehicle-((0+1+0)</p>	<p>3. Industrial Robotics & Digital Manufacturing Technician- (1+0+0)</p> <p>4. Mechanic Diesel- (0+1+0)</p> <p>5. Mechanic Motor Vehicle-((0+1+0)</p>	
3.	Govt ITI Lahowal Dibrugarh	<p>1. Computer Operator & Programming Assistant-(1+0+0)</p> <p>2. Electrician-((1+1+0)</p> <p>3. Mechanic Diesel (1+1+0)</p> <p>4. Industrial Robotics & Digital Manufacturing Technician-(1+0+0)</p>	<p>1. Computer Operator & Programming Assistant-((1+0+0)</p> <p>2. Electrician- ((1+1+0)</p> <p>3. Mechanic Diesel (1+1+0)</p>	<p>1. Computer Operator & Programming Assistant-((1+0+0)</p> <p>2. Electrician- ((1+1+0)</p> <p>3. Mechanic Diesel (1+1+0)</p>	<p>Industrial Robotics & Digital Manufacturing Technician-(1+0+0)</p> <p>Infrastructure was not completed.</p>
4.	Govt ITI Pathsala Barpeta	<p>1. Basic Designer and Virtual Verifier (Mechanical) (1+0+0)</p> <p>2. Computer Operator & Programming Assistant-(1+0+0)</p> <p>3. Cosmetology- (1+0+0)</p> <p>4. Fitter-(1+0+0)</p> <p>5. Industrial Robotics & Digital Manufacturing Technician- (1+0+0)</p> <p>6. Information and Communication</p>	<p>1. Basic Designer and Virtual Verifier (Mechanical) (1+0+0)</p> <p>2. Computer Operator & Programming Assistant-(1+0+0)</p> <p>3. Cosmetology- (1+0+0)</p> <p>4. Fitter-(1+0+0)</p> <p>5. Industrial Robotics & Digital Manufacturing</p>	<p>1. Basic Designer and Virtual Verifier (Mechanical)- (1+0+0)</p> <p>2. Computer Operator & Programming Assistant-(1+0+0)</p> <p>3. Cosmetology- (1+0+0)</p> <p>4. Fitter-(1+0+0)</p> <p>5. Industrial Robotics & Digital Manufacturing Technician- (1+0+0)</p>	<p>According to the syllabus all the required training tools and equipment wear not available For</p> <p>1. Information and Communication Technology System Maintenance- 1(1+0+0)</p> <p>2. Painter (General)- 1(1+0+0)</p>

		Technology System Maintenance (ICTSM) (1+0+0) 7. Painter (General)(1+0+0) 8. WELDER (1+0+0) 9. WIREMEN (1+0+0)	Technician-(1+0+0) 6. WELDER (1+0+0) 7. WIREMEN (1+0+0)	6. Welder-(1+0+0) 7. Wireman-(1+0+0)	
5.	Govt. ITI Dibrugarh Dibrugarh	1. Basic Designer and Virtual Verifier (Mechanical)- 1 (1+0+0) 2. Computer Operator & Programming Assistant- 1 (1+0+0) 3. Fitter- 1 (1+0+0) 4. Industrial Robotics and Digital Manufacturing Technician – 1 (1+0+0)	1. Basic Designer and Virtual Verifier (Mechanical) -(1+0+0) 2. Computer Operator & Programming Assistant-(1+0+0) 3. Fitter-(1+0+0) 4. Industrial Robotics and Digital Manufacturing Technician (1+0+0)	1. Basic Designer and Virtual Verifier (Mechanical) -(1+0+0) 2. Computer Operator & Programming Assistant-(1+0+0) 3. Fitter-(1+0+0) 4. Industrial Robotics and Digital Manufacturing Technician (1+0+0)	NIL
6.	Govt ITI For Women Nalbari Nalbari	1. Computer Operator & Programming Assistant- (1+0+0) 2. Cosmetology- (1+0+0) 3. Draughtsman Civil- (1+0+0) 4. Secretarial Practice- (1+0+0)	1. Computer Operator & Programming Assistant- (1+0+0) 2. Cosmetology (1+0+0) 3. Draughtsman Civil (1+0+0) 4. Secretarial Practice (1+0+0)	1. Computer Operator & Programming Assistant- (1+0+0) 2. Cosmetology (1+0+0) 3. Draughtsman Civil (1+0+0) 4. Secretarial Practice (1+0+0)	NIL
7.	Govt Industrial Training Institute,	1. Basic Designer and Virtual Verifier (Mechanical)- (1+0+0)	1. Basic Designer and Virtual Verifier	1. Basic Designer and Virtual Verifier	NIL

	Nalbari, Nalbari	2. Electronic Mechanic- (0+1+0) 3. Solar Technician- (1+0+0) 4. Industrial Robotics & Digital Manufacturing Technician- (1+0+0)	(Mechanical)- (1+0+0) 2. Electronic Mechanic-(0+1+0) 3. Solar Technician- (1+0+0) 4. Industrial Robotics & Digital Manufacturing Technician- (1+0+0)	(Mechanical)- (1+0+0) 2. Electronic Mechanic-(0+1+0) 3. Solar Technician- (1+0+0) 4. Industrial Robotics & Digital Manufacturing Technician- (1+0+0)	
8.	Govt ITI Barpeta Barpeta	1. Basic Designer and Virtual Verifier (Mechanical)- (1+0+0) 2. Mechanic Motor Vehicle-(1+0+0) 3. Computer Operator & Programming Assistant- (1+0+0) 4. Stenographer Secretarial Assistant (English) - (1+0+0) 5. Electronic Mechanic- (1+0+0) 6. Refrigeration and Air Conditioning Technician- (1+0+0) 7. Industrial Robotics & Digital Manufacturing Technician- (1+0+0)	1. Basic Designer and Virtual Verifier (Mechanical)- (1+0+0) 2. Mechanic Motor Vehicle-(1+0+0) 3. Computer Operator & Programming Assistant- (1+0+0) 4. Stenographer Secretarial Assistant (English) - (1+0+0) 5. Electronic Mechanic-(1+0+0) 6. Refrigeration and Air Conditioning Technician- (1+0+0) 7. Industrial Robotics & Digital Manufacturing	1. Basic Designer and Virtual Verifier (Mechanical)- (1+0+0) 2. Mechanic Motor Vehicle-(1+0+0) 3. Computer Operator & Programming Assistant- (1+0+0) 4. Stenographer Secretarial Assistant (English) - (1+0+0) 5. Electronic Mechanic-(1+0+0) 6. Refrigeration and Air Conditioning Technician- (1+0+0) 7. Industrial Robotics & Digital Manufacturing Technician- (1+0+0)	NIL

			Technician- (1+0+0)		
9.	Govt ITI, Tinsukia Tinsukia	<ol style="list-style-type: none"> 1. Basic Designer and Virtual Verifier (Mechanical) - (1+0+0) 2. Industrial Robotics & Digital Manufacturing Technician- (1+0+0) 3. Internet of Things (Smart City) (1+0+0) 	<ol style="list-style-type: none"> 1. Basic Designer and Virtual Verifier (Mechanical)- (1+0+0) 2. Industrial Robotics & Digital Manufacturing Technician- (1+0+0) 3. Internet of Things (Smart City) (1+0+0) 	<ol style="list-style-type: none"> 1. Basic Designer and Virtual Verifier (Mechanical)- (1+0+0) 2. Industrial Robotics & Digital Manufacturing Technician- (1+0+0) 3. Internet of Things (Smart City)- (1+0+0) 	NIL
10.	Govt ITI Dudhnoi Goalpara	<ol style="list-style-type: none"> 1. Basic Designer and Virtual Verifier (Mechanical) - (1+0+0) 2. Computer Operator & Programming Assistant-(1+0+0) 3. Cosmetology- (1+0+0) 4. Fitter- (1+0+0) 5. Industrial Robotics & Digital Manufacturing Technician- (1+0+0) 6. Information and Communication Technology System Maintenance- (1+0+0) 7. Painter (General) - (1+0+0) 	<ol style="list-style-type: none"> 1. Basic Designer and Virtual Verifier (Mechanical) - (1+0+0) 2. Computer Operator & Programming Assistant-(1+0+0) 3. Cosmetology- (1+0+0) 4. Fitter- (1+0+0) 5. Industrial Robotics & Digital Manufacturing Technician- (1+0+0) 6. Information and Communication Technology 	<ol style="list-style-type: none"> 1. Basic Designer and Virtual Verifier (Mechanical) - (1+0+0) 2. Computer Operator & Programming Assistant-(1+0+0) 3. Cosmetology- (1+0+0) 4. Fitter- (1+0+0) 5. Industrial Robotics & Digital Manufacturing Technician- (1+0+0) 6. Information and Communication Technology System Maintenance- (1+0+0) 	NIL

		8. Welder- (1+0+0) 9. Wiremen-(1+0+0)	System Maintenance- (1+0+0) 7. Painter (General)- (1+0+0) 8. Welder- (1+0+0) 9. Wiremen-(1+0+0)	7. Painter (General) - (1+0+0) 8. Welder - (1+0+0) Wiremen-(1+0+0)	
11.	Govt ITI Goalpara Goalpara	1. Basic Designer and Virtual Verifier (Mechanical) - (1+0+0) 2. Computer Operator & Programming Assistant-(1+0+0) 3. Industrial Robotics & Digital Manufacturing Technician-(1+0+0)	1. Basic Designer and Virtual Verifier (Mechanical) - (1+0+0) 2. Computer Operator & Programming Assistant-(1+0+0) 3. Industrial Robotics & Digital Manufacturing Technician-(1+0+0)	1. Basic Designer and Virtual Verifier (Mechanical) - (1+0+0) 2. Computer Operator & Programming Assistant-(1+0+0) 3. Industrial Robotics & Digital Manufacturing Technician-(1+0+0)	NIL
12.	Govt ITI Boko Kamrup	1. Basic Designer and Virtual Verifier (Mechanical) - (1+0+0) 2. Computer Operator & Programming Assistant-(1+1+0) 3. Electrician-(1+1+0) 4. Industrial Robotics & Digital Manufacturing Technician-(1+1+0)	1. Basic Designer and Virtual Verifier (Mechanical) - (1+0+0) 2. Computer Operator & Programming Assistant-(1+1+0) 3. Industrial Robotics & Digital Manufacturing Technician-(1+1+0)	1. Basic Designer and Virtual Verifier (Mechanical) - (1+0+0) 2. Computer Operator & Programming Assistant-(1+1+0) 3. Industrial Robotics & Digital Manufacturing Technician-(1+1+0)	Tool equipment's and sufficient infrastructure is not available for Electrician-(1+1+0) Hence this trade is not recommended

13.	Govt ITI Kajalgaon Chirang	<ol style="list-style-type: none"> 1. Basic Designer and Virtual Verifier (Mechanical) - (1+0+0) 2. Computer Operator & Programming Assistant-(1+0+0) 3. Electrician-(1+0+0) 4. Industrial Robotics & Digital Manufacturing Technician-(1+0+0) 5. Plumber-(1+0+0) 6. Sewing Technology (1+0+0) 7. Mechanic Diesel (1+0+0) 	<ol style="list-style-type: none"> 1. Basic Designer and Virtual Verifier (Mechanical) - (1+0+0) 2. Computer Operator & Programming Assistant-(1+0+0) 3. Electrician-(1+0+0) 4. Industrial Robotics & Digital Manufacturing Technician-(1+0+0) 5. Plumber-(1+0+0) 	<ol style="list-style-type: none"> 1. Basic Designer and Virtual Verifier (Mechanical) - (1+0+0) 2. Computer Operator & Programming Assistant-(1+0+0) 3. Electrician-(1+0+0) 4. Industrial Robotics & Digital Manufacturing Technician-(1+0+0) 5. Plumber-(1+0+0) 	<p>Sewing Technology (1+0+0) Updated Machine & Equipment's are not available. Classroom and Store records are not maintained. Mechanic Diesel (1+0+0) 3-Phase connection not found.</p>
14.	Govt Industrial Training Institute for Women, Guwahati Kamrup Metro	<ol style="list-style-type: none"> 1. Computer Operator & Programming Assistant- (0+1+0) 2. Fashion Design and Technology-(0+1+0) 3. Draughtsman Civil (0+1+0) 	<ol style="list-style-type: none"> 1. Computer Operator & Programming Assistant- (0+1+0) 2. Fashion Design and Technology-(0+1+0) 3. Draughtsman Civil (0+1+0) 	<ol style="list-style-type: none"> 1. Computer Operator & Programming Assistant- (0+1+0) 2. Fashion Design and Technology-(0+1+0) 3. Draughtsman Civil (0+1+0) 	NIL
15.	Govt Industrial Training Institute- Nagaon Nagaon	<ol style="list-style-type: none"> 1. Basic Designer and Virtual Verifier (Mechanical) - (1+0+0) 2. Computer Operator & Programming Assistant- (0+1+0) 3. Draughtsman Civil-(0+1+0) 4. Electrician- (1+0+0) 	<ol style="list-style-type: none"> 1. Basic Designer and Virtual Verifier (Mechanical) - (1+0+0) 2. Computer Operator & Programming Assistant- (0+1+0) 	<ol style="list-style-type: none"> 1. Basic Designer and Virtual Verifier (Mechanical) - (1+0+0) 2. Computer Operator & Programming Assistant- (0+1+0) 3. Draughtsman Civil-(0+1+0) 4. Electrician- (1+0+0) 	<p>Tool equipments and sufficient infrastructure is not available for</p> <ol style="list-style-type: none"> 1. Food Production General (1+0+0) 2. Mechanic Diesel (1+0+0)

		<p>5. Industrial Robotics & Digital Manufacturing Technician- (1+0+0)</p> <p>6. Mechanic Motor Vehicle- (0+1+0)</p> <p>7. Food Production General - (1+0+0)</p> <p>8. Mechanic Diesel - (1+0+0)</p>	<p>3. Draughtsman Civil- (0+1+0)</p> <p>4. Electrician- (1+0+0)</p> <p>5. Industrial Robotics & Digital Manufacturing Technician- (1+0+0)</p> <p>6. Mechanic Motor Vehicle- (0+1+0)</p>	<p>5. Industrial Robotics & Digital Manufacturing Technician- (1+0+0)</p> <p>6. Mechanic Motor Vehicle- (0+1+0)</p>	<p>Hence these trades are not recommended</p>
16.	Govt ITI Bongaigaon Bongaigaon	<p>1. Computer Operator & Programming Assistant- (1+0+0)</p> <p>2. Industrial Robotics & Digital Manufacturing Technician-(1+0+0)</p> <p>3. Information and Communication Technology System Maintenance-(1+0+0)</p> <p>4. Mechanic Diesel- (1+0+0)</p> <p>5. Cosmetology (1+0+0)</p> <p>6. Draughtsman Civil (1+0+0)</p> <p>7. Electrician -(1+0+0)</p> <p>8. Basic Designer and Virtual Verifier (Mechanical) - (1+0+0)</p>	<p>1. Computer Operator & Programming Assistant- (1+0+0)</p> <p>2. Industrial Robotics & Digital Manufacturing Technician- (1+0+0)</p> <p>3. Information and Communication Technology System Maintenance- (1+0+0)</p> <p>4. Mechanic Diesel- (1+0+0)</p>	<p>1. Computer Operator & Programming Assistant- (1+0+0)</p> <p>2. Industrial Robotics & Digital Manufacturing Technician-(1+0+0)</p> <p>3. Information and Communication Technology System Maintenance- (1+0+0)</p> <p>4. Mechanic Diesel- (1+0+0)</p>	<p>Cosmetology (1+0+0) Complete Lab is not properly maintained Classroom record not properly maintained</p> <p>1. Draughtsman Civil (1+0+0)</p> <p>2. Classroom and Store records are not maintained Electrician -(1+0+0)</p> <p>3. Classroom and Store records are not maintained Basic Designer and Virtual verifier (Mechanical) - (1+0+0)</p> <p>4. Classroom and Store records are not maintained.</p>

Annexure-5 as referred in Agenda: DST Affiliation Proposal received from SSDEC Haryana

Sr. No.	Name and address of ITI	Name of The Industry and Complete Address of Industry	MOU start date	MOU end date	Name of the Trade for DST	Shift	No. of units	Conversion of Existing Affiliated Unit/New Unit	26 th SCAA Remarks
1.	Govt. Industrial Training Institute (Women) Hisar - 125001 GU06000004	Sleepy Threads Furnishing B-49, Bank Colony, Prem Nagar, Hisar Haryana	16.04.2025	31.07.2027	Dress Making	1 st and 2 nd shift	2(1+1)	Conversion	Recommended
2.	Govt. Industrial Training Institute Kharkhoda Sonipat - 131402 GR06000143	Ajit Industries Pvt. Ltd. 52/14, Jatola Road, Saidpur, Sonipat, Haryana	29.01.2025	Till the session end	Welder	1 st shift	1(1+0)	Conversion	Recommended
				Till the session end	Fitter	1 st shift	1(1+0)	Conversion	Recommended
	Superhub Komponenten Pvt. Ltd. Firozpur Bangar, Kharkhoda,	06.02.2025	Till the session end	Machinist	1 st shift	1(1+0)	Conversion	Recommended	

		Distt. Sonipat, Haryana							
		Sagar Sports Kharkhoda, Distt. Sonapat, Haryana	28.01.2025	Till the session end	Dress Making	1 st shift	1(1+0)	Conversion	Recommended
		Malik Generator, VPO Jatjoshi, Distt. Sonipat, Haryana	28.01.2025	Till the session end	Mechanic Diesel	1 st and 2 nd shift	2(1+1)	Conversion	Recommended
3.	Govt. Industrial Training Institute (Women) Samalkha GU06000048	Mahajan Overseas Pvt. Ltd. Panipat Post Box No. 15 Industrial Area, Panipat, Haryana	27.03.2025	Till the session end	Sewing Technology	1 st shift	1(1+0)	Conversion	Recommended
		IVIA Beaute Pvt. Ltd. Killa No. 25/12/ Village Kami, Sonipat Haryana	15.05.2025	Till the session end	Cosmetology	1 st shift	1(1+0)	Conversion	Recommended

4.	Govt. Industrial Training Institute (Women) Sirsa GU06000009	Dakshin Haryana Bijli Vitran Nigam Opp. National College, Barwala Road, Sirsa Haryana	26.05.2025	31.07.2027	Electrician	1 st shift	1(1+0)	Conversion	Recommended
5.	Govt. ITI Tauru GR06000372	Gallay India Pvt. Ltd Plot no. 59, Raljkameo, Industrial Area, P.O. Sohna Distt. Nuh, Haryana	25.04.2025	31.07.2027	Turner	1 st shift	1(1+0)	Conversion	Recommended

Annexure-6 as referred in Agenda - 4.4.1: SCVT to NCVET Conversion of trade/units in Govt ITIs of MP

S. No.	ITI Name and Address	Trade for which affiliation sought	Units Sought by Institute	Trade & Units recommended by SCAA
1.	Govt. Industrial Training Institute Khakner GR23000155	Mechanic Motor vehicle	2(1+1)	2(1+1)
		Electronic Mechanic	2(1+1)	2(1+1)
2.	Govt ITI Badamalehara GR23001160	Fitter	2(1+1)	2(1+1)
		Electrician	2(1+1)	2(1+1)
		Welder	2(1+1)	2(1+1)
3.	Govt ITI Patera GR23001163	Electrician	2(1+1)	2(1+1)
		Fitter	2(1+1)	2(1+1)
		Draughtsman Civil	2(1+1)	2(1+1)
4.	Govt ITI Shahpur GR23001170	Computer Operator and Programming Assistant	2(1+1)	2(1+1)
		Welder	2(1+1)	2(1+1)
		Mechanic Diesel	2(1+1)	2(1+1)
5.	Govt Model ITI, Rajgarh GR23001171	Computer Operator and Programming Assistant	2(1+1)	2(1+1)
		Mechanic Diesel	2(1+1)	2(1+1)
6.	Govt. ITI Lahar GR23000274	Fitter	2(1+1)	2(1+1)
7.	Govt. ITI Kukshi GR23000268	Electronics Mechanic	2(1+1)	2(1+1)
		Electrician	2(1+1)	2(1+1)
		Welder	2(1+1)	2(1+1)
		Fitter	2(1+1)	2(1+1)
		Computer Operator and Programming Assistant	2(1+1)	2(1+1)
		Motor Mechanic Vehicle	2(1+1)	2(1+1)

Annexure-7 as referred in Agenda - 4.4.2: DST affiliation Proposal from SSDEC Madhya Pradesh

Sr. No.	Name of the ITI	Name of the Industry	MoU Start Date	MoU end Date	Name of the Trade for DST	Shift	Unit	Already affiliated unit (for conversion only)	26 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)
1.	Govt ITI Manpur GR23000116	M/S Praleash Asphaltings & Tall Highways (I) Ltd Mhow Indore	27-Sep-2024	28-Sep-2027	Welder	3 rd Shift	1	Already affiliated unit (for conversion only)	Recommended
		M.P. Auto Engineering Pithampur Dhar	3-Apr-2025	4-Apr-2028					
		M/S Praleash Asphaltings & Tall Highways (I) Ltd Mhow Indore	27-Sep-2024	28-Sep-2027	Fitter	3 rd Shift	1	Already affiliated unit (for conversion only)	Recommended
		M.P. Auto Engineering Pithampur Dhar	3-Apr-2025	4-Apr-2028					
2.	Divisional ITI Indore GR23000082	Analog Powertech 17, Tt Nagar, Near Audi Show Room, Dewas Naka Indore Engineering Pvt.Ltd	27-Feb-2025	26-Feb-2028	Electrician	3 rd Shift	1	Already affiliated unit (for conversion only)	Recommended
		Jash Engineering Ltd, U/Ii Plot No 74,76,77 Gram Indore Bardari, Th/SanwerSanwer Road	7-Feb-2025	7-Feb-2028	Machinist	3 rd Shift	1	Already affiliated unit (for conversion only)	Recommended

Sr. No.	Name of the ITI	Name of the Industry	MoU Start Date	MoU end Date	Name of the Trade for DST	Shift	Unit	Already affiliated unit (for conversion only)	26 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)
					Fitter	3 rd Shift	1	Already affiliated unit (for conversion only)	Recommended
					Turner	3 rd Shift	1	Already affiliated unit (for conversion only)	Recommended
3.	Govt. Tribal Women ITI Chindwara GR23000027	Bhavya Steel Industry Imlikheda Industrial Area, 480001 Chhindwara	11-Feb-2025	10-Feb-2028	Fitter	3 rd Shift	1	Already affiliated unit (for conversion only)	Recommended
		Sunil Automotives (I) Pvt. Ltd Near Hanuman Mandir Nagpur Road Village Sarra Chhindwara	6-Feb-2025	5-Feb-2028	Mechanic Diesel	3 rd Shift	1	Already affiliated unit (for conversion only)	Recommended
4.	Govt ITI Chindwara GR23000251	Accord Motors Parsia Road Partala Chindwara	17-May-2024	16-May-2027	Mechanic Motor Vehicle	3 rd Shift	1	Already affiliated unit (for conversion only)	Recommended

Sr. No.	Name of the ITI	Name of the Industry	MoU Start Date	MoU end Date	Name of the Trade for DST	Shift	Unit	Already affiliated unit (for conversion only)	26 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)
		M Patel Mart Main Road Gole Ganj Chindwara	7-Oct-2024	6-Oct-2027	Electrician	3 rd Shift	1	Already affiliated unit (for conversion only)	Recommended
		Sajita Motors Pvt. Ltd. Behind Highway Fules, Nagpur Road Chindwara Chindwara	6-May-2024	5-May-2027	Mechanic Tractor	3 rd Shift	1	Already affiliated unit (for conversion only)	Recommended
5.	Govt ITI Ratlam GR23000030	Shri Ram Switch Gears Ltd. C/1 Industrial Estate Ratlam	1-May-2023	30-Apr-2027	Electrician	3 rd Shift	1	Already affiliated unit (for conversion only)	Recommended
		Shri Ram Switch Gears Ltd. C/1 Industrial Estate Ratlam	1-May-2023	30-Apr-2027	Welder	3 rd Shift	1	Already affiliated unit (for conversion only)	Recommended
6.	Govt Divisional ITI Rewa GR23000090	Royal Cars Pvt Ltd. Nh. 07 Satna Road Rewa	14-May-2025	13-May-2029	Mechanic Motor Vehicle	3 rd Shift	1	Already affiliated unit (for conversion only)	Recommended
		Badrika Motor Pvt. Ltd Nh.07 Road Saman Rewa	14-May-2025	13-May-2029	Mechanic Diesel	3 rd Shift	1	Already affiliated unit (for	Recommended

Sr. No.	Name of the ITI	Name of the Industry	MoU Start Date	MoU end Date	Name of the Trade for DST	Shift	Unit	Already affiliated unit (for conversion only)	26 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)
								conversion only)	
7.	Govt Divisional ITI Sagar GR23000016	Sanjay Industry Khimlasa Road Khurai Sagar	1-May-2024	30-Apr-2029	Welder	3 rd Shift	1	Already affiliated unit (for conversion only)	Recommended
8.	Govt Divisional ITI Ujjain GR23000256	Ve Commercial Vehicles Ltd. Plot No 101, 102, Industrial Area, Pithampur Dhar	25-May-2022	24-May-2027	Mechanic Diesel	3 rd Shift	1	Already affiliated unit (for conversion only)	Recommended
9.	Govt Divisional ITI Bhopal GR23000005	Permal Wallace Pvt Ltd Opposite Reserve Bank of Bhopal India, Zone/I, Maharana Pratap Nagar 462011	27-May-2025	31-Jun-2030	Machinist	3 rd Shift	1	Already affiliated unit (for conversion only)	Recommended
		Bhopal Sahakari Dugdh Sang Maryadit Habib Ganj, 462023 Bhopal	28-May-2025	31-Jul-2030	Milk & Milk Product Technician	3 rd Shift	1	Already affiliated unit (for conversion only)	Recommended
		Voltas Ltd Voltas House A. Dr.	2-Jun-2025	31-Jul-2030	Refrigeration and Air	3 rd Shift	1	Already affiliated unit (for	Recommended

Sr. No.	Name of the ITI	Name of the Industry	MoU Start Date	MoU end Date	Name of the Trade for DST	Shift	Unit	Already affiliated unit (for conversion only)	26 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)
		Babasaheb Mumbai Ambedkar Road, Chinchpokli 400033			Conditioning Technician			conversion only)	
10.	Sri Balaji Pvt ITI Khandwa PU23000857	Shakti Pumps (India) Ltd Plot No 401,402,400 And 412 A Sector 3, Pithampur Dhar	26.04.2025	25.04.2030	Electrician	3 rd Shift	1	Already affiliated unit (for conversion only)	Recommended
11.	Ashoka Pvt ITI, Kolua Khurd Bhopal PR23000331	Betwa Infrastructures Private Limited Plot No. 213, Zone Ii, M.P. Nagar, 462011. Bhopal	01-04-2025	01-04-2028	Electrician	3 rd Shift	3	Already affiliated unit (for conversion only)	Recommended
12.	Ojaswini Pvt.Iti, Hathna Padariya, Damoh PU23000453	M/S Bundelkhand Nirman Llp D/02 Vaishali Nagar Damoh	24.04.2023	22.04.2027	Electrician	3 rd Shift	1	Already affiliated unit (for conversion only)	Recommended
		Adinath Cars Private Ltd Sagar Road Damoh	24.04.2023	22.04.2027	Mechanic Diesel	3 rd Shift	1	Already affiliated unit (for conversion only)	Recommended
		M/S Bundelkhand Nirman Llp D/02	24.04.2023	22.04.2027	Fitter	3 rd Shift	1	Already affiliated	Recommended

Sr. No.	Name of the ITI	Name of the Industry	MoU Start Date	MoU end Date	Name of the Trade for DST	Shift	Unit	Already affiliated unit (for conversion only)	26 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)
		Vaishali Nagar Damoh						unit (for conversion only)	
		M/S Bundelkhand Nirman Llp D/02 Vaishali Nagar Damoh	24.04.2023	22.04.2027	Welder	3 rd Shift	1	Already affiliated unit (for conversion only)	Recommended
13.	Krishna Private ITI, PU23001066	Seth And Sons Tata Motors Ab Road Guna	19/05/2025	18/05/2028	Electrician	3 rd Shift	1	Already affiliated unit (for conversion only)	Recommended
14.	Gauraangs Pvt ITI PU23000977	Khurana Polymer Industrise Pvt. Ltd. Ajroda, 473110 Guna	30/05/2024	29/05/2027	Electrician	3 rd Shift	1	Already affiliated unit (for conversion only)	Recommended
15.	Malwa Private ITI, Binaganj PU23000602	Kailtech Test and Research Centre Pvt. Plot No. 141c, Electronic Indore Ltd. Complex, Pardesipura /452010	30/09/2024	30/09/2027	Electrician	3 rd Shift	2	Already affiliated unit (for conversion only)	Recommended
16.			13.03.2025	13.09.2030	Fitter	3 rd Shift	1	Already affiliated	Recommended

Sr. No.	Name of the ITI	Name of the Industry	MoU Start Date	MoU end Date	Name of the Trade for DST	Shift	Unit	Already affiliated unit (for conversion only)	26 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)
	Vaishnav Pvt ITI PU23000777	Usj Refractories Pvt Ltd Jahrwahi , 483442 Katni						unit (for conversion only)	
		Usj Refractories Pvt Ltd Jahrwahi , 483442 Katni	13.03.2025	13.09.2030	Electrician	3 rd Shift	2	Already affiliated unit (for conversion only)	Recommended
17.	New M S Pvt ITI PR23000926	Premier Refractories Of India Pvt Ltd New Katni Junction , 483501 Katni	03.08.2023	03.08.2028	Electrician	3 rd Shift	2	Already affiliated unit (for conversion only)	Recommended
		Premier Refractories Of India Pvt Ltd New Katni Junction , 483501 Katni	03.08.2023	03.08.2028	Fitter	3 rd Shift	2	Already affiliated unit (for conversion only)	Recommended
18.	Sanawad Pvt ITI PR23000678	Shakti Pumps (India) Ltd Plot No 401,402,400 And 412 A Sector 3 Pithampur Dhar	26.04.2025	25.04.2030	Electrician	3 rd Shift	3	Already affiliated unit (for conversion only)	Recommended
19.	Sgm Private ITI PU23000346	Enigma Automobile Private Limited Plot No 147 New Industrial Area Phase 3	22/04/2025	22/04/2030	Electrician	3 rd Shift	1	Already affiliated unit (for conversion only)	Recommended

Sr. No.	Name of the ITI	Name of the Industry	MoU Start Date	MoU end Date	Name of the Trade for DST	Shift	Unit	Already affiliated unit (for conversion only)	26 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)
		Mandideep Raisen							
20.	Rudra Private ITI PU23000893	Enigma Automobile Private Limited Plot No 147 New Industrial Area Phase 3 Mandideep Raisen	22/04/2025	22/04/2030	Electrician	3 rd Shift	1	Already affiliated unit (for conversion only)	Recommended
21.	Vardhman ITI PR23000133	Bhai Ji Products Industries Akvn Industrial Area Sidhguvan Sagar Sagar	15.04.2025	31/03/2028	Fitter	3 rd Shift	1	Already affiliated unit (for conversion only)	Recommended
22.	Gour Pvt ITI PR23000209	S.N. Enterprises Near Mpeb House Near Mpeb House Makroniya Sagar	24.04.2025	23.04.2030	Electrician	3 rd Shift	1	Already affiliated unit (for conversion only)	Recommended
23.	Pt.Brijkishore Pateria Pvt ITI PR23000904	Avs Cables & Wires Khurai Road Malthone , 470441 Sagar	23/03/2025	22/03/2028	Electrician	3 rd Shift	1	Already affiliated unit (for conversion only)	Recommended
		Shiv Shakti Industries Malthone Road Khimlsa Sagar	23/03/2025	22/03/2028	Fitter	3 rd Shift	1	Already affiliated unit (for conversion only)	Recommended

Sr. No.	Name of the ITI	Name of the Industry	MoU Start Date	MoU end Date	Name of the Trade for DST	Shift	Unit	Already affiliated unit (for conversion only)	26 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)
24.	Dps Pvt ITI PR23001055	S.N. Enterprises Near Mpeb House Makroniya Sagar	28/05/2024	28/05/2027	Electrician	3 rd Shift	1	Already affiliated unit (for conversion only)	Recommended
25.	Vigya jyoti Pvt ITI PR23000785	M/S Jeevan jyoti transformer NEAR TOLL PLAZA JABALPUR ROAD, industrial area sidgua SAGAR	20-04-2025	19-04-2030	Electrician	3 rd Shift	2	Already affiliated unit (for conversion only)	Recommended
26.	Infinity Pvt ITI, Sagar PU23000450	Madhya Bharat Telecom Infrastructures,	19/5/2025	18/5/2028	Electrician	3 rd Shift	1	Already affiliated unit (for conversion only)	Recommended
		Adinath Cars Private Ltd.	20/05/2025	19/05/2028	Mechanic Diesel	3 rd Shift	1	Already affiliated unit (for conversion only)	Recommended
27.	Deen Dayal Industrail Training Centre Udyanmita	Royal Cars Private Limited Near 4th Km Mile Stone Satna Panna	31/05/2024	30/05/2029	Electrician	3 rd Shift	1	Already affiliated unit (for conversion only)	Recommended

Sr. No.	Name of the ITI	Name of the Industry	MoU Start Date	MoU end Date	Name of the Trade for DST	Shift	Unit	Already affiliated unit (for conversion only)	26 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)
	Vi PR23000094	Road Amoudha 485001	31/05/2024	30/05/2029	Fitter	3 rd Shift	1	Already affiliated unit (for conversion only)	Recommended
28.	Bansal Private ITI PR23000824	Aa Auto Link Satna Chamariya Complex Gahra Nala Rewa Road Satna	20/05/2025	19/05/2028	Electrician	3 rd Shift	2	Already affiliated unit (for conversion only)	Recommended
			20/05/2025	19/05/2028	Fitter	3 rd Shift	1	Already affiliated unit (for conversion only)	Recommended
29.	Vardhman ITI PR23000133	Shree Laxmi Industries Plot No. 49 Sector Old Behind Ghadi Factory Sagar	1-Apr-2025	31-Mar-2030	Electrician	3 rd Shift	2	Already affiliated unit (for conversion only)	Recommended
30.	Govt ITI Manpur GR23000116	Universal Motros Pithampur Dist Dhar	03.04.2025	04.04.2028	Welder	3 rd Shift	1	Already affiliated unit (for conversion only)	Not Recommended
			03.04.2025	04.04.2028	Fitter	3 rd Shift	1	Already affiliated unit (for conversion only)	Not Recommended

Sr. No.	Name of the ITI	Name of the Industry	MoU Start Date	MoU end Date	Name of the Trade for DST	Shift	Unit	Already affiliated unit (for conversion only)	26 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)
31.	Govt Divisional ITI Bhopal GR23000005	Permal Wallace Pvt Ltd Opposite Reserve Bank of Bhopal India, Zone/I, Maharana Pratap Nagar 462011	13.08.2018	Extended	Machinist	3 rd Shift	1	Already affiliated unit (for conversion only)	Not Recommended
		Ve Commercial Vehicles Ltd. Plot No 101, 102 , Industrial Area, Pithampur Dhar	25.05.2019	Extended	Fitter	3 rd Shift	2	Already affiliated unit (for conversion only)	Not Recommended
		Bhopal Sahakari Dugdh Sang Maryadit Habib Ganj, 462023 Bhopal	03.11.2020	Extended	Milk & Milk Product Technician	3 rd Shift	1	Already affiliated unit (for conversion only)	Not Recommended
32.	Jawaharlal Nehru Private Industrial Training Insti	Jawaharlal Nehru sahakari agricultural produce processing society ltd. Village sarvar deola tehsil kasrawad	25.04.2025	25.04.2028	Electrician	3 rd Shift	1	Already affiliated unit (for conversion only)	Not Recommended

Sr. No.	Name of the ITI	Name of the Industry	MoU Start Date	MoU end Date	Name of the Trade for DST	Shift	Unit	Already affiliated unit (for conversion only)	26 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)
33.	Elite Private ITI PR23000216	A.P. Enterprise, Mandsour	-	-	Electrician	3 rd Shift	1	Already affiliated unit (for conversion only)	Not Recommended
		A.P. Enterprise, Mandsour	-	-	Fitter	3 rd Shift	1	Already affiliated unit (for conversion only)	Not Recommended
		A.P. Engineering equipment and service kota Raj.	-	-	Electrician	3 rd Shift	0	Already affiliated unit (for conversion only)	Not Recommended
34.	Maxima Private Industrial Training Institute PR23000606	Second party transtech engineers k-25 sidhguwan Industrial area chanatoria sagar	22.04.2024	21.04.2027	Electrician	3 rd Shift	1	Already affiliated unit (for conversion only)	Not Recommended
35.	Govt Divisional ITI Bhopal GR23000005	Voltas Ltd. Voltas house A. Dr Babasaheb Ambedkar road chinchpokli Mumbai-400033	-	-	Refrigeration and Air conditioning Technician	3 rd shift	1	Already affiliated unit (for conversion only)	Not Recommended

Sr. No.	Name of the ITI	Name of the Industry	MoU Start Date	MoU end Date	Name of the Trade for DST	Shift	Unit	Already affiliated unit (for conversion only)	26 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)
36.	Skill India Private ITI PR23000878	Instant information software service drone solar Pvt. Ltd Mumbai	14.04.2025	13.03.2035	Electrician	3 rd shift	1	—	Not Recommended
		Instant information software service drone solar Pvt. Ltd Mumbai	24.04.2025	23.03.2035	COPA	3 rd shift	1	—	Not Recommended
37.	Krishna Private ITI, PU23001066	Divyansh mahavidhyalay gram madhopura Haripur	19.05.2025	18.05.2028	Stenographer & secretarial assistant (Hindi)	3 rd shift	1	—	Not Recommended
38.	Hindupat ITI (Pvt.) PR23000806	National fertilizers limited, vijaypur unit. Guna MP, NFL Torvnship near palika bazar Guna-473111	25.11.2023	24.11.2026	Electrician	3 rd shift	1	—	Not Recommended
			25.11.2023	24.11.2026	COPA	3 rd shift	1	—	Not Recommended
39.	Malwa Private ITI, Binaganj PU23000602	Scientech technologies pvt. Ltd 94Electronic complex, pardesipura, indore, 452010	30.09.2024	30.09.2027	Electrician	3 rd shift	0	—	Not Recommended
		Nvis Technologies Pvt. Ltd. 141-A	30.09.2024	30.09.2027	Electrician	3 rd shift	0	—	Not Recommended

Sr. No.	Name of the ITI	Name of the Industry	MoU Start Date	MoU end Date	Name of the Trade for DST	Shift	Unit	Already affiliated unit (for conversion only)	26th SCAA Remarks
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)
		Electronic complex pardesipura Indore452010							

Annexure-8 as referred in Agenda-5.1: DST Affiliation proposal from SSDEC Karnataka

Sr. No.	Name of the ITI	Name of the Industry	MoU Start Date	Mou end Date	Name of the Trade for DST	Shift	Unit	Already affiliated unit (for conversion only)	SCAA Remarks
1.	Govt Industrial Training Institute Davanagere GU29000048	Toyota Kirloskar Motors Pvt. Ltd Bidadi Industrial Area Ramanagara District 562109	28.06.2023	09.01.2027	Fitter	3 rd Shift	1	Existing Unit	Recommended
					Electrician	3 rd Shift	1	Existing Unit	Recommended
2.	Govt ITI Koratagere GR29001513	Honnasiri Mahindra A Unit of Hd Moters) # 68/3a Maralur Village Gubbi Ring Road Tumkur 572105 Karnataka	15.04.2025	31.03.2029	Mechanic Motor Vehicle	1 st Shift	1	Conversion of Existing Affiliated Unit	Recommended
					Mechanic Motor Vehicle	2 nd Shift	1	Conversion of Existing Affiliated Unit	Recommended
3.	Govt, ITI, Beml Nagar Kgf, 563115 GU29000015	M/S, Beml Ltd, Em, Division Beml Nagar Kgf 563115	03.06.2025	02.06.2028	Machinist	2nd Shift	2	Existing Unit	Recommended
					Machinist	1 st Shift	1	Existing Unit	Recommended
					Turner	1 st Shift	1	Existing Unit	Recommended
					Turner	1 st Shift	2	Existing Unit	Recommended
					Fitter	1 st Shift	2	Existing Unit	Recommended
					Fitter	1 st Shift	3	Existing Unit	Recommended
4.	Govt Industrial Training Institute, Anekal Nagara	Sirigequality Laboratory Pt. Ltd No. Newpet N.R. Colony, K,E,B,R Road Bengaluru Urben Aaneal 562107	16.01.2025	15.01.2028	Fitter	1st shift	1	Existing Unit	Recommended
					Fitter	2 nd shift	1	Existing Unit	Recommended

Sr. No.	Name of the ITI	Name of the Industry	MoU Start Date	Mou end Date	Name of the Trade for DST	Shift	Unit	Already affiliated unit (for conversion only)	SCAA Remarks
	GU29001424	Bhel, Eleronics Division, Ysore Road Bengalruurban Begaluru 560026 Karnatak	18.08.2025	17.08.2028	Electrician	1st shift	1	Existing Unit	Recommended
					Electrician	2 nd shift	1	Existing Unit	Recommended
5.	Govt. ITI, Beguru GR29000925	Brakes India Pvt. Ltd Nanjangud Taluk Mysore Karnataka 571301	09.04.2025	03.11.2030	Fitter	1st shift	1	Conversion of Existing Affiliated Unit	Recommended
		Kaynes Electronics Manufacturing Pvt. Ltd. Chamarajanagar, Karnataka 571313	15.04.2025	30.07.2030	Electronics Mechanic	1st shift	1	Conversion of Existing Affiliated Unit	Recommended
		Kaynes Electronics Manufacturing Pvt. Ltd. Chamarajanagar, Karnataka 571313	15.04.2025	30.07.2030	Electrician	1st shift	1	Conversion of Existing Affiliated Unit	Recommended
		Brakes India Pvt. Ltd Nanjangud Taluk Mysore Karnataka 571301	09.04.2025	03.11.2030	Turner	1st shift	1	Conversion of Existing Affiliated Unit	Recommended
6.	Government Industrial Training Institute, Maddur GR29000400	M/S Hiten Fasteners Somanahalli Industrial Area Maddur	09.04.2025	08.04.2029	Tool and Die Maker Press Tools Jigs & Fixture	1st shift	1	Conversion of Existing Affiliated Unit	Recommended

Sr. No.	Name of the ITI	Name of the Industry	MoU Start Date	Mou end Date	Name of the Trade for DST	Shift	Unit	Already affiliated unit (for conversion only)	SCAA Remarks
7.	Govt ITI, Chamarajanagar GU29001514	M/S Elkitch Pvt. Ltd. Badanaguppe Kellamballi Industrial Area Chamarajanagara Karnataka571313	11.09.2024	31.07.2029	Fitter	1st shift	1	Conversion of Existing Affiliated Unit	Recommended
		M/S Elkitch Pvt. Ltd. Badanaguppe Kellamballi Industrial Area Chamarajanagara Karnataka571313	11.09.2024	31.07.2029	Electrician	1st shift	1	Conversion of Existing Affiliated Unit	Recommended
		M/S Elkitch Pvt. Ltd. Badanaguppe Kellamballi Industrial Area Chamarajanagara Karnataka571313	11.09.2024	31.07.2029	CND	1st shift	1	Conversion of Existing Affiliated Unit	Recommended
8.	Govt. ITI, (W), Gundlupet GR29000206	M/S Elkitch Pvt. Ltd. Badanaguppe Kellamballi Industrial Area Chamarajanagara Karnataka571313	11.09.2024	31.07.2029	IR & DMT	2 nd shift	1	Conversion of Existing Affiliated Unit	Recommended
9.	Government Industrial Training Institute,	Fluidyne Engineers India Pvt. Ltd, Metagalli Mysore-16	09.06.2025	08.06.2030	CNC Machining Technician	2 nd shift	1	Conversion of Existing Affiliated Unit	Recommended

Sr. No.	Name of the ITI	Name of the Industry	MoU Start Date	Mou end Date	Name of the Trade for DST	Shift	Unit	Already affiliated unit (for conversion only)	SCAA Remarks
GU29000053	N R Mohalla Mysore-07	Fluidyne Engineers India Pvt. Ltd, Metagalli Mysore-16	09.06.2025	08.06.2030	Fitter	2 nd shift	1	Conversion of Existing Affiliated Unit	Recommended
		Fluidyne Engineers India Pvt. Ltd, Metagalli Mysore-16	09.06.2025	08.06.2030	Fitter	3 rd shift	1	Conversion of Existing Affiliated Unit	Recommended
		Fluidyne Engineers India Pvt. Ltd, Metagalli Mysore-16	09.06.2025	08.06.2030	Welder	2 nd shift	1	Conversion of Existing Affiliated Unit	Recommended
		Fluidyne Engineers India Pvt. Ltd, Metagalli Mysore-16	09.06.2025	08.06.2030	Welder	2 nd shift	2	Conversion of Existing Affiliated Unit	Recommended
10.	Govt Industrial Training Institute, Malavalli GU29000158	M/S Kaynes Technology India Limited H.O. & Regd. Off-23-25 Belegola Food Industrial Estate Metagalli Post Mysuru 570016 Karnataka	03.09.2024	02.12.2029	Electronics Mechanic	2 nd shift	2	Conversion of Existing Affiliated Unit	Recommended
		M/S Rane Madras Limited # 79/84, Hootagalli Industrial Area Mysuru 570018, Karnataka	03.09.2024	02.12.2029	Turner	1 st shift	1	Conversion of Existing Affiliated Unit	Recommended

Annexure-9 as referred in Agenda-5.1: Self Surrender of Trade/Units in ITIs of Gujarat, Karnataka and Madhya Pradesh States

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	26th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
1.	Maharshi Dayanand College of ITI MIS code:PR24008174	1. Computer Operator and Programming Assistant-3(1+1+1)	The state directorate vide email dated 18.12.2025 informed for self-surrender of trade/units of the ITI.	The matter was deliberated in the SCAA meeting and SCAA decided that the State Directorate will send the proposal to DGT with SSDEC recommendations.
2.	Sri Jagadguru Ajata Nagaling Mahaswamy Vidyapeeth's ITI Address: Vidya Peeth Navalagund, Dist-Dharwad, Karnataka-582208 MIS code: PU29000172	1. Electrician-2(1+1) 2. Fitter- 3(2+1) 3. Mechanic (Tractor)-1(1+0) 4. Mechanic Diesel-1(1+0) 5. Sewing Technology-1(1+0)	The 4th SSDEC in its meeting dated 02.09.2025 recommended the de-affiliation of the following trade/unit of the ITI on the basis of the self-surrender request submitted by the institute: Mechanic (Tractor)-1(1+0)	SCAA accepted the ITI's request for the self-surrender of following trade/unit: Mechanic (Tractor)-1(1+0)
3.	Anjuman-e-Islam Pvt. ITI Address: Ayodhya Nagar,Old Hubli Eidgah Vidyut Nagar,Hubli, Dist: Dharwad, Karnataka - 580024	1. Architectural Draughtsman-1(1+0) 2. Sewing Technology-1(1+0)	The 4th SSDEC in its meeting dated 02.09.2025 recommended the de-affiliation of the following trade/unit of the ITI on the basis of the self-surrender request submitted by the institute: Architectural Draughtsman-1(1+0)	SCAA accepted the ITI's request for the self-surrender of following trade/unit: Architectural Draughtsman-1(1+0)

Annexure-9

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	26 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
	MIS code: PU29000912			
4.	NRN Pvt. ITI Address: Jhansi Road , Distt -Gwalior, Madhya Pradesh- 474001 MIS code: PR23000628	Electrician-3(1+1+1)	The 11th SSDEC in its meeting dated 15.09.2025 recommended the de-affiliation of the ITI on the basis of the self-closure request submitted by the institute: Electrician-3(1+1+1)	SCAA accepted the ITI's request for the self-surrender of following trade/unit: Electrician-3(1+1+1)
5.	J.P Cement Pvt. ITI Address: Arjun Shiksha Kendra, Bharatpur - Jaypee Vihar Distt. Sidhi, Madhya Pradesh- 486776 MIS code: PR23000167	1. Electrician-2(1+1) 2. Fitter- 2(1+1) 3. Mechanic Diesel- 1(1+0)	The 11th SSDEC in its meeting dated 15.09.2025 recommended the de-affiliation of the following trade on the basis of the self-surrender request submitted by the institute: Mechanic Diesel-1(1+0+0)	SCAA accepted the ITI's request for the self-surrender of following trade/unit: Mechanic Diesel-1(1+0+0)

Annexure-10 as referred in Agenda-5.2: Karnataka State SSDEC Matters:

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	26 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
1.	<p>Rukminamma Memorial ITC Bellary</p> <p>Address: Kalyana Swamy Mutt, Milerpet, Ballari, Karnataka - 583101</p> <p>MIS Code: PU29000794</p>	<p>1. Electrician – 2(1+1)</p> <p>2. Fitter – 2(1+1)</p>	<p>1. The preliminary inspection dated 28.06.2023 was conducted by the State Directorate, during which it was observed that the ITI had been closed since 2020. Accordingly, de-affiliation proceedings were initiated by the State Directorate.</p> <p>2. SCN was issued to the ITI by the State on 26.06.2024, followed by reminder dated 28.08.2024.</p> <p>3. The ITI did not submit any reply to the Show Cause Notice (SCN) or to the reminder SCN.</p> <p>4. Further, a joint inspection was conducted on 05.06.2025 by the RDSDE and State official. During inspection the following were observed:</p> <p>a) The building of the ITI does not exist as its original premises -i.e- Kalyan Swamy Mutt, Millerpet, Belary-583101.</p> <p>b) The sanctioned power supply information is not available.</p> <p>c) With reference to Sri Renukaacharya Education Society , letter dated 06.05.2025 with effect from August 2020-21, this</p>	Refer the decision at Agenda item 5.2

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	26 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>Rukminamma Memorial ITC ,Ballari is closed.</p> <p>d) The Tools and Equipment information is not available</p> <p>5. Based on the findings of the joint inspection, 4th SSDEC, in its meeting held on 02.09.2025, has recommended de-affiliation of the ITI as the ITI is closed since 2020 and is not functioning.</p>	
2.	<p>Shree Yerriswamy ITC Moka</p> <p>Address: Moka, Bellary-Karnataka- 583117</p> <p>MIS Code: PR29000357</p>	All trades are de-affiliated	<ol style="list-style-type: none"> 1. The preliminary inspection dated 28.06.2023 was conducted by the State Directorate, during which it was observed that the ITI had been closed since 2022. Accordingly, de-affiliation proceedings were initiated by the State Directorate. 2. SCN was issued to the ITI by the State on 26.06.2024, followed by reminder dated 28.08.2024. 3. The ITI did not submit any reply to the SCN or to the reminder SCN. 4. Further, a joint inspection was conducted on 05.07.2025 by the RDSDE and State official. During inspection the following were observed: <ol style="list-style-type: none"> a) The existing ITI building as to be renovated. The roof is in bad condition. b) The three Phase power supply is disconnected from August 2022. 	The matter was deliberated in the SCAA meeting. During the meeting it was apprised that all the trades and units of the ITI have been already de-affiliated vide DGT letter dated 20.12.2018.

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	26 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>c) All the tools and equipment to be purchased as per DGT norms to restart the ITI at the same premises.</p> <p>d) Separate toilets to be build-up for boys and girls.</p> <p>e) Biometric for staff and students to be installed.</p> <p>5. Based on the findings of the joint inspection, 4th SSDEC, in its meeting held on 02.09.2025, has recommended de-affiliation of the ITI due to following reasons:</p> <p>i) The ITI is closed from 2022-23.</p> <p>ii) The existing ITI building has to be renovated. The roof is in bad condition.</p> <p>iii) The three Phase power supply is disconnected from August 2022.</p> <p>iv) The tools and equipment are not available as per DGT norms.</p>	

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	26 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
3.	Vidhya Vahini Pvt ITI Ballari		<ol style="list-style-type: none"> 1. The preliminary inspection dated 28.06.2023 was conducted by the State Directorate, during which it was observed that the ITI had been closed since 2023. Accordingly, de-affiliation proceedings were initiated by the State Directorate. 2. SCN was issued to the ITI by the State on 26.06.2024, followed by reminder dated 28.08.2024. 3. The ITI did not submit any reply to the SCN or to the reminder SCN. 4. Further, a joint inspection was conducted on 05.08.2025 by the RDSDE and State official. During inspection the following were observed: <ol style="list-style-type: none"> a) The ITI building does not exist at premises, Cantonment Bellary. b) The empty land /plot is available at the ITI premises, Cantonment Bellary and the land is sold to another person. 5. Based on the findings of the joint inspection, 4th SSDEC, in its meeting held on 02.09.2025, has recommended de-affiliation of the ITI as the ITI is closed since 2013 and is not functioning. 	The ITI not mapped on DGT MIS portal, however state directorate has provide the affiliation order (DGE&T/6/10/26/2007 dated 25.05.2007). The SCAA has decided to de-affiliate the ITI as the ITI has been closed since 2013.

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	26 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
4.	<p>Basaveshwara Industrial Training Thindlu</p> <p>Address :Thindlu Main Road Vidyaranyapura, Bengaluru Urban, Karnataka -</p> <p>MIS Code: PR29000963</p>	Fitter -1(1+0)	<ol style="list-style-type: none"> 1. The inspection was conducted by the State Directorate, during which it was observed that the ITI had been closed since 2019. Accordingly, de-affiliation proceedings were initiated by the State Directorate. 2. SCN was issued to the ITI by the State on 26.06.2024, followed by reminder dated 28.08.2024. 3. The ITI did not submit any reply to the SCN or to the reminder SCN. 4. Further, a joint inspection was conducted on 06.09.2025 by the RDSDE and State official. During inspection the following were observed: <ol style="list-style-type: none"> a) The ITI was found closed and no person available from the ITI on the day of inspection. b) As the ITI was found closed, therefore, no information of tools & equipment, land & building were available during inspection. 5. Based on the findings of the joint inspection, 4th SSDEC, in its meeting held on 02.09.2025, has recommended de-affiliation of the ITI as the ITI is closed since 2019 and is not functioning. 	Refer the decision at Agenda item 5.2

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	26 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
5.	<p>Megha Centre for Electronics & Bio-Medical Technology of India (MCEBT)</p> <p>Address :Basaveshwara Nagar,</p> <p>Bengaluru Urban, Karnataka - 560079</p> <p>MIS Code: PR29000619</p>	Mechanic Medical Electronics- 1(1+0)	<ol style="list-style-type: none"> 1. The inspection was conducted by the State Directorate, during which it was observed that the ITI had been closed since 2019. Accordingly, de-affiliation proceedings were initiated by the State Directorate. 2. SCN was issued to the ITI by the State on 26.06.2024, followed by reminder dated 28.08.2024. 3. The ITI did not submit any reply to the SCN or to the reminder SCN. 4. Further, a joint inspection was conducted on 06.06.2025 by the RDSDE and State official. During inspection the following were observed: <ol style="list-style-type: none"> a) The ITI was found closed and no person available from the ITI on the day of inspection. 5. Based on the findings of the joint inspection, 4th SSDEC, in its meeting held on 02.09.2025, has recommended de-affiliation of the ITI as the ITI is closed since 2019 and is not functioning. 	Refer the decision at Agenda item 5.2

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	26 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
6.	<p>Vidyashree Industrial Training Centre</p> <p>Address :No.20, 10th Cross 1st Main L.G Ramanna Layout Lagg, Bengaluru Urban,Karnataka-560058</p> <p>MIS Code: PU29000738</p>	<p>1. Electronics Mechanic - 2(1+1)</p> <p>2. Fitter- 2(1+1)</p>	<p>1. The preliminary inspection dated 12.09.2023 was conducted by the State Directorate, during which it was observed that the ITI had been closed since 2020. Accordingly, de-affiliation proceedings were initiated by the State Directorate.</p> <p>2. SCN was issued to the ITI by the State on 26.06.2024, followed by reminder dated 28.08.2024.</p> <p>3. The ITI did not submit any reply to the SCN or to the reminder SCN.</p> <p>4. Further, a joint inspection was conducted on 06.09.2025 by the RDSDE and State official. During inspection the following were observed: a) The ITI was found closed and no person available from the ITI on the day of inspection.</p> <p>5. Based on the findings of the joint inspection, 4th SSDEC, in its meeting held on 02.09.2025, has recommended de-affiliation of the ITI as the ITI is closed since 2020 and is not functioning.</p>	Refer the decision at Agenda item5.2

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	26 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
7.	<p>JRS ITI Nelamangala</p> <p>Address :Kuluvanahalli, Nelamangala Tq, Bangalore Rural, Bengaluru Rural, Karnataka - 562111</p> <p>MIS Code: PR29000753</p>	Fitter- 2(1+1)	<ol style="list-style-type: none"> 1. The inspection was conducted by the State Directorate, during which it was observed that the ITI had been closed since 2020. Accordingly, de-affiliation proceedings were initiated by the State Directorate. 2. SCN was issued to the ITI by the State on 26.06.2024, followed by reminder dated 28.08.2024. 3. The ITI did not submit any reply to the SCN or to the reminder SCN. 4. Further, a joint inspection was conducted on 06.05.2025 by the RDSDE and State official. During inspection the following were observed: <ol style="list-style-type: none"> a) The ITI was found closed and no person available from the ITI on the day of inspection. 5. Based on the findings of the joint inspection, 4th SSDEC, in its meeting held on 02.09.2025, has recommended de-affiliation of the ITI as the ITI is closed since 2020 and is not functioning. 	Refer the decision at Agenda item 5.2

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	26 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
8.	Zikra Industrail Training Centre Basavakalyana Address :Basavakalyana, Bidar,Karnataka 585327 MIS Code: PU29000405	Fitter- 1(0+1)	<ol style="list-style-type: none"> 1. The preliminary inspection dated 01.09.2020 was conducted by the State Directorate, during which it was observed that the ITI had been closed since 2022. Accordingly, de-affiliation proceedings were initiated by the State Directorate. 2. SCN was issued to the ITI by the State on 26.06.2024, followed by reminder dated 28.08.2024 . 3. The ITI did not submit any reply to the SCN or to the reminder SCN. 4. Further, a joint inspection was conducted on 05.06.2025 by the RDSDE and State official. During inspection the following were observed: <ol style="list-style-type: none"> a) The ITI was found closed. b) The Ideal Global school is using the space of the ITI for storage room for school purposes. 5. Based on the findings of the joint inspection, 4th SSDEC, in its meeting held on 02.09.2025, has recommended de-affiliation of the ITI as the ITI is closed since 2022 and the ITI building is used for Ideal Global school. 	Refer the decision at Agenda item 5.2

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	26 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
9.	<p>S.R.S Industrial Training Centre Begepalli Town</p> <p>Address :Kotha Palli Road Bagepalli, Chikkaballapura-Karnataka</p> <p>MIS Code: PR29000278</p>	Fitter- 2(1+1)	<ol style="list-style-type: none"> 1. The preliminary inspection dated 26.06.2023 was conducted by the State Directorate, during which it was observed that the ITI had been closed since 2021. Accordingly, de-affiliation proceedings were initiated by the State Directorate. 2. SCN was issued to the ITI by the State on 26.06.2024, followed by reminder dated 28.08.2024 . 3. The ITI did not submit any reply to the SCN or to the reminder SCN. 4. Further, a joint inspection was conducted on 03.07.2025 by the RDSDE and State official. During inspection the following were observed: <ol style="list-style-type: none"> a) The ITI was found closed. b) No training activity was found in the ITI campus. 5. Based on the findings of the joint inspection, 4th SSDEC, in its meeting held on 02.09.2025, has recommended de-affiliation of the ITI as the ITI is closed since 2021 and is not functioning. 	Refer the decision at Agenda item 5.2

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	26 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
10.	Swamy Vivekananda ITC Address :T.B. Circle, Bagepalli, Chikkaballapura, Karnataka - 561207 MIS Code: PU29001038	Fitter- 2(1+1)	<ol style="list-style-type: none"> 1. The inspection was conducted by the State Directorate, during which it was observed that the ITI had been closed since 2020. Accordingly, de-affiliation proceedings were initiated by the State Directorate. 2. SCN was issued to the ITI by the State on 26.06.2024, followed by reminder dated 28.08.2024. 3. The ITI did not submit any reply to the SCN or to the reminder SCN. 4. Further, a joint inspection was conducted on 03.07.2025 by the RDSDE and State official. During inspection the following were observed: <ol style="list-style-type: none"> a) The ITI was found closed. b) No training activity was found in the ITI campus. 5. Based on the findings of the joint inspection, 4th SSDEC, in its meeting held on 02.09.2025, has recommended de-affiliation of the ITI as the ITI is closed since 2020 and is not functioning. 	Refer the decision at Agenda item 5.2

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	26 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
11.	<p>Sri M. Vishveshwaraiah ITC, Chitradurga Distt.</p> <p>Address : P.B Road Industrial Area, Chitradurga, Karnataka- 577501</p> <p>MIS Code: PR29000909</p>	<p>1. Electrician – 2(1+1) 2. Fitter – 2(1+1)</p>	<p>1. The preliminary inspection dated 15.09.2023 was conducted by the State Directorate, during which it was observed that the ITI had been closed since 2024. Accordingly, de-affiliation proceedings were initiated by the State Directorate.</p> <p>2. SCN was issued to the ITI by the State on 26.06.2024, followed by reminder dated 28.08.2024.</p> <p>3. The ITI submit reply to the SCN.</p> <p>4. Further, a joint inspection was conducted on 24.06.2025 by the RDSDE and State official. During inspection the following were observed: a) The ITI is closed since 2024 due to some dispute between Building owner and management. b) The land & building, man power, power supply and tools, equipment were not available as per DGT norms.</p> <p>5. Based on the findings of the joint inspection, 4th SSDEC, in its meeting held on 02.09.2025, has recommended de-affiliation of the ITI as per the above-mentioned observations during joint inspection dated 24.06.2025.</p>	Refer the decision at Agenda item 5.2

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	26 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
12.	<p>Sri Mathrushree ITC</p> <p>Address: Stadium Road, Prashanth Nagar, Chitradurga, Karnataka - 577501</p> <p>MIS Code: PU29001061</p>	<p>1. Electrician – 1(1+0)</p> <p>2. Fitter – 1(1+0)</p>	<p>1. The inspection was conducted by the State Directorate, during which it was observed that the ITI had been closed since 2021. Accordingly, de-affiliation proceedings were initiated by the State Directorate.</p> <p>2. SCN was issued to the ITI by the State on 26.06.2024, followed by reminder dated 28.08.2024.</p> <p>3. The ITI did not submit any reply to the SCN or to the reminder SCN.</p> <p>4. Further, a joint inspection was conducted on 24.06.2025 by the RDSDE and State official. During inspection the following were observed:</p> <p>a) The ITI is closed since 2021 due to lack of admission.</p> <p>b) The building is converted into commercial shopping complex.</p> <p>c) The land & building, man power, power supply and tools, equipment were not available as per DGT norms.</p> <p>6. Based on the findings of the joint inspection, 4th SSDEC, in its meeting held on 02.09.2025, has recommended de-affiliation of the ITI as the ITI is closed since 2021 and is not functioning.</p>	Refer the decision at Agenda item 5.2
13.	St Joseph Industrial Training Centre	1. Fitter- 2(1+1)	1. The preliminary inspection dated 29.12.2023 was conducted by the State	The matter was deliberated in the SCAA. A preliminary

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	26 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
	<p>Address :P.B No 502, Jeppu, Mangalore, Dakshina Kannada- Karnataka- 575002</p> <p>MIS Code: PR29000299</p>	<p>2. Machinist 1(1+0) 3. Mechanic (Motor Vehicle)- 2(1+1)</p>	<p>Directorate, during which it was observed that the ITI had been closed since 2023. Accordingly, de-affiliation proceedings were initiated by the State Directorate.</p> <p>2. SCN was issued to the ITI by the State on 26.06.2024, followed by reminder dated 28.08.2024.</p> <p>3. The ITI did not submit any reply to the SCN or to the reminder SCN.</p> <p>4. Further, a joint inspection was conducted on 18.08.2025 by the RDSDE and State official. During inspection the following were observed:</p> <p>a) The ITI is closed from 2023 and the management decided to closed the ITI and not willing to continue ITI courses</p> <p>b) The land & building, man power, power supply and tools, equipment were not available as per DGT norms.</p> <p>4. Based on the findings of the joint inspection, 4th SSDEC, in its meeting held on 02.09.2025, has recommended de-affiliation of the ITI as the ITI is closed since 2023 and the management decided to closed the ITI and not willing to continue ITI courses. Also, the land & building, man power, power supply and</p>	<p>inspection of the ITI was conducted by the State Directorate on 29.12.2023, during which it was observed that the ITI had been closed since 2023. Accordingly, de-affiliation proceedings were initiated by the State Directorate.</p> <p>Subsequently, a SCN was issued to the ITI on 26.06.2024, followed by a reminder dated 28.08.2024. However, the ITI did not submit any reply to the SCN or the reminder.</p> <p>Thereafter, a joint inspection was conducted on 18.08.2025 by officials of the RDSDE and the State Directorate. During the inspection, the following observations were made:</p> <p>1. The ITI has been closed since 2023, and the management has decided to close the ITI permanently</p>

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	26 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>tools, equipment were not available as per DGT norms.</p>	<p>and has expressed unwillingness to continue ITI courses.</p> <p>2. The required infrastructure and facilities, namely land and building, manpower, power supply, and tools & equipment, were not available as per DGT norms.</p> <p>Based on the above findings, the SSDEC, in its 4th meeting held on 02.09.2025, recommended de-affiliation of the ITI, as the institute has remained closed since 2023, the management has voluntarily decided not to continue ITI operations, and the mandatory norms prescribed by DGT are not being met. Hence SCAA recommended fully de-affiliated the ITI under self-surrender</p>

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	26 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
14.	<p>RTPI Pvt. ITI (Shifting from Chamarajapet, Bangalore-18)</p> <p>Address : Kumblur, Kundur Post-577219 Honnali Tq, Davangere ,Karnataka - 577219</p> <p>MIS Code: PR29000167</p>	<ol style="list-style-type: none"> 1. Fitter -2(1+1) 2. Electronics Mechanic - 3(2+1) 3. Draughtsman (Mechanical)- 1(1+0) 4. Computer Operator and Programming Assistant- 1(1+0) 	<ol style="list-style-type: none"> 1. The preliminary inspection dated 18.10.2022 was conducted by the State Directorate, during which it was observed that the ITI had been closed since 2019. Accordingly, de-affiliation proceedings were initiated by the State Directorate. 2. SCN was issued to the ITI by the State on 26.06.2024, followed by reminder dated 28.08.2024. 3. The ITI did not submit any reply to the SCN or to the reminder SCN. 4. Further, a joint inspection was conducted on 06.05.2025 by the RDSDE and State official. During inspection the following were observed: <ol style="list-style-type: none"> a) ITI closed and not functioning 5. Based on the findings of the joint inspection, 4th SSDEC, in its meeting held on 02.09.2025, has recommended de-affiliation of the ITI as the ITI is closed since 2019 and is not functioning. 	Refer the decision at Agenda item 5.2
15.	<p>Smt Halama Malikarjunappa Memorial Rural ITC</p> <p>Address : Anaji, Davangere,Karnataka</p>	<ol style="list-style-type: none"> 1. Electrician – 2(1+1) 2. Fitter – 2(1+1) 	<ol style="list-style-type: none"> 1. The preliminary inspection dated 19.09.2023 was conducted by the State Directorate, during which it was observed that the ITI had been closed since 2023. Accordingly, de-affiliation proceedings were initiated by the State Directorate. 	Refer the decision at Agenda item 5.2

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	26 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
	MIS Code: PR29001024		<ol style="list-style-type: none"> 2. SCN was issued to the ITI by the State on 26.06.2024, followed by reminder dated 28.08.2024. 3. The ITI did not submit any reply to the SCN or to the reminder SCN. 4. Further, a joint inspection was conducted on 06.06.2025 by the RDSDE and State official. During inspection the following were observed: <ol style="list-style-type: none"> a) ITI closed and not functioning 6. Based on the findings of the joint inspection, 4th SSDEC, in its meeting held on 02.09.2025, has recommended de-affiliation of the ITI as the ITI is closed since 2023 and is not functioning. 	
16.	<p>Sri Kaginele Mahasamstana Kanaka Guru Peeta ITC</p> <p>Address : TM road, Agrahara, Honnali Tq., Davangere- Karnataka- 577217</p> <p>MIS Code: PU29000843</p>	<p>Electrician 1(1+0)</p> <p>Fitter- 1(0+1)</p>	<ol style="list-style-type: none"> 1. The preliminary inspection dated 21.10.2022 & 30.11.2022 was conducted by the State Directorate, during which it was observed that the ITI had been closed since 2020. Accordingly, de-affiliation proceedings were initiated by the State Directorate. 2. SCN was issued to the ITI by the State on 26.06.2024, followed by reminder dated 28.08.2024. 3. The ITI did not submit any reply to the SCN or to the reminder SCN. 4. Further, a joint inspection was conducted on 05.06.2025 by the 	Refer the decision at Agenda item 5.2

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	26 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>RDSDE and State official. During inspection the following were observed:</p> <p>a) ITI closed and not functioning</p> <p>b) The ITI building is being used for primary school.</p> <p>7. Based on the findings of the joint inspection, 4th SSDEC, in its meeting held on 02.09.2025, has recommended de-affiliation of the ITI as the ITI is closed since 2020 and is not functioning.</p>	
17.	<p>Sri Mruthyunjaya ITC</p> <p>Address : Near kalleshwara Rice Mill, RMC Link Roa, Bamboo, Bazar, Davangere, Karnataka - 577001</p> <p>MIS Code: PR29001127</p>	Fitter- 1(1+0)	<p>1. The preliminary inspection dated 29.06.2023 was conducted by the State Directorate, during which it was observed that the ITI had been closed since 2019. Accordingly, de-affiliation proceedings were initiated by the State Directorate.</p> <p>2. SCN was issued to the ITI by the State on 26.06.2024, followed by reminder dated 28.08.2024.</p> <p>3. The ITI did not submit any reply to the SCN or to the reminder SCN.</p> <p>4. Further, a joint inspection was conducted on 06.06.2025 by the RDSDE and State official. During inspection the following were observed:</p> <p>a) ITI closed and not functioning</p> <p>5. Based on the findings of the joint inspection, 4th SSDEC, in its meeting held on 02.09.2025, has recommended</p>	Refer the decision at Agenda item 5.2

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	26 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			de-affiliation of the ITI as the ITI is closed since 2019 and is not functioning.	
18.	<p>Sri Nandhini Industrial Training Centre Alur</p> <p>Address : Alur, Davangere, Karnataka - 577512</p> <p>MIS Code: PR29000879</p>	<p>1. Electrician – 2(1+1)</p> <p>2. Fitter – 2(1+1)</p>	<p>1. The preliminary inspection dated 17.10.2022 was conducted by the State Directorate, during which it was observed that the ITI had been closed since 2021. Accordingly, de-affiliation proceedings were initiated by the State Directorate.</p> <p>2. SCN was issued to the ITI by the State on 26.06.2024, followed by reminder dated 28.08.2024.</p> <p>3. The ITI did not submit any reply to the SCN or to the reminder SCN.</p> <p>4. Further, a joint inspection was conducted on 03.06.2025 by the RDSDE and State official. During inspection the following were observed: a) ITI closed and not functioning</p> <p>5. Based on the findings of the joint inspection, 4th SSDEC, in its meeting held on 02.09.2025, has recommended de-affiliation of the ITI as the ITI is closed since 2021 and is not functioning.</p>	Refer the decision at Agenda item 5.2
19.	Sri Siddeshwara Private ITI,	Electrician – 2(1+1)	1. The preliminary inspection dated 17.10.2022 was conducted by the State Directorate, during which it was observed that the ITI had been closed since 2021. Accordingly, de-affiliation	Refer the decision at Agenda item 5.2

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	26 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
	<p>Address :Jeenahalli-577223, Honnali Tq., Davangere- Karnataka-577223</p> <p>MIS Code: PR29001336</p>		<p>proceedings were initiated by the State Directorate.</p> <p>2. SCN was issued to the ITI by the State on 26.06.2024, followed by reminder dated 28.08.2024.</p> <p>3. The ITI did not submit any reply to the SCN or to the reminder SCN.</p> <p>4. Further, a joint inspection was conducted on 04.06.2025 by the RDSDE and State official. During inspection the following were observed: a) ITI closed and not functioning</p> <p>5. Based on the findings of the joint inspection, 4th SSDEC, in its meeting held on 02.09.2025, has recommended de-affiliation of the ITI as the ITI is closed since 2021 and is not functioning.</p>	
20.	<p>Margdarshani Pvt ITC</p> <p>Address :Gajendragada Road Kustagi, Dist Koppal, Karnataka</p>		<p>1. The preliminary inspection dated 26.06.2023 was conducted by the State Directorate, during which it was observed that the ITI had been closed since 2012. Accordingly, de-affiliation proceedings were initiated by the State Directorate.</p> <p>2. SCN was issued to the ITI by the State on 26.06.2024, followed by reminder dated 28.08.2024.</p> <p>3. The ITI did not submit any reply to the SCN or to the reminder SCN.</p>	<p>The ITI not mapped on DGT MIS portal, however state directorate has provide the affiliation order (DGE&T/6/10/192/2008 dated 14.11.2008). The SCAA has decided to de-affiliate the ITI as the ITI has been closed since 2012.</p>

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	26 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>4. Further, a joint inspection was conducted on 03.06.2025 by the RDSDE and State official. During inspection the following were observed: a) ITI closed since 2012 before MIS.</p> <p>5. Based on the findings of the joint inspection, 4th SSDEC, in its meeting held on 02.09.2025, has recommended de-affiliation of the ITI as the ITI is closed since 2012 and is not functioning.</p>	
21.	<p>Bellad Technical Institute</p> <p>Address :unkal Cross Hubli, Dharwad, Karnataka- 580031</p> <p>MIS Code: PU29000656</p>	<p>1. Fitter- 2(1+1) 2. Mechanic (Motor Vehicle)- 2(1+1) 3. Mechanic Diesel- 2(1+1)</p>	<p>1. The inspection was conducted by the State Directorate, during which it was observed that the ITI had been closed since 2023. Accordingly, de-affiliation proceedings were initiated by the State Directorate.</p> <p>2. SCN was issued to the ITI by the State on 26.06.2024, followed by reminder dated 28.08.2024.</p> <p>3. The ITI did not submit any reply to the SCN or to the reminder SCN.</p> <p>4. Further, a joint inspection was conducted on 05.08.2025 by the RDSDE and State official. During inspection the following were observed: a) ITI closed and not functioning</p> <p>5. Based on the findings of the joint inspection, 4th SSDEC, in its meeting held on 02.09.2025, has recommended</p>	Refer the decision at Agenda item 5.2

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	26 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			de-affiliation of the ITI as the ITI is closed since 2023 and is not functioning.	
22.	<p>JSP ITI Hassan</p> <p>Address :M-KSSIDS, Industrail Aear Opp L.V Polytech Arasikere Road, Hassan,Karnataka - 573201</p> <p>MIS Code: PU29000867</p>	All trades are de-affiliated	<ol style="list-style-type: none"> 1. The inspection was conducted by the State Directorate, during which it was observed that the ITI had been closed since 2013. Accordingly, de-affiliation proceedings were initiated by the State Directorate. 2. SCN was issued to the ITI by the State on 26.06.2024, followed by reminder dated 28.08.2024. 3. The ITI did not submit any reply to the SCN or to the reminder SCN. 4. Further, a joint inspection was conducted on 25.05.2025 by the RDSDE and State official. During inspection the following were observed: <ol style="list-style-type: none"> a) ITI closed and not functioning 5. Based on the findings of the joint inspection, 4th SSDEC, in its meeting held on 02.09.2025, has recommended de-affiliation of the ITI as the ITI is closed since 2013 and is not functioning. 	The matter was deliberated in the SCAA meeting. During the meeting it was apprised that all the trades and units of the ITI have been already de-affiliated in reference to DGT letter dated 20.12.2018.
23.	<p>Pankaja Industrial Training Centre</p> <p>Address :Nuggehalli C.R. Pattan, TQ,</p>	All trades are de-affiliated	<ol style="list-style-type: none"> 1. The preliminary inspection dated 24.11.2025 was conducted by the State Directorate, during which it was observed that the ITI had been closed since 2014. Accordingly, de-affiliation proceedings were initiated by the State Directorate. 	The matter was deliberated in the SCAA meeting. During the meeting it was apprised that all the trades and units of the ITI have been already de-affiliated in

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	26 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
	Hassan- Karnataka - 573131 MIS Code: PR29000531		<ol style="list-style-type: none"> 2. SCN was issued to the ITI by the State on 26.06.2024, followed by reminder dated 28.08.2024. 3. The ITI did not submit any reply to the SCN or to the reminder SCN. 4. Further, a joint inspection was conducted on 26.06.2025 by the RDSDE and State official. During inspection the following were observed: a) ITI closed and not functioning. 5. Based on the findings of the joint inspection, 4th SSDEC, in its meeting held on 02.09.2025, has recommended de-affiliation of the ITI as the ITI is closed since 2014 and is not functioning. 	reference to DGT letter dated 20.12.2018.
24.	Patel National ITC, Address :Main road, Belur Distt. Hassan-Karnataka - 573117 MIS Code: PR29000517	Fitter- 1(1+0)	<ol style="list-style-type: none"> 1. The preliminary inspection dated 01.10.2019 was conducted by the State Directorate, during which it was observed that the ITI had been closed since 2019. Accordingly, de-affiliation proceedings were initiated by the State Directorate. 2. SCN was issued to the ITI by the State on 26.06.2024, followed by reminder dated 28.08.2024. 3. The ITI did not submit any reply to the SCN or to the reminder SCN. 4. Further, a joint inspection was conducted on 27.06.2025 by the 	Refer the decision at Agenda item 5.2

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	26 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>RDSDE and State official. During inspection the following were observed:</p> <p>a) ITI closed and not functioning</p> <p>5. Based on the findings of the joint inspection, 4th SSDEC, in its meeting held on 02.09.2025, has recommended de-affiliation of the ITI as the ITI is closed since 2019 and is not functioning.</p>	
25.	<p>SLV ITI Hassan</p> <p>Address: Gowri Koppal, Vivek Nagar, HASSAN-Karnataka - 573201</p> <p>MIS Code: PU29000856</p>	All trades are de-affiliated	<ol style="list-style-type: none"> 1. The preliminary inspection dated 01.01.2015 was conducted by the State Directorate, during which it was observed that the ITI had been closed since 2015. Accordingly, de-affiliation proceedings were initiated by the State Directorate. 2. SCN was issued to the ITI by the State on 26.06.2024, followed by reminder dated 28.08.2024. 3. The ITI did not submit any reply to the SCN or to the reminder SCN. 4. Further, a joint inspection was conducted on 25.06.2025 by the RDSDE and State official. During inspection the following were observed: <ol style="list-style-type: none"> a) ITI closed and not functioning 5. Based on the findings of the joint inspection, 4th SSDEC, in its meeting held on 02.09.2025, has recommended de-affiliation of the ITI as the ITI is closed since 2015 and is not functioning. 	The matter was deliberated in the SCAA meeting. During the meeting it was apprised that all the trades and units of the ITI have been already de-affiliated in reference to DGT letter dated 20.12.2018.

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	26 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
26.	<p>S.L.V Industrial Training Center Channarayapatna</p> <p>Address :B M road, Channarayapattana, Hassan Dis, Karnataka - 573116</p> <p>MIS Code: PU29001415</p>	All trades are de-affiliated	<ol style="list-style-type: none"> 1. The preliminary inspection dated 06.01.2015 was conducted by the State Directorate, during which it was observed that the ITI had been closed since 2014. Accordingly, de-affiliation proceedings were initiated by the State Directorate. 2. SCN was issued to the ITI by the State on 26.06.2024, followed by reminder dated 28.08.2024. 3. The ITI did not submit any reply to the SCN or to the reminder SCN. 4. Further, a joint inspection was conducted on 26.06.2025 by the RDSDE and State official. During inspection the following were observed: <ol style="list-style-type: none"> a) ITI closed and not functioning 5. Based on the findings of the joint inspection, 4th SSDEC, in its meeting held on 02.09.2025, has recommended de-affiliation of the ITI as the ITI is closed since 2014 and is not functioning. 	The matter was deliberated in the SCAA meeting. During the meeting it was apprised that all the trades and units of the ITI have been already de-affiliated in reference to DGT letter dated 20.12.2018.
27.	Sindagi Shantaaveereshwara ITI Sangur	Electrician 1(0+1) Fitter- 1(0+1)	<ol style="list-style-type: none"> 1. The preliminary inspection dated 21.07.2023 was conducted by the State Directorate, during which it was observed that the ITI had been closed since 2019. Accordingly, de-affiliation proceedings were initiated by the State Directorate. 	Refer the decision at Agenda item 5.2

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	26 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
	Address :Sangur, Haveri Tq,Karnakata - 581148 MIS Code: PR29001164		<ol style="list-style-type: none"> 2. SCN was issued to the ITI by the State on 26.06.2024, followed by reminder dated 28.08.2024. 3. The ITI did not submit any reply to the SCN or to the reminder SCN. 4. Further, a joint inspection was conducted on 02.06.2025 by the RDSDE and State official. During inspection the following were observed: a) ITI closed and not functioning 5. Based on the findings of the joint inspection, 4th SSDEC, in its meeting held on 02.09.2025, has recommended de-affiliation of the ITI as the ITI is closed since 2019 and is not functioning. 	
28.	Vivekanand ITI, Haveri Address :Haveri-Karnataka - 581110 MIS Code: PU29000707	<ol style="list-style-type: none"> 1. Electronics Mechanic – 2(1+1) 2. Fitter- 2(1+1) 	<ol style="list-style-type: none"> 1. The preliminary inspection dated 26.07.2023 was conducted by the State Directorate, during which it was observed that the ITI had been closed since 2022. Accordingly, de-affiliation proceedings were initiated by the State Directorate. 2. SCN was issued to the ITI by the State on 26.06.2024, followed by reminder dated 28.08.2024. 3. The ITI did not submit any reply to the SCN or to the reminder SCN. 4. Further, a joint inspection was conducted on 02.06.2025 by the 	Refer the decision at Agenda item 5.2

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	26 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>RDSDE and State official. During inspection the following were observed: a) ITI closed and not functioning 5. Based on the findings of the joint inspection, 4th SSDEC, in its meeting held on 02.09.2025, has recommended de-affiliation of the ITI as the ITI is closed since 2022 and is not functioning.</p>	
29.	<p>Ekantha Ramaya Industrail Training Centre Alanda</p> <p>Address :Rajavi Rd. Alanda, Bidar,Karnataka - 585403</p> <p>MIS Code: PR29000570</p>	Fitter – 1(0+1)	<ol style="list-style-type: none"> 1. The preliminary inspection dated 19.08.2023 was conducted by the State Directorate, during which it was observed that the ITI had been closed since 2023. Accordingly, de-affiliation proceedings were initiated by the State Directorate. 2. SCN was issued to the ITI by the State on 26.06.2024, followed by reminder dated 28.08.2024. 3. The ITI did not submit any reply to the SCN or to the reminder SCN. 4. Further, a joint inspection was conducted on 31.07.2025 by the RDSDE and State official. During inspection the following were observed: a) ITI closed and not functioning 5. Based on the findings of the joint inspection, 4th SSDEC, in its meeting held on 02.09.2025, has recommended de-affiliation of the ITI as the ITI is closed since 2023 and is not functioning. 	Refer the decision at Agenda item 5.2

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	26 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
30.	<p>Omkar Industrial Training Centre</p> <p>Address :Kadibandar Sultanpur, Aaland-Karnataka- 585302,</p> <p>MIS Code: PR29001328</p>	Electrician 2(1+1)	<ol style="list-style-type: none"> 1. The preliminary inspection dated 14.09.2023 was conducted by the State Directorate, during which it was observed that the ITI had been closed since 2023. Accordingly, de-affiliation proceedings were initiated by the State Directorate. 2. SCN was issued to the ITI by the State on 26.06.2024, followed by reminder dated 28.08.2024. 3. The ITI did not submit any reply to the SCN or to the reminder SCN. 4. Further, a joint inspection was conducted on 31.07.2025 by the RDSDE and State official. During inspection the following were observed: <ol style="list-style-type: none"> a) ITI closed and not functioning 5. Based on the findings of the joint inspection, 4th SSDEC, in its meeting held on 02.09.2025, has recommended de-affiliation of the ITI as the ITI is closed since 2023 and is not functioning. 	Refer the decision at Agenda item 5.2
31.	<p>Shree Basaveshwar Industrial Training Centre</p> <p>Address :At Post: Farhatabad</p>	Fitter- 2(1+1)	<ol style="list-style-type: none"> 1. The preliminary inspection dated 20.06.2023 was conducted by the State Directorate, during which it was observed that the ITI had been closed since 2023. Accordingly, de-affiliation proceedings were initiated by the State Directorate. 	Refer the decision at Agenda item 5.2

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	26 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
	Tq:Kalaburagi-Bidar,Karnataka - 585308 MIS Code: PR29000714		<ol style="list-style-type: none"> 2. SCN was issued to the ITI by the State on 26.06.2024, followed by reminder dated 28.08.2024. 3. The ITI did not submit any reply to the SCN or to the reminder SCN. 4. Further, a joint inspection was conducted on 01.08.2025 by the RDSDE and State official. During inspection the following were observed: a) ITI closed and not functioning 5. Based on the findings of the joint inspection, 4th SSDEC, in its meeting held on 02.09.2025, has recommended de-affiliation of the ITI as the ITI is closed since 2023 and is not functioning. 	
32.	Sir M. Vishweshwarayya ITI Address : Kamalanagar, Alanda Tq. Bidar, Karnataka - 585104 MIS Code: PR29001225	<ol style="list-style-type: none"> 1. Electrician – 2(1+1) 2. Fitter – 2(1+1) 	<ol style="list-style-type: none"> 1. The preliminary inspection dated 19.08.2023 was conducted by the State Directorate, during which it was observed that the ITI had been closed since 2023. Accordingly, de-affiliation proceedings were initiated by the State Directorate. 2. SCN was issued to the ITI by the State on 26.06.2024, followed by reminder dated 28.08.2024. 3. The ITI did not submit any reply to the SCN or to the reminder SCN. 4. Further, a joint inspection was conducted on 30.07.2025 by the 	Refer the decision at Agenda item 5.2

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	26 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>RDSDE and State official. During inspection the following were observed:</p> <p>a) ITI closed and not functioning</p> <p>5. Based on the findings of the joint inspection, 4th SSDEC, in its meeting held on 02.09.2025, has recommended de-affiliation of the ITI as the ITI is closed since 2023 and is not functioning.</p>	
33.	<p>Sri Sadguru ITI</p> <p>Mahalaxmi Layout, Bidar, Karnataka - 585104</p> <p>MIS Code: PU29000977</p>	<p>1. Electrician – 2(1+1) 2. Fitter – 1(1+0)</p>	<p>1. The preliminary inspection dated 12.09.2023 & 08.08.2023 was conducted by the State Directorate, during which it was observed that the ITI had been closed since 2023. Accordingly, de-affiliation proceedings were initiated by the State Directorate.</p> <p>2. SCN was issued to the ITI by the State on 26.06.2024, followed by reminder dated 28.08.2024.</p> <p>3. The ITI did not submit any reply to the SCN or to the reminder SCN.</p> <p>4. Further, a joint inspection was conducted on 30.07.2025 by the RDSDE and State official. During inspection the following were observed:</p> <p>a) ITI closed and not functioning</p> <p>5. Based on the findings of the joint inspection, 4th SSDEC, in its meeting held on 02.09.2025, has recommended de-affiliation of the ITI as the ITI is closed since 2023 and is not functioning.</p>	Refer the decision at Agenda item 5.2

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	26 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
34.	<p>Sri Siddaramayya Inamdar TI Edrami Sh Jeevag,</p> <p>Address : Sh.Jeevagi-Bidar,Karnataka - 585102</p> <p>MIS Code: PR29000631</p>	<p>1. Electrician – 1(1+0)</p> <p>2. Fitter – 1(1+0)</p>	<p>1. The preliminary inspection dated 18.08.2023 was conducted by the State Directorate, during which it was observed that the ITI had been closed since 2023. Accordingly, de-affiliation proceedings were initiated by the State Directorate.</p> <p>2. SCN was issued to the ITI by the State on 26.06.2024, followed by reminder dated 28.08.2024.</p> <p>3. The ITI did not submit any reply to the SCN or to the reminder SCN.</p> <p>4. Further, a joint inspection was conducted on 01.08.2025 by the RDSDE and State official. During inspection the following were observed: a) ITI closed and not functioning</p> <p>5. Based on the findings of the joint inspection, 4th SSDEC, in its meeting held on 02.09.2025, has recommended de-affiliation of the ITI as the ITI is closed since 2023 and is not functioning.</p>	Refer the decision at Agenda item 5.2
35.	<p>Sri Rachana ITC, Kikkeri</p> <p>Address :Main Road, Next to Junior College Opp. to Police Station,</p>	Fitter – 2(1+1)	<p>1. The preliminary inspection dated 07.11.2016 was conducted by the State Directorate, during which it was observed that the ITI had been closed. Accordingly, de-affiliation proceedings were initiated by the State Directorate.</p>	Refer the decision at Agenda item 5.2

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	26 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
	Kikkeri K.R. Pet, Mandya, Karnataka - 571423 MIS Code: PR29001036		<ol style="list-style-type: none"> 2. SCN was issued to the ITI by the State on 26.06.2024, followed by reminder dated 28.08.2024. 3. The ITI did not submit any reply to the SCN or to the reminder SCN. 4. Further, a joint inspection was conducted on 06.04.2025 by the RDSDE and State official. During inspection the following were observed: <ol style="list-style-type: none"> a) ITI closed and not functioning 5. Based on the findings of the joint inspection, 4th SSDEC, in its meeting held on 02.09.2025, has recommended de-affiliation of the ITI as the ITI is closed since 2017 and is not functioning. 	
36.	Vidyavahini Private ITI Address :Kestur, (Dundanahalli) Athagur Hobli, Maddur Tq., Mandya- Karnataka- 571476 MIS Code: PR29001387	All trades are de-affiliated.	<ol style="list-style-type: none"> 1. The inspection was conducted by the State Directorate, during which it was observed that the ITI had been closed since 2014. Accordingly, de-affiliation proceedings were initiated by the State Directorate. 2. SCN was issued to the ITI by the State on 26.06.2024, followed by reminder dated 28.08.2024. 3. The ITI did not submit any reply to the SCN or to the reminder SCN. 4. Further, a joint inspection was conducted on 17.06.2025 by the RDSDE and State official. During inspection the following were observed: 	The matter was deliberated in the SCAA meeting. During the meeting it was apprised that all the trades and units of the ITI have been already de-affiliated vide DGT letter dated 20.12.2018.

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	26 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>a) The ITI is not running in the affiliated place, instead sericulture activities are going on in the same place.</p> <p>b) Noting is available.</p> <p>5. Based on the findings of the joint inspection, 4th SSDEC, in its meeting held on 02.09.2025, has recommended de-affiliation of the ITI as the ITI is closed since 2014 and is not functioning.</p>	
37.	<p>Glo Tec ITC</p> <p>Address: ID-3, Hootagalli Industrial Area, Mysuru, Karnataka - 570018</p> <p>MIS Code: PR29000847</p>	<p>1. Electrician – 4(2+2)</p> <p>2. Fitter – 2(1+1)</p>	<p>1. The preliminary inspection dated 07.10.2024 was conducted by the State Directorate, during which it was observed that the ITI had been closed since 2023. Accordingly, de-affiliation proceedings were initiated by the State Directorate.</p> <p>2. SCN was issued to the ITI by the State on 26.06.2024, followed by reminder dated 28.08.2024.</p> <p>3. The ITI did not submit any reply to the SCN or to the reminder SCN.</p> <p>4. Further, a joint inspection was conducted on 05.05.2025 by the RDSDE and State official. During inspection the following were observed:</p> <p>a) ITI closed and not functioning and also, the management is not interested to run the institute.</p>	<p>The matter was deliberated in the SCAA. A preliminary inspection of the ITI was conducted by the State Directorate on 07.10.2024, during which it was observed that the ITI had been closed since 2023. Accordingly, de-affiliation proceedings were initiated by the State Directorate.</p> <p>Subsequently, a SCN was issued to the ITI on 26.06.2024, followed by a reminder dated 28.08.2024. However, the ITI did not submit any reply to the SCN or the reminder.</p>

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	26 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			5. Based on the findings of the joint inspection, 4 th SSDEC, in its meeting held on 02.09.2025, has recommended de-affiliation of the ITI as the ITI is closed since 2023 and also, the management is not interested to run the institute.	<p>Thereafter, a joint inspection was conducted on 05.05.2025 by officials of the RDSDE and the State Directorate. During the inspection, the following observations were made:</p> <p>a) The ITI has been closed and not functioning and also, the management is not interested to run the institute.</p> <p>Based on the above findings, the SSDEC, in its 4th meeting held on 02.09.2025, recommended de-affiliation of the ITI, as the institute has remained closed since 2023, the management has voluntarily decided not to continue ITI operations. Hence SCAA recommended fully de-affiliated the ITI under self-surrender</p>
38.	Brilliant ITI, Kortagere		1. The preliminary inspection dated 20.12.2018 was conducted by the State Directorate, during which it was	The matter was discussed in SCAA meeting. During the meeting it was apprised that

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	26 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>observed that the ITI had been closed since 2013. Accordingly, de-affiliation proceedings were initiated by the State Directorate.</p> <ol style="list-style-type: none"> 2. SCN was issued to the ITI by the State on 26.06.2024, followed by reminder dated 28.08.2024. 3. The ITI did not submit any reply to the SCN or to the reminder SCN. 4. Further, a joint inspection was conducted on 17.06.2025 by the RDSDE and State official. During inspection the following were observed: ITI closed and not functioning 5. Based on the findings of the joint inspection, 4th SSDEC, in its meeting held on 02.09.2025, has recommended de-affiliation of the ITI as the ITI is closed since 2013 and is not functioning. 	<p>on DGT MIS Portal no information is available for this ITI.</p>
39.	<p>Nisarga ITC</p> <p>Address :Dandipura, Kodigenahalli, Madugiri Tq., Tumakuru, Karnataka</p>	Fitter – 2(1+1)	<ol style="list-style-type: none"> 1. The preliminary inspection dated 01.10.2022 was conducted by the State Directorate, during which it was observed that the ITI had been closed since 2021. Accordingly, de-affiliation proceedings were initiated by the State Directorate. 2. SCN was issued to the ITI by the State on 26.06.2024, followed by reminder dated 28.08.2024. 	Refer the decision at Agenda item 5.2

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	26 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
	MIS Code: PR29001173		<ol style="list-style-type: none"> 3. The ITI did not submit any reply to the SCN or to the reminder SCN. 4. Further, a joint inspection was conducted on 17.06.2025 by the RDSDE and State official. During inspection the following were observed: ITI closed and not functioning 5. Based on the findings of the joint inspection, 4th SSDEC, in its meeting held on 02.09.2025, has recommended de-affiliation of the ITI as the ITI is closed since 2021 and is not functioning. 	
40.	Pragathi ITC Address :Lingadahalli, Pavagada Tq. Tumakuru,Karnataka MIS Code: PR29001161	<ol style="list-style-type: none"> 1. Electrician-1(1+0) 2. Fitter-1(1+0) 	<ol style="list-style-type: none"> 1. The preliminary inspection dated 27.09.2022 was conducted by the State Directorate, during which it was observed that the ITI had been closed since 2021. Accordingly, de-affiliation proceedings were initiated by the State Directorate. 2. SCN was issued to the ITI by the State on 26.06.2024, followed by reminder dated 28.08.2024. 3. The ITI did not submit any reply to the SCN or to the reminder SCN. 4. Further, a joint inspection was conducted on 17.06.2025 by the RDSDE and State official. During inspection the following were observed: ITI closed and not functioning 	Refer the decision at Agenda item 5.2

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	26 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			5. Based on the findings of the joint inspection, 4 th SSDEC, in its meeting held on 02.09.2025, has recommended de-affiliation of the ITI as the ITI is closed since 2021 and is not functioning.	
41.	<p>Hanuman ITC,</p> <p>Address :Opp. Chathurmukha Basadi Karkala – 574104, Udupi,Karnataka</p> <p>MIS Code: PR29000972</p>	<p>1. Electrician-2(1+1)</p> <p>2. Mechanic (Motor Vehicle)-2(1+1)</p> <p>3. Mechanic Diesel- 1(1+0)</p>	<p>1. The preliminary inspection dated 20.12.2023 was conducted by the State Directorate, during which it was observed that the ITI had been closed since 2023. Accordingly, de-affiliation proceedings were initiated by the State Directorate.</p> <p>2. SCN was issued to the ITI by the State on 26.06.2024, followed by reminder dated 28.08.2024.</p> <p>3. The ITI did not submit any reply to the SCN or to the reminder SCN.</p> <p>4. Further, a joint inspection was conducted on 08.11.2025 by the RDSDE and State official. During inspection the following were observed: a) ITI is closed and Management of the ITI is not willing to continue ITI courses due to lack of admission and manpower.</p> <p>5. Based on the findings of the joint inspection, 4th SSDEC, in its meeting held on 02.09.2025, has recommended de-affiliation of the ITI as the ITI is closed since 2023 and is not functioning.</p>	Refer the decision at Agenda item 5.2

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	26 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
42.	<p>Dr. Simpilinganna ITI Zalaki</p> <p>Address :Zalki Indi Tq, Bijapur-Karnataka 586204</p> <p>MIS Code: PR29001286</p>	<p>1. Electrician- 2(1+1) 2. Fitter-1(1+0)</p>	<p>1. The preliminary inspection dated 16.10.2023 was conducted by the State Directorate, during which it was observed that the ITI had been closed since 2020. Accordingly, de-affiliation proceedings were initiated by the State Directorate.</p> <p>2. SCN was issued to the ITI by the State on 26.06.2024, followed by reminder dated 28.08.2024.</p> <p>3. The ITI did not submit any reply to the SCN or to the reminder SCN.</p> <p>4. Further, a joint inspection was conducted on 11.07.2025 by the RDSDE and State official. During inspection the following were observed: ITI closed and not functioning</p> <p>5. Based on the findings of the joint inspection, 4th SSDEC, in its meeting held on 02.09.2025, has recommended de-affiliation of the ITI as the ITI is closed since 2020 and is not functioning.</p>	Refer the decision at Agenda item 5.2
43.	<p>Sangappa Gonal Memorial Private ITI Nidagundi</p> <p>Address :Yelagureshwara</p>	<p>1. Electrician – 2(1+1) 2. Fitter – 2(1+1)</p>	<p>1. The preliminary inspection dated 11.10.2023 was conducted by the State Directorate, during which it was observed that the ITI had been closed. Accordingly, de-affiliation proceedings were initiated by the State Directorate.</p> <p>2. SCN was issued to the ITI by the State on 26.06.2024.</p>	Refer the decision at Agenda item 5.2

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	26 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
	Building, Nidagundi, Basavana Bagewadi Tq., Bijapur,Karnataka - 586213 MIS Code: PR29001350		3. The ITI submit reply to the SCN. 4. Further, a joint inspection was conducted on 11.07.2025 by the RDSDE and State official. During inspection the following were observed: a) ITI found closed at the affiliated place and no activities found in this ITI. 5. Based on the findings of the above inspection dated 11.07.2025, the 4 th SSDEC, in its meeting held on 02.09.2025, has recommended de-affiliation of the ITI.	
44.	Shri Padamavati ITI Indi Address :at Indi, Bijapur- Karnataka- 586209 MIS Code: PU29001292	Fitter – 2(1+1)	1. The preliminary inspection dated 04.04.2022 & 24.06.2022 was conducted by the State Directorate, during which it was observed that the ITI had been closed since 2013. Accordingly, de-affiliation proceedings were initiated by the State Directorate. 2. SCN was issued to the ITI by the State on 26.06.2024, followed by reminder dated 28.08.2024. 3. The ITI did not submit any reply to the SCN or to the reminder SCN. 4. Further, a joint inspection was conducted on 10.07.2025 by the RDSDE and State official. During inspection the following were observed: ITI closed and not functioning	Refer the decision at Agenda item 5.2

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	26 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			5. Based on the findings of the joint inspection, 4 th SSDEC, in its meeting held on 02.09.2025, has recommended de-affiliation of the ITI as the ITI is closed since 2013 and is not functioning.	
45.	<p>Sri Hayagreeva ITI, Nimbalk BK</p> <p>Address :Nimba(BK) Village, Indtl. Tq. Bijapur, Karnataka - 586211</p> <p>MIS Code: PR29001142</p>	<p>1. Electrician – 2(1+1)</p> <p>2. Fitter – 2(1+1)</p>	<p>1. The preliminary inspection dated 16.10.2023 was conducted by the State Directorate, during which it was observed that the ITI had been closed since 2020. Accordingly, de-affiliation proceedings were initiated by the State Directorate.</p> <p>2. SCN was issued to the ITI by the State on 26.06.2024, followed by reminder dated 28.08.2024.</p> <p>3. The ITI did not submit any reply to the SCN or to the reminder SCN.</p> <p>4. Further, a joint inspection was conducted on 10.07.2025 by the RDSDE and State official. During inspection the following were observed: ITI closed and not functioning</p> <p>5. Based on the findings of the joint inspection, 4th SSDEC, in its meeting held on 02.09.2025, has recommended de-affiliation of the ITI as the ITI is closed since 2020 and is not functioning.</p>	Refer the decision at Agenda item 5.2
46.	Sri Guru Chakravarthi Sadashiv ITI, Kathakanahalli	<p>1. Electrician- 1(1+0)</p> <p>2. Fitter-1(1+0)</p>	1. The preliminary inspection dated 27.10.2023 was conducted by the State Directorate, during which it was	Refer the decision at Agenda item 5.2

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	26 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
	<p>Kathakanahalli, Bijapur-Karnataka -586122</p> <p>MIS Code: PR29001264</p>		<p>observed that the ITI had been closed since 2019. Accordingly, de-affiliation proceedings were initiated by the State Directorate.</p> <p>2. SCN was issued to the ITI by the State on 26.06.2024, followed by reminder dated 28.08.2024.</p> <p>3. The ITI did not submit any reply to the SCN or to the reminder SCN.</p> <p>4. Further, a joint inspection was conducted on 12.07.2025 by the RDSDE and State official. During inspection the following were observed: ITI closed and not functioning</p> <p>5. Based on the findings of the joint inspection, 4th SSDEC, in its meeting held on 02.09.2025, has recommended de-affiliation of the ITI as the ITI is closed since 2019 and is not functioning.</p>	
47.	<p>Nethaji Industrial Training Centre</p> <p>Pipeline T. Dasrahalli, Bengaluru Urban, Karnataka - 560057</p>	<p>1. Electronics Mechanic-2(1+1)</p> <p>2. Fitter- 2(1+1)</p>	<p>1. The preliminary inspection dated 07.02.2020 was conducted by the State Directorate, during which it was observed that the ITI had been shifted to new address no. 25/4 Baglagunte Nagasandra P Bangalore-73. There is no admission since 2020. Accordingly, de-affiliation proceedings were initiated by the State Directorate.</p>	Refer the decision at Agenda item 5.2

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	26 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
	MIS Code: PR29000495		<ol style="list-style-type: none"> 2. SCN was issued to the ITI by the State on 26.06.2024, followed by reminder dated 28.08.2024. 3. The ITI did not submit any reply to the SCN or to the reminder SCN. 4. Further, a joint inspection was conducted on 06.06.2025 by the RDSDE and State official. During inspection the following were observed: ITI closed and not functioning 5. Based on the findings of the joint inspection, 4th SSDEC, in its meeting held on 02.09.2025, has recommended de-affiliation of the ITI as the ITI is shifted to new address no. 25/4 Baglagunte Nagasandra P Bangalore-73. There is no admission since 2020. 	
48.	<p>Divya Jyothi Industrial Training Centre</p> <p>Address :Vishwa Build(dic) , Chikkanna Layout Nelamangala Town, Bengaluru Rural-Karnataka- 562123</p>	<ol style="list-style-type: none"> 1. Electronics Mechanic-1(1+0) 2. Fitter – 1(1+0) 	<ol style="list-style-type: none"> 1. The preliminary inspection dated 27.12.2018 was conducted by the State Directorate, during which it was observed that the ITI had been shifted to new address Opposite Bus Stand DIC Building Nelamgala. There is no admission since 2020. Accordingly, de-affiliation proceedings were initiated by the State Directorate. 2. SCN was issued to the ITI by the State on 26.06.2024, followed by reminder dated 28.08.2024. 	Refer the decision at Agenda item 5.2

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	26 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
	MIS Code: PR29000490		<p>3. The ITI replied vide letter dated 22.07.2024 and requested the management to not to take further action as there is pending court case.</p> <p>4. Further, a joint inspection was conducted on 06.05.2025 by the RDSDE and State official. During inspection the following were observed: a) No person was available for inspection. b) ITI was found closed.</p> <p>5. The matter was discussed in , 4th SSDEC, in its meeting held on 02.09.2025. The SSDEC informed that W.P.No. 4968/2022 has been filed by Sri. Ravindra G.C., the Principal of Divya Jyothi ITI regarding sanction of grants to him. However, the institute was shifted to new location, and has not obtained affiliation at the new location, and also ITI is shifted and closed since 2020., and is not functioning. Therefore, SSDEC has recommended de-affiliation of the ITI.</p>	
49.	Budda Basava Ambedkar Industrial Training Centre	Fitter – 2(1+1)	1. The preliminary inspection dated 31.08.2020 was conducted by the State Directorate, during which it was observed that the ITI had been shifted to new address Swamy Complex, Basavaeshwara Chowk, Bhalki Bidar -	Refer the decision at Agenda item 5.2

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	26 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
	<p>Address :Joshi Nagar Bhalki, Bidar, Karnataka - 585328</p> <p>MIS Code: PR29001084</p>		<p>585328. There is no admission since 2020. Accordingly, de-affiliation proceedings were initiated by the State Directorate.</p> <p>2. SCN was issued to the ITI by the State on 26.06.2024, followed by reminder dated 28.08.2024.</p> <p>3. The ITI did not submit any reply to the SCN or to the reminder SCN.</p> <p>4. Further, a joint inspection was conducted on 18.06.2025 by the RDSDE and State official. During inspection the following were observed: a) The ITI is found to be closed at shifted address. b) No training activities were observed.</p> <p>5. Based on the findings of the joint inspection, 4th SSDEC, in its meeting held on 02.09.2025, has recommended de-affiliation of the ITI as the ITI is shifted to new address Swamy Complex, Basavaeshwara Chowk, Bhalki Bidar - 585328. There is no admission since 2020.</p>	
50.	Margadarshi ITC, Nawbad,Bidar	<p>1. Electrician- 2(1+1)</p> <p>2. Fitter- 2(1+1)</p>	<p>1. The preliminary inspection dated 31.08.2020 was conducted by the State Directorate, during which it was observed that the ITI had been shifted to new address Near Kumbarawada, Ramapure Bank colony, kumbarawad road Noubad, Bidar -585402 There is no</p>	Refer the decision at Agenda item 5.2

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	26 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
	<p>Address :Nawbad Bidar, Karnataka - 585401</p> <p>MIS Code: PU29000404</p>		<p>admission since 2021. Accordingly, de-affiliation proceedings were initiated by the State Directorate.</p> <p>2. SCN was issued to the ITI by the State on 26.06.2024, followed by reminder dated 28.08.2024.</p> <p>3. The ITI did not submit any reply to the SCN or to the reminder SCN.</p> <p>4. Further, a joint inspection was conducted on 16.06.2025 by the RDSDE and State official. During inspection the following were observed: a) ITI closed and not functioning.</p> <p>5. Based on the findings of the joint inspection, 4th SSDEC, in its meeting held on 02.09.2025, has recommended de-affiliation of the ITI as the ITI is shifted to new address Near Kumbarawada, Ramapure Bank colony, kumbarawad road Noubad, Bidar - 585402 There is no admission since 2021.</p>	
51.	<p>Nizamuddin Pvt. Industrial Training Institute</p> <p>Address : Kiadb Industrial Area,</p>	Electrician-2(1+1)	<p>1. The preliminary inspection dated 01.09.2020 was conducted by the State Directorate, during which it was observed that the ITI had been shifted to new address Smt Sridevi Katimani Building near Sai Chateri by pass road humnabad Bidar Dist. There is no admission since 2021. Accordingly, de-</p>	Refer the decision at Agenda item 5.2

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	26 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
	<p>Gulbarga Road, Humnabad-Bidar, Karnataka - 585330</p> <p>MIS Code: PU29000914</p>		<p>affiliation proceedings were initiated by the State Directorate.</p> <p>2. SCN was issued to the ITI by the State on 26.06.2024, followed by reminder dated 28.08.2024.</p> <p>3. The ITI did not submit any reply to the SCN or to the reminder SCN.</p> <p>4. Further, a joint inspection was conducted on 18.06.2025 by the RDSDE and State official. During inspection the following were observed:</p> <p>a) The building is in poor condition with visible cracks and lacks a Building Completion Certificate, raising safety concerns.</p> <p>b) Machinery is outdated, with no purchase receipts or installation certificates available, rendering it unfit for training.</p> <p>c) The electricity connection is in the name of another ITI. These deficiencies are not in accordance with DGT norms</p> <p>5. Based on the findings of the joint inspection, 4th SSDEC, in its meeting held on 02.09.2025, has recommended de-affiliation of the ITI as the ITI is closed, not functioning and also has not obtained affiliation at the shifted location.</p>	

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	26 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
52.	<p>Rajeev Gandhi I.T.I Mangalpet Tq: Dist: Bidar</p> <p>Address : Mangalpet Bhavani Temple Road Bidar, Karnataka- 585401</p> <p>MIS Code: PU29000527</p>	Fitter- 2(1+1)	<ol style="list-style-type: none"> 1. The preliminary inspection dated 31.08.2020 was conducted by the State Directorate, during which it was observed that the ITI had been shifted to new address Rajeev Gandhi ITI, No 15 near kumbarvad Kaman, Rampura Bank Colony, Kumbarvada road Bidar-585403. There is no admission since 2021. Accordingly, de-affiliation proceedings were initiated by the State Directorate. 2. SCN was issued to the ITI by the State on 26.06.2024, followed by reminder dated 28.08.2024. 3. The ITI did not submit any reply to the SCN or to the reminder SCN. 4. Further, a joint inspection was conducted on 16.06.2025 by the RDSDE and State official. During inspection the following were observed: a) ITI closed and not functioning 5. Based on the findings of the joint inspection, 4th SSDEC, in its meeting held on 02.09.2025, as the ITI is closed, not functioning and also has not obtained affiliation at the shifted location. 	Refer the decision at Agenda item 5.2

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	26 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
53.	<p>Siddarameshwara ITC</p> <p>Address :No.9-6-230, Behind Sharana Basaveshwara commission Agent Gandhi Gunj, Bidar- Karnataka -585403</p> <p>MIS Code: PU29000805</p>	<p>1. Electrician- 2(1+1)</p> <p>2. Fitter- 2(1+1)</p>	<p>1. The preliminary inspection dated 31.08.2020 was conducted by the State Directorate, during which it was observed that the ITI had been shifted to new address Phulekar complex near Nandi Petrol Pump Sai Nagar Mailur road bidar. There is no admission since 2021. Accordingly, de-affiliation proceedings were initiated by the State Directorate.</p> <p>2. SCN was issued to the ITI by the State on 26.06.2024, followed by reminder dated 28.08.2024.</p> <p>3. The ITI did not submit any reply to the SCN or to the reminder SCN.</p> <p>4. Further, a joint inspection was conducted on 17.06.2025 by the RDSDE and State official. During inspection the following were observed: ITI closed and not functioning</p> <p>5. Based on the findings of the joint inspection, 4th SSDEC, in its meeting held on 02.09.2025, has recommended de-affiliation of the ITI as the ITI is closed, not functioning and also has not obtained affiliation at the shifted location.</p>	Refer the decision at Agenda item 5.2

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	26 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
54.	<p data-bbox="310 298 632 370">Sir. M. Vishveshwaraiah ITC, Gandhi Gunj</p> <p data-bbox="310 483 632 623">Address :Near lidkar office ATE Trust Maillor Road Bidar, Karnataka - 585401</p> <p data-bbox="310 737 632 769">MIS Code: PU29000706</p>	<p data-bbox="657 298 877 370">1. Electrician- 2(1+1)</p> <p data-bbox="657 370 877 409">2. Fitter- 2(1+1)</p>	<p data-bbox="947 298 1509 656">1. The preliminary inspection dated 31.08.2020 was conducted by the State Directorate, during which it was observed that the ITI had been shifted to new address Ambedkar Tatva education trust building near jidkar office mylur road bidar. There is no admission since 2022. Accordingly, de-affiliation proceedings were initiated by the State Directorate.</p> <p data-bbox="947 662 1509 769">2. SCN was issued to the ITI by the State on 26.06.2024, followed by reminder dated 28.08.2024.</p> <p data-bbox="947 776 1509 847">3. The ITI did not submit any reply to the SCN or to the reminder SCN.</p> <p data-bbox="947 854 1509 1107">4. Further, a joint inspection was conducted on 17.06.2025 by the RDSDE and State official. During inspection the following were observed: a) The ITI was found to be closed, and no training activities were observed to be in progress.</p> <p data-bbox="947 1114 1509 1286">5. Based on the findings of the joint inspection, 4th SSDEC, in its meeting held on 02.09.2025, has recommended de-affiliation of the ITI as ITI is closed and not functioning.</p>	<p data-bbox="1535 298 1896 370">Refer the decision at Agenda item 5.2</p>

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	26 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
55.	<p>Sir.M.Vishweshwaraiah ITC, Basavkalyan,</p> <p>Address :Sir.M.Vishweshwaraiah ITC, Basavkalyan, Bidar, Karnataka - 585327</p> <p>MIS Code: PR29000028</p>	Fitter- 3(2+1)	<ol style="list-style-type: none"> 1. The preliminary inspection dated 01.09.2020 was conducted by the State Directorate, during which it was observed that the ITI had been shifted to new address Baswakalyam Plot number 42, nagalingeshwar colony, shivapura road Bsavakalyan Bidar There is no admission since 2021. Accordingly, de-affiliation proceedings were initiated by the State Directorate. 2. SCN was issued to the ITI by the State on 26.06.2024, followed by reminder dated 28.08.2024. 3. The ITI did not submit any reply to the SCN or to the reminder SCN. 4. Further, a joint inspection was conducted on 19.06.2025 by the RDSDE and State official. During inspection the following were observed: <ol style="list-style-type: none"> a) The ITI was found to be closed at the shifted address. b) It was observed that the building is currently being utilised as an office of the Excise Department, Government of Karnataka 5. Based on the findings of the joint inspection, 4th SSDEC, in its meeting held on 02.09.2025, has recommended de-affiliation of the ITI as ITI is closed and not functioning. 	Refer the decision at Agenda item 5.2

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	26 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
56.	<p>Sri Balawanthreddy Industrial Training Institute</p> <p>Address : Opposite post office main road chitguppa, Bidar, Karnataka - 585412</p> <p>MIS Code: PU29000965</p>	Fitter- 2(1+1)	<ol style="list-style-type: none"> 1. The preliminary inspection dated 31.08.2020 was conducted by the State Directorate, during which it was observed that the ITI had been shifted to new address APMC 3rd street, Opp: Bus stand, humnabad road, Chittaguppa Humnabad bidar. There is no admission since 2021. Accordingly, de-affiliation proceedings were initiated by the State Directorate. 2. SCN was issued to the ITI by the State on 26.06.2024, followed by reminder dated 28.08.2024. 3. The ITI did not submit any reply to the SCN or to the reminder SCN. 4. Further, a joint inspection was conducted on 19.06.2025 by the RDSDE and State official. During inspection the following were observed: <ol style="list-style-type: none"> a) The Industrial Training Institute (ITI) was found to be non - operational during the inspection b) No training activities being conducted at the premises. 5. Based on the findings of the joint inspection, 4th SSDEC, in its meeting held on 02.09.2025, has recommended de-affiliation of the ITI as the ITI is closed, not functioning and also has not 	Refer the decision at Agenda item 5.2

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	26 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			obtained affiliation at the shifted location.	
57.	<p>Vidyaniketan Rural I.T.I. Manhalli Tq & Dist Bidar.</p> <p>Address : Manhalli Tq & Dist Bidar.- 585403</p> <p>MIS Code: PR29000011</p>	<ol style="list-style-type: none"> 1. Electrician- 2(1+1) 2. Fitter- 2(1+1) 3. Welder-1(1+0) 	<ol style="list-style-type: none"> 1. The preliminary inspection dated 31.08.2020 was conducted by the State Directorate, during which it was observed that the ITI had been shifted to new address Jauhar PU Collage, sherikari hospital old city port area, Bidar Dist. There is no admission since 2021. Accordingly, de-affiliation proceedings were initiated by the State Directorate. 2. SCN was issued to the ITI by the State on 26.06.2024, followed by reminder dated 28.08.2024. 3. The ITI did not submit any reply to the SCN or to the reminder SCN. 4. Further, a joint inspection was conducted on 16.06.2025 by the RDSDE and State official. During inspection the following were observed: 	Refer the decision at Agenda item 5.2

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	26 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			a) ITI closed and not functioning. b) No training activities being conducted in the ITI building. 5. Based on the findings of the joint inspection, 4 th SSDEC, in its meeting held on 02.09.2025, has recommended de-affiliation of the ITI as the ITI is closed, not functioning and also has not obtained affiliation at the shifted location.	
58.	Sri Mylaralingeshwara Industrial Training Centre Address: Station Road, Chitradurga, Karnataka MIS Code: PR29001013	Electrician-2(1+1)	1. The preliminary inspection dated 07.05.2022 was conducted by the State Directorate, during which it was observed that the ITI had been shifted to new address Mylarlingeshwara ITC, Building is shifted 600 Mtr with in Muncpal corporation area, Chitradurg Dist. There is no admission since 2018. Accordingly, de-affiliation proceedings were initiated by the State Directorate. 2. SCN was issued to the ITI by the State on 26.06.2024, followed by reminder dated 28.08.2024. 3. The ITI did not submit any reply to the SCN or to the reminder SCN. 4. Further, a joint inspection was conducted on 24.06.2025 by the RDSDE and State official. During inspection the following were observed: a) ITI closed and not functioning.	Refer the decision at Agenda item 5.2

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	26 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			5. Based on the findings of the joint inspection, 4 th SSDEC, in its meeting held on 02.09.2025, has recommended de-affiliation of the ITI as the ITI is closed since 2018, not functioning and also has not obtained affiliation at the shifted location.	
59.	<p>SBK ITC</p> <p>Address: Opp. KPTCL Office, melebennur-577530 Harihara Tq.-Davangere, Karnataka - 577530</p> <p>MIS Code: PR29001220</p>	<p>1. Electrician-2(1+1)</p> <p>2. Fitter- 2(1+1)</p>	<p>1. The preliminary inspection dated 19.10.2022 was conducted by the State Directorate, during which it was observed that the ITI had been shifted to new address SBK ITI Thungabhadra ITI Campus malebennur, Dist Davanagere. There is no admission since 2022. Accordingly, de-affiliation proceedings were initiated by the State Directorate.</p> <p>2. SCN was issued to the ITI by the State on 26.06.2024, followed by reminder dated 28.08.2024.</p> <p>3. The ITI did not submit any reply to the SCN or to the reminder SCN.</p> <p>4. Further, a joint inspection was conducted on 06.04.2025 by the RDSDE and State official. During inspection the following were observed:</p> <p>a) ITI closed and not functioning</p> <p>5. Based on the findings of the joint inspection, 4th SSDEC, in its meeting held on 02.09.2025, has recommended de-affiliation as the ITI is closed, not</p>	Refer the decision at Agenda item 5.2

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	26 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			functioning and also has not obtained affiliation at the shifted location.	
60.	<p>Vishwabandhu ITC Holalu</p> <p>Address: Holalu Huvinadagali tq, Bellary Dist.- Ballari , Karnataka -583217</p> <p>MIS Code: PR29001412</p>	Electrician 1(1+0)	<ol style="list-style-type: none"> 1. The preliminary inspection dated 30.08.2020 was conducted by the State Directorate, during which it was observed that the ITI had been shifted to new address Vishwabandhu ITC, Jagaluru Davanagere Dist. There is no admission since 2020 Accordingly, de-affiliation proceedings were initiated by the State Directorate. 2. SCN was issued to the ITI by the State on 26.06.2024, followed by reminder dated 28.08.2024. 3. The ITI did not submit any reply to the SCN or to the reminder SCN. 4. Further, a joint inspection was conducted on 06.03.2025 by the RDSDE and State official. During inspection the following were observed: <ol style="list-style-type: none"> a) ITI closed and not functioning 5. Based on the findings of the joint inspection, 4th SSDEC, in its meeting held on 02.09.2025, has recommended de-affiliation as the ITI is closed, not functioning and also has not obtained affiliation at the shifted location. 	Refer the decision at Agenda item 5.2
61.	Sri Channabasava Rural ITI Gangavathi	<ol style="list-style-type: none"> 1. Electrician - 2(2+0) 2. Fitter- 2(2+0) 	1. The preliminary inspection dated 05.10.2019 was conducted by the State Directorate, during which it was	Refer the decision at Agenda item 5.2

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	26 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
	<p>Address: Gangavathi, Koppal- 583227</p> <p>MIS Code: PR29000677</p>		<p>observed that the ITI had been shifted to new address ITI Sri Chnnabaswa Rural ITI, singanal complex, RG road APMC Gangawati Koppal. There is no admission since 2022. Accordingly, de-affiliation proceedings were initiated by the State Directorate.</p> <ol style="list-style-type: none"> 2. SCN was issued to the ITI by the State on 26.06.2024, followed by reminder dated 28.08.2024. 3. The ITI did not submit any reply to the SCN or to the reminder SCN. 4. Further, a joint inspection was conducted on 06.06.2025 by the RDSDE and State official. During inspection the following were observed: <ol style="list-style-type: none"> a) As it is a closed ITI and no admission nor trainees since 31.07.2022 b) No staff and no building were found available on the day of inspection. 5. Based on the findings of the joint inspection, 4th SSDEC, in its meeting held on 02.09.2025, has recommended de-affiliation of the ITI as the ITI is closed, not functioning and also has not obtained affiliation at the shifted location. 	

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	26 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
62.	<p>Sri Kudos Rural Private ITI</p> <p>Address: S.R. Nagar, Gangavathi Tq. Koppal-583227</p> <p>MIS Code: PR29000990</p>	Electrician-2(1+1)	<ol style="list-style-type: none"> 1. The preliminary inspection dated 17.05.2023 was conducted by the State Directorate, during which it was observed that the ITI had been shifted to new address Sidappa Building besides kanakdurga Temple near 1st bus stand gangavathi, raichure road sriramnagar, Gangavathi koppal. There is no admission since from 2022. Accordingly, de-affiliation proceedings were initiated by the State Directorate. 2. SCN was issued to the ITI by the State on 26.06.2024, followed by reminder dated 28.08.2024. 3. The ITI did not submit any reply to the SCN or to the reminder SCN. 4. Further, a joint inspection was conducted on 06.04.2025 by the RDSDE and State official. During inspection the following were observed: <ol style="list-style-type: none"> a) ITI found closed and no training activity were there. 5. Based on the findings of the joint inspection, 4th SSDEC, in its meeting held on 02.09.2025, has recommended de-affiliation of the ITI as the ITI is closed, not functioning and also has not obtained affiliation at the shifted location. 	Refer the decision at Agenda item 5.2

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	26 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
63.	<p>Guru patil Industrial Training Institute Tarihal Road Gokul Hubli</p> <p>Address: Tarihal Road Gokul, Hubli- Dharwad, Karnataka - 580030</p> <p>MIS Code: PU29001323</p>	Fitter- 2(1+1)	<ol style="list-style-type: none"> 1. The preliminary inspection dated 21.07.2022 was conducted by the State Directorate, during which it was observed that the ITI had been shifted to new address Guru Patil Pvt ITI, Tarihal Industrial Estate, Gokul road Hubli-580030. There is no admission since 2021. Accordingly, de-affiliation proceedings were initiated by the State Directorate. 2. SCN was issued to the ITI by the State on 26.06.2024, followed by reminder dated 28.08.2024. 3. The ITI did not submit any reply to the SCN or to the reminder SCN. 4. Further, a joint inspection was conducted on 05.07.2025 by the RDSDE and State official. During inspection the following were observed: <ol style="list-style-type: none"> a) The infrastructure tools and equipment are not met as per standard norms. 5. Based on the findings of the joint inspection, 4th SSDEC, in its meeting held on 02.09.2025, has recommended de-affiliation of the ITI as the ITI is closed since 2021, the infrastructure, tools, equipment are not as per norms and also has not obtained affiliation at the shifted location. 	Refer the decision at Agenda item 5.2

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	26 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
64.	<p>Vidyodaya Industrial Training Institute</p> <p>Address: Bettahally road ,shantinagar Pandavapura town-Mandya, Karnataka - 571434</p> <p>MIS Code: PR29000508</p>	<p>Fitter -2(1+1)</p> <p>Electronics Mechanic- 2(1+1)</p>	<ol style="list-style-type: none"> 1. The preliminary inspection dated 17.08.2020 was conducted by the State Directorate, during which it was observed that the ITI had been shifted to new address Vidhyodaya Pvt ITI, Old bus stand road pandavapur Mandya Dist. There is no admission since 2021. Accordingly, de-affiliation proceedings were initiated by the State Directorate. 2. SCN was issued to the ITI by the State on 26.06.2024, followed by reminder dated 28.08.2024. 3. The ITI did not submit any reply to the SCN or to the reminder SCN. 4. Further, a joint inspection was conducted on 06.04.2025 by the RDSDE and State official. During inspection the following were observed: <ol style="list-style-type: none"> a) ITI is not functioning and the building is rent out for commercial purpose. 5. Based on the findings of the joint inspection, 4th SSDEC, in its meeting held on 02.09.2025, has recommended de-affiliation of the ITI as the ITI is closed, not functioning and also has not obtained affiliation at the shifted location. Also, the building is rent out for commercial purpose. 	Refer the decision at Agenda item 5.2

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	26 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
65.	<p>Gnana Bharathi ITC, Ilawala</p> <p>Address: yelwala, Mysore taluk- Mysuru, Karnataka - 571130</p> <p>MIS Code: PR29001406</p>	<p>Electronics Mechanic -1(0+1)</p> <p>Fitter- 1(0+1)</p>	<ol style="list-style-type: none"> 1. The preliminary inspection dated 17.08.2020 was conducted by the State Directorate, during which it was observed that the ITI had been shifted to new address Gnana Bharathi, TAPCMS building hunsur Mysore dist. There is no admission since 2021. Accordingly, de-affiliation proceedings were initiated by the State Directorate. 2. SCN was issued to the ITI by the State on 26.06.2024, followed by reminder dated 28.08.2024. 3. The ITI did not submit any reply to the SCN or to the reminder SCN. 4. Further, a joint inspection was conducted on 07.05.2025 by the RDSDE and State official. During inspection the following were observed: <ol style="list-style-type: none"> a) The ITI has shifted to new location which is not within the same municipal/corporation limits, and it is not allowed as per DGT norms (ITI has shifted from Mysore Taluk to Hunsur Taluk). b) The ITI building at shifted location is not at all ready with staff, machineries, training facilities and amenities to run the ITI c) There are no documents available which related to land/lease 	Refer the decision at Agenda item 5.2

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	26 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>agreement, BCC, building plan, fire safety certificate, power supply connection, staff appointment, machinery bills & payments etc</p> <p>d) Overall, it is found that ITI management is not having any training infrastructure/facilities, documents, amenities etc to run the ITI, and not meeting the requirement of DGT norms.</p> <p>5. Based on the findings of the joint inspection, 4th SSDEC, in its meeting held on 02.09.2025, has recommended de-affiliation of the ITI as the ITI is closed, not functioning and also has not obtained affiliation at the shifted location.</p>	
66.	<p>Kushal ITI</p> <p>Address: Ramanatha Pura, Hassan, Karnataka- 573113</p> <p>MIS Code: PR29000894</p>	Fitter- 2(1+1)	<p>1. The preliminary inspection dated 17.08.2020 was conducted by the State Directorate, during which it was observed that the ITI had been shifted to new address TAPCMS building Hunsur Mysore Dist. There is no admission since 2021. Accordingly, de-affiliation proceedings were initiated by the State Directorate.</p> <p>2. SCN was issued to the ITI by the State on 26.06.2024, followed by reminder dated 28.08.2024.</p>	Refer the decision at Agenda item 5.2

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	26 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>3. The ITI did not submit any reply to the SCN or to the reminder SCN.</p> <p>4. Further, a joint inspection was conducted on 05.06.2025 by the RDSDE and State official. During inspection the following were observed:</p> <ul style="list-style-type: none"> a) The ITI has shifted to new location which is other than home district of ITI. (Shifted from Hassan Dist. to Mysore Dist) Inter district shifting is not allowed as per DGT norms. b) Very importantly the ITI building at shifted location is in very pathetic condition and it may collapse during rainy season. c) There are no documents available which related to land/lease agreement, BCC, building plan, fire safety certificate, power supply connection, staff appointment, machinery bills & payments etc. d) Overall, it is observed that ITI management is not having any training infrastructure/facilities, proper building, power supply etc. to run the ITI, and not meeting the requirement of DGT norms. <p>5. Based on the findings of the joint inspection, 4th SSDEC, in its meeting held on 02.09.2025, has recommended</p>	

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	26 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			de-affiliation of the ITI as the ITI is closed since 2021, and also has not obtained affiliation at the shifted location.	
67.	<p>Sahara ITI (Name changed from National ITI to Sahara ITI) H hipparagi</p> <p>Address: Huvina Hippragi Tq. Basavana bagewadi- Bijapur, Karnataka -586208</p> <p>MIS Code: PR29001396</p>	Electrician 4(2+2)	<ol style="list-style-type: none"> 1. The preliminary inspection dated 30.10.2023 & 20.11.2023 was conducted by the State Directorate, during which it was observed that the ITI had been shifted to new address Near Hulabenchi cross, Talikoti road, huvinahipparagi-586208. There is no admission since 2021. Accordingly, de-affiliation proceedings were initiated by the State Directorate. 2. SCN was issued to the ITI by the State on 26.06.2024, followed by reminder dated 28.08.2024. 3. The ITI did not submit any reply to the Show Cause Notice (SCN) or to the reminder SCN. 4. Further, a joint inspection was conducted on 12.07.2025 by the 	Refer the decision at Agenda item 5.2

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	26 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>RDSDE and State official. During inspection the following were observed:</p> <p>a) ITI closed and no training related activities were found on the day of inspection.</p> <p>5. Based on the findings of the joint inspection, 4th SSDEC, in its meeting held on 02.09.2025, has recommended de-affiliation of the ITI as the ITI found closed since 2021 and no activities found in the ITI .</p>	
68.	<p>S.S. ITC</p> <p>Hiriyur, Chitradurga, Karnataka</p> <p>MIS Code: PR29001178</p>	Fitter- 2(1+1)	<ol style="list-style-type: none"> 1. The preliminary inspection dated 22.01.2020 was conducted by the State Directorate, during which it was observed that the ITI had been shifted to new address Vedavathi Nagar housing board colony near RBM School Hiriyur Chitradurga Dist- Chitradurga. There is no admission since 2023. Accordingly, de-affiliation proceedings were initiated by the State Directorate. 2. SCN was issued to the ITI by the State on 26.06.2024, followed by reminder dated 28.08.2024. 3. The ITI did not submit any reply to the SCN or to the reminder SCN. 4. Further, a joint inspection was conducted on 24.06.2025 by the RDSDE and State official. During inspection the following were observed: 	Refer the decision at Agenda item 5.2

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	26 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>a) ITI closed and not functioning</p> <p>5. Based on the findings of the joint inspection, 4th SSDEC, in its meeting held on 02.09.2025, has recommended de-affiliation of the ITI as ITI found closed, not functioning and also has not obtained affiliation at the shifted location.</p>	
69.	<p>Adarsha ITC, Basavkalyan,</p> <p>Address: Adarsha ITC, Basavkalyan, Bidar, Karnataka - 585327</p> <p>MIS Code: PR29000031</p>	Fitter- 2(1+1)	<p>1. The preliminary inspection dated 27.06.2023 was conducted by the State Directorate, during which it was observed there is no admission since from 2022, institute sought for admission to units that have been discontinued due to 100% vacancy in consecutive years. Accordingly, de-affiliation proceedings were initiated by the State Directorate.</p> <p>2. SCN was issued to the ITI by the State on 26.06.2024.</p> <p>3. The ITI did not submit any reply to the SCN or to the reminder SCN.</p> <p>4. Further, a joint inspection was conducted on 05.05.2025 by the RDSDE and State official. During inspection the following were observed:</p>	Refer the decision at Agenda item 5.2

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	26 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>a) The ITI was found to be closed on the day of inspection and principal was not responding to calls.</p> <p>5. Based on the findings of the joint inspection, 4th SSDEC, in its meeting held on 02.09.2025, has recommended de-affiliation of the ITI as ITI found closed on the day of inspection and the Principal was not responding to the calls.</p>	
70.	<p>Swami Vivekanand Private ITI Horti</p> <p>Address Hori-586117, Indi Tq. Bijapur, Karnataka- 586117</p> <p>MIS Code: PR29001367</p>	<p>1. Electrician-1(1+0)</p> <p>2. Fitter-1(1+0)</p>	<p>1. The preliminary inspection dated 15.07.2023 was conducted by the State Directorate, during which it was observed that there is no admission since from 2023, institute sought for admission to units that have been discontinued due to 100% vacancy in consecutive years. Accordingly, de-affiliation proceedings were initiated by the State Directorate.</p> <p>2. SCN was issued to the ITI by the State on 26.06.2024.</p> <p>3. The ITI did not submit any reply to the SCN or to the reminder SCN.</p> <p>4. Further, a joint inspection was conducted on 09.07.2025 by the RDSDE and State official. During inspection the following were observed:</p>	Refer the decision at Agenda item 5.2

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	26 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>a) ITI found closed and no training activities found on the day of inspection.</p> <p>5. Based on the findings of the joint inspection, 4th SSDEC, in its meeting held on 02.09.2025, has recommended de-affiliation of the ITI as ITI found closed and no training activities found in the ITI.</p>	
71.	<p>Jnanabyaveshwara Industrial Training Centre</p> <p>Address: Saligrama K.R Nagar, Mysuru, Karnataka- 571604</p> <p>MIS Code: PR29000469</p>	<p>1. Electronics Mechanic- 2(1+1)</p> <p>2. Fitter- 2(1+1)</p>	<p>1. The preliminary inspection dated 11.02.2023 was conducted by the State Directorate, during which it was observed that institute sought for admission to units that have been discontinued due to 100% vacancy in consecutive years. Accordingly, de-affiliation proceedings were initiated by the State Directorate.</p> <p>2. Further, a joint inspection was conducted on 05.08.2025 by the RDSDE and State official. During inspection the following were observed:</p> <p>a) The ITI management is not showing an interest to run the ITI and wish to close it.</p> <p>b) It is found that there is a primary school functioning in the same ITI building.</p>	<p>The matter was deliberated in the SCAA. A preliminary inspection of the ITI was conducted by the State Directorate on 11.02.2023, during which it was observed that the ITI had been closed since 2023. Accordingly, de-affiliation proceedings were initiated by the State Directorate.</p> <p>The joint inspection was conducted on 05.08.2025 by officials of the RDSDE and the State Directorate. During the inspection, the following observations were made:</p>

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	26 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>c) The documents related to land/lease agreement, BCC, building plan, fire safety certificate, power supply connection, staff appointment, machinery bills & payments etc are not available/not produced.</p> <p>d) Overall, it is found that ITI is not having training facilities, details/documents of staffs, tools & machinery, power supply etc, and not meeting the requirement of DGT norms.</p> <p>3. Based on the findings of the joint inspection, 4th SSDEC, in its meeting held on 02.09.2025, has recommended de-affiliation of the ITI as management is not showing an interest to run the institute.</p>	<p>a) The ITI management is not showing an interest to run the ITI and wish to close it.</p> <p>b) It is found that there is a primary school functioning in the same ITI building.</p> <p>c) The documents related to land/lease agreement, BCC, building plan, fire safety certificate, power supply connection, staff appointment, machinery bills & payments etc are not available/not produced.</p> <p>d) Overall, it is found that ITI is not having training facilities, details/documents of staffs, tools & machinery, power supply etc, and not meeting the requirement of DGT norms.</p> <p>Based on the above findings, the SSDEC, in its 4th meeting held on 02.09.2025, recommended</p>

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	26 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
				de-affiliation of the ITI, as the institute has remained closed since 2023, the management has voluntarily decided not to continue ITI operations and the mandatory norms prescribed by DGT are not being met. Hence SCAA recommended fully de-affiliated the ITI under self-surrender

Annexure-11 as referred in Agenda-5.3: Bihar State SSDEC matters

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	26 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
1.	Harihar Nath ITC, Address: Paharichak Chawr Sonpur, Saran, Bihar MIS Code- PR10000294	1. Electrician-4(2+2) 2. Fitter- 4(2+2)	1. The ITI was designated as an examination centre for the AITT examination in August 2024. During a surprise inspection conducted by the flying squad, several irregularities, not in conformity with the prescribed norms, were observed. The ITI was accordingly asked to submit its clarification. 2. However, the reply furnished by the ITI was not found satisfactory. Consequently, the State Directorate initiated de-affiliation proceedings. 3. Show Cause Notice (SCN) was issued to the ITI by the State on 04.09.2024. 4. The ITI replied to the SCN on 06.09.2024. 5. Further, a joint inspection was conducted on 23.11.2024 by the RDSDE and State official. During inspection the following were observed: a) The longitude and latitude were different as per NCVT MIS portal mentioned Longitude and Latitude. b) Only few tools & equipment were found available in Fitter and Electrician trades workshops. No major tools and equipment were available during inspection in these trades.	Refer the decision at Agenda item 5.3

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	26 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>c) The workshop area of Fitter and Electrician trade were found in dilapidated condition and unsafe.</p> <p>d) The Electricity connection was available but no three-phase connection were available on the day of inspection.</p> <p>e) No training activities and CITS instructors were available on the day of inspection.</p> <p>f) The Tools and Equipment information is not available.</p> <p>g) Drawing hall was not available in the ITI.</p> <p>h) The computers found in ITI lab were not in running condition.</p> <p>6. Thereafter, again SCN dated 23.01.2025 was issued to the ITI to provide clarification on the deficiencies observed during joint inspection dated 23.11.2024.</p> <p>7. The ITI replied to the SCN on 05.02.2025 and the reply of the ITI was considered by State Directorate. The ITI has submitted the following in its reply:</p> <p>a) Location Tag Discrepancy: The GPS coordinates taken during inspection (Lat 25.701653, Long 85.164861) were recorded from the road outside the institute, whereas the Google tag on the NCVT portal was marked from inside the campus (in front of the office). No change in institute location has ever been made.</p>	

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	26 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>b) Fitter & Electrician Trades – Equipment Maintenance: Preventive maintenance work was ongoing at the time of inspection. All tools and machinery are regularly maintained.</p> <p>c) Workshop Repair & Painting: The surrounding area was flood-affected, with approximately 6 feet of water accumulation until October 2024. Wall repairs and painting could only be completed in December 2024 after the water receded.</p> <p>d) Tools & Equipment Placement: Tools and equipment were temporarily shifted to a safe location because workshop and classroom maintenance work was in progress. The Principal apologizes for this.</p> <p>e) Power Connection: The institute has a valid 3-phase, 13 kW connection from NBPDCCL. A 3-phase machine was running during the inspection (video recorded by the inspecting officer), confirming the connection is functional.</p> <p>f) Absence of Instructors & Students: The inspection took place on a Saturday when all instructors and students were at Sonpur Railway Ground for an extra-curricular cricket match.</p> <p>g) IT Lab & Drawing Hall: All computers in the IT Lab have been made functional, and space for the Drawing Hall has been finalised.</p> <p>8. After that the matter was discussed in 9th SSDEC meeting dated 17.10.2025 and SSDEC</p>	

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	26 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			recommended de-affiliation of the ITI due to non-compliance of NCVT norms.	
2.	<p>Ambedkar Pvt. ITI</p> <p>Address: Bihari Bigha, Dalmiyanagar, Dehri, Rohtas, Bihar.</p> <p>MIS code- PR10000578</p>	<p>1. Electrician- 4(2+2)</p> <p>2. Fitter- 4(2+2)</p> <p>3. Mechanic Diesel- 2(1+1)</p>	<p>1. The ITI was designated as an examination centre for the AITT examination in August 2024. During a surprise inspection conducted by the flying squad, several irregularities not in conformity with the prescribed norms were observed. The ITI was accordingly asked to submit its clarification.</p> <p>2. However, the reply furnished was not found satisfactory. Consequently, the State Directorate initiated de-affiliation proceedings.</p> <p>3. SCN was issued to the ITI by the State on 04.09.2024.</p> <p>4. The ITI replied to the SCN on 25.09.2024.</p> <p>5. Further, a joint inspection was conducted on 03.12.2024. During the visit at the ITI ., the ITI gate was found closed and a notice regarding the sudden demise of the Principal without his name and declared two days holiday without any information to higher level.</p> <p>6. The joint inspection committee visited again on 20.12.2024 to the ITI for conducting inspection. During inspection the following were observed:</p> <p>a) The longitude and latitude were different as per NCVT MIS portal mentioned Longitude and Latitude.</p>	Refer the decision at Agenda item 5.3

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	26 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>b) Building map was not provided by the ITI on the day of inspection.</p> <p>c) All the classrooms were found made of Tin shed only.</p> <p>d) Electricity connection meter reports were not provided by the ITI. The Electricity connection at this location is 18.11.2011 with connected load 18.0KW/20.00KVA.</p> <p>e) In IT lab only 08 computers were found on the day of inspection which is not as per norms.</p> <p>f) No any sign of raw material utility in workshop area namely fitter, Mechanic Diesel as well as Electrician trade. The electric load was low for three trades which is not as per norms.</p> <p>g) No CITS instructors, their certificate records, staff appointment letters etc. were not provided by the ITI on the day of inspection.</p> <p>h) The ITI was very old and the classroom requires construction as per NCVT norms.</p> <p>i) The biometric was not available in the ITI on the day of inspection.</p> <p>7. Thereafter, again SCN dated 23.01.2025 was issued to the ITI to provide clarification on the deficiencies observed during joint inspection dated 20.12.2024.</p>	

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	26 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>The ITI replied to the SCN on 04.02.2025 and the reply of the ITI was considered by State Directorate.</p> <p>8. ITI has submitted following replies:</p> <ol style="list-style-type: none"> a) Latitude/Longitude discrepancy: The mentioned difference is minor and can occur even within different points of the same land/plot. b) Building Map: It was displayed during the inspection; a copy can be provided if accepted. c) Drawing Hall & Library Hall: As per previous norms, only a library was required, which is available. Both Drawing Hall and separate Library Hall have now been constructed in the under-construction building on the institute's own land. d) Staff/Teachers presence: Employees and teachers were present during inspection; some were on leave, and information about them was provided. e) Electricity connection: The meter is available and functional. f) Raw material in workshop: It had been shifted to the store as per inspection guidelines. 	

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	26 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>g) Classrooms & Workshop in tin sheds: Considering timely changes, a new ITI building has been constructed at Amra Talab, District Rohtas, with permanent classrooms, library, drawing hall, and all facilities. Upon relocation, all identified deficiencies will automatically be resolved. Current classrooms require repairs.</p> <p>h) Additionally, the institute is located roadside without playground or hostel facilities for trainees. To address this, a new building (including hostel) is under construction in the final stage on the institute's own land.</p> <p>i) The institute wants to relocate/transfer Ambedkar I.T.C. (currently at Bihari Bigha, Dehri, Rohtas) to the new premises at Amra Talab, Dehri-Sasaram Road, Sasaram, Rohtas.</p> <p>8. After that the matter was discussed in 9th SSDEC meeting dated 17.10.2025 and SSDEC recommended de-affiliation of the ITI due to non-compliance of NCVT norms.</p>	
3.	Pinak Pvt.ITI	Electrician-4 (2+2)	1. The ITI was designated as an examination centre for the All India Trade Test exam in August 2024. The ITI was failed to submit the CCTV footage of examination process at controller of examination office due to which de-affiliation proceeding were initiated by State Directorate.	Refer the decision at Agenda item 5.3

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	26 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
	<p>Address: AT PO- Ghoswari, P.S- Bakhtiyarpur, Patna, Bihar</p> <p>MIS code- PR10000641</p>		<p>2. A joint inspection was conducted on 17.01.2025 by the RDSDE and State official. During inspection the following were observed :</p> <ul style="list-style-type: none"> a) Electricity connection was not found active in the ITI on the day of inspection. The last electricity bill of the ITI was generated in March 2019. The ITI does not have electricity connection since last 5 yrs. b) The ITI building was found in dilapidated condition . c) The basic amenities such as toilets and drinking water were not available in the ITI. d) The classrooms, administrative rooms were found made of Tin shed only and RCC roof were not available in the ITI. e) Shop Machinery for Electrician trade were not available in the ITI. Few parts of machineries were available but not in working condition. f) The workshop in the ITI was being used for storage purpose. g) Also the essential hand tool, equipment shop furniture, materials for Electrician trade were not available in the ITI for training purpose. h) IT lab was available in the ITI but without computers. i) Drawing hall was not available in the ITI. j) The fire safety certificate was not available during inspection . 	

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	26 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>k) The essential records such as raw material register, dead stock register, staff and trainees attendance register records were not maintained by the ITI.</p> <p>l) The ITI failed to produce staff and instructors certificate and records, only joining report of staff were provided during inspection which indicating a severe lack of compliance with operational standards.</p> <p>m) No single trainee was found available in the ITI on the day of inspection.</p> <p>3. SCN was issued to the ITI by the State on 31.01.2025 .</p> <p>4. The ITI replied to the SCN on 13.02.2025 and the reply of the ITI was considered by State Directorate.</p> <p>ITI has submitted following in its reply :</p> <p>a) For Electricity connection: In 2018, the institute deposited ₹3,54,000/- towards outstanding electricity dues. Despite this, an additional electricity bill of ₹2,86,000/- was issued in 2019 due to an error. An application for correction was submitted to the Electricity Department, Barh, but no action was taken. The matter was thereafter taken up before the Appellate Authority (MDRT), which issued a summarized bill on 19.02.2020, followed by directions from the Public Grievance Redressal Officer to</p>	

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	26 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>resolve the issue amicably. As no effective action was taken, the issue was finally represented before the Executive Engineer, Electricity Office, Barh, who verbally assured that the electricity connection would be assessed, the bill corrected, an updated bill issued, and a smart meter installed within one month.</p> <p>b) The institute acknowledges deficiencies pointed out by the Directorate regarding infrastructure, workshop, tools, machinery, electrical work, etc.</p> <p>c) Financial constraints have caused delays, but renovation and upgradation work has already begun and will be completed urgently.</p> <p>d) Specific improvements being made:</p> <ul style="list-style-type: none"> • Proper arrangement of machines in the workshop for clear visibility during inspections. • Completion of electrical wiring, earthing, and safety measures. • Procurement/arrangement of all required tools, equipment, and machinery as per NCVT norms (long list of items mentioned as available or being arranged). 	

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	26 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>e) Open space, boundary wall, civil works, and other facilities are being developed or improved.</p> <p>f) The institute requests the Directorate to consider the ongoing corrective actions and close the matter without penalties or de-affiliation.</p> <p>5. After that the matter was discussed in 9th SSDEC meeting dated 17.10.2025 and SSDEC recommended de-affiliation of the ITI due to non-compliance of NCVT norms.</p>	
4.	<p>Mata Kamleshwari Devi Pvt. ITI</p> <p>Address: Samarak Sansthan</p> <p>Pachasa, Bihar Sarif , Nalanda, Bihar</p> <p>MIS code: PR10000082</p>	<p>1. Electrician - 11(5+6)</p> <p>2. Fitter- 3(1+2)</p>	<p>1. In the year 2024, the ITI did not admit any trainees, indicating inadequacy of infrastructure for training purposes. Accordingly, the State Directorate initiated de-affiliation proceedings.</p> <p>2. SCN was issued to the ITI by the State on 30.10.2024.</p> <p>3. The ITI replied to the SCN on 11.11.2024.</p> <p>4. Further, a joint inspection was conducted on 25.01.2025 by the RDSDE and State official. During inspection the following were observed:</p> <p>a) The longitude and latitude were slightly different as per NCVT MIS portal mentioned Longitude and Latitude.</p> <p>b) No separate drawing halls/ IT labs/ Library were available in the ITI.</p> <p>c) The Partial Civil infrastructure of the Pvt. ITI Building has been modified into the rooms of Local Hotels in the name of "The Maya</p>	<p>The matter was discussed in SCAA meeting. During the meeting SCAA observed that the ITI has submitted the self-closure request of the ITI in its reply dated 08.07.2025.</p> <p>Hence, SCAA accepted the self-closure request of the ITI.</p>

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	26 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>Heritage" marriage purpose hall utilization without any notice to the Higher authority.</p> <p>d) Lease paper of the institute were not provided to the inspection committee.</p> <p>e) The Partial building has been converted into the commercial Marriage Hall in the name of The Maya Heritage" and there was no any sign of running the different Pvt. ITI.</p> <p>f) No admission related details were provided during inspection. The staff present during the inspection process informed that they have submitted all the details of admission to the DET, Bihar earlier and the copy of the letter has been submitted to the inspection committee.</p> <p>5. SCN was issued to the ITI by the State on 23.06.2025.</p> <p>6. The ITI replied to the SCN on 08.07.2025 and the reply of the ITI was considered by State Directorate.</p> <p>ITI has submitted following replies:</p> <p>a) It refers to a joint inspection conducted on 25.01.2025 by RSDSDC Bihar and the State Representative.</p> <p>b) During the inspection, the team photographed all facilities across both buildings on the campus, including:</p> <ul style="list-style-type: none"> • Electricity transformer 	

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	26 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<ul style="list-style-type: none"> • Backup generator • Workshop motors and wiring • IT room, library, etc. • The inspectors found all training arrangements satisfactory and recommended that the institute should continue running. <p>c) Despite having adequate infrastructure and a positive inspection report, the institute has seen a continuous and sharp decline in student enrolment/admissions. Due to this, the management decided to permanently close the ITI.</p> <p>d) ITI submitted electricity bills with its reply .</p> <p>7. After that the matter was discussed in 9th SSDEC meeting dated 17.10.2025 and SSDEC recommended de-affiliation of the ITI due to non-compliance of NCVT norms.</p>	
5.	<p>A.P Verma Pvt.ITI</p> <p>Address- Village, Halimpur,P.O Damari Kalan,P.S Majorganj, Dist- Sitamarhi, Bihar-843315</p>	<p>1. Electrician-3(1+2)</p> <p>2. Fitter- 2(0+2)</p>	<p>1. In the year 2024, the ITI did not admit any trainees, indicating inadequacy of infrastructure for training purposes. Accordingly, the State Directorate initiated de-affiliation proceedings.</p> <p>2. SCN was issued to the ITI by the State on 30.10.2024.</p> <p>3. The ITI replied to the SCN on 11.11.2024.</p> <p>4. Further, a joint inspection was conducted on 21.02.2025 by the RDSDE and State official. During inspection the following were observed:</p>	<p>The matter was discussed in SCAA meeting. SCAA observed that the ITI has submitted the self-closure request of the ITI in its reply dated 07.07.2025.</p>

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	26 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
	MIS code : PR10001147		<p>a) No evidence of any training activities was observed at the said premises of the Private ITI.</p> <p>b) No raw material was found available in the workshops.</p> <p>c) No instructors possessing CITS certification were available.</p> <p>d) No trainees were present in the workshop area.</p> <p>e) As per the statement of the Principal, the admission process was stalled due to the COVID-19 pandemic, and consequently no admissions have been taken for the last three years; the matter has been reported to the higher authorities.</p> <p>5. SCN was issued to the ITI by the State on 23.06.2025 .</p> <p>6. The ITI replied to the SCN on 07.07.2025 and the reply of the ITI was considered by State Directorate.</p> <p>The ITI has submitted following replies:</p> <p>a) For sessions 2022-24, 2023-25, and 2024-26, there has been zero (0) enrolment in all units of all trades. This was previously informed via institute letters dated 11/11/2024, 03/01/2025, and 22/05/2025, as well as to the District Officer, Sitamarhi.</p> <p>b) The land and building are on lease, which expires on 28/02/2026. After the lessor's</p>	Hence, SCAA accepted the self- closure request of the ITI.

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	26 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>death, heirs are unwilling to extend the lease for ITI operations.</p> <p>c) Previous letters already requested surrender of affiliation for all trades/units due to inability to continue post-lease expiry.</p> <p>d) As per DGT Training Calendars 2024 and 2025, units with zero enrolment for two consecutive sessions cannot admit students without affiliation. Consequently, no admissions occurred in 2024-26 or ongoing 2025-27 session. Post-lease expiry, the institute is unable to seek affiliation or continue training.</p> <p>e) Since 2022, with zero trainees, no regular training is ongoing, hence no raw materials or instructors were available in the workshop. This was informed to the joint inspection team on 21/02/2025. The ITI has submitted Land documents and electricity bills.</p> <p>7. After that the matter was discussed in 9th SSDEC meeting dated 17.10.2025 and SSDEC recommended de-affiliation of the ITI due to non-compliance of NCVT norms.</p>	

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	26 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
6.	<p>New Jai Mata Di Pvt. ITI</p> <p>Address- Ward-14, Sasaram Road, Rohatas, Dist: Rohatas, Bihar.</p> <p>MIS code: PR10000596</p>	Electrician-2(0+2)	<ol style="list-style-type: none"> 1. In the year 2024, the ITI did not admit any trainees, indicating inadequacy of infrastructure for training purposes. Accordingly, the State Directorate initiated de-affiliation proceedings. 2. SCN was issued to the ITI by the State on 30.10.2024 . 3. The ITI replied to the SCN on 11.11.2024. 4. Further, a joint inspection was conducted on 22.04.2025 by the RDSDE and State official. During inspection the following were observed : <ol style="list-style-type: none"> a) The longitude and latitude were slightly different as per NCVT MIS portal mentioned Longitude and Latitude. b) No evidence of any training activities was observed at the said premises of the Private ITI. c) No any trade workshops, classrooms, ED Hall, Library and IT rooms were available for training purpose in the ITI. d) The entire civil infrastructure of the Private ITI campus was found to be open, and the workshops had been converted into classrooms of a public school operating under the name “New JMD Public School,” as informed by the teacher present on the campus. 	Refer the decision at Agenda item 5.3

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	26 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>e) The whole building campus was under construction by separation of walls into the small class rooms.</p> <p>5. SCN was issued to the ITI by the State on 23.06.2025.</p> <p>6. The ITI replied to the SCN on 07.07.2025 and the reply of the ITI was considered by State Directorate.</p> <p>ITI has submitted that: Due to the expiry/termination of the rental agreement (kirayanama) for the institute's building, the premises have been vacated. As a result, no trainee enrollments/admissions were taken for the current or upcoming sessions.</p> <p>7. After that the matter was discussed in 9th SSDEC meeting dated 17.10.2025 and SSDEC recommended de-affiliation of the ITI due to non-compliance of NCVT norms.</p>	
7.	<p>Nalanda Covent Pvt.ITI</p> <p>Address -AT- Ajnaura, Parwalpur, Bihar Sharif, Dist: Nalanda, Bihar-803114</p>	Electrician- 16(8+8)	<p>1. A complaint was received against the ITI alleging that two ITIs were functioning from the same premises, several irregularities were present in the ITI, and a paramedical college was also operating at the same location. Accordingly, the State Directorate initiated de-affiliation proceedings.</p> <p>2. A joint inspection was conducted on 25.01.2025 by the RDSDE and State official. During inspection the following were observed:</p>	<p>The matter relating to the affiliation status of the ITI was placed before the SCAA. It was noted that the institute is a litigant and the matter is presently sub judice. The SCAA took cognizance of the joint inspection conducted on 25.01.2025 by RDSDE and State</p>

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	26 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
	MIS code: PU10000799		<p>a) The longitude and latitude were slightly different as per NCVT MIS portal mentioned Longitude and Latitude.</p> <p>b) The machines, tools, and equipment in Workshops Nos. 1, 2, 3, and 4, located on the ground floor, were found installed but not connected to a three-phase power supply.</p> <p>c) None of the machines were in running condition. The workshops were completely dark, with no bulbs, tube lights, or other lighting arrangements installed. Dust was accumulated on all machines, tools, equipment, tables, and foundations, indicating that no training activities have been conducted in the workshops for a considerable period.</p> <p>d) Workshops Nos. 5 and 6, located on the first floor, were found completely occupied with multiple dual desks in place of the required installed machines.</p> <p>e) Workshops Nos. 7 and 8, located on the second floor, were found without any installed machines, tools, or equipment.</p> <p>f) No change-of-location approval letter issued by the DGT (TC Section), New Delhi, was provided to the Joint Inspection Committee by the said Private ITI. Further, no benches for practical training were available in any of the workshops.</p>	<p>officials, which revealed serious deficiencies and prima facie non-compliance with NCVT norms, including non-functional workshops, absence of three-phase power supply, lack of training activities, non-availability of CITS-qualified instructors, unauthorized operation of another ITI and a paramedical/nursing institute from the same premises, and commercial use of the campus without approval.</p> <p>The SCAA also noted that a Show Cause Notice dated 06.02.2025 was issued and the reply submitted by the ITI on 25.02.2025 was examined by the State Directorate. The 9th SSDEC, in its meeting held on 17.10.2025, after due</p>

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	26 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>g) No training material was available in any of the classrooms. All classrooms were found filled with garbage and accumulated dust.</p> <p>h) As per the statements made, only two training faculty members were available at the time of inspection. The Principal was not present during the inspection.</p> <p>i) As per the statements of the present staff, no CITS-qualified instructor was available on the campus.</p> <p>j) A gate bearing a signboard of Nav Nalanda Private ITI, Kako Bigha, Maghara, Bihar Sharif, District Nalanda (PR10000636), was found inside the Nalanda Convent Private ITI campus. However, no separate workshops, IT labs, or drawing halls were available for the transferred Private ITI.</p> <p>k) A signboard of a nursing college in the name of “Shri Arvind Paramedical and Nursing Institute, Ajnaura, Nalanda, PIN-803114,” run by the same society, Shri Arvind Foundation, was also found within the campus. The gate of the said institute opens on the same roadside as the ITI campus gate, indicating commercial use of the Private ITI campus without any intimation to the higher authorities.</p> <p>3. SCN was issued to the ITI by the State on 06.02.2025.</p>	<p>deliberation, recommended de-affiliation of the ITI due to continued non-compliance with prescribed norms.</p> <p>While refraining from taking a final view at this stage, in view of the matter being sub judice, the SCAA records its concurrence with the observations and recommendation of the SSDEC, and decides that any further action, including issuance of final orders, shall be taken strictly in accordance with the outcome of the pending court proceedings and subject to any directions of the Hon’ble Court.</p>

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	26 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>4. The ITI replied to the SCN vide email dated 25.02.2025 and the reply of the ITI was considered by State Directorate.</p> <p>5. After that the matter was discussed in 9th SSDEC meeting dated 17.10.2025 and SSDEC recommended de-affiliation of the ITI due to non-compliance of NCVT norms.</p>	
8.	<p>Nav Nalanda Pvt. ITI</p> <p>Address: Kako Bigha, Maghara, Biharsharif, Nalanda , Bihar.</p> <p>MIS code- PR10000636</p>	Electrician-2 (1+1)	<p>1. A complaint was received against the ITI alleging that two ITIs were functioning from the same premises, several irregularities were present in the ITI, and a paramedical college was also operating at the same location. Accordingly, the State Directorate initiated de-affiliation proceedings.</p> <p>2. A joint inspection was conducted on 25.01.2025 by the RDSDE and State official. During inspection the following were observed:</p> <p>a) As per the NCVT Portal, the recorded coordinates are Latitude 25.1708 and Longitude 85.4354; however, the GPS coordinates observed during inspection were Latitude 25.193898 and Longitude 85.493886, which differ from those mentioned on the NCVT Portal.</p> <p>b) No evidence of any training activities was observed at the said address of the Private ITI.</p> <p>c) The entire ITI campus building has been converted into a commercial private middle</p>	<p>The matter relating to the affiliation status of the ITI, which is presently sub judice, was placed before the SCAA. The SCAA took note of the joint inspection conducted on 25.01.2025, the issuance of Show Cause Notice dated 06.02.2025, the reply submitted by the ITI on 25.02.2025, and the recommendation of the 9th SSDEC 17.10.2025, wherein prima facie deficiencies and non-compliance with NCVT norms were recorded. Without expressing any final view, the SCAA decided that any further</p>

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	26 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>school operating under the name “New Sahara Public School,” recognized by the Government of Bihar, running classes from Play Group to Class VIII.</p> <p>d) As per the statement of the school Principal available at the site, the ITI was shifted to another location long ago due to expiry of the lease period, which could not be renewed for running the Private ITI.</p> <p>e) During the inspection, photographs of the ITI rooms were taken through an open window, wherein some ice-cream making machines and other machinery were found kept idle without any utilization.</p> <p>f) During the site visit, all rooms were found locked, and no training activities appeared to have been conducted for a long period, as a large quantity of paddy straw was found stored in front of the ITI building.</p> <p>g) No signboard in the name of Nav Nalanda Private ITI, Kako Bigha, Maghara, Bihar Sharif, District Nalanda (PR10000636), was displayed along the roadside or near the building.</p> <p>h) As per the NCVT MIS Portal, the ITI is in a non-existent condition at this location.</p> <p>3. SCN was issued to the ITI by the State on 06.02.2025.</p>	<p>action, including issuance of final orders, shall be taken strictly in accordance with the outcome of the pending court proceedings and subject to the directions of the Hon’ble Court.</p>

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	26 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>4. The ITI replied to the SCN vide email dated 25.02.2025 and the reply of the ITI was considered by State Directorate.</p> <p>5. After that the matter was discussed in 9th SSDEC meeting dated 17.10.2025 and SSDEC recommended de-affiliation of the ITI due to non-compliance of NCVT norms.</p>	

Annexure-12 as referred in Agenda-5.4: Affiliation/ De-affiliation related matter of Madhya Pradesh State

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	26 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
1.	Career Pvt. ITI Philukhedi Rajgarh, Address: Behind Axis Bank Dhaga Factory Chouraha Kurawar, District- Rajgarh, Madhya Pradesh- 465667 MIS code: PU23000357	Electrician-11(4+4+3)	<ol style="list-style-type: none"> 1. The de-affiliation proceedings were initiated by State Directorate as ITI was found closed during the surprise visit /tour of Secretary, Technical Education and it was requested to conduct joint inspection. 2. Thereafter, a joint inspection was conducted on 04.02.2025. During inspection, the ITI was found closed and it was written at the entrance that ITI is disputed and its proceeding is going on in the Honorable Court. 3. SCN was issued to the ITI by the RDSDE on 05.03.2025 and the ITI replied vide email dated 24.03.2025 and the reply was considered. 4. Accordingly, the joint inspection was conducted on 02.07.2025 During inspection the following were observed: <ol style="list-style-type: none"> e) The Rent deed of 11-month up to 07 march 2026 was available. f) The building certificate was not provided by the ITI by stating that during affiliation it is not mandatory. g) The electricity consumption was very low of last six month below 50 units of whole Institute. h) The ITI records such as -Dead Stock Register, raw material register, Student records, Teachers Records, Daily 	<p>The matter was deliberated in the SCAA meeting. Based on the recommendations of the SSDEC and the material facts available on record, it is evident that the concerned ITI has violated the prescribed norms and guidelines, thereby defeating the sole objectives of the CTS.</p> <p>However, in adherence to the principles of natural justice, the concerned ITIs is hereby granted a final opportunity to show cause as to why the institute should not be de-affiliated, based upon the remarks of inspection team and the recommendations of the SSDEC mentioned in column (4).</p> <p>The explanation, if any, must be comprehensive and duly supported by relevant documentary evidence, including proof of operational machinery and equipment with geo tagged photos, Geo-tagged photographs of the institute infrastructure and location, and Any other documents substantiating compliance with the prescribed norms. In case the reply consists of multiple</p>

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	26 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>Diary, lesson plan were not maintained by the ITI.</p> <p>i) The staff appointment information was available but payment proof, bank statement not provided during inspection.</p> <p>j) The Staff attendance was not available and the Student biometric attendance was available but not implemented in the ITI.</p> <p>k) In Lab 1&2 many machineries like 05 kva DG SET, Induction motor, stepper motor, Synchronous motor, DC Motor with Techo generator Set, VVVF arrangement etc were not available on the day of inspection.</p> <p>l) The machines available in Lab 1&2 were not in working condition due to power failure.</p> <p>m) The Electrician Lab 1&2 area was short as per norms.</p> <p>n) The IT Lab was available but 05 computers out of twelve were not in working condition.</p> <p>o) The drawing hall was not available in the ITI.</p> <p>p) The condition of roof and basic infrastructure inside the Pvt ITI was very bad, power utilization of Electricity of last six months shows that the training quality very poor.</p>	<p>pages, the institute shall prepare a proper index and clearly reference all annexures relied upon in the submission.</p> <p>The reply must reach to DGT within 21 days from the date of issuance of these minutes at the email ID tc-deaffiliation@dgt.gov.in, using the following subject line: “Reply to Notice of 26th SCAA Minutes – <ITI Name>, <MIS Code>, <State Name>”</p> <p>In case no reply is received within the stipulated period, or if the reply is found unsatisfactory, the matter shall be processed, and a final decision regarding de-affiliation shall be taken without any further notice.</p>

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	26 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<ol style="list-style-type: none"> 5. The joint inspection committee recommended the ITI for de-affiliation. 6. The SCN was issued to the ITI on 04.07.2025, followed by reminder dated 04.08.2025. 7. The ITI replied to the SCN, however, ITI has not offered its comments on few deficiencies reported by the committee during joint inspection dated 02.07.2025. 8. The matter was discussed in 11th SSDEC meeting dated 15.09.2025 and SSDEC recommended de-affiliation as ITI has not given satisfactory reply to SCN issued subsequent to joint verification. 	
2.	<p>DRS Pvt.ITI</p> <p>Address: DRS Private ITI,Ayodhya Nagari,Gol Pahariya, Distt. Gwalior, Madhya Pradesh -</p> <p>MIS code: PU23000399</p>	Electrician – 6(2+2+2)	<ol style="list-style-type: none"> 1. The de-affiliation proceedings were initiated by State Directorate as the complaint was received against the ITI. 2. SCN was issued to the ITI by the RDSDE on 04.08.2025, followed by reminder dated 03.09.2025 due to following reasons: <ol style="list-style-type: none"> a) The ITI exists only in papers. b) There is no building of the ITI from years. c) ITI is not functional. 3. The ITI did not reply to the SCN and reminder SCN. 4. The matter was discussed in 11th SSDEC meeting dated 15.09.2025 and SSDEC recommended de-affiliation of the ITI as no reply has been received by the ITI to the SCN as well as its reminder. It appears that ITI has nothing to submit in its reply. 	<p>The matter was deliberated in the SCAA meeting. Based on the recommendations of the SSDEC and the material facts available on record, it is evident that the concerned ITI has violated the prescribed norms and guidelines, thereby defeating the sole objectives of the CTS.</p> <p>However, in adherence to the principles of natural justice, the concerned ITIs is hereby granted a final opportunity to show cause as to why the institute should not be de-affiliated, based upon the remarks of inspection team and the recommendations of the SSDEC mentioned in column (4).</p>

Annexure-12

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	26th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
				<p>The explanation, if any, must be comprehensive and duly supported by relevant documentary evidence, including Proof of operational machinery and equipment with geo tagged photos, Geo-tagged photographs of the institute infrastructure and location, and Any other documents substantiating compliance with the prescribed norms. In case the reply consists of multiple pages, the institute shall prepare a proper index and clearly reference all annexures relied upon in the submission.</p> <p>The reply must reach to DGT within 21 days from the date of issuance of these minutes at the email ID tc-deaffiliation@dgt.gov.in, using the following subject line: “Reply to Notice of 26th SCAA Minutes – <ITI Name>, <MIS Code>, <State Name>”</p> <p>In case no reply is received within the stipulated period, or if the reply is found unsatisfactory, the matter shall be processed and a final decision regarding de-affiliation shall be taken without any further notice.</p>

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	26 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
3.	<p>Ideal Pvt. ITI</p> <p>Address: NH – 75, Jhansi Road, Post - ITM College Ramjanki Campus Barua, Pichhore, Sitholi,</p> <p>Dist:Gwalio, Madhya Pradesh- 474005</p> <p>MIS code: PU23000555</p>	Electrician – 6(2+2+2)	<ol style="list-style-type: none"> 1. The Joint inspection was conducted on 07.06.2023. During the joint inspection the ITI was found closed, no staff was present, nothing related to ITI was there however, board of the ITI was seen from the gate. 2. The matter was discussed in 3rd SSDEC dated 09.08.2023 in which one opportunity was given to the ITI to represent itself on the findings observed in the above-said inspection. The SSDEC also decided to conduct the joint inspection of those ITIs whosoever response to the SCN. 3. The SCN was issued to the ITI by RDSDE through E-mail dated 10.08.2023 and ITI responded. 4. Thereafter, the 2nd joint inspection was conducted on 08.09.2023. During the inspection a board found in the name of Ideal polytechnic college and Ideal college, no one was there during the inspection. Few tools and equipment's were laying in small room covered by dust. 5. The matter was again discussed in 4th SSDEC meeting dated 18.09.2023, in which SSDEC recommended for de-affiliation of the ITI as in both inspections only board ideal college found. 	<p>The matter was deliberated in the SCAA meeting, and the SCAA decided as under, based on the recommendations of the SSDEC:</p> <ol style="list-style-type: none"> 1. Despite repeated opportunities granted on the basis of observations made during subsequent joint inspections, the ITI failed to ensure compliance with the prescribed affiliation norms. 2. The ITI was afforded multiple opportunities, in adherence to the principles of natural justice, the SCAA in its 21st meeting held on 28.04.2025 granted a final opportunity to the ITI to represent itself and rectify the deficiencies observed during the joint inspection conducted on 14.02.2024. However, the ITI failed to avail itself of the said opportunity, thereby reflecting a negligent approach towards its functioning and continued non-compliance with the prescribed affiliation norms. <p>Therefore, in view of the interest of the trainees and the continuous violations</p>

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	26 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>6. Thereafter, the matter was discussed in 12th SCAA meeting dated 15.12.2023 to 18.12.2023 in which vide agenda- (4), the SCAA decided as Principle of natural justice one more opportunity is provided to the ITI and conduct joint inspection again.</p> <p>7. In compliance with the decision of the 12th SCAA, the joint inspection was again conducted on 14.02.2024 and following deficiencies were observed:</p> <ul style="list-style-type: none"> (a) The ITI was in a hazardous condition and had been closed for a long time. (b) Only one trainer has CITS qualification. (c) Machines were not in working condition. (d) IT lab not was not as per norms. (e) The drawing hall was not available in the ITI. (f) The safety measures were not available in the ITI. (g) The ITI URL address was not working. <p>8. The matter was discussed in 5th SSDEC held on 22.05.2024 in which SSDEC decided that the comments of both inspecting members on joint inspection are not clear therefore, clarification may be</p>	<p>of the affiliation norms, the ITI is hereby de-affiliated.</p>

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	26 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>sought again from both committee members to decide the matter.</p> <p>9. Accordingly, the matter was revisited during the 8th SSDEC meeting held on 09.12.2024 and 10.12.2024. In view of the indecisive nature of the SCVT member's report, the SSDEC considered the report submitted by the NCVT member, being the senior representative, for final decision-making. Based on this, the SSDEC recommended the de-affiliation of the ITI.</p> <p>10. Thereafter, the matter of the ITI was discussed in 21st SCAA meeting dated 28.04.2025 and SCAA decided that "the matter was discussed in the SCAA meeting, and it was decided that, in accordance with the principle of natural justice, an opportunity was granted to the ITI to represent itself against the deficiencies observed during the inspection dated 14.02.2024 and to submit its reply to the RDSDE within 20 days from the date of issue of these minutes. Thereafter, RDSDE will scrutinize the reply submitted by the ITI, discuss the matter in the SSDEC meeting and send the SSDEC's recommendations to DGT.</p>	

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	26 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>11. In compliance with the decision of 21st SCAA meeting, RDSDE communicated the decision of 21st SCAA to the ITI vide email dated 05.06.2025.</p> <p>12. The ITI did not reply or represent itself against the opportunity granted by 21st SCAA.</p> <p>13. The matter was discussed in the 11th SSDEC meeting held on 15.09.2025, and the SSDEC recommended de-affiliation of the ITI, stating that the ITI appeared to have no submissions regarding the removal of deficiencies.</p>	
4.	<p>Shri G Pvt. ITI</p> <p>Address: A.31 pragati vihar,Gola ka mandir,Gwalior, District- Gwalior, Madhya Pradesh- 474005</p> <p>MIS code: PU23000720</p>	Electrician-3(1+1+1)	<p>1. The joint inspection was conducted on 09.06.2023. During the joint inspection the ITI was found closed since 2019. The closure request letter of the ITI was also submitted by the ITI.</p> <p>2. The matter was discussed in 3rd SSDEC dated 09.08.2023 in which one opportunity was given to the ITI to represent itself on the findings observed in the above-said inspection. The SSDEC also decided to conduct the joint inspection of those ITIs whose response to the SCN.</p> <p>3. Thereafter, SCN was issued to the ITI by RDSDE through E-mail dated 10.08.2023 and ITI responded.</p>	<p>The matter was deliberated in the SCAA meeting, and the SCAA decided as under, based on the recommendations of the SSDEC:</p> <p>1. Despite repeated opportunities granted on the basis of observations made during subsequent joint inspections, the ITI failed to ensure compliance with the prescribed affiliation norms.</p> <p>2. Although the ITI was afforded multiple opportunities, in adherence to the principles of natural justice, the SCAA in its 21st meeting held on 28.04.2025 granted a final opportunity to the</p>

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	26 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>4. Thereafter, the 2nd joint inspection was conducted on 13.09.2023 in ITI requested to inspect the ITI after returning of concerned ITI person.</p> <p>5. The matter was again placed in 4th SSDEC dated 18.09.2023, in which SSDEC recommended for de-affiliation of the ITI as ITI found closed during 1st inspection dated 09.06.2023 and ITI did not allow for inspection on 19.09.2023.</p> <p>6. The matter was discussed in 12th SCAA dated 15.12.2023 to 18.12.2023 in which vide agenda- (4), the SCAA decided as 'Principle of natural justice' that one more opportunity is provided to the ITI and conduct joint inspection again.</p> <p>7. In compliance with the decision of the 12th SCAA, the joint inspection was again conducted on 12.02.2024 and following deficiencies were observed:</p> <p>(a) Land documents and BCC were not available during inspection.</p> <p>(b) ITI was located at another place.</p> <p>(c) Dead Stock and raw material register were not available.</p> <p>(d) Staff attendance is marked in physical attendance register.</p>	<p>ITI to represent itself and rectify the deficiencies observed during the joint inspection conducted on 12.02.2024. However, the ITI failed to avail itself of the said opportunity, thereby reflecting a negligent approach towards its functioning and continued non-compliance with the prescribed affiliation norms.</p> <p>3. Therefore, in view of the interest of the trainees and the continuous violations of the affiliation norms, the ITI is hereby de-affiliated.</p>

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	26 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>(e) Student records were not available during inspection.</p> <p>(f) Machinery were not installed and also not in working condition during inspection.</p> <p>(g) The workshops were not as per norms.</p> <p>(h) The power was not connected to Electrician lab and also no power supply to IT lab during inspection.</p> <p>(i) The safety measures were not available in the workshop as well as in the institute.</p> <p>8. The matter was discussed in 5th SSDEC held on 22.05.2024 in which SSDEC decided that that the comments of both inspecting members on joint inspection are not clear therefore, clarification may be sought again from both committee members to decide the matter.</p> <p>9. Accordingly, the matter was revisited during the 8th SSDEC meeting held on 09.12.2024 and 10.12.2024. In view of the indecisive nature of the SCVT member's report, the SSDEC considered the report submitted by the NCVT member, being the senior representative, for final decision-making. Based on this, the SSDEC recommended the de-affiliation of the ITI.</p>	

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	26 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>10. Thereafter, the matter of the ITI was discussed in 21st SCAA meeting dated 28.04.2025 and SCAA decided that “the matter was discussed in the SCAA meeting, and it was decided that, in accordance with the principle of natural justice, an opportunity was granted to the ITI to represent itself against the deficiencies observed during the inspection dated 12.02.2024 and to submit its reply to the RDSDE within 20 days from the date of issue of these minutes. Thereafter, RDSDE will scrutinize the reply submitted by the ITI, discuss the matter in the SSDEC meeting and send the SSDEC’s recommendations to DGT.</p> <p>11. In compliance with the decision of 21st SCAA meeting, RDSDE communicated the decision of 21st SCAA to the ITI vide email dated 05.06.2025.</p> <p>12. The ITI did not reply or represent itself against the opportunity granted by 21st SCAA.</p> <p>13. The matter was discussed in the 11th SSDEC meeting held on 15.09.2025, and the SSDEC recommended de-affiliation of the ITI, stating that the ITI appeared to</p>	

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	26 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			have no submissions regarding the removal of deficiencies.	
5.	STR Pvt.ITI Address: Adarsh nager Pinto park Gwalior, District – Gwalior, Madhya Pradesh-474005 MIS code: PU23000841	Already de-affiliated	<ol style="list-style-type: none"> 1. The de-affiliation matters of 65 ITIs were discussed during the 17th SCAA meeting, and these ITIs were subsequently de-affiliated vide DGT order dated 31.07.2024. 2. STR Pvt. ITI was one of the 65 ITIs mentioned above and was de-affiliated as per the said DGT order. 3. Following the de-affiliation, a total of 11 ITIs out of the 65 ITIs approached the Hon'ble Court including the STR Pvt. ITI and filed litigations challenging the said order at Delhi High Court . 4. The Hon'ble Court had initially permitted the petitioner ITI to admit trainees for the 2024–25 session, in compliance with the judgment dated 19.09.2024. Subsequently, the petition was dismissed by the Hon'ble Court vide order dated 14.10.2024, with a direction to approach the Hon'ble High Court of Madhya Pradesh. 5. In the meantime, DGT provided an opportunity to the concerned ITIs, including the petitioner ITIs, to submit 	<p>The matter was deliberated in the SCAA meeting, and the SCAA decided as under, based on the recommendations of the SSDEC:</p> <ol style="list-style-type: none"> 1. Despite repeated opportunities granted on the basis of observations made during subsequent joint inspections, the ITI failed to ensure compliance with the prescribed affiliation norms. 2. Although the ITI was afforded multiple opportunities, in adherence to the principles of natural justice, by the way of communications dated 07.10.2024, 25.10.2024 and 13.12.2024 to represent itself and rectify the deficiencies observed However, the ITI failed to avail itself of the said opportunity, thereby reflecting a negligent approach towards its functioning and continued non-compliance with the prescribed affiliation norms. <p>Therefore, in view of the interest of the trainees and the continuous violations</p>

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	26 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>their grievances through the NIMI portal via email communication dated 07.10.2024 and a reminder on 25.10.2024.</p> <p>6. Subsequently, in adherence to the principles of natural justice, DGT issued another communication dated 13.12.2024, granting a final opportunity to the petitioner ITIs to represent themselves along with supporting evidence demonstrating the rectification of deficiencies mentioned in the impugned order. The ITIs were directed to inform RDSDE, Madhya Pradesh, within 15 days of the said communication.</p> <p>7. RDSDE, Madhya Pradesh, was also directed to conduct a joint verification in case any representation was received from the petitioner ITIs, and to forward the verification report to DGT along with SSDEC recommendations.</p> <p>8. In response to the above communications, STR Pvt. did not submitted its representation or expressed its willingness for joint verification about removal of deficiencies against the deficiencies</p>	<p>of the affiliation norms, the ITI is hereby de-affiliated.</p> <p>Further, the ITI is not permitted to admit fresh trainees.</p>

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	26 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>identified in the de-affiliation order dated 31.07.2024.</p> <p>9. Since the matter was under judicial consideration, the ITIs involved in litigation neither submitted their representations nor expressed willingness to undergo joint inspection. Accordingly, RDSDE Madhya Pradesh, in reference to the State Directorate's letter dated 20.02.2025, sought further directions from DGT in this regard.</p> <p>10. Thereafter, DGT directed the RDSDE to inform the concerned ITIs to undergo verification, based on which the impugned de-affiliation order had been issued.</p> <p>11. In compliance with these directions, RDSDE informed the State Directorate vide email dated 03.04.2025. Subsequently, the State Directorate, vide its letter no. MPSSDEGB/SCVT/affi/2025/1284 dated 09.04.2025, instructed the ITIs to submit their willingness for joint verification.</p>	

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	26 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>12. The STR Pvt. ITI did not respond to the State Directorate letter dated 09.04.2025 for joint verification.</p> <p>13. Thereafter, the petitioner has also approach the Hon'ble Court of M.P State via WPC No.41410/2024 seeking relief to quash the de-affiliation order dated 31.07.2024.The Hon'ble Court's has granted interim relief vide order dated 06.01.2025, the impugned order dated 31.07.2024 by staying the operation of ITI until the next date of hearing.</p> <p>14. The matter was discussed in the 10th SSDEC meeting held on 09.05.2025, wherein the SSDEC recommended to maintain the de-affiliation status, as the ITI, despite multiple opportunities, neither represented its case nor expressed willingness for joint verification regarding removal of deficiencies.</p>	
6.	<p>Banke Bihari Private ITI, Gwalior</p> <p>Address: Mau Road Gram Bhadroli Dist.</p>	<p>1. Electrician-6(2+2+2)</p> <p>2. Stenographer & Secretarial Assistant</p>	<p>1. The de-affiliation proceedings of the ITI was initiated due to complaint received against the ITI.</p> <p>2. SCN was issued to the ITI on 08.04.2021.</p> <p>3. The matter was discussed in 8th SCAA dated 12.04.2023, wherein the SCAA decided that the State directorate and</p>	<p>The matter was deliberated in the SCAA meeting. Based on the recommendations of the SSDEC and the material facts available on record, it is evident that the concerned ITIs have violated the prescribed norms and</p>

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	26 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
	<p>Gwalior, Madhya Pradesh:-474010</p> <p>MIS code: PR23001080</p>	(Hindi)-3(1+1+1)	<p>RDSDE will discuss the matter in their SSDEC meeting for appropriate action as per DGT norms and if required the joint inspection may be carried out by State Directorate and RDSDE.</p> <p>4. Thereafter the Joint inspection was conducted on 02.05.2025 wherein, the ITI denied for inspection.</p> <p>5. Then again, the Joint inspection was conducted on 08.07.2025 wherein, the ITI denied for inspection on the ground that they have filed the petition on which the decision is pending.</p> <p>6. The matter was revisited in the 11th SSDEC meeting held on 15.09.2025, and the SSDEC recommended de-affiliation of the ITI due to following reasons:</p> <p>a) The ITI has given sufficient opportunity.</p> <p>b) The ITI denied the both joint inspections. There is no specific directions from Hon'ble court /s explicitly stating that no inspection by controlling authority shall be carried out until the final adjudication of the said petition.</p>	<p>guidelines, thereby defeating the sole objectives of the CTS.</p> <p>However, in adherence to the principles of natural justice, the concerned ITI is hereby granted a final opportunity to show cause as to why the institute(s) should not be de-affiliated, based upon the remarks of inspection team and the recommendations of the SSDEC mentioned in column (4).</p> <p>The explanation, if any, must be comprehensive and duly supported by relevant documentary evidence, including proof of operational machinery and equipment with geo tagged photos, Geo-tagged photographs of the institute infrastructure and location, and Any other documents substantiating compliance with the prescribed norms. In case the reply consists of multiple pages, the institute shall prepare a proper index and clearly reference all annexures relied upon in the submission.</p> <p>The reply must reach to DGT within 21 days from the date of issuance of these minutes at the email ID tc-deaffiliation@dgt.gov.in, using the</p>

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	26 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
				<p>following subject line: “Reply to Notice of 26th SCAA Minutes – <ITI Name>, <MIS Code>, <State Name>”</p> <p>In case no reply is received within the stipulated period, or if the reply is found unsatisfactory, the matter shall be processed and a final decision regarding de-affiliation shall be taken without any further notice.</p>
7.	<p>Usha Devi Private ITI Morena</p> <p>Address: Pahargarh Road Kailaras, District: Morena, Madhya Pradesh- 476224</p> <p>MIS code: PR23000775</p>	<ol style="list-style-type: none"> 1. Electrician-3(1+1+1) 2. Fitter-3(1+1+1) 	<ol style="list-style-type: none"> 1. The de-affiliation proceedings of the ITI was initiated due to complaint received against the ITI. 2. SCN was issued to the ITI on 20.01.2021. 3. The matter was discussed in 8th SCAA dated 12.04.2023, wherein the SCAA decided that the State directorate and RDSDE will discuss the matter in their SSDEC meeting for appropriate action as per DGT norms and if required the joint inspection may be carried out by State Directorate and RDSDE. 4. Thereafter the Joint inspection was conducted on 17.04.2025 wherein, the ITI denied for inspection. 5. Then again, the Joint inspection was conducted on 04.07.2025 wherein, the ITI again denied for inspection. 6. The matter was revisited in the 11th SSDEC meeting held on 15.09.2025, and the SSDEC recommended de-affiliation of the ITI due to following reasons: 	<p>The matter was deliberated in the SCAA meeting. Based on the recommendations of the SSDEC and the material facts available on record, it is evident that the concerned ITIs have violated the prescribed norms and guidelines, thereby defeating the sole objectives of the CTS.</p> <p>However, in adherence to the principles of natural justice, the concerned ITI is hereby granted a final opportunity to show cause as to why the institute should not be de-affiliated, based upon the remarks of inspection team and the recommendations of the SSDEC mentioned in column (4).</p> <p>The explanation, if any, must be comprehensive and duly supported by relevant documentary evidence, including Proof of operational</p>

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	26 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>a) The ITI has given sufficient opportunity.</p> <p>b) The ITI denied the both joint inspections. There is no specific directions from Hon'ble court /s explicitly stating that no inspection by controlling authority shall be carried out until the final adjudication of the said petition.</p>	<p>machinery and equipment with geo tagged photos, Geo-tagged photographs of the institute infrastructure and location, and Any other documents substantiating compliance with the prescribed norms. In case the reply consists of multiple pages, the institute shall prepare a proper index and clearly reference all annexures relied upon in the submission.</p> <p>The reply must reach to DGT within 21 days from the date of issuance of these minutes at the email ID tc-deaffiliation@dgt.gov.in, using the following subject line: "Reply to Notice of 26th SCAA Minutes – <ITI Name>, <MIS Code>, <State Name>"</p> <p>In case no reply is received within the stipulated period, or if the reply is found unsatisfactory, the matter shall be processed and a final decision regarding de-affiliation shall be taken without any further notice.</p>
8.	<p>OM Private ITI Morena</p> <p>Address:Lala,Kapura,At er Road,Porsa, District-</p>	Electrician-12(4+4+4)	<ol style="list-style-type: none"> 1. The de-affiliation proceedings of the ITI was initiated due to complaint received against the ITI. 2. SCN was issued to the ITI on 08.04.2021. 3. The matter was discussed in 8th SCAA dated 12.04.2023, wherein the SCAA 	The matter was deliberated in the SCAA meeting. Based on the recommendations of the SSDEC and the material facts available on record, it is evident that the concerned ITIs has violated the prescribed norms and

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	26 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
	<p>morena, Madhya Pradesh- 476115</p> <p>MIS code: PR23001088</p>		<p>decided that the State directorate and RDSDE will discuss the matter in their SSDEC meeting for appropriate action as per DGT norms and if required the joint inspection may be carried out by State Directorate and RDSDE.</p> <p>4. Thereafter the Joint inspection was conducted on 17.04.2025 wherein, the ITI denied for inspection.</p> <p>5. Then again, the Joint inspection was conducted on 03.07.2025 wherein, the ITI denied for inspection.</p> <p>6. The matter was revisited in the 11th SSDEC meeting held on 15.09.2025, and the SSSEC recommended de-affiliation of the ITI due to following reasons:</p> <p>a) The ITI has given sufficient opportunity.</p> <p>b) The ITI denied the both joint inspections. There is no specific directions from Hon'ble court /s explicitly stating that no inspection by controlling authority shall be carried out until the final adjudication of the said petition.</p>	<p>guidelines, thereby defeating the sole objectives of the CTS.</p> <p>However, in adherence to the principles of natural justice, the concerned ITI is hereby granted a final opportunity to show cause as to why the institute(s) should not be de-affiliated, based upon the remarks of inspection team and the recommendations of the SSDEC mentioned in column (4).</p> <p>The explanation, if any, must be comprehensive and duly supported by relevant documentary evidence, including proof of operational machinery and equipment with geo tagged photos, Geo-tagged photographs of the institute infrastructure and location, and Any other documents substantiating compliance with the prescribed norms. In case the reply consists of multiple pages, the institute shall prepare a proper index and clearly reference all annexures relied upon in the submission.</p> <p>The reply must reach to DGT within 21 days from the date of issuance of these minutes at the email ID tc-deaffiliation@dgt.gov.in, using the</p>

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	26 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
				<p>following subject line: “Reply to Notice of 26th SCAA Minutes – <ITI Name>, <MIS Code>, <State Name>”</p> <p>In case no reply is received within the stipulated period, or if the reply is found unsatisfactory, the matter shall be processed and a final decision regarding de-affiliation shall be taken without any further notice.</p>
9.	<p>Shri Vijay Private ITI College, Gwalior</p> <p>Address: Shri Vijay Pvt. ITI, Near Govt. High School, Maheshp, Dist: Gwalior, Madhya Pradesh- 474001</p> <p>MIS code: PU23000388</p>	Electrician-3(1+1+1)	<ol style="list-style-type: none"> 1. The de-affiliation proceedings of the ITI was initiated due to complaint received against the ITI. 2. SCN was issued to the ITI on 08.04.2021. 3. The matter was discussed in 8th SCAA dated 12.04.2023, wherein the SCAA decided that the State directorate and RDSDE will discuss the matter in their SSDEC meeting for appropriate action as per DGT norms and if required the joint inspection may be carried out by State Directorate and RDSDE. 4. Thereafter the Joint inspection was conducted on 12.03.2025 wherein, the ITI denied for inspection. 5. Then again, the Joint inspection was conducted on 02.07.2025 wherein, the ITI denied for inspection. 6. The matter was revisited in the 11th SSDEC meeting held on 15.09.2025, and the SSDEC recommended de-affiliation of the ITI due to following reasons: 	<p>The matter was deliberated in the SCAA meeting. Based on the recommendations of the SSDEC and the material facts available on record, it is evident that the concerned ITIs has violated the prescribed norms and guidelines, thereby defeating the sole objectives of the CTS.</p> <p>However, in adherence to the principles of natural justice, the concerned ITIs is hereby granted a final opportunity to show cause as to why the institute should not be de-affiliated, based upon the remarks of inspection team and the recommendations of the SSDEC mentioned in column (4).</p> <p>The explanation, if any, must be comprehensive and duly supported by relevant documentary evidence, including Proof of operational</p>

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	26 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>a) The ITI has given sufficient opportunity.</p> <p>b) The ITI denied the both joint inspections. There is no specific directions from Hon'ble court /s explicitly stating that no inspection by controlling authority shall be carried out until the final adjudication of the said petition.</p>	<p>machinery and equipment with geo tagged photos, Geo-tagged photographs of the institute infrastructure and location, and Any other documents substantiating compliance with the prescribed norms. In case the reply consists of multiple pages, the institute shall prepare a proper index and clearly reference all annexures relied upon in the submission.</p> <p>The reply must reach to DGT within 21 days from the date of issuance of these minutes at the email ID deaffiliation@dgt.gov.in, using the following subject line: "Reply to Notice of 26th SCAA Minutes – <ITI Name>, <MIS Code>, <State Name>"</p> <p>In case no reply is received within the stipulated period, or if the reply is found unsatisfactory, the matter shall be processed and a final decision regarding de-affiliation shall be taken without any further notice.</p>
10.	Indraprasth Private ITI, Morena	Electrician-6(2+2+2)	<ol style="list-style-type: none"> 1. The de-affiliation proceedings of the ITI was initiated due to complaint received against the ITI. 2. SCN was issued to the ITI on 20.01.2021. 3. The matter was discussed in 8th SCAA dated 12.04.2023, wherein the SCAA 	The matter was deliberated in the SCAA meeting. Based on the recommendations of the SSDEC and the material facts available on record, it is evident that the concerned ITIs has violated the prescribed norms and

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	26 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
	<p>Address: Deen Dayal Marg, Kailaras, Dist: Morena, Madhya Pradesh-476224</p> <p>MIS code: PU23000558</p>		<p>decided that the State directorate and RDSDE will discuss the matter in their SSDEC meeting for appropriate action as per DGT norms and if required the joint inspection may be carried out by State Directorate and RDSDE.</p> <p>4. Thereafter the Joint inspection was conducted on 04.04.2025 wherein, the ITI found closed and telephonically denied for inspection to the inspecting members.</p> <p>5. Then again, the Joint inspection was conducted on 04.07.2025 wherein, the ITI found closed and seems ITI is not functional; as stated by inspecting members.</p> <p>6. The matter was revisited in the 11th SSDEC meeting held on 15.09.2025, and the SSDEC recommended de-affiliation of the ITI due to following reasons:</p> <p>a) The ITI has given sufficient opportunity.</p> <p>b) The ITI denied the both joint inspections. There is no specific directions from Hon'ble court /s explicitly stating that no inspection by controlling authority shall be carried out until the final adjudication of the said petition.</p>	<p>guidelines, thereby defeating the sole objectives of CTS</p> <p>However, in adherence to the principles of natural justice, the concerned ITIs is hereby granted a final opportunity to show cause as to why the institute should not be de-affiliated, based upon the remarks of inspection team and the recommendations of the SSDEC mentioned in column (4).</p> <p>The explanation, if any, must be comprehensive and duly supported by relevant documentary evidence, including proof of operational machinery and equipment with geo tagged photos, Geo-tagged photographs of the institute infrastructure and location, and Any other documents substantiating compliance with the prescribed norms. In case the reply consists of multiple pages, the institute shall prepare a proper index and clearly reference all annexures relied upon in the submission.</p> <p>The reply must reach to DGT within 21 days from the date of issuance of these minutes at the email ID tc-deaffiliation@dgt.gov.in, using the</p>

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	26 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
				<p>following subject line: “Reply to Notice of 26th SCAA Minutes – <ITI Name>, <MIS Code>, <State Name>”</p> <p>In case no reply is received within the stipulated period, or if the reply is found unsatisfactory, the matter shall be processed and a final decision regarding de-affiliation shall be taken without any further notice.</p>
11.	<p>Adityaraj Private ITI, Guna</p> <p>Address: Kushmoda Road Guna, District-Guna, Madhya Pradesh-473001.</p> <p>MIS code: PU23000491</p>	<p>1. Electrician-6(2+2+2)</p> <p>2. Stenographer & Secretarial Assistant (Hindi)-3(1+1+1)</p>	<p>1. The de-affiliation proceedings of the ITI was initiated due to complaint received against the ITI.</p> <p>2. SCN was issued to the ITI on 08.04.2021.</p> <p>3. ITI replied to the SCN and the reply was considered.</p> <p>4. The Joint inspection was conducted on 13.03.2025 wherein, the ITI denied for inspection.</p> <p>5. Then again, the Joint inspection was conducted on 11.09.2025 wherein, it was observed that the ITI has been shifted at new address while affiliation granted on Bajrang garh Bypass Road Guna. Also, at new place various infrastructure, machinery, ITI records etc deficiencies were observed.</p> <p>6. The matter was discussed in the 11th SSDEC meeting held on 15.09.2025, and the SSDEC recommended de-affiliation of the ITI due shifting at new location without following due procedure.</p>	<p>The matter was deliberated in the SCAA meeting. Based on the recommendations of the SSDEC and the material facts available on record, it is evident that the concerned ITI has violated the prescribed norms and guidelines, thereby defeating the sole objectives of the CTS.</p> <p>However, in adherence to the principles of natural justice, the concerned ITI is hereby granted a final opportunity to show cause as to why the institute should not be de-affiliated, based upon the remarks of inspection team and the recommendations of the SSDEC mentioned in column (4).</p> <p>The explanation, if any, must be comprehensive and duly supported by relevant documentary evidence, including proof of operational</p>

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	26 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
				<p>machinery and equipment with geo tagged photos, Geo-tagged photographs of the institute infrastructure and location, and Any other documents substantiating compliance with the prescribed norms. In case the reply consists of multiple pages, the institute shall prepare a proper index and clearly reference all annexures relied upon in the submission.</p> <p>The reply must reach to DGT within 21 days from the date of issuance of these minutes at the email ID tc-deaffiliation@dgt.gov.in, using the following subject line: “Reply to Notice of 26th SCAA Minutes – <ITI Name>, <MIS Code>, <State Name>”</p> <p>In case no reply is received within the stipulated period, or if the reply is found unsatisfactory, the matter shall be processed and a final decision regarding de-affiliation shall be taken without any further notice.</p>
12.	Excellence Private ITI, Gwalior	<ol style="list-style-type: none"> 1. Electrician-6(2+2+2) 2. Stenographer & Secretarial Assistant 	<ol style="list-style-type: none"> 1. The de-affiliation proceedings of the ITI was initiated due to complaint received against the ITI. 2. SCN was issued to the ITI on 08.04.2021. 3. The matter was discussed in 8th SCAA dated 12.04.2023, wherein the SCAA 	The matter was deliberated in the SCAA meeting. Based on the recommendations of the SSDEC and the material facts available on record, it is evident that the concerned ITI has violated the prescribed norms and

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	26 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
	<p>Address: Shatabdi Puram Dd Nagar Airport Road,</p> <p>District: Gwalior, Madhya Pradesh- 474005</p> <p>MIS code: PU23000939</p>	(Hindi)- 3(1+1+1)	<p>decided that the State directorate and RDSDE will discuss the matter in their SSDEC meeting for appropriate action as per DGT norms and if required the joint inspection may be carried out by State Directorate and RDSDE.</p> <p>4. Thereafter the joint inspection was conducted on 03.04.2025 wherein, the ITI found closed and telephonically denied for inspection to the inspecting members.</p> <p>5. Then again, the Joint inspection was conducted on 09.07.2025 wherein, the ITI found closed and seems ITI is not functional; as stated by inspecting members.</p> <p>6. The SCN dated 11.07.2025, followed by reminder dated 13.08.2025 was issued to the ITI but ITI did not replied.</p> <p>The matter was revisited in the 11th SSDEC meeting held on 15.09.2025, and the SSDEC recommended de-affiliation of the ITI as ITI is not functional.</p>	<p>guidelines, thereby defeating the sole objectives of the CTS.</p> <p>However, in adherence to the principles of natural justice, the concerned ITI is hereby granted a final opportunity to show cause as to why the institute(s) should not be de-affiliated, based upon the remarks of inspection team and the recommendations of the SSDEC mentioned in column (4).</p> <p>The explanation, if any, must be comprehensive and duly supported by relevant documentary evidence, including proof of operational machinery and equipment with geo tagged photos, Geo-tagged photographs of the institute infrastructure and location, and Any other documents substantiating compliance with the prescribed norms. In case the reply consists of multiple pages, the institute shall prepare a proper index and clearly reference all annexures relied upon in the submission.</p> <p>The reply must reach to DGT within 21 days from the date of issuance of these minutes at the email ID tc-deaffiliation@dgt.gov.in, using the</p>

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	26 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
				<p>following subject line: “Reply to Notice of 26th SCAA Minutes – <ITI Name>, <MIS Code>, <State Name>”</p> <p>In case no reply is received within the stipulated period, or if the reply is found unsatisfactory, the matter shall be processed and a final decision regarding de-affiliation shall be taken without any further notice.</p>
13.	<p>Shri Radhe Krishan Private ITI Vidisha</p> <p>Address: Banti Nagar Vidisha, District: Vidisha, Madhya Pradesh- 464001</p> <p>MIS code: PU23000353</p>	Electrician-6(2+2+2)	<ol style="list-style-type: none"> 1. The de-affiliation proceedings of the ITI was initiated due to complaint received against the ITI. 2. SCN was issued to the ITI on 15.09.2021. 3. The matter was discussed in 8th SCAA dated 12.04.2023, wherein the SCAA decided that the State directorate and RDSDE will discuss the matter in their SSDEC meeting for appropriate action as per DGT norms and if required the joint inspection may be carried out by State Directorate and RDSDE. 4. Thereafter the Joint inspection was conducted on 11.04.2025 wherein, it was observed that the ITI has been shifted Bhagat Singh colony Vidisha (affiliated) to Banti Nagar. ITI stated that he has applied for shifting but do not have affiliation order for new address. The ownership of the ITI has also been changed as stated by inspecting members. 	<p>The matter was deliberated in the SCAA meeting. Based on the recommendations of the SSDEC and the material facts available on record, it is evident that the concerned ITI has violated the prescribed norms and guidelines, thereby defeating the sole objectives of the CTS.</p> <p>However, in adherence to the principles of natural justice, the concerned ITI is hereby granted a final opportunity to show cause as to why the institute(s) should not be de-affiliated, based upon the remarks of inspection team and the recommendations of the SSDEC mentioned in column (4).</p> <p>The explanation, if any, must be comprehensive and duly supported by relevant documentary evidence, including proof of operational</p>

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	26 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>5. The SCN dated 01.05.2025 was issued to the ITI.</p> <p>6. The matter was revisited in the 11th SSDEC meeting held on 15.09.2025, and the SSDEC recommended de-affiliation of the ITI as ITI has shifted and changed of ownership is not allowed.</p>	<p>machinery and equipment with geo tagged photos, Geo-tagged photographs of the institute infrastructure and location, and Any other documents substantiating compliance with the prescribed norms. In case the reply consists of multiple pages, the institute shall prepare a proper index and clearly reference all annexures relied upon in the submission.</p> <p>The reply must reach to DGT within 21 days from the date of issuance of these minutes at the email ID tc-deaffiliation@dgt.gov.in, using the following subject line: “Reply to Notice of 26th SCAA Minutes – <ITI Name>, <MIS Code>, <State Name>”</p> <p>In case no reply is received within the stipulated period, or if the reply is found unsatisfactory, the matter shall be processed and a final decision regarding de-affiliation shall be taken without any further notice.</p>
14.	Samarth Private ITI Shadol	Electrician-7(3+2+2)	<p>1. The de-affiliation proceedings of the ITI was initiated due to complaint received against the ITI.</p> <p>2. SCN was issued to the ITI on 09.04.2021.</p> <p>3. The matter was discussed in 8th SCAA dated 12.04.2023, wherein the SCAA</p>	The matter was deliberated in the SCAA meeting. Based on the recommendations of the SSDEC and the material facts available on record, it is evident that the concerned ITI has violated the prescribed norms and

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	26 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
	<p>Address: Near Petrol pump, Shahdol road, Teh, Jaisingh Nagar, District: Shahdol,</p> <p>Madhya Pradesh-484771</p> <p>MIS code: PR23000672</p>		<p>decided that the State directorate and RDSDE will discuss the matter in their SSDEC meeting for appropriate action as per DGT norms and if required the joint inspection may be carried out by State Directorate and RDSDE.</p> <p>4. Thereafter the Joint inspection was conducted on 06.03.2025 wherein, the ITI found closed and seems ITI is not functional; as stated by inspecting members.</p> <p>5. The SCN dated 05.05.2025 followed by reminder dated 09.06.2025 were issued to the ITI but ITI did not reply.</p> <p>6. The matter was revisited in the 11th SSDEC meeting held on 15.09.2025, and the SSDEC recommended de-affiliation of the ITI as ITI is not functional.</p> <p>a.</p>	<p>guidelines, thereby defeating the sole objectives of the CTS.</p> <p>However, in adherence to the principles of natural justice, the concerned ITI is hereby granted a final opportunity to show cause as to why the institute should not be de-affiliated, based upon the remarks of inspection team and the recommendations of the SSDEC mentioned in column (4).</p> <p>The explanation, if any, must be comprehensive and duly supported by relevant documentary evidence, including proof of operational machinery and equipment with geo tagged photos, Geo-tagged photographs of the institute infrastructure and location, and Any other documents substantiating compliance with the prescribed norms. In case the reply consists of multiple pages, the institute shall prepare a proper index and clearly reference all annexures relied upon in the submission.</p> <p>The reply must reach to DGT within 21 days from the date of issuance of these minutes at the email ID tc-deaffiliation@dgt.gov.in, using the</p>

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	26 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
				<p>following subject line: “Reply to Notice of 26th SCAA Minutes – <ITI Name>, <MIS Code>, <State Name>”</p> <p>In case no reply is received within the stipulated period, or if the reply is found unsatisfactory, the matter shall be processed and a final decision regarding de-affiliation shall be taken without any further notice.</p>
15.	<p>Genius Pvt. ITI</p> <p>Address: Subhash Niketan Higher Secondary School, Rannod, Dist: Shivpuri, Madhya Pradesh- 473871</p> <p>MIS code: PU23000510</p>	Already de-affiliated	The matter of the ITI was discussed in 22 nd SCAA meeting and as per the 22 nd SCAA MoM dated 30.06.2025, the ITI has already been de-affiliated.	The matter was deliberated in the SCAA meeting. During the meeting, it was apprised that the ITI has already been de-affiliated in accordance with the decisions of the 22 nd SCAA, vide DGT order dated 04.07.2024 .
16.	<p>Ambika Pvt. ITI</p> <p>Address- A.B.Road Near Katthamill Nohri, Dist- Shivpuri, Madhya Pradesh- 473551</p> <p>MIS code- PU23000492</p>	Already de-affiliated	The matter of the ITI was discussed in its 22 nd SCAA meeting and as per the 22 nd SCAA MoM dated 30.06.2025, the ITI has already been de-affiliated.	The matter was deliberated in the SCAA meeting. During the meeting, it was apprised that the ITI has already been de-affiliated in accordance with the decisions of the 22 nd SCAA, vide DGT order dated 04.07.2024 due to self-closure.
17.	Raj Uttam Private ITI, Gwalior	<ol style="list-style-type: none"> 1. Electrician- 3(1+1+1) 2. Fitter- 3(1+1+1) 	<ol style="list-style-type: none"> 1. The de-affiliation proceedings of the ITI was initiated due to complaint received against the ITI. 2. SCN was issued to the ITI on 08.04.2021. 	1. The matter was deliberated in the SCAA meeting. Based on the recommendations of the SSDEC

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	26 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
	<p>Address: Near Army School Badagaon chauraha Morar Gwalior, District: Gwalior, Madhya Pradesh-474006.</p> <p>MIS code- PR23001028</p>		<p>3. The matter was discussed in 8th SCAA dated 12.04.2023, wherein the SCAA decided that the State directorate and RDSDE will discuss the matter in their SSDEC meeting for appropriate action as per DGT norms and if required the joint inspection may be carried out by State Directorate and RDSDE.</p> <p>4. Thereafter the Joint inspection was conducted on 03.03.2025 wherein, the following deficiencies were observed:</p> <ol style="list-style-type: none"> The land document was manipulated. The BCC was not as per norms. The recent electricity bill was not provided by the ITI, only Dec 2024 bill provided in which 0 units consumed in Oct & Nov 2024. The machinery was not procured as per the revised syllabus for both trades. Trades instructors were not present as per the appointment letters and the ITI not provide their Qualification & experience certificates. Staff & Student Attendance were taken physical attendance and also not properly maintained by the ITI. Student records were not provided. In Fitter trade machinery was not installed. In Electrician trade the machinery was partially installed. Not available as per revised syllabus. 	<p>and the material facts available on record, it is evident that the concerned ITI has violated the prescribed norms and guidelines, thereby defeating the sole objectives of the CTS.</p> <p>2. However, in adherence to the principles of natural justice, the concerned ITI is hereby granted a final opportunity to show cause as to why the institute should not be de-affiliated, based upon the remarks of inspection team and the recommendations of the SSDEC mentioned in column (4).</p> <p>3. The explanation, if any, must be comprehensive and duly supported by relevant documentary evidence, including Proof of operational machinery and equipment with geo tagged photos, Geo-tagged photographs of the institute infrastructure and location, and Any other documents substantiating compliance with the prescribed norms. In case the reply consists of multiple pages, the institute shall prepare a proper index and clearly reference all</p>

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	26 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>j) Since instructors were not available in the ITI, therefore machinery working condition was not checked during inspection.</p> <p>k) The ITI and drawing labs were not as per norms.</p> <p>l) Other activities such as owner family was staying in the ITI premises. Private school board in the ITI premises were found.</p> <p>5. The SCN dated 01.05.2025 was issued to the ITI and the ITI replied to the SCN.</p> <p>6. Based on ITI reply, the joint verification dated 11.06.2025 was conducted to verify the removal of deficiencies were observed, but ITI not allowed for joint inspection by stating that the ITI will get inspected through the court and do not want the inspection to be done now.</p> <p>7. The matter was revisited in the 11th SSDEC meeting held on 15.09.2025, and the SSDEC recommended de-affiliation of the ITI the deficiency removal by the ITI can not be verified since ITI did not allow joint inspection.</p>	<p>annexures relied upon in the submission.</p> <p>4. The reply must reach to DGT within 21 days from the date of issuance of these minutes at the email ID tc-deaffiliation@dgt.gov.in, using the following subject line: “Reply to Notice of 26th SCAA Minutes – <ITI Name>, <MIS Code>, <State Name>”</p> <p>5. In case no reply is received within the stipulated period, or if the reply is found unsatisfactory, the matter shall be processed and a final decision regarding de-affiliation shall be taken without any further notice.</p>
18.	Sket ITI Balaghat	Electrician-6(2+2+2)	<p>1. The de-affiliation proceedings of the ITI was initiated due to complaint received against the ITI.</p> <p>2. The matter was discussed in 8th SCAA dated 12.04.2023, wherein the SCAA</p>	The matter was deliberated in the SCAA meeting. Based on the recommendations of the SSDEC and the material facts available on record, it is evident that the concerned ITI has

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	26 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
	<p>Address : Main Road,Dulapur,P.O: Badgao,The Lanji, District: Balaghat, Madhya Pradesh-481222.</p> <p>MIS code : PR23001090</p>		<p>decided that the State directorate and RDSDE will discuss the matter in their SSDEC meeting for appropriate action as per DGT norms and if required the joint inspection may be carried out by State Directorate and RDSDE.</p> <p>3. Thereafter the Joint inspection was conducted on 07.03.2025 wherein, the following deficiencies were observed:</p> <ol style="list-style-type: none"> The Building Completion Certificate is not in accordance with the prescribed norms. The electricity bills indicate a shortage of power supply. Information regarding staff appointments is incomplete. Records of staff and student attendance are not available. Student records are incomplete. Details regarding machinery installation are improper and incomplete. The working status of machinery is not as per norms, and some motors were found to be under repair. Detailed information about the buildings reveals the presence of an asbestos-roof structure, as seen in the workshop photograph, which is not as per norms. 	<p>violated the prescribed norms and guidelines, thereby defeating the sole objectives of the CTS.</p> <p>However, in adherence to the principles of natural justice, the concerned ITI is hereby granted a final opportunity to show cause as to why the institute should not be de-affiliated, based upon the remarks of inspection team and the recommendations of the SSDEC mentioned in column (4).</p> <p>The explanation, if any, must be comprehensive and duly supported by relevant documentary evidence, including proof of operational machinery and equipment with geo tagged photos, Geo-tagged photographs of the institute infrastructure and location, and Any other documents substantiating compliance with the prescribed norms. In case the reply consists of multiple pages, the institute shall prepare a proper index and clearly reference all annexures relied upon in the submission.</p> <p>The reply must reach to DGT within 21 days from the date of issuance of these minutes at the email ID tc-</p>

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	26 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>i) The IT laboratory is not available as per norms, and there is no provision of internet connectivity, LAN, or Wi-Fi.</p> <p>j) The Drawing Hall/Electrical Lab lacks essential safety measures, such as proper earthing and earth-proof flooring, and several open-ended wires were observed.</p> <p>4. The SCN dated 01.05.2025 followed by reminder dated 09.06.2025 were issued to the ITI but ITI did not reply.</p> <p>5. The matter was revisited in the 11th SSDEC meeting held on 15.09.2025, and the SSDEC recommended de-affiliation of the ITI as ITI has nothing to submit in its support.</p>	<p>deaffiliation@dgt.gov.in, using the following subject line: “Reply to Notice of 26th SCAA Minutes – <ITI Name>, <MIS Code>, <State Name>”</p> <p>In case no reply is received within the stipulated period, or if the reply is found unsatisfactory, the matter shall be processed and a final decision regarding de-affiliation shall be taken without any further notice.</p>
19.	<p>Pramarathi Pvt. ITI</p> <p>Address: Nandani Nagar, Gairatganj, District- Raisen, Madhya Pradesh-</p> <p>464884.</p> <p>MIS code: PU23000445</p>	All TSUs are Already de-affiliated	<p>1. The de-affiliation proceedings were initiated by DGT due to the complaint received against the ITI on the ground of illegal use of ITI login on NCVT MIS portal.</p> <p>2. SCN was issued to the ITI on 15.09.2021 by DGT .</p> <p>3. The matter was discussed in 8th SSDEC dated 09.12.2024 and 10.12.2024 and SSDEC has directed that guidance be sought from DGT on this matter.</p> <p>4. Accordingly, as per the decision of competent authority, the RDSDE was directed vide email dated 24.03.2025 to issue SCN to the ITI, discuss the reply received from the ITI in the SSDEC and</p>	<p>The matter was deliberated in the SCAA meeting. Based on the recommendations of the SSDEC and the material facts available on record, it is evident that the concerned ITI has violated the prescribed norms and guidelines, thereby defeating the sole objectives of the CTS.</p> <p>However, in adherence to the principles of natural justice, the concerned ITI is hereby granted a final opportunity to show cause as to why the instituteshould not be de-affiliated, based upon the remarks of inspection</p>

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	26 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>recommendations to DGT for final decision.</p> <p>5. The matter was revisited in 11th SSDEC meeting held on 15.09.2025, and the SSDEC recommended the ITI for de-affiliation as all trades of ITI has already been de-affiliated.</p>	<p>team and the recommendations of the SSDEC mentioned in column (4).</p> <p>The explanation, if any, must be comprehensive and duly supported by relevant documentary evidence, including proof of operational machinery and equipment with geo tagged photos, Geo-tagged photographs of the institute infrastructure and location, and Any other documents substantiating compliance with the prescribed norms. In case the reply consists of multiple pages, the institute shall prepare a proper index and clearly reference all annexures relied upon in the submission.</p> <p>The reply must reach to DGT within 21 days from the date of issuance of these minutes at the email ID tc-deaffiliation@dgt.gov.in, using the following subject line: “Reply to Notice of 26th SCAA Minutes – <ITI Name>, <MIS Code>, <State Name>”</p> <p>In case no reply is received within the stipulated period, or if the reply is found unsatisfactory, the matter shall be processed ex-parte, and a final</p>

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	26 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
				decision regarding de-affiliation shall be taken without any further notice.
20.	<p>Mukhtyar Singh Private ITI</p> <p>Address: Manpura, Bhind, District- Bhind, Madhya Pradesh- 473440.</p> <p>MIS code: PU23000421</p>	Electrician-3(1+2)	<ol style="list-style-type: none"> 1. The de-affiliation proceedings were initiated by DGT due to the complaint received against the ITI on the ground of illegal use of ITI login on NCVT MIS portal. 2. SCN was issued to the ITI on 15.09.2021 by DGT. 3. The matter was discussed in 8th SSDEC dated 09.12.2024 and 10.12.2024 and SSDEC has directed that guidance be sought from DGT on this matter. 4. Accordingly, as per the decision of competent authority, the RDSDE was directed vide email dated 24.03.2025 to conduct a joint inspection of the ITI in coordination with the State Directorate. 5. Thereafter, a joint inspection of the ITI was conducted on 23.05.2025, wherein the ITI was not found and the address is not specific. The joint inspection committee recommended the ITI for de-affiliation. 6. The SCN dated 26.05.2025, followed by reminder dated 24.06.2025 were issued to the ITI but ITI did not reply. 7. The matter was revisited in 11th SSDEC meeting held on 15.09.2025, and the SSDEC recommended the ITI for de-affiliation as ITI has not been functional. 	<p>The matter was deliberated in the SCAA meeting. Based on the recommendations of the SSDEC and the material facts available on record, it is evident that the concerned ITI has violated the prescribed norms and guidelines, thereby defeating the sole objectives of the CTS.</p> <p>However, in adherence to the principles of natural justice, the concerned ITI is hereby granted a final opportunity to show cause as to why the institute should not be de-affiliated, based upon the remarks of inspection team and the recommendations of the SSDEC mentioned in column (4).</p> <p>The explanation, if any, must be comprehensive and duly supported by relevant documentary evidence, including proof of operational machinery and equipment with geo tagged photos, Geo-tagged photographs of the institute infrastructure and location, and Any other documents substantiating compliance with the prescribed norms. In case the reply consists of multiple pages, the institute shall prepare a</p>

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	26 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
				<p>proper index and clearly reference all annexures relied upon in the submission.</p> <p>The reply must reach to DGT within 21 days from the date of issuance of these minutes at the email ID tc-deaffiliation@dgt.gov.in, using the following subject line: “Reply to Notice of 26th SCAA Minutes – <ITI Name>, <MIS Code>, <State Name>”</p> <p>In case no reply is received within the stipulated period, or if the reply is found unsatisfactory, the matter shall be processed and a final decision regarding de-affiliation shall be taken without any further notice.</p>
21.	<p>Shri Banke Bihari Private ITI Bhind</p> <p>Address: Mehgaon Road, District- Bhind, Madhya Pradesh- 477660</p> <p>MIS code : PU23000717</p>	Electrician-6(2+2+2)	<ol style="list-style-type: none"> The de-affiliation proceedings were initiated by DGT due to the complaint received against the ITI on the ground of illegal use of ITI login on NCVT MIS portal. SCN was issued to the ITI on 15.09.2021 by DGT. The matter was discussed in 8th SSDEC dated 09.12.2024 and 10.12.2024 and SSDEC has directed that guidance be sought from DGT on this matter. Accordingly, as per the decision of competent authority, the RDSDE was directed vide email dated 24.03.2025 to 	<p>The matter was deliberated in the SCAA meeting. Based on the recommendations of the SSDEC and the material facts available on record, it is evident that the concerned ITI has violated the prescribed norms and guidelines, thereby defeating the sole objectives of the CTS.</p> <p>However, in adherence to the principles of natural justice, the concerned ITI is hereby granted a final opportunity to show cause as to why the institute(s) should not be de-affiliated, based upon</p>

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	26 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>conduct a joint inspection of the ITI in coordination with the State Directorate.</p> <p>5. Thereafter, a joint inspection of the ITI was conducted on 21.05.2025, wherein the ITI was not found at location. The joint inspection committee recommended the ITI for de-affiliation.</p> <p>6. The SCN dated 26.05.2025, followed by reminder dated 24.06.2025 were issued to the ITI but ITI did not reply.</p> <p>7. The matter was revisited in 11th SSDEC meeting held on 15.09.2025, and the SSDEC recommended the ITI for de-affiliation as ITI has not been functional.</p>	<p>the remarks of inspection team and the recommendations of the SSDEC mentioned in column (4).</p> <p>The explanation, if any, must be comprehensive and duly supported by relevant documentary evidence, including Proof of operational machinery and equipment with geo tagged photos, Geo-tagged photographs of the institute infrastructure and location, and Any other documents substantiating compliance with the prescribed norms. In case the reply consists of multiple pages, the institute shall prepare a proper index and clearly reference all annexures relied upon in the submission.</p> <p>The reply must reach to DGT within 21 days from the date of issuance of these minutes at the email ID tc-deaffiliation@dgt.gov.in, using the following subject line: "Reply to Notice of 26th SCAA Minutes – <ITI Name>, <MIS Code>, <State Name>"</p> <p>In case no reply is received within the stipulated period, or if the reply is found unsatisfactory, the matter shall be processed and a final decision</p>

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	26 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
				regarding de-affiliation shall be taken without any further notice.
22.	Technocrat Private ITI Address: Anand Nagar, Near Sagartall Road, Distt:-Gwalior,474001 MIS code: PU23000764	Electrician- 6(2+2+2)	<ol style="list-style-type: none"> 1. The de-affiliation proceedings were initiated by DGT due to the complaint received against the ITI on the ground of illegal use of ITI login on NCVT MIS portal. 2. SCN was issued to the ITI on 15.09.2021 by DGT. 3. The matter was discussed in 8th SSDEC dated 09.12.2024 and 10.12.2024 and SSDEC has directed that guidance be sought from DGT on this matter. 4. Accordingly, as per the decision of competent authority, the RDSDE was directed vide email dated 24.03.2025 to conduct a joint inspection of the ITI in coordination with the State Directorate. 5. Thereafter, a joint inspection of the ITI was conducted on 08.07.2025, wherein the ITI denied for inspection by stating that ITI has filed the petition which is pending before the Hon'ble court. 6. The matter was revisited in 11th SSDEC meeting held on 15.09.2025, and the SSDEC recommended the ITI for de-affiliation. There are no specific directions from Hon'ble court /s explicitly stating that no inspection by controlling authority shall be carried out until the final adjudication of the said petition. 	<p>The matter was deliberated in the SCAA meeting. Based on the recommendations of the SSDEC and the material facts available on record, it is evident that the concerned ITI has violated the prescribed norms and guidelines, thereby defeating the sole objectives of the CTS.</p> <p>However, in adherence to the principles of natural justice, the concerned ITI is hereby granted a final opportunity to show cause as to why the institute should not be de-affiliated, based upon the remarks of inspection team and the recommendations of the SSDEC mentioned in column (4).</p> <p>The explanation, if any, must be comprehensive and duly supported by relevant documentary evidence, including proof of operational machinery and equipment with geo tagged photos, Geo-tagged photographs of the institute infrastructure and location, and Any other documents substantiating compliance with the prescribed norms. In case the reply consists of multiple pages, the institute shall prepare a</p>

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	26 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
				<p>proper index and clearly reference all annexures relied upon in the submission.</p> <p>The reply must reach to DGT within 21 days from the date of issuance of these minutes at the email ID tc-deaffiliation@dgt.gov.in, using the following subject line: “Reply to Notice of 26th SCAA Minutes – <ITI Name>, <MIS Code>, <State Name>”</p> <p>In case no reply is received within the stipulated period, or if the reply is found unsatisfactory, the matter shall be processed and a final decision regarding de-affiliation shall be taken without any further notice.</p>
23.	<p>Skill India Private ITI</p> <p>Address: Khasra No 608/4, Gram Bahadarpur, Burahanpur,</p> <p>MIS code: PR23000878</p>	<p>1. Computer Operator and Programming Assistant-3(1+1+1)</p> <p>2. Electrician-6(2+2+2)</p>	<p>1. The de-affiliation proceedings were initiated by RDSDE due to a complaint received for following reasons:</p> <p>(a) As per Geo-tag location photograph, the Dayanar Aaryan Vedic Vidhyapeeth is situated at ITI location and the ITI is running in some part of the above said institute.</p> <p>(b) The electricity bill of last 6 months indicates that training activities are currently not being conducted in the ITI. The consumption data also</p>	<p>The matter was deliberated in the SCAA meeting, and the SCAA decided as under, based on the recommendations of the SSDEC:</p> <p>1. Despite repeated opportunities granted on the basis of observations made during subsequent joint inspections, the ITI failed to ensure compliance with the prescribed affiliation norms.</p> <p>2. Although the ITI was afforded multiple opportunities, in adherence to the principles of</p>

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	26 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>suggests that residential activities are being carried out within the ITI premise.</p> <p>2. The SCN was issued to the ITI by RDSDE on 11.07.2024, followed by reminder dated 09.08.2024.</p> <p>3. The ITI replied on 14.08.2024 in which the ITI clarified that the allegations levelled against it are baseless and affirmed that its operations are in full adherence to NCVT norms. The ITI is located as per Geo-tag location which can be verified again by doing inspection at any time.</p> <p>4. The joint inspection was carried out on 02.09.2024. During the joint inspection following deficiencies were observed:</p> <p>(a) Land lease documents were not on ITI name and also other Vidyalaya and ITI both working in same building.</p> <p>(b) The ITI was not operating consistently in accordance with the prescribed norms.</p> <p>(c) Electricity consumption in the ITI was very low. Not as per norms.</p> <p>(d) Tools & Equipment purchase bills, raw material register, student and teacher records were not available at the time of inspection.</p>	<p>natural justice, the 21st SCAA granted a final opportunity to the ITI to represent itself and rectify the deficiencies observed during the joint inspection conducted on 02.09.2024.</p> <p>3. Upon verification conducted on 11.09.2025, the ITI failed to remove the deficiencies as recorded in the 21st SCAA Minutes of Meeting. In addition, further deficiencies relating to training, infrastructure, amenities, etc. were also observed, indicating continued non-compliance with the prescribed affiliation norms and reflecting a negligent approach towards the functioning of the institute.</p> <p>4. Therefore, in view of the interest of the trainees and the continuous violations of the affiliation norms, the ITI is hereby de-affiliated.</p>

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	26 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>(e) Biometric staff and student's attendance were not available at the time of Inspection.</p> <p>(f) Some machines were not properly installed and were not in working condition, indicating that most of them had not been used for a long time.</p> <p>(g) Amenities were also not available as per NCVT Affiliation norms.</p> <p>(h) IT lab not as per NCVT affiliation norms.</p> <p>(i) The ITI premises were also used for residential purposes.</p> <p>(j) Fire Extinguisher was expired.</p> <p>5. The inspection committee recommended the ITI for de-affiliation.</p> <p>6. The matter was discussed in 8th SSDEC dated 09.12.2024 & 10.12.2024 and SSDEC recommended de-affiliation of ITI due to joint inspection committee recommendations.</p> <p>7. Thereafter, the matter of the ITI was discussed in 21st SCAA meeting dated 28.04.2025 and SCAA decided that "the matter was discussed in the SCAA meeting, and it was decided that, in accordance with the principle of natural justice, an opportunity was granted to the</p>	

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	26 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>ITI to represent itself against the deficiencies observed during the inspection dated 02.09.2024 and to submit its reply to the RDSDE within 20 days from the date of issue of these minutes. Thereafter, RDSDE will scrutinize the reply submitted by the ITI, discuss the matter in the SSDEC meeting and send the SSDEC's recommendations to DGT.</p> <p>8. In compliance with the decision of 21st SCAA meeting, RDSDE communicated the decision of 21st SCAA to the ITI vide email dated 06.06.2025.</p> <p>9. Accordingly, the joint verification of the ITI was conducted on 11.09.2025 to verify the deficiencies removal of the ITI. Upon verification it was observed by the committee that the deficiencies reported as mentioned in 21st SCAA MoM have not been rectified by the ITI and also additional deficiencies related to training, infrastructure, amenities etc were also observed and the joint verification committee recommended the ITI for de-affiliation.</p> <p>10. The matter was discussed in the 11th SSDEC meeting held on 15.09.2025, and based on the report of verification</p>	

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	26 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			committee and also additional deficiencies observed during verification of the ITI, the SSDEC recommended de-affiliation.	
24.	<p>Indra Gandhi Private ITI</p> <p>Address: Parsouna , Paidanya, District- Sangrauli, Madhya Pradesh- 486886</p> <p>MIS Code: PR23000881</p>	<p>1. Electrician 3(1+1+1)</p> <p>2. Fitter 3(1+1+1)</p>	<p>1. The de-affiliation proceedings were initiated by RDSDE due to a complaint received regarding the operation of a school (from Nursery to 12th grade) and PGDM college within the same premises.</p> <p>2. The SCN was issued to the ITI by State Directorate on 07.08.2024, wherein the ITI was also instructed to submit all relevant documents pertaining to its ITI along with the reply to the SCN.</p> <p>3. The ITI submitted its reply on 12.08.2024 along with all relevant institutional documents. It was further stated that a joint inspection was conducted on 12.06.2024 by the Deputy Director of the State Directorate, Jabalpur, and the Training Officer from Government ITI Bhopal in connection with the aforementioned complaint. Additionally, another inspection was carried out by the Nodal Principal of the Government ITI and their team in April 2024. Based on these inspections, the ITI submits that the allegations against it are untrue.</p>	<p>SCAA agreed with the SSDEC's recommendations as the deficiencies reported during inspection dated 25.10.2024 have been rectified. Hence, the ITI is recommended for continuation of affiliation with following trades/units:</p> <p>1. Electrician-3(1+1+1)</p> <p>2. Fitter- 3(1+1+1)</p>

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	26 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>4. The joint inspection was conducted on 25.10.2024 and the following deficiencies were observed by the committee members:</p> <ul style="list-style-type: none"> a) Electricity unit consumption in the ITI was very less. b) Trainer for employability skills does not possess required qualification and experience as per norms. c) The previous record of staff and student's biometric attendance were not provided during inspection. d) The Tools were not as per revised syllabus. e) Sparking and burning smell observed in few machines when connected to power supply during inspection. f) The staff room area was smaller than the area required by the norms. g) IT lab & drawing hall were not as per NCVT norms. h) Fire safety certificate issued by Govt. authorities was not provided. <p>5. The NCVT member not recommended for continuation of affiliation.</p> <p>5. The SCVT member recommended for continuation of affiliation.</p> <p>6. The matter was discussed in 8th SSDEC dated 09.12.2024 & 10.12.2024. The</p>	

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	26 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>SCVT member report was found to be indecisive, hence SSDEC recommended de-affiliation of ITI on the recommendations of NCVT member report being a senior member decision.</p> <p>7. Thereafter, the matter of the ITI was discussed in 21st SCAA meeting dated 28.04.2025 and SCAA decided that “the matter was discussed in the SCAA meeting, and it was decided that, in accordance with the principle of natural justice, an opportunity was granted to the ITI to represent itself against the deficiencies observed during the inspection dated 25.10.2024 and to submit its reply to the RDSDE within 20 days from the date of issue of these minutes. Thereafter, RDSDE will scrutinize the reply submitted by the ITI, discuss the matter in the SSDEC meeting and send the SSDEC’s recommendations to DGT.</p> <p>8. In compliance with the decision of 21st SCAA meeting, RDSDE communicated the decision of 21st SCAA to the ITI vide email dated 06.06.2025.</p> <p>9. Accordingly, the joint verification of the ITI was conducted on 12.09.2025 verify the deficiencies removal of the ITI. The committee reported that the deficiencies as</p>	

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	26 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>mentioned in 21st SCAA MoM have been rectified by the ITI. The joint verification committee recommended affiliation of the ITI.</p> <p>10. The matter was discussed in the 11th SSDEC meeting held on 15.09.2025, and based on the report of verification committee the SSDEC recommended for continuation of the ITI affiliation.</p>	
25.	<p>SD Group Private ITI</p> <p>Address: Ward No.- 43, Village- Hirrwah, Post-Pachaur, Waidhan, Distt.- Singrauli, Madhya Pradesh- 486886</p> <p>MIS code: PU23000903</p>	<p>1. Electrician 6(2+2+2)</p> <p>2. Fitter 6(2+2+2)</p>	<p>1. The de-affiliation proceedings were initiated by RDSDE following a complaint regarding the operation of a school (from Nursery to 12th grade) and a degree college within the same premises.</p> <p>2. A Show Cause Notice (SCN) was issued by the State Directorate on 07.08.2024, wherein the ITI was also instructed to submit all relevant documents of ITI along with its reply to the SCN.</p> <p>3. The ITI submitted its reply on 09.08.2024, along with all relevant institutional documents. In its response, the ITI stated that a sudden joint inspection was carried out in June 2024 by the State Deputy Director and the Nodal Principal in connection with the aforementioned complaint. Subsequently, another</p>	<p>SCAA agreed with the SSDEC's recommendations as the defeciences reported during inspection dated 25.10.2024 have been rectified. Hence, the ITI is recommended for continuation of affiliation with following trades/units :</p> <p>1. Electrician -6(2+2+2)</p> <p>2. Fitter- 6(2+2+2)</p>

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	26 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>unannounced inspection was conducted by the Nodal Principal of Government ITI Singrauli, M.P., on 11.07.2024. Based on these inspections, the ITI submits that the allegations against it are untrue.</p> <p>4. The joint inspection was conducted on 25.10.2024 and the following deficiencies were observed by the committee members:</p> <ol style="list-style-type: none"> a) The name of ITI is not mentioned in the land documents. b) Building completion certificate is not available during inspection. The building construction is not as per layout. c) The electricity unit consumption is less. d) The machinery bills indicate that the last purchase occurred in 2016. e) Raw Material Register not authenticated. f) Instructors do not have required experience as per norms. g) Staff and Students attendance were not available at the time of inspection. h) The Tools were not as per revised syllabus. 	

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	26 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>i) Sparking seen in few machines when connected to power supply.</p> <p>j) IT lab & drawing hall were not as per norms.</p> <p>k) Fire safety certificate was not available. Due date of refilling and available pressure is not visible.</p> <p>5. The Joint inspection committee not recommended for continuation of affiliation.</p> <p>6. The matter was discussed in 8th SSDEC dated 09.12.2024 & 10.12.2024 and SSDEC recommended de-affiliation of ITI due to joint inspection committee recommendations.</p> <p>7. Thereafter, the matter of the ITI was discussed in 21st SCAA meeting dated 28.04.2025 and SCAA decided that “the matter was discussed in the SCAA meeting, and it was decided that, in accordance with the principle of natural justice, an opportunity was granted to the ITI to represent itself against the deficiencies observed during the inspection dated 25.10.2024 and to submit its reply to the RDSDE within 20 days from the date of issue of these minutes. Thereafter, RDSDE will scrutinize the reply submitted by the ITI, discuss the matter in the SSDEC</p>	

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	26 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>meeting and send the SSDEC's recommendations to DGT.</p> <p>8. In compliance with the decision of 21st SCAA meeting, RDSDE communicated the decision of 21st SCAA to the ITI vide email dated 06.06.2025.</p> <p>9. Accordingly, the joint verification of the ITI was conducted on 11.09.2025 verify the deficiencies removal of the ITI. The committee reported that the deficiencies as mentioned in 21st SCAA MoM have been rectified by the ITI. The joint verification committee recommended affiliation of the ITI.</p> <p>10. The matter was discussed in the 11th SSDEC meeting held on 15.09.2025, and based on the report of verification committee the SSDEC recommended for continuation of the ITI affiliation.</p>	
26.	<p>Islamia Pvt ITI, Shardhanand Marg, Indore</p> <p>Address: 16/4 shraddhanad marg , indore, Distt- Indore</p> <p>Madhya Pradesh-452010</p>	<p>1. Draughtsman (Civil) 2(1+1)</p> <p>2. Electrician 3(1+1+1)</p> <p>Stenographer & Secretarial Assistant (Hindi) 2(1+1)</p>	<p>1. The Joint inspection was conducted on 31.05.2023. During the joint inspection it was observed that the same premises were being used to run Islamia Karimia coaching classes and Islamia Karimia High School (Classes 1 to 12); all tools and equipment had been procured in the name of Islamia Karimia Society instead of the ITI; the Draughtsman (Mechanical) and</p>	<p>The matter was deliberated in the SCAA meeting, and based on the recommendations of the SSDEC, the SCAA decided as under:</p> <p>1. Despite repeated opportunities granted on the basis of observations made during subsequent joint inspections, the ITI failed to ensure</p>

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	26 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
	MIS Code: PU23000380		<p>Draughtsman (Civil) trades had remained non-functional for the past five years; and several significant infrastructural deficiencies were also identified.</p> <ol style="list-style-type: none"> 2. The matter was discussed in 3rd SSDEC dated 09.08.2023 in which one opportunity was given to the ITI to represent itself on the findings observed in the above-said inspection. The SSDEC also decided to conduct the joint inspection of those ITIs whosoever response to the SCN. 3. The SCN was issued to the ITI by RDSDE through E-mail dated 10.08.2023 and ITI responded to the SCN. 4. Thereafter, the 2nd joint inspection was conducted on 23.09.2023 in which infrastructural deficiencies were observed and also it was also found that the bills for materials purchased in 2011 indicate that the ITI premises had not been in regular use for a long time. The IT and Stenographer & Secretarial Assistant (Hindi) lab were combined, and the space for Draughtsman (Mechanical) and Draughtsman (Civil) trades require fresh furnishing and proper utilization. 5. The matter was again discussed in 4th SSDEC dated 18.09.2023, in which 	<p>compliance with the prescribed affiliation norms.</p> <ol style="list-style-type: none"> 2. Although the ITI was afforded multiple opportunities, in adherence to the principles of natural justice, the SCAA in its 21st meeting dated 28.04.2025 granted a final opportunity to the ITI to represent itself and rectify the deficiencies observed during the joint inspection conducted on 21.02.2024. 3. Upon verification conducted on 28.07.2025, the ITI failed to remove the deficiencies as recorded in the 21st SCAA Minutes of Meeting, indicating continued non-compliance with the prescribed affiliation norms and reflecting a negligent approach towards the functioning of the institute. <p>Therefore, in view of the interest of the trainees and the continuous violations of the affiliation norms, the ITI is hereby de-affiliated.</p>

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	26 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>SSDEC recommended for de-affiliation of the ITI.</p> <p>6. Thereafter, the matter was discussed in 12th SCAA dated 15.12.2023 to 18.12.2023 in which vide agenda-(4), the SCAA decided as 'Principle of natural justice' that one more opportunity is provided to the ITI and conduct joint inspection again.</p> <p>7. In compliance with the decision of the 12th SCAA, the joint inspection was again conducted on 21.02.2024 and following deficiencies were observed:</p> <p>(a) The building was registered in the name of Islamia Karimia School Society, and no documents were provided to verify the space allotted specifically for ITI purposes.</p> <p>(b) Power connection was in the name of Society.</p> <p>(c) Dead Stock, raw materials register, teachers records not properly maintained by the ITI.</p> <p>(d) The staff attendance was maintained partially.</p> <p>(e) The biometric attendance was not maintained for Student.</p>	

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	26 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>(f) There was shortage in Electrician trade items and the trade lab was made up of Tin shed.</p> <p>(g) In Draughtsman (Mechanical) and Draughtsman (Civil) trades machineries were not available.</p> <p>(h) In Stenographer & Secretarial Assistant (Hindi) 21 desktop computer were available out of 25 computers which were also not as per required specification (i3 with 04 GB RAM available).</p> <p>(i) The toilet was not properly maintained in the ITI.</p> <p>(j) Islamia Karimia higher secondary school Chavani was also running in the ITI premises.</p> <p>8. The SCVT member recommended for affiliation.</p> <p>9. Thereafter, the matter was discussed in 5th SSDEC held on 22.05.2024 in which SSDEC decided that that the comments of both inspecting members on joint inspection are not clear therefore, clarification may be sought again from both committee members to decide the matter.</p>	

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	26 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>10. Accordingly, the matter was revisited during the 8th SSDEC meeting held on 09.12.2024 and 10.12.2024. In view of the indecisive nature of the SCVT member's report, the SSDEC considered the report submitted by the NCVT member, being the senior representative, for final decision-making. Based on this, the SSDEC recommended the de-affiliation of the ITI.</p> <p>11. Thereafter, the matter of the ITI was discussed in 21st SCAA meeting dated 28.04.2025 and SCAA decided that "the matter was discussed in the SCAA meeting, and it was decided that, in accordance with the principle of natural justice, an opportunity was granted to the ITI to represent itself against the deficiencies observed during the inspection dated 21.02.2024 and to submit its reply to the RDSDE within 20 days from the date of issue of these minutes. Thereafter, RDSDE will scrutinize the reply submitted by the ITI, discuss the matter in the SSDEC meeting and send the SSDEC's recommendations to DGT.</p> <p>12. In compliance with the decision of 21st SCAA meeting , RDSDE communicated</p>	

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	26 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>the decision of 21st SCAA to the ITI vide email dated 06.06.2025.</p> <p>13. Accordingly, the joint verification of the ITI was conducted on 28.07.2025 verify the deficiencies removal of the ITI. The committee reported that the deficiencies as mentioned in 21st SCAA MoM have not been rectified by the ITI. The joint verification committee recommended de-affiliation of the ITI.</p> <p>14. The matter was discussed in the 11th SSDEC meeting held on 15.09.2025, and based on the report of verification committee the SSDEC recommended for de- affiliation of the ITI as the deficiencies has not been removed by the ITI</p>	
27.	<p>Shahpur Private ITI</p> <p>Address: Ward no 13 Shahpur Dist Burhanpur Madhya Pradesh- 450331</p> <p>MIS Code: PU23000879</p>	<p>1. Electrician- 3(1+1+1)</p> <p>2. Fitter- 2(1+1)</p>	<p>1. The de-affiliation proceedings were initiated by RDSDE due to a complaint received for following reasons:</p> <p>(a) ITI is not functioning as per NCVT MIS Portal address and location</p> <p>(b) Training activities are currently not being conducted in the ITI.</p> <p>(c) The building of the ITI is very old and in dilapidated condition.</p> <p>(d) The electricity consumption in the ITI is very low.</p>	<p>The matter was deliberated in the SCAA meeting, and the SCAA decided as under, based on the recommendations of the SSDEC:</p> <p>1. Despite repeated opportunities granted on the basis of observations made during subsequent joint inspections, the ITI failed to ensure compliance with the prescribed affiliation norms.</p>

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	26 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>(e) The workshops are also not in working condition.</p> <p>2. The SCN was issued to the ITI by RDSDE on 11.07.2024.</p> <p>3. The ITI replied on 23.07.2024 in which the ITI clarified that the allegations levelled against it are baseless and affirmed that its operations are in full adherence to NCVT norms.</p> <p>4. The joint inspection was carried out on 02.09.2024. During the joint inspection following deficiencies were observed:</p> <p>(a) The land lease of the ITI was not in the name of ITI.</p> <p>(b) Few areas of the ITI were used for MP Board open school.</p> <p>(c) The building was old and not maintained. The roof was also broken.</p> <p>(d) The low electricity bill consumption shows that the training was not conducting properly in the ITI.</p> <p>(e) Only two appointment letters of staff were provided by the ITI office.</p> <p>(f) Bio-metric attendance were not recorded for both staff and students</p> <p>(g) Some machineries were not installed and seems that they were not in use since long time.</p>	<p>2. Although the ITI was afforded multiple opportunities, in adherence to the principles of natural justice, the SCAA in its 21st meeting which was held on 28.04.2025, granted a final opportunity to the ITI to represent itself and rectify the deficiencies observed during the joint inspection conducted on 02.09.2024. However, the ITI failed to avail itself of the said opportunity, thereby reflecting a negligent approach towards its functioning and continued non-compliance with the prescribed affiliation norms.</p> <p>Therefore, in view of the interest of the trainees and the continuous violations of the affiliation norms, the ITI is hereby de-affiliated.</p>

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	26 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>(h) Amenities were also not as per NCVT norms.</p> <p>(i) IT lab and drawing hall were not as per norms.</p> <p>(j) Fire Extinguisher was expired.</p> <p>5. The inspection committee recommended the ITI for de-affiliation.</p> <p>6. The matter was discussed in 8th SSDEC dated 09.12.2024 & 10.12.2024 and SSDEC recommended de-affiliation of ITI due to joint inspection committee recommendations.</p> <p>7. Thereafter, the matter of the ITI was discussed in 21st SCAA meeting dated 28.04.2025 and SCAA decided that “the matter was discussed in the SCAA meeting, and it was decided that, in accordance with the principle of natural justice, an opportunity was granted to the ITI to represent itself against the deficiencies observed during the inspection dated 02.09.2024 and to submit its reply to the RDSDE within 20 days from the date of issue of these minutes. Thereafter, RDSDE will scrutinize the reply submitted by the ITI, discuss the matter in the SSDEC meeting and send the SSDEC’s recommendations to DGT.</p>	

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	26 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>8. In compliance with the decision of 21st SCAA meeting , RDSDE communicated the decision of 21st SCAA to the ITI vide email dated 05.06.2025.</p> <p>9. The ITI did not reply or represent itself against the opportunity granted by 21st SCAA.</p> <p>10. The matter was discussed in the 11th SSDEC meeting held on 15.09.2025, and the SSDEC recommended de-affiliation of the ITI, stating that the ITI appeared to have no submissions regarding the removal of deficiencies.</p>	
28.	<p>Lakshya Private ITI,</p> <p>Address: Near Maruti Suzuki Showroom Guna Bypass Road Ashoknagar, District-Ashok Nagar,</p> <p>Madhya Pradesh-473001</p> <p>MIS Code: PU23000884</p>	<p>1. Electrician-6(2+2+2)</p> <p>2. Stenographer & Secretarial Assistant (Hindi)-3(1+1+1)</p>	<p>1. The de-affiliation proceedings were initiated by RDSDE due to a complaint received for following reasons:</p> <p>(a) ITI is not functioning as per NCVT norms.</p> <p>(b) The instructors for affiliated trades Electrician and Stenographer are not available in the ITI.</p> <p>(c) The tools, equipment, machinery for the above said trades are also not available in the ITI.</p> <p>(d) Only one staff is working in the ITI and training activities are currently not being conducted in the ITI.</p>	<p>The matter was deliberated in the SCAA meeting and based on the recommendations of the SSDEC, the SCAA decided as under:</p> <p>1. Despite repeated opportunities granted on the basis of observations made during subsequent joint inspections, the ITI failed to ensure compliance with the prescribed affiliation norms.</p> <p>2. Although the ITI was afforded multiple opportunities, in adherence to the principles of natural justice, the SCAA in its 21st meeting which was held on 28.04.2025 granted a final</p>

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	26 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>(e) The electricity consumption of the ITI is very low as per affiliated trades which also indicating that training activities are either minimal or not being conducted.</p> <p>(f) Instructor details are not given on NCVT MIS portal by the ITI.</p> <p>2. The SCN was issued to the ITI by RDSDE on 07.08.2024, followed by reminder dated 02.09.2024.</p> <p>3. The ITI replied on 30.08.2024 in which the ITI clarified that the allegations levelled against it are baseless and affirmed that its operations are in full adherence to NCVT norms.</p> <p>4. The joint inspection was carried out on 12.11.2024. During the joint inspection the ITI was found closed.</p> <p>5. The matter was discussed in 8th SSDEC dated 09.12.2024 & 10.12.2024 and SSDEC recommended to de-affiliate the ITI since ITI found closed at the time of joint inspection.</p> <p>6. Thereafter, the matter of the ITI was discussed in 21st SCAA meeting dated 28.04.2025 and SCAA decided that “the matter was discussed in the SCAA meeting, and it was decided that, in</p>	<p>opportunity to the ITI to represent itself against the observation during the joint inspection conducted on 12.11.2024. However, the ITI failed to avail itself of the said opportunity, thereby reflecting a negligent approach towards its functioning and continued non-compliance with the prescribed affiliation norms.</p> <p>Therefore, in view of the interest of the trainees and the continuous violations of the affiliation norms, the ITI is hereby de-affiliated.</p>

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	26 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>accordance with the principle of natural justice, an opportunity was granted to the ITI to represent itself against the deficiencies observed during the inspection dated 12.11.2024 and to submit its reply to the RDSDE within 20 days from the date of issue of these minutes. Thereafter, RDSDE will scrutinize the reply submitted by the ITI, discuss the matter in the SSDEC meeting and send the SSDEC's recommendations to DGT.</p> <p>7. In compliance with the decision of 21st SCAA meeting , RDSDE communicated the decision of 21st SCAA to the ITI vide email dated 05.06.2025.</p> <p>8. The ITI did not reply or represent itself against the opportunity granted by 21st SCAA.</p> <p>9. The matter was discussed in the 11th SSDEC meeting held on 15.09.2025, and the SSDEC recommended de-affiliation of the ITI, stating that the ITI appeared to have no submissions regarding the removal of deficiencies.</p>	
29.	Gurukripa Private ITI	Electrician 6(2+2+2)	1. The joint inspection of the ITI was carried out on 06.06.2023. During the joint inspection it was observed that the ITI was not functional. The half area of the ITI was	The matter was deliberated in the SCAA meeting and based on the recommendations of the SSDEC, the SCAA decided as under:

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	26 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
	<p>Address: Near Petrol Pump Lahar Road Bhind, District- Bhind, Madhya Pradesh- 477001.</p> <p>MIS Code: PR23000545</p>		<p>locked. No trainees, staff, any training activities were going on in the ITI.</p> <p>2. The matter was discussed in 3rd SSDEC dated 09.08.2023 in which one opportunity was given to the ITI to represent itself on the findings observed in the above-said inspection.</p> <p>3. Thereafter, SCN was issued by RDSDE through e-mail dated 10.08.2023.</p> <p>4. The ITI did not reply to the SCN.</p> <p>5. The matter was again discussed in 4th SSDEC dated 18.09.2023, in which one more opportunity was given to the ITI to represent itself.</p> <p>6. In compliance of 4th SSDEC decision, SCN dated 10.11.2023 was issued by the State Directorate.</p> <p>7. ITI replied on 24.11.2023 in which it was stated that due to sudden demise of principal's mother on 06.06.2023, the holiday was declared. He also stated that all the allegations leveled against the ITI during the inspection are false.</p> <p>8. The 2nd joint inspection was conducted on 11.03.2024 in which NCVT member not recommended the ITI for affiliation due to following reasons:</p>	<p>1. Despite repeated opportunities granted on the basis of observations made during subsequent joint inspections, the ITI failed to ensure compliance with the prescribed affiliation norms.</p> <p>2. Although the ITI was afforded multiple opportunities, in adherence to the principles of natural justice, the SCAA in its 21st meeting which was held on 28.04.2025 granted a final opportunity to the ITI to represent itself and rectify the deficiencies observed during the joint inspection conducted on 11.03.2024. However, the ITI failed to avail itself of the said opportunity, thereby reflecting a negligent approach towards its functioning and continued non-compliance with the prescribed affiliation norms.</p> <p>Therefore, in view of the interest of the trainees and the continuous violations of the affiliation norms, the ITI is hereby de-affiliated.</p>

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	26 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>(a) In rent agreement, area is not mentioned and date of effectiveness is overwritten.</p> <p>(b) Rent agreement was valid up-to 9 Dec 2016, no renewal document provided during inspection.</p> <p>(c) BCC not provided by the ITI on the day of inspection.</p> <p>(d) Building is not as per layout. In place of Electrician workshop-2, marriage hall was running.</p> <p>(e) ITI has applied for new connection for 6KW load. In old electricity bill, unit consumption was zero.</p> <p>(f) Tools, equipment's and machines were procured in 2015. Raw material purchased in 2022.</p> <p>(g) Dead Stock and raw material registers were not available during inspection.</p> <p>(h) Instructors do not have required experience as per norms.</p> <p>(i) Biometric machine for student and staff were not available, physical registers were not verified by principal.</p> <p>(j) After February 2024, no student was present. The attendance for the month of March 2024 was not available.</p>	

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	26 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>(k) Motor of another private ITI SVPITI found installed in the workshops. Tools & equipment's and machineries were installed in 2 workshops on different floor. Also, the available machineries were not as per norms.</p> <p>(l) Trade instructors were not able to identify and show the tools & equipment's.</p> <p>(m) Teacher records were not available.</p> <p>(n) The classroom infrastructure was not as per norms.</p> <p>(o) The ITI setup was not as per norms.</p> <p>(p) In IT lab mobile WIFI was used for connecting the internet.</p> <p>(q) Drawing Hall was not available during inspection.</p> <p>9. The SCVT member recommended the ITI for affiliation.</p> <p>10. The matter was discussed in 5th SSDEC held on 22.05.2024 and SSDEC decided that there are contradictory decisions on above joint inspection report of the ITI, therefore, clarification may be sought again from both committee members to decide the matter.</p> <p>11. Accordingly, the matter was revisited during the 8th SSDEC meeting held on</p>	

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	26 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>09.12.2024 and 10.12.2024. In view of the indecisive nature of the SCVT member's report, the SSDEC considered the report submitted by the NCVT member, being the senior representative, for final decision-making. Based on this, the SSDEC recommended the de-affiliation of the ITI.</p> <p>12. Thereafter, the matter of the ITI was discussed in 21st SCAA meeting dated 28.04.2025 and SCAA decided that "the matter was discussed in the SCAA meeting, and it was decided that, in accordance with the principle of natural justice, an opportunity was granted to the ITI to represent itself against the deficiencies observed during the inspection dated 11.03.2024 and to submit its reply to the RDSDE within 20 days from the date of issue of these minutes. Thereafter, RDSDE will scrutinize the reply submitted by the ITI, discuss the matter in the SSDEC meeting and send the SSDEC's recommendations to DGT.</p> <p>13. In compliance with the decision of 21st SCAA meeting, RDSDE communicated the decision of 21st SCAA to the ITI vide email dated 05.06.2025.</p>	

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	26 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>14. The ITI did not reply or represent itself against the opportunity granted by 21st SCAA.</p> <p>15. The matter was discussed in the 11th SSDEC meeting held on 15.09.2025, and the SSDEC recommended de-affiliation of the ITI, stating that the ITI appeared to have no submissions regarding the removal of deficiencies.</p>	
30.	<p>BSM Private ITI</p> <p>Address: Near Jain Temple, Lidhora, District-Tikamgarh, Madhya Pradesh-472331</p> <p>MIS Code: PR23000829</p>	<p>1. Stenographer & Secretarial Assistant (Hindi)-3(1+1+1)</p> <p>2. Electrician -1(1+0)</p>	<p>1. The joint inspection of the ITI was carried out on 22.06.2023. During the joint inspection it was observed that marriage related activities were going on and a marriage tent within the campus of the said ITI was mounted. The office of Principal was closed. Neither trainer no trainees were present during inspection of ITI.</p> <p>2. The matter was discussed in 3rd SSDEC dated 09.08.2023 in which one opportunity was given to the ITI to represent itself on the findings observed in the above-said inspection.</p> <p>3. Thereafter, SCN was issued to the ITI by RDSDE through e-mail dated 10.08.2023</p> <p>4. The ITI did not reply to the SCN.</p> <p>5. The matter was again discussed in 4th SSDEC dated 18.09.2023, in which one</p>	<p>The matter was deliberated in the SCAA meeting and based on the recommendations of the SSDEC, the SCAA decided as under:</p> <p>1. Despite repeated opportunities granted on the basis of observations made during subsequent joint inspections, the ITI failed to ensure compliance with the prescribed affiliation norms.</p> <p>2. Although the ITI was afforded multiple opportunities, in adherence to the principles of natural justice, the SCAA in its 21st meeting which was held on 28.04.2025 granted a final opportunity to the ITI to represent itself and rectify the deficiencies observed during the joint inspection conducted on 13.03.2024.</p>

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	26 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>more opportunity was given to the ITI to represent itself.</p> <p>6. In compliance of 4th SSDEC decision, SCN dated 10.11.2023, followed by reminder dated 30.11.2023 were issued to the ITI by the State Directorate.</p> <p>7. ITI replied and stated that due to some urgent ceremony at home a tent was mounted in the ITI. There was heavy rainfall on 21.06.2023 and 22.06.2023 in the area due to which the staff and the students were not available on the day of inspection.</p> <p>8. The 2nd joint inspection was conducted on 13.03.2024 in which NCVET member not recommended the ITI for affiliation due to following reasons:</p> <p>(a) BCC dated 29/07/2016 is different from that in layout.</p> <p>(b) The classroom area was smaller than the required standard, and the existing seating capacity in both classrooms was insufficient for accommodating a full batch.</p> <p>(c) The second mobile number mentioned on the banner of the computer hub is the same as that listed on the NCVT portal.</p>	<p>However, the ITI failed to avail the said opportunity, thereby reflecting a negligent approach towards its functioning and continued non-compliance with the prescribed affiliation norms.</p> <p>Therefore, in view of the interest of the trainees and the continuous violations of the affiliation norms, the ITI is hereby de-affiliated.</p>

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	26 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>(d) The bills provided for the last three months did not mention the units consumed, and the presence of old dues indicates that the ITI had not been paying its electricity bills.</p> <p>(e) As per Machinery bills, the last purchase made in 2016.</p> <p>(f) Educational qualification details, experience details and appointment letters of instructors were not provided during inspection.</p> <p>(g) Staff and student biometric attendance were not available on the day of inspection.</p> <p>(h) Machines in electrician workshop were not installed properly and they move when turned on. Sparking and smoke were also seen in few machines,</p> <p>(i) In Stenographer & Secretarial Assistant (Hindi) lab, specification of systems was not as per NCVT norms.</p> <p>(j) IT lab not was not as per NCVT norms. Internet facility was not available in the lab during inspection.</p> <p>(k) Drawing hall was not as per norms.</p> <p>(l) A family was residing in the same campus.</p>	

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	26 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>(m) Fire safety certificate not provided by the ITI during inspection.</p> <p>9. The SCVT member recommended the ITI for affiliation.</p> <p>10. The matter was discussed in 5th SSDEC held on 22.05.2024 in which SSDEC decided that there are contradictory decisions on Joint inspection report of the ITI, therefore, clarification may be sought again from both committee members to decide the matter.</p> <p>11. Accordingly, the matter was revisited during the 8th SSDEC meeting held on 09.12.2024 and 10.12.2024. In view of the indecisive nature of the SCVT member's report, the SSDEC considered the report submitted by the NCVT member, being the senior representative, for final decision-making. Based on this, the SSDEC recommended the de-affiliation of the ITI.</p> <p>12. Thereafter, the matter of the ITI was discussed in 21st SCAA meeting dated 28.04.2025 and SCAA decided that "the matter was discussed in the SCAA meeting, and it was decided that, in accordance with the principle of natural justice, an opportunity was granted to the ITI to represent itself against the</p>	

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	26 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>deficiencies observed during the inspection dated 13.03.2024 and to submit its reply to the RDSDE within 20 days from the date of issue of these minutes. Thereafter, RDSDE will scrutinize the reply submitted by the ITI, discuss the matter in the SSDEC meeting and send the SSDEC's recommendations to DGT.</p> <p>13. In compliance with the decision of 21st SCAA meeting, RDSDE communicated the decision of 21st SCAA to the ITI vide email dated 05.06.2025.</p> <p>14. The ITI did not reply or represent itself against the opportunity granted by 21st SCAA.</p> <p>15. The matter was discussed in the 11th SSDEC meeting held on 15.09.2025, and the SSDEC recommended de-affiliation of the ITI, stating that the ITI appeared to have no submissions regarding the removal of deficiencies.</p>	
31.	ARHAM Private ITI Address: Near Abhishek Warehouse, Phuter Road, Ward, No.1, Khargapur, Tikamgarh,	1. Electrician-6(2+2+2) 2. Fitter - 2(1+1)	1. The joint inspection of the ITI was carried out on 22.06.2023. During the joint inspection, it was observed that the ITI was not adhering to NCVT norms, as the workshops had been converted into food grain godowns and rendered completely defunct, no trainees were present except	The matter was deliberated in the SCAA meeting and based on the recommendations of the SSDEC, the SCAA decided as under : 1. Despite repeated opportunities granted on the basis of observations made during subsequent joint

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	26 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
	Madhya Pradesh-472115 MIS Code: PU23000971		<p>two former ones, the staff and trainers on record did not meet NCVT requirements, and the trainers failed to produce the necessary records.</p> <ol style="list-style-type: none"> 2. The matter was discussed in 3rd SSDEC dated 09.08.2023 in which one opportunity was given to the ITI to represent itself on the findings observed in the above-said inspection. 3. Thereafter, SCN was issued to the ITI by RDSDE through e-mail dated 10.08.2023. 4. The ITI did not reply to the SCN. 5. The matter was again discussed in 4th SSDEC dated 18.09.2023, in which one more opportunity was given to the ITI to represent itself. 6. In compliance of 4th SSDEC decision, SCN dated 10.11.2023, followed by reminder dated 30.11.2023 were issued by the State Directorate. 7. ITI replied and stated that all the allegations levelled against ITI are false. Since there was heavy rainfall on the day of inspection, the staff and trainees arrived late, due to which the records were not presented. The two trainees reside nearby due to which they reached on time in the ITI. 	<p>inspections, the ITI failed to ensure compliance with the prescribed affiliation norms.</p> <ol style="list-style-type: none"> 2. Although the ITI was afforded multiple opportunities, in adherence to the principles of natural justice, the SCAA in its 21st meeting which was held on 28.04.2025 granted a final opportunity to the ITI to represent itself and rectify the deficiencies observed during the joint inspection conducted on 15.02.2024. However, the ITI failed to avail the said opportunity, thereby reflecting a negligent approach towards its functioning and continued non-compliance with the prescribed affiliation norms. <p>Therefore, in view of the interest of the trainees and the continuous violations of the affiliation norms, the ITI is hereby de-affiliated.</p>

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	26 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>8. The 2nd joint inspection was conducted on 15.02.2024 in which following deficiencies were observed:</p> <ul style="list-style-type: none"> (a) The name of the Principal written in the land documents were different from name mentioned on NCVT MIS portal. (b) The building layout plan of the did not match with the rent agreement. (c) Second-year batches of Electrician and Fitter trades were operational in the ITI; however, the average electricity consumption remains low. (d) As per machinery bills provided by the ITI, the last purchase was made in 2016. (e) Dead Stock Register was not maintained by ITI. (f) Staff appointed do not have required qualification as per norms. (g) Salary was paid in cash. In some appointment letters, date of signing and/or date of effectiveness of appointment was not mentioned. (h) Staff and student's attendance record were not available during inspection. (i) Tools and equipment were not available as per norms. 	

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	26 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>(j) Trainers in the trades were not able to show and identify the tools and equipment.</p> <p>(k) Some machines were not in running condition. Sparking was also seen in few machines during inspection.</p> <p>(l) The IT lab was not as per norms. Out of 11 computers, 8 were working on the day of inspection.</p> <p>(m) The drawing hall was not available in the ITI.</p> <p>(n) Other activity of cattle rearing was going on and a building was under construction. Also, there is a warehouse to Electrician workshop.</p> <p>(o) Fire safety certificate not provided by ITI during inspection.</p> <p>9. The matter was discussed in 5th SSDEC held on 22.05.2024 in which SSDEC decided that there are contradictory decisions on Joint inspection report of the ITI, therefore, clarification may be sought again from both committee members to decide the matter.</p> <p>10. Accordingly, the matter was revisited during the 8th SSDEC meeting held on 09.12.2024 and 10.12.2024. In view of the indecisive nature of the SCVT member's</p>	

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	26 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>report, the SSDEC considered the report submitted by the NCVT member, being the senior representative, for final decision-making. Based on this, the SSDEC recommended the de-affiliation of the ITI.</p> <p>11. Thereafter, the matter of the ITI was discussed in 21st SCAA meeting dated 28.04.2025 and SCAA decided that “the matter was discussed in the SCAA meeting, and it was decided that, in accordance with the principle of natural justice, an opportunity was granted to the ITI to represent itself against the deficiencies observed during the inspection dated 15.02.2024 and to submit its reply to the RDSDE within 20 days from the date of issue of these minutes. Thereafter, RDSDE will scrutinize the reply submitted by the ITI, discuss the matter in the SSDEC meeting and send the SSDEC’s recommendations to DGT.</p> <p>12. In compliance with the decision of 21st SCAA meeting, RDSDE communicated the decision of 21st SCAA to the ITI vide email dated 05.06.2025.</p> <p>13. The ITI did not reply or represent itself against the opportunity granted by 21st SCAA.</p>	

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	26 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			14. The matter was discussed in the 11th SSDEC meeting held on 15.09.2025, and the SSDEC recommended de-affiliation of the ITI, stating that the ITI appeared to have no submissions regarding the removal of deficiencies.	
32.	<p>Islamia Technical and Vocational Institute</p> <p>Address: Ikdc College Palasiya, Indore, District- Indore, Madhya Pradesh- 452010</p> <p>MIS Code: PR23000014</p>	<ol style="list-style-type: none"> 1. COPA-2(1+1) 2. Stenographer & Secretarial Assistant (English) - 2(1+1) 	<ol style="list-style-type: none"> 1. The joint inspection of the ITI was carried out on 06.06.2023. During the joint inspection it was observed that there were no workshops available for affiliated trades- Draughtsman Mechanical, Draughtsman Civil, Stenographer & Secretarial Assistant (Hindi), Sewing Technology, Stenographer & Secretarial Assistant (English), COPA which indicates that ITI was not providing the training. 2. The matter was discussed in 3rd SSDEC dated 09.08.2023 in which one opportunity was given to the ITI to represent itself on the findings observed in the above-said inspection. 3. Thereafter, SCN was issued to the ITI by RDSDE through e-mail dated 10.08.2023. 4. The ITI did not reply to the SCN. 5. The matter was again discussed in 4th SSDEC dated 18.09.2023, in which one more opportunity was given to the ITI to represent itself. 	<p>The matter was deliberated in the SCAA meeting and based on the recommendations of the SSDEC, the SCAA decided as under:</p> <ol style="list-style-type: none"> 1. Despite repeated opportunities granted on the basis of observations made during subsequent joint inspections, the ITI failed to ensure compliance with the prescribed affiliation norms. 2. Although the ITI was afforded multiple opportunities, in adherence to the principles of natural justice, the SCAA in its 21st meeting which was held on 28.04.2025 granted a final opportunity to the ITI to represent itself and rectify the deficiencies observed during the joint inspection conducted on 19.02.2024. However, the ITI failed to avail the said opportunity, thereby reflecting a negligent approach towards its

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	26 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>6. In compliance of 4th SSDEC decision, SCN dated 10.11.2023, followed by reminder dated 30.11.2023 were issued by the State Directorate.</p> <p>7. The ITI replied on 24.11.2023 in which it was stated that they want to surrender 4 trades - Draughtsman Mechanical, Draughtsman Civil, Stenographer & Secretarial Assistant (Hindi), Sewing Technology and continue for Stenographer & Secretarial Assistant (English), COPA trades.</p> <p>8. The 2nd joint inspection was conducted on 19.02.2024 in which NCVT member not recommended the ITI for affiliation due to following reasons:</p> <p>(a) The Land documents, BCC was not available during inspection.</p> <p>(b) The electrical power was commonly shared with Islamia Karimia Degree College, Indore, which also utilized all available facilities, and a PG college under the same name was being operated within the ITI premises.</p> <p>(c) Machinery bills were not available and also dead stock raw materials register, staff & student attendance records were not maintained by the ITI.</p>	<p>functioning and continued non-compliance with the prescribed affiliation norms.</p> <p>Therefore, in view of the interest of the trainees and the continuous violations of the affiliation norms, the ITI is hereby de-affiliated.</p>

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	26 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>(d) Only one training officer was available during inspection.</p> <p>(e) In Stenographer & Secretarial Assistant (English) classroom PG college lab was running and in COPA lab online center was running. Except these two labs, no machinery equipment's were available in the ITI.</p> <p>(f) Machinery of COPA and Stenographer & Secretarial Assistant trades were available which was also commonly shared with PG College lab and online examination.</p> <p>(g) There was no lab for Stenographer & Secretarial Assistant (Hindi), Sewing Technology, Draughtsman (Mechanical) & Draughtsman (Civil).</p> <p>(h) The available area of COPA & Stenographer & Secretarial Assistant (English) was used for degree college and online centre.</p> <p>(i) IT lab and drawing hall were not available in the ITI.</p> <p>9. The SCVT member recommended the ITI for affiliation.</p> <p>10. The matter was discussed in 5th SSDEC held on 22.05.2024 in which SSDEC decided that the comments of both</p>	

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	26 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>inspecting members on joint inspection are not clear therefore, clarification may be sought again from both committee members to decide the matter.</p> <p>11. Accordingly, the matter was revisited during the 8th SSDEC meeting held on 09.12.2024 and 10.12.2024. In view of the indecisive nature of the SCVT member's report, the SSDEC considered the report submitted by the NCVT member, being the senior representative, for final decision-making. Based on this, the SSDEC recommended the de-affiliation of the ITI.</p> <p>12. Thereafter, the matter of the ITI was discussed in 21st SCAA meeting dated 28.04.2025 and SCAA decided that "the matter was discussed in the SCAA meeting, and it was decided that, in accordance with the principle of natural justice, an opportunity was granted to the ITI to represent itself against the deficiencies observed during the inspection dated 19.02.2024 and to submit its reply to the RDSDE within 20 days from the date of issue of these minutes. Thereafter, RDSDE will scrutinize the reply submitted by the ITI, discuss the matter in the SSDEC</p>	

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	26 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>meeting and send the SSDEC's recommendations to DGT.</p> <p>13. In compliance with the decision of 21st SCAA meeting, RDSDE communicated the decision of 21st SCAA to the ITI vide email dated 05.06.2025.</p> <p>14. The ITI did not reply or represent itself against the opportunity granted by 21st SCAA.</p> <p>15. The matter was discussed in the 11th SSDEC meeting held on 15.09.2025, and the SSDEC recommended de-affiliation of the ITI, stating that the ITI appeared to have no submissions regarding the removal of deficiencies.</p>	
33.	<p>Ravi Shankar Private ITI</p> <p>Address: Shiv Prasad Complex, Saman, Distt: Rewa, Madhya Pradesh-486001</p> <p>MIS Code: PU23000654</p>	Electrician – 3(1+1+1)	<p>1. The de-affiliation proceedings were initiated by RDSDE due to a complaint received that the ITI has been shifted to new location without permission from DGT.</p> <p>2. The ITI, vide its letter dated 29.09.2023, informed that the building owner was causing disturbances to the students. In view of the students' future, the training is currently being conducted at other location approximately 500 km away from the original ITI premises.</p>	<p>The matter was deliberated in the SCAA meeting and based on the recommendations of the SSDEC, the SCAA decided as under:</p> <p>1. Despite repeated opportunities granted on the basis of observations made during subsequent joint inspections, the ITI failed to ensure compliance with the prescribed affiliation norms.</p> <p>2. Although the ITI was afforded multiple opportunities, in</p>

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	26 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>3. The joint inspection was conducted on 07.11.2023, during the joint inspection the following were observed:</p> <p>(a) The ITI was running in a different location/building, not as per NCVT MIS Portal location/address.</p> <p>(b) Electrical equipment and motors were not put into operation.</p> <p>(c) Attendance of instructor and trainees were not provided during inspection.</p> <p>(d) Geolocation of this ITI as per NCVT MIS Portal address: 24.5420961; 81.32987281.</p> <p>(e) Geolocation of this ITI presently running from: 24.5563826; 81.3261677.</p> <p>4. The matter was discussed in 8th SSDEC dated 09.12.2024 & 10.12.2024 and SSDEC recommended de-affiliation of ITI due to joint inspection committee recommendations.</p> <p>5. Thereafter, the matter of the ITI was discussed in 21st SCAA meeting dated 28.04.2025 and SCAA decided that “the matter was discussed in the SCAA meeting, and it was decided that, in accordance with the principle of natural justice, an opportunity was granted to the</p>	<p>adherence to the principles of natural justice, the SCAA in its 21st meeting which was held on 28.04.2025 granted a final opportunity to the ITI to represent itself and rectify the deficiencies observed during the joint inspection conducted on 07.11.2023. However, the ITI failed to avail the said opportunity, thereby reflecting a negligent approach towards its functioning and continued non-compliance with the prescribed affiliation norms.</p> <p>Therefore, in view of the interest of the trainees and the continuous violations of the affiliation norms, the ITI is hereby de-affiliated.</p>

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	26 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>ITI to represent itself against the deficiencies observed during the inspection dated 07.11.2023 and to submit its reply to the RDSDE within 20 days from the date of issue of these minutes. Thereafter, RDSDE will scrutinize the reply submitted by the ITI, discuss the matter in the SSDEC meeting and send the SSDEC's recommendations to DGT.</p> <p>6. In compliance with the decision of 21st SCAA meeting, RDSDE communicated the decision of 21st SCAA to the ITI vide email dated 05.06.2025.</p> <p>7. The ITI did not reply or represent itself against the opportunity granted by 21st SCAA.</p> <p>8. The matter was discussed in the 11th SSDEC meeting held on 15.09.2025, and the SSDEC recommended de-affiliation of the ITI, stating that the ITI appeared to have no submissions regarding the removal of deficiencies.</p>	
34.	<p>Vindhya Pvt. ITI</p> <p>Address: Ajgaraha, Rewa, District- Rewa, Madhya Pradesh- 486001.</p>	Electrician-6(2+2+2)	<p>1. The de-affiliation proceeding of the ITI was initiated due to less grading.</p> <p>2. The due procedure was followed during de-affiliation proceedings.</p> <p>3. The matter was discussed in its 4th SSDEC meeting dated 18.09.2023 and as principle</p>	<p>The matter was deliberated in the meeting. Based on the recommendations of the SSDEC and the material facts brought out in the Joint Inspection Report dated 13.02.2024, it was observed that the ITI has a lesser number of instructors</p>

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	26 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
	MIS code: PR23000788		<p>of natural justice, 4th SSDEC decided to conduct joint inspection of the ITI.</p> <p>4. The joint inspection of the ITI was conducted 13.02.2024 and joint inspection committee recommended Electrician - 2(1+1).</p> <p>5. Based on joint inspection 5th SSDEC in its meeting dated 22.05.2024 recommended Electrician -2(1+1) .</p>	available than prescribed under the norms. Accordingly, the SCAA decided to de-affiliate the trade units of Electrician-4 (1+1+2) for violation of the prescribed norms.
35.	<p>Tirupati Pvt. ITI</p> <p>Address: Ward No.01 New 02, Near Guna Bypass Road, District – AshokNagar, Madhya Pradesh-473331</p> <p>MIS code: PU23000769</p>	Electrician-4(2+2)	<p>1. The de-affiliation proceeding of the ITI was initiated due to less grading.</p> <p>2. The due procedure was followed during de-affiliation proceedings.</p> <p>3. The matter was discussed in its 4th SSDEC meeting dated 18.09.2023 and as principle of natural justice, 4th SSDEC decided to conduct joint inspection of the ITI.</p> <p>4. The joint inspection of the ITI was conducted on 14.02.2024 and joint inspection committee recommended Electrician -2(1+1).</p> <p>5. Based on joint inspection the 5th SSDEC in its meting dated 22.05.2024 recommended Electrician -2(1+1)</p>	The matter was deliberated in the meeting. Based on the recommendations of the SSDEC and the material facts brought out in the Joint Inspection Report dated 14.02.2024, it was observed that the ITI has only one classroom meeting the prescribed norms, while the remaining classrooms have an area less than the prescribed standards. Accordingly, the SCAA decided to de-affiliate the trade units of Electrician 2 (1+1) for violation of the prescribed norms.
36.	<p>Pt. Brij Kishore</p> <p>Address: Gram Besra Tehsil Malthone Distt -</p>	<p>1. Electrician-6(2+2+2)</p> <p>2. Computer Operator and</p>	<p>1. The de-affiliation proceeding of the ITI was initiated due to less grading.</p> <p>2. The due procedure was followed during de-affiliation proceedings.</p>	RDSDE to provide clarification regarding deficiencies in COPA trade.

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	26 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
	Sagar Madhya Pradesh-470441 MIS code: PR23000904	Programmi ng Assistant-2(1+1) 3. Stenograph er & Secretarial Assistant (Hindi)-2(1+1) 4. Fitter-3(1+1+1)	3. The matter was discussed in its 4 th SSDEC meeting dated 18.09.2023 and as principle of natural justice, 4 th SSDEC decided to conduct joint inspection of the ITI. 4. The joint inspection of the ITI was conducted and joint inspection committee recommended Fitter, Electrician and Stenographer & Secretarial Assistant (Hindi). 5. Based on joint inspection the 5 th SSDEC in its meting dated 22.05.2024 recommended Fitter, Electrician and Stenographer & Secretarial Assistant (Hindi).	

Annexure-13 as referred in Agenda-6.1: Non-receipt of the compliance reports sought in previous SCAA meetings

Sr. No.	ITI Code	ITI Name	State	SCAA meeting
(1)	(2)	(3)	(4)	(5)
1.	TMP18297PR1648017143	ITI Samaguri Nagaon	Assam	16 th & 18 th
2.	TMP20331PR1648649231	ACME Albert Ekka Private Industrial Training Institute, Gumla Gumla	Jharkhand	11 th & 24 th
3.	PR20000135	National Private Bokaro	Jharkhand	23 rd , & 24 th
4.	GR27000036	Govt. Industria Training Institute, Parbhani	Maharashtra	23 rd & 24 th
5.	PR09001960	K.D.Singh Pvt ITI	Uttar Pradesh	21 st & 24 th
6.	PR09900243	Maa Madhuri Private Industrial Training Institute	Uttar Pradesh	21 st & 24 th
7.	TMP9187PR1649990658	Amravati Private Industrial Training Institute Varanasi	Uttar Pradesh	23 rd & 24 th
8.	PU19000253	Satyen Bose Technical Institute Private ITI 38/3 Mukherjee Para Road, Po- Barasat, Dist- North 24	West Bengal	23 rd & 24 th

Annexure-14 as referred in Agenda-6.2: Affiliation matter of 13 ITI under PPP mode received from RDSDE Uttar Pradesh

Sr No.	Name of Government ITI	Affiliation sought for trade	Trades/Units recommended by ICVC	Deficiencies mentioned in the Inspection Report	TC Section Remark	26 th SCAA Remark
(1)	(2)	(3)	(4)	(5)	(6)	(7)
1.	Govt. ITI Kharagarh, Agra TMP9118GR 1714284406	1. Electrician- 2 (1+1) 2. Fitter -2 (1+1) 3. Welder -2 (1+1) 4. Computer Operator and Programming Assistant – 2 (1+1) 5. Fashion Design and Technology-2 (1+1) 6. Drone Pilot (Junior) 2(1+1) 7. Drone Technician 2 (1+1)	1. Electrician – 2 (1+1) 2. Fitter – 2 (1+1) 3. Welder – 2 (1+1) 4. Computer Operator and Programming Assistant – 2 (1+1) 5. Fashion Design and Technology- 2 (1+1) 6. Drone Pilot (Junior) 2(1+1) 7. Drone Technician 2 (1+1)	No deficiency is mentioned by the committee member	No deficiency is mentioned by the committee member	SCAA recommended the following trades: 1. Electrician – 2 (1+1) 2. Fitter – 2 (1+1) 3. Welder – 2 (1+1) 4. Computer Operator and Programming Assistant – 2 (1+1) 5. Fashion Design and Technology- 2 (1+1) 6. Drone Pilot (Junior) 2(1+1) 7. Drone Technician 2 (1+1)
2	Government ITI, Jaisinghpur Sultanpur	1. Computer Operator Programming	1. Computer Operator Programming	Not Recommended 1. Fitter-2 (1+1)	Shortage of Machineries and area for below mentioned trades:	SCAA recommended the following trades:

Sr No.	Name of Government ITI	Affiliation sought for trade	Trades/Units recommended by ICVC	Deficiencies mentioned in the Inspection Report	TC Section Remark	26 th SCAA Remark
(1)	(2)	(3)	(4)	(5)	(6)	(7)
	TMP9185GR 1714130132	Assistant-2 (1+1) 2. Electrician 2 (1+1) 3. Fitter-2 (1+1) 4. Motor Mechanic Vehicle - 2 (1+1) 5. Turner- 2 (1+1) 6. Computer Hardware & Networking- 2 (1+1) 7. Cosmetology -2 (1+1) 8. Welder- 2 (1+1) 9. Desktop Publishing Operator-2 (1+1) 10. Instruments Mechanics- 2 (1+1) 11. Mechanics Refrigerati	Assistant-2 (1+1) 2. Electrician -2(1+1) 3. Desktop Publishing Operator- 2 (1+1) 4. Instrument s Mechanic - 2 (1+1) 5. Mechanic Refrigerati on and Air Conditione r - 2 (1+1) 6. Electronics Mechanics - 2 (1+1) 7. Computer Hardware & Networkin g - 2 (1+1)	2. Motor Mechanic Vehicle -2 (1+1) 3. Turner -2 (1+1) 4. Cosmetology- 2 (1+1) 5. Welder- 2 (1+1) Due to Shortage of machineries and area	1. Fitter-2(1+1) 2. Motor Mechanic Vehicle - 2(1+1) 3. Turner -2(1+1) 4. Cosmetology- 2(1+1) 5. Welder- 2(1+1)	1.Computer Operator Programming Assistant- 2 (1+1) 2.Electrician -2(1+1) 3.Desktop Publishing Operator- 2 (1+1) 4.Instruments Mechanic - 2 (1+1) 5. Refrigeration and Air Conditioning Technician - 2 (1+1) 6.Electronics Mechanics - 2 (1+1) 7.Computer Hardware & Networking - 2 (1+1) And Not Recommended 1. Fitter-2(1+1) 2. Motor Mechanic Vehicle -2(1+1) 3. Turner -2(1+1) 4. Cosmetology- 2(1+1) 5. Welder- 2(1+1)

Sr No.	Name of Government ITI	Affiliation sought for trade	Trades/Units recommended by ICVC	Deficiencies mentioned in the Inspection Report	TC Section Remark	26 th SCAA Remark
(1)	(2)	(3)	(4)	(5)	(6)	(7)
		on and Air Conditioner-2 (1+1) 12. Electronics Mechanics-2 (1+1)				
3	Government ITI, Tilhar, Shahjahnpur TMP9180GU 1712551783	1. Electrician – 2 (1+1) 2. Fitter – 2 (1+1) 3. Computer Operator and Programming Assistant - 2 (1+1) 4. Fashion Design and Technology -2 (1+1) 5. Drone Pilot (Junior) 2(1+1) 6. Drone Technician 2 (1+1) 7. Basic Cosmetology 2 (1+1)	1. Electrician – 2 (1+1) 2. Fitter – 2 (1+1) 3. Computer Operator and Programming Assistant - 2 (1+1) 4. Fashion Design and Technology -2 (1+1) 5. Drone Pilot (Junior) 2(1+1) 6. Drone Technician 2 (1+1) 7. Basic Cosmetology 2 (1+1)	The Institute expressed its inability for inspection of Motor Mechanic Vehicle (MMV) trade because of lack of preparation. The letter from the director attached here with.	1. Workshop area of MMV is 180 less than required (The Institute expressed its inability for inspection of Motor Mechanic Vehicle (MMV) trade because of lack of preparation) 2. Fire safety certificate not provided	ITI needs to remove the following deficiencies and submit the documents to the concerned State Directorate within 30 days from the date of issue of these minutes. 1. Fire safety Certificate not available Thereafter, concerned State Directorate will verify the documents submitted by the ITI and submit the report with recommendation to DGT within the next 15 days.

Sr No.	Name of Government ITI	Affiliation sought for trade	Trades/Units recommended by ICVC	Deficiencies mentioned in the Inspection Report	TC Section Remark	26 th SCAA Remark
(1)	(2)	(3)	(4)	(5)	(6)	(7)
4	Govt. ITI, chilwania, Basti TMP9131GR 1714473545	1. Electrician – 2 (1+1) 2. Fitter – 2 (1+1) 3. Welder – 2 (1+1) 4. Computer Operator and Programmi ng Assistant - 2 (1+1) 5. Fashion Design and Technolog y -2 (1+1) 6. Drone Pilot (Junior) 2 (1+1) 7. Drone Technician 2 (1+1)	1. Electrician – 2 (1+1) 2. Fitter – 2 (1+1) 3. Welder – 2 (1+1) 4. Computer Operator and Programmi ng Assistant - 2 (1+1) 5. Fashion Design and Technolog y -2 (1+1) 6. Drone Pilot (Junior) 2 (1+1) 7. Drone Technician 2 (1+1)	No deficiency is mentioned by the committee member	May be recommended: 1. Electrician – 2 (1+1) 2. Fitter – 2 (1+1) 3. Welder – 2 (1+1) 4. Computer Operator and Programming Assistant -2 (1+1) 5. Fashion Design and Technology -2 (1+1) 6. Drone Pilot (Junior) 2 (1+1) 7. Drone Technician 2 (1+1)	SCAA Recommended the following trades: 1. Electrician – 2 (1+1) 2. Fitter – 2 (1+1) 3. Welder – 2 (1+1) 4. Computer Operator and Programming Assistant -2 (1+1) 5. Fashion Design and Technology -2 (1+1) 6. Drone Pilot (Junior) 2 (1+1) 7. Drone Technician 2 (1+1)
5	Government ITI, Dhanghata Sant Kabirnagar	1. Electrician – 2 (1+1) 2. Fitter – 2 (1+1) 3. Welder – 2 (1+1)	1. Mechanic Electronics – 2 (1+1) 2. COPA- 2(1+1)	Not Recommended- 1. Electrician – 2 (1+1)	Recommendations of inspection team not provided 1. The area of Welder lab is not as per Norms	SCAA recommended the following trades : 1. Mechanic Electronics – 2 (1+1) 2. COPA-2(1+1) 3. Cosmetology – 2 (1+1)

Sr No.	Name of Government ITI	Affiliation sought for trade	Trades/Units recommended by ICVC	Deficiencies mentioned in the Inspection Report	TC Section Remark	26 th SCAA Remark
(1)	(2)	(3)	(4)	(5)	(6)	(7)
	TMP9178GR 1714205944	4. Computer Operator and Programming Assistant - 2 (1+1) 5. Machinist - 2 (1+1) 6. Mechanic Motor Vehicle - 2 (1+1) 7. Mechanic R & AC - 2 (1+1) 8. Carpenter - 2 (1+1) 9. Wireman - 2 (1+1) 10. Mechanic Electronics - 2 (1+1) 11. Cosmetology - 2 (1+1) 12. Computer Hardware and Networking	3. Cosmetology - 2 (1+1) 4. Computer Hardware and Networking Maintenance - 2 (1+1)	2. Fitter - 2 (1+1) 3. Welder - 2 (1+1) 4. Machinist - 2 (1+1) 5. Mechanic Motor Vehicle - 2 (1+1) 6. Mechanic R & AC - 2 (1+1) 7. Carpenter - 2 (1+1) 8. Wireman - 2 (1+1) Due to Shortage of Tools, Equipment & Machineries	(available= 80, required is 100) 2. The machinery for MMV, RAC, Welder, machinist and RAC is not available 3. Electrician and Fitter machinery partial available	4. Computer Hardware and Networking Maintenance - 2 (1+1) And not Recommended the following trades : 1. Electrician - 2 (1+1) 2. Fitter - 2 (1+1) 3. Welder - 2 (1+1) 4. Machinist - 2 (1+1) 5. Mechanic Motor Vehicle - 2 (1+1) 6. Refrigeration and Air Conditioning Technician - 2 (1+1) 7. Carpenter - 2 (1+1) 8. Wireman - 2 (1+1)

Sr No.	Name of Government ITI	Affiliation sought for trade	Trades/Units recommended by ICVC	Deficiencies mentioned in the Inspection Report	TC Section Remark	26 th SCAA Remark
(1)	(2)	(3)	(4)	(5)	(6)	(7)
		Maintenance - 2 (1+1)				
6	Govt. ITI Badgad, Chitrakoot TMP9136GR 1714392764	1. Electrician- 2 (1+1) 2. Fitter- 2 (1+1) 3. Welder- 2 (1+1) 4. Computer Operator and Programming Assistant-2 (1+1) 5. Fashion Design & Technology- 1 (1+0)	1. Electrician - 2 (1+1) 2. Fitter- 2 (1+1) 3. Welder- 2 (1+1) 4. Computer Operator and Programming Assistant- 2 (1+1) 5. Fashion Design & Technology- 1 (1+0)	Not Recommended- Drone Pilot (Junior) Drone Technician Due to shortage of Tools & Equipment Bills not in institute name (Electrician, Fitter, Welder, COPA, Fashion Design & Technology,)	1. For Electrician, Fitter, Welder and COPA trade-Bills are not in institute name 2. Fashion Design & Technology-01 Instructor Experience is less than as per DGT Norms and bills not in institute name. 3. For Drone Pilot (Junior) and Drone Technician- (a)Some Tools/Machinery are not available as per norms. (b)Machinery/Equipment's are not working(c)Only one instructor available(d)Bills are not in institute name	ITI need to remove the deficiencies as mentioned in column (6) and submit the documents to the concerned State Directorate within 30 days from date of issue of these minutes. The State Directorate shall verify the documents and thereafter forward the same to DGT for further necessary action within next 15 days .

Sr No.	Name of Government ITI	Affiliation sought for trade	Trades/Units recommended by ICVC	Deficiencies mentioned in the Inspection Report	TC Section Remark	26 th SCAA Remark
(1)	(2)	(3)	(4)	(5)	(6)	(7)
					4. Bill payments not matched by bill receipts 5. Bill receipt is not in proper format 6. Gen-set not working properly. 7. Fire safety Not provided	
7	Govt. ITI, Farenda, Maharajganj TMP9164GR 1714388404	1. Electrician - 2(1+1) 2. Fitter - 2(1+1) 3. Welder - 2(1+1) 4. Computer Operator and Programming Assistant - 2(1+1) 5. Fashion Design and Technology - 2(1+1) 6. Drone Pilot (Junior) 2(1+1)	1. Electrician - 2(1+1) 2. Fitter - 2(1+1) 3. Welder - 2(1+1) 4. Computer Operator and Programming Assistant - 2(1+1) 5. Fashion Design and Technology - 2(1+1) 6. Drone Pilot (Junior) 2(1+1)	No deficiency is mentioned by the Inspecting members	No deficiency is mentioned by the Inspecting members	SCAA recommended the following trades: 1. Electrician - 2(1+1) 2. Fitter - 2(1+1) 3. Welder - 2(1+1) 4. Computer Operator and Programming Assistant - 2(1+1) 5. Fashion Design and Technology - 2(1+1) 6. Drone Pilot (Junior) 2(1+1) 7. Drone Technician 2(1+1)

Sr No.	Name of Government ITI	Affiliation sought for trade	Trades/Units recommended by ICVC	Deficiencies mentioned in the Inspection Report	TC Section Remark	26 th SCAA Remark
(1)	(2)	(3)	(4)	(5)	(6)	(7)
		7. Drone Technician 2(1+1)	7. Drone Technician 2(1+1)			
8	Govt ITI Shahbad Hardoi Not Applied	1. Electrician – 2 (1+1) 2. Fitter -2 (1+1) 3. Welder -2 (1+1) 4. Computer Operator and Programming Assistant - 2 (1+1) 5. Machinist - 2 (1+1) 6. Mechanic R & AC -2 (1+1) Wireman - 2 (1+1) 7. Mechanic Diesel -2 (1+1) 8. Electronic Mechanic - 2 (1+1)	1. Electrician -2 (1+1) 2. Fitter -2 (1+1) 3. Welder -2 (1+1) 4. Computer Operator and Programming Assistant - 2 (1+1) 5. Mechanic R & AC -2 (1+1) 6. Wireman - 2 (1+1) 7. Mechanic Diesel -2 (1+1) 8. Electronic Mechanic - 2 (1+1) 9. Basic Cosmetology -2 (1+1)	Not Recommended- Machinist-2(1+1) Desktop Publishing - 2(1+1) Due to shortage of Tools & Equipment's	1. IT Lab area is less(30 sqm) required 50 sqm 2.Drawing Hall area is less(50sqm) as trainees are more than 160. required 62.5 sqm 3.Firesefty certificate is not available.	ITI need to remove the deficiencies as mentioned in column (6) and submit the documents to the concerned State Directorate within 30 days from date of issue of these minutes. The State Directorate shall verify the documents and thereafter forward the same to DGT for further necessary action within next 15 days .

Sr No.	Name of Government ITI	Affiliation sought for trade	Trades/Units recommended by ICVC	Deficiencies mentioned in the Inspection Report	TC Section Remark	26 th SCAA Remark
(1)	(2)	(3)	(4)	(5)	(6)	(7)
		9. Basic Cosmetology -2 (1+1) 10. Fashion Designing -2 (1+1) Desktop Publishing -(1+1)	10. Fashion Designing -2 (1+1)			
9	Govt. ITI, Aurai, Sant Ravidasnagar , Bhadohi TMP9179GR 1714382578	1. Electrician -2 (1+1) 2. Fitter -2 (1+1) 3. Welder -2 (1+1) 4. Computer Operator and Programming Assistant - 2 (1+1) 5. Fashion Design and Technology -2 (1+1) 6. Drone Pilot (Junior) - 2 (1+1)	1. Electrician -2 (1+1) 2. Fitter -2 (1+1) 3. Welder -2 (1+1) 4. Computer Operator and Programming Assistant - 2 (1+1) 5. Fashion Design and Technology -2 (1+1) 6. Drone Pilot (Junior) - 2 (1+1)	1. Fire NOC Not Available 2. BCC Not available 3. Drawing Hall area is less (31 sqm) as trainees are more than 160.	1. Fire NOC not available 2. BCC not available 3. Drawing Hall area is less (31 sqm) as trainees are more than 160.	ITI need to remove the deficiencies as mentioned in column (6) and submit the documents to the concerned State Directorate within 30 days from date of issue of these minutes. The State Directorate shall verify the documents and thereafter forward the same to DGT for further necessary action within next 15 days .

Sr No.	Name of Government ITI	Affiliation sought for trade	Trades/Units recommended by ICVC	Deficiencies mentioned in the Inspection Report	TC Section Remark	26 th SCAA Remark
(1)	(2)	(3)	(4)	(5)	(6)	(7)
		7. Drone Technician 2 (1+1)	7. Drone Technician 2 (1+1)			
10	Govt ITI, Madihan, Mirzapur TMP9170GR 1714382665	1. Electrician -2 (1+1) 2. Fitter -2 (1+1) 3. Welder – 2 (1+1) 4. Computer Operator and Programming Assistant - 2 (1+1) 5. Fashion Design and Technology -2 (1+1) 6. Drone Pilot (Junior) – 2 (1+1) 7. Drone Technician -2 (1+1)	1. Electrician -2 (1+1) 2. Fitter -2 (1+1) 3. Welder – 2 (1+1) 4. Computer Operator and Programming Assistant - 2 (1+1) 5. Fashion Design and Technology -2 (1+1) 6. Drone Pilot (Junior) – 2 (1+1) 7. Drone Technician -2 (1+1)	Fire NOC Not Available BCC Not available	1. Fire NOC Not Available	ITI needs to remove the following deficiencies and submit the documents to the concerned State Directorate within 30 days from the date of issue of these minutes. 1. Fire safety Certificate not available Thereafter, concerned State Directorate will verify the documents submitted by the ITI and submit the report with recommendation to DGT within the next 15 days.
11	Govt. ITI, Thana Bhawan-2, Shamli	1. Electrician- 2 (1+1) 2. Fitter-2 (1+1)	1. Electrician - 2 (1+1) 2. Fitter- 2 (1+1)	Not Recommended- Drone Pilot (Junior) Drone Technician	1. Not Recommended- Drone Pilot (Junior) Drone Technician- Due	ITI need to remove the deficiencies as mentioned in column (6) and submit the documents to the concerned State

Sr No.	Name of Government ITI	Affiliation sought for trade	Trades/Units recommended by ICVC	Deficiencies mentioned in the Inspection Report	TC Section Remark	26 th SCAA Remark
(1)	(2)	(3)	(4)	(5)	(6)	(7)
	TMP9660GR 1714365239	3. Welder-2 (1+1) 4. Computer Operator and Programming Assistant-2 (1+1) 5. Fashion Design & Technology-2 (1+1)	3. Welder- 2 (1+1) 4. Computer Operator and Programming Assistant-2 (1+1) 5. Fashion Design & Technology- 2 (1+1)	Due to shortage of Tools & Equipment	to shortage of Tools & Equipment 2. Drawing hall area is less	Directorate within 30 days from the date of issue of these minutes. The State Directorate shall verify the documents and thereafter forward the same to DGT for further necessary action within next 15 days.
12	Govt. ITI, Charthwal, Muzaffarnagar TMP9172GR 171437 4624	1. Electrician-2 (1+1) 2. Fitter- 2 (1+1) 3. Welder- 2 (1+1) 4. Computer Operator and Programming Assistant-2 (1+1) 5. Fashion Design & Technology- 2 (1+1)	1. Electrician - 2 (1+1) 2. Fitter- 2 (1+1) 3. Welder- 2 (1+1) 4. Computer Operator and Programming Assistant-2 (1+1) 5. Fashion Design &	Not Recommended- Drone Pilot (Junior) Drone Technician Due to shortage of Tools & Equipment's	Not Recommended- Drone Pilot (Junior) Drone Technician- Due to shortage of Tools & Equipment's	SCAA recommended the following trades: 1. Electrician- 2 (1+1) 2. Fitter- 2 (1+1) 3. Welder- 2 (1+1) 4. Computer Operator and Programming Assistant- 2 (1+1) 5. Fashion Design & Technology-2 (1+1)

Sr No.	Name of Government ITI	Affiliation sought for trade	Trades/Units recommended by ICVC	Deficiencies mentioned in the Inspection Report	TC Section Remark	26th SCAA Remark
(1)	(2)	(3)	(4)	(5)	(6)	(7)
			Technology-2 (1+1)			
13	Govt ITI Rajatalab Varanasi	1. Fitter - 2 (1+1) 2. Mechanic Refrigeration and Air Conditioning - 2 (1+1) 3. Electrician - 2 (1+1) 4. COPA - 2 (1+1) 5. Welder - 2 (1+1) 6. Electronics Mechanic - 2 (1+1) 7. Plumber - 2 (1+1) 8. Mechanic Motor Vehicle - 2 (1+1) (not recommended)	1. Fitter - 2 (1+1) 2. Mechanic Refrigeration and Air Conditioning - 2 (1+1) 3. Electrician - 2 (1+1) 4. COPA - 2 (1+1) 5. Welder - 2 (1+1) 6. Electronics Mechanic - 2 (1+1) 7. Plumber - 2 (1+1)	Not Recommended- 1. Mechanic Motor Vehicle 2 (1+1) (not recommended) 2. Due to shortage of Tools & Equipment	Not Recommended- 1. Mechanic Motor Vehicle 2 (1+1) (not recommended)- Due to shortage of Tools & Equipment 2. Fire NOC Not Available	ITI needs to remove the following deficiencies and submit the documents to the concerned State Directorate within 30 days from the date of issue of these minutes. 1. Fire safety Certificate not available Thereafter, concerned State Directorate will verify the documents submitted by the ITI and submit the report with recommendation to DGT within the next 15 days.

Annexure-15 as referred in Agenda 6.5.1: Compliance reports of 23rd SCAA meetings have been received from 4 ITIs in admission related matter

Sr. No	ITI MIS Code	ITI Name	Trade / units under de-affiliation due to zero admission from 2018 to 2023	Brief of the matter	Remarks of 26th SCAA.
(1)	(2)	(3)	(4)	(5)	(6)
1.	PR08001385	New Arawali Private Industrial Training Institute	Electrician - 12(4+4+4)	<p>1 The DGT has de-affiliated approximately 4.5 lakh seats, which were vacant from 2018 to 2023, after thorough consultation with all stakeholders.</p> <p>2 During the de-affiliation process, it was found that 415 ITI had remained completely vacant without any admissions for six years.</p> <p>3 In November 2024, the DGT gave these 415 ITI a final chance to submit their grievances before de-affiliation. In response to that, 13 ITIs submitted grievances and have been temporarily excluded from de-affiliation order dated 17.01.2025.</p> <p>4 Since these ITIs have been non-operational for seven years, it is crucial to verify their infrastructure and machinery status against norms. The RDSDE and the respective State Directorate are directed to conduct joint inspections and</p>	<p>Recommended for affiliation in trade/units applicable from the session 2026.</p> <p>Electrician (NSQF) - 12(4+4+4*)</p> <p>*ITI existing affiliated units in the third shift would need to be converted to DST mode with ref to DGT letter DGT-Aff0misc/19/2022-TC SECTION dated 09.01.2023.</p>

Sr. No	ITI MIS Code	ITI Name	Trade / units under de-affiliation due to zero admission from 2018 to 2023	Brief of the matter	Remarks of 26th SCAA.
(1)	(2)	(3)	(4)	(5)	(6)
				<p>submit reports based on NIMI inspection through DGT order dated 23.05.2025.</p> <p>5 Subsequently, reports were put up in 23rd SCAA. Accordingly, ITI considered to exempt from de-affiliation as per joint inspection committee report. However, ITI required to submit latest electricity bill on ITI name within 30 days to RDSDE, Rajasthan.</p> <p>6 Hence, as per the 23rd SCAA remark, ITI has submitted the latest electricity bill on the ITI name.</p>	
2.	PR36000200	Wilfred ITC, Preminger, Mulugu, Warangal, Mulugu, Telangana	Electrician-8(4+4)	<p>1 The DGT has de-affiliated approximately 4.5 lakh seats, which were vacant from 2018 to 2023, after thorough consultation with all stakeholders.</p> <p>2 During the de-affiliation process, it was found that 415 ITI had remained completely vacant without any admissions for six years.</p> <p>3 In November 2024, the DGT gave these 415 ITI a final chance to submit their grievances before de-affiliation. In response to that, thirteen ITIs submitted</p>	The competent authority is decided to give the final opportunity to the ITI & recommended the joint inspection within 30 days of issuing this MoM to check the Entire ITI infrastructure Instructors details and etc. as per DGT Norms if any deficiency found, de-affiliation shall be taken without any further notice

Sr. No	ITI MIS Code	ITI Name	Trade / units under de-affiliation due to zero admission from 2018 to 2023	Brief of the matter	Remarks of 26th SCAA.
(1)	(2)	(3)	(4)	(5)	(6)
				<p>grievances and have been temporarily excluded from de-affiliation order dated 17.01.2025.</p> <p>4 However, ITI has got affiliation again in Electrician-4+4 units in 2023, but Joint inspection committee has mentioned serious shortfalls and non-operational for long time. It is crucial to verify their infrastructure and machinery status against norms.</p> <p>5 The RDSDE and the respective State Directorate are directed to conduct joint inspections and submit reports based on NIMI inspection through DGT order dated 23.05.2025.</p> <p>6 Subsequently, reports were put up in 23rd SCAA. As per reports, serious shortfalls observed by the competent i.e. No Land lease, electricity, staff records/documents have been produced by ITI. Machineries are not connected to power supply and hence not in working condition. IT Lab is locked.</p>	<p>Reason: -Mention shortcoming observed by the competent authority in reply submitted by the ITI: -</p> <p>1 Sales Deed on Society name VIVIAN EDUCATIONAL SOCIETY Hence, No resolution from Society regarding allotment of space exclusively for the ITI.</p> <p>2 No Load Sanction report, electricity bill.</p> <p>3 Staff-related records/documents are not submitted.</p>

Sr. No	ITI MIS Code	ITI Name	Trade / units under de-affiliation due to zero admission from 2018 to 2023	Brief of the matter	Remarks of 26th SCAA.
(1)	(2)	(3)	(4)	(5)	(6)
				<p>7 Due to above serious shortfalls Joint inspection committee is recommended for de-affiliation.</p> <p>8 23rd SCAA has decided to issue show-cause notice to ITI, and allow ITI to submit their reply in 30 days' time. Based on reply, another joint inspection may be scheduled for re-inspection of ITI before de-affiliation.</p> <p>9 Accordingly, ITI has submitted the reply.</p>	
3.	PU36000030	Laurel Industrial Training Centre, Hanamkonda, Warangal, Telangana	<p>1 Electrician – 8 (4+4)</p> <p>2 Fitter - 4(2+2)</p>	<p>1 The DGT has de-affiliated approximately 4.5 lakh seats, which were vacant from 2018 to 2023, after thorough consultation with all stakeholders.</p> <p>2 It was found that 415 ITI had remained vacant without any admissions for six years. In November 2024, the DGT gave these 415 ITI a final chance to submit their grievances before de-affiliation. Thirteen ITIs submitted grievances and have been temporarily excluded from de-affiliation.</p> <p>3 However, ITI has got affiliation again in Electrician-4+4 units and Fitter-2+2 units in 2023, but Joint</p>	<p>The competent authority is decided to give the final opportunity to the ITI & recommended the joint inspection within 30 days of issuing this MoM to check the Entire ITI infrastructure, Instructors details and etc. as per DGT Norms if any deficiency found, de-affiliation shall be taken without any further notice</p> <p>Reason: - verification of the reply submitted by the ITI along shortfalls as mentioned</p>

Sr. No	ITI MIS Code	ITI Name	Trade / units under de-affiliation due to zero admission from 2018 to 2023	Brief of the matter	Remarks of 26th SCAA.
(1)	(2)	(3)	(4)	(5)	(6)
				<p>inspection committee has mentioned serious shortfalls and non-operational for long time. It is crucial to verify their infrastructure and machinery status against norms. The Regional Directorate of Skill Development & Entrepreneurship (RDSDE) and the respective State Directorate are directed to conduct joint inspections and submit reports based on NIMI inspection through DGT order dated 23.05.2025.</p> <p>4 Subsequently, reports were put up in 23rd SCAA. As per reports, serious shortfalls observed by the competent:</p> <ol style="list-style-type: none"> i. Land lease document expiry date is mentioned as 06.06.2025 Electricity bill is on S. Kumar Aswmay name, not on ITI name ii. Two labs of electrician. In the 2nd lab no power connection. 	joint inspection committee report.

Sr. No	ITI MIS Code	ITI Name	Trade / units under de-affiliation due to zero admission from 2018 to 2023	Brief of the matter	Remarks of 26th SCAA.
(1)	(2)	(3)	(4)	(5)	(6)
				<p>iii. Fitter lab 2 lathe machines are existing but not working.</p> <p>iv. Joint inspection committee is not recommended to continue affiliation.</p> <p>5 Due to above serious shortfalls SCAA has decided to issue show-cause notice to ITI, and allow ITI to submit their reply in 30 days' time. Based on reply, another joint inspection may be scheduled for re-inspection of ITI before de-affiliation.</p> <p>6 Hence, as per the 23rd SCAA remark, ITI has submitted the reply.</p>	
4.	PR36000243	Prabha School & Nursing ITC, Mancherial, Telangana	<p>1 Dental Laboratory Equipment Technician- 2 (1+1)</p> <p>2 Health Sanitary Inspector – 2 (1+1)</p> <p>3 Hospital House Keeping – 2 (1+1)</p>	<p>1 The DGT has de-affiliated approximately 4.5 lakh vacant seats between 2018 and 2023 after thorough consultation with all stakeholders. It was found that 415 ITI had remained vacant without any admissions for six years. In November 2024, the DGT gave these 415 ITI a final chance to submit their grievances before de-affiliation. Thirteen ITIs submitted grievances and</p>	The Committee, after due consideration of the reply submitted by the ITI, found the same to be unjustified; hence, the de-affiliation order shall continue. However, if the ITI intends to operate, it may apply for a fresh affiliation application whenever the portal is opened, as per norms.

Sr. No	ITI MIS Code	ITI Name	Trade / units under de-affiliation due to zero admission from 2018 to 2023	Brief of the matter	Remarks of 26th SCAA.
(1)	(2)	(3)	(4)	(5)	(6)
				<p>have been temporarily excluded from de-affiliation.</p> <p>2 However, Joint inspection committee has mentioned serious shortfalls and non-operational for long time. It is crucial to verify their infrastructure and machinery status against norms. The Regional Directorate of Skill Development & Entrepreneurship (RDSDE) and the respective State Directorate are directed to conduct joint inspections and submit reports based on NIMI inspection through DGT order dated 23.05.2025. Joint inspection committee is recommended for de-affiliation.</p> <p>3 Subsequently, reports were put up in 23rd SCAA. As per reports, serious shortfalls observed by the competent i.e.</p> <ol style="list-style-type: none"> i. Electricity bill is on "Prabha School of Secretary", not on ITI name. ii. Machineries are not in working condition as per ICVC report. 	

Sr. No	ITI MIS Code	ITI Name	Trade / units under de-affiliation due to zero admission from 2018 to 2023	Brief of the matter	Remarks of 26th SCAA.
(1)	(2)	(3)	(4)	(5)	(6)
				<p>iii. Nursing school is running in the same campus.</p> <p>iv. ICVC is not recommended.</p> <p>4 Due to serious shortfalls mentioned above SCAA has decided to Recommended for de-affiliation on the basis of joint inspection conducted by State and RDSDE.</p> <p>5 However, ITI may submit their objection if any within 15 days from the date of issue of this MoM on the email section-tc2022@dgt.gov.in. Hence, as per the 23rd SCAA remark, ITI has submitted the reply.</p>	

Annexure-16 as referred in Agenda 6.5.2: Matter related to relaxation from de-activation of trades/units of 3 ITIs whose 100% seats are lying vacant for 2 consecutive years

Sr. No	MIS Code	ITI Name	District	Recommendations of SSDEC	Remark of SCAA
(1)	(2)	(3)	(4)	(5)	(6)
1.	PR29000719	Sri Gavisiddeshwara Rural Industrial Training Institute	KOPPAL	Electrician-Shift1/Unit1 Electrician - Shift2/Unit1 Fitter-Shift1/Unit1 Fitter-Shift2/Unit1	<p>The matter was deliberated in SCAA meeting and SCAA has not considered the relaxation.</p> <p>Reason: It has been observed that the ITI has been non-operational since 2022. A show cause notice was issued to 669 ITIs that were completely non-operational since 2022, no reply was received from this ITI within the prescribed time schedule.</p> <p>Further, the final decision regarding de-affiliation will be taken accordingly along with 669 ITIs.</p> <p>In addition, it has also been observed that the ITI has shifted its premises without the approval of the DGT, as detailed below:</p> <ul style="list-style-type: none"> • Address as per SIDH Portal: Karatagi Tq., Gangavathi, Koppal – 583229 • Address mentioned by SSDEC letter dated: - 03-11-2025 Annexure II: Javli Complex, Karatagi, Gangavathi Taluk, Koppal – 583227

Sr. No	MIS Code	ITI Name	District	Recommendations of SSDEC	Remark of SCAA
(1)	(2)	(3)	(4)	(5)	(6)
2.	PU29000567	Sri Jagadguru Tontadarya ITI, Annigeri	Dharwad	<p>Electrician-Shift1/Unit1</p> <p>Electrician Shift2/Unit1 -</p> <p>Cutting & Sewing Shift1/Unit1 -</p>	<p>The matter was deliberated in SCAA meeting and SCAA has not considered the relaxation.</p> <p>Reason: - It has been observed that the ITI has been non-operational since 2022. A show cause notice was issued to 669 ITIs that were completely non-operational since 2022. No reply was received from this ITI within the prescribed time schedule.</p> <p>Further, the final decision regarding de-affiliation will be taken accordingly along with 669 ITIs.</p> <p>In addition, it has also been observed that the ITI shifted its premises without the knowledge or approval of the DGT, as detailed below:</p> <ul style="list-style-type: none"> • Address mentioned by SSDEC letter dated: - 03-11-2025 Annexure II: Bellatti, opposite KEB Power Grid, Taluk: Shirahatti, District: Gadag-582112 • Address as per SIDH Portal: Annigeri, Taluk: Navalgund, District: Dharwad – 582201.

Sr. No	MIS Code	ITI Name	District	Recommendations of SSDEC	Remark of SCAA
(1)	(2)	(3)	(4)	(5)	(6)
3.	PU29001393	Don Boscho ITI Bidar	Bidar	Welder- Shift1/Unit1 Welder- Shift2/Unit1	The matter was deliberated in SCAA meeting and SCAA has not considered the relaxation. Reason: - These units have been de-affiliated as per the de-affiliation order dated 17.01.2025.

Annexure-17: Gujarat DST MOU Details

Sr. No.	Name of the ITI	MIS Code	Name of The Industry	MoU Start Date (DD/MM/YYYY)	MoU end Date (DD/MM/YYYY)	Name of The Trade For DST	Shift	Unit	Conversation of Existing Affiliated Unit. New Unit	Remarks
1.	Industrial Training Institute Bavla	GR24008163	Zydus Lifesciences Limited	04.02.2025	04.01.2028	Computer Operator and Programming Assistant	3 rd shift	1	New	Recommended
			Atul Auto Limited	03.03.2025	03.02.2028	Mechanic Diesel	3 rd shift	1	New	Recommended
			Solance Industries	27.03.2025	26.03.2028	Welder	3 rd shift	1	New	Recommended
			Harsha Engineers International Limited	27.03.2025	26.03.2028	Machinist	2 nd shift	1	Conversation	Recommended
			Harsha Engineers International Limited	27.03.2025	26.03.2028	Machinist	3 rd shift	1	New	Recommended
2.	Govt ITI Deodar	GU24008145	Ambika Electric Panel, Deodar	04.07.2025	31.07.2030	Electrician	3 rd shift	1	New	Recommended
3.	Industrial Training Institute Navsari Women	GU24000428	Astek Electrical Pvt Ltd	25.04.2025	24.04.2031	Wireman	3 rd shift	1	New	Recommended
			Avis Metal Industries Ltd	04.07.2025	31.07.2031	Fitter	3 rd shift	1	New	Recommended

Sr. No.	Name of the ITI	MIS Code	Name of The Industry	MoU Start Date (DD/MM/YYYY)	MoU end Date (DD/MM/YYYY)	Name of The Trade For DST	Shift	Unit	Conversation of Existing Affiliated Unit. New Unit	Remarks
			Peass Industrial Engineers Pvt Ltd	01.07.2025	31.07.2030	Fitter	3 rd shift	1	New	Recommended
4.	Industrial Training Institute Barwala	GR24008136	Community Health Center Barwala	01.04.2025	31.03.2030	Health Sanitary Inspector	3 rd shift	1	New	Recommended
