

DGT-Aff011(51)/4/2025-O/o DIR (TC) (E- 75283)

भारत सरकार/Government of India

कौशल विकास एवं उद्यमिता मंत्रालय/ Ministry of Skill Development and Entrepreneurship

प्रशिक्षण महानिदेशालय/Directorate General of Training

7वीं मंजिल, कौशल भवन, न्यू मोती बाग,

चाणक्यपुरी, नई दिल्ली - 110023,

दिनांक : 06 अप्रैल 2026

To,

The Director (Dealing with Craftsmen Training Scheme),
Directorate of Skill Development, 4th Floor,
Gas Rahat ITI Building,
Govindpura Bhopal.

Sub: De-Affiliation order of trades & units of 14 Private ITIs of Madhya Pradesh State- regarding.

Madam/Sir,

This is in reference to minutes of meeting of 11th Skill Development and Entrepreneurship Committee (SSDEC) of Madhya Pradesh State held on 15.09.2025, vide which the de-affiliation matter of 33 Pvt. ITI(s) were recommended and sent to DGT.

The matter was discussed in 26th Standing Committee on Accreditation and Affiliation (SCAA) in its meeting held on 15.01.2026 and 20.01.2026 and based on the recommendations of SSDEC, SCAA recommended the de-affiliation of trades/units of 14 Private ITIs w.e.f. session 2025-26, and same has been approved by the competent authority. The details of 14 ITIs are attached at *Annexure - I*.

The recommendation of de-affiliation/self -surrender trades & units of ITIs, as mentioned in attached list must be read in conjunction with the minutes of 26th SCAA meeting issued on 05.03.2026. The ITIs and the State Directorate shall ensure that all the trainees who were already enrolled in the previous sessions, complete the training duration and no fresh trainees are admitted.

Further, the ITIs (except s.no-13 & 14) are debarred from submitting any application for a period of three years from the date of issuance of this letter.

Encl.: As mentioned

Copy To: -

1. PSO to DG, DGT, Delhi.
2. PPS to DDG (Affiliation)
3. Regional Director, RDSDE Madhya Pradesh, 4th Floor, Gas Relief & Rehabilitation ITI Building, Govindpura, Bhopal - 462023
4. DGT MIS Portal in-charge, DGT HQ, New Delhi, with the request to upload this order on DGT NCVT MIS Portal & update the data as recommendation please.
5. Concerned ITIs.

भवदीय,

(उज्ज्वल बिस्वास)
उज्ज्वल बिस्वास/UJJWAL BISWAS
निदेशक, टी. सी अनुभाग
प्रशिक्षण महानिदेशालय/Directorate General of Training
कौशल विकास एवं उद्यमिता मंत्रालय/Ministry of Skill Development and Entrepreneurship
भारत सरकार, नई दिल्ली-12, Govt. of India, New Delhi-12

कनिका कलहन
06/4/26
(कनिका कलहन)

प्रशिक्षण अधिकारी, टी. सी अनुभाग

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	26 th SCAA Remarks
1.	<p>Ideal Pvt. ITI</p> <p>Address: NH – 75, Jhansi Road, Post - ITM College Ramjanki Campus Barua, Pichhore, Sitholi,</p> <p>Dist:Gwalio, Madhya Pradesh- 474005</p> <p>MIS code: PU23000555</p>	Electrician – 6(2+2+2)	<ol style="list-style-type: none"> 1. The Joint inspection was conducted on 07.06.2023. During the joint inspection the ITI was found closed, no staff was present, nothing related to ITI was there however, board of the ITI was seen from the gate. 2. The matter was discussed in 3rd SSDEC dated 09.08.2023 in which one opportunity was given to the ITI to represent itself on the findings observed in the above-said inspection. The SSDEC also decided to conduct the joint inspection of those ITIs whosoever response to the SCN. 3. The SCN was issued to the ITI by RDSDE through E-mail dated 10.08.2023 and ITI responded. 4. Thereafter, the 2nd joint inspection was conducted on 08.09.2023. During the inspection a board found in the name of Ideal polytechnic college and Ideal college, no one was there during the inspection. Few tools and equipment's were laying in small room covered by dust. 5. The matter was again discussed in 4th SSDEC meeting dated 18.09.2023, in which SSDEC recommended for de-affiliation of the ITI as in both inspections only board ideal college found. 6. Thereafter, the matter was discussed in 12th SCAA meeting dated 15.12.2023 to 18.12.2023 in which vide 	<p>The matter was deliberated in the SCAA meeting, and the SCAA decided as under, based on the recommendations of the SSDEC:</p> <ol style="list-style-type: none"> 1. Despite repeated opportunities granted on the basis of observations made during subsequent joint inspections, the ITI failed to ensure compliance with the prescribed affiliation norms. 2. The ITI was afforded multiple opportunities, in adherence to the principles of natural justice, the SCAA in its 21st meeting held on 28.04.2025 granted a final opportunity to the ITI to represent itself and rectify the deficiencies observed during the joint inspection conducted on 14.02.2024. However, the ITI failed to avail itself of the said opportunity, thereby reflecting a negligent approach towards its functioning and continued non-compliance with the prescribed affiliation norms. <p>Therefore, in view of the interest of the trainees and the continuous violations</p>

at Anand-2023
06/11/26

NR

			<p>this, the SSDEC recommended the de-affiliation of the ITI.</p> <p>10. Thereafter, the matter of the ITI was discussed in 21st SCAA meeting dated 28.04.2025 and SCAA decided that "the matter was discussed in the SCAA meeting, and it was decided that, in accordance with the principle of natural justice, an opportunity was granted to the ITI to represent itself against the deficiencies observed during the inspection dated 14.02.2024 and to submit its reply to the RDSDE within 20 days from the date of issue of these minutes. Thereafter, RDSDE will scrutinize the reply submitted by the ITI, discuss the matter in the SSDEC meeting and send the SSDEC's recommendations to DGT.</p> <p>11. In compliance with the decision of 21st SCAA meeting, RDSDE communicated the decision of 21st SCAA to the ITI vide email dated 05.06.2025.</p> <p>12. The ITI did not reply or represent itself against the opportunity granted by 21st SCAA.</p> <p>13. The matter was discussed in the 11th SSDEC meeting held on 15.09.2025, and the SSDEC recommended de-affiliation of the ITI, stating that the ITI appeared to have no submissions regarding the removal of deficiencies.</p>	
2.	Shri G Pvt. ITI	Electrician-3(1+1+1)	1. The joint inspection was conducted on 09.06.2023.	The matter was deliberated in the SCAA

Amulya
26/4/26

W.

			<p>agenda- (4), the SCAA decided as Principle of natural justice one more opportunity is provided to the ITI and conduct joint inspection again.</p> <p>7. In compliance with the decision of the 12th SCAA, the joint inspection was again conducted on 14.02.2024 and following deficiencies were observed:</p> <ul style="list-style-type: none"> (a) The ITI was in a hazardous condition and had been closed for a long time. (b) Only one trainer has CITS qualification. (c) Machines were not in working condition. (d) IT lab not was not as per norms. (e) The drawing hall was not available in the ITI. (f) The safety measures were not available in the ITI. (g) The ITI URL address was not working. <p>8. The matter was discussed in 5th SSDEC held on 22.05.2024 in which SSDEC decided that the comments of both inspecting members on joint inspection are not clear therefore, clarification may be sought again from both committee members to decide the matter.</p> <p>9. Accordingly, the matter was revisited during the 8th SSDEC meeting held on 09.12.2024 and 10.12.2024. In view of the indecisive nature of the SCVT member's report, the SSDEC considered the report submitted by the NCVT member, being the senior representative, for final decision-making. Based on</p>	<p>of the affiliation norms, the ITI is hereby de-affiliated.</p>
--	--	--	---	---

Pa. 16
06/14/24

8

Address: A.31 pragati vihar, Gola ka mandir, Gwalior, District- Gwalior, Madhya Pradesh- 474005

MIS code: PU23000720

During the joint inspection the ITI was found closed since 2019. The closure request letter of the ITI was also submitted by the ITI.

2. The matter was discussed in 3rd SSDEC dated 09.08.2023 in which one opportunity was given to the ITI to represent itself on the findings observed in the above-said inspection. The SSDEC also decided to conduct the joint inspection of those ITIs whose response to the SCN.
3. Thereafter, SCN was issued to the ITI by RDSDE through E-mail dated 10.08.2023 and ITI responded.
4. Thereafter, the 2nd joint inspection was conducted on 13.09.2023 in ITI requested to inspect the ITI after returning of concerned ITI person.
5. The matter was again placed in 4th SSDEC dated 18.09.2023, in which SSDEC recommended for de-affiliation of the ITI as ITI found closed during 1st inspection dated 09.06.2023 and ITI did not allow for inspection on 19.09.2023.
6. The matter was discussed in 12th SCAA dated 15.12.2023 to 18.12.2023 in which vide agenda- (4), the SCAA decided as 'Principle of natural justice' that one more opportunity is provided to the ITI and conduct joint inspection again.
7. In compliance with the decision of the 12th SCAA, the joint inspection was again conducted on 12.02.2024 and following deficiencies were observed:

meeting, and the SCAA decided as under, based on the recommendations of the SSDEC:

1. Despite repeated opportunities granted on the basis of observations made during subsequent joint inspections, the ITI failed to ensure compliance with the prescribed affiliation norms.
2. Although the ITI was afforded multiple opportunities, in adherence to the principles of natural justice, the SCAA in its 21st meeting held on 28.04.2025 granted a final opportunity to the ITI to represent itself and rectify the deficiencies observed during the joint inspection conducted on 12.02.2024. However, the ITI failed to avail itself of the said opportunity, thereby reflecting a negligent approach towards its functioning and continued non-compliance with the prescribed affiliation norms.

Therefore, in view of the interest of the trainees and the continuous violations of the affiliation norms, the ITI is hereby de-affiliated.

Handwritten signature
06/4/26

Handwritten mark

			<p>(a) Land documents and BCC were not available during inspection.</p> <p>(b) ITI was located at another place.</p> <p>(c) Dead Stock and raw material register were not available.</p> <p>(d) Staff attendance is marked in physical attendance register.</p> <p>(e) Student records were not available during inspection.</p> <p>(f) Machinery were not installed and also not in working condition during inspection.</p> <p>(g) The workshops were not as per norms.</p> <p>(h) The power was not connected to Electrician lab and also no power supply to IT lab during inspection.</p> <p>(i) The safety measures were not available in the workshop as well as in the institute.</p> <p>8. The matter was discussed in 5th SSDEC held on 22.05.2024 in which SSDEC decided that that the comments of both inspecting members on joint inspection are not clear therefore, clarification may be sought again from both committee members to decide the matter.</p> <p>9. Accordingly, the matter was revisited during the 8th SSDEC meeting held on 09.12.2024 and 10.12.2024. In view of the indecisive nature of the SCVT member's report, the SSDEC considered the report submitted by the NCVT member, being the senior</p>	
--	--	--	--	--

Abul
06/12/26

W

			<p>representative, for final decision-making. Based on this, the SSDEC recommended the de-affiliation of the ITI.</p> <p>10. Thereafter, the matter of the ITI was discussed in 21st SCAA meeting dated 28.04.2025 and SCAA decided that "the matter was discussed in the SCAA meeting, and it was decided that, in accordance with the principle of natural justice, an opportunity was granted to the ITI to represent itself against the deficiencies observed during the inspection dated 12.02.2024 and to submit its reply to the RDSDE within 20 days from the date of issue of these minutes. Thereafter, RDSDE will scrutinize the reply submitted by the ITI, discuss the matter in the SSDEC meeting and send the SSDEC's recommendations to DGT.</p> <p>11. In compliance with the decision of 21st SCAA meeting, RDSDE communicated the decision of 21st SCAA to the ITI vide email dated 05.06.2025.</p> <p>12. The ITI did not reply or represent itself against the opportunity granted by 21st SCAA.</p> <p>13. The matter was discussed in the 11th SSDEC meeting held on 15.09.2025, and the SSDEC recommended de-affiliation of the ITI, stating that the ITI appeared to have no submissions regarding the removal of deficiencies.</p>	
3.	STR Pvt. ITI	Already de-affiliated	1. The de-affiliation matters of 65 ITIs were discussed	The matter was deliberated in the SCAA

Chait
06/11/26

nd.

	<p>Address: Adarsh nager Pinto park Gwalior, District – Gwalior, Madhya Pradesh- 474005</p> <p>MIS code: PU23000841</p>		<p>during the 17th SCAA meeting, and these ITIs were subsequently de-affiliated vide DGT order dated 31.07.2024.</p> <ol style="list-style-type: none"> 2. STR Pvt. ITI was one of the 65 ITIs mentioned above and was de-affiliated as per the said DGT order. 3. Following the de-affiliation, a total of 11 ITIs out of the 65 ITIs approached the Hon'ble Court including the STR Pvt. ITI and filed litigations challenging the said order at Delhi High Court. 4. The Hon'ble Court had initially permitted the petitioner ITI to admit trainees for the 2024-25 session, in compliance with the judgment dated 19.09.2024. Subsequently, the petition was dismissed by the Hon'ble Court vide order dated 14.10.2024, with a direction to approach the Hon'ble High Court of Madhya Pradesh. 5. In the meantime, DGT provided an opportunity to the concerned ITIs, including the petitioner ITIs, to submit their grievances through the NIMI portal via email communication dated 07.10.2024 and a reminder on 25.10.2024. 6. Subsequently, in adherence to the principles of natural justice, DGT issued another communication dated 13.12.2024; granting a 	<p>meeting, and the SCAA decided as under, based on the recommendations of the SSDEC:</p> <ol style="list-style-type: none"> 1. Despite repeated opportunities granted on the basis of observations made during subsequent joint inspections, the ITI failed to ensure compliance with the prescribed affiliation norms. 2. Although the ITI was afforded multiple opportunities, in adherence to the principles of natural justice, by the way of communications dated 07.10.2024, 25.10.2024 and 13.12.2024 to represent itself and rectify the deficiencies observed. However, the ITI failed to avail itself of the said opportunity, thereby reflecting a negligent approach towards its functioning and continued non-compliance with the prescribed affiliation norms. <p>Therefore, in view of the interest of the trainees and the continuous violations of the affiliation norms, the ITI is hereby de-affiliated.</p> <p>Further, the ITI is not permitted to admit fresh trainees.</p>
--	---	--	--	--

Casey
04/12/26

↓

final opportunity to the petitioner ITIs to represent themselves along with supporting evidence demonstrating the rectification of deficiencies mentioned in the impugned order. The ITIs were directed to inform RDSDE, Madhya Pradesh, within 15 days of the said communication.

7. RDSDE, Madhya Pradesh, was also directed to conduct a joint verification in case any representation was received from the petitioner ITIs, and to forward the verification report to DGT along with SSDEC recommendations.
8. In response to the above communications, STR Pvt. did not submitted its representation or expressed its willingness for joint verification about removal of deficiencies against the deficiencies identified in the de-affiliation order dated 31.07.2024.
9. Since the matter was under judicial consideration, the ITIs involved in litigation neither submitted their representations nor expressed willingness to undergo joint inspection. Accordingly, RDSDE Madhya Pradesh, in reference to the State Directorate's letter dated 20.02.2025, sought further

06/4/26

[Signature]

directions from DGT in this regard.

10. Thereafter, DGT directed the RDSDE to inform the concerned ITIs to undergo verification, based on which the impugned de-affiliation order had been issued.
11. In compliance with these directions, RDSDE informed the State Directorate vide email dated 03.04.2025. Subsequently, the State Directorate, vide its letter no. MPSSDEGB/SCVT/affi/2025/1284 dated 09.04.2025, instructed the ITIs to submit their willingness for joint verification.
12. The STR Pvt. ITI did not respond to the State Directorate letter dated 09.04.2025 for joint verification.
13. Thereafter, the petitioner has also approach the Hon'ble Court of M.P State via WPC No.41410/2024 seeking relief to quash the de-affiliation order dated 31.07.2024. The Hon'ble Court's has granted interim relief vide order dated 06.01.2025, the impugned order dated 31.07.2024 by staying the operation of ITI until the next date of hearing.
14. The matter was discussed in the 10th SSDEC meeting held on 09.05.2025, wherein the SSDEC recommended to

Handwritten signature
06/11/26

Handwritten mark

			maintain the de-affiliation status, as the ITI, despite multiple opportunities, neither represented its case nor expressed willingness for joint verification regarding removal of deficiencies.	
4.	<p>Skill India Private ITI</p> <p>Address: Khasra No 608/4, Gram Bahadarpur, Burahanpur,</p> <p>MIS code: PR23000878</p>	<ol style="list-style-type: none"> 1. Computer Operator and Programmin g Assistant-3(1+1+1) 2. Electrician-6(2+2+2) 	<ol style="list-style-type: none"> 1. The de-affiliation proceedings were initiated by RDSDE due to a complaint received for following reasons: <ol style="list-style-type: none"> (a) As per Geo-tag location photograph, the Dayanar Aaryan Vedic Vidhypeeth is situated at ITI location and the ITI is running in some part of the above said institute. (b) The electricity bill of last 6 months indicates that training activities are currently not being conducted in the ITI. The consumption data also suggests that residential activities are being carried out within the ITI premise. 2. The SCN was issued to the ITI by RDSDE on 11.07.2024, followed by reminder dated 09.08.2024. 3. The ITI replied on 14.08.2024 in which the ITI clarified that the allegations levelled against it are baseless and affirmed that its operations are in full adherence to NCVT norms. The ITI is located as per Geo-tag location which can be verified again by doing inspection at any time. 4. The joint inspection was carried out on 02.09.2024. During the joint inspection following deficiencies were observed: 	<p>The matter was deliberated in the SCAA meeting, and the SCAA decided as under, based on the recommendations of the SSDEC:</p> <ol style="list-style-type: none"> 1. Despite repeated opportunities granted on the basis of observations made during subsequent joint inspections, the ITI failed to ensure compliance with the prescribed affiliation norms. 2. Although the ITI was afforded multiple opportunities, in adherence to the principles of natural justice, the 21st SCAA granted a final opportunity to the ITI to represent itself and rectify the deficiencies observed during the joint inspection conducted on 02.09.2024. 3. Upon verification conducted on 11.09.2025, the ITI failed to remove the deficiencies as recorded in the 21st SCAA Minutes of Meeting. In addition, further deficiencies relating to training, infrastructure, amenities, etc. were also observed, indicating continued

Daity
06/11/26

[Signature]

			<p>(a) Land lease documents were not on ITI name and also other Vidyalaya and ITI both working in same building.</p> <p>(b) The ITI was not operating consistently in accordance with the prescribed norms.</p> <p>(c) Electricity consumption in the ITI was very low. Not as per norms.</p> <p>(d) Tools & Equipment purchase bills, raw material register, student and teacher records were not available at the time of inspection.</p> <p>(e) Biometric staff and student's attendance were not available at the time of Inspection.</p> <p>(f) Some machines were not properly installed and were not in working condition, indicating that most of them had not been used for a long time.</p> <p>(g) Amenities were also not available as per NCVT Affiliation norms.</p> <p>(h) IT lab not as per NCVT affiliation norms.</p> <p>(i) The ITI premises were also used for residential purposes.</p> <p>(j) Fire Extinguisher was expired.</p> <p>5. The inspection committee recommended the ITI for de-affiliation.</p> <p>6. The matter was discussed in 8th SSDEC dated 09.12.2024 & 10.12.2024 and SSDEC recommended de-affiliation of ITI due to joint inspection committee recommendations.</p> <p>7. Thereafter, the matter of the ITI was discussed in 21st</p>	<p>non-compliance with the prescribed affiliation norms and reflecting a negligent approach towards the functioning of the institute.</p> <p>4. Therefore, in view of the interest of the trainees and the continuous violations of the affiliation norms, the ITI is hereby de-affiliated.</p>
--	--	--	---	---

Varish
06/11/24

SR

SCAA meeting dated 28.04.2025 and SCAA decided that "the matter was discussed in the SCAA meeting, and it was decided that, in accordance with the principle of natural justice, an opportunity was granted to the ITI to represent itself against the deficiencies observed during the inspection dated 02.09.2024 and to submit its reply to the RDSDE within 20 days from the date of issue of these minutes. Thereafter, RDSDE will scrutinize the reply submitted by the ITI, discuss the matter in the SSDEC meeting and send the SSDEC's recommendations to DGT.

8. In compliance with the decision of 21st SCAA meeting, RDSDE communicated the decision of 21st SCAA to the ITI vide email dated 06.06.2025.
9. Accordingly, the joint verification of the ITI was conducted on 11.09.2025 to verify the deficiencies removal of the ITI. Upon verification it was observed by the committee that the deficiencies reported as mentioned in 21st SCAA MoM have not been rectified by the ITI and also additional deficiencies related to training, infrastructure, amenities etc were also observed and the joint verification committee recommended the ITI for de-affiliation.
10. The matter was discussed in the 11th SSDEC meeting held on 15.09.2025, and based on the report of verification

David
06/11/26



			committee and also additional deficiencies observed during verification of the ITI, the SSDEC recommended de-affiliation.	
5.	Islamia Pvt ITI, Shardhanand Marg, Indore Address: 16/4 shraddhanad marg, indore, Distt- Indore Madhya Pradesh-452010 MIS Code: PU23000380	1. Draughtsman (Civil) 2(1+1) 2. Electrician 3(1+1+1) Stenographer & Secretarial Assistant (Hindi) 2(1+1)	1. The Joint inspection was conducted on 31.05.2023. During the joint inspection it was observed that the same premises were being used to run Islamia Karimia coaching classes and Islamia Karimia High School (Classes 1 to 12); all tools and equipment had been procured in the name of Islamia Karimia Society instead of the ITI; the Draughtsman (Mechanical) and Draughtsman (Civil) trades had remained non-functional for the past five years; and several significant infrastructural deficiencies were also identified. 2. The matter was discussed in 3 rd SSDEC dated 09.08.2023 in which one opportunity was given to the ITI to represent itself on the findings observed in the above-said inspection. The SSDEC also decided to conduct the joint inspection of those ITIs whose response to the SCN. 3. The SCN was issued to the ITI by RDSDE through E-mail dated 10.08.2023 and ITI responded to the SCN. 4. Thereafter, the 2 nd joint inspection was conducted on 23.09.2023 in which infrastructural deficiencies were observed and also it was also found that the bills for materials purchased in 2011 indicate that the ITI premises had not been in regular use for a long time. The IT and	The matter was deliberated in the SCAA meeting, and based on the recommendations of the SSDEC, the SCAA decided as under: 1. Despite repeated opportunities granted on the basis of observations made during subsequent joint inspections, the ITI failed to ensure compliance with the prescribed affiliation norms. 2. Although the ITI was afforded multiple opportunities, in adherence to the principles of natural justice, the SCAA in its 21 st meeting dated 28.04.2025 granted a final opportunity to the ITI to represent itself and rectify the deficiencies observed during the joint inspection conducted on 21.02.2024. 3. Upon verification conducted on 28.07.2025, the ITI failed to remove the deficiencies as recorded in the 21st SCAA Minutes of Meeting, indicating continued non-compliance with the prescribed affiliation norms and reflecting a negligent approach towards the functioning of the institute.

David
06/11/22

W

Stenographer & Secretarial Assistant (Hindi) lab were combined, and the space for Draughtsman (Mechanical) and Draughtsman (Civil) trades require fresh furnishing and proper utilization.

5. The matter was again discussed in 4th SSDEC dated 18.09.2023, in which SSDEC recommended for de-affiliation of the ITI.
6. Thereafter, the matter was discussed in 12th SCAA dated 15.12.2023 to 18.12.2023 in which vide agenda-(4), the SCAA decided as 'Principle of natural justice' that one more opportunity is provided to the ITI and conduct joint inspection again.
7. In compliance with the decision of the 12th SCAA, the joint inspection was again conducted on 21.02.2024 and following deficiencies were observed:
 - (a) The building was registered in the name of Islamia Karimia School Society, and no documents were provided to verify the space allotted specifically for ITI purposes.
 - (b) Power connection was in the name of Society.
 - (c) Dead Stock, raw materials register, teachers records not properly maintained by the ITI.
 - (d) The staff attendance was maintained partially.
 - (e) The biometric attendance was not maintained for Student.
 - (f) There was shortage in Electrician trade items and

Therefore, in view of the interest of the trainees and the continuous violations of the affiliation norms, the ITI is hereby de-affiliated.

Handwritten signature
06/11/26

Handwritten mark

			<p>the trade lab was made up of Tin shed.</p> <p>(g) In Draughtsman (Mechanical) and Draughtsman (Civil) trades machineries were not available.</p> <p>(h) In Stenographer & Secretarial Assistant (Hindi) 21 desktop computer were available out of 25 computers which were also not as per required specification (13 with 04 GB RAM available).</p> <p>(i) The toilet was not properly maintained in the ITI.</p> <p>(j) Islamia Karimia higher secondary school Chavani was also running in the ITI premises.</p> <p>8. The SCVT member recommended for affiliation.</p> <p>9. Thereafter, the matter was discussed in 5th SSDEC held on 22.05.2024 in which SSDEC decided that that the comments of both inspecting members on joint inspection are not clear therefore, clarification may be sought again from both committee members to decide the matter.</p> <p>10. Accordingly, the matter was revisited during the 8th SSDEC meeting held on 09.12.2024 and 10.12.2024. In view of the indecisive nature of the SCVT member's report, the SSDEC considered the report submitted by the NCVT member, being the senior representative, for final decision-making. Based on this, the SSDEC</p>	
--	--	--	---	--

Pauly
26/12/26

nl

recommended the de-affiliation of the ITI.

11. Thereafter, the matter of the ITI was discussed in 21st SCAA meeting dated 28.04.2025 and SCAA decided that "the matter was discussed in the SCAA meeting, and it was decided that, in accordance with the principle of natural justice, an opportunity was granted to the ITI to represent itself against the deficiencies observed during the inspection dated 21.02.2024 and to submit its reply to the RDSDE within 20 days from the date of issue of these minutes. Thereafter, RDSDE will scrutinize the reply submitted by the ITI, discuss the matter in the SSDEC meeting and send the SSDEC's recommendations to DGT.
12. In compliance with the decision of 21st SCAA meeting, RDSDE communicated the decision of 21st SCAA to the ITI vide email dated 06.06.2025.
13. Accordingly, the joint verification of the ITI was conducted on 28.07.2025 to verify the deficiencies removal of the ITI. The committee reported that the deficiencies as mentioned in 21st SCAA MoM have not been rectified by the ITI. The joint verification committee recommended de-affiliation of the ITI.
14. The matter was discussed in the 11th SSDEC meeting held on 15.09.2025, and based on the report of verification committee the SSDEC

Sanjay
06/11/26

S

			recommended for de-affiliation of the ITI as the deficiencies has not been removed by the ITI	
6.	<p>Shahpur Private ITI</p> <p>Address: Ward no 13 Shahpur Dist Burhanpur Madhya Pradesh- 450331</p> <p>MIS Code: PU23000879</p>	<p>1. Electrician- 3(1+1+1)</p> <p>Fitter- 2(1+1)</p>	<p>1. The de-affiliation proceedings were initiated by RDSDE due to a complaint received for following reasons:</p> <p>(a) ITI is not functioning as per NCVT MIS Portal address and location</p> <p>(b) Training activities are currently not being conducted in the ITI.</p> <p>(c) The building of the ITI is very old and in dilapidated condition.</p> <p>(d) The electricity consumption in the ITI is very low.</p> <p>(e) The workshops are also not in working condition.</p> <p>2. The SCN was issued to the ITI by RDSDE on 11.07.2024.</p> <p>3. The ITI replied on 23.07.2024 in which the ITI clarified that the allegations levelled against it are baseless and affirmed that its operations are in full adherence to NCVT norms.</p> <p>4. The joint inspection was carried out on 02.09.2024. During the joint inspection following deficiencies were observed:</p> <p>(a) The land lease of the ITI was not in the name of ITI.</p> <p>(b) Few areas of the ITI were used for MP Board open school.</p> <p>(c) The building was old and not maintained. The roof was also broken.</p> <p>(d) The low electricity bill consumption shows that the training was not conducting properly in the ITI.</p>	<p>The matter was deliberated in the SCAA meeting, and the SCAA decided as under, based on the recommendations of the SSDEC:</p> <p>1. Despite repeated opportunities granted on the basis of observations made during subsequent joint inspections, the ITI failed to ensure compliance with the prescribed affiliation norms.</p> <p>2. Although the ITI was afforded multiple opportunities, in adherence to the principles of natural justice, the SCAA in its 21st meeting which was held on 28.04.2025, granted a final opportunity to the ITI to represent itself and rectify the deficiencies observed during the joint inspection conducted on 02.09.2024. However, the ITI failed to avail itself of the said opportunity, thereby reflecting a negligent approach towards its functioning and continued non-compliance with the prescribed affiliation norms.</p>

Handwritten signature
06/4/26

Handwritten signature

			<p>(e) Only two appointment letters of staff were provided by the ITI office.</p> <p>(f) Bio-metric attendance were not recorded for both staff and students</p> <p>(g) Some machineries were not installed and seems that they were not in use since long time.</p> <p>(h) Amenities were also not as per NCVT norms.</p> <p>(i) IT lab and drawing hall were not as per norms.</p> <p>(j) Fire Extinguisher was expired.</p> <p>5. The inspection committee recommended the ITI for de-affiliation.</p> <p>6. The matter was discussed in 8th SSDEC dated 09.12.2024 & 10.12.2024 and SSDEC recommended de-affiliation of ITI due to joint inspection committee recommendations.</p> <p>7. Thereafter, the matter of the ITI was discussed in 21st SCAA meeting dated 28.04.2025 and SCAA decided that "the matter was discussed in the SCAA meeting, and it was decided that, in accordance with the principle of natural justice, an opportunity was granted to the ITI to represent itself against the deficiencies observed during the inspection dated 02.09.2024 and to submit its reply to the RDSDE within 20 days from the date of issue of these minutes. Thereafter, RDSDE will scrutinize the reply submitted by the ITI, discuss the matter in the SSDEC meeting and send the SSDEC's recommendations to DGT.</p>	<p>Therefore, in view of the interest of the trainees and the continuous violations of the affiliation norms, the ITI is hereby de-affiliated.</p>
--	--	--	---	--

Handwritten signature and date: 06/11/26

Handwritten mark

			<p>8. In compliance with the decision of 21st SCAA meeting, RDSDE communicated the decision of 21st SCAA to the ITI vide email dated 05.06.2025.</p> <p>9. The ITI did not reply or represent itself against the opportunity granted by 21st SCAA.</p> <p>10. The matter was discussed in the 11th SSDEC meeting held on 15.09.2025, and the SSDEC recommended de-affiliation of the ITI, stating that the ITI appeared to have no submissions regarding the removal of deficiencies.</p>	
7.	<p>Lakshya Private ITI,</p> <p>Address: Near Maruti Suzuki Showroom Guna Bypass Road Ashoknagar, District- Ashok Nagar, Madhya Pradesh- 473001</p> <p>MIS Code: PU23000884</p>	<p>1. Electrician-6(2+2+2) Stenographer & Secretarial Assistant (Hindi)-3(1+1+1)</p>	<p>1. The de-affiliation proceedings were initiated by RDSDE due to a complaint received for following reasons:</p> <p>(a) ITI is not functioning as per NCVT norms.</p> <p>(b) The instructors for affiliated trades Electrician and Stenographer are not available in the ITI.</p> <p>(c) The tools, equipment, machinery for the above said trades are also not available in the ITI.</p> <p>(d) Only one staff is working in the ITI and training activities are currently not being conducted in the ITI.</p> <p>(e) The electricity consumption of the ITI is very low as per affiliated trades which also indicating that training activities are either minimal or not being conducted.</p>	<p>The matter was deliberated in the SCAA meeting and based on the recommendations of the SSDEC, the SCAA decided as under:</p> <p>1. Despite repeated opportunities granted on the basis of observations made during subsequent joint inspections, the ITI failed to ensure compliance with the prescribed affiliation norms.</p> <p>2. Although the ITI was afforded multiple opportunities, in adherence to the principles of natural justice, the SCAA in its 21st meeting which was held on 28.04.2025 granted a final opportunity to the ITI to represent itself against the observation during the joint inspection conducted on</p>

Danish
26/4/26

MS

			<p>(f) Instructor details are not given on NCVT MIS portal by the ITI.</p> <ol style="list-style-type: none"> 2. The SCN was issued to the ITI by RDSDE on 07.08.2024, followed by reminder dated 02.09.2024. 3. The ITI replied on 30.08.2024 in which the ITI clarified that the allegations levelled against it are baseless and affirmed that its operations are in full adherence to NCVT norms. 4. The joint inspection was carried out on 12.11.2024. During the joint inspection the ITI was found closed. 5. The matter was discussed in 8th SSDEC dated 09.12.2024 & 10.12.2024 and SSDEC recommended to de-affiliate the ITI since ITI found closed at the time of joint inspection. 6. Thereafter, the matter of the ITI was discussed in 21st SCAA meeting dated 28.04.2025 and SCAA decided that "the matter was discussed in the SCAA meeting, and it was decided that, in accordance with the principle of natural justice, an opportunity was granted to the ITI to represent itself against the deficiencies observed during the inspection dated 12.11.2024 and to submit its reply to the RDSDE within 20 days from the date of issue of these minutes. Thereafter, RDSDE will scrutinize the reply submitted by the ITI, discuss the matter in the SSDEC meeting and send the SSDEC's recommendations to DGT. 7. In compliance with the decision of 21st SCAA 	<p>12.11.2024. However, the ITI failed to avail itself of the said opportunity, thereby reflecting a negligent approach towards its functioning and continued non-compliance with the prescribed affiliation norms.</p> <p>Therefore, in view of the interest of the trainees and the continuous violations of the affiliation norms, the ITI is hereby de-affiliated.</p>
--	--	--	---	--

Pratik
06/14/25

[Signature]

			<p>meeting , RDSDE communicated the decision of 21st SCAA to the ITI vide email dated 05.06.2025.</p> <p>8. The ITI did not reply or represent itself against the opportunity granted by 21st SCAA.</p> <p>9. The matter was discussed in the 11th SSDEC meeting held on 15.09.2025, and the SSDEC recommended de-affiliation of the ITI, stating that the ITI appeared to have no submissions regarding the removal of deficiencies.</p>	
8.	<p>Gurukripa Private ITI</p> <p>Address: Near Petrol Pump Lahar Road Bhind, District- Bhind, Madhya Pradesh- 477001.</p> <p>MIS Code: PR23000545</p>	Electrician 6(2+2+2)	<p>1. The joint inspection of the ITI was carried out on 06.06.2023. During the joint inspection it was observed that the ITI was not functional. The half area of the ITI was locked. No trainees, staff, any training activities were going on in the ITI.</p> <p>2. The matter was discussed in 3rd SSDEC dated 09.08.2023 in which one opportunity was given to the ITI to represent itself on the findings observed in the above-said inspection.</p> <p>3. Thereafter, SCN was issued by RDSDE through e-mail dated 10.08.2023.</p> <p>4. The ITI did not reply to the SCN.</p> <p>5. The matter was again discussed in 4th SSDEC dated 18.09.2023, in which one more opportunity was given to the ITI to represent itself.</p> <p>6. In compliance of 4th SSDEC decision, SCN dated 10.11.2023 was issued by the State Directorate.</p>	<p>The matter was deliberated in the SCAA meeting and based on the recommendations of the SSDEC, the SCAA decided as under:</p> <p>1. Despite repeated opportunities granted on the basis of observations made during subsequent joint inspections, the ITI failed to ensure compliance with the prescribed affiliation norms.</p> <p>2. Although the ITI was afforded multiple opportunities, in adherence to the principles of natural justice, the SCAA in its 21st meeting which was held on 28.04.2025 granted a final opportunity to the ITI to represent itself and rectify the deficiencies observed during the joint</p>

Prithi
06/11/26

			<p>7. ITI replied on 24.11.2023 in which it was stated that due to sudden demise of principal's mother on 06.06.2023, the holiday was declared. He also stated that all the allegations leveled against the ITI during the inspection are false.</p> <p>8. The 2nd joint inspection was conducted on 11.03.2024 in which NCVT member not recommended the ITI for affiliation due to following reasons:</p> <p>(a) In rent agreement, area is not mentioned and date of effectiveness is overwritten.</p> <p>(b) Rent agreement was valid up-to 9 Dec 2016, no renewal document provided during inspection.</p> <p>(c) BCC not provided by the ITI on the day of inspection.</p> <p>(d) Building is not as per layout. In place of Electrician workshop-2, marriage hall was running.</p> <p>(e) ITI has applied for new connection for 6KW load. In old electricity bill, unit consumption was zero.</p> <p>(f) Tools, equipment's and machines were procured in 2015. Raw material purchased in 2022.</p> <p>(g) Dead Stock and raw material registers were not available during inspection.</p> <p>(h) Instructors do not have required experience as per norms.</p> <p>(i) Biometric machine for student and staff were not available, physical</p>	<p>inspection conducted on 11.03.2024. However, the ITI failed to avail itself of the said opportunity, thereby reflecting a negligent approach towards its functioning and continued non-compliance with the prescribed affiliation norms.</p> <p>Therefore, in view of the interest of the trainees and the continuous violations of the affiliation norms, the ITI is hereby de-affiliated.</p>
--	--	--	---	--

Chavla
06/11/26

[Signature]

registers were not verified by principal.

- (j) After February 2024, no student was present. The attendance for the month of March 2024 was not available.
 - (k) Motor of another private ITI SVPITI found installed in the workshops. Tools & equipment's and machineries were installed in 2 workshops on different floor. Also, the available machineries were not as per norms.
 - (l) Trade instructors were not able to identify and show the tools & equipment's.
 - (m) Teacher records were not available.
 - (n) The classroom infrastructure was not as per norms.
 - (o) The ITI setup was not as per norms.
 - (p) In IT lab mobile WIFI was used for connecting the internet.
 - (q) Drawing Hall was not available during inspection.
9. The SCVT member recommended the ITI for affiliation.
10. The matter was discussed in 5th SSDEC held on 22.05.2024 and SSDEC decided that there are contradictory decisions on above joint inspection report of the ITI, therefore, clarification may be sought again from both committee members to decide the matter.
11. Accordingly, the matter was revisited during the 8th SSDEC meeting held on 09.12.2024 and 10.12.2024. In

Santhya
06/4/24

view of the indecisive nature of the SCVT member's report, the SSDEC considered the report submitted by the NCVT member, being the senior representative, for final decision-making. Based on this, the SSDEC recommended the de-affiliation of the ITI.

12. Thereafter, the matter of the ITI was discussed in 21st SCAA meeting dated 28.04.2025 and SCAA decided that "the matter was discussed in the SCAA meeting, and it was decided that, in accordance with the principle of natural justice, an opportunity was granted to the ITI to represent itself against the deficiencies observed during the inspection dated 11.03.2024 and to submit its reply to the RDSDE within 20 days from the date of issue of these minutes. Thereafter, RDSDE will scrutinize the reply submitted by the ITI, discuss the matter in the SSDEC meeting and send the SSDEC's recommendations to DGT.
13. In compliance with the decision of 21st SCAA meeting, RDSDE communicated the decision of 21st SCAA to the ITI vide email dated 05.06.2025.
14. The ITI did not reply or represent itself against the opportunity granted by 21st SCAA.
15. The matter was discussed in the 11th SSDEC meeting held on 15.09.2025, and the SSDEC recommended de-affiliation of the ITI, stating

Prithvi
06/10/26

W

			that the ITI appeared to have no submissions regarding the removal of deficiencies.	
9.	<p>BSM Private ITI</p> <p>Address: Near Jain Temple Lidhora, District-Tikamgarh, Madhya Pradesh- 472331</p> <p>MIS Code: PR23000829</p>	<p>1. Stenographer & Secretarial Assistant (Hindi)- 3(1+1+1)</p> <p>Electrician - 1(1+0)</p>	<p>1. The joint inspection of the ITI was carried out on 22.06.2023. During the joint inspection it was observed that marriage related activities were going on and a marriage tent within the campus of the said ITI was mounted. The office of Principal was closed. Neither trainer no trainees were present during inspection of ITI.</p> <p>2. The matter was discussed in 3rd SSDEC dated 09.08.2023 in which one opportunity was given to the ITI to represent itself on the findings observed in the above-said inspection.</p> <p>3. Thereafter, SCN was issued to the ITI by RDSDE through e-mail dated 10.08.2023</p> <p>4. The ITI did not reply to the SCN.</p> <p>5. The matter was again discussed in 4th SSDEC dated 18.09.2023, in which one more opportunity was given to the ITI to represent itself.</p> <p>6. In compliance of 4th SSDEC decision, SCN dated 10.11.2023, followed by reminder dated 30.11.2023 were issued to the ITI by the State Directorate.</p> <p>7. ITI replied and stated that due to some urgent ceremony at home a tent was mounted in the ITI. There was heavy rainfall on 21.06.2023 and 22.06.2023 in the area due to which the staff and the students were not available on the day of inspection.</p> <p>8. The 2nd joint inspection was conducted on 13.03.2024 in</p>	<p>The matter was deliberated in the SCAA meeting and based on the recommendations of the SSDEC, the SCAA decided as under:</p> <p>1. Despite repeated opportunities granted on the basis of observations made during subsequent joint inspections, the ITI failed to ensure compliance with the prescribed affiliation norms.</p> <p>2. Although the ITI was afforded multiple opportunities, in adherence to the principles of natural justice, the SCAA in its 21st meeting which was held on 28.04.2025 granted a final opportunity to the ITI to represent itself and rectify the deficiencies observed during the joint inspection conducted on 13.03.2024. However, the ITI failed to avail the said opportunity, thereby reflecting a negligent approach towards its functioning and continued non-compliance with the prescribed affiliation norms.</p> <p>Therefore, in view of the interest of the trainees and the continuous violations of the affiliation norms,</p>

Pruthi
06/10/24

2

- (i) In Stenographer & Secretarial Assistant (Hindi) lab, specification of systems was not as per NCVT norms.
- (j) IT lab not as per NCVT norms. Internet facility was not available in the lab during inspection.
- (k) Drawing hall was not as per norms.
- (l) A family was residing in the same campus.
- (m) Fire safety certificate not provided by the ITI during inspection.

9. The SCVT member recommended the ITI for affiliation.

10. The matter was discussed in 5th SSDEC held on 22.05.2024 in which SSDEC decided that there are contradictory decisions on Joint inspection report of the ITI, therefore, clarification may be sought again from both committee members to decide the matter.

11. Accordingly, the matter was revisited during the 8th SSDEC meeting held on 09.12.2024 and 10.12.2024. In view of the indecisive nature of the SCVT member's report, the SSDEC considered the report submitted by the NCVT member, being the senior representative, for final decision-making. Based on this, the SSDEC recommended the de-affiliation of the ITI.

12. Thereafter, the matter of the ITI was discussed in 21st SCAA meeting dated 28.04.2025 and SCAA decided that "the matter was

Awth
06/4/26

[Signature]

which NCVET member not recommended the ITI for affiliation due to following reasons:

- (a) BCC dated 29/07/2016 is different from that in layout.
- (b) The classroom area was smaller than the required standard, and the existing seating capacity in both classrooms was insufficient for accommodating a full batch.
- (c) The second mobile number mentioned on the banner of the computer hub is the same as that listed on the NCVT portal.
- (d) The bills provided for the last three months did not mention the units consumed, and the presence of old dues indicates that the ITI had not been paying its electricity bills.
- (e) As per Machinery bills, the last purchase made in 2016.
- (f) Educational qualification details, experience details and appointment letters of instructors were not provided during inspection.
- (g) Staff and student biometric attendance were not available on the day of inspection.
- (h) Machines in electrician workshop were not installed properly and they move when turned on. Sparking and smoke were also seen in few machines,

the ITI is hereby de-affiliated.

Sanika
06/11/26

2

			<p>discussed in the SCAA meeting, and it was decided that, in accordance with the principle of natural justice, an opportunity was granted to the ITI to represent itself against the deficiencies observed during the inspection dated 13.03.2024 and to submit its reply to the RDSDE within 20 days from the date of issue of these minutes. Thereafter, RDSDE will scrutinize the reply submitted by the ITI, discuss the matter in the SSDEC meeting and send the SSDEC's recommendations to DGT.</p> <p>13. In compliance with the decision of 21st SCAA meeting, RDSDE communicated the decision of 21st SCAA to the ITI vide email dated 05.06.2025.</p> <p>14. The ITI did not reply or represent itself against the opportunity granted by 21st SCAA.</p> <p>15. The matter was discussed in the 11th SSDEC meeting held on 15.09.2025, and the SSDEC recommended de-affiliation of the ITI, stating that the ITI appeared to have no submissions regarding the removal of deficiencies.</p>	
10.	<p>ARHAM Private ITI</p> <p>Address: Near Abhishek Warehouse, Phuter Road, Ward, No.1, Khargapur, Tikamgarh, Madhya Pradesh- 472115</p> <p>MIS Code: PU23000971</p>	<p>1. Electrician-6(2+2+2) Fitter -2(1+1)</p>	<p>1. The joint inspection of the ITI was carried out on 22.06.2023. During the joint inspection, it was observed that the ITI was not adhering to NCVT norms, as the workshops had been converted into food grain godowns and rendered completely defunct, no trainees were present except two former ones, the staff and trainers on record did not meet</p>	<p>The matter was deliberated in the SCAA meeting and based on the recommendations of the SSDEC, the SCAA decided as under :</p> <p>1. Despite repeated opportunities granted on the basis of observations made during subsequent joint inspections, the</p>

Handwritten signature
06/04/26

Handwritten mark

			<p>NCVT requirements, and the trainers failed to produce the necessary records.</p> <ol style="list-style-type: none"> 2. The matter was discussed in 3rd SSDEC dated 09.08.2023 in which one opportunity was given to the ITI to represent itself on the findings observed in the above-said inspection. 3. Thereafter, SCN was issued to the ITI by RDSDE through e-mail dated 10.08.2023. 4. The ITI did not reply to the SCN. 5. The matter was again discussed in 4th SSDEC dated 18.09.2023, in which one more opportunity was given to the ITI to represent itself. 6. In compliance of 4th SSDEC decision, SCN dated 10.11.2023, followed by reminder dated 30.11.2023 were issued by the State Directorate. 7. ITI replied and stated that all the allegations levelled against ITI are false. Since there was heavy rainfall on the day of inspection, the staff and trainees arrived late, due to which the records were not presented. The two trainees reside nearby due to which they reached on time in the ITI. 8. The 2nd joint inspection was conducted on 15.02.2024 in which following deficiencies were observed: <ol style="list-style-type: none"> (a) The name of the Principal written in the land documents were different from name mentioned on NCVT MIS portal. (b) The building layout plan of the did not match with the rent agreement. 	<p>ITI failed to ensure compliance with the prescribed affiliation norms.</p> <ol style="list-style-type: none"> 2. Although the ITI was afforded multiple opportunities, in adherence to the principles of natural justice, the SCAA in its 21st meeting which was held on 28.04.2025 granted a final opportunity to the ITI to represent itself and rectify the deficiencies observed during the joint inspection conducted on 15.02.2024. However, the ITI failed to avail the said opportunity, thereby reflecting a negligent approach towards its functioning and continued non-compliance with the prescribed affiliation norms. <p>Therefore, in view of the interest of the trainees and the continuous violations of the affiliation norms, the ITI is hereby de-affiliated.</p>
--	--	--	---	---

David
06/4/26



- | | | | | |
|--|--|--|---|--|
| | | | <ul style="list-style-type: none">(c) Second-year batches of Electrician and Fitter trades were operational in the ITI; however, the average electricity consumption remains low.(d) As per machinery bills provided by the ITI, the last purchase was made in 2016.(e) Dead Stock Register was not maintained by ITI.(f) Staff appointed do not have required qualification as per norms.(g) Salary was paid in cash. In some appointment letters, date of signing and/or date of effectiveness of appointment was not mentioned.(h) Staff and student's attendance record were not available during inspection.(i) Tools and equipment were not available as per norms.(j) Trainers in the trades were not able to show and identify the tools and equipment.(k) Some machines were not in running condition. Sparking was also seen in few machines during inspection.(l) The IT lab was not as per norms. Out of 11 computers, 8 were working on the day of inspection.(m) The drawing hall was not available in the ITI.(n) Other activity of cattle rearing was going on and a building was under construction. Also, there is | |
|--|--|--|---|--|

Santhya
06/11/26

SP

a ware house to Electrician workshop.

- (o) Fire safety certificate not provided by ITI during inspection.
9. The matter was discussed in 5th SSDEC held on 22.05.2024 in which SSDEC decided that there are contradictory decisions on Joint inspection report of the ITI, therefore, clarification may be sought again from both committee members to decide the matter.
10. Accordingly, the matter was revisited during the 8th SSDEC meeting held on 09.12.2024 and 10.12.2024. In view of the indecisive nature of the SCVT member's report, the SSDEC considered the report submitted by the NCVT member, being the senior representative, for final decision-making. Based on this, the SSDEC recommended the de-affiliation of the ITI.
11. Thereafter, the matter of the ITI was discussed in 21st SCAA meeting dated 28.04.2025 and SCAA decided that "the matter was discussed in the SCAA meeting, and it was decided that, in accordance with the principle of natural justice, an opportunity was granted to the ITI to represent itself against the deficiencies observed during the inspection dated 15.02.2024 and to submit its reply to the RDSDE within 20 days from the date of issue of these minutes. Thereafter, RDSDE will scrutinize the reply submitted by the ITI, discuss the matter in the

Santhosh
06/11/26

[Signature]

			<p>SSDEC meeting and send the SSDEC's recommendations to DGT.</p> <p>12. In compliance with the decision of 21st SCAA meeting, RDSDE communicated the decision of 21st SCAA to the ITI vide email dated 05.06.2025.</p> <p>13. The ITI did not reply or represent itself against the opportunity granted by 21st SCAA.</p> <p>14. The matter was discussed in the 11th SSDEC meeting held on 15.09.2025, and the SSDEC recommended de-affiliation of the ITI, stating that the ITI appeared to have no submissions regarding the removal of deficiencies.</p>	
11.	<p>Islamia Technical and Vocational Institute</p> <p>Address: Ikdc College Palasiya, Indore, District- Indore, Madhya Pradesh- 452010</p> <p>MIS Code: PR23000014</p>	<p>1. COPA-2(1+1) Stenographer & Secretarial Assistant (English) 2(1+1)</p>	<p>1. The joint inspection of the ITI was carried out on 06.06.2023. During the joint inspection it was observed that there were no workshops available for affiliated trades- Draughtsman Mechanical, Draughtsman Civil, Stenographer & Secretarial Assistant (Hindi), Sewing Technology, Stenographer & Secretarial Assistant (English), COPA which indicates that ITI was not providing the training.</p> <p>2. The matter was discussed in 3rd SSDEC dated 09.08.2023 in which one opportunity was given to the ITI to represent itself on the findings observed in the above-said inspection.</p> <p>3. Thereafter, SCN was issued to the ITI by RDSDE through e-mail dated 10.08.2023.</p> <p>4. The ITI did not reply to the SCN.</p> <p>5. The matter was again discussed in 4th SSDEC dated</p>	<p>The matter was deliberated in the SCAA meeting and based on the recommendations of the SSDEC, the SCAA decided as under:</p> <p>1. Despite repeated opportunities granted on the basis of observations made during subsequent joint inspections, the ITI failed to ensure compliance with the prescribed affiliation norms.</p> <p>2. Although the ITI was afforded multiple opportunities, in adherence to the principles of natural justice, the SCAA in its 21st meeting which was held on 28.04.2025 granted a final opportunity to the ITI to represent itself and rectify the</p>

Handwritten signature and date: 26/4/26

Handwritten signature

			<p>18.09.2023, in which one more opportunity was given to the ITI to represent itself.</p> <p>6. In compliance of 4th SSDEC decision, SCN dated 10.11.2023, followed by reminder dated 30.11.2023 were issued by the State Directorate.</p> <p>7. The ITI replied on 24.11.2023 in which it was stated that they want to surrender 4 trades - Draughtsman Mechanical, Draughtsman Civil, Stenographer & Secretarial Assistant (Hindi), Sewing Technology and continue for Stenographer & Secretarial Assistant (English), COPA trades.</p> <p>8. The 2nd joint inspection was conducted on 19.02.2024 in which NCVT member not recommended the ITI for affiliation due to following reasons:</p> <p>(a) The Land documents, BCC was not available during inspection.</p> <p>(b) The electrical power was commonly shared with Islamia Karimia Degree College, Indore, which also utilized all available facilities, and a PG college under the same name was being operated within the ITI premises.</p> <p>(c) Machinery bills were not available and also dead stock raw materials register, staff & student attendance records were not maintained by the ITI.</p> <p>(d) Only one training officer was available during inspection.</p>	<p>deficiencies observed during the joint inspection conducted on 19.02.2024. However, the ITI failed to avail the said opportunity, thereby reflecting a negligent approach towards its functioning and continued non-compliance with the prescribed affiliation norms.</p> <p>Therefore, in view of the interest of the trainees and the continuous violations of the affiliation norms, the ITI is hereby de-affiliated.</p>
--	--	--	---	---

David
06/11/24

[Signature]

- (e) In Stenographer & Secretarial Assistant (English) classroom PG college lab was running and in COPA lab online center was running. Except these two labs, no machinery equipment's were available in the ITI.
- (f) Machinery of COPA and Stenographer & Secretarial Assistant trades were available which was also commonly shared with PG College lab and online examination.
- (g) There was no lab for Stenographer & Secretarial Assistant (Hindi), Sewing Technology, Draughtsman (Mechanical) & Draughtsman (Civil).
- (h) The available area of COPA & Stenographer & Secretarial Assistant (English) was used for degree college and online centre.
- (i) IT lab and drawing hall were not available in the ITI.

9. The SCVT member recommended the ITI for affiliation.

10. The matter was discussed in 5th SSDEC held on 22.05.2024 in which SSDEC decided that the comments of both inspecting members on joint inspection are not clear therefore, clarification may be sought again from both committee members to decide the matter.

Abhishek
26/4/26

S

- | | | | | |
|--|--|--|--|--|
| | | | <p>11. Accordingly, the matter was revisited during the 8th SSDEC meeting held on 09.12.2024 and 10.12.2024. In view of the indecisive nature of the SCVT member's report, the SSDEC considered the report submitted by the NCVT member, being the senior representative, for final decision-making. Based on this, the SSDEC recommended the de-affiliation of the ITI.</p> <p>12. Thereafter, the matter of the ITI was discussed in 21st SCAA meeting dated 28.04.2025 and SCAA decided that "the matter was discussed in the SCAA meeting, and it was decided that, in accordance with the principle of natural justice, an opportunity was granted to the ITI to represent itself against the deficiencies observed during the inspection dated 19.02.2024 and to submit its reply to the RDSDE within 20 days from the date of issue of these minutes. Thereafter, RDSDE will scrutinize the reply submitted by the ITI, discuss the matter in the SSDEC meeting and send the SSDEC's recommendations to DGT.</p> <p>13. In compliance with the decision of 21st SCAA meeting, RDSDE communicated the decision of 21st SCAA to the ITI vide email dated 05.06.2025.</p> <p>14. The ITI did not reply or represent itself against the opportunity granted by 21st SCAA.</p> | |
|--|--|--|--|--|

David
06/11/24

M

			15. The matter was discussed in the 11th SSDEC meeting held on 15.09.2025, and the SSDEC recommended de-affiliation of the ITI, stating that the ITI appeared to have no submissions regarding the removal of deficiencies.	
12.	Ravi Shankar Private ITI Address: Shiv Prasad Complex, Saman, Distt: Rewa, Madhya Pradesh-486001 MIS Code: PU23000654	Electrician – 3(1+1+1)	<ol style="list-style-type: none"> 1. The de-affiliation proceedings were initiated by RDSDE due to a complaint received that the ITI has been shifted to new location without permission from DGT. 2. The ITI, vide its letter dated 29.09.2023, informed that the building owner was causing disturbances to the students. In view of the students' future, the training is currently being conducted at other location approximately 500 km away from the original ITI premises. 3. The joint inspection was conducted on 07.11.2023, during the joint inspection the following were observed: <ol style="list-style-type: none"> (a) The ITI was running in a different location/building, not as per NCVT MIS Portal location/address. (b) Electrical equipment and motors were not put into operation. (c) Attendance of instructor and trainees were not provided during inspection. (d) Geolocation of this ITI as per NCVT MIS Portal address: 24.5420961; 81.32987281. (e) Geolocation of this ITI presently running from: 24.5563826; 81.3261677. 	<p>The matter was deliberated in the SCAA meeting and based on the recommendations of the SSDEC, the SCAA decided as under:</p> <ol style="list-style-type: none"> 1. Despite repeated opportunities granted on the basis of observations made during subsequent joint inspections, the ITI failed to ensure compliance with the prescribed affiliation norms. 2. Although the ITI was afforded multiple opportunities, in adherence to the principles of natural justice, the SCAA in its 21st meeting which was held on 28.04.2025 granted a final opportunity to the ITI to represent itself and rectify the deficiencies observed during the joint inspection conducted on 07.11.2023. However, the ITI failed to avail the said opportunity, thereby reflecting a negligent approach towards its functioning and continued non-compliance with the

Cailla
26/4/26

2

			<p>4. The matter was discussed in 8th SSDEC dated 09.12.2024 & 10.12.2024 and SSDEC recommended de-affiliation of ITI due to joint inspection committee recommendations.</p> <p>5. Thereafter, the matter of the ITI was discussed in 21st SCAA meeting dated 28.04.2025 and SCAA decided that "the matter was discussed in the SCAA meeting, and it was decided that, in accordance with the principle of natural justice, an opportunity was granted to the ITI to represent itself against the deficiencies observed during the inspection dated 07.11.2023 and to submit its reply to the RDSDE within 20 days from the date of issue of these minutes. Thereafter, RDSDE will scrutinize the reply submitted by the ITI, discuss the matter in the SSDEC meeting and send the SSDEC's recommendations to DGT.</p> <p>6. In compliance with the decision of 21st SCAA meeting, RDSDE communicated the decision of 21st SCAA to the ITI vide email dated 05.06.2025.</p> <p>7. The ITI did not reply or represent itself against the opportunity granted by 21st SCAA.</p> <p>8. The matter was discussed in the 11th SSDEC meeting held on 15.09.2025, and the SSDEC recommended de-affiliation of the ITI, stating that the ITI appeared to</p>	<p>prescribed affiliation norms.</p> <p>Therefore, in view of the interest of the trainees and the continuous violations of the affiliation norms, the ITI is hereby de-affiliated.</p>
--	--	--	--	---

David
06/14/25

[Signature]

			have no submissions regarding the removal of deficiencies.	
13.	NRN Pvt. ITI Address: Jhansi Road , Distt -Gwalior, Madhya Pradesh- 474001 MIS code: PR23000628	Electrician- 3(1+1+1)	The 11th SSDEC in its meeting dated 15.09.2025 recommended the de-affiliation of the ITI on the basis of the self-closure request submitted by the institute: Electrician-3(1+1+1)	SCAA accepted the ITI's request for the self-surrender of following trade/unit: Electrician-3(1+1+1)
14.	J.P Cement Pvt. ITI Address: Arjun Shiksha Kendra, Bharatpur - Jaypee Vihar Distt. Sidhi, Madhya Pradesh- 486776 MIS code: PR23000167	1. Electrician- 2(1+1) 2. Fitter- 2(1+1) Mechanic Diesel- 1(1+0)	The 11th SSDEC in its meeting dated 15.09.2025 recommended the de-affiliation of the following trade on the basis of the self-surrender request submitted by the institute: Mechanic Diesel-1(1+0+0)	SCAA accepted the ITI's request for the self-surrender of following trade/unit: Mechanic Diesel- 1(1+0+0)

Pratik
06/11/26

