

DGT-Aff011/2025-O/o DIR (TC)
भारत सरकार/Government of India
कौशल विकास एवं उद्यमिता मंत्रालय/ Ministry of Skill Development and Entrepreneurship
प्रशिक्षण महानिदेशालय/Directorate General of Training

7वीं मंजिल, कौशल भवन, न्यू मोती बाग,
चाणक्यपुरी, नई दिल्ली – 110023,

Date: - 02-04-2026

०२

To
The State Directorates,
(Odisha)

Sub: Corrigendum to the de-affiliation order dated: - 28.08.2025

Sir / Madam,

In reference of de-affiliation order for mentioned ITI vide letter DGT-Aff011/2025-O/o DIR (TC) {E-46306} dated 28.08.2025, it has come to notice that trade/units as per NCVT MIS Portal mentioned in the aforesaid order are incorrect. It is to inform that, required correction have been made and de-affiliation/self-surrender order of trades/units is amended as:


For:

S.no	Name of the ITI and MIS Code	Trades and Units as per NCVT MIS portal	Brief of the matter	SCAA Remarks
I	II	III	IV	V
	ITC Jagannath Prasad Ganjam, Odisha MIS code: PR21000190	Electrician-4(2+2)	Due to construction of new building admission process delayed and COVID-19 affects our financial position Reference to the above subject cited matter and DGT letter no 12/01/2018-TC (part), dated 20/12/2018 and File no DGT Aff011 (47)/2/2022-O/o DIR (TC) dated 23.06.2023, ITI was functioning in a temporary building. Now constructed own building which is completed last year (2023). It is stated that due to a temporary rented old building it was quite impossible for a private ITI which is situated in a very rural and remote village to attract more students for NCVT demand driven trade i.e COPA	De-affiliated following trades/units: Electrician-4(2+2) As ITI is not ready for inspection and also, non-operational from past 7 years. If ITI wish to resume their operations, ITI can apply freshly on affiliation portal whenever portal is opened for inviting affiliation applications.

To be read as:

S.no	Name of the ITI and MIS Code	Trades and Units as per NCVT MIS portal	Brief of the matter	SCAA Remarks
I	II	III	IV	V
	ITC Jagannath Prasad Ganjam, Odisha MIS code: PR21000190	COPA- (1+1)	Due to construction of new building admission process delayed and COVID-19 affects our financial position Reference to the above subject cited matter and DGT letter no 12/01/2018-TC (part), dated 20/12/2018 and File no DGT Aff011 (47)/2/2022- O/o DIR (TC) dated 23.06.2023, ITI was functioning in a temporary building. Now constructed own building which is completed last year (2023). It is stated that due to a temporary rented old building it was quite impossible for a private ITI which is situated in a very rural and remote village to attract more students for NCVT demand driven trade i.e COPA	De-affiliated following trades/units: COPA- (1+1) As ITI is not ready for inspection and also, non-operational from past 7 years. If ITI wish to resume their operations, ITI can apply freshly on affiliation portal whenever portal is opened for inviting affiliation applications.

Yours faithfully



(उज्जवल विश्वास /Ujjwal Biswas)

निदेशक टी.सी /Director -TC

Copy To: -

1. Sr.PPS to DG/SS, DGT, Delhi.
2. PPS to DDG (HQ), PPS to DDG (South), PPS to DDG (East)
3. Regional Director, RDSDE Odisha.
4. Concerned ITI.



(राजू कन्नम / Raju Kannam)

उप निदेशक, टी.सी. Deputy Director, TC