

DGT-Aff011/1/2026-O/o DIR (TC) (E- 76588)

भारत सरकार/Government of India

कौशल विकास एवं उद्यमिता मंत्रालय/ Ministry of Skill Development and Entrepreneurship

प्रशिक्षण महानिदेशालय/Directorate General of Training

7वीं मंजिल, कौशल भवन, न्यू मोती बाग,
चाणक्यपुरी, नई दिल्ली – 110023,
दिनांक : 13, अप्रैल 2026

To

The State Director (Dealing with Craftsmen Training Scheme),
Directorate of Technical Education,
Rajasthan, W-6, Residency Jodhpur-342011

Subject: Minutes of the 27th Meeting of the Standing Committee on Accreditation and Affiliation (SCAA) held on 06.03.2026 - regarding

Madam/ Sir,

Please find the enclosed approved Minutes of the 27th Meeting of “Standing Committee on Accreditation and Affiliation (SCAA) held on 06.03.2026.

2. Any grievances regarding the decision outlined in these minutes may be raised through the NIMI portal (<https://nimionlineadmission.in/iti/GrievancePortal/register.php>) within 30 days from the date of issue of this minute. Grievances submitted after this period will not be considered.

3 This issues with the approval of Competent Authority.

Digitally signed by UJJWAL BISWAS
Date: 2026.04.13 15:45:29 +05'30'
(उज्ज्वल विश्वास/Ujjwal Biswas)
निदेशक/ Director ,टीसी अनुभाग

Copy for information to:

1. Sr.PPS to DG, DGT Hqrs, New Delhi.
2. PPS to DDG(Affiliation)/SCAA Chairperson, DGT Hqrs, New Delhi.
3. The Regional Director, RDSDE Rajasthan.
4. The officer dealing with NCVT MIS with a request to upload and update the order on NCVT MIS portal.

(श्रमेव शर्मा / Shramev Sharma)
उप निदेशक /Deputy Director , टी . सी अनुभाग

Signature Not Verified
UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified
SHRAMEV SHARMA
12:45 13.04.2026

DGT-Aff011/1/2026-O/o DIR (TC) [E- 76588]
Government of India
Ministry of Skill Development and Entrepreneurship
Directorate General of Training

Kaushal Bhawan, New Moti Bagh
Chanakyapuri, New Delhi- 110023
Date: 13.04.2026

Minutes of 27th Standing Committee on Accreditation and Affiliation meeting held on 06.03.2026 at Kaushal Bhawan, Delhi

The 27th Meeting of the Standing Committee on Accreditation and Affiliation (SCAA) was held on 6 March 2026, to review the affiliation and de-affiliation status of Industrial Training Institutes (ITIs) in Rajasthan, as recommended by the State Skill Development & Entrepreneurship Committee (SSDEC) in its 9th and 10th meetings held on 17 September 2025 and 23 September 2025 respectively, and subsequently examined at the 25th SCAA meeting held on 13–14 November 2025.

The list of participants who attended the meeting is attached at **Annexure-1**.

At the outset, Shri Sunil Kumar Gupta, Deputy Director General, DGT, Chairperson of SCAA, welcomed all the committee members and participants. Thereafter, Shri Ujjwal Biswas, Director, TC took agenda points for detailed discussions. The details of discussions, deliberations, and agenda-wise decisions taken by the Chair, are placed below.

Agenda 1: Action taken report of 26th SCAA meeting held on 16.01.2026.

Minutes of the 26th SCAA meeting which was held on 16.01.2026 have been issued and uploaded on the DGT MIS Portal. The Minutes of the meeting have been communicated to all the members.

Agenda 2: Affiliation/De-affiliation matter of 05 Private ITIs, in continuation of the discussion under Agenda Item No. 1 of the Minutes of the 25th SCAA Meeting held on 13.11.2025 and 14.11.2025.

The SSDEC Rajasthan vide agenda 1.1 of 9th SSDEC meeting, has recommended de-affiliation for 5 ITIs. Further, the matters of 05 ITIs were discussed in 25th SCAA meeting vide Agenda 1. The SCAA granted a final opportunity to the ITI to submit a show-cause reply explaining why it should not be de-affiliated within 21 days from the issuance of the Minutes of the 25th SCAA meeting.

Signature Not Verified
UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified
SHRAMEV SHARMA
12:45 13.04.2026

Agenda 3: Affiliation/De-affiliation matter of 267 ITIs, in continuation of the discussion under Agenda Item No. 2.1 of the Minutes of the 25th SCAA Meeting held on 13.11.2025 and 14.11.2025.

(ITIs recommended by SSDEC for continuation of affiliation)

- (i) SSDEC in its 9th and 10th meeting recommended 267 ITIs for continuation of affiliation. However, some of the trades in these ITIs were not recommended for affiliation due to deficiencies observed during Joint Inspection. Matters of these ITIs were discussed in the 25th SCAA meeting which was held on 13.11.2025 and the minutes of the same were published on 23.12.2025. 19 ITIs were given an opportunity to show-cause why these trade/unit should not be de-affiliated within 21 days from the date of issuance of the minutes of 25th SCAA meeting.
- (ii) In this context, replies have been received from some of the ITIs within the prescribed time period. These replies were considered and discussed in the 27th SCAA meeting.
- (iii) The details of the ITIs including the 27th SCAA remarks are available at **Annexure-3**.

Agenda 4: De-affiliation matter of 149 ITIs, in continuation of the discussion under Agenda Item No. 2.2 of the Minutes of the 25th SCAA Meeting held on 13.11.2025 and 14.11.2025.

(ITIs not recommended by SSDEC for continuation of affiliation)

- (i) SSDEC Rajasthan in its 9th and 10th meeting had recommended de-affiliation for 149 ITIs due to various deficiencies found during the Joint Inspection. Matters of these ITIs were discussed in the 25th SCAA meeting which was held on 13.11.2025 and the minutes of the same were published on 23.12.2025. As per these minutes, ITIs were given an opportunity to show-cause why they should not be de-affiliated, within 21 days from the date of issuance of the minutes of 25th SCAA meeting.
- (ii) In this context, replies have been received from some of the ITIs within prescribed time period. These replies were considered and discussed in the 27th SCAA meeting.
- (iii) The details of these ITIs including the 27th SCAA remarks are available at **Annexure-4**.

Agenda 5: De-affiliation matter of 33 ITIs, in continuation of the discussion under Agenda Item No. 2.3 of the Minutes of the 25th SCAA Meeting held on 13.11.2025 and 14.11.2025.

(ITIs not recommended for continuation of affiliation on account of unauthorised shifting of premises)

- (i) SSDEC Rajasthan in its 9th and 10th meeting had recommended de-affiliation for 33 ITIs on account of unauthorised shifting of premises with due approval of the DGT and State. Matters of these ITIs were discussed in the 25th SCAA meeting which was held on 13.11.2025 and the minutes of the same were published on 23.12.2025. ITIs were given an opportunity to show-cause why they should not be de-affiliated, within 21 days from the date of issuance of the minutes of 25th SCAA meeting.

Signature Not Verified
UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified
SHRAMEEV SHARMA
12:45 13.04.2026

- (ii) In this context, replies have been received from some of the ITIs within prescribed time period. These replies were considered and discussed in the 27th SCAA meeting.
- (iii) The details of these ITIs including the 27th SCAA remarks are available at **Annexure-5**.

Agenda 6: De-affiliation matter of 54 ITIs, in continuation of the discussion under Agenda Item No. 2.5 of the Minutes of the 25th SCAA Meeting held on 13.11.2025 and 14.11.2025.

(ITIs not recommended for continuation of affiliation on account of being found closed during inspection)

- (i) SSDEC Rajasthan in its 9th and 10th meeting had recommended de-affiliation for 54 ITIs on account of being found closed during inspection. Matters of these ITIs were discussed in the 25th SCAA meeting which was held on 13.11.2025 and the minutes of the same were published on 23.12.2025. ITIs were given an opportunity to show-cause why they should not be de-affiliated, within 21 days from the date of issuance of the minutes of 25th SCAA meeting.
- (ii) In this context, replies have been received from some of the ITIs within prescribed time period. These replies were considered and discussed in the 27th SCAA meeting.
- (iii) The details of these ITIs including the 27th SCAA remarks are available at **Annexure-6**.

Agenda 7: De-affiliation matter of 106 ITIs, in continuation of the discussion under Agenda Item No. 2.6 of the Minutes of the 25th SCAA Meeting held on 13.11.2025 and 14.11.2025.

(ITIs not recommended by SSDEC for continuation of affiliation on account of refusal to undergo inspection)

- (i) SSDEC Rajasthan in its 9th and 10th meeting had recommended de-affiliation for 106 ITIs on account of refusal to undergo inspection. Matters of these ITIs were discussed in the SCAA meeting in its 25th meeting which was held on 13.11.2025 and the minutes of the same were published on 23.12.2025. ITIs were given an opportunity to show-cause why they should not be de-affiliated, within 21 days from the date of issuance of the minutes of 25th SCAA meeting.
- (ii) In this context, replies have been received from some of the ITIs within prescribed time period. These replies were considered and discussed in the 27th SCAA meeting.
- (iii) The details of these ITIs including the 27th SCAA remarks are available at **Annexure-7**.

Agenda 8: Miscellaneous

8.1 Clarification sought for SSDEC Rajasthan regarding Affiliation and De-affiliation matter of ITIs discussed in 25th SCAA Meeting held on 13.11.2025.

As decided in the 25th SCAA Meeting, the SSDEC was requested to provide clarification in respect of affiliation/de-affiliation matters of some of ITIs. However, it is observed that the requisite clarification has not yet been received in this Directorate. The list of ITIs for which clarification

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEV SHARMA
12:45 13.04.2026

was sought from SSDEC is placed at **Annexure-8**. Further, SCAA directed the State Directorate and RDSDE Rajasthan to expedite the submission of the requisite clarification in respect of the affiliation/de-affiliation matters of the ITIs.

Signature Not Verified
UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified
SHRAMEEV SHARMA
12:45 13.04.2026

Annexure-1

List of Participants in the 27thSCAA Meeting.

1. Shri Sunil Kumar Gupta, Deputy Director General
2. Shri Ujjwal Biswas, Director, TC, DGT – Member
3. Shri R. C. Meena, Regional Director, RDSDE Rajasthan
4. Shri Satish Kumar, Joint Director, TC Section, DGT
5. Shri Raju Kannam, Deputy Director, TC Section, DGT
6. Shri. Shramev Sharma, Deputy Director, TC Section, DGT
7. Mrs. Priyanka Somani, Deputy Director, RDSDE Rajasthan
8. Shri Shailendra, Deputy Director, State Directorate, Rajasthan
9. Smt Kanika Kalhan, Training Officer, TC-Section DGT

Signature Not Verified
UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified
SHRAMEV SHARMA
12:45 13.04.2026

Annexure-2 as referred in Agenda 2 regarding Affiliation/De-affiliation matter of 05 Private ITIs, in continuation of the discussion under Agenda Item No. 1 of the Minutes of the 25th SCAA Meeting held on 13.11.2025 and 14.11.2025.

Sr. No.	Name Of ITI, Address and MIS Code	Shift & Unit (As per NCVT MIS Portal)	Brief of Matter	27 th SCAA remarks
(1)	(2)	(3)	(4)	(5)
1.	Metro Private ITI, Address - 636 Khora Bisal Dist Jaipur Rajasthan 302012 MIS Code - PU08001371	Electrician – 6 (3+3)	- Irregularities observed during joint inspection due to which SCN was issued to the ITI by the State on 17.04.2023. - Further, a joint inspection was again conducted on 05.06.2025 by the RDSDE and State official. - During inspection following were observed: - Some of the machinery was in working condition. - The workshops found in poor condition. - No drawing room was found in the ITI. - BCC not issued by the local authority. - The electricity connection has not been in the name of the ITI. - No fire safety certificate was provided by the ITI. - The IT lab was poorly maintained and few laptops were arranged only for inspection. - The amenities have been found inadequate. - The building area not found matched with approved layout plan. - The land area found in the ITI was less than the affiliation norms of 2018. - No permanent signboard was displayed.	The matter was deliberated in the SCAA, and it was decided to conduct a joint inspection of the ITI to verify its functioning as per prescribed norms. The joint inspection shall be conducted by the concerned State Directorate and RDSDE Rajasthan. The date of inspection shall be decided by the State Directorate in consultation with RDSDE Rajasthan. The inspection report shall be submitted to the DGT within one month from the date of issuance of the minutes of this meeting for consideration in the next SCAA meeting.

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEV SHARMA
12:45 13.04.2026

Sr. No.	Name Of ITI, Address and MIS Code	Shift & Unit (As per NCVT MIS Portal)	Brief of Matter	27 th SCAA remarks
(1)	(2)	(3)	(4)	(5)
			l) There was a serious safety concern in case of fire due to improper ventilation. 4. The inspecting member recommended for de-affiliation of ITI. 5. The matter was discussed in the 9th SSDEC meeting held on 17.09.2025, and the SSDEC recommended de-affiliation. 6. The 25th SCAA has granted a final opportunity to the ITI to represent itself within 21 days by a way of SCN. 7. The reply to the SCN was received on 10.01.2026. 8. The ITI submitted the following in its reply: a) All the machinery are in good working condition, photos and video of workshop is attached for verification. b) Workshop is very proper arranged having good illuminated lightening with RCC roof and white washed. c) As per NCVT norms before 2018 ED classes are run in Class Rooms. d) The copy of BCC is attached. e) Land and Building of ITI on leased deed, Electricity connection is in name of Property Owner as per NCVT norms it was valid when institute was established and approved by the NCVT on same Electricity Connection.	

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEV SHARMA
12:45 13.04.2026

Sr. No.	Name Of ITI, Address and MIS Code	Shift & Unit (As per NCVT MIS Portal)	Brief of Matter	27 th SCAA remarks
(1)	(2)	(3)	(4)	(5)
			f) ITI is established in 2014, there was no norms for fire safety certificate that time only fire extinguishers installed in the building required, that's are available in the building for safety concerns. g) IT Lab is properly arranged having 10 computers with latest configuration. h) Number of amenities are available for boys and girls as well as for staff also. Photos of amenities are attached. i) The building is constructed as per layout plan. A copy of map is attached. j) ITI is established in 2014, there was no norms for land requirements that time. k) A painted permanent signboard is available on the front of building. Photo is attached.	
2.	Swami Vivekanand Private Industrial Training Institute Address - 124, Vivek Vihar, Jagatpura, Jaipur 302025	Electrician – 7 (3+2+2)	1. Irregularities observed during joint inspection due to which SCN was issued to the ITI by the State on 06.06.2024. 2. Further, a joint inspection was again conducted on 03.06.2025 by the RDSDE and State official. 3. As per joint inspection, ITI denied for inspection vide letter dated 03.06.2025 due to strike declared by State- level ITI Association. 4. The inspecting member recommended for de-affiliation of ITI. 5. The matter was discussed in 9th SSDEC meeting held on 17.09.2025 and SSDEC	The matter was discussed in the SCAA meeting, and the SCAA decided as under: 1. In line with the principles of natural justice, the ITI was afforded final opportunity to represent itself by 25th SCAA in its meeting held on 13.11.2025 and 14.11.2025, to submit a show-cause reply explaining why the ITI should not be de-affiliated along with any supporting representation, within 21 days from the issuance of the minutes of that meeting.

Signature Not Verified

UJJWAL BISWAS

13.04.2026 15:49

Signature Not Verified

SHRINIVAS ARMA

12.04.2026 15:49

Sr. No.	Name Of ITI, Address and MIS Code	Shift & Unit (As per NCVT MIS Portal)	Brief of Matter	27 th SCAA remarks
(1)	(2)	(3)	(4)	(5)
	MIS Code - PR08001230		recommended de- affiliation of ITI as ITI refused for inspection. 6. Thereafter, the matter was reviewed in the 25th SCAA meeting dated 13.11.2025 and 14.11.2025, wherein, based on the joint inspection observations dated 3 June 2025, the committee granted the ITI a final opportunity to submit a show-cause reply explaining why the ITI should not be de-affiliated, along with any supporting representation, within 21 days from the issuance of the minutes. But, the ITI failed to avail itself of this opportunity as no reply has been received from the ITI within the prescribed time period.	2. The said communication was issued by DGT to the registered email of the institute on 24.12.2025. 3. Further, the ITI did not avail the final opportunity provided by DGT in the 25th SCAA meeting and failed to submit any reply or representation within the stipulated time, thereby exhibiting continued negligence and persistent non-compliance. 4. The ITI has blatantly refused to undergo inspection on the ground of a State-level ITI Association strike in the year 2025, which cannot be considered a valid reason for denying inspection. 5. Further, reliance is placed on various judgments of different High Courts which affirm that state or DGT may conduct inspections and take appropriate action. Notably, in W.P. No. 8116/2025 (Maa Shitla Pvt. ITI v. Union of India & Ors., MP High Court), it was held that the apex body is duty-bound to examine complaints, including through on-site inspections, and such action cannot be termed arbitrary. Similarly, in CWP-20763-2025 (Modern ITI Bathinda v. DGT, Punjab & Haryana High Court), the Court observed that re-inspection does not

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No.	Name Of ITI, Address and MIS Code	Shift & Unit (As per NCVT MIS Portal)	Brief of Matter	27 th SCAA remarks
(1)	(2)	(3)	(4)	(5)
				prejudice the petitioner. Further, in S.B. Civil W.P. No. 18022/2025 (Pooja Pvt. ITI & Ors. v. State of Rajasthan & Ors.), the Rajasthan High Court held that institutions cannot claim inspection as a matter of right in a particular manner or timeline, and compliance with deficiencies is a prerequisite for student admissions. 6. The quality of training imparted to students is of paramount importance to DGT, which cannot be ensured without on-site verification of the institute. The non-submission of a reply and refusal to undergo inspection clearly indicate that the ITI is not functioning in accordance with the prescribed norms, thereby defeating the very purpose of the Craftsmen Training Scheme (CTS). Therefore, in view of the above remarks and in the interest of the trainees, the ITI is hereby de-affiliated.
3.	Shivam Private ITI Address - Prem Nagar Foy Sagar Road Dist Ajmer Rajasthan	1. Electrician – 04 (2+2) 2. Mechanic Diesel – 03 (1+1+1)	1. Irregularities observed during joint inspection due to which SCN was issued to the ITI by the State on 23.08.2024. 2. The ITI did not reply to the SCN. 3. Further, a joint inspection was again conducted on 06.06.2025 by the RDSDE and State official.	The matter was discussed in the SCAA meeting, and the SCAA decided as under: 1. In line with the principles of natural justice, the ITI was afforded final opportunity to represent itself by 25th SCAA in its meeting held on 13.11.2025 and 14.11.2025, to submit a show-cause reply explaining why the ITI

Signature Not Verified
 UJJWAL BISWAS
 13.04.2026 15:49

Signature Not Verified
 SHRAMEV SHARMA
 12:45 13.04.2026

Sr. No.	Name Of ITI, Address and MIS Code	Shift & Unit (As per NCVT MIS Portal)	Brief of Matter	27 th SCAA remarks
(1)	(2)	(3)	(4)	(5)
	MIS Code - PU08001365		4. As per joint inspection report, the ITI has submitted a letter dated 04.06.2025 regarding self-surrender of the ITI. The self -surrender request of ITI was also submitted to State Directorate vide letter dated 29.06.2023. The inspecting member recommended for de-affiliation of ITI. 5. The matter was discussed in 9th SSDEC meeting held on 17.09.2025 and SSDEC recommended de- affiliation of ITI as ITI refused for inspection. 6. Thereafter, the matter was reviewed in the 25th SCAA meeting dated 13.11.2025 and 14.11.2025, wherein, based on the joint inspection observations dated 6th June 2025, the committee granted the ITI a final opportunity to submit a show-cause reply explaining why de-affiliation should not occur, along with any supporting representation, within 21 days from the issuance of the meeting minutes. But, the ITI failed to avail itself of this opportunity as no reply has been received from the ITI within the prescribed time period.	should not be de-affiliated along with any supporting representation, within 21 days from the issuance of the minutes of that meeting. 2. The said communication was issued by DGT to the registered email of the institute on 24.12.2025 3. Further, the ITI did not avail the final opportunity provided by DGT in the 25th SCAA meeting and failed to submit any reply or representation within the stipulated time, thereby exhibiting continued negligence and persistent non-compliance. 4. The ITI has blatantly refused to undergo inspection on the ground of a State-level ITI Association strike in the year 2025, which cannot be considered a valid reason for denying inspection. 5. Further, reliance is placed on various judgments of different High Courts which affirm that state or DGT may conduct inspections and take appropriate action. Notably, in W.P. No. 8116/2025 (Maa Shitla Pvt. ITI v. Union of India & Ors., MP High Court), it was held that the apex body is duty-bound to examine complaints, including

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEV SHARMA
12:45 13.04.2026

Sr. No.	Name Of ITI, Address and MIS Code	Shift & Unit (As per NCVT MIS Portal)	Brief of Matter	27 th SCAA remarks
(1)	(2)	(3)	(4)	(5)
				through on-site inspections, and such action cannot be termed arbitrary. Similarly, in CWP-20763-2025 (Modern ITI Bathinda v. DGT, Punjab & Haryana High Court), the Court observed that re-inspection does not prejudice the petitioner. Further, in S.B. Civil W.P. No. 18022/2025 (Pooja Pvt. ITI & Ors. v. State of Rajasthan & Ors.), the Rajasthan High Court held that institutions cannot claim inspection as a matter of right in a particular manner or timeline, and compliance with deficiencies is a prerequisite for student admissions. 6. The quality of training imparted to students is of paramount importance to DGT, which cannot be ensured without on-site verification of the institute. The non-submission of a reply and refusal to undergo inspection clearly indicate that the ITI is not functioning in accordance with the prescribed norms, thereby defeating the very purpose of the CTS. Therefore, in view of the above remarks and in the interest of the trainees, the ITI is hereby de-affiliated.

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEV SHARMA
12:45 13.04.2026

Sr. No.	Name Of ITI, Address and MIS Code	Shift & Unit (As per NCVT MIS Portal)	Brief of Matter	27 th SCAA remarks
(1)	(2)	(3)	(4)	(5)
4.	Vansh Pvt ITI, Address - Vill Th. Sikrai, Dist. Dausa MIS Code - PR08001807	1. COPA – 1 (1+0) 2. Electrician – 5 (2+1+2) 3. Fitter – 1 (0+0+1) 4. Health Sanitary Inspector – 3 (1+1+1)	1. Irregularities observed during joint inspection due to which SCN was issued to the ITI by the State on 19.08.2024. 2. The ITI did not reply to the SCN. 3. Further, a joint inspection was again conducted on 06.06.2025 by the RDSDE and State official. 4. During inspection the following were observed: a) ITI was found closed. b) The ITI management denied for inspection over the phone call and did not provide any written statement. c) A school was operating on the ITI premises. 5. The inspecting member recommended for de-affiliation of ITI. 6. The matter was discussed in 9th SSDEC meeting held on 17.09.2025 and SSDEC recommended de- affiliation of ITI as ITI refused for inspection. 7. Thereafter, the matter was reviewed in the 25th SCAA meeting dated 13.11.2025 and 14.11.2025, wherein, based on the joint inspection observations dated 6 th June 2025, the committee granted the ITI a final opportunity to submit a show-cause reply explaining why de-affiliation should not occur along with any supporting representation.	The matter was deliberated in the SCAA meeting, and the SCAA decided as under, based on the recommendations of the SSDEC: 1. It has been observed that the ITI was found closed during inspection. Further, the ITI management denied inspection telephonically and did not provide any written statement. It was also observed that a school was operating within the ITI premises. 2. In line with the principles of natural justice, the ITI was granted a final opportunity in the 25th SCAA meeting held on 13.11.2025 and 14.11.2025 to submit a show-cause reply, explaining why the ITI should not be de-affiliated, along with any supporting representation, within 21 days from the issuance of the minutes of that meeting. 3. The said communication was issued by DGT to the registered email ID of the institute on 24.12.2025. 4. Further, the ITI did not avail the opportunity provided and failed to submit any reply or representation within the stipulated time. 5. Further, reliance is placed on judicial pronouncements which affirm that DGT

Signature Not Verified
UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified
SHRADDHA ARMA
13.04.2026 15:49

Sr. No.	Name Of ITI, Address and MIS Code	Shift & Unit (As per NCVT MIS Portal)	Brief of Matter	27 th SCAA remarks
(1)	(2)	(3)	(4)	(5)
			within 21 days from the issuance of the meeting minutes. But, the ITI failed to avail itself of this opportunity as no reply has been received from the ITI within the prescribed time period.	and the State Directorate are empowered to conduct inspections and take appropriate action in case of non-compliance. Notably, in W.P. No. 8116/2025 (Maa Shitla Pvt. ITI v. Union of India & Ors., MP High Court), it was held that the apex body is duty-bound to examine complaints, including through on-site inspections, and such action cannot be termed arbitrary. Similarly, in CWP-20763-2025 (Modern ITI Bathinda v. DGT, Punjab & Haryana High Court), the Court observed that re-inspection does not prejudice the petitioner. Further, in S.B. Civil W.P. No. 18022/2025 (Pooja Pvt. ITI & Ors. v. State of Rajasthan & Ors.), the Rajasthan High Court held that institutions cannot claim inspection as a matter of right in a particular manner or timeline, and compliance with prescribed norms is essential. Accordingly, based on the facts on record, the closure of the ITI, denial of inspection, and use of the premises for other activities prevent verification of its functioning and indicate non-compliance with the prescribed norms. The ITI is hereby de-affiliated.

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No.	Name Of ITI, Address and MIS Code	Shift & Unit (As per NCVT MIS Portal)	Brief of Matter	27 th SCAA remarks
(1)	(2)	(3)	(4)	(5)
5.	Saint Joseph Private ITI, Village Bichharas, Diet Road, Dist.Tonk Rajasthan MIS Code - PR08000520	1. Draughtsman (Civil) – 1 (0+1+0) 2. Electrician – 1(1+0) 3. Fitter – 2(1+0+1)	1. Irregularities observed during joint inspection due to which SCN was issued to the ITI by the State on 28.10.2024. 2. Further, a joint inspection was again conducted on 17.06.2025 by the RDSDE and State official. 3. During inspection the following were observed: a) The ITI found closed. b) The ITI informed vide its letter dated 11.06.2025 that the ITI has been closed since last 03 years and earlier it has also been informed by ITI to State Directorate. The self -surrender of ITI was also requested in the letter. 4. The inspecting committee not recommended the ITI for affiliation. 5. The matter was discussed in 9th SSDEC meeting held on 17.09.2025 and SSDEC recommended continuation ITI for de-affiliation as ITI found closed. 6. Thereafter, the matter was reviewed in the 25th SCAA meeting dated 13.11.2025 and 14.11.2025, wherein, based on the joint inspection observations dated 17 th June 2025, the committee granted the ITI a final opportunity to submit a show-cause reply explaining why de-affiliation should not occur along with any supporting representation.	The matter was deliberated in the SCAA meeting, and the SCAA decided as under, based on the recommendations of the SSDEC: 1. It has been observed that the ITI was found closed during inspection. Further, the ITI, vide its letter dated 11.06.2025, informed that the institute has been closed for the last three years and had earlier also intimated the same to the State Directorate. The ITI had also requested for self-surrender of affiliation in the said communication. 2. In line with the principles of natural justice, the ITI was granted a final opportunity in the 25th SCAA meeting held on 13.11.2025 and 14.11.2025 to submit a show-cause reply, explaining why the ITI should not be de-affiliated, along with any supporting representation, within 21 days from the issuance of the minutes of that meeting. 3. The said communication was issued by DGT to the registered email ID of the institute on 24.12.2025. 4. Further, the ITI did not avail the opportunity provided and failed to submit

Signature Not Verified
UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified
SHRIRAMA
13.04.2026 15:49

Sr. No.	Name Of ITI, Address and MIS Code	Shift & Unit (As per NCVT MIS Portal)	Brief of Matter	27 th SCAA remarks
(1)	(2)	(3)	(4)	(5)
			within 21 days from the issuance of the meeting minutes. But, the ITI failed to avail itself of this opportunity as no reply has been received from the ITI within the prescribed time period.	any reply or representation within the stipulated time. Accordingly, based on the facts on record, the closure of the ITI and its own admission of non-functioning, along with the request for self-surrender, establish that the institute is not being operated for the purpose for which affiliation was granted. The ITI is hereby de-affiliated.

Signature Not Verified
UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified
SHRAMEEV SHARMA
12:45 13.04.2026

Annexure-3 as referred in Agenda 3 regrading Affiliation/De-affiliation matter of 267 ITIs, in continuation of the discussion under Agenda Item No. 2.1 of the Minutes of the 25th SCAA Meeting held on 13.11.2025 and 14.11.2025

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter	27 th SCAA decision
(1)	(2)	(3)	(4)	(5)
1.	Shri Jee Private Industrial Training Institute, Address - Near Deeg Road, Choki Chungi, Ward No. 20, Nagar, (Bharatpur)-321205 MIS Code - PR08001072	1. Electrician – 5 (2+2+1) 2. Fitter - 2 (1+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 03.01.2025. SCN replied dated 15.01.2025. 3. Further, a joint inspection was conducted on 16.06.2025 by the RDSDE and State official. 4. Following deficiencies have been found as per joint inspection conducted on 16.06.2025: i. For Electrician trade: a. Meggar was not found in working condition b. only one CITS instructor appointed for trade. ii. For Fitter trade: a. No CITS instructor appointed for Fitter trade. b. Some of the machinery for the trade fitter (Sr. No.198, 197, 199, 202, 201, 203, 204) are not available as per syllabus. iii. IT lab not as per the norms. iv. Fire extinguisher were not found in working condition. 5. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on	The SCAA, upon reviewing the response submitted by the ITI, decided to verify the claim of the ITI asserting full compliance with affiliation norms. Accordingly, joint inspection/verification of such ITIs shall be carried out by the Rajasthan State Directorate and RDSDE Rajasthan. The report thereof shall be submitted to the DGT within one month and shall be placed for discussion in the next SCAA meeting.

Signature Not Verified
UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified
SHRADDHA SRMA
13.04.2026 15:49

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter	27 th SCAA decision
(1)	(2)	(3)	(4)	(5)
			17.09.2025, has recommended continuation of affiliation for Electrician – 5 (2+2+1) and not recommended for affiliation of 2 units in Fitter Trade. 6. Thereafter, the matter was discussed in the 25th SCAA Meeting, wherein the ITI was granted a final opportunity to show cause as to why the Fitter – 2 (1+1) trade/unit should not be de-affiliated within 21 days from the date of issue of the Minutes. 7. The reply to the SCN was received from the ITI on 08.01.2026. 8. In its reply the ITI submitted the following: a) With reference to your previous letter, we are pleased to inform you that all observations/points (including Point No. 13) as mentioned in the said letter have been fully complied with and necessary improvements have been carried out at Shri Ji Private Industrial Training Institute, Deeg, District Bharatpur. b) We therefore most humbly request you to kindly arrange an early re-inspection of the Fitter Trade so that the institute can commence the admission process for the upcoming session and provide quality skill training to the youth from nearby areas.	

Signature Not Verified


 UJJWAL BISWAS
 13.04.2026 15:49

Signature Not Verified


 SHRAMEV SHARMA
 12:45 13.04.2026

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter	27 th SCAA decision
(1)	(2)	(3)	(4)	(5)
2.	K.G.R. Private Industrial Training Institute, Address - Village. Bhanpur Kalan, Teh.Jamwaramgarh, Dist.Jaipur Rajasthan- 302028 MIS Code - PR08001538	Electrician - 12 (4+4+4)	- Irregularities observed during initial Inspection conducted by State official on 24.12.2024. - SCN was issued to the ITI by the State on 07.01.2025. SCN replied dated 28.01.2025. - Further, a joint inspection was conducted on 28.06.2025 by the RDSDE and State official. - Joint Inspection committee has recommended continuation of affiliation for following trade/units: Electrician - 6 (2+2+2) - Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended continuation of affiliation for: Electrician - 6 (2+2+2). However, Major Machinery in second Lab in basement is not in working Condition, Poor fire safety arrangements second lab of electrician trade and insufficient Tools & Equipment for Unit 02. Not Recommended: Electrician- 06 (2+2+2) unit. - Thereafter, the matter was discussed in the 25th SCAA Meeting, wherein the ITI was granted a final opportunity to show cause as to why the Electrician – 6 (2+2+2) trade/unit should not be de-affiliated within 21 days from the date of issue of the Minutes. - The reply to the SCN was received on 12.01.2026.	The SCAA, upon reviewing the response submitted by the ITI, recommended de-affiliation of Electrician- 6 (2+2+2) units

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEV SHARMA
12.45 13.04.2026

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter	27 th SCAA decision
(1)	(2)	(3)	(4)	(5)
			8. In its reply the ITI submitted the following: a) Point No. 1: Due to continuous low admissions of trainees, the institute agrees/accepts the SCAA recommendation to retain affiliation only for 6 units (2+2+2) in the relevant trade (likely Electrician). b) Point No. 2: The institute also consents to the de-affiliation of the remaining 6 units (2+2+2). It is submitting this consent letter as per the comments in the DGT letter. c) Request: The institute requests that DGT accept this consent and proceed with necessary further actions to formalize affiliation for only 6 units (2+2+2) (and de-affiliate the excess units).	
3.	Rajasthan Private Industrial Training Institute, Vpo Jamwaramgarh, Dist.-Jaipur Pin-303109 Rajasthan MIS Code - PR08001494	Electrician - 12 (4+4+4)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 07.01.2025. SCN replied dated 27.01.2025. 3. Further, a joint inspection was conducted on 27.06.2025 by the RDSDE and State official. 4. Joint Inspection committee has recommended continuation of affiliation for following trade/units: Electrician - 6 (2+2+2). 5. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended continuation of affiliation for: Electrician - 6 (2+2+2).	The matter was deliberated in the SCAA meeting, and the SCAA decided as under, based on the recommendations of the SSDEC: 1. It has been observed that deficiencies exist in respect of prescribed norms relating to machinery, tools and equipment, safety arrangements, and infrastructure, including non-functional machinery, inadequate fire safety

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEL SHARMA
12.45.13.04.2026

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter	27 th SCAA decision
(1)	(2)	(3)	(4)	(5)
			Major Machinery in second Lab on second floor is not in working Condition, Poor fire safety arrangements, insufficient tools and equipment for unit 02. Second floor was in tinned shade. Not Recommended Electrician - 6(2+2+2) 6. Thereafter, the matter was discussed in the 25th SCAA Meeting, wherein the ITI was granted a final opportunity to show cause as to why the Electrician – 6 (2+2+2) trade/unit should not be de-affiliated within 21 days from the date of issue of the Minutes. 7. The ITI did not reply to the SCN.	provisions, insufficient tools and equipment, and non-compliant workshop structure. 2. In line with the principles of natural justice, the ITI was granted a final opportunity in the 25th SCAA meeting held on 13.11.2025 and 14.11.2025 to submit a show-cause reply, explaining why the Electrician – 6 (2+2+2) trade/units should not be de-affiliated, along with any supporting representation, within 21 days from the issuance of the minutes of that meeting. 3. The said communication was issued by DGT to the registered email ID of the institute on 24.12.2025. 4. Further, the ITI did not avail the opportunity provided and failed to submit any reply or representation within the stipulated time. Accordingly, based on the facts on record, the above deficiencies indicate non-compliance with the

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12.45 13.04.2026

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter	27 th SCAA decision
(1)	(2)	(3)	(4)	(5)
				prescribed norms and adversely affect the quality and safety of training. Therefore, in view of the interest of the trainees and the continuous violations of the affiliation norms, the Electrician – 6 (2+2+2) trade/units are hereby de-affiliated.
4.	SK Greenwood Private Industrial Training Institute, Sekh Basni, Deedwana, Dist. Nagore-341303 (PR08000363)	1. Electrician - 2 (1+1) 2. Plumber - 1 (1+0)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 04.01.2025. SCN replied dated 24.01.2025. 3. Further, a joint inspection was conducted on 25.06.2025 by the RDSDE and State official. 4. Inspecting members have given following observation that a. For Electrician trade hand tools are shortage by 30% b. No tools and equipment found in plumber trade, recommended for de-affiliation. 5. However, they have recommended affiliation for Electrician - 2 (1+1) and de-affiliation for Plumber Trade. 6. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended continuation of affiliation for Electrician - 2 (1+1) and de-affiliation for Plumber trade.	The matter was deliberated in the SCAA meeting, and the SCAA decided as under, based on the recommendations of the SSDEC: 1. It has been observed that no tools and equipment were found available in the Plumber trade during inspection. 2. In line with the principles of natural justice, the ITI was granted a final opportunity in the 25th SCAA meeting held on 13.11.2025 and 14.11.2025 to submit a show-cause reply, explaining why the Plumber – 1 (1+0) trade/unit should not be de-affiliated, along with any supporting representation, within 21 days from the

Signature Not Verified
UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified
SHRAMEEV SHARMA
12.45 13.04.2026

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter	27 th SCAA decision
(1)	(2)	(3)	(4)	(5)
			7. Thereafter, the matter was discussed in the 25th SCAA Meeting, wherein the ITI was granted a final opportunity to show cause as to why the Plumber - 1 (1+0) trade/unit should not be de-affiliated within 21 days from the date of issue of the Minutes. 8. The ITI did not reply to the SCN.	issuance of the minutes of that meeting. 3. The said communication was issued by DGT to the registered email ID of the institute on 24.12.2025. 4. Further, the ITI did not avail the opportunity provided and failed to submit any reply or representation within the stipulated time. Accordingly, based on the facts on record, the absence of essential tools and equipment indicates non-compliance with the prescribed norms and adversely affects the conduct of training. Therefore, in view of the interest of the trainees and the continuous violations of the affiliation norms, the Plumber – 1 (1+0) trade/unit is hereby de-affiliated.

Signature Not Verified

 UJJWAL BISWAS
 13.04.2026 15:49

Signature Not Verified

 SHRAMEEV SHARMA
 12:45 13.04.2026

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter	27 th SCAA decision
(1)	(2)	(3)	(4)	(5)
5.	Dev Private Industrial Training Institute, Ward No.16, Rajgarh Road, Taranagar, Distt. Churu-331304 (PR08001206)	1. Electrician 5 (2+2+1) 2. Mechanic Diesel – 3 (1+1+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 08.01.2025. SCN replied dated 18.01.2025. 3. Further, a joint inspection was conducted on 08.07.2025 by the RDSDE and State official. 4. Inspecting members have given following observation that a. Major and minor Machinery were less than 50% for Mechanic Diesel trade, tools and equipment were not in working condition. b. Class room, ED and Library were not as per norms, as per annexure 3 only one trainer for Electrician trade was present. c. Experience certificate and salary not mentioned in annexure 3. 5. Inspecting members have given recommendation for affiliation of Electrician – 4 (2+2) and de-affiliation for Mechanic Diesel 3 (1+1+1). 6. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended continuation of affiliation for Electrician - 4 (2+2) and de-affiliation for Mechanic Diesel trade. 7. Thereafter, the matter was discussed in the 25th SCAA Meeting, wherein the ITI was granted a final opportunity to show cause as to why the	The matter was deliberated in the SCAA meeting, and the SCAA decided as under, based on the recommendations of the SSDEC: 1. In line with the principles of natural justice, the ITI was afforded several chances to rectify the deficiencies. Most recently, in 25 th SCAA meeting held on 13.11.2025 and 14.11.2025, the SCAA granted the ITI a final opportunity to submit a show-cause reply — explaining why the Mechanic Diesel – 3 (1+1+1) trade/units should not be de-affiliated along with any supporting representation, within 21 days from the issuance of the minutes of that meeting. 2. The ITI, however, failed to submit any reply or representation within the stipulated time, thereby exhibiting continued

Signature Not Verified
UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified
SHRUTI SINGH
12.45 13.04.2026

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter	27 th SCAA decision
(1)	(2)	(3)	(4)	(5)
			Mechanic Diesel – 3 (1+1+1) trade/units should not be de-affiliated within 21 days from the date of issue of the Minutes. 8. The ITI did not reply to the SCN.	negligence and persistent non-compliance. Therefore, in view of the interest of the trainees and the continuous violations of the affiliation norms, the Mechanic Diesel – 3 (1+1+1) trade/units are hereby de-affiliated.
6.	Shri Ram Private Industrial Training Institute, Aambhar Road, Bhadarpura, Teh. Phulera, Dist. Jaipur Rajasthan (PU08001608)	1. Electrician – 6 (2+2+2) 2. Mechanic Diesel - 3 (1+1+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 07.01.2025. SCN replied dated 23.01.2025. 3. Further, a joint inspection was conducted on 04.07.2025 by the RDSDE and State official. 4. Inspecting members have given following comments: a. Workshop of Mechanic Diesel not as per norms. b. School was also running in same building with partition of building, Machinery. c. S.No.179,181,190,195,203, etc not available for MD trade, CITS instructor needed to be appointed principal was not qualified as per DGT Norms, staff details were not filled in Annex III. 5. However, inspecting members have given recommendation for affiliation of Electrician –	The SCAA, upon reviewing the response submitted by the ITI, decided to verify the claim of the ITI asserting full compliance with affiliation norms. Accordingly, joint inspection/verification of such ITIs shall be carried out by the Rajasthan State Directorate and RDSDE Rajasthan. The report thereof shall be submitted to the DGT within one month and shall be placed for discussion in the next SCAA meeting.

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter	27 th SCAA decision
(1)	(2)	(3)	(4)	(5)
			6 (2+2+2) and not recommended for Mechanic Diesel. 6. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has given following comments: - Conditional Recommendation for Electrician – 6 (2+2+2) on the basis of compliance for removing deficiency till next SSDEC meeting till then admission in session 2025-25 will be on hold. - Not recommended for Mechanic Diesel trade. 7. The 9th SSDEC meeting held on 17.09.2025 also not recommended for Mechanic Diesel trade due to various deficiencies observed in the joint inspection dated 04.07.2025. 8. Therefore, the ITI was conditionally recommended for Electrician 6(2+2+2) on the basis of compliance for removing deficiency till next SSDEC meeting till then admission in session 2025-25 will be on hold. 9. The matter was again discussed in the 10th SSDEC meeting held on 23.09.2025 and SSDEC recommended the Electrician-6(2+2+2) as the ITI has removed all the deficiencies in the stipulated period. 10. Thereafter, the matter was discussed in the 25th SCAA Meeting, wherein the ITI was granted a	

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEE WADIM
12.45 13.04.2026

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter	27 th SCAA decision
(1)	(2)	(3)	(4)	(5)
			final opportunity to show cause as to why the Mechanic Diesel - 3(1+1+1) trade/unit should not be de-affiliated within 21 days from the date of issue of the Minutes. 11. The reply to the SCN was received on 10.01.2026. 12. In its reply the ITI submitted the following: a) As per the building plan, the Mechanic Diesel workshop and parking area have been completed as per DGT norms. b) The deficiencies found in the machinery items as per the tool list for the Mechanic Diesel trade, specifically items with serial numbers 179, 181-Automotive 5 Gas Analyzer, 190, 195-Pneumatic Rivet Gun, and 203-Fuel Injection Test Bench for Calibration of Fuel Pump have been rectified. c) All these machines have been purchased, and copies of the bills are attached. A copy of the agreement for serial number 179 is also attached. d) CITS instructors have been appointed, and their appointment letters are attached. e) Therefore, we request that the affiliation of our Mechanic Diesel trade (1+1+1) not be cancelled and that we be allowed to admit students in the Mechanic Diesel trade (1+1+1) on a regular basis and ~~kindly extend your~~	

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

KISHOR MEV
13.04.2026

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter	27 th SCAA decision
(1)	(2)	(3)	(4)	(5)
			cooperation so that we can keep the Mechanic Diesel trade alive even during these challenging times.	
7.	Hari Shankar Private ITI, Ganesh Nagar, Anah Sewar Road, Near Chamunda Mandir, Dist. Bharatpur-321001 (PU08001633)	1. Electrician - 2 (1+1+0) 2. Fitter - 3 (1+1+1) 3. Computer Operator and Programming Assistant - 3 (1+1+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 03.01.2025. SCN replied dated 20.01.2025. 3. Further, a joint inspection was conducted on 25.06.2025 by the RDSDE and State official. 4. Inspecting members have given following comments: i. Fitter – one instructor is less, also documents provided by the ITI are for two trade instructors only. Out of three required and illumination/ lighting arrangement for third shift is not proper. ii. COPA Trade- No. of Desktop Computers are less than required as per latest NCVET trade syllabus, Desktop computers are not as per latest NCVET trade syllabus Specifications, most of Desktop computers are not in working condition 4. However, inspecting members have given recommendation for affiliation of Electrician - 2 (1+1+0) and Fitter – 2 (1+1) and not recommended for Fitter 1 (0+0+1) and Computer Operator and Programming Assistant – 3 (1+1+1)	The matter was deliberated in the SCAA meeting, and the SCAA decided as under, based on the recommendations of the SSDEC: 1. It has been observed that deficiencies exist in respect of prescribed norms relating to instructor availability, infrastructure, and tools and equipment. In the Fitter trade, shortage of instructors was observed, and adequate illumination and lighting arrangements for the third shift were not available. In the Computer Operator and Programming Assistant (COPA) trade, the number of desktop computers was found to be less than required as per the latest NCVET trade syllabus, and the available systems were not as per prescribed specifications, with

Signature Not Verified
UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified
SHRAMEET SHARMA
13.04.2026 15:45

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter	27 th SCAA decision
(1)	(2)	(3)	(4)	(5)
			5. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended for continuation of affiliation for Electrician - 2 (1+1+0) and Fitter – 2 (1+1). 6. Thereafter, the matter was discussed in the 25th SCAA Meeting, wherein the ITI was granted a final opportunity to show cause as to why the Fitter 1 (0+0+1) and Computer Operator and Programming Assistant – 3 (1+1+1) trades/units should not be de-affiliated within 21 days from the date of issue of the Minutes. 7. The ITI did not reply to the SCN.	most of them being non-functional. 2. In line with the principles of natural justice, the ITI was granted a final opportunity in the 25th SCAA meeting held on 13.11.2025 and 14.11.2025 to submit a show-cause reply, explaining why the Fitter – 1 (0+0+1) and Computer Operator and Programming Assistant – 3 (1+1+1) trade/units should not be de-affiliated, along with any supporting representation, within 21 days from the issuance of the minutes of that meeting. 3. The said communication was issued by DGT to the registered email ID of the institute on 24.12.2025. 4. Further, the ITI did not avail the opportunity provided and failed to submit any reply or representation within the stipulated time.

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter	27 th SCAA decision
(1)	(2)	(3)	(4)	(5)
				Accordingly, based on the facts on record, the above deficiencies indicate non-compliance with the prescribed norms and adversely affect the quality of training. Therefore, in view of the interest of the trainees and the continuous violations of the affiliation norms, the Fitter – 1 (0+0+1) and Computer Operator and Programming Assistant – 3 (1+1+1) trade/units are hereby de-affiliated.
8.	Maharaja Surajmal Private Industrial Training Institute, Nagla Maithna, Kumher, Dist.-Bharatpur Pin-321201 Rajasthan (PR08001458)	1. Electrician – 4 (2+2+0) 2. Fitter -2 (1+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 03.01.2025. SCN replied dated 16.01.2025. 3. Further, a joint inspection was conducted on 24.06.2025 by the RDSDE and State official. 4. Inspecting members have given following comments: a. Fitter: Lathe and Drilling machine are not in working condition. There is shortage of Machinery, tool and equipment. b. Electrician: Unit consumptions are very less from last one year. 5. However, inspecting members have given recommendation for affiliation of Electrician –	The matter was deliberated in the SCAA meeting, and the SCAA decided as under, based on the recommendations of the SSDEC: 1. It has been observed that deficiencies exist in respect of prescribed norms relating to machinery, tools and equipment in the Fitter trade, including non-functional major machinery such as lathe and drilling machines, and shortage of required machinery, tools and equipment.

Signature Not Verified
UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified
GHRADIV SINGH
12.45 13.04.2026

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter	27 th SCAA decision
(1)	(2)	(3)	(4)	(5)
			4 (2+2+0) and not recommended for Fitter -2 (1+1). The recommendations in Electrician trade are subject to condition that as the unit consumptions are very less from last one year. The ITI has submitted their clarification about average bill due to improper function of meter. So, recommendation of electrician is only after if meter report of unit generation is in favour of ITI by JVVNL. 6. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended for continuation of affiliation for Electrician – 4 (2+2+0) unit subjected to condition as the unit consumptions are very less from last one year. As ITI has submitted their clarification about average bill due to improper function of meter. So, Recommendation of electrician is only after if meter report of unit generation is in favour of ITI by JVVNL. Not Recommended Fitter (1+1)02 unit as per Joint inspection report. Thereafter, the matter was discussed in the 25th SCAA Meeting, wherein the ITI was granted a final opportunity to show cause as to why the Fitter -2 (1+1) trade/units should not be de-affiliated within 21 days from the date of issue of the Minutes.	2. In line with the principles of natural justice, the ITI was granted a final opportunity in the 25th SCAA meeting held on 13.11.2025 and 14.11.2025 to submit a show-cause reply, explaining why the Fitter – 2 (1+1) trade/units should not be de-affiliated, along with any supporting representation, within 21 days from the issuance of the minutes of that meeting. 3. The said communication was issued by DGT to the registered email ID of the institute on 24.12.2025. 4. Further, the ITI did not avail the opportunity provided and failed to submit any reply or representation within the stipulated time. Accordingly, based on the facts on record, the above deficiencies indicate non-compliance with the prescribed norms and adversely affect the quality of training. Therefore, in view of the interest

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12.45 13.04.2026

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter	27 th SCAA decision
(1)	(2)	(3)	(4)	(5)
			7. The ITI did not reply to the SCN.	of the trainees and the continuous violations of the affiliation norms, the Fitter – 2 (1+1) trade/units are hereby de-affiliated.
9.	Mother Taresa Private Industrial Training Institute, Near K.D. Public School, Dehra Mode, Nadbai (Bharatpur) -321602 (PR08001062)	1. Electrician - 4 (2+2) 2. Fitter – 4 (2+2).	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 03.01.2025. SCN replied dated 21.01.2025. 3. Further, a joint inspection was conducted on 28.06.2025 by the RDSDE and State official. 4. Inspecting members have given following observations: a. For Fitter trade: One of Lathe machine is not of dimensions as per NCVET Latest syllabus i.e. centre height 150 mm and centre distance 1000 mm. Some machines are not in working condition. There are shortage of machines, tools and equipment as per latest STL. Due to deficiency affiliation of fitter trade can't be continued. 5. Inspecting members have recommended for affiliation of Electrician - 4 (2+2) and not recommended for Fitter – 4 (2+2) 6. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended continuation of affiliation for Electrician - 4 (2+2) and not recommended for Fitter – 4 (2+2).	The SCAA, upon reviewing the response submitted by the ITI, decided to verify the claim of the ITI asserting full compliance with affiliation norms. Accordingly, joint inspection/verification of such ITIs shall be carried out by the Rajasthan State Directorate and RDSDE Rajasthan. The report thereof shall be submitted to the DGT within one month and shall be placed for discussion in the next SCAA meeting.

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEV SHARMA
12:45 13.04.2026

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter	27 th SCAA decision
(1)	(2)	(3)	(4)	(5)
			7. Thereafter, the matter was discussed in the 25th SCAA Meeting, wherein the ITI was granted a final opportunity to show cause as to why the Fitter -4 (2+2) trade/unit should not be de-affiliated within 21 days from the date of issue of the Minutes. 8. The reply to the SCN was received on 13.01.2026. 9. In its reply the ITI submitted the following: - Clerical Error in Institute Address - It is respectfully submitted that there are clerical errors in the Minutes of the Meeting regarding the institute's address, which may kindly be corrected in the official records. Availability of Workshops and Infrastructure- The institute operates two fully functional workshops for four units of the Fitter Trade. All required infrastructure facilities are available as per prescribed norms. Availability of Tools and Equipment- There is no shortage of tools and equipment as alleged. All required items as per the latest syllabus are available in adequate quantity. Any minor repair-related issues observed during inspection have already been rectified.	

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEV SHARMA
12.45 13.04.2026

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter	27 th SCAA decision
(1)	(2)	(3)	(4)	(5)
			e) Lathe Machine Observation- Without prejudice, it is submitted that even if a deficiency were assumed in respect of one lathe machine, the infrastructure available is sufficient to justify recommendation of at least two units of the Fitter Trade. f) Parity with Similarly Placed ITIs-It is respectfully submitted that in several instances, other ITIs have been granted continuation of affiliation or relaxation by the Joint Inspection Committee despite similar or comparatively greater deficiencies. In the interest of parity and consistency, the institute seeks similar consideration. g) Importance of Fitter Trade-The Fitter Trade plays a significant role in skill diversification and enhancing employment opportunities for trainees. Discontinuation would adversely affect students and the local skill ecosystem. h) Prayer- In view of the clarifications submitted, rectification of minor issues, available infrastructure, and precedents of relaxation granted in similar cases, the institute respectfully requests sympathetic consideration and	

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter	27 th SCAA decision
(1)	(2)	(3)	(4)	(5)
			continuation of affiliation for Fitter Trade (2 units). i) The institute assures its readiness to submit any additional clarification or documentary proof, if required.	
10.	Shri Agrasen Private Industrial Training Institute, Near Anaj Mandi, Alwar Road, Barodameo, (Alwar) -301001 (PR08000429)	1. Electrician – 2 (1+1) 2. Mechanic Diesel – 2 (1+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 07.01.2025. SCN replied dated 24.01.2025. 3. Further, a joint inspection was conducted on 31.07.2025 by the RDSDE and State official. 4. Inspecting members have given following observations a. Major machinery in Mechanic Diesel trade not available. b. Tools of Trainee tool kit of Mechanic Diesel are less. c. Workshop Area Mechanic Diesel not as per approved plan 5. Inspecting members have recommended affiliation for Electrician – 2 (1+1) and not recommended for Mechanic Diesel – 2 (1+1). 6. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended continuation of affiliation for Electrician – 2 (1+1) and not recommended for Mechanic Diesel – 2 (1+1). 7. Thereafter, the matter was discussed in the 25th SCAA Meeting, wherein the EI was granted a	The SCAA, upon reviewing the response submitted by the ITI, decided to verify the claim of the ITI asserting full compliance with affiliation norms. Accordingly, joint inspection/verification of such ITIs shall be carried out by the Rajasthan State Directorate and RDSDE Rajasthan. The report thereof shall be submitted to the DGT within one month and shall be placed for discussion in the next SCAA meeting.

Signature Not Verified
UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified
SHRAMEE WADIM,
12.45.13.04.2026

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter	27 th SCAA decision
(1)	(2)	(3)	(4)	(5)
			final opportunity to show cause as to why the Mechanic Diesel – 2 (1+1) trade/unit should not be de-affiliated within 21 days from the date of issue of the Minutes. 8. The reply to the SCN was received on 12.01.2026. 9. In its reply the ITI submitted the following: a) Major machinery shortage in Mechanic Diesel lab – Institute has purchased and installed the required machinery. b) Insufficient tools in Trainee Tool Kit – Institute has purchased and added the missing tools. c) Mechanic Diesel workshop allegedly not as per approved plan – Institute asserts the workshop is exactly as per the approved plan under which NCVT affiliation was granted in 2008; no changes have been made. Ready for re-inspection to verify compliance with NCVT norms. d) Prayer / Request: Grant permission for admissions in Mechanic Diesel trade with 2 units (1+1). Institute is fully committed to complying with all DGT and state government norms. e) The ITI has attached the following as supporting documents: Bills/invoices for purchased tools and machinery are	

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter	27 th SCAA decision
(1)	(2)	(3)	(4)	(5)
			enclosed for acceptance and verification. Copy of Building Plan of the ITI.	
11.	Matasya Private Industrial Training Institute, G & P Barodamev, The. Laxmangarh (Alwar)- 321607 (PR08000465)	1. Electrician - 4 (2+2) 2. Fitter – 02 (1+1).	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 07.01.2025. SCN replied dated 24.01.2025. 3. Further, a joint inspection was conducted on 30.07.2025 by the RDSDE and State official. 4. Inspecting members have given following observation: a. Only 01 lathe machine (not working condition) available in place of required 02 in fitter trade. b. Major machine (pneumatic & Hydraulic) in fitter trade from sr. no 198-204 not available. c. Other tools from sr. no. 146-148, 150-151, 153,155-157,159-169, 172, 184,185 also not available in fitter trade 5. However, inspecting members have recommended affiliation for Electrician – 2 (1+1) and not recommended for Fitter trade. 6. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended continuation of affiliation for Electrician – 2 (1+1). 7. Thereafter, the matter was discussed in the 25th SCAA Meeting, wherein the ITI was granted a final opportunity to show-cause as to why the	The matter was deliberated in the SCAA meeting, and the SCAA decided as under, based on the recommendations of the SSDEC: 1. It has been observed that deficiencies exist in respect of prescribed norms relating to machinery, tools and equipment in the Fitter trade, including availability of only one lathe machine in non-working condition against the requirement of two, non-availability of major machinery such as pneumatic and hydraulic systems, and absence of several tools and equipment as per the prescribed syllabus. 2. In line with the principles of natural justice, the ITI was granted a final opportunity in the 25th SCAA meeting held on 13.11.2025 and 14.11.2025 to submit a show-cause reply, explaining why the Fitter – 2

Signature Not Verified
UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified
SHRUTI SINGH
12.45 13.04.2026

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter	27 th SCAA decision
(1)	(2)	(3)	(4)	(5)
			Fitter -2 (1+1) trade/units should not be de-affiliated within 21 days from the date of issue of the Minutes. 8. The ITI submitted its reply dated 27.01.2026 with a delay.	(1+1) trade/units should not be de-affiliated, along with any supporting representation, within 21 days from the issuance of the minutes of that meeting. 3. The said communication was issued by DGT to the registered email ID of the institute on 24.12.2025. 4. Further, the ITI did not avail the opportunity provided and failed to submit any reply or representation within the stipulated time. Accordingly, based on the facts on record, the above deficiencies indicate non-compliance with the prescribed norms and adversely affect the quality of training. Therefore, in view of the interest of the trainees and the continuous violations of the affiliation norms, the Fitter – 2 (1+1) trade/units are hereby de-affiliated.

Signature Not Verified



UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified



SHRAMEV SHARMA
12:45 13.04.2026

12.	Nainwa Private ITI, Near Phed Office, Bansi Road, Tehsi Nainwa, Dist. Bundi - 323801 (PR08001141)	Electrician – 17 (6+6+5)	- Irregularities observed during initial Inspection conducted by State official on 24.12.2024. - SCN was issued to the ITI by the State on 30.12.2025. SCN replied dated 08.01.2025. - Further, a joint inspection was conducted on 30.07.2025 by the RDSDE and State official. - Inspecting members have given following observations: - During the inspection, 50–60% of hand tools were not found. 5 out of 6 labs were located in the basement, where around 2 feet of water logging was observed with no drainage arrangement, causing electricity supply failure. Due to these adverse conditions, inspection could not be carried out effectively. - Additionally, the land is recorded as agricultural land and no land conversion documents were provided. - Further, inspecting members have recommended continuation of affiliation for Electrician – 3 (1+1+1). - Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended continuation of affiliation for Electrician – 3 (1+1+1). - Thereafter, the matter was discussed in the 25th SCAA Meeting, wherein the ITI was granted a final opportunity to show cause as to why the Electrician – 14 (5+5+4) trade/unit should not be de-affiliated within 21 days from the date of issue of the Minutes. - The reply to the SCN was received on 06.01.2026.	The SCAA, upon reviewing the response submitted by the ITI, decided to verify the claim of the ITI asserting full compliance with affiliation norms. Accordingly, joint inspection/verification of such ITIs shall be carried out by the Rajasthan State Directorate and RDSDE Rajasthan. The report thereof shall be submitted to the DGT within one month and shall be placed for discussion in the next SCAA meeting.

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEV SHARMA
12:45 13.04.2026

			9. The ITI submitted the following in its reply: - The Institute has been functioning in accordance with NCVT norms since 2008. The land was purchased in the name of the Institute in 2009, and the building was constructed accordingly. - In 2014, shifting of the building was duly approved after QCI inspection, and DGT granted affiliation for the Electrician trade (18 units) vide letter No. 6/20/191/2008-TC dated 31.07.2014. - The Institute has previously functioned as an examination centre and is fully equipped with workshops, machinery, tools, library, computer lab, and playground as per NCVT 2014 norms. It is one of the largest and well-established ITIs in the district, providing training and employment opportunities to a large number of trainees. - The Institute has six approved workshops, including five situated in the basement, which were duly recognized by DGET in 2014. However, the inspection conducted on 30.07.2025 was carried out as per NCVT 2018 norms, which are not applicable to the Institute approved under 2014 norms, despite repeated representations in this regard. - The inspection was conducted during heavy rainfall and ~~in~~ like conditions	

Signature Not Verified
 UJJWAL BISWAS
 13.04.2026 15:49

Signature Not Verified
 SHR. MEENAKSHI
 12:45 13.04.2026

			in Bundi district, when a public holiday had been declared and roads were blocked. Temporary water accumulation in the basement occurred due to the unprecedented rainfall but was promptly removed. These exceptional circumstances were not adequately considered. f) Without considering the above facts and circumstances, 15 units were de-affiliated within a short span of time. g) In view of the above submissions, it is humbly requested that the explanation furnished by the Institute may kindly be accepted, the decision regarding de-affiliation of 15 units may be reconsidered, and appropriate directions may be issued in the interest of justice and the future of the students. h) The ITI submitted the Building Completion Certificate of the ITI along with ITi photographs with Electrician lab , classrooms, and machinery installed photos.	

Signature Not Verified

 UJJWAL BISWAS
 13.04.2026 15:49

Signature Not Verified

 SHRAMEEV SHARMA
 12:45 13.04.2026

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter	27 th SCAA decision
(1)	(2)	(3)	(4)	(5)
13.	Shri Lal Bahadur Shastri Private Industrial Training Institute, Sector-1, Mahaveer Nagar Vistar Yojna, The. Ladpura, Kota-324009 (PR08001127)	Electrician - 12 (6+6)	- Irregularities observed during initial Inspection conducted by State official on 24.12.2024. - SCN was issued to the ITI by the State on 30.12.2025. SCN replied dated 18.01.2025. - Further, a joint inspection was conducted on 21.07.2025 to 26.07.2025 by the RDSDE and State official. - Inspecting members have given following observations: - Working machinery available for running (2+2) units only. - Trainers are not CITS qualified. - IT lab Computer systems are outdated. - Electricity bill not in the name of ITI although Load distribution certificate available. - ITI management society also running school in the same building Separate ITI entrance available. - Further, inspecting members have recommended continuation of affiliation for Electrician – 4 (2+2) and not recommended for Electrician – 8 (4+4). - Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended continuation of affiliation for Electrician – 4 (2+2) and not recommended for Electrician – 8 (4+4).	The SCAA, upon reviewing the response submitted by the ITI, decided to verify the claim of the ITI asserting full compliance with affiliation norms. Accordingly, joint inspection/verification of such ITIs shall be carried out by the Rajasthan State Directorate and RDSDE Rajasthan. The report thereof shall be submitted to the DGT within one month and shall be placed for discussion in the next SCAA meeting.

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter	27 th SCAA decision
(1)	(2)	(3)	(4)	(5)
			Thereafter, the matter was discussed in the 25th SCAA Meeting, wherein the ITI was granted a final opportunity to show cause as to why the Electrician – 8 (4+4) trade/units should not be de-affiliated within 21 days from the date of issue of the Minutes. 7. The reply to the SCN was received on 12.01.2026. 8. In its reply the ITI submitted the following: a) Working machinery available only for running 4 (2+2) units- All prescribed machinery, tools, and equipment for 8 (4+4) units in Electrician trade are available and functional per NCVT norms. Detailed list and photos attached (Annexure -I). b) Trainers are not CITS qualified CITS- qualified trainers appointed. Appointment letters and CITS certificates attached (Annexure -II). c) IT Lab computer systems are outdated- New i3 configuration computers procured, complying with IT norms. (Likely bills/photos attached, Annexure -III.) d) The ITI has attached the following supporting documents: Tools & Equipment lists, Lab photos, instructor	

Signature Not Verified

UJJWAL BISWAS

13.04.2026 15:49

Signature Not Verified

SHRIMATI

12.45 13.04.2026

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter	27 th SCAA decision
(1)	(2)	(3)	(4)	(5)
			appointment, qualification documents, copy of bills Purchased item for ITI lab.	
14.	Danteshwari Private Industrial Training Institute, Near New Bus Stand, Sirmathura, The. Baseri (Dhaulpur) (PR08000853)	Electrician - 3 (2+1) Mechanic Diesel – 1 (1+0)	- Irregularities observed during initial Inspection conducted by State official on 24.12.2024. - SCN was issued to the ITI by the State on 03.01.2025. SCN replied dated 23.01.2025. - Further, a joint inspection was conducted on 29.07.2025 by the RDSDE and State official. - Inspecting members have given following observations: - ITI denied inspection for Mechanic Diesel trade. - Needs improvement in machinery installation - Further, inspecting members have recommended continuation of affiliation for Electrician – 3 (2+1). - Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended continuation of affiliation for Electrician - 3 (2+1) and not recommended for affiliation in Mechanic Diesel. - Thereafter, the matter was discussed in the 25th SCAA Meeting, wherein the CI was granted a	The matter was deliberated in the SCAA meeting, and the SCAA decided as under, based on the recommendations of the SSDEC: - It has been observed that the ITI denied inspection for the Mechanic Diesel trade. - In line with the principles of natural justice, the ITI was granted a final opportunity in the 25th SCAA meeting held on 13.11.2025 and 14.11.2025 to submit a show-cause reply, explaining why the Mechanic Diesel – 1 (1+0) trade/unit should not be de-affiliated, along with any supporting representation, within 21 days from the issuance of the minutes of that meeting. - The said communication was issued by DGT to the

Signature Not Verified
UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified
SHRAMEE WILSON
12:45 13.04.2026

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter	27 th SCAA decision
(1)	(2)	(3)	(4)	(5)
			final opportunity to show cause as to why the Mechanic Diesel – 1 (1+0) trade/unit should not be de-affiliated within 21 days from the date of issue of the Minutes. 8. The ITI did not reply to the SCN.	registered email ID of the institute on 24.12.2025. 4. Further, the ITI did not avail the opportunity provided and failed to submit any reply or representation within the stipulated time. 5. Further, reliance is placed on judicial pronouncements which affirm that DGT and the State Directorate are empowered to conduct inspections and take appropriate action in case of non-compliance. Notably, in W.P. No. 8116/2025 (Maa Shitla Pvt. ITI v. Union of India & Ors., MP High Court), it was held that the apex body is duty-bound to examine complaints, including through on-site inspections, and such action cannot be termed arbitrary. Similarly, in CWP-20763-2025 (Modern ITI Bathinda v. DGT, Punjab & Haryana High Court), the Court observed that re-inspection does not prejudice

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEV SHARMA
12.45 13.04.2026

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter	27 th SCAA decision
(1)	(2)	(3)	(4)	(5)
				the petitioner. Further, in S.B. Civil W.P. No. 18022/2025 (Pooja Pvt. ITI & Ors. v. State of Rajasthan & Ors.), the Rajasthan High Court held that institutions cannot claim inspection as a matter of right in a particular manner or timeline, and compliance with prescribed norms is essential. Accordingly, based on the facts on record, the denial of inspection prevents verification of the functioning of the Mechanic Diesel trade and its compliance with the prescribed norms. Therefore, the Mechanic Diesel – 1 (1+0) trade/unit is hereby de-affiliated.
15.	Murti Devi Private ITI, Chak 4 S.D.S., Teh. - Sadul Shahr, Dist.-Shri Ganganagar Rajasthan (PR08000168)	1. Electrician - 12 (4+4+4) 2. Plumber – 1 (1+0)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 08.01.2025. SCN replied dated 22.01.2025. 3. Further, a joint inspection was conducted on 14.07.2025 by the RDSDE and State official. 4. Inspecting members have given observation that 90 percent of tools and equipment in Electrician are available and 5	The matter was deliberated in the SCAA meeting, and the SCAA decided as under, based on the recommendations of the SSDEC: 1. It has been observed that deficiencies exist in respect of prescribed norms relating to tools and equipment in the

Signature Not Verified

UJJWAL BISWAS

13.04.2026 15:49

Signature Not Verified

SHRIPAL

13.04.2026 12:45

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter	27 th SCAA decision
(1)	(2)	(3)	(4)	(5)
			percent of the tools and equipment are not in working condition. In Plumber trade, only 10-20 % of tools and equipment are available. 5. However, they have recommended continuation of affiliation for Electrician - 12 (4+4+4) and not recommended affiliation for Plumber trade due to deficiencies. 6. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended continuation of affiliation for Electrician - 12 (4+4+4) and not recommended affiliation for Plumber – 3 (1+1+1). 7. Plumber (0+1+1) unit already de-affiliated vide DGT letter dated 17.01.2025 due to zero admissions in last 6 sessions (2018-2023). 8. Thereafter, the matter was discussed in the 25th SCAA Meeting, wherein the ITI was granted a final opportunity to show cause as to why the Plumber – 1 (1+0) trade/unit should not be de-affiliated within 21 days from the date of issue of the Minutes. 9. The ITI did not reply to the SCN.	Plumber trade, with only about 10–20% of the required tools and equipment found available during inspection. 2. In line with the principles of natural justice, the ITI was granted a final opportunity in the 25th SCAA meeting held on 13.11.2025 and 14.11.2025 to submit a show-cause reply, explaining why the Plumber – 1 (1+0) trade/unit should not be de-affiliated, along with any supporting representation, within 21 days from the issuance of the minutes of that meeting. 3. The said communication was issued by DGT to the registered email ID of the institute on 24.12.2025. 4. Further, the ITI did not avail the opportunity provided and failed to submit any reply or representation within the stipulated time. Accordingly, based on the facts on record, the above deficiencies

Signature Not Verified
UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified
SHRAMEV SHARMA
12.45 13.04.2026

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter	27 th SCAA decision
(1)	(2)	(3)	(4)	(5)
				indicate serious non-compliance with the prescribed norms and adversely affect the quality of training. Therefore, in view of the interest of the trainees and the continuous violations of the affiliation norms, the Plumber – 1 (1+0) trade/unit is hereby de-affiliated.
16	Mahrishi Dayanand Saraswati, Address - Near Rainbow Tower, Paachyak Ki Dhaani, Ward No-2 Rainwal Road, Choumu, (Jaipur) -303702 MIS Code - PR08000026	1. Electrician – 6 (2+2+2) 2. Fitter – 3 (1+1+1) 3. Mechanic Diesel – 3 (1+1+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 07.01.2025. 3. The ITI replied to the SCN on 22.01.2025. 4. Further, a joint inspection was conducted on 12.09.2025 by the RDSDE and State official. 5. Joint Inspection committee has recommended continuation of affiliation for following trade/units: Electrician - 4(2+2) 6. However, as per joint inspection report following deficiencies have been identified during Joint Inspection conducted on 12.09.2025: a. Out of 15 instructors, only four trainers have been found to possess CITS qualifications. b. The diesel consumption logbook was not found.	The matter was deliberated in the SCAA, and it was decided to conduct a joint inspection of the ITI to verify its functioning as per prescribed norms. The joint inspection shall be conducted by the concerned State Directorate and RDSDE Rajasthan. The date of inspection shall be decided by the State Directorate in consultation with RDSDE Rajasthan. The inspection report shall be submitted to the DGT within one month from the date of issuance of the minutes of this meeting for consideration in the next SCAA meeting.

Signature Not Verified

UJJWAL BISWAS

13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA

12:45:13 04/2026

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter	27 th SCAA decision
(1)	(2)	(3)	(4)	(5)
			c. The provisions under Annexure III (Serial No. c & d of IV-b) have not been followed, and the relevant records have not been made available. d. On the day of inspection, the following classrooms/theory areas have been found to be below the prescribed DGT norms: Fitter Theory/Classroom – 24.19 sqm e. Electrician Theory/Classroom (1st) – 21.24 sqm, Electrician Theory/Classroom (2nd) – 21.16 sqm, Diesel Mechanic Theory/Classroom – 21.28 sqm. f. No instructor in the Fitter trade has been found to possess CITS qualification. g. As per the building plan submitted by the ITI, the Mechanic Diesel lab area has been found to be 137.12 sqm, which is less than the required area as per the NSQF Level 3.5 course (including parking space). h. The total electrical load available in the ITI has been found to be 13 KW, against the required 13.51 KW. i. A movable (non-foundation) generator set of approximately 62.5 KW has been found on the premises, whereas the	

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter	27 th SCAA decision
(1)	(2)	(3)	(4)	(5)
			stock register and submitted bills indicate a 5 KW generator set. j. Tools and equipment shop machinery of following serial numbers not available in Electrician NSQF Level \$ Syllabus - (24,28,29,32-(a),38,51,53,54,79,82-(a,b),83,89,92,101,104,108,118 (e,f),122,139,165. k. Tools and equipment, General, Shop outfit, machinery of the following serial numbers was not available as per Fitter trade syllabus- (10,21,27,30,46,53,54,82,93,104,105,107,108,109,117,119,120,123,131,132,133,134,135,140,152,157,160,178,) l. Tools and accessories for pneumatics and hydraulics were not available. m. Tools and equipment shop machinery of following serial numbers not available in Diesel Mechanic trade NSQF level-3.5 syllabus- 15,25,39,55,64,109,111,114,123,125,127,133,135,136,138,151,172,184,186. n. Not Recommended for affiliation by the Joint inspection committee i) Fitter - (1+1+1) 03 Unit ii) Mechanic Diesel - (1+1+1) 03 Unit 7. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on	

Signature Not Verified
 UJJWAL BISWAS
 13.04.2026 15:49

Signature Not Verified
 SHRDESH KUMAR
 12-45 13.04.2026

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter	27 th SCAA decision
(1)	(2)	(3)	(4)	(5)
			23.09.2025, has recommended for the continuation of the affiliation: - Electrician - 4(2+2) 8. Moreover, the partial trade recommendations by the committee are subject to the removal of above-mentioned deficiencies and also as per the 10th SSDEC meeting held on 23.09.2025 recommendations. 9. Thereafter, the matter was discussed in 25th SCAA wherein a final opportunity to the ITI was granted to represent itself within 21 days by a way of SCN. 10. The ITI did not reply to the SCN. 11. Further, the ITI was a petitioner in S.B. Civil Writ Petition No. 16381/2025 (L.B.S. Private Industrial Training Institute) and 36 connected matters, which were disposed of by the Hon'ble Court on 23.01.2026. The Hon'ble Court directed the petitioner ITIs to submit representations within two weeks, following which DGT was to conduct joint inspections with the State authorities and take a decision on de-affiliation within a stipulated timeline. It is pertinent to mention that a show cause notice had already been issued to the ITIs vide the Minutes of the 25th SCAA Meeting dated 23.12.2025, prior to the Court's directions.	

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRIMPAT CHAKRAVARTY
12:45 13.04.2026

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter	27 th SCAA decision
(1)	(2)	(3)	(4)	(5)
			Accordingly, in compliance with the principles of natural justice and the directions of the Hon'ble Court, fresh show cause notices were issued to all petitioner institutes on 05.02.2026, based on the remarks of the Inspection Team and the recommendations of the SSDEC.	
17	Bilara Private ITI, Address - Palawat Bhawan, Ram Nagar, Bilara, Dist. Jodhpur MIS Code - PU08001621	1. Electrician - 2(1+1) 2. COPA - 1(1+0) 3. Fitter – 2(1+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 04.01.2025. 3. The ITI replied to the SCN on 23.01.2025. 4. Further, a joint inspection was conducted on 16.09.2025 by the RDSDE and State official. 5. Joint Inspection committee has recommended continuation of affiliation for following trade/units: Electrician – 2 (1+1) and COPA – 1 (1+0). 6. However, as per joint inspection report following deficiencies have been identified during Joint Inspection conducted on 16.09.2025: In Fitter Trade Major Tools & Machinery shortfall as per item list. 7. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended for the continuation of the affiliation.	The matter was deliberated in the SCAA meeting, and the SCAA decided as under, based on the recommendations of the SSDEC: 1. It has been observed that deficiencies exist in respect of prescribed norms relating to machinery, tools and equipment in the Fitter trade, including a significant shortfall of major tools and machinery required as per the prescribed syllabus. 2. In line with the principles of natural justice, the ITI was granted a final opportunity in the 25th SCAA meeting held on 13.11.2025 and 14.11.2025 to submit a show-cause reply, explaining why the Fitter – 2 (1+1) trade/units should not be

Signature Not Verified
UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified
SHRAMEV SHARMA
12.45 13.04.2026

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter	27 th SCAA decision
(1)	(2)	(3)	(4)	(5)
			a. Electrician - 2(1+1) b. COPA – 1(1+0) and not recommended for Fitter 2(1+1). 8. Thereafter, the matter was discussed in the 25th SCAA Meeting, wherein the ITI was granted a final opportunity to show cause as to why the Fitter – 2(1+1) trade/unit should not be de-affiliated within 21 days from the date of issue of the Minutes. 9. The ITI did not reply to the SCN.	de-affiliated, along with any supporting representation, within 21 days from the issuance of the minutes of that meeting. 3. The said communication was issued by DGT to the registered email ID of the institute on 24.12.2025. 4. Further, the ITI did not avail the opportunity provided and failed to submit any reply or representation within the stipulated time. Accordingly, based on the facts on record, the above deficiencies indicate non-compliance with the prescribed norms and adversely affect the quality of training. Therefore, in view of the interest of the trainees and the continuous violations of the affiliation norms, the Fitter – 2 (1+1) trade/units are hereby de-affiliated.
18	Arpan Private Industrial Training Institute,	1. Electrician - 2 (1+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 03.01.2025.	The SCAA, upon reviewing the response submitted by the ITI, decided to verify the claim of the

Signature Not Verified
UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified
SHRAMEV SHARMA
12.45 13.04.2026

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter	27 th SCAA decision
(1)	(2)	(3)	(4)	(5)
	Address - Near Senior Secondary School, Uchhan, Tehsil-Roopbas (Bharatpur) -321302 MIS Code - PR08000056	2. Fitter – 2 (1+1)	3. ITI replied to the SCN on 21.01.2025. 4. Further, a joint inspection was conducted on 09.09.2025 by the RDSDE and State official. 5. Joint Inspection committee has recommended continuation of affiliation for following trade/units: Electrician – 2 (1+1). 6. However, as joint inspection report following deficiencies have been identified during Joint Inspection conducted on 09.09.2025: - Fitter – Tools, equipment and classroom has not found as per DGT Norms. In fitter trade, as per syllabus, item no. 179-196, 198-204 were not found and item no. 41, 42, 67, 68, 73, 85-87, 89, 90, 102, 104, 106-108, 114-116, 122, 124, 133-135, 146, 152, 155-157, 160, 161, 184-196 were not found. - Majority tools & files were found corrosive and damaged. Item no. 177 and 179 not found as per norms. - During the inspection, it was not clarified whether the fitter classroom was available or not 7. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended continuation of the affiliation for Electrician 02 (1+1) and de-affiliate Fitter 02 (1+1).	ITI asserting full compliance with affiliation norms. Accordingly, joint inspection/verification of such ITIs shall be carried out by the Rajasthan State Directorate and RDSDE Rajasthan. The report thereof shall be submitted to the DGT within one month and shall be placed for discussion in the next SCAA meeting.

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEV SHARMA
12:45 13.04.2026

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter	27 th SCAA decision
(1)	(2)	(3)	(4)	(5)
			8. Thereafter, the matter was discussed in 25th SCAA wherein a final opportunity to the ITI was granted to represent itself within 21 days by a way of SCN. 9. The reply to the SCN was received on 12.01.2026. 10. In its reply the ITI submitted the following: Request for Reconsideration – Fitter Trade (2 Units)- The institute respectfully seeks reconsideration regarding the deficiencies noted for the Fitter Trade during the Joint Inspection. Factual and Clerical Inconsistencies in Inspection Report- It is submitted that the inspection report contains certain factual and clerical inconsistencies, including: Incorrect mention of the inspection date. Confusion regarding the availability of the Fitter classroom. Contradictory observations concerning tools and equipment. Continuity of Affiliation and Infrastructure- The institute has been affiliated since 2007 and has been operating from the same building without any change in location. All required classrooms, workshops, and infrastructure facilities are available as per prescribed norms.	

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter	27 th SCAA decision
(1)	(2)	(3)	(4)	(5)
			d. Availability of Tools and Equipment-All tools and equipment required for the Fitter Trade, including hydraulic and pneumatic tools, are available in the workshop and were duly shown to the inspection committee at the time of inspection. e. Video evidence of the classrooms and the Fitter workshop has been enclosed to substantiate the availability of infrastructure and equipment. f. Contradictory Observations in Missing Tools List-The institute submits that there are contradictions in the list of allegedly missing tools. Certain observations appear impractical in nature, particularly regarding basic items such as work benches and bench vices, which are permanently installed in the workshop and were available at the time of inspection. g. Compliance of Major Machinery- It is further submitted that major machinery, including lathe machines, was found compliant during the inspection. This indicates that essential workshop infrastructure was in place and functional. h. Parity with Similarly Placed Institutes- It is respectfully pointed out that in several other cases, including Impulse Pvt. ITI, Dausa, continuation of affiliation was	

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRADDHA KUMAR
12.45 13.04.2026

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter	27 th SCAA decision
(1)	(2)	(3)	(4)	(5)
			recommended despite similar or comparatively greater deficiencies. The institute therefore seeks parity and equal treatment in line with principles of fairness and consistency. i. Importance of Fitter Trade- The Fitter Trade plays a vital role in providing employment-oriented skills to trainees. Discontinuation of affiliation would adversely affect students and local employment opportunities. j. Prayer- In view of the documentary evidence submitted, the inconsistencies in the inspection report, parity with similarly placed ITIs, and the larger interest of trainees, the institute respectfully requests continuation of affiliation for Fitter Trade (2 units). The institute is willing to submit any additional clarification or documentary proof, if required . the institute remains committed to full compliance with all prescribed norms and standards.	
19	M.P.S Private Industrial Training Institute, Address - International Colony, Sri Ganganagar-335001	1. Electrician – 3 (1+1+1) 2. Plumber – 1 (1+0)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 08.01.2025. 3. The ITI replied to the SCN on 18.01.2025. 4. Further, a joint inspection was conducted on 11.08.2025 by the RDSD, a State official.	The SCAA, upon reviewing the response submitted by the ITI, decided to verify the claim of the ITI asserting full compliance with affiliation norms. Accordingly, joint inspection/verification of

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter	27 th SCAA decision
(1)	(2)	(3)	(4)	(5)
	MIS Code - PR08000692		5. Joint Inspection committee has recommended continuation of affiliation for following trade/units: Electrician-2(1+1) 6. However, as per joint inspection report following deficiencies have been identified during Joint Inspection conducted on 11.08.2025: i) The major and minor machinery is 15–50% deficient. ii) The electric power supply is not proper. iii) The building infrastructure is not as per norms. iv) The Electrician Lab, IT Lab, and Library are located in the basement. v) A part of the first floor is covered with a tin shed. vi) The consumption of electricity and expenditure on raw material are found to be low. vii) The Plumber workshop size is not as per norms. Annexure-III has been filled incorrectly. viii) The condition of the basement building is poor. 7. Based on joint inspection, the 10th SSDEC meeting held on 23.09.2025 has recommended continuation of the affiliation for: Electrician - 2(1+1).	such ITIs shall be carried out by the Rajasthan State Directorate and RDSDE Rajasthan. The report thereof shall be submitted to the DGT within one month and shall be placed for discussion in the next SCAA meeting.

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEV SHARMA
12.45 13.04.2026

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter	27 th SCAA decision
(1)	(2)	(3)	(4)	(5)
			8. Thereafter, the matter was discussed in 25th SCAA wherein a final opportunity to the ITI was granted to represent itself within 21 days by a way of SCN. 9. In its reply the ITI submitted the following: a) Joint inspection conducted on August 11, 2025, under DGT and Technical Directorate, Jodhpur guidelines. b) Inspection team identified deficiencies per new norms (new DGT affiliation norms, likely the 2025 updated norms emphasizing stricter compliance, infrastructure, etc.). c) Based on the report, admission permission reduced from 4 units to 2 units on September 24, 2025 (claimed incorrect/unfair). d) Institute asserts affiliation since 2009 and full operation per DGT norms; willing to rectify any deficiencies noted in the report if permitted. e) During inspection, the team was repeatedly informed that this is an old/legacy ITI and should be inspected under old rules/norms (pre-2025 norms), but the team refused and applied new norms. f) Deficiencies highlighted in the DGT letter dated December 23, 2025 (likely tied to the 25th SCAA meeting outcomes of November 13-14, 2025) have been rectified; remaining ones will be addressed per written orders.	

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on NCVT MIS portal	Brief of Matter	27 th SCAA decision
(1)	(2)	(3)	(4)	(5)
			g) Proofs/evidence attached with point-wise clarifications. h) Specific request: Approve affiliation/units on MIS portal basis for Electrician (1+1+1 units) and Plumber (1 unit); institute ready for verification/re-inspection to confirm compliance. a) Urges acceptance of the grievance and issuance of necessary orders for admissions/operations. 4. The ITI attached the following as supporting documents: a) Receipt for ITI affiliation application fees b) Building completion certificate of the ITI.	

Signature Not Verified

 UJJWAL BISWAS
 13.04.2026 15:49

Signature Not Verified

 SHRAMEV SHARMA
 12:45 13.04.2026

Annexure-4 as referred in De-affiliation matter of 149 ITIs, in continuation of the discussion under Agenda Item No. 2.2 of the Minutes of the 25th SCAA Meeting held on 13.11.2025 and 14.11.2025

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
1.	Shri Subhash Memorial Private Industrial Training Institute Address: MDS University Marg, Kayad Road, Ajmer, Dist.Ajmer-305001 MIS Code: PU08001393	Electrician - 2 (2+0)	- Irregularities observed during initial Inspection conducted by State official on 24.12.2024. - SCN was issued to the ITI by the State on 04.01.2025 and 03.02.2025. - Further, a joint inspection was conducted on 19.06.2025 by the RDSDE and State official. - As per inspection report, ITI has informed vide letter dated 02.06.2025 that ITI has denied inspection as ITI has been closed from long time. - Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended de-affiliation of the ITI due to following reason: - ITI is closed from long time. - ITI has denied the Inspection vide letter dated 02.06.2025. - Further, the matter was discussed in the 25th SCAA Meeting and ITI was given an opportunity to show cause why it should not be de-affiliated, within 21 days from the date of issuance of the minutes. However, no reply was received within the prescribed time period.	The matter was discussed in the SCAA meeting, and the SCAA decided as under: - In line with the principles of natural justice, the ITI was afforded final opportunity to represent itself by 25th SCAA in its meeting held on 13.11.2025 and 14.11.2025, to submit a show-cause reply — explaining why the ITI should not be de-affiliated along with any supporting representation, within 21 days from the issuance of the minutes of that meeting. - The said communication was issued by DGT to the registered email of the institute on 24.12.2025 - Further, the ITI did not avail the final opportunity provided by DGT in the 25th SCAA meeting and failed to submit any reply or representation within the stipulated time, thereby exhibiting continued negligence and persistent non-compliance. - The ITI has blatantly refused to undergo inspection on the ground that institute was closed for long time, which cannot be considered a valid reason for denying inspection.

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
				5. Further, reliance is placed on various judgments of different High Courts which affirm that state or DGT may conduct inspections and take appropriate action. Notably, in W.P. No. 8116/2025 (Maa Shitla Pvt. ITI v. Union of India & Ors., MP High Court), it was held that the apex body is duty-bound to examine complaints, including through on-site inspections, and such action cannot be termed arbitrary. Similarly, in CWP-20763-2025 (Modern ITI Bathinda v. DGT, Punjab & Haryana High Court), the Court observed that re-inspection does not prejudice the petitioner. Further, in S.B. Civil W.P. No. 18022/2025 (Pooja Pvt. ITI & Ors. v. State of Rajasthan & Ors.), the Rajasthan High Court held that institutions cannot claim inspection as a matter of right in a particular manner or timeline, and compliance with deficiencies is a prerequisite for student admissions. 6. The quality of training imparted to students is of paramount importance to DGT, which cannot be ensured without on-site verification of the institute. The non-submission of a reply and refusal to undergo inspection clearly indicate that the ITI is not functioning in accordance with the prescribed norms, thereby defeating the very purpose of the Craftsmen Training Scheme (CTS).

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
				7. Therefore, in view of the above remarks and in the interest of the trainees, the ITI is hereby de-affiliated.
2.	Jan Shikshan Private Industrial Training Institute Address: Parbatpura, Dist. Ajmer Rajasthan-305001 Mis code: PU08001381	1. Electrician -3(2+1) 2. Mechanic Diesel - 2(1+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 04.01.2025 and 03.02.2025. 3. Joint Inspection was conducted on 16.06.2025 by RDSDE and State Official. 4. As per inspection report, ITI has already informed that vide letter dated. 22.07.2025, ITI has not taking admission since 2022 and ITI requested to close the ITI. 5. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommendation for de-affiliation of the ITI due to following reason: 6. The ITI had sent a letter dated 22.07.2025 regarding the closure of the ITI due to no admissions. 7. Further, the matter was discussed in the 25th SCAA Meeting and ITI was given an opportunity to show cause why it should not be de-affiliated, within 21 days from the date of issuance of the minutes. However, no reply was received within the prescribed time period.	The matter was discussed in the SCAA meeting, and the SCAA decided as under: 1. In line with the principles of natural justice, the ITI was afforded final opportunity to represent itself by 25 th SCAA in its meeting held on 13.11.2025 and 14.11.2025, to submit a show-cause reply — explaining why the ITI should not be de-affiliated along with any supporting representation, within 21 days from the issuance of the minutes of that meeting. 2. The ITI, however, did not submit any reply or representation within the stipulated time, thereby exhibiting continued negligence and persistent non-compliance. Therefore, in view of the interest of the trainees and the continuous violations of the affiliation norms, the ITI is hereby de-affiliated due to following reasons: Request for closure of ITI.
3.	Shree Ganesh Private ITI	Electrician 5(2+2+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024	The matter was discussed in the SCAA meeting, and the SCAA decided as under:

Signature Not Verified
UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified
SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
	Address: Post Office Arain Road, Kishangarh, Distt. Ajmer-305802 MIS Code: PR08001486		2. SCN was issued to the ITI by the State on 04.01.2025 and 03.02.2025. 3. The ITI replied to the SCN on 22.01.2025. 4. Joint Inspection was conducted on 19.06.2025 by RDSDE and State Official. 5. As per the inspection report, the ITI has been closed and as per communication with Shri Pankaj Choudhary, the ITI has denied inspection stating that ITI has been closed since long time. 6. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommendation for de-affiliation for the ITI due to following reason: ITI denied inspection and ITI is closed for long time. 7. Further, the matter was discussed in the 25th SCAA Meeting and ITI was given an opportunity to show cause why it should not be de-affiliated, within 21 days from the date of issuance of the minutes. However, no reply was received within the prescribed time period.	1. In line with the principles of natural justice, the ITI was afforded final opportunity to represent itself by 25th SCAA in its meeting held on 13.11.2025 and 14.11.2025, to submit a show-cause reply — explaining why the ITI should not be de-affiliated along with any supporting representation, within 21 days from the issuance of the minutes of that meeting. 2. The said communication was issued by DGT to the registered email of the institute on 24.12.2025 3. Further, the ITI did not avail the final opportunity provided by DGT in the 25th SCAA meeting and failed to submit any reply or representation within the stipulated time, thereby exhibiting continued negligence and persistent non-compliance. 4. Further, reliance is placed on various judgments of different High Courts which affirm that state or DGT may conduct inspections and take appropriate action. Notably, in W.P. No. 8116/2025 (Maa Shitla Pvt. ITI v. Union of India & Ors., MP High Court), it was held that the apex body is duty-bound to examine complaints, including through on-site inspections, and such action cannot be termed arbitrary. Similarly, in CWP-20763-2025 (Modern ITI Bathinda v. DGT, Punjab & Haryana High Court), the Court

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
				observed that re-inspection does not prejudice the petitioner. Further, in S.B. Civil W.P. No. 18022/2025 (Pooja Pvt. ITI & Ors. v. State of Rajasthan & Ors.), the Rajasthan High Court held that institutions cannot claim inspection as a matter of right in a particular manner or timeline, and compliance with deficiencies is a prerequisite for student admissions. 5. The quality of training imparted to students is of paramount importance to DGT, which cannot be ensured without on-site verification of the institute. The non-submission of a reply and refusal to undergo inspection clearly indicate that the ITI is not functioning in accordance with the prescribed norms, thereby defeating the very purpose of the Craftsmen Training Scheme (CTS). Therefore, in view of the above remarks and in the interest of the trainees, the ITI is hereby de-affiliated due to following reasons: ITI refused to undergo inspection and ITI is closed from long time.
4.	Sarveshwar Private Industrial Training Institute	Electrician - 6 (2+2+2)	- Irregularities observed during initial Inspection conducted by State official on 24.12.2024. - SCN was issued to the ITI by the State on 04.01.2025. - The ITI replied to the SCN on 20.01.2025. - Joint Inspection was conducted on 18.06.2025 by RDSDE and State Official.	The matter was deliberated in the SCAA, and it was decided to conduct a joint inspection of the ITI to verify its functioning as per prescribed norms. The joint inspection shall be conducted by the concerned State Directorate and RDSDE Rajasthan. The date of inspection shall be decided

Signature Not Verified
UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified
SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
	Address: K, No.-1837/1 Rani Duungri Road, Roopangarh, Kishangarh, Dist.-Ajmer Rajasthan MIS Code: PR08001559		5. As pre the inspection report, inspecting members have recommended de-affiliation for the ITI due to following reason: - Major Machinery are not in working condition, looks jam and not run for long time. I/O and O/P panels not working - Electric consumption is found to be negligible in last three months. Zero for month March and April 2025 - BCC and fire safety certificate not provided. - Overall poor maintenance of building, training records and attendance. 6. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025 has recommended de-affiliation for the ITI. 7. The 25th SCAA has granted a final opportunity to the ITI to represent itself within 21 days by a way of SCN. 8. The reply to the SCN was received on 02.01.2026. 9. In its reply the ITI submitted the following: Major machinery not in working condition-All machinery is in proper working condition. Motors and panels installed in the Electrician workshop are fully functional. Video evidence of	by the State Directorate in consultation with RDSDE Rajasthan. The inspection report shall be submitted to the DGT within one month from the date of issuance of the minutes of this meeting for consideration in the next SCAA meeting.

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRIMPESH SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			running machines and complete ITI premises has been submitted along with this reply. b) Negligible electricity consumption during last three months-The institute has been operational since August 2014 with a 15 KW sanctioned electricity connection (Connection No. 110114004243). During inspection, the electric meter was technically defective, resulting in zero consumption for March and April 2025. The institute had requested meter replacement, which was completed in June 2025. Copies of related correspondence and the latest electricity bill are enclosed. Due to limited power supply in this backward area, the institute regularly uses a generator, and diesel stock registers and purchase bills are also enclosed. c) BCC and Fire Safety Certificate not provided-The certificates could not be produced on the inspection date but are now available and enclosed with this submission. The Building Safety Certificate is enclosed. d) Poor maintenance of building, training records, and attendance-The	

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMESH SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			institute building was constructed in 2014 and is regularly maintained. Repair work in the main building and workshops has been completed. Training records are properly maintained, and attendance registers for April, May, and June 2025 are enclosed. 10. Further, the ITI was a petitioner in S.B. Civil Writ Petition No. 16381/2025 (L.B.S. Private Industrial Training Institute) and 36 connected matters, which were disposed of by the Hon'ble Court on 23.01.2026. The Hon'ble Court directed the petitioner ITIs to submit representations within two weeks, following which DGT was to conduct joint inspections with the State authorities and take a decision on de-affiliation within a stipulated timeline. It is pertinent to mention that a show cause notice had already been issued to the ITIs vide the Minutes of the 25th SCAA Meeting dated 23.12.2025, prior to the Court's directions. Accordingly, in compliance with the principles of natural justice and the directions of the Hon'ble Court, fresh show cause notices were issued to all petitioner institutes on 05.02.2026, based on the remarks of the Inspection Team and the recommendations of the SSDEC	

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
5.	Gurukul Private ITI Bheem Road, Balacharat, P.O. BHEEM, Teh.Beawar, Dist.Ajmer Rajasthan-305921 MIS Code: PU08001714	Electrician 1(1+0)	- Irregularities observed during initial Inspection conducted by State official on 24.12.2024. - SCN was issued to the ITI by the State on 04.01.2025 and 03.02.2025. However, no reply was received from the ITI. - Further, a joint inspection was conducted on 19.06.2025 by the RDSDE and State official. - As per Inspection report: The institution has been closed since the COVID period, and no admissions have been made. - Upon interacting with the persons available in the vicinity, it was found that no ITI-related activities are being carried out at the premises. - As per inspection report, ITI has been closed, and no admissions have been taken since the COVID period. As per communication with the outsiders, the ITI has not been functioning on the location. The inspection could not be carried out. - Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025 has recommended de-affiliation for the ITI - Further, the matter was discussed in the 25th SCAA Meeting and ITI was given an opportunity to show cause why it should not be de-affiliated, within 21 days from the date of	The matter was discussed in the SCAA meeting, and the SCAA decided as under: - In line with the principles of natural justice, the ITI was afforded final opportunity to represent itself by 25th SCAA in its meeting held on 13.11.2025 and 14.11.2025, to submit a show-cause reply — explaining why the ITI should not be de-affiliated along with any supporting representation, within 21 days from the issuance of the minutes of that meeting. - The ITI, however, did not submit any reply or representation within the stipulated time, thereby exhibiting continued negligence and persistent non-compliance. Therefore, in view of the interest of the trainees and the continuous violations of the affiliation norms, the ITI is hereby de-affiliated due to following reasons: ITI was found closed and No ITI related activities were found to be carried out at the premises.

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			issuance of the minutes. However, no reply was received within the prescribed time period.	
6.	Pyar Chand Nagda Private Industrial Training Institute Narshingpure Samaj Ka Nohram, Ghanti, Dungarpur-341001 MIS Code: PR08001214	1. Electrician - 2(1+1) 2. Fitter - 1(1+0)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 03.01.2025 and 30.01.2025. 3. Further, a joint inspection was conducted on 18.06.2025 by the RDSDE and State official. 4. As per the inspection report, inspecting members has recommended for de-affiliation of the ITI due to following reasons: - The ITI has not been operational for the last two years. - No admissions in last two years the machinery and equipment are not in working condition. - Machinery available was less than 20 percent. - No staff available - The building is also not properly maintained. 5. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025 has recommended de-affiliation for the ITI. 6. Further, the matter was discussed in the 25th SCAA Meeting and ITI was given an opportunity to show cause why it should not be	The matter was deliberated in the SCAA meeting, and the SCAA decided as under, based on the recommendations of the SSDEC: - In line with the principles of natural justice, the ITI was afforded several chances to rectify the deficiencies. Most recently, in 25th SCAA meeting held on 13.11.2025 and 14.11.2025, the SCAA granted the ITI a final opportunity to submit a show-cause reply — explaining why the ITI should not be de-affiliated along with any supporting representation, within 21 days from the issuance of the minutes of that meeting. - The said communication was issued by DGT to the registered email of the institute on 24.12.2025 - Further, the ITI did not avail the final opportunity provided by DGT in the 25th SCAA meeting and failed to submit any reply or representation within the stipulated time, thereby exhibiting continued negligence and persistent non-compliance. - Deficiencies have been observed by the Joint Inspection Team in respect of prescribed norms relating to tools/ equipment/ machinery/infrastructure/instructor/

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			de-affiliated, within 21 days from the date of issuance of the minutes. However, no reply was received within the prescribed time period.	documents which adversely affect the quality of training and indicate non-compliance. 5. The quality of training imparted to students is of paramount importance to DGT. The non-submission of a SCN reply, and shortages in tools/ equipment/ machinery /infrastructure/ statutory documents, clearly indicates that the ITI is not functioning in accordance with the prescribed norms. This undermines the very purpose of the Craftsmen Training Scheme (CTS). Therefore, in view of the interest of the trainees and the continuous violations of the affiliation norms ITI is hereby de-affiliated.
7.	Kamakhya Private ITI Sagwara, Dungarpur – 314025 MIS Code: PU08001778	1. Computer Operator and Programming Assistant -1 (1+0) 2. Electrician -2 (1+1) 3. Health Sanitary Inspector -1(1+0)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 03.01.2025 and 30.01.2025. 3. The ITI replied to the SCN on 29.01.2025. 4. Further, a joint inspection was conducted on 19.06.2025 by the RDSDE and State official. 5. As per inspection report, ITI has been recommended for de-affiliation due to following reasons: i. low admissions. ii. the machinery not in working conditions.	The matter was deliberated in the SCAA meeting, and the SCAA decided as under, based on the recommendations of the SSDEC: 1. In line with the principles of natural justice, the ITI was afforded several chances to rectify the deficiencies. Most recently, in 25th SCAA meeting held on 13.11.2025 and 14.11.2025, the SCAA granted the ITI a final opportunity to submit a show-cause reply — explaining why the ITI should not be de-affiliated along with any supporting representation, within 21 days from the issuance of the minutes of that meeting.

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
		4. Wireman-2 (1+1)	6. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended for de-affiliation of Computer Operator and Programming Assistant and Electrician trade. 7. Further, the matter was discussed in the 25th SCAA Meeting and ITI was given an opportunity to show cause why it should not be de-affiliated, within 21 days from the date of issuance of the minutes. However, no reply was received within the prescribed time period.	2. The said communication was issued by DGT to the registered email of the institute on 24.12.2025 3. Further, the ITI did not avail the final opportunity provided by DGT in the 25th SCAA meeting and failed to submit any reply or representation within the stipulated time, thereby exhibiting continued negligence and persistent non-compliance. 4. Deficiencies have been observed by the Joint Inspection Team in respect of prescribed norms relating to tools/equipment/machinery/infrastructure/instructor/ documents which adversely affect the quality of training and indicate non-compliance. 5. The quality of training imparted to students is of paramount importance to DGT. The non-submission of a SCN reply, and shortages in tools/ equipment/ machinery /infrastructure/ statutory documents, clearly indicates that the ITI is not functioning in accordance with the prescribed norms. This undermines the very purpose of the Craftsmen Training Scheme (CTS). Therefore, in view of the interest of the trainees and the continuous violations of the affiliation norms, units in Computer Operator and

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
				Programming Assistant- 1(1+0) and Electrician - 2(1+1) trade are hereby de-affiliated. 6. Further, SSDEC to provide clarification regarding affiliation/de-affiliation of rest of the trades.
8.	Shri Guru Kripa Private Industrial Training Institute Address: Infront Of Zee School, Chittorgarh Road, Dist. Bhilwara Rajasthan- 311001 MIS Code: PU08001372	Electrician-4(1+2+1)	- Irregularities observed during initial Inspection conducted by State official on 24.12.2024. - SCN was issued to the ITI by the State on 04.01.2025 and 03.02.2025. - The ITI replied to the SCN on 12.02.2025. - Further, a joint inspection was conducted on 11.06.2025 by the RDSDE and State official. - As per inspection report, ITI has been closed. - Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommendation for de-affiliation for the ITI due to following reason: The ITI was found closed. - Further, the matter was discussed in the 25th SCAA Meeting and ITI was given an opportunity to show cause why it should not be de-affiliated, within 21 days from the date of issuance of the minutes. However, no reply was received within the prescribed time period.	The matter was discussed in the SCAA meeting, and the SCAA decided as under: - In line with the principles of natural justice, the ITI was afforded final opportunity to represent itself by 25th SCAA meeting held on 13.11.2025 and 14.11.2025, to submit a show-cause reply — explaining why the ITI should not be de-affiliated along with any supporting representation, within 21 days from the issuance of the minutes of that meeting. - The said communication was issued by DGT to the registered email of the institute on 24.12.2025 - The ITI was initially granted an opportunity by the state directorate to carry out the inspection but the institute was found closed. - Further, the ITI did not avail the final opportunity provided by DGT in the 25th SCAA meeting and failed to submit any reply or representation within the stipulated time,

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
				thereby exhibiting continued negligence and persistent non-compliance. Therefore, in view of the above remarks and in the interest of the trainees, the ITI is hereby de-affiliated due to following reasons: The ITI was found closed
9.	Krishna Private Industrial Training Institute Address: R.C. Vyas Colony, Behind Agrawal Dharmshala, Near Kota By Pass Road, Dist.Bhilwara Pin-311001 Rajasthan MIS Code: PR08001439	Electrician - 10 (4+4+2)	- Irregularities observed during initial Inspection conducted by State official on 24.12.2024. - SCN was issued to the ITI by the State on 04.01.2025 and 03.02.2025. However, no reply was received from the ITI. - Further, a joint inspection was conducted on 11.06.2025 by the RDSDE and State official. - As per inspection report, ITI has been found closed and instead of ITI nursing institute has been operating. - Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended de-affiliation for the ITI due to following reason: Instead of the ITI, a nursing institute was operating at the location, while the ITI has been closed for the past two to three years. - Further, the matter was discussed in the 25th SCAA Meeting and ITI was given an opportunity to show cause why it should not be de-affiliated, within 21 days from the date of	The matter was deliberated in the SCAA meeting, and the SCAA decided as under, based on the recommendations of the SSDEC: - It has been observed that, instead of the ITI, a nursing institute was operating from the same premises. - In line with the principles of natural justice, the ITI was granted a final opportunity in the 25th SCAA meeting held on 13.11.2025 and 14.11.2025 to submit a show-cause reply, explaining why the ITI should not be de-affiliated, along with any supporting representation, within 21 days from the issuance of the minutes of that meeting. - The said communication was issued by DGT to the registered email ID of the institute on 24.12.2025.

Signature Not Verified

UJJWAL BISWAS

13.04.2026 15:49

Signature Not Verified

SHRIMPATI PHARMA

12.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			issuance of the minutes. However, no reply was received within the prescribed time period.	4. Further, the ITI did not avail the opportunity provided and failed to submit any reply or representation within the stipulated time. Accordingly, based on the facts on record, the operation of a nursing institute from the same premises, in place of the ITI, establishes that the ITI is not being operated for the purpose for which affiliation was granted, thereby leaving no basis for continuation of its affiliation. The ITI is hereby de-affiliated.
10.	Vardhman Private ITI Address: Near Tehsil Office Rajaji Ka Kareda, Dist. Bhilwara-311804 MIS Code: PR08001706	Electrician –3 (1+1+2)	- Irregularities observed during initial Inspection conducted by State official on 24.12.2024. - SCN was issued to the ITI by the State on 04.01.2025 and 03.02.2025. - The ITI replied to the SCN on 21.01.2025. - Further, a joint inspection was conducted on 16.06.2025 by the RDSDE and State official. - Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommendation for de-affiliation for the ITI due to following reason: No staff or trainees were found in the ITI, and the labs were closed. According to the information received from the people living near to the ITI, a school was being run at the ITI location.	The matter was deliberated in the SCAA meeting, and the SCAA decided as under, based on the recommendations of the SSDEC: - It has been observed that no staff or trainees were found present at the ITI and the workshops were found closed during inspection. Further, as per inputs received from local residents, a school was reportedly being operated from the said premises. - In line with the principles of natural justice, the ITI was granted a final opportunity in the 25th SCAA meeting held on 13.11.2025 and 14.11.2025 to submit a show-cause reply, explaining why the ITI should not be de-affiliated, along with any

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			6. Further, the matter was discussed in the 25th SCAA Meeting and ITI was given an opportunity to show cause why it should not be de-affiliated, within 21 days from the date of issuance of the minutes. However, no reply was received within the prescribed time period.	supporting representation, within 21 days from the issuance of the minutes of that meeting. 3. The said communication was issued by DGT to the registered email ID of the institute on 24.12.2025. 4. Further, the ITI did not avail the opportunity provided and failed to submit any reply or representation within the stipulated time. Accordingly, based on the facts on record, the absence of staff and trainees and the workshops being found closed establish that no training activity was being carried out and that the ITI was not functioning as an affiliated institution. The reported use of the premises for operating a school further indicates that the premises are not being utilized for the intended purpose. The ITI is hereby de-affiliated.
11.	Mahesh Private Industrial Training Institute, At. Langera Road, Dist Barmer	Electrician – 6 (2+2+2)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 04.01.2025. 3. The ITI replied to the SCN on 13.01.2025. 4. Further, a joint inspection was conducted on 11.06.2025 by the RDSDE and State official. 5. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on	The matter was deliberated in the SCAA meeting, and the SCAA decided as under, based on the recommendations of the SSDEC: 1. It has been observed that the ITI campus was shared with another institute. Further, two ITIs were being run from the same location without a separate electricity meter for the ITI. Additionally, the

Signature Not Verified
UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified
SHRAMESH K. SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
	Pin-344001 Rajasthan MIS Code: PU08001436		17.09.2025, has recommendation for de-affiliation for the ITI due to following reason: - The ITI campus was shared with another institute. - Two ITIs were run at the same location, and there was no separate electricity meter for the ITI, hence, the electrical load could not be verified. - The workshop floor surface was not even, and the approach from the workshop to the classroom was not convenient. 6. Further, the matter was discussed in the 25th SCAA Meeting and ITI was given an opportunity to show cause why it should not be de-affiliated, within 21 days from the date of issuance of the minutes. However, no reply was received within the prescribed time period.	workshop floor surface was found to be uneven. - In line with the principles of natural justice, the ITI was granted a final opportunity in the 25th SCAA meeting held on 13.11.2025 and 14.11.2025 to submit a show-cause reply, explaining why the ITI should not be de-affiliated, along with any supporting representation, within 21 days from the issuance of the minutes of that meeting. - The said communication was issued by DGT to the registered email ID of the institute on 24.12.2025. - Further, the ITI did not avail the opportunity provided and failed to submit any reply or representation within the stipulated time. Accordingly, based on the facts on record, the above observations reflect non-compliance with the prescribed norms relating to infrastructure and basic facilities, which are fundamental to the effective conduct of training under the Craftsmen Training Scheme (CTS). The ITI is hereby de-affiliated.

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
12.	Tarun Private ITI Manshuriya, Indra Colony, Dist. Barmer- 344001 MIS Code: PU08001702	1. Electrician – 2 (1+1) 2. Wireman - 2 (1+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 04.01.2025 and 03.02.2025. 3. The ITI replied to the SCN on 25.01.2025. 4. Further, a joint inspection was conducted on 16.06.2025 by the RDSDE and State official. 5. During inspection following deficiencies were found: - The ITI Principal denied permission for the inspection of the ITI. - It was also observed that a school and a hostel were operating within the ITI premises at the time of inspection. 6. Further Joint Inspection team has recommended for de-affiliation of the ITI. 7. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommendation for de-affiliation for the ITI due to following reason: - ITI Closed at present location since long time. - At present, School /hostel is running at that Location. 7. Further, the matter was discussed in the 25th SCAA Meeting and ITI was given an opportunity to show cause why it should not be de-affiliated, within 21 days from the date of	The matter was deliberated in the SCAA meeting, and the SCAA decided as under, based on the recommendations of the SSDEC: - It has been observed that the ITI was found closed at the time of inspection. Further, a school/hostel was found operating from the same premises. - In line with the principles of natural justice, the ITI was granted a final opportunity in the 25th SCAA meeting held on 13.11.2025 and 14.11.2025 to submit a show-cause reply, explaining why the ITI should not be de-affiliated, along with any supporting representation, within 21 days from the issuance of the minutes of that meeting. - The said communication was issued by DGT to the registered email ID of the institute on 24.12.2025. - Further, the ITI did not avail the opportunity provided and failed to submit any reply or representation within the stipulated time. Accordingly, based on the facts on record, the ITI being found closed and a school/hostel operating from the same premises establish that the ITI is not being operated for the purpose for which affiliation

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			issuance of the minutes. However, no reply was received within the prescribed time period.	was granted, leaving no basis for continuation of its affiliation. The ITI is hereby de-affiliated.
13.	Shri Nath Private Industrial Training Institute Vinayaka Road, Bari Sadri, Chittorgarh - 312403 MIS Code: PU08001350	1. Electrician 3(2+1) 2. Mechanic Diesel 1(1+0) 3. Wireman 1(0+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 03.01.2025 and 30.01.2025. 3. Further, a joint inspection was conducted on 17.06.2025 by the RDSDE and State official. 4. During inspection following deficiencies were found: - No trade was found to be running. - No trainees were present. - No signage board of ITI was found - No machinery and equipment were found. One of the staff member informed that there are no admissions since last four years. 5. Further Joint Inspection team has recommended for de-affiliation of the ITI. 6. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommendation for de-affiliation for the ITI due to following reason: De affiliation Recommended due to not providing any information by ITI Director. No Sign board of ITI was there.	The matter was deliberated in the SCAA meeting, and the SCAA decided as under, based on the recommendations of the SSDEC: - It has been observed that no trade was found to be running at the ITI, no trainees were present, no signage board of the ITI was displayed, and no machinery or equipment were found at the premises. - In line with the principles of natural justice, the ITI was granted a final opportunity in the 25th SCAA meeting held on 13.11.2025 and 14.11.2025 to submit a show-cause reply, explaining why the ITI should not be de-affiliated, along with any supporting representation, within 21 days from the issuance of the minutes of that meeting. - The said communication was issued by DGT to the registered email ID of the institute on 24.12.2025. - Further, the ITI did not avail the opportunity provided and failed to submit

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			7. Further, the matter was discussed in the 25th SCAA Meeting and ITI was given an opportunity to show cause why it should not be de-affiliated, within 21 days from the date of issuance of the minutes. However, no reply was received within the prescribed time period.	any reply or representation within the stipulated time. Accordingly, based on the facts on record, the absence of any training activity, trainees, identification of the institute, and essential machinery and equipment establishes that the ITI is not functioning as an affiliated institution, leaving no basis for continuation of its affiliation. The ITI is hereby de-affiliated.
14.	Sarvodaya Private ITI Address :6,7,8 Balaji Nagar, Opp. Segwa Housing Board, Senth, Dist. Chittorgarh-312001 MIS Code: PU08001673	1. Early Childhood Educator 3(1+1+1) 2. Electrician 3(1+1+1) 3. Health Sanitary Inspector 1(1+0)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 03.01.2025 and 30.01.2025. 3. Further, a joint inspection was conducted on 18.06.2025 by the RDSDE and State official. 4. During inspection following deficiencies were found: a. ITI is found locked during inspection. b. As per the inquiry from the nearby people, this ITI has been closed for one years. 5. Further Joint Inspection team has recommended for de-affiliation of the ITI. 6. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on	The matter was deliberated in the SCAA meeting, and the SCAA decided as under, based on the recommendations of the SSDEC: 1. It has been observed that the ITI was found locked during inspection. Further, as per inputs received from local residents, the ITI has reportedly remained closed for the past one year. 2. In line with the principles of natural justice, the ITI was granted a final opportunity in the 25th SCAA meeting held on 13.11.2025 and 14.11.2025 to submit a show-cause reply, explaining why the ITI should not be de-affiliated, along with any supporting representation, within 21 days

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			17.09.2025, has recommendation for de-affiliation for the ITI due to following reason: The ITI has been closed for the past one year. 7. Further, the matter was discussed in the 25th SCAA Meeting and ITI was given an opportunity to show cause why it should not be de-affiliated, within 21 days from the date of issuance of the minutes. However, no reply was received within the prescribed time period.	from the issuance of the minutes of that meeting. 3. The said communication was issued by DGT to the registered email ID of the institute on 24.12.2025. 4. Further, the ITI did not avail the opportunity provided and failed to submit any reply or representation within the stipulated time. Accordingly, based on the facts on record, the ITI being found locked during inspection and its reported closure for a prolonged period indicate that no training activity is being carried out and that the ITI is not functioning as an affiliated institution. The ITI is hereby de-affiliated.
15.	Shri Radha Kripa Private Industrial Training Institute Sainthi, Distt. Chittorgarh- MIS Code: PR08000871	Electrician 2(1+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 14.06.2025. However, no reply was received from the ITI. 3. Further, a joint inspection was conducted on 16.06.2025 by the RDSDE and State official. 4. During inspection following deficiencies were found: a) ITI has been closed for two years. 5. Further Joint Inspection team has recommended for de-affiliation of the ITI.	The matter was deliberated in the SCAA meeting, and the SCAA decided as under, based on the recommendations of the SSDEC: 1. It has been observed that the ITI has remained closed for the past two years. 2. In line with the principles of natural justice, the ITI was granted a final opportunity in the 25th SCAA meeting held on 13.11.2025 and 14.11.2025 to submit a show-cause reply, explaining why the ITI should not be de-affiliated, along with any supporting representation, within 21 days

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			6. Based on the findings of the joint inspection, SSDEC has recommendation for de-affiliation for the ITI due to following reason: 7. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommendation for de-affiliation for the ITI due to following reason: The ITI has been closed for the past last 2 years. 8. Further, the matter was discussed in the 25th SCAA Meeting and ITI was given an opportunity to show cause why it should not be de-affiliated, within 21 days from the date of issuance of the minutes. However, no reply was received within the prescribed time period.	from the issuance of the minutes of that meeting. 3. The said communication was issued by DGT to the registered email ID of the institute on 24.12.2025. 4. Further, the ITI did not avail the opportunity provided and failed to submit any reply or representation within the stipulated time. Accordingly, based on the facts on record, the prolonged closure of the ITI for a period of two years indicates that no training activity is being carried out and that the ITI is not functioning as an affiliated institution. The ITI is hereby de-affiliated.
16.	Ison Private Industrial Training Institute, Address: Charbhujia Nagar, Punyta Road Dist. Pali 306401	Electrician 3(1+1+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 04.01.2025. 3. The ITI replied to the SCN on 14.06.2025 and as per annexure received from S/D SCN reply dated 23.01.2025. 4. Further, a joint inspection was conducted on 14.06.2025 by the RDSDE and State official. 5. During inspection following deficiencies were found:	The matter was deliberated in the SCAA meeting, and the SCAA decided as under, based on the recommendations of the SSDEC: 1. It has been observed that no staff, Principal, or trainees were present at the ITI premises. Further, a school was found to be operating in the same building. It was also noted that the management submitted a letter stating that they were not willing for joint inspection of the ITI.

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12.45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
	MIS Code: PR08000330		i. No staff was present at the time of inspection. ii. A school was operating within the ITI premises, and during the inspection, the ITI management submitted a letter denying permission for the inspection. iii. As per the SCN reply dated 14.06.2025, the ITI principal denied permission for the inspection 6. Further Joint Inspection team has recommended for de-affiliation of the ITI. 7. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommendation for de-affiliation for the ITI due to following reason: i. No any ITI staff/principal, trainee was present at the ITI location/address. ii. School was also running in same building. iii. A letter was given by management that they are not ready for joint inspection. 8. Further, the matter was discussed in the 25th SCAA Meeting and ITI was given an opportunity to show cause why it should not be de-affiliated, within 21 days from the date of issuance of the minutes. However, no reply was received within the prescribed time period.	2. In line with the principles of natural justice, the ITI was granted a final opportunity in the 25th SCAA meeting held on 13.11.2025 and 14.11.2025 to submit a show-cause reply, explaining why the ITI should not be de-affiliated, along with any supporting representation, within 21 days from the issuance of the minutes of that meeting. 3. The said communication was issued by DGT to the registered email ID of the institute on 24.12.2025. 4. Further, the ITI did not avail the opportunity provided and failed to submit any reply or representation within the stipulated time. 5. Further, reliance is placed on judicial pronouncements which affirm that DGT and the State Directorate are empowered to conduct inspections and take appropriate action in case of non-compliance. Notably, in W.P. No. 8116/2025 (Maa Shitla Pvt. ITI v. Union of India & Ors., MP High Court), it was held that the apex body is duty-bound to examine complaints, including through on-site inspections, and such action cannot be termed arbitrary. Similarly, in CWP-20763-2025 (Modern ITI Bathinda v. DGT, Punjab & Haryana

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
				High Court), the Court observed that re-inspection does not prejudice the petitioner. Further, in S.B. Civil W.P. No. 18022/2025 (Pooja Pvt. ITI & Ors. v. State of Rajasthan & Ors.), the Rajasthan High Court held that institutions cannot claim inspection as a matter of right in a particular manner or timeline, and compliance with prescribed norms is essential. Accordingly, based on the facts on record, the absence of staff and trainees, operation of a school from the same premises, and refusal by the management to permit inspection establish that the ITI is not functioning as an affiliated institution and is not complying with the prescribed norms. The ITI is hereby de-affiliated.
17.	Shree Krishna Private Industrial Training Institute Address: Sanwariya Colony, Behind	Electrician 6(2+2+2)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 30.12.2024. 3. The ITI replied to the SCN on 15.01.2025. 4. Further, a joint inspection was conducted on 10.06.2025 by the RDSDE and State official. 5. During inspection following deficiencies were found:	The matter was deliberated in the SCAA meeting, and the SCAA decided as under, based on the recommendations of the SSDEC: 1. It has been observed that no staff, Principal, or trainees were present at the ITI premises. Further, a school was found to be operating in the same building during inspection. It was also observed that construction/repair

Signature Not Verified
 UJJWAL BISWAS
 13.04.2026 15:49

Signature Not Verified
 SHRAMEV SHARMA
 13.04.2026 15:49

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
	S.B.B.J, Aklera, Dist.Jhalawar Rajasthan MIS Code: PR08001356		a. No any ITI Staff principal, trainee was present at the ITI location address. b. School was also running in same building. c. Construction /Repairing of workshops classrooms at first floor of building were ongoing, due to this construction / maintenance work practical training weren't organized for 1 or more months. 6. Further Joint Inspection team has recommended for de-affiliation of the ITI. 7. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended for de-affiliation. 8. Further, the matter was discussed in the 25th SCAA Meeting and ITI was given an opportunity to show cause why it should not be de-affiliated, within 21 days from the date of issuance of the minutes. However, no reply was received within the prescribed time period.	work of workshops and classrooms at the first floor was ongoing, due to which practical training was not being conducted for a period of one month or more. 2. In line with the principles of natural justice, the ITI was granted a final opportunity in the 25th SCAA meeting held on 13.11.2025 and 14.11.2025 to submit a show-cause reply, explaining why the ITI should not be de-affiliated, along with any supporting representation, within 21 days from the issuance of the minutes of that meeting. 3. The said communication was issued by DGT to the registered email ID of the institute on 24.12.2025. 4. Further, the ITI did not avail the opportunity provided and failed to submit any reply or representation within the stipulated time. Accordingly, based on the facts on record, the absence of staff and trainees, operation of a school from the same premises, and disruption of training due to ongoing construction indicate that the ITI is not being operated in accordance with the prescribed norms and is not conducting training as required. The ITI is hereby de-affiliated.

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
18.	Vidyagram Private Industrial Training Institute Address: Opp.Radha Swami Bagh Nh-11 Chomu Dist.-Jaipur Rajasthan MIS Code: PR08000586	Electrician 3(1+1+1)	- Irregularities observed during initial Inspection conducted by State official on 24.12.2024. - SCN was issued to the ITI by the State on 14.01.2025 and 11.02.2025. However, no reply was received from the ITI. - Further, a joint inspection was conducted on 23.06.2025 by the RDSDE and State official. - Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended de-affiliation due to following reason: - ITI denied the inspection, last two years zero admissions - Further, the matter was discussed in the 25th SCAA Meeting and ITI was given an opportunity to show cause why it should not be de-affiliated, within 21 days from the date of issuance of the minutes. However, no reply was received within the prescribed time period.	The matter was deliberated in the SCAA meeting, and the SCAA decided as under, based on the recommendations of the SSDEC: - It has been observed that the ITI denied inspection of the institute. Further, it has been observed that the ITI has reported zero admissions for the last two years. - In line with the principles of natural justice, the ITI was granted a final opportunity in the 25th SCAA meeting held on 13.11.2025 and 14.11.2025 to submit a show-cause reply, explaining why the ITI should not be de-affiliated, along with any supporting representation, within 21 days from the issuance of the minutes of that meeting. - The said communication was issued by DGT to the registered email ID of the institute on 24.12.2025. - Further, the ITI did not avail the opportunity provided and failed to submit any reply or representation within the stipulated time. - Further, reliance is placed on judicial pronouncements which affirm that DGT and the State Directorate are empowered to conduct inspections and take appropriate

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified


SHRAMEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
				action in case of non-compliance. Notably, in W.P. No. 8116/2025 (Maa Shitla Pvt. ITI v. Union of India & Ors., MP High Court), it was held that the apex body is duty-bound to examine complaints, including through on-site inspections, and such action cannot be termed arbitrary. Similarly, in CWP-20763-2025 (Modern ITI Bathinda v. DGT, Punjab & Haryana High Court), the Court observed that re-inspection does not prejudice the petitioner. Further, in S.B. Civil W.P. No. 18022/2025 (Pooja Pvt. ITI & Ors. v. State of Rajasthan & Ors.), the Rajasthan High Court held that institutions cannot claim inspection as a matter of right in a particular manner or timeline, and compliance with prescribed norms is essential. Accordingly, based on the facts on record, the denial of inspection and absence of admissions for the past two years indicate that the ITI is not functioning as an affiliated institution and is not complying with the prescribed norms. The ITI is hereby de-affiliated.

Signature Not Verified


 UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified


 SHRAMEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
19.	Saroj Private Industrial Training Institute Address: V/P.Jahota, Teh.Amer, Dist.Jaipur Pin-303701 Rajasthan MIS Code: PR08001519	Electrician 6(2+2+2)	- Irregularities observed during initial Inspection conducted by State official on 24.12.2024. - SCN was issued to the ITI by the State on 07.01.2025 and 06.02.2025. - The ITI replied to the SCN on 24.06.2025 - Further, a joint inspection was conducted on 28.06.2025 by the RDSDE and State official. - During inspection following deficiencies were found: - Other activities are found to be running in the ITI. - No documents provided by the ITI - Further Joint Inspection team has recommended for de-affiliation of the ITI. - Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended de-affiliation due to following reason: - Other activities are found to be running in the ITI. - No documents provided by the ITI. - Further, the matter was discussed in the 25th SCAA Meeting and ITI was given an opportunity to show cause why it should not be de-affiliated, within 21 days from the date of issuance of the minutes. However, no reply was received within the prescribed time period.	The matter was deliberated in the SCAA meeting, and the SCAA decided as under, based on the recommendations of the SSDEC: - It has been observed that other activities were found to be running in the ITI premises. Further, the ITI did not provide the required documents during inspection. - In line with the principles of natural justice, the ITI was granted a final opportunity in the 25th SCAA meeting held on 13.11.2025 and 14.11.2025 to submit a show-cause reply, explaining why the ITI should not be de-affiliated, along with any supporting representation, within 21 days from the issuance of the minutes of that meeting. - The said communication was issued by DGT to the registered email ID of the institute on 24.12.2025. - Further, the ITI did not avail the opportunity provided and failed to submit any reply or representation within the stipulated time. Accordingly, based on the facts on record, the conduct of other activities in the ITI premises and non-submission of documents prevent verification of the functioning of the ITI and indicate non-

Signature Not Verified
UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified
SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
				compliance with the prescribed norms. The ITI is hereby de-affiliated.
20.	Sadhana Private Industrial Training Institute Address: Vil.- Khannlpura, The -Amber, Dist.-Jaipur-303701 Rajasthan MIS Code: PR08001503	Electrician 6(2+2+2)	- Irregularities observed during initial Inspection conducted by State official on 24.12.2024. - SCN was issued to the ITI by the State on 07.01.2025. - The ITI replied to the SCN on 24.06.2025. - Further, a joint inspection was conducted on 28.06.2025 by the RDSDE and State official. - During inspection following deficiencies were found: - A school was operating within the ITI premises, the institute's workshop had a tin shed. - The walls of the workshop were in a dilapidated condition. - No documents were provided by the ITI management. - Further Joint Inspection team has recommended for de-affiliation of the ITI. - Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended de-affiliation due to above mentioned reason: - The reply to the SCN was received on 08.01.2026. - In its reply the ITI submitted the following:	The matter was deliberated in the SCAA, and it was decided to conduct a joint inspection of the ITI to verify its functioning as per prescribed norms. The joint inspection shall be conducted by the concerned State Directorate and RDSDE Rajasthan. The date of inspection shall be decided by the State Directorate in consultation with RDSDE Rajasthan. The inspection report shall be submitted to the DGT within one month from the date of issuance of the minutes of this meeting for consideration in the next SCAA meeting.

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			a) School in ITI Premises, Tin Shed Workshop: School operates in a separate building with distinct entry/exit; ITI running since 2014, tin shed compliant with DGT guidelines (required height available); photos attached. b) Dilapidated Workshop Walls: Building and workshop repaired every two years; cracks fixed; photos attached. c) No Documents Provided: Originals were at society office, copies shown during inspection; request to view originals next day denied; originals now attached.	
21.	Shree Ram Private Industrial Training Institute Address: 471-72, Katewa Nagar, Gurjar Ki Thadi, Jaipur-302019	Electrician - 2(1+1)	- Irregularities observed during initial Inspection conducted by State official on 24.12.2024. - SCN was issued to the ITI by the State on 14.01.2025 and 11.02.2025. However, no reply was received from the ITI. - Further, a joint inspection was conducted on 23.06.2025 by the RDSDE and State official. - During inspection following deficiencies were found: - A school and coaching centre were operating within the ITI premises.	The matter was deliberated in the SCAA meeting, and the SCAA decided as under, based on the recommendations of the SSDEC: - It has been observed that a school and a coaching centre were operating within the ITI premises. Further, the ITI management did not provide the required documents during inspection, and the ITI has remained closed for the last four years. - In line with the principles of natural justice, the ITI was granted a final opportunity in

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
	MIS Code: PR08000888		ii. No documents were provided by the ITI management, and the ITI had been closed for the last four years. 5. Further Joint Inspection team has recommended for de-affiliation of the ITI. 6. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended de-affiliation of the ITI. 7. Further, the matter was discussed in the 25th SCAA Meeting and ITI was given an opportunity to show cause why it should not be de-affiliated, within 21 days from the date of issuance of the minutes. However, no reply was received within the prescribed time period.	the 25th SCAA meeting held on 13.11.2025 and 14.11.2025 to submit a show-cause reply, explaining why the ITI should not be de-affiliated, along with any supporting representation, within 21 days from the issuance of the minutes of that meeting. 3. The said communication was issued by DGT to the registered email ID of the institute on 24.12.2025. 4. Further, the ITI did not avail the opportunity provided and failed to submit any reply or representation within the stipulated time. Accordingly, based on the facts on record, the prolonged closure of the ITI, operation of a school and coaching centre from the same premises, and non-submission of documents establish that the ITI is not being operated for the purpose for which affiliation was granted, rendering the continuation of its affiliation untenable. The ITI is hereby de-affiliated.
22.	Jyotiba Private Industrial Training Institute	Electrician 6(2+2+2)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.	The matter was deliberated in the SCAA meeting, and the SCAA decided as under, based on the recommendations of the SSDEC:

Signature Not Verified
UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified
SHRAMEEV SHARMA
12.45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
	Itawa Bhopji, Dist. Jaipur MIS Code: PR08001396		2. SCN was issued to the ITI by the State on 14.01.2025 and 11.02.2025. However, no reply was received from the ITI 3. Further, a joint inspection was conducted on 28.06.2025 by the RDSDE and State official. 4. During inspection following deficiencies were found: - No admissions have been made for the last three years. - The institution does not have an IT lab or a dispensary room, and toilet facilities were also found to be inadequate. - In the electrician trade workshop of the institution, tools and equipment were not found, and only about 60% of the machinery is available. The institution was also found to be lacking in cleanliness. 5. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended de-affiliation of the ITI. 6. Further, the matter was discussed in the 25th SCAA Meeting and ITI was given an opportunity to show cause why it should not be de-affiliated, within 21 days from the date of	1. It has been observed that no admissions have been made in the ITI for the last three years. Further, the institution does not have an IT lab or a dispensary room, and the toilet facilities were found to be inadequate. In the Electrician trade workshop, required tools and equipment were not found, and only about 60% of the prescribed machinery was available. The institution was also found to be lacking in cleanliness. 2. In line with the principles of natural justice, the ITI was granted a final opportunity in the 25th SCAA meeting held on 13.11.2025 and 14.11.2025 to submit a show-cause reply, explaining why the ITI should not be de-affiliated, along with any supporting representation, within 21 days from the issuance of the minutes of that meeting. 3. The said communication was issued by DGT to the registered email ID of the institute on 24.12.2025. 4. Further, the ITI did not avail the opportunity provided and failed to submit any reply or representation within the stipulated time.

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			issuance of the minutes. However, no reply was received within the prescribed time period.	Accordingly, based on the facts on record, the absence of admissions for the past three years and the deficiencies in infrastructure and training facilities indicate non-compliance with the prescribed norms and adversely affect the quality of training under the Craftsmen Training Scheme (CTS). The ITI is hereby de-affiliated.
23.	Bhartia Navjeevan Private Industrial Training Institute Address: Ganesh Vihar, Plot No- 218, Sivar Mode, Vinayka Industrial Area, Jaipur -302012 MIS Code: PR08001076	Electrician - 2(1+1)	- Irregularities observed during initial Inspection conducted by State official on 24.12.2024. - SCN was issued to the ITI by the State on 14.01.2025 and 11.02.2025. However, no reply was received from the ITI. - Further, a joint inspection was conducted on 07.07.2025 by the RDSDE and State official. - During inspection following deficiencies were found: At ITI address plot no 218 Manas paramedical college was found and at Given contact number no was unavailable. - Further Joint Inspection team has recommended for de-affiliation of the ITI. - Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended de-affiliation due to following reason:	The matter was deliberated in the SCAA meeting, and the SCAA decided as under, based on the recommendations of the SSDEC: - It has been observed that at the ITI address, Manas Paramedical College was found to be operating. Further, the contact number provided for the ITI was found to be unavailable. - In line with the principles of natural justice, the ITI was granted a final opportunity in the 25th SCAA meeting held on 13.11.2025 and 14.11.2025 to submit a show-cause reply, explaining why the ITI should not be de-affiliated, along with any supporting representation, within 21 days from the issuance of the minutes of that meeting.

Signature Not Verified
UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified
SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			At ITI address plot no 218 Manas paramedical college was found and at Given contact number no was unavailable. 7. Further, the matter was discussed in the 25th SCAA Meeting and ITI was given an opportunity to show cause why it should not be de-affiliated, within 21 days from the date of issuance of the minutes. However, no reply was received within the prescribed time period.	3. The said communication was issued by DGT to the registered email ID of the institute on 24.12.2025. 4. Further, the ITI did not avail the opportunity provided and failed to submit any reply or representation within the stipulated time. Accordingly, based on the facts on record, the operation of Manas Paramedical College at the approved ITI premises and the unavailability of the ITI through its registered contact details establish that the ITI is not being operated for the purpose for which affiliation was granted, rendering the continuation of its affiliation untenable. The ITI is hereby de-affiliated.
24.	Amrit Private Industrial Training Institute, Address: 72, Amrit Nagar, New Sanganer Road, Mansarovar (Jaipur)-302020	1. Electrician 6(2+2+2) 2. Mechanic Diesel 2(1+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 14.01.2025 and 11.02.2025. 3. The ITI replied to the SCN on 25.01.2025. 4. Further, a joint inspection was conducted on 03.07.2025 by the RDSDE and State official. 5. During inspection deficiencies were found. 6. Further Joint Inspection team has recommended for de-affiliation of the ITI.	The matter was deliberated in the SCAA meeting, and the SCAA decided as under, based on the recommendations of the SSDEC: 1. It has been observed that the ITI was not in a running condition. Further, staff details were not available. The laboratory infrastructure was not as per prescribed norms, and the IT lab was found to be non-functional. In the Electrician trade workshop, required machinery and

Signature Not Verified
UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified
SHRAMEV SHARMA
12.45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
	MIS Code: PU08001124		7. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended de-affiliation due to following reason: - ITI Was not in running condition. - Staff details are not available. - Lab Infrastructure was not as per Norms. - IT Lab was in non-functional condition. - In lab M & E was not as per norms like load bank were not available in Electrician lab. & available machinery are not in running condition. - Gas welding table smoke meter, heavy commercial vehicle etc was not available & CRDI Engine was not in running Condition. 8. Further, the matter was discussed in the 25th SCAA Meeting and ITI was given an opportunity to show cause why it should not be de-affiliated, within 21 days from the date of issuance of the minutes. However, no reply was received within the prescribed time period.	equipment were not as per norms, including non-availability of load bank, and the available machinery was not in working condition. Additionally, essential equipment such as gas welding table, smoke meter, and heavy commercial vehicle were not available, and the CRDI engine was also found to be non-functional. - In line with the principles of natural justice, the ITI was granted a final opportunity in the 25th SCAA meeting held on 13.11.2025 and 14.11.2025 to submit a show-cause reply, explaining why the ITI should not be de-affiliated, along with any supporting representation, within 21 days from the issuance of the minutes of that meeting. - The said communication was issued by DGT to the registered email ID of the institute on 24.12.2025. - Further, the ITI did not avail the opportunity provided and failed to submit any reply or representation within the stipulated time. Accordingly, based on the facts on record, the non-functional status of the ITI, absence of staff details, and significant deficiencies in infrastructure and

Signature Not Verified
UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified
SHRAMEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
				machinery indicate non-compliance with the prescribed norms and adversely affect the conduct and quality of training. The ITI is hereby de-affiliated.
25.	Shivalok Private Industrial Training Institute Address: Villagr & Post Rundal, Tehsil Amer, Distt. Jaipur - 303805 MIS Code:PR08000 288	Electrician - 36 (12+12+12)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 14.01.2025. However, no reply was received from the ITI 3. Further, a joint inspection was conducted on 23.06.2025 by the RDSDE and State official. 4. During inspection following deficiency was not found at the specified location: no ITI name board was displayed, and the gate was closed. 5. Further Joint Inspection team has recommended for de-affiliation of the ITI. 6. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended de-affiliation due to following reason: The ITI was not found at the specified location, no ITI name board was displayed, and the ITI gate was closed. 7. Further, the matter was discussed in the 25th SCAA Meeting and ITI	The matter was deliberated in the SCAA meeting, and the SCAA decided as under, based on the recommendations of the SSDEC: 1. It has been observed that the ITI was not found at the specified location. Further, no signage board of the ITI was displayed, and the gate of the premises was found closed during inspection. 2. In line with the principles of natural justice, the ITI was granted a final opportunity in the 25th SCAA meeting held on 13.11.2025 and 14.11.2025 to submit a show-cause reply, explaining why the ITI should not be de-affiliated, along with any supporting representation, within 21 days from the issuance of the minutes of that meeting. 3. The said communication was issued by DGT to the registered email ID of the institute on 24.12.2025. 4. Further, the ITI did not avail the opportunity provided and failed to submit

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			opportunity to show cause why it should not be de-affiliated, within 21 days from the date of issuance of the minutes. However, no reply was received within the prescribed time period.	any reply or representation within the stipulated time. Accordingly, based on the facts on record, the ITI not being found at the approved location, absence of its identification and the premises being found closed establish that the ITI is not being operated for the purpose for which affiliation was granted, rendering the continuation of its affiliation untenable. The ITI is hereby de-affiliated.
26.	R S Kausalya Devi Private Industrial Training Institute Address: Jaipur Plot No. 48, Dusad Nagar Iii (Gopi Nagar), Sanganer, Rajasthan-302029 MIS Code: PU08001774	Electrician 6(2+2+2)	- Irregularities observed during initial Inspection conducted by State official on 24.12.2024. - SCN was issued to the ITI by the State on 15.01.2025 and 11.02.2025. However, no reply was received from the ITI. - Further, a joint inspection was conducted on 25.06.2025 by the RDSDE and State official. - During inspection following deficiencies were found: A school was operating within the ITI premises. - Further Joint Inspection team has recommended for de-affiliation of the ITI. - Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended de-affiliation due to following reason:	The matter was deliberated in the SCAA meeting, and the SCAA decided as under, based on the recommendations of the SSDEC: - It has been observed that a school was operating within the ITI premises. - In line with the principles of natural justice, the ITI was granted a final opportunity in the 25th SCAA meeting held on 13.11.2025 and 14.11.2025 to submit a show-cause reply, explaining why the ITI should not be de-affiliated, along with any supporting representation, within 21 days from the issuance of the minutes of that meeting. - The said communication was issued by DGT to the registered email ID of the institute on 24.12.2025.

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			A school was operating within the ITI premises. 7. Further, the matter was discussed in the 25th SCAA Meeting and ITI was given an opportunity to show-cause why it should not be de-affiliated, within 21 days from the date of issuance of the minutes. However, no reply was received within the prescribed time period.	4. Further, the ITI did not avail the opportunity provided and failed to submit any reply or representation within the stipulated time. Accordingly, based on the facts on record, the operation of a school within the ITI premises indicates that the premises are not being utilized for the purpose for which affiliation was granted, and the ITI is not being operated as an affiliated institution. The ITI is hereby de-affiliated.
27.	Baba Ramdev Private Industrial Training Institute, Address: Village-Machwa, Kalwar Road, Dist.-Jaipur, Rajasthan MIS Code: PR08001382	1. Electrician 3(1+1+1) 2. Fitter 2(1+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 07.01.2025 and 06.02.2025. 3. Further, a joint inspection was conducted on 24.06.2025 by the RDSDE and State official. 4. During inspection following deficiencies were found: The board displayed at the location belonged to 'RS Memorial Institute of Technology'. The ITI was found closed, and other activities were being carried out at the site. 5. Further Joint Inspection team has recommended for de-affiliation of the ITI. 6. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended de-affiliation due to following reason:	The matter was deliberated in the SCAA meeting, and the SCAA decided as under, based on the recommendations of the SSDEC: 1. It has been observed that the board displayed at the location belonged to "RS Memorial Institute of Technology". Further, the ITI was found closed and other activities were being carried out at the site. 2. In line with the principles of natural justice, the ITI was granted a final opportunity in the 25th SCAA meeting held on 13.11.2025 and 14.11.2025 to submit a show-cause reply, explaining why the ITI should not be de-affiliated, along with any supporting representation, within 21 days from the issuance of the minutes of that meeting.

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			The board displayed at the location belonged to 'RS Memorial Institute of Technology'. The ITI was found closed and other activities were being carried out at the site. 7. Further, the matter was discussed in the 25th SCAA Meeting and ITI was given an opportunity to show-cause why it should not be de-affiliated, within 21 days from the date of issuance of the minutes. However, no reply was received within the prescribed time period.	3. The said communication was issued by DGT to the registered email ID of the institute on 24.12.2025. 4. Further, the ITI did not avail the opportunity provided and failed to submit any reply or representation within the stipulated time. Accordingly, based on the facts on record, the display of a different institute's name at the approved location, the ITI being found closed, and the conduct of other activities at the premises establish that the ITI is not being operated for the purpose for which affiliation was granted, rendering the continuation of its affiliation untenable. The ITI is hereby de-affiliated.
28.	Jai Hind Private Industrial Training Institute, Address: Gram-Mansar Khedi, Near Benada Mod, Nh-11 Agra Road Tehsil-Bassi, Dist.Jaipur Pin-303301 Rajasthan	Electrician 6(2+2+2)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 07.01.2025. 3. The ITI replied to the SCN on 24.01.2025. 4. Further, a joint inspection was conducted on 26.06.2025 by the RDSDE and State official. 5. During inspection following deficiencies were found: 6. As Training record, raw material consumption record not available. Electricity consumption is zero. Electric Load is shared with another Institute.	The matter was deliberated in the SCAA, and it was decided to conduct a joint inspection of the ITI to verify its functioning as per prescribed norms. The joint inspection shall be conducted by the concerned State Directorate and RDSDE Rajasthan. The date of inspection shall be decided by the State Directorate in consultation with RDSDE Rajasthan. The inspection report shall be submitted to the DGT within one month from the date of issuance of the minutes of this meeting for consideration in the next SCAA meeting.

Signature Not Verified
UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified
SHRAMEV SHARMA
12.45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
	MIS Code: PR08001431		7. The Joint Inspection team has recommended for de-affiliation of the ITI. 8. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended de-affiliation of the ITI. 9. The 25th SCAA has granted a final opportunity to the ITI to represent itself within 21 days by a way of SCN. 10. The reply to the SCN was received on 10.01.2026. 11. In its reply the ITI submitted the following: a) Training Records: ○ All records (attendance, theory/practical logs, lesson/demonstration plans, weekly progress cards) maintained properly. ○ Some progress cards unavailable during inspection due to ongoing updates; now completed and attached (Annexure-A). ○ Contention: Solely on this basis, questioning training activities is legally unjustified. b) Raw Material Consumption Records:	

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			○ Register maintained regularly; raw materials purchased routinely for training. ○ Supporting purchase bills attached (Annexure-B). ○ Non-availability during inspection was a procedural lapse, fully rectified afterward. c) Zero Electricity Consumption (Diesel Generator Usage): ○ Rural location: 3-phase supply limited to 4-5 hours/day; 1-phase 1KW connection used, with average billing. ○ Practical exams/internet activities run on 1-phase power. ○ DG set (1 KVA) used for uninterrupted training during outages; details, diesel purchase bills, and video evidence from joint inspection attached. ○ No electricity sharing with nearby institutes; machines run on generator—zero-meter reading during inspection was natural, not indicative of inactive training. d) Legal Objection to De-Affiliation Recommendation:	

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			○ Cited deficiencies are minor, technical/procedural, not affecting operations or training quality; all rectified. ○ Recommendation is disproportionate, overly harsh, and violates natural justice principles. e) Prayers: ○ Reconsider and revoke de-affiliation recommendation. ○ Account for corrective measures implemented. ○ Grant another opportunity to present case and records. ○ Assurance: Full compliance with DGT/NCVT standards in future.	
29.	Rajasthan Private Industrial Training Institute, Address: Kishan Shiv Mandir Ke Piche Ward No. 10, Kishangarh Renwal, Dist.	Electrician 6(2+2+2)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 07.01.2025. 3. The ITI replied to the SCN on 25.01.2025. 4. Further, a joint inspection was conducted on 23.06.2025 by the RDSDE and State official. 5. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended de-affiliation due to following reason:	The matter was deliberated in the SCAA meeting, and the SCAA decided as under, based on the recommendations of the SSDEC: 1. It has been observed that the ITI did not produce the Demand Draft, Annex-III, or any supporting documents for review, due to which the joint inspection could not be carried out. 2. In line with the principles of natural justice, the ITI was granted a final opportunity in the 25th SCAA meeting held on 13.11.2025 and 14.11.2025 to submit a show-cause reply,

Signature Not Verified
UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified
SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
	Jaipur Rajasthan MIS Code: PR08001464		The ITI did not produce the Demand Draft, Annex-III, or any supporting documents for review; hence, the joint inspection could not be carried out. 6. Further, the matter was discussed in the 25th SCAA Meeting and ITI was given an opportunity to show-cause why it should not be de-affiliated, within 21 days from the date of issuance of the minutes. However, no reply was received within the prescribed time period.	explaining why the ITI should not be de-affiliated, along with any supporting representation, within 21 days from the issuance of the minutes of that meeting. 3. The said communication was issued by DGT to the registered email ID of the institute on 24.12.2025. 4. Further, the ITI did not avail the opportunity provided and failed to submit any reply or representation within the stipulated time. Accordingly, based on the facts on record, the failure of the ITI to provide required documents and facilitate inspection prevents verification of its functioning and compliance with prescribed norms. The ITI is hereby de-affiliated.
30.	Jaya Private Industrial Training Institute Address - H-1-83a, Sara Doonger Industrial Area Dist - Jaipur	Electrician - 6(2+2+2)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 07.01.2025. 3. The ITI replied to the SCN on 22.01.2025. 4. Further, a joint inspection was conducted on 27.06.2025 by the RDSDE and State official. 5. During inspection following deficiencies were found: a) As per norms, no untrained instructors are to be engaged after one month of	The matter was deliberated in the SCAA, and it was decided to conduct a joint inspection of the ITI to verify its functioning as per prescribed norms. The joint inspection shall be conducted by the concerned State Directorate and RDSDE Rajasthan. The date of inspection shall be decided by the State Directorate in consultation with RDSDE Rajasthan. The inspection report shall be submitted to the DGT within one month from the

Signature Not Verified
UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified
VISHRAM K SHARMA
12-45 PM 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
	Rajasthan-302012 MIS Code: PR08001492		operation. However, the institute has been running since 2014, and as per records, five untrained CITs instructors are found. b) As per norms, proof of payment to the staff along with bank details is not found. The document of declaration by the owner of the institute stating that the sanctioned load is for ITI use only and not shared with any other institute is also not provided. c) Energy supplied by the DG-SET generator is required to be measured by a digital electronic meter at a suitable location, but such a meter was not found. d) Records of syllabus coverage for each trade are not updated as per the prescribed week-wise syllabus. The number of tests conducted for each trade could not be verified due to the non-availability of test copies. e) Records of raw material consumption registers are not available. Placement percentage and related records are also not found.	date of issuance of the minutes of this meeting for consideration in the next SCAA meeting.

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			f) Electricity consumption shows zero units, and monthly electricity bills are not available. Website update date and proof are not mentioned. 6. Further Joint Inspection team has recommended for de-affiliation of the ITI. 7. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended for de-affiliation due to following reason: a) Training record raw material consumption record not available for review. b) Electricity consumption is Zero 8. Further, the ITI was a petitioner in S.B. Civil Writ Petition No. 16381/2025 (L.B.S. Private Industrial Training Institute) and 36 connected matters, which were disposed of by the Hon'ble Court on 23.01.2026. The Hon'ble Court directed the petitioner ITIs to submit representations within two weeks, following which DGT was to conduct joint inspections with the State authorities and take a decision on de-affiliation within a stipulated timeline. It is pertinent to mention that a show cause notice had already been issued to the ITIs vide the Minutes of the 25th SCAA Meeting dated 23.12.2025, prior to the Court's decision. Accordingly, in compliance with the principles	

Signature Not Verified

UJJWAL BISWAS

13.04.2026 15:49

Signature Not Verified

SHRUTI CHARMA

12.04.2026 13:08

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			of natural justice and the directions of the Hon'ble Court, fresh show cause notices were issued to all petitioner institutes on 05.02.2026, based on the remarks of the Inspection Team and the recommendations of the SSDEC.	
31.	Sunrise Pvt. ITI Address - Dhamsya, Agra Road, Hurela (Jaipur) MIS Code: PR08001900	Electrician 6(2+2+2)	- Irregularities observed during initial Inspection conducted by State official on 24.12.2024. - SCN was issued to the ITI by the State on 07.01.2025. - The ITI replied to the SCN on 26.01.2025. - Further, a joint inspection was conducted on 25.06.2025 by the RDSDE and State official. - During inspection following deficiencies were found: - As per norms, no untrained instructors are to be engaged after one year of operation. However, the institute has been running since 2014, and as per records, one untrained CITS instructor was engaged. - As per norms, proof of payment to the staff along with bank details is not found. - The document of declaration by the owner of the institute stating that the sanctioned load is for ITI use only and not shared with any other institute is also not provided.	The matter was deliberated in the SCAA, and it was decided to conduct a joint inspection of the ITI to verify its functioning as per prescribed norms. The joint inspection shall be conducted by the concerned State Directorate and RDSDE Rajasthan. The date of inspection shall be decided by the State Directorate in consultation with RDSDE Rajasthan. The inspection report shall be submitted to the DGT within one month from the date of issuance of the minutes of this meeting for consideration in the next SCAA meeting.

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			iv. Energy supplied by the DG-Set generator is required to be measured by a digital electronic meter at a suitable location, but such a meter was not found. v. Records of syllabus coverage for each trade are not updated as per the prescribed week-wise syllabus. vi. The number of tests conducted for each trade could not be verified due to the non-availability of test copies. vii. Records of raw material consumption registers are not available. viii. Placement percentage and related records are also not found. 6. Further Joint Inspection team has recommended for de-affiliation of the ITI. 7. Based on the findings of the joint inspection, 9th SSDEC has recommended de-affiliation due to following reason: Electricity load is shared with another Institute. Only one trained Instructor is found. Raw material records not available. 8. The 25th SCAA has granted a final opportunity to the ITI to represent itself within 21 days by a way of SCN. 9. The reply to the SCN was received on 11.01.2026.	

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			10. In its reply the ITI submitted the following: a) <u>Untrained Instructors:</u> Norms require no untrained instructors after one year of operation. Institute running since 2014; one untrained CITS instructor found. <u>Reply:</u> Positive note that only one remains untrained; all instructors are CITS-trained per NCVT norms. b) <u>Proof of Staff Payments:</u> No proof of payments with bank details. <u>Reply:</u> Salary register attached, showing disbursements for all staff. c) <u>Declaration on Sanctioned Load:</u> No owner declaration that electrical load is exclusively for ITI use (not shared). <u>Reply:</u> Declaration letter attached. d) <u>DG-Set Energy Meter:</u> Energy from DG- Set generator must be measured by a digital electronic meter; none found. <u>Reply:</u> Energy meter installed; electricity bills generated monthly by JVNL (Jaipur State Govt. Electricity Board). e) <u>Syllabus Coverage Records:</u> Not updated week-wise per prescribed format for each trade.	

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			Reply: Syllabus coverage for each trade is maintained as per NCVT norms, a copy attached. f) <u>The number of tests conducted for each trade could not be verified due to the non-availability of test copies.</u> Reply: Some test copies are attached for verification. g) <u>Records of raw material consumption registers are not available.</u> Reply: Raw material consumption is attached for verification. h) <u>Placement percentage and related records are also not found</u> Reply: Placement details is attached.	
32.	Deep Shikha Private Industrial Training Institute, Address: Peetal Factory Crossing Chandpol, Jhotwara Road,	Electrician 12(4+4+4)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 07.01.2025 and 06.02.2025. 3. Further, a joint inspection was conducted on 23.06.2025 by the RDSDE and State official. 4. During inspection following deficiencies were found: The ITI was not found at the location, except for a signboard displaying its name. According to nearby residents, the ITI was previously functioning in the basement of the building.	The matter was deliberated in the SCAA meeting, and the SCAA decided as under, based on the recommendations of the SSDEC: 1. It has been observed that the ITI was not found at the specified location, and only a signboard displaying its name was present. Further, as per inputs received from local residents, the ITI was previously functioning in the basement of the building. During inspection, a goods

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMESH SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
	Dist.Jaipur Rajasthan MIS Code: PU08001517		During the inspection, a goods warehouse was found in the basement area located below HDFC Bank. 5. Further Joint Inspection team has recommended for de-affiliation of the ITI. 6. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended de-affiliation of the ITI. 7. Further, the matter was discussed in the 25th SCAA Meeting and ITI was given an opportunity to show cause why it should not be de-affiliated, within 21 days from the date of issuance of the minutes. However, no reply was received within the prescribed time period.	warehouse was found operating in the basement area located below HDFC Bank. 2. In line with the principles of natural justice, the ITI was granted a final opportunity in the 25th SCAA meeting held on 13.11.2025 and 14.11.2025 to submit a show-cause reply, explaining why the ITI should not be de-affiliated, along with any supporting representation, within 21 days from the issuance of the minutes of that meeting. 3. The said communication was issued by DGT to the registered email ID of the institute on 24.12.2025. 4. Further, the ITI did not avail the opportunity provided and failed to submit any reply or representation within the stipulated time. Accordingly, based on the facts on record, the ITI not being found at the approved location, absence of any functional activity except display of its name, and use of the premises for other purposes establish that the ITI is not being operated for the purpose for which affiliation was granted, rendering the continuation of its affiliation untenable. The ITI is hereby de-affiliated.

Signature Not Verified
UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified
SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
33.	Dev Private Industrial Training Institute Address: Plot No.-40-41, Vikas Nagar Ii Nayabas, Jamwaramgarh, Dist.-Jaipur Rajasthan-303109 MIS Code: PR08001498	Electrician 6(2+2+2)	- Irregularities observed during initial Inspection conducted by State official on 24.12.2024. - SCN was issued to the ITI by the State on 07.01.2025 and 06.02.2025. - The ITI replied to the SCN on 07.02.2025. - Further, a joint inspection was conducted on 27.06.2025 by the RDSDE and State official. - During inspection following deficiencies were found: - Major machineries were not in working condition tools and equipment looks as untouched, unused for long time. - Insufficient amenities and also in poor condition. - Dev public school found on half of the infrastructure of ITI. - Annex III along with supporting documents not submitted by ITI to inspection team despite of repetitive intimation. - Further Joint Inspection team has recommended for de-affiliation of the ITI. - Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended de-affiliation of the ITI. - Further, the matter was discussed in the 25th SCAA Meeting and ITI was given an	The matter was deliberated in the SCAA meeting, and the SCAA decided as under, based on the recommendations of the SSDEC: - It has been observed that major machinery was not in working condition and the tools and equipment appeared to be unused for a prolonged period. Further, the amenities were found to be insufficient and in poor condition. It was also observed that Dev Public School was operating on part of the ITI infrastructure. Additionally, Annex-III along with supporting documents was not provided, and the ITI failed to submit the required documents to the inspection team. - In line with the principles of natural justice, the ITI was granted a final opportunity in the 25th SCAA meeting held on 13.11.2025 and 14.11.2025 to submit a show-cause reply, explaining why the ITI should not be de-affiliated, along with any supporting representation, within 21 days from the issuance of the minutes of that meeting. - The said communication was issued by DGT to the registered email ID of the institute on 24.12.2025. - Further, the ITI did not avail the opportunity provided and failed to submit

Signature Not Verified
UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified
SHRAMESH K. SHARMA
12.45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			opportunity to show cause why it should not be de-affiliated, within 21 days from the date of issuance of the minutes. However, no reply was received within the prescribed time period.	any reply or representation within the stipulated time. Accordingly, based on the facts on record, the non-functional condition of machinery, poor state of infrastructure, partial use of premises for running a school, and failure to provide required documents indicate non-compliance with the prescribed norms and adversely affect the conduct and quality of training. The ITI is hereby de-affiliated.
34.	Sardar Patel Private ITI Address: Dev Nagar, Plot No. 14, Village Neemadiya, Tehsil Jamwaramgarh, Dist.Jaipur Rajasthan-302027 MIS Code: PR08001729	1. Computer Operator and Programming Assistant -2(1+1) 2. Electrician -2(1+1) 3. Fitter -2(1+1) 4. Plumber -1(1+0)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 07.01.2025. 3. The ITI replied to the SCN on 27.01.2025. 4. Further, a joint inspection was conducted on 27.06.2025. 5. During inspection following deficiencies were found: Machinery was non-functional and workshops were in poor condition, fire safety arrangements were inadequate. The IT Lab had non-functional PCs and lacked basic amenities. No permanent signboard was displayed. A school named 'Tilak' appeared to be operating in half part of the building. 6. Further Joint Inspection team has recommended for de-affiliation of the	The matter was deliberated in the SCAA meeting, and the SCAA decided as under, based on the recommendations of the SSDEC: 1. It has been observed that the machinery was non-functional and the workshops were in poor condition. The fire safety arrangements were found to be inadequate. Further, the IT Lab had non-functional computers and lacked basic amenities. No permanent signboard of the ITI was displayed. It was also observed that a school named "Tilak" was operating in part of the building. 2. In line with the principles of natural justice, the ITI was granted a final opportunity in the 25th SCAA meeting held on 13.11.2025 and 14.11.2025 to submit a show-cause reply, explaining why the ITI should not be de-affiliated, along with any supporting

Signature Not Verified
UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified
SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			7. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended for de-affiliation of the ITI. 8. Further, the matter was discussed in the 25th SCAA Meeting and ITI was given an opportunity to show cause why it should not be de-affiliated, within 21 days from the date of issuance of the minutes. However, no reply was received within the prescribed time period.	representation, within 21 days from the issuance of the minutes of that meeting. 3. The said communication was issued by DGT to the registered email ID of the institute on 24.12.2025. 4. Further, the ITI did not avail the opportunity provided and failed to submit any reply or representation within the stipulated time. Accordingly, based on the facts on record, the non-functional condition of machinery, poor state of workshops, inadequate safety arrangements, deficiencies in IT infrastructure, absence of proper identification of the institute, and partial use of premises for running a school indicate non-compliance with the prescribed norms and adversely affect the conduct and quality of training. The ITI is hereby de-affiliated.
35.	Jaipur Private Industrial Training Institute, Address: Lali Jamwaramgarh Road, Jamwaramgarh, Jaipur - 302027	Electrician - 6(2+2+2)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 07.01.2025. 3. The ITI replied to the SCN on 22.01.2025. 4. Further, a joint inspection was conducted on 28.06.2025. 5. During inspection following deficiencies were found: i. Major machinery was not in working condition.	The matter was deliberated in the SCAA meeting, and the SCAA decided as under, based on the recommendations of the SSDEC: 1. It has been observed that major machinery was not in working condition and the tools and equipment appeared to be unused for a prolonged period. The workshop was found to be under a tin shed, with the roof and floor in poor condition and emitting foul smell. The overall building was in a poor state, and safety

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEV SHARMA
12:45:13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
	MIS Code: PR08001832		ii. Tools and equipment look as if not used since long time. iii. Tinned shed workshop, poor condition of roof, floor was smelling heavily. iv. Poor safety arrangements. v. Whole building was in poor condition. vi. Poor ITI lab with non-working PC's. & Laptop, condition was too poor in terms of ventilation. vii. Laptops and PCs with different brand looks like arranged temporary. viii. No set up for Dress making Trade. 6. Further Joint Inspection team has recommended for de-affiliation of the ITI. 7. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended for de-affiliation of the ITI. 8. Further, the matter was discussed in the 25th SCAA Meeting and ITI was given an opportunity to show cause why it should not be de-affiliated, within 21 days from the date of issuance of the minutes. However, no reply was received within the prescribed time period.	arrangements were found to be inadequate. Further, the IT lab was in poor condition with non-functional computers and laptops, inadequate ventilation, and temporary arrangements of mismatched equipment. It was also observed that no setup was available for the Dress Making trade. 2. In line with the principles of natural justice, the ITI was granted a final opportunity in the 25th SCAA meeting held on 13.11.2025 and 14.11.2025 to submit a show-cause reply, explaining why the ITI should not be de-affiliated, along with any supporting representation, within 21 days from the issuance of the minutes of that meeting. 3. The said communication was issued by DGT to the registered email ID of the institute on 24.12.2025. 4. Further, the ITI did not avail the opportunity provided and failed to submit any reply or representation within the stipulated time. Accordingly, based on the facts on record, the non-functional condition of machinery and equipment, unsafe and poor state of infrastructure, inadequate safety arrangements, and absence of essential training facilities indicate serious non-compliance with the prescribed norms and adversely affect the

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
				conduct and quality of training. The ITI is hereby de-affiliated
36.	Balaji Private Industrial Training Institute, Address: Plot No. 3-4-4a, Anandpuri Colony, Kalwar Road, Jhotwara, Jaipur-302012 MIS Code: PU08001866	1. Electrician 6(2+2+2) 2. Fitter 3(1+1+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 07.01.2025. 3. The ITI replied to the SCN on 27.01.2025. 4. Further, a joint inspection was conducted on 23.06.2025. 5. During inspection following deficiencies were found: Machinery was not in working condition. No Separate building found dedicatedly being used for ITI looks like building being used for multipurpose. Insufficient amenities. No Documents pertaining to Land. Electricity produced before to inspection team. 6. Further Joint Inspection team has recommended for de-affiliation of the ITI. 7. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended for de-affiliation of the ITI. 8. The 25th SCAA has granted a final opportunity to the ITI to represent itself within 21 days by a way of SCN.	The matter was discussed in the SCAA meeting, and the SCAA decided as under: 1. In line with the principles of natural justice, the ITI was afforded final opportunity to represent itself by 25th SCAA in its meeting held on 13.11.2025 and 14.11.2025, to submit a show-cause reply — explaining why the ITI should not be de-affiliated along with any supporting representation, within 21 days from the issuance of the minutes of that meeting. 2. The ITI, however, submitted the reply but it was found unsatisfactory as the contention of the petitioner ITI, based on the judgment dated 09.04.2021, is untenable, as the said judgment does not restrict the State Directorate or DGT from initiating fresh de-affiliation proceedings in accordance with the applicable rules. 3. On the contrary, reliance is placed on various judgments of different High Courts which affirm that state or DGT may conduct inspections and take appropriate

Signature Not Verified
UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified
SHRAMEV SHARMA
12:45:13.04.2026


Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			9. The reply to the SCN was received on 04.01.2026. 10. In its reply the ITI submitted the following: The Hon'ble court justice order dated 09.04.2021 and requested not to pass any adverse against the ITI failing which the institute would be free to challenge this order by the way of WPC in Hon'ble Rajasthan High Court.	action. Notably, in W.P. No. 8116/2025 (Maa Shitla Pvt. ITI v. Union of India & Ors., MP High Court), it was held that the apex body is duty-bound to examine complaints, including through on-site inspections, and such action cannot be termed arbitrary. Similarly, in CWP-20763-2025 (Modern ITI Bathinda v. DGT, Punjab & Haryana High Court), the Court observed that re-inspection does not prejudice the petitioner. Further, in S.B. Civil W.P. No. 18022/2025 (Pooja Pvt. ITI & Ors. v. State of Rajasthan & Ors.), the Rajasthan High Court held that institutions cannot claim inspection as a matter of right in a particular manner or timeline, and compliance with deficiencies is a prerequisite for student admissions. 4. In addition, adherence to DGT norms is essential to ensure quality vocational training and safeguard students' interests. Accordingly, there is no legal bar on the State/DGT to initiate and complete fresh de-affiliation proceedings in accordance with the rules.

Signature Not Verified



UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified



SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
				Therefore, in view of the interest of the trainees and the continuous violations of the affiliation norms, the ITI is hereby de-affiliated.
37.	Shree Minesh Private Industrial Training Institute, Address: Near Bus Stand, Jamwaramgarh (Jaipur)-303109 MIS Code: PR08000425	1. Electrician 3(2+1) 2. Mechanic Diesel 1(1+0)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 14.01.2025. However, ITI has not replied for SCN. SCN replied dated 27.01.2025 found in annexure received from the State Directorate. 3. Further, a joint inspection was conducted on 24.06.2025. 4. During inspection following deficiencies were found: Building found next to sign board, found closed, no board on building indicating ITI. No response from ITI Representative, Building was big enough compared to run only ITI looks like being used for multipurpose. 5. Further Joint Inspection team has recommended for de-affiliation of the ITI. 6. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended to de-affiliation of the ITI. 7. Further, the matter was discussed in the 25th SCAA Meeting and ITI was given an opportunity to show-cause why it should not be	The matter was deliberated in the SCAA meeting, and the SCAA decided as under, based on the recommendations of the SSDEC: 1. It has been observed that the building located next to the signboard was found closed, and no signage indicating the presence of the ITI was displayed on the building. Further, no response was received from the ITI representative during inspection. It was also observed that the building appeared to be of a size and nature suggesting usage for multiple purposes. 2. In line with the principles of natural justice, the ITI was granted a final opportunity in the 25th SCAA meeting held on 13.11.2025 and 14.11.2025 to submit a show-cause reply, explaining why the ITI should not be de-affiliated, along with any supporting representation, within 21 days from the issuance of the minutes of that meeting. 3. The said communication was issued by DGT to the registered email ID of the institute on 24.12.2025.

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			de-affiliated, within 21 days from the date of issuance of the minutes. However, no reply was received within the prescribed time period.	4. Further, the ITI did not avail the opportunity provided and failed to submit any reply or representation within the stipulated time. Accordingly, based on the facts on record, the absence of identifiable ITI infrastructure at the location, non-response from the institute, and indications of the premises being used for multiple purposes suggest that the ITI is not being operated as an affiliated institution and is not functioning in accordance with the prescribed norms. The ITI is hereby de-affiliated.
38.	Ganpati Private Industrial Training Institute Address: 128 Jms Nagar, Niworu Road, Jhotwara, Distt. Jaipur - 302012 MIS Code: PU08000285	1. Electrician 4(2+2) 2. Fitter 2(1+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 14.01.2025. However, ITI has not replied for SCN. SCN replied dated 20.01.2025 found in annexed received from the State Directorate. 3. Further, a joint inspection was conducted on 23.06.2025. 4. During inspection following deficiencies were found: ITI not found on the location except board showing direction. 5. Further Joint Inspection team has recommended for de-affiliation of the ITI.	The matter was deliberated in the SCAA meeting, and the SCAA decided as under, based on the recommendations of the SSDEC: 1. It has been observed that the ITI was not found at the specified location, except for a board displaying directions towards the ITI. 2. In line with the principles of natural justice, the ITI was granted a final opportunity in the 25th SCAA meeting held on 13.11.2025 and 14.11.2025 to submit a show-cause reply, explaining why the ITI should not be de-affiliated, along with any supporting representation, within 21 days from the issuance of the minutes of that meeting.

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			6. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended for de-affiliation of the ITI. 7. Further, the matter was discussed in the 25th SCAA Meeting and ITI was given an opportunity to show cause why it should not be de-affiliated, within 21 days from the date of issuance of the minutes. However, no reply was received within the prescribed time period.	3. The said communication was issued by DGT to the registered email ID of the institute on 24.12.2025. 4. Further, the ITI did not avail the opportunity provided and failed to submit any reply or representation within the stipulated time. Accordingly, based on the facts on record, the ITI not being found at the approved location and absence of any functional establishment, except for a directional board, establish that the ITI is not being operated for the purpose for which affiliation was granted. The ITI is hereby de-affiliated.
39.	Saraswati Private Industrial Training Institute Address: Near Govt. Hospital Jamuaramgarh, Dist.- Jaipur Rajasthan- 303109 MIS Code: PR08001548	Electrician 3(1+1+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 14.01.2025. However, ITI has not replied for SCN. 3. Further, a joint inspection was conducted on 24.06.2025. 4. During inspection following deficiencies were found: A school was operating within the ITI premises, no documents produced by ITI representative. 5. Further Joint Inspection team has recommended for de-affiliation of the ITI. 6. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended for de-affiliation of the ITI.	The matter was deliberated in the SCAA meeting, and the SCAA decided as under, based on the recommendations of the SSDEC: 1. It has been observed that a school was operating within the ITI premises. Further, the ITI representative did not produce any documents during inspection. 2. In line with the principles of natural justice, the ITI was granted a final opportunity in the 25th SCAA meeting held on 13.11.2025 and 14.11.2025 to submit a show-cause reply, explaining why the ITI should not be de-affiliated, along with any supporting representation, within 21 days

Signature Not Verified
UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified
SHRAMESH K. SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			17.09.2025, has recommended for de-affiliation of the ITI. 7. Further, the matter was discussed in the 25th SCAA Meeting and ITI was given an opportunity to show-cause why it should not be de-affiliated, within 21 days from the date of issuance of the minutes. However, no reply was received within the prescribed time period.	from the issuance of the minutes of that meeting. 3. The said communication was issued by DGT to the registered email ID of the institute on 24.12.2025. 4. Further, the ITI did not avail the opportunity provided and failed to submit any reply or representation within the stipulated time. Accordingly, based on the facts on record, the operation of a school within the ITI premises and non-submission of documents prevent verification of the functioning of the ITI and indicate non-compliance with the prescribed norms. The ITI is hereby de-affiliated.
40.	G.S. Jangid Private Industrial Training Institute Address: Bujawar Road, Near Vilage Gangana, Dist.Jodhpur Rajasthan	Electrician - (1+1+2)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 04.01.2025 and 03.02.2025. 3. Further, a joint inspection was conducted on 24.06.2025. 4. Based on joint inspection, 9th SSDEC meeting held on 17.09.2025 has recommended to de-affiliation due to following reasons: - The ITI has not admitted any trainees since 2022. - The management stated that the institute is currently non-operational.	The matter was deliberated in the SCAA meeting, and the SCAA decided as under, based on the recommendations of the SSDEC: - It has been observed that no admissions have been made in the ITI since 2022. Further, the management stated that the institute is currently non-operational and that its laboratories are being used for other purposes. - In line with the principles of natural justice, the ITI was granted a final opportunity in the 25th SCAA meeting held on

Signature Not Verified
UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified
SHRADDHA SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
	MIS Code: PR08000196		and its laboratories are being used for other purposes. 5. Further, the matter was discussed in the 25th SCAA Meeting and ITI was given an opportunity to show-cause why it should not be de-affiliated, within 21 days from the date of issuance of the minutes. However, no reply was received within the prescribed time period.	13.11.2025 and 14.11.2025 to submit a show-cause reply, explaining why the ITI should not be de-affiliated, along with any supporting representation, within 21 days from the issuance of the minutes of that meeting. 3. The said communication was issued by DGT to the registered email ID of the institute on 24.12.2025. 4. Further, the ITI did not avail the opportunity provided and failed to submit any reply or representation within the stipulated time. Accordingly, based on the facts on record, the absence of admissions since 2022 and the admission by the management regarding non-operational status and alternate use of laboratories establish that the ITI is not being operated for the purpose for which affiliation was granted, rendering the continuation of its affiliation untenable. The ITI is hereby de-affiliated.
41.	Raj Taigore Private I.T.I Address: Taigore Marg, Kila Road, Thanwala,	Electrician 6(2+2+2)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 04.01.2025 and 03.02.2025. 3. Further, a joint inspection was conducted on 24.06.2025. During inspection following were observed:	The matter was deliberated in the SCAA, and it was decided to conduct a joint inspection of the ITI to verify its functioning as per prescribed norms. The joint inspection shall be conducted by the concerned State Directorate and RDSDE Rajasthan. The date of inspection shall be decided

Signature Not Verified
UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified
SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
	Degana, Nagaur, Rajasthan- 305026 MIS Code: PR08001813		Tools are Not Working in the ITI. Also, Shortage of hand tools & other parament is not as per DGT Norms 4. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended to de-affiliation due to following reasons: - Tools are not working in the ITI. - Also, shortage of hand tools & other parament is not as per DGT Norms. 5. The 25th SCAA has granted a final opportunity to the ITI to represent itself within 21 days by a way of SCN. 6. The reply to the SCN was received on 08.01.2026. 7. In its reply the ITI submitted the following: - Faulty machinery has been repaired/replaced, and missing tools have been replaced. - Videography of the repairs/replacements and bills for missing tools are attached. - Requests prompt action considering trainees' future, approval for the next joint inspection, and to proceed as soon as possible.	by the State Directorate in consultation with RDSDE Rajasthan. The inspection report shall be submitted to the DGT within one month from the date of issuance of the minutes of this meeting for consideration in the next SCAA meeting.

Signature Not Verified


 UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified


 SHRAMEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
42.	Choudahary M.S. Memorial Private ITI, Address: Sahawa Road, Taranagar, Dist. Churu Rajasthan- 331304 MIS Code: PR08001099	Electrician 3(2+1)	- Irregularities observed during initial Inspection conducted by State official on 24.12.2024. - SCN was issued to the ITI by the State on 08.01.2025. - The ITI replied to the SCN on 24.01.2025. - Further, a joint inspection was conducted on 09.07.2025. - During inspection following deficiencies were found: - Availability of major and minor machinery was found to be approximately 50% of the required level. - More than 80% of the staff were absent during the course of inspection. - Institutional arrangements were not in conformity with the prescribed norms. - Classroom furniture was not found as per the stipulated norms. - As per DGT norms, the industrial experience of certain instructors was found to be inadequate, while no relevant experience was shown for some others. - Further Joint Inspection team has recommended for de-affiliation of the ITI. - Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on	The matter was deliberated in the SCAA, and it was decided to conduct a joint inspection of the ITI to verify its functioning as per prescribed norms. The joint inspection shall be conducted by the concerned State Directorate and RDSDE Rajasthan. The date of inspection shall be decided by the State Directorate in consultation with RDSDE Rajasthan. The inspection report shall be submitted to the DGT within one month from the date of issuance of the minutes of this meeting for consideration in the next SCAA meeting.

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			17.09.2025, has recommended de-affiliation of the ITI. 8. The 25th SCAA has granted a final opportunity to the ITI to represent itself within 21 days by a way of SCN. 9. The reply to the SCN was received on 13.01.2026. 10. In its reply the ITI submitted the following: a) Machinery Availability - Only ~50% machinery was physically available during inspection (rest under procurement). - Remaining machinery now procured / in final stages. - Supporting documents ready for verification. b) Staff Absence (>80% absent during inspection) - Absence due to unavoidable official duties, training assignments, and medical exigencies on that specific date. - Sanctioned staff strength is maintained. - Regular attendance records available for verification. c) Institutional Arrangements (not fully as per norms)	

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			- Some deficiencies existed earlier. - Corrective measures already initiated and substantial compliance achieved. d) Classroom Furniture (not as per stipulated norms) - Replacement and augmentation of furniture completed. - Observed deficiencies rectified. e) Industrial Experience of Instructors - Some instructors had inadequate relevant experience. - Institute confirms all possess required qualifications. - Any experience gaps are being addressed through additional documentation, refresher training, and engagement of suitably experienced faculty. Request: - Kindly reconsider the de-affiliation recommendation. - Grant opportunity for re-inspection. - Assurance of full cooperation and continued compliance with all norms.	
43.	S.M.R.T. Private Industrial	1. Electrician 9(3+3+3)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 08.01.2025.	The matter was deliberated in the SCAA, and it was decided to conduct a joint inspection of the ITI to verify its functioning as per prescribed norms.

Signature Not Verified
UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified
SHRAMEEV SHARMA
12.45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
	Training Institute, Address: Khasara No. 2361/1950/423, 2358/1952/431, Near Dhan Ji Ki Dhani Bus Stop, Tara Nagar Road, Churu, Dist. Churu - 331001 MIS Code: PR08001176	2. Fitter 2(1+1) 3. Mechanic Diesel 2(1+1)	3. The ITI replied to the SCN on 25.01.2025. 4. Further, a joint inspection was conducted on 11.07.2025. 5. During inspection following deficiencies were found: 6. Major and minor machinery were available only up to 20% for the Fitter and Mechanic Diesel trades. 7. Classrooms were not as per norms. For the Electrician trade, only 40% of major machinery was available, and the machinery was not in working condition. 8. The workshop size was not as per norms. Principal chamber, dispensary, and ED hall were also not as per norms. 9. Electricity consumption was low, and employees did not fulfill the qualification criteria. 10. Further Joint Inspection team has recommended for de-affiliation of the ITI. 11. Based on the findings of the joint inspection, SSDEC has recommended for de-affiliation 12. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended de-affiliation due to following reasons. 13. The 25th SCAA has granted a final opportunity to the ITI to represent itself within 21 days by a way of SCN.	The joint inspection shall be conducted by the concerned State Directorate and RDSDE Rajasthan. The date of inspection shall be decided by the State Directorate in consultation with RDSDE Rajasthan. The inspection report shall be submitted to the DGT within one month from the date of issuance of the minutes of this meeting for consideration in the next SCAA meeting.

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			14. The reply to the SCN was received on 13.01.2026 and 14.01.2026. 15. In its reply the ITI submitted the following: Fitter Trade: Decided to discontinue due to very low student interest and declining admissions in recent years. Mechanic Diesel Trade: Shortage percentage and specific items not clearly communicated. Institute asserts it possesses all required machinery, equipment, and tools per applicable norms. Outdated/faulty items replaced with new ones matching the current syllabus and 2023 approved tool list. Building & Civil Norms-The building was constructed in 2011–12 as per the norms then in force. The institute was affiliated prior to the revised norms; hence, revised provisions should not apply retrospectively. After revision of civil norms in 2025, necessary adjustments were made and an updated blueprint has been prepared and enclosed. Classrooms, laboratories, and workshops are fully adequate as per prescribed standards. Machinery – Electrician Trade- Specific details of the alleged	

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			were not communicated. Some machines were under repair at the time of inspection, leading to temporary shortage. All deficiencies have now been rectified; machinery is available and functional. New machinery and tools were procured in 2023 as per norms; purchase bills, photographs, and videos are enclosed. e. Electricity Supply-Frequent rural power cuts necessitate use of a DG set, resulting in lower electricity consumption shown in bills. Electricity bills and application for new urban electricity connection are enclosed. f. Qualified Staff (CITS)-Qualified CITS staff have been appointed as per norms. Relevant documents are enclosed.	
44.	Shreemati Moongi Devi Private Industrial Training Institute Address: Near Ram Nagar, Tiraha, Bisau	1. Electrician 8(4+4) 2. Fitter 2(1+1) 3. Mechanic Diesel 3(1+1+1)	1. Irregularities observed during initial inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 08.01.2025. 3. The ITI replied to the SCN on 20.01.2025. 4. Further, a joint inspection was conducted on 11.07.2025. 5. During inspection following deficiencies were found:	The matter was deliberated in the SCAA meeting, and the SCAA decided as under, based on the recommendations of the SSDEC: 1. It has been observed that the availability of major and minor machinery for the Fitter, Mechanic Diesel, and Electrician trades was found to be below 60%, and no staff or Principal was found present during inspection.

Signature Not Verified
UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified
SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
	Road, Churu - 331001 MIS Code: PR08001232		i. ITI, denied the joint inspection due to the lack of proper arrangement (provide a letter dated 11.07.2025), during the physical inspection. ii. Major and minor machinery for Fitter, Mechanic Diesel and Electrician trades was found to be less than 60%, and no staff or Principal was present at the time of inspection. 6. Further Joint Inspection team has recommended for de-affiliation of the ITI. 7. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended for de-affiliation of ITI. 8. Further, the matter was discussed in the 25th SCAA Meeting and ITI was given an opportunity to show cause why it should not be de-affiliated, within 21 days from the date of issuance of the minutes. However, no reply was received within the prescribed time period.	2. In line with the principles of natural justice, the ITI was granted a final opportunity in the 25th SCAA meeting held on 13.11.2025 and 14.11.2025 to submit a show-cause reply, explaining why the ITI should not be de-affiliated, along with any supporting representation, within 21 days from the issuance of the minutes of that meeting. 3. The said communication was issued by DGT to the registered email ID of the institute on 24.12.2025. 4. Further, the ITI did not avail the opportunity provided and failed to submit any reply or representation within the stipulated time. Accordingly, based on the facts on record, the significant deficiency in machinery across key trades and absence of staff indicate non-compliance with the prescribed norms and adversely affect the conduct and quality of training. The ITI is hereby de-affiliated.
45.	Gyan Jyoti Private Industrial Training Institute	Electrician 4(0+4)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 08.01.2025 and 06.02.2025. 3. Further, a joint inspection was conducted on 10.07.2025.	The matter was deliberated in the SCAA meeting, and the SCAA decided as under, based on the recommendations of the SSDEC: 1. It has been observed that the availability of major and minor machinery was less than

Signature Not Verified
UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified
SHRAMEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
	Address: Near Hanuman Gaddi Temple, Churu-331001 MIS Code: PR08001279		4. During inspection following deficiencies were found: - Major and minor machinery found less than 50%. - Most of the available machineries were not in the working condition. - DG set was not available. - About 50% staff were present at the time of inspection. - Experience of the instructors/staff was not as per norms. - Some information provided in the Annexure-3 were found to be incorrect. - No trainees were present. - As per annexure 3 the expenditure on Raw material were shown as zero. 5. Further Joint Inspection team has recommended for de-affiliation of the ITI. 6. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended for de-affiliation of the ITI. 7. Further, the matter was discussed in the 25th SCAA Meeting and ITI was given an opportunity to show cause why it should not be de-affiliated, within 21 days from the date of issuance of the minutes. However, no reply was received within the prescribed time period.	50%, and most of the available machinery was not in working condition. The DG set was not available. Further, about 50% of the staff were present at the time of inspection, and the experience of instructors/staff was not as per prescribed norms. It was also observed that no trainees were present. Additionally, certain information provided in Annexure-III was found to be incorrect, and the expenditure on raw materials was reported as zero. 2. In line with the principles of natural justice, the ITI was granted a final opportunity in the 25th SCAA meeting held on 13.11.2025 and 14.11.2025 to submit a show-cause reply, explaining why the ITI should not be de-affiliated, along with any supporting representation, within 21 days from the issuance of the minutes of that meeting. 3. The said communication was issued by DGT to the registered email ID of the institute on 24.12.2025. 4. Further, the ITI did not avail the opportunity provided and failed to submit any reply or representation within the stipulated time.

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEY SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
				Accordingly, based on the facts on record, the significant deficiencies in machinery and infrastructure, inadequate and non-compliant staff, absence of trainees, and discrepancies in submitted records indicate serious non-compliance with the prescribed norms and adversely affect the conduct and quality of training. The ITI is hereby de-affiliated.
46.	Kalpna Private Industrial Training Institute Address: IP First Riico Industrial Area, Taranagar, Dist.Churu Rajasthan - 331304 MIS Code: PR08000720	Electrician 10(3+3+4)	- Irregularities observed during initial Inspection conducted by State official on 24.12.2024. - SCN was issued to the ITI by the State on 08.01.2025. - The ITI replied to the SCN on 18.01.2025. - Further, a joint inspection was conducted on 09.07.2025. - During inspection following deficiencies were found: - Against the ITI, a JPS school was being operated. - The Electrician workshop was not as per norms and was covered with a tin shade. - Less than 50% of the major and minor machinery was available for the Electrician trade.	The matter was deliberated in the SCAA, and it was decided to conduct a joint inspection of the ITI to verify its functioning as per prescribed norms. The joint inspection shall be conducted by the concerned State Directorate and RDSDE Rajasthan. The date of inspection shall be decided by the State Directorate in consultation with RDSDE Rajasthan. The inspection report shall be submitted to the DGT within one month from the date of issuance of the minutes of this meeting for consideration in the next SCAA meeting.

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			iv. As shown in the ITI layout map, a toilet was located in place of the classroom, and the roof was open. v. The ED classroom was also not available. 6. Further Joint Inspection team has recommended for de-affiliation of the ITI. 7. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended for de-affiliation of the ITI. 8. Further, the matter was discussed in the 25th SCAA Meeting and ITI was given an opportunity to show-cause why it should not be de-affiliated, within 21 days from the date of issuance of the minutes. 9. The ITI replied on 08.01.2026 on grievance portal and submitted the following pointwise reply: a) Point No. 1: JPS School running in ITI premises It is clarified that the infrastructure of ITI and JPS School is completely separate. Both have independent entries and the ITI has its own separate entrance gate. (GPS-tagged photo of ITI entry attached as Annexure-1)	

Signature Not Verified

 UJJWAL BISWAS
 13.04.2026 15:49

Signature Not Verified

 SHRAMEV SHARMA
 12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			b) Point No. 2 & 3: Electrician Workshop and Machinery not as per norms (less than 50% machinery) The institute was previously affiliated for 12 units and is currently running only 5 units. Therefore, excess Tools & Machinery for the remaining 7 units are available as backup. (Photographs and purchase bills attached as Annexure-3) c) Point No. 4: Toilet existing in place of Classroom Classrooms are available as per DGT norms for the running units. The toilet is located in the Staff Room area, not inside any classroom. Separate toilets are provided for trainees. (Photographs and approved building map attached as Annexure-4) d) Point No. 5: Non-availability of ED Classroom As per DGT norms, Engineering Drawing classes for Electrician Trade can be conducted in the same classroom. Special drawing benches have been provided to trainees. Three classrooms are available for the Electrician Trade, which is sufficient. Conclusion The institute is fully equipped with required infrastructure, tools, machinery, and qualified faculty. Training records are properly maintained.	

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMESH SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			maintained. Our passed-out trainees have secured jobs in ISRO, JVVNL, AVVNL, Railway, BHEL etc., and have also achieved 1st Rank at District Level. Prayer It is requested that: 1. Due consideration may be given to the above facts and supporting documents. 2. A fair opportunity be granted to the institute. 3. Re-inspection may be conducted, if necessary.	
47.	Shree Vivekanand Private ITI Address: Near Bus Stand Nohar Road, Sahawa Tara Nagar, Dist. Churu 331302 MIS Code: PU08001684	1. Early Childhood Educator 2(1+1) 2. Electrician 6(2+2+2)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 08.01.2025. 3. The ITI replied to the SCN on 23.01.2025. 4. Further, a joint inspection was conducted on 02.07.2025. 5. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended de-affiliation due to following reasons: i. The electrical connection for the ITI is registered in the name of the building owner, Mr Pawan Kumar/ Arijun Sarawagi rather than in the name of the institute.	The matter was discussed in the SCAA meeting, and the SCAA decided as under: 1. In line with the principles of natural justice, the ITI was afforded final opportunity to represent itself by 25th SCAA in its meeting held on 13.11.2025 and 14.11.2025, to submit a show-cause reply — explaining why the ITI should not be de-affiliated along with any supporting representation, within 21 days from the issuance of the minutes of that meeting. 2. The ITI, however, submit the reply but the found unsatisfactory due to forged Electricity bill. Therefore, the ITI has violated the affiliation norms 2018 by engaging in malpractice through

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			Management, which is not in compliance with NCVET Affiliation norms. ii. Principal Qualification is CTS, having no Experience. Electricity consumption from Feb 2024 to Jan 2025 was zero. 6. The 25th SCAA has granted a final opportunity to the ITI to represent itself within 21 days by a way of SCN. 7. The reply to the SCN was received on 12.01.2026. 8. In its reply the ITI submitted the following: a) <u>ITI's electricity connection is registered in the building owner's name (Pawan Kumar/Arjun Sarwagi), not the institute/management, which doesn't comply with NCVET affiliation norms-</u> <u>Reply:</u> The connection was inspected and approved by DGT/NCVT in 2015 and has been ongoing without issues. (Attachment: Resolution Letter) b) <u>Principal's qualification is CTS with no experience-</u> <u>Reply:</u> A qualified Principal has been appointed post-inspection. (Attachment: Appointment Letter) c) <u>Zero electricity consumption from February 2024 to January 2025</u>	the submission of a forged electricity bill. Accordingly, the ITI is hereby de-affiliated.

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			Reply: Certified bill report from the electricity department is attached.	
48.	Diwakar Private ITI Address: Near New Bus Stand, Bhadra Road, Sahawa Tara Nagar, Dist. Churu - 331302 MIS Code: PR08001626	1. Electrician 6(2+2+2) 2. Fitter 2(1+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 08.01.2025. 3. The ITI replied to the SCN on 22.01.2025. 4. Further, a joint inspection was conducted on 30.06.2025. 5. During inspection following deficiencies were found: - The Principal's qualification was not as per DGT norms. - Out of 09 only one trainer was CITS qualified, 01 trainer was available for Fitter trade. - No instructor were available for ED, IT and ES, the clear location address was not mentioned in the rent agreement. - The lathe machine for the Fitter trade was not in working condition, raw material and power consumption per trainee were very low, very few major electrical machineries were in working condition and only 05 desktop	The matter was deliberated in the SCAA, and it was decided to conduct a joint inspection of the ITI to verify its functioning as per prescribed norms. The joint inspection shall be conducted by the concerned State Directorate and RDSDE Rajasthan. The date of inspection shall be decided by the State Directorate in consultation with RDSDE Rajasthan. The inspection report shall be submitted to the DGT within one month from the date of issuance of the minutes of this meeting for consideration in the next SCAA meeting.

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			computers were available but not in working condition. 6. Further Joint Inspection team has recommended for de-affiliation of the ITI. 7. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended for de-affiliation of the ITI. 8. The 25th SCAA has granted a final opportunity to the ITI to represent itself within 21 days by a way of SCN. 9. The reply to the SCN was received on 07.01.2026. 10. In its reply the ITI submitted the following: a) As per DGT norms, the prescribed qualification for the Principal has now been duly complied with, and a qualified Principal has been appointed in accordance with departmental directions. b) In compliance with the directions issued, CTI-qualified instructors have been appointed. Instructors for E/D, IT, and ES trades are now available as per the prescribed norms. c) The rent agreement has been renewed and duly corrected, and the name of the Institute has been properly incorporated therein. Relevant supporting documents are enclosed for reference.	

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12.45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			d) The Lathe Machine in the Fitter trade was available earlier and was shown in working condition during the inspection through a video submitted to DGT. The machine is presently fully functional, and supporting video evidence is enclosed. e) Raw materials and tools for students were available at the time of inspection and continue to be sufficient as per requirements. Physical verification of the same may be carried out at any time. f) Due to frequent power fluctuations in the rural area, practical training of students is being conducted using generator power to ensure uninterrupted training. g) In the Electrician Lab, all machines were functional at the time of inspection. Two machines temporarily developed minor issues during practical sessions; however, the same have since been repaired and are now fully operational. Supporting video evidence is enclosed. h) In the IT Lab, all computers were functional during inspection and continue to remain in working condition. Verification may be conducted at any time.	

Signature Not Verified


 UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified


 SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
49.	ChoudharY H R PVT. ITI Address: Ward No. 19, Booknasar Bas, Sardarshar, Churu - 331403 MIS Code: PU08001796	Electrician 6(2+2+2)	- Irregularities observed during initial Inspection conducted by State official on 24.12.2024. - SCN was issued to the ITI by the State on 08.01.2025. - The ITI replied to the SCN on 17.01.2025. - Further, a joint inspection was conducted on 30.07.2025. - During inspection following deficiencies were found: - All 08 Trainers of electrician trade are non CITS and having Nil Experience. - IT Lab not well maintained. 3 Latest Tools& Equipment's as per new syllabus (revised in 2023) Not purchased. - Further Joint Inspection team has recommended for de-affiliation of the ITI. - Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended for de-affiliation of the ITI. - The 25th SCAA has granted a final opportunity to the ITI to represent itself within 21 days by a way of SCN. - The reply to the SCN was received on 03.01.2026. - In its reply the ITI submitted the following	The matter was deliberated in the SCAA, and it was decided to conduct a joint inspection of the ITI to verify its functioning as per prescribed norms. The joint inspection shall be conducted by the concerned State Directorate and RDSDE Rajasthan. The date of inspection shall be decided by the State Directorate in consultation with RDSDE Rajasthan. The inspection report shall be submitted to the DGT within one month from the date of issuance of the minutes of this meeting for consideration in the next SCAA meeting.

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEY SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			a) Electrician Trade – Instructors Observation: All 8 instructors were non-CITS and had no experience. Compliance: As per your directions, the issue has been rectified. We have now appointed 7 CITS-qualified instructors, 1 instructor with ITI + 3 years' experience and 1 Polytechnic instructor. All staff appointment letters, CITS certificates and experience documents are enclosed (PDF). At the time of inspection, only 2 CITS instructors were in position; the recruitment process for the remaining 7 was already underway. b) ITI Lab – Maintenance & Equipment Observation: Lab was not properly maintained and new equipment/tools as per the revised 2023 syllabus were not purchased. Compliance: - Computers have been installed and furniture has been arranged as per your instructions. - Latest equipment and tools as per the revised 2023 syllabus have been fully purchased. Current lab status video, photographs and	

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			original purchase bills are enclosed for your kind perusal. All observations have been completely complied with. We assure strict adherence to all DGT norms and instructions in future. Prayer: Kindly unblock our ID and Password immediately and allow us to take fresh admissions for the current session.	
50.	Vinayak Pvt. ITI, Address: Taranagar-Delhi Road, Sardarshahar (Churu) MIS Code: PR08001909	Electrician 3(1+1+1)	- Irregularities observed during initial Inspection conducted by State official on 24.12.2024. - SCN was issued to the ITI by the State on 08.01.2025. - The ITI replied to the SCN on 29.01.2025. - Further, a joint inspection was conducted on 30.07.2025. During inspection following deficiencies were found: - Web site available but not updated. - Major Machinery not in working condition, Diesel Generator set was not available. - Only moveable DG set available outside the institute, entrance of workshop (underground) not safe as no railings fitted on stairs and	The matter was deliberated in the SCAA meeting, and the SCAA decided as under, based on the recommendations of the SSDEC: - It has been observed that the website of the ITI was available but not updated. Further, major machinery was not in working condition and the Diesel Generator set was not available. A movable DG set was found placed outside the institute. The entrance to the workshop located in the basement was found to be unsafe due to absence of railings on the staircase. Additionally, the IT lab was not as per prescribed norms, with 10 laptops available instead of PCs. - In line with the principles of natural justice, the ITI was granted a final opportunity in the 25th SCAA meeting held on

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEY SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			IT lab not as per norms, only 10 laptops available without bills. 5. Further Joint Inspection team has recommended for de-affiliation of the ITI. 6. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended de-affiliation of the ITI. 7. Further, the matter was discussed in the 25th SCAA Meeting and ITI was given an opportunity to show cause why it should not be de-affiliated, within 21 days from the date of issuance of the minutes. However, no reply was received within the prescribed time period.	13.11.2025 and 14.11.2025 to submit a show-cause reply, explaining why the ITI should not be de-affiliated, along with any supporting representation, within 21 days from the issuance of the minutes of that meeting. 3. The said communication was issued by DGT to the registered email ID of the institute on 24.12.2025. 4. Further, the ITI did not avail the opportunity provided and failed to submit any reply or representation within the stipulated time. Accordingly, based on the facts on record, the deficiencies in machinery and infrastructure, unsafe conditions of the workshop, and deficiencies in IT lab facilities indicate non-compliance with the prescribed norms and adversely affect the conduct and quality of training. The ITI is hereby de-affiliated.
51.	Shubhdeep Private Industrial Training Institute Address: 87, Karni	Electrician 2(1+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 04.01.2025 and 03.02.2025. 3. Further, a joint inspection was conducted on 27.06.2025. 4. During inspection following deficiencies were found:	The matter was deliberated in the SCAA meeting, and the SCAA decided as under, based on the recommendations of the SSDEC: 1. It has been observed that, as informed and confirmed by the ITI Principal, the ITI has remained closed since 2020. Further, a

Signature Not Verified
UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified
SHRAMEV SHARMA
12.45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
	Nagarbaxi Phase-I Dist.- Jodhpur Rajasthan MIS Code: PU08000589		As informed and confirmed by the ITI Principal, the ITI had been closed since 2020. A school was being operated in place of the ITI. 5. Further Joint Inspection team has recommended for de-affiliation of the ITI. 6. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended for de-affiliation. 7. Further, the matter was discussed in the 25th SCAA Meeting and ITI was given an opportunity to show cause why it should not be de-affiliated, within 21 days from the date of issuance of the minutes. However, no reply was received within the prescribed time period.	school was found to be operating in place of the ITI. 2. In line with the principles of natural justice, the ITI was granted a final opportunity in the 25th SCAA meeting held on 13.11.2025 and 14.11.2025 to submit a show-cause reply, explaining why the ITI should not be de-affiliated, along with any supporting representation, within 21 days from the issuance of the minutes of that meeting. 3. The said communication was issued by DGT to the registered email ID of the institute on 24.12.2025. 4. Further, the ITI did not avail the opportunity provided and failed to submit any reply or representation within the stipulated time. Accordingly, based on the facts on record, the prolonged closure of the ITI since 2020, as confirmed by the Principal, and the operation of a school in place of the ITI establish that the ITI is not being operated for the purpose for which affiliation was granted, rendering the continuation of its affiliation untenable. The ITI is hereby de-affiliated.

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
52.	Sugan Private Industrial Training Institute Address: Pokran Road, Phalodi Dist.- Jodhpur, Rajasthan- 342301 MIS Code: PR08000760	Electrician 6(2+2+2)	- Irregularities observed during initial Inspection conducted by State official on 24.12.2024. - SCN was issued to the ITI by the State on 04.01.2025. - The ITI replied to the SCN on 20.01.2025. - Further, a joint inspection was conducted on 28.06.2025. - During inspection following deficiencies were found: - Electricity Bill was not in the name of ITI. - A polytechnic college is running in the same Parishar. - Common bill of 20 KW is for both of Polytechnic & ITI. So, Load cannot be verified. - Land is allotted by Jila collector Jodhpur for Only Polytechnic college Purpose. - No NOC for running ITI in the allotted land from Jila Collector Jodhpur/Govt. - Further Joint Inspection team has recommended for de-affiliation of the ITI. - Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended for de-affiliation of the ITI as ITI Electricity load was shared with Polytechnic and so	The matter was deliberated in the SCAA meeting, and the SCAA decided as under, based on the recommendations of the SSDEC: - It has been observed that a Polytechnic college was found to be operating in the said premises. Further, the land on which the ITI is being operated was allotted by the District Collector, Jodhpur, for the purpose of running a Polytechnic only, and no NOC has been obtained from the competent authority for running an ITI on the said land. It was also observed that the electricity connection was not in the name of the ITI and a common load of 20 KW was shared, due to which the electrical load attributable to the ITI could not be verified. - In line with the principles of natural justice, the ITI was granted a final opportunity in the 25th SCAA meeting held on 13.11.2025 and 14.11.2025 to submit a show-cause reply, explaining why the ITI should not be de-affiliated, along with any supporting representation, within 21 days from the issuance of the minutes of that meeting. - The said communication was issued by DGT to the registered email ID of the institute on 24.12.2025.

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			running ITI in the allotted land from Jila Collector as Land is allotted By Jila collector Jodhpur for Only Polytechnic college Purpose. 8. Further, the matter was discussed in the 25th SCAA Meeting and ITI was given an opportunity to show cause why it should not be de-affiliated, within 21 days from the date of issuance of the minutes. However, no reply was received within the prescribed time period.	4. Further, the ITI did not avail the opportunity provided and failed to submit any reply or representation within the stipulated time. Accordingly, based on the facts on record, the operation of the ITI on land not allotted for its purpose, absence of requisite approval from the competent authority, and shared infrastructure preventing verification of compliance indicate that the ITI is not being operated in accordance with the prescribed norms and foundational conditions of affiliation. The ITI is hereby de-affiliated.
53.	Marudhara Private Industrial Training Institute Address: N.H.8, Khori Mod, Bidara, Teh.Shahpura, Dist.Jaipur Pin-303103 Rajasthan MIS Code: PU08001518	Electrician 5(2+2+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 07.01.2025. SCN replied dated 22.01.2025. 3. Further, a joint inspection was conducted on 03.07.2025. 4. During inspection following deficiencies were found: - Lab / Workshop were running in Basement. - Lease /Rent Agreement Expired on 2024. - Tools equipment not as per Norms. - IT Lab, computer systems were not working.	The matter was deliberated in the SCAA, and it was decided to conduct a joint inspection of the ITI to verify its functioning as per prescribed norms. The joint inspection shall be conducted by the concerned State Directorate and RDSDE Rajasthan. The date of inspection shall be decided by the State Directorate in consultation with RDSDE Rajasthan. The inspection report shall be submitted to the DGT within one month from the date of issuance of the minutes of this meeting for consideration in the next SCAA meeting. In addition, ITI is also required to submit Fire Safety Certificate.

Signature Not Verified
UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified
SHRAMEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			5. Further Joint Inspection team has recommended for de-affiliation of the ITI. 6. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended for de-affiliation of the ITI. 7. The 25th SCAA has granted a final opportunity to the ITI to represent itself within 21 days by a way of SCN. 8. The reply to the SCN was received on 10.01.2026. 9. In its reply the ITI submitted the following: a) The institute is operating in a semi-basement as per NCVT norms. b) The 2024 rent agreement was attached by mistake during file preparation; it has been corrected to April 2025. c) The Electrician trade is fully operational per NCVT norms, with all machines and tools installed. d) Deficiencies in the IT lab have been rectified, and all computers are in working condition.	
54.	Shastri Private ITI Address: 15-16 Baba	1. Electrician 2(1+1) 2. Fitter 2(1+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 07.01.2025. SCN replied dated 24.01.2025	The matter was deliberated in the SCAA, and it was decided to conduct a joint inspection of the ITI to verify its functioning as per prescribed norms.

Signature Not Verified
UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified
SHRIMATI SHARMA
12.45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
	Tadkeshwar Nagar, Ward No. 19, Surajkund, Chaksu, Dist. Jaipur-303901 MIS Code: PU08001675		3. Further, a joint inspection was conducted on 30.06.2025. 4. During inspection following deficiencies were found: - No CITS Instructor appointed for Electrician Trade. - Electrician Trade Machinery sr, no 144,145,165,166,159,106,107 etc not available. - Fitter trade machinery sr. no. 197 - 204 etc are not available. - IT lab computer system not in working conditions or outdated - ED hall not available. - Fitter Tools were rusted and seems to be not in use. - Low unit consumption 5. Further Joint Inspection team has recommended for de-affiliation of the ITI. 6. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended for de-affiliation of the ITI. 7. The 25th SCAA has granted a final opportunity to the ITI to represent itself within 21 days by a way of SCN. 8. The replies to the SCN was received on 10.01.2026 and 13.01.2026.	The joint inspection shall be conducted by the concerned State Directorate and RDSDE Rajasthan. The date of inspection shall be decided by the State Directorate in consultation with RDSDE Rajasthan. The inspection report shall be submitted to the DGT within one month from the date of issuance of the minutes of this meeting for consideration in the next SCAA meeting.

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEY SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			9. In its reply the ITI submitted the following: a) Electrician Trade: No CTIS (Craft Instructor Training Scheme) staff previously; now appointed, with supporting documents attached. a) Machines/Equipment: Inspection team noted some missing; all now installed and operational, with video evidence and bills attached. b) Fitter Trade: Deficiencies identified by inspectors; all rectified, with video and bills attached. c) IT Lab: Issues fixed; all computers now functional, with video attached. d) Electricity Bills: Last three months' bills attached as proof. e) Building Compliance: Fully meets NCVT (National Council for Vocational Training) standards. Request: The institute invites surprise/physical verification or inspection at any time and seeks permission to complete the admission process for students in the 2025-26 session. 10. Further, the ITI was a petitioner in S.B. Civil Writ Petition No. 16381/2025 (L.B.S. Private Industrial Training Institute) and 36 connected matters, which were disposed of.	

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			by the Hon'ble Court on 23.01.2026. The Hon'ble Court directed the petitioner ITIs to submit representations within two weeks, following which DGT was to conduct joint inspections with the State authorities and take a decision on de-affiliation within a stipulated timeline. It is pertinent to mention that a show cause notice had already been issued to the ITIs vide the Minutes of the 25th SCAA Meeting dated 23.12.2025, prior to the Court's directions. Accordingly, in compliance with the principles of natural justice and the directions of the Hon'ble Court, fresh show cause notices were issued to all petitioner institutes on 05.02.2026, based on the remarks of the Inspection Team and the recommendations of the SSDEC.	
55.	Shri Ramdev Private Industrial Training Institute Address: Jharkhand Road,	Electrician 1(0+1) Mechanic Diesel 2(1+1)	- Irregularities observed during initial Inspection conducted by State official on 24.12.2024. - SCN was issued to the ITI by the State on 14.01.2025 and 11.02.2025. - Further, a joint inspection was conducted on 04.07.2025.	The matter was deliberated in the SCAA meeting, and the SCAA decided as under, based on the recommendations of the SSDEC: It has been observed that the ITI was not operational. Further, the building was found to be in a very poor condition. No tools or equipment were present at the institute, and no staff was found at the time

Signature Not Verified
UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified
SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
	Phulera (Jaipur)-303338 MIS Code: PR08000857		4. During inspection following deficiencies were found: - ITI was not operational. - Building was in very bad condition. - No Tools /Equipment present at the institute. - No staff present at the institute at the time of inspection. - Other business was running inside the building. 5. Further Joint Inspection team has recommended for de-affiliation of the ITI. 6. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended for de-affiliation. 7. Further, the matter was discussed in the 25th SCAA Meeting and ITI was given an opportunity to show cause why it should not be de-affiliated, within 21 days from the date of issuance of the minutes. However, no reply was received within the prescribed time period.	of inspection. It was also observed that other business activities were being carried out within the premises. 2. In line with the principles of natural justice, the ITI was granted a final opportunity in the 25th SCAA meeting held on 13.11.2025 and 14.11.2025 to submit a show-cause reply, explaining why the ITI should not be de-affiliated, along with any supporting representation, within 21 days from the issuance of the minutes of that meeting. 3. The said communication was issued by DGT to the registered email ID of the institute on 24.12.2025. 4. Further, the ITI did not avail the opportunity provided and failed to submit any reply or representation within the stipulated time. Accordingly, based on the facts on record, the non-operational status of the ITI, absence of staff and training infrastructure, and use of the premises for other business activities establish that the ITI is not being operated for the purpose for which affiliation was granted, rendering the continuation of its affiliation untenable. The ITI is hereby de-affiliated.

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
56.	Bajrang Private Industrial Training Institute Address: Rudawal, Teh. - Roopbaas, (Bharatpur)- 321402 MIS Code: PR08000034	Electrician - 2(1+1)	- Irregularities observed during initial Inspection conducted by State official on 24.12.2024. - SCN was issued to the ITI by the State on 03.01.2025. - The ITI replied to the SCN on 17.01.2025. - Further, a joint inspection was conducted on 26.06.2025. - During inspection following deficiencies were found: - Load of institute was less than prescribed DGT norms i.e., for electrician required load is 5.2 kw but available load was 5 kw. - Website of institute was not available. - Most of the Machines were not in working condition. - No training record found as well as no training record provided by ITI. - Further Joint Inspection team has recommended for de-affiliation of the ITI. - Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended for de-affiliation. - Further, the matter was discussed in the 25th SCAA Meeting and ITI was not in an	The matter was deliberated in the SCAA meeting, and the SCAA decided as under, based on the recommendations of the SSDEC: - It has been observed that the electrical load available at the institute was below the prescribed norms, with 5 KW available against the required 5.2 KW for the Electrician trade. Further, the website of the institute was not available. Most of the machinery was found to be not in working condition. It was also observed that no training records were available or produced by the ITI during inspection. - In line with the principles of natural justice, the ITI was granted a final opportunity in the 25th SCAA meeting held on 13.11.2025 and 14.11.2025 to submit a show-cause reply, explaining why the ITI should not be de-affiliated, along with any supporting representation, within 21 days from the issuance of the minutes of that meeting. - The said communication was issued by DGT to the registered email ID of the institute on 24.12.2025. - Further, the ITI did not avail the opportunity provided and failed to submit

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			opportunity to show cause why it should not be de-affiliated, within 21 days from the date of issuance of the minutes. However, no reply was received within the prescribed time period.	any reply or representation within the stipulated time. Accordingly, based on the facts on record, the deficiencies in infrastructure and machinery, along with the absence of training records, indicate non-compliance with the prescribed norms and prevent verification of training activities being conducted at the ITI. The ITI is hereby de-affiliated.
57.	Vijay Private Industrial Training Institute, Address: Near S.B.B.J. Bank, Bandikui Road, Sikandra, Distt. Dausa-303326 MIS Code: PR08000606	1. Computer Operator and Programming Assistant 2(1+1) 2. Electrician 2(1+1) 3. Health Sanitary Inspector 2(1+1) 4. Mechanic Diesel 2(1+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 07.01.2025. 3. The ITI replied to the SCN on 25.01.2025. 4. Further, a joint inspection was conducted on 30.06.2025. 5. During inspection, the ITI denied for inspection 6. Further 9th SSDEC meeting held on 17.09.2025 has recommended de-affiliation of the ITI. 7. Further, the matter was discussed in the 25th SCAA Meeting and ITI was given an opportunity to show cause why it should not be de-affiliated, within 21 days from the date of issuance of the minutes. However, no reply was received within the prescribed time period.	The matter was deliberated in the SCAA meeting, and the SCAA decided as under, based on the recommendations of the SSDEC: 1. It has been observed that the ITI denied inspection of the institute. 2. In line with the principles of natural justice, the ITI was granted a final opportunity in the 25th SCAA meeting held on 13.11.2025 and 14.11.2025 to submit a show-cause reply, explaining why the ITI should not be de-affiliated, along with any supporting representation, within 21 days from the issuance of the minutes of that meeting. 3. The said communication was issued by DGT to the registered email ID of the institute on 24.12.2025. 4. Further, the ITI did not avail the opportunity provided and failed to submit

Signature Not Verified
UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified
SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
				any reply or representation within the stipulated time. 5. Further, reliance is placed on judicial pronouncements which affirm that DGT and the State Directorate are empowered to conduct inspections and take appropriate action in case of non-compliance. Notably, in W.P. No. 8116/2025 (Maa Shitla Pvt. ITI v. Union of India & Ors., MP High Court), it was held that the apex body is duty-bound to examine complaints, including through on-site inspections, and such action cannot be termed arbitrary. Similarly, in CWP-20763-2025 (Modern ITI Bathinda v. DGT, Punjab & Haryana High Court), the Court observed that re-inspection does not prejudice the petitioner. Further, in S.B. Civil W.P. No. 18022/2025 (Pooja Pvt. ITI & Ors. v. State of Rajasthan & Ors.), the Rajasthan High Court held that institutions cannot claim inspection as a matter of right in a particular manner or timeline, and compliance with prescribed norms is essential. Accordingly, based on the facts on record, the denial of inspection by the ITI prevents verification of its functioning and compliance with

Signature Not Verified

 UJJWAL BISWAS
 13.04.2026 15:49

Signature Not Verified

 SHRAMEEV SHARMA
 12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
				the prescribed norms. The ITI is hereby de-affiliated.
58.	Vinita Private Industrial Training Institute, Address: Kalya Dhani, Lal Sot, The. Lalsot, Dist. Dausa - 303503 MIS Code: PR08000276	Electrician 9(3+3+3)	- Irregularities observed during initial Inspection conducted by State official on 24.12.2024. - SCN was issued to the ITI by the State on 07.01.2025. - The ITI replied to the SCN on 17.01.2025. - Further, a joint inspection was conducted on 01.07.2025. - During inspection following deficiencies were found: - Approx 05% items missing as per latest list. - Principal chamber, office, staff room not as per latest civil norms, maintenance chart, log books were not maintained, Labs were tin shaded. As per electricity bills, electricity connection seems disconnected from 2021 to 2025 and ITI was running on DG set at the time of visit. - Further Joint Inspection team has recommended for de-affiliation of the ITI. - Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended for de-affiliation	The matter was discussed in the SCAA meeting, and the SCAA decided as under: - In line with the principles of natural justice, the ITI was afforded final opportunity to represent itself by 25th SCAA in its meeting held on 13.11.2025 and 14.11.2025, to submit a show-cause reply — explaining why the ITI should not be de-affiliated along with any supporting representation, within 21 days from the issuance of the minutes of that meeting. - The ITI, however, submitted the reply but the reply was found not satisfactory. The ITI accepted itself in its reply that it is running without a Electricity connection from year 2021-2025, which is a serious violation of affiliation norms. Therefore, in view of the interest of the trainees and the continuous violations of the affiliation norms, the ITI is hereby de-affiliated.

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			8. The 25th SCAA has granted a final opportunity to the ITI to represent itself within 21 days by a way of SCN. 9. The reply to the SCN was received on 07.01.2026. 10. In its reply the ITI submitted the following: a) Deficiency of Approximately 0.5% Items- It was observed that approximately 0.5% of the required items were not available at the time of inspection. The said deficiency has been fully rectified. All required items have been procured and made available as per norms. Copies of purchase bills and photographs are enclosed for verification. b) Principal Chamber, Office, and Staff Room Not as per Current Norms- The building was constructed strictly as per the affiliation norms applicable in 2013, at the time of grant of affiliation. Due to subsequent revision of norms, certain room dimensions are presently smaller than prescribed under updated standards. c) The Institute undertakes to upgrade the infrastructure to meet the revised norms at the earliest, and compliance report along with supporting documents will be submitted to the Department	

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			d) Maintenance Charts and Machine Log Books-It was observed that maintenance charts and machine log books were not maintained. The Institute has now prepared and affixed maintenance charts to each machine in the respective laboratories. Machine log books are also being properly maintained henceforth. Photographic evidence and copies of relevant records are enclosed. e) Laboratories under Tin Sheds-The existing laboratory structure was developed as per earlier approved norms. Necessary steps will be taken to ensure compliance with current infrastructure requirements, and improvements will be carried out wherever required. f) Electricity Connection Disconnection (2021–2025)- The electricity connection remained disconnected from 2021 to 2025 due to significantly low admissions during the COVID period, which caused financial constraints. However, training activities were continued through a diesel generator to avoid any disruption in practical training. The electricity connection has now been restored. A copy of the electricity bill and	

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			payment receipt is enclosed for verification. g) Overall Submission and Prayer- The Institute has taken prompt corrective measures to address all identified deficiencies and remains committed to operating strictly as per prescribed norms. In view of the rectifications made and the willingness to upgrade infrastructure as per revised standards, it is humbly requested that the de-affiliation action may kindly be reconsidered and the Institute be permitted to continue its academic operations.	
59.	P.D. Private Industrial Training Institute, Address: Thanagazi Distt. Alwar-301022 MIS Code: PR08001190	1. Electrician 2(1+1) 2. Fitter 2(1+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 07.01.2025. 3. The ITI replied to the SCN on 25.01.2025. 4. Further, a joint inspection was conducted on 28.07.2025. 5. During inspection following deficiencies were found: i. Staff members not found, Institute has denied for Joint Inspection. ii. Other activities like Garage, car washing was found to be running at the ITI	The matter was deliberated in the SCAA meeting, and the SCAA decided as under, based on the recommendations of the SSDEC: 1. It has been observed that no staff members were found present at the institute, and the ITI denied joint inspection. Further, other activities such as a garage and car washing were found to be operating within the ITI premises. 2. In line with the principles of natural justice, the ITI was granted a final opportunity in the 25th SCAA meeting held on 13.11.2025 and 14.11.2025 to submit a show-cause reply, explaining why the ITI should not be de-affiliated, along with any

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEV SHARMA
12:45 12.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			6. Further Joint Inspection team has recommended for de-affiliation of the ITI. 7. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended for de-affiliation. 8. Further, the matter was discussed in the 25th SCAA Meeting and ITI was given an opportunity to show cause why it should not be de-affiliated, within 21 days from the date of issuance of the minutes. However, no reply was received within the prescribed time period.	supporting representation, within 21 days from the issuance of the minutes of that meeting. 3. The said communication was issued by DGT to the registered email ID of the institute on 24.12.2025. 4. Further, the ITI did not avail the opportunity provided and failed to submit any reply or representation within the stipulated time. 5. Further, reliance is placed on judicial pronouncements which affirm that DGT and the State Directorate are empowered to conduct inspections and take appropriate action in case of non-compliance. Notably, in W.P. No. 8116/2025 (Maa Shitla Pvt. ITI v. Union of India & Ors., MP High Court), it was held that the apex body is duty-bound to examine complaints, including through on-site inspections, and such action cannot be termed arbitrary. Similarly, in CWP-20763-2025 (Modern ITI Bathinda v. DGT, Punjab & Haryana High Court), the Court observed that re-inspection does not prejudice the petitioner. Further, in S.B. Civil W.P. No. 18022/2025 (Pooja Pvt. ITI & Ors. v. State of Rajasthan & Ors.), the Rajasthan High Court held that institutions cannot claim

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
				inspection as a matter of right in a particular manner or timeline, and compliance with prescribed norms is essential. Accordingly, based on the facts on record, the denial of inspection, absence of staff, and use of the premises for other activities prevent verification of the functioning of the ITI and indicate non-compliance with the prescribed norms. The ITI is hereby de-affiliated.
60.	Ansh Pvt.ITI Address: Vill Kandoli, Post-Bhajeda The-Rajgarh, Dist. Alwar MIS Code: PR08001805	1. Electrician 6(2+2+2) 2. Fitter 6(2+2+2)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 07.01.2025. 3. The ITI replied to the SCN on 13.02.2025. 4. Further, a joint inspection was conducted on 30.07.2025. 5. During inspection following deficiencies were found: i. Lease deed is for less than 10 years. ii. Energy consumption is very low. iii. ITI building area available is as per DGT Norms but school is running	The matter was deliberated in the SCAA, and it was decided to conduct a joint inspection of the ITI to verify its functioning as per prescribed norms. The joint inspection shall be conducted by the concerned State Directorate and RDSDE Rajasthan. The date of inspection shall be decided by the State Directorate in consultation with RDSDE Rajasthan. The inspection report shall be submitted to the DGT within one month from the date of issuance of the minutes of this meeting for consideration in the next SCAA meeting.

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			in the same building in excess rooms. iv. Wrong GST number bill attached. Major machineries, tools and equipment were found short. 6. Further Joint Inspection team has recommended for de-affiliation of the ITI. 7. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended for de-affiliation. 8. The 25th SCAA has granted a final opportunity to the ITI to represent itself within 21 days by a way of SCN. 9. The reply to the SCN was received on 06.01.2026. 10. In its reply the ITI submitted the following: a) The Hon'ble court justice order dated 09.04.2021 and requested not to pass any adverse against the ITI failing which the institute would be free to challenge this order by the way of WPC in Hon'ble Rajasthan High Court. The ITI has also submitted the reply on 12.01.2026 in which the following is submitted:	

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			a) Lease deed is for less than 10 years-Lease was valid until February 25, 2029, at inspection; now renewed for 15 years (July 9, 2026, to January 8, 2041). Certified copy attached. b) Energy consumption is very low- Rural location with irregular electricity; generator used for practicals and academics. Diesel purchase bills attached. c) School running in the same building- ITI and school (run by the same society) have separate buildings, entrances, exits, and no common paths; on-site verification possible. d) Wrong GST number on bills/Machinery short-Affiliation in 2016-17; GST implemented July 1, 2017, so old bills have TIN numbers. All machinery meets standards. e) Additional Achievements: • 85% exam pass rate over the last 5 years. • 40% student placements in reputed companies. • 100% admissions from 2016-17 to 2024-25 sessions. 11. Further, the ITI was a petitioner in S.B. Civil Writ Petition No. 16381/2025 (L.B.S. Private Industrial Training Institute) and 36 connected matters, which were disposed of by the Hon'ble Court on 23.01.2026.	

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			Hon'ble Court directed the petitioner ITIs to submit representations within two weeks, following which DGT was to conduct joint inspections with the State authorities and take a decision on de-affiliation within a stipulated timeline. It is pertinent to mention that a show cause notice had already been issued to the ITIs vide the Minutes of the 25th SCAA Meeting dated 23.12.2025, prior to the Court's directions. Accordingly, in compliance with the principles of natural justice and the directions of the Hon'ble Court, fresh show cause notices were issued to all petitioner institutes on 05.02.2026, based on the remarks of the Inspection Team and the recommendations of the SSDEC.	
61.	Shri Giriraj Private Industrial Training Institute Address: Near Power House, Janki Road, Laxmangarh	1. Electrician 2(1+1) 2. Fitter 2(1+1) 3. Mechanic Diesel 2(1+1)	a) Irregularities observed during initial inspection conducted by State official on 24.12.2024. b) SCN was issued to the ITI by the State on 07.01.2025. c) The ITI replied to the SCN on 25.01.2025. d) Further, a joint inspection was conducted on 29.07.2025. e) During inspection following deficiencies were found:	The matter was discussed in the SCAA meeting, and the SCAA decided as under: 1. In line with the principles of natural justice, the ITI was afforded final opportunity to represent itself by 25th SCAA in its meeting held on 13.11.2025 and 14.11.2025, to submit a show-cause reply — explaining why the ITI should not be de-affiliated along with any supporting

Signature Not Verified
UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified
SHRAMEEV SHARMA
12.45.13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
	(Alwar)- 321607 MIS Code: PR08000449		Unable to participate in joint inspection as the Owner-cum-Principal busy in a family function. ITI requested to new date for Joint inspection (letter dated 29.07.2025) f) Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended for de-affiliation. g) The 25th SCAA has granted a final opportunity to the ITI to represent itself within 21 days by a way of SCN. h) The reply to the SCN was received on 12.01.2026. i) In its reply the ITI submitted the following: a) The Hon'ble court justice order dated 09.04.2021 and requested not to pass any adverse against the ITI failing which the institute would be free to challenge this order by the way of WPC in Hon'ble Rajasthan High Court.	representation, within 21 days from the issuance of the minutes of that meeting. 2. The ITI, however, submitted the reply but it was found unsatisfactory as the contention of the petitioner ITI, based on the judgment dated 09.04.2021, is untenable, as the said judgment does not restrict the State Directorate or DGT from initiating fresh de-affiliation proceedings in accordance with the applicable rules. 3. On the contrary, reliance is placed on various judgments of different High Courts which affirm that state or DGT may conduct inspections and take appropriate action. Notably, in W.P. No. 8116/2025 (Maa Shitla Pvt. ITI v. Union of India & Ors., MP High Court), it was held that the apex body is duty-bound to examine complaints, including through on-site inspections, and such action cannot be termed arbitrary. Similarly, in CWP-20763-2025 (Modern ITI Bathinda v. DGT, Punjab & Haryana High Court), the Court observed that re-inspection does not prejudice the petitioner. Further, in S.B. Civil W.P. No. 18022/2025 (Pooja Pvt. ITI & Ors. v. State of Rajasthan & Ors.), the

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEY CHURMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
				Rajasthan High Court held that institutions cannot claim inspection as a matter of right in a particular manner or timeline, and compliance with deficiencies is a prerequisite for student admissions. 4. In addition, adherence to DGT norms is essential to ensure quality vocational training and safeguard students' interests. Accordingly, there is no legal bar on the State/DGT to initiate and complete fresh de-affiliation proceedings in accordance with the rules. Therefore, in view of the interest of the trainees and the continuous violations of the affiliation norms, the ITI is hereby de-affiliated.
62.	Shri Matasya Industrial Training Centre, Address: Baradameo, The. - Laxmangarh, (Alwar)- 321607	1. Electrician 4(2+2) 2. Fitter 2(1+1) 3. Mechanic Diesel 2(1+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 07.01.2025. 3. The ITI replied to the SCN on 24.01.2025. 4. Further, a joint inspection was conducted on 30.07.2025. 5. During inspection following deficiencies were found: i. It has been observed that two institutes -Shri Matasya college and Shri Matasya Pvt. ITI are	The matter was deliberated in the SCAA, and it was decided to conduct a joint inspection of the ITI to verify its functioning as per prescribed norms. The joint inspection shall be conducted by the concerned State Directorate and RDSDE Rajasthan. The date of inspection shall be decided by the State Directorate in consultation with RDSDE Rajasthan. The inspection report shall be submitted to the DGT within one month from the date of issuance of the minutes of this meeting for consideration in the next SCAA meeting.

Signature Not Verified
UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified
SHRI MATASYA PVT. ITI
13.04.2026 15:49

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
	MIS Code: PR08000473		functioning from the same premises. While both have separate entry gates, the classrooms and labs are being shared, and there is no clear physical or legal bifurcation of the space. The existing lease deed does not specify distinct deed allocated to each institute, leading to ambiguity in infrastructure ownership and usage. ii. Major machinery (sr. no 179, 181, 183, 187, 188, 190-194,196-199, 201, 202, 204, 205, 230-233 in mechanic diesel trade not available. iii. Only 01 Lath machine available in place of required-02 nos. iv. Pneumatic and hydraulic equipment's from Sr. no. 198-204 not available in fitter trade. 6. Further Joint Inspection team has recommended for de-affiliation of the ITI. 7. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended for de-affiliation. 8. The 25th SCAA has granted a final opportunity to the ITI to represent itself within 21 days by a way of SCN.	

Signature Not Verified
UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified
SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			9. The reply to the SCN was received on 12.01.2026. 10. In its reply the ITI submitted the following: a) <u>Main Deficiency Addressed (Point i): It was observed that two institutes—Shri Matasya College and Shri Matasya Pvt. ITI—are functioning from the same premises</u>—While they have separate entry gates, classrooms and labs are shared, with no clear physical or legal bifurcation of space. The existing lease deed does not specify distinct allocation to each institute, leading to ambiguity in infrastructure ownership and usage. b) <u>Context & Overall Nature:</u> The letter is a formal point-wise rebuttal / compliance response to potential de-affiliation risk under 25th SCAA Agenda (likely Agenda 1 or 2 involving joint inspections of Rajasthan Pvt ITIs). It follows the pattern of many Rajasthan private ITIs in January 2026 submitting replies to DGT's final notice (via SCAA minutes dated 23.12.2025) after SSDEC recommendations for de-affiliation due to inspection findings (e.g., shared infrastructure ambiguity violating NCVT norms on separate/adequate facilities).	

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRISATY SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			Pages 1–4 primarily introduce the issue, quote the key observation on shared premises/lease ambiguity, and set up further explanations (likely on subsequent pages: rectifications, documents, assurances of separation/compliance, readiness for re-inspection, etc.). c) <u>Implied Prayer (consistent with series):</u> Accept the clarifications, verify compliance, withdraw de-affiliation recommendation, and allow continuation of affiliation/operations. 11. Further, the ITI was a petitioner in S.B. Civil Writ Petition No. 16381/2025 (L.B.S. Private Industrial Training Institute) and 36 connected matters, which were disposed of by the Hon'ble Court on 23.01.2026. The Hon'ble Court directed the petitioner ITIs to submit representations within two weeks, following which DGT was to conduct joint inspections with the State authorities and take a decision on de-affiliation within a stipulated timeline. It is pertinent to mention that a show cause notice had already been issued to the ITIs vide the Minutes of the 25th SCAA Meeting dated 23.12.2025, prior to the Court's directions. Accordingly, in	

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMESH CHHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			compliance with the principles of natural justice and the directions of the Hon'ble Court, fresh show-cause notices were issued to all petitioner institutes on 05.02.2026, based on the remarks of the Inspection Team and the recommendations of the SSDEC.	
63.	Indian Private Industrial Training Institute, Address: Kathumer Road, Laxmangarh (Alwar)- 321607 MIS Code: PR08000132	1. Electrician 2(1+1) 2. Fitter 2(1+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 07.01.2025. 3. The ITI replied to the SCN on 24.01.2025. 4. Further, a joint inspection was conducted on 29.07.2025. 5. During inspection following deficiencies were found: - The Workshops are in poor structural condition. - The tin sheds are damaged at multiple points, the floors are uneven and deteriorated, and there is an absence of proper ventilation, adequate lighting, and ceiling fans. - The Tool kits are grossly insufficient. - Electrician Trade Machinery: Machinery listed were not in working condition. Additionally, machinery was completely unavailable.	The matter was discussed in the SCAA meeting, and the SCAA decided as under: The matter was deliberated in the SCAA meeting, and the SCAA decided as under, based on the recommendations of the SSDEC: It has been observed that the workshops were in poor structural condition. The tin sheds were found to be damaged at multiple points, with uneven and deteriorated flooring, and absence of proper ventilation, adequate lighting, and ceiling fans. The tool kits were grossly insufficient. In the Electrician trade, the listed machinery was not in working condition and, in several cases, was not available. The Diesel Generator set was not available. In the Fitter trade, several tools and machinery were found to be missing or unavailable, and only one lathe machine was available, which was also non-

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			e. Diesel generator set was not available. f. Fitter trade tools & machinery: so many items are missing and unavailable. g. Only One Lathe machine was available, which was also non-functioning, against the requirement of two functional units. h. Welding transformer was in not working condition. 8. Classroom for both trades are currently situated in a separate building, which appears to be a school- building. 6. Further Joint Inspection team has recommended for de-affiliation of the ITI. 7. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended for de-affiliation. 8. Further, the matter was discussed in the 25th SCAA Meeting and ITI was given an opportunity to show cause why it should not be de-affiliated, within 21 days from the date of issuance of the minutes. However, no reply was received within the prescribed time period.	functional, against the requirement of two functional units. The welding transformer was also found to be non-functional. It was further observed that the classrooms for both trades were located in a separate building, which appeared to be a school building. 2. In line with the principles of natural justice, the ITI was granted a final opportunity in the 25th SCAA meeting held on 13.11.2025 and 14.11.2025 to submit a show-cause reply, explaining why the ITI should not be de-affiliated, along with any supporting representation, within 21 days from the issuance of the minutes of that meeting. 3. The said communication was issued by DGT to the registered email ID of the institute on 24.12.2025. 4. Further, the ITI did not avail the opportunity provided and failed to submit any reply or representation within the stipulated time. Accordingly, based on the facts on record, the unsafe and inadequate condition of workshops, significant deficiencies and non-functionality of machinery across trades, and lack of essential training infrastructure indicate serious non-

Signature Not Verified

 UJJWAL BISWAS
 13.04.2026 15:49

Signature Not Verified

 SHRAMEEV SHARMA
 12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
				compliance with the prescribed norms and adversely affect the conduct and quality of training. The ITI is hereby de-affiliated
64.	U.B.M. Memorial Private Industrial Training Institute Address: Village Manda, Tehsil Mundawar, Distt. Alwar-301407 MIS Code: PR08000841	1. Computer Operator and Programming Assistant 2(1+1) 2. Electrician 2(1+1) 3. Fitter 2(1+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 07.01.2025. 3. The ITI replied to the SCN on 29.01.2025. 4. Further, a joint inspection was conducted on 02.08.2025. 5. During inspection following deficiencies were found: i. The Civil infrastructure does not align with the approved building plan, indicating significant discrepancies between the actual setup and the section add e-sign. ii. The lease deed has expired in 2024 (lease duration 4.11 yr. from 16.09.2019). iii. Both workshops for Electrician and Fitter trades are in poor condition, with damaged structures and inadequate facilities. iv. The COPA lab area is approximately 48sq. M. which is	The matter was deliberated in the SCAA, and it was decided to conduct a joint inspection of the ITI to verify its functioning as per prescribed norms. The joint inspection shall be conducted by the concerned State Directorate and RDSDE Rajasthan. The date of inspection shall be decided by the State Directorate in consultation with RDSDE Rajasthan. The inspection report shall be submitted to the DGT within one month from the date of issuance of the minutes of this meeting for consideration in the next SCAA meeting.

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			below the required area of 60 sq. m. as per affiliation norms. v. Only one lathe machine is available, and it is non-functional whereas the required number is two units. vi. The pneumatised Hydraulics machines are not available in the Fitter trade. vii. Instead of an installed diesel generator (DG) set, the institute is using a portable rented DG set. viii. Only 14 Desktop computers are available, which is significantly below the required 24 units, 9. ix. laptops for COPA trade are not available. x. LAN connection has been installed in the COPA lab. xi. The number of trainee tool kits is less than the required quantity. xii. The following equipment are not available in the Electrician trade: Sr. No. 94, 70, 134, 135, 139, 101,104, 116, 159, 160, 161, 122, 140-142, 144-149. 6. Further Joint Inspection team has recommended for de-affiliation of the ITI.	

Signature Not Verified
UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified
SHRADDHA SHARMA
13.04.2026 15:49

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			7. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended for de-affiliation. 8. The 25th SCAA has granted a final opportunity to the ITI to represent itself within 21 days by a way of SCN. 9. The reply to the SCN was received on 12.01.2026. 10. In its reply the ITI submitted the following: a) <u>Civil infrastructure does not align with approved building plan; discrepancies in setup and e-sign-New building plan prepared and verified by architect. Attached: Blueprint of building plan.</u> b) <u>Lease deed expired in 2024 (duration: 4.11 years from 16.09.2019)-</u> Lease deed renewed. c) <u>Workshops for Electrician and Fitter trades in poor condition with damaged structures and inadequate facilities. RCC installed on floors; walls freshly painted-</u> Workshops now in better condition. d) <u>COPA lab area approx. 48 sq.m. (below required 60 sq.m.)-</u> Actual area is 74.5 sq.m.; temporary partition with shelves removed.	

Signature Not Verified
UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified
SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			e) <u>Only one non-functional lathe machine (required: two)</u> - Self-surrender of Fitter trade. f) <u>Pneumatized Hydraulics machines not available in Fitter trade</u> - Self-surrender of Fitter trade. g) <u>Using portable rented DG set instead of installed one</u> - DG set was repaired but not installed during inspection; now installed. h) <u>Only 14 desktop computers available (required: 24). 24 computers available; 14 were running during inspection, others had technical issues now fixed</u> - All operational. i) <u>Laptops for COPA trade not available-</u> Laptops available since 2010 accreditation. Attached: Photograph of COPA lab laptop. j) <u>LAN connection not installed in COPA lab-</u> Switches with 24 ports installed; net connection active. k) <u>Trainee tool kits less than required quantity.</u> Missing 2-3 toolkits purchased. l) <u>Missing equipment in Electrician trade (Sr. Nos.: 94, 70, 134, 135, 139, 101, 104, 116, 159, 160, 161, 122, 140-142, 144-149).</u> All equipment, machines, and panels now available.	

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			11. Further, the ITI was a petitioner in S.B. Civil Writ Petition No. 16381/2025 (L.B.S. Private Industrial Training Institute) and 36 connected matters, which were disposed of by the Hon'ble Court on 23.01.2026. The Hon'ble Court directed the petitioner ITIs to submit representations within two weeks, following which DGT was to conduct joint inspections with the State authorities and take a decision on de-affiliation within a stipulated timeline. It is pertinent to mention that a show cause notice had already been issued to the ITIs vide the Minutes of the 25th SCAA Meeting dated 23.12.2025, prior to the Court's directions. Accordingly, in compliance with the principles of natural justice and the directions of the Hon'ble Court, fresh show cause notices were issued to all petitioner institutes on 05.02.2026, based on the remarks of the Inspection Team and the recommendations of the SSDEC.	
65.	Alwar Private Industrial Training Institute,	1. Electrician 6(4+2) 2. Fitter 2(2+0)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 14.01.2025. 3. The ITI replied to the SCN on 28.01.2025.	The matter was deliberated in the SCAA meeting, and the SCAA decided as under, based on the recommendations of the SSDEC: 1. It has been observed that the ITI denied joint inspection vide letter no. AITC/1689

Signature Not Verified
UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified
SHRAMEEN GHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
	Address: 30 A, Old Industrial Area, I.T.I. Road, Alwar-301001 MIS Code: PR08000042		4. Further, a joint inspection was conducted on 29.07.2025. 5. During inspection following deficiencies were found: i. ITI denied for joint inspection vide letter no. AITC/1689 dated. 29.07.2025. ii. The ITI was not found at the location. 6. Further, 9th SSDEC meeting held on 17.09.2025 has recommended for de-affiliation. 7. Further, the matter was discussed in the 25th SCAA Meeting and ITI was given an opportunity to show cause why it should not be de-affiliated, within 21 days from the date of issuance of the minutes. However, no reply was received within the prescribed time period.	dated 29.07.2025. Further, the ITI was not found at the specified location during inspection. 2. In line with the principles of natural justice, the ITI was granted a final opportunity in the 25th SCAA meeting held on 13.11.2025 and 14.11.2025 to submit a show-cause reply, explaining why the ITI should not be de-affiliated, along with any supporting representation, within 21 days from the issuance of the minutes of that meeting. 3. The said communication was issued by DGT to the registered email ID of the institute on 24.12.2025. 4. Further, the ITI did not avail the opportunity provided and failed to submit any reply or representation within the stipulated time. 5. Further, reliance is placed on judicial pronouncements which affirm that DGT and the State Directorate are empowered to conduct inspections and take appropriate action in case of non-compliance. Notably, in W.P. No. 8116/2025 (Maa Shitla Pvt. ITI v. Union of India & Ors., MP High Court), it was held that the apex body is duty-bound to examine complaints, including through on-site inspections, and such

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
				action cannot be termed arbitrary. Similarly, in CWP-20763-2025 (Modern ITI Bathinda v. DGT, Punjab & Haryana High Court), the Court observed that re-inspection does not prejudice the petitioner. Further, in S.B. Civil W.P. No. 18022/2025 (Pooja Pvt. ITI & Ors. v. State of Rajasthan & Ors.), the Rajasthan High Court held that institutions cannot claim inspection as a matter of right in a particular manner or timeline, and compliance with prescribed norms is essential. Accordingly, based on the facts on record, the denial of inspection by the ITI and its non-availability at the approved location prevent verification of its functioning and establish that the ITI is not being operated as an affiliated institution. The ITI is hereby de-affiliated
66.	National Private Industrial Training Institute	1. Electrician 6(2+2+2) 2. Fitter 2(1+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 30.12.2024. 3. The ITI replied to the SCN on 16.01.2025.	The matter was deliberated in the SCAA meeting, and the SCAA decided as under, based on the recommendations of the SSDEC: 1. It has been observed that no staff other than the Principal was present at the institute. Further, it was found during inspection that

Signature Not Verified
UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified
SHRAMEV SHARMA
12.45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
	Address: Railway Station, Kapren, Distt. Bundi-323301 MIS Code: PR08001210		4. Further, a joint inspection was conducted on 28.07.2025. 5. During inspection following deficiencies were found: - No staff other than the Principal was present in the institute. - It was found during the inspection that as per the revised syllabus, all the required machines and equipment were not available in the institute. - No documents of any kind were presented before the inspection team. - The Fitter trade lab was found to be in a very dilapidated condition; the essential machines and equipment related to the Fitter trade were also not available in the institute. 6. Further Joint Inspection team has recommended for de-affiliation of the ITI. 7. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended for de-affiliation. 8. Further, the matter was discussed in the 25th SCAA Meeting and ITI was given an opportunity to show cause why it should not be de-affiliated.	the required machinery and equipment, as per the revised syllabus, were not available. No documents were produced before the inspection team. Additionally, the Fitter trade laboratory was found to be in a dilapidated condition, and essential machinery and equipment for the trade were not available. 2. In line with the principles of natural justice, the ITI was granted a final opportunity in the 25th SCAA meeting held on 13.11.2025 and 14.11.2025 to submit a show-cause reply, explaining why the ITI should not be de-affiliated, along with any supporting representation, within 21 days from the issuance of the minutes of that meeting. 3. The said communication was issued by DGT to the registered email ID of the institute on 24.12.2025. 4. Further, the ITI did not avail the opportunity provided and failed to submit any reply or representation within the stipulated time. Accordingly, based on the facts on record, the absence of adequate staff, non-availability of prescribed machinery and equipment, poor condition of training facilities, and non-submission

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEY SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			not be de-affiliated, within 21 days from the date of issuance of the minutes. However, no reply was received within the prescribed time period.	of documents indicate non-compliance with the prescribed norms and prevent verification of proper conduct of training. The ITI is hereby de-affiliated.
67.	Raja Private Industrial Training Institute Address: 62 Balaji Awas Devli Arab Road Barkhera Tehsil-Ladpura, Dist Kota Rajasthan-324001 MIS Code: PR08000512	Electrician 6(2+2+2)	- Irregularities observed during initial Inspection conducted by State official on 24.12.2024. - SCN was issued to the ITI by the State on 30.12.2024. - The ITI replied to the SCN on 21.01.2025. - Further, a joint inspection was conducted on 31.07.2025. - During inspection following deficiencies were found: - Electricity Bill not in the name of ITI entire building sanction load is 6 kw with school running in ground and first floor. - All 6 trainers appointed are not CITS qualified. - Some machinery not in working condition. 'Raja Classes' Tuition banners and school textbooks were found in ITI. - IT Lab room systems were outdated and not in good condition.	The matter was deliberated in the SCAA meeting, and the SCAA decided as under, based on the recommendations of the SSDEC: - It has been observed that the electricity connection was not in the name of the ITI, and the entire building had a sanctioned load of 6 KW, with a school operating on the ground and first floor. Further, all six trainers appointed were not CITS qualified. Some machinery was found to be not in working condition. It was also observed that 'Raja Classes' tuition banners and school textbooks were present within the ITI premises. Additionally, the IT lab systems were outdated and not in good condition. - In line with the principles of natural justice, the ITI was granted a final opportunity in the 25th SCAA meeting held on 13.11.2025 and 14.11.2025 to submit a show-cause reply, explaining why the ITI should not be de-affiliated, along with any

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			6. Further Joint Inspection team has recommended for de-affiliation of the ITI. 7. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended for de-affiliation. 8. Further, the matter was discussed in the 25th SCAA Meeting and ITI was given an opportunity to show cause why it should not be de-affiliated, within 21 days from the date of issuance of the minutes. However, no reply was received within the prescribed time period.	supporting representation, within 21 days from the issuance of the minutes of that meeting. 3. The said communication was issued by DGT to the registered email ID of the institute on 24.12.2025. 4. Further, the ITI did not avail the opportunity provided and failed to submit any reply or representation within the stipulated time. Accordingly, based on the facts on record, the deficiencies in infrastructure, non-compliance in instructor qualifications, presence of non-permitted activities within the premises, and inadequate IT facilities indicate non-compliance with the prescribed norms and adversely affect the conduct and quality of training. The ITI is hereby de-affiliated.
68.	Jagdish Prasad Bohra Private Industrial Training Institute Address: 51, Ricoo Industrial Area, Somnath	1. Electrician 6(3+3) 2. Mechanic Diesel 2(1+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 07.01.2025. 3. The ITI replied to the SCN on 24.01.2025. 4. Further, a joint inspection was conducted on 01.08.2025. 5. During inspection following deficiencies were found:	The matter was deliberated in the SCAA, and it was decided to conduct a joint inspection of the ITI to verify its functioning as per prescribed norms. The joint inspection shall be conducted by the concerned State Directorate and RDSDE Rajasthan. The date of inspection shall be decided by the State Directorate in consultation with RDSDE Rajasthan. The inspection report shall be submitted to the DGT within one month from the

Signature Not Verified
UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified
SHRAMEV SHARMA
12.45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
	Nagar, Dausa 303303 MIS Code: PR08000619		i. It seems that as per the site plan ITI is approximately 300 meter inside the main road. ii. Labs are not properly maintained. iii. The whole building was very dirty. iv. At the time of inspection there are no trainees available. v. At the time of inspection, no records of trainees related to the trade were found were found like trade files, Projects & Models. 6. Further Joint Inspection team has recommended for de-affiliation of the ITI. 7. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended for de-affiliation. 8. The 25th SCAA has granted a final opportunity to the ITI to represent itself within 21 days by a way of SCN. 9. The reply to the SCN was received on 12.01.2026 and 15.01.2026 10. In its reply dated 12.01.2026 the ITI submitted the following: a) Point 1: ITI is approximately 300 meters inside from the main road (as per site plan). Reply: The institute argues this is invalid as DGT affiliation was granted on this	date of issuance of the minutes of this meeting for consideration in the next SCAA meeting.

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEY CHURMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			location in 2008, and it has operated there continuously, including hosting NCVT practical exams. b) Point 2: Labs are not properly maintained. Reply- During inspection, all Electrician trade tools and machinery were properly installed on foundations/tables and demonstrated as functional. Maintenance is regular. Attached: Photos of tools/machinery. c) Point 3: The whole building was very dirty. Reply -The building is rented, and the landlord repaints it annually after monsoon before Diwali. Regular cleaning is done, but it appeared dirty due to rainy season. It has now been cleaned and repainted. Attached: Photos. d) Point 4: No trainees available at the time of inspection. Reply- The training session had ended, practical exams were completed, and CBT exams were ongoing, so no trainees were present. e) Point 5: No records of trainees (trade files, projects, models) found. Reply -Trainees had taken their files home after instructor checks for exam prep. Instructor records (job revision	

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEL SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			demonstration plans, lesson plans, progress cards) were shown and partially attached to the inspection file. Projects and models were also inspected. f) All deficiencies have been rectified. The ITI has met DGT standards since 2008, undergone regular inspections (found satisfactory), and served as an NCVT exam center annually. g) Requests exemption from de-affiliation to continue training in the interest of the institute and students. h) With this reply IT has attached the deficiency removal related photos as supporting document. 11. In its reply dated 15.01.2026 the ITI submitted the following: a) The Hon'ble court justice order dated 09.04.2021 and requested not to pass any adverse against the ITI failing which the institute would be free to challenge this order by the way of WPC in Hon'ble Rajasthan High Court. 12. Further, the ITI was a petitioner in S.B. Civil Writ Petition No. 16381/2025 (L.B.S. Private Industrial Training Institute) and 36 connected matters, which were disposed of by the Hon'ble Court on 23.01.2026. The Hon'ble Court directed the petitioner to	

Signature Not Verified

UJJWAL BISWAS

13.04.2026 15:49

Signature Not Verified

SHRAMEL SHARMA

12.45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			to submit representations within two weeks, following which DGT was to conduct joint inspections with the State authorities and take a decision on de-affiliation within a stipulated timeline. It is pertinent to mention that a show cause notice had already been issued to the ITIs vide the Minutes of the 25th SCAA Meeting dated 23.12.2025, prior to the Court's directions. Accordingly, in compliance with the principles of natural justice and the directions of the Hon'ble Court, fresh show cause notices were issued to all petitioner institutes on 05.02.2026, based on the remarks of the Inspection Team and the recommendations of the SSDEC.	
69.	Kesar Private Industrial Training Institute Address: Kesar Hospital, Sainthal Mod, Dausa -303303 MIS Code: PR08001161	Electrician 8(4+4)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 07.01.2025. 3. The ITI replied to the SCN on 23.01.2025. 4. Further, a joint inspection was conducted on 01.08.2025. 5. During inspection following deficiencies were found:	The matter was deliberated in the SCAA, and it was decided to conduct a joint inspection of the ITI to verify its functioning as per prescribed norms. The joint inspection shall be conducted by the concerned State Directorate and RDSDE Rajasthan. The date of inspection shall be decided by the State Directorate in consultation with RDSDE Rajasthan. The inspection report shall be submitted to the DGT within one month from the

Signature Not Verified
UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified
SHRAMEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			i. Some of the office and theory lab are in basement which was not as per norms. ii. They are also running marriage garden in the adjoining land area which has way from the ITI. The ITI had set up a working in the same marriage garden. iii. Labs are not properly maintained and poor condition. iv. At the time of inspection there are no trainees available. v. At the time of Inspection, no records of trainees related to the trade were found like trade files, Projectors & Models. vi. At the Time of inspection there are no trainees available. 6. Further Joint Inspection team has recommended for de-affiliation of the ITI. 7. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended for de-affiliation. 8. The matter was discussed in the 25th SCAA Meeting and ITI was given an opportunity to show cause why it should not be de-affiliated, within 21 days.	date of issuance of the minutes of this meeting for consideration in the next SCAA meeting.

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMESH K. SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			the date of issuance of the minutes. However, no reply was received within the prescribed time period. 9. Further, the ITI was a petitioner in S.B. Civil Writ Petition No. 16381/2025 (L.B.S. Private Industrial Training Institute) and 36 connected matters, which were disposed of by the Hon'ble Court on 23.01.2026. The Hon'ble Court directed the petitioner ITIs to submit representations within two weeks, following which DGT was to conduct joint inspections with the State authorities and take a decision on de-affiliation within a stipulated timeline. It is pertinent to mention that a show cause notice had already been issued to the ITIs vide the Minutes of the 25th SCAA Meeting dated 23.12.2025, prior to the Court's directions. Accordingly, in compliance with the principles of natural justice and the directions of the Hon'ble Court, fresh show cause notices were issued to all petitioner institutes on 05.02.2026, based on the remarks of the Inspection Team and the recommendations of the SSDEC.	

Signature Not Verified


 UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified


 SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
70.	Vijay Private Industrial Training Institute, Address: Ward No. 12, Maharana Pratap Colony, Bandikui (Dausa) MIS Code: PR08000461	1. Electrician 12(4+4+4) 2. Fitter 3(1+1+1) 3. Mechanic Diesel 3(1+1+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 07.01.2025. 3. The ITI replied to the SCN on 25.01.2025. 4. Further, a joint inspection was conducted on 28.07.2025. 5. During inspection following deficiencies were found: i. Some of the office and Theory lab are in the basement which was not as per norms. ii. There is no parking for Diesel Mechanic trade as per norms. iii. IT Lab is not properly maintained. 50% computers are not in working condition. iv. Lab on 1st floor have very narrow corridor exit to the emergency gate. v. Some Electrician lab machines are not working. vi. At the Time of inspection, no records of trainees related to the trade were found like trade, Projects & Models. vii. At the Time of inspection there are no trainees available.	The matter was deliberated in the SCAA, and it was decided to conduct a joint inspection of the ITI to verify its functioning as per prescribed norms. The joint inspection shall be conducted by the concerned State Directorate and RDSDE Rajasthan. The date of inspection shall be decided by the State Directorate in consultation with RDSDE Rajasthan. The inspection report shall be submitted to the DGT within one month from the date of issuance of the minutes of this meeting for consideration in the next SCAA meeting.

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			6. Further Joint Inspection team has recommended for de-affiliation of the ITI. 7. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended for de-affiliation. 8. The 25th SCAA has granted a final opportunity to the ITI to represent itself within 21 days by a way of SCN. 9. The reply to the SCN was received on 08.01.2026. 10. In its reply the ITI submitted the following: a) <u>Office and theory lab partially in basement (non-compliant):</u> Re-layout done per NCVT/QCI norms; furniture and safety arranged. Basement was approved in prior inspections. b) <u>No vehicle parking for Diesel Mechanic trade:</u> Parking is available; safe area marked post-inspection. c) <u>IT lab poorly maintained; 50% computers non-functional:</u> All computers now maintained, updated, and operational. d) <u>Narrow corridor to emergency exit on first floor:</u> Widened and emergency signs installed per fire safety norms. e) <u>Some Electrician lab machines non-functional:</u> Overhauled, calibrated, and now in use.	

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEV SHARMA
12.45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			f) <u>No records for trade-related trainees (e.g., projects/models):</u> Records now updated and attached (registers, files, modules, attendance). g) <u>No trainees present during inspection:</u> Temporary absence due to internal activities and NCVT practical exams; now regular attendance and training ongoing. h) <u>Request:</u> Considering 17 years of flawless operation, satisfactory 2014 QCI inspection, and current compliance, maintain the institute's recognition. Committed to future compliance. 11. The Hon'ble court justice order dated 09.04.2021 and requested not to pass any adverse against the ITI failing which the institute would be free to challenge this order by the way of WPC in Hon'ble Rajasthan High Court. 12. Further, the ITI was a petitioner in S.B. Civil Writ Petition No. 16381/2025 (L.B.S. Private Industrial Training Institute) and 36 connected matters, which were disposed of by the Hon'ble Court on 23.01.2026. The Hon'ble Court directed the petitioner ITIs to submit representations within two weeks, following which DGT was to conduct joint inspections with the State.	

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			authorities and take a decision on de-affiliation within a stipulated timeline. It is pertinent to mention that a show cause notice had already been issued to the ITIs vide the Minutes of the 25th SCAA Meeting dated 23.12.2025, prior to the Court's directions. Accordingly, in compliance with the principles of natural justice and the directions of the Hon'ble Court, fresh show cause notices were issued to all petitioner institutes on 05.02.2026, based on the remarks of the Inspection Team and the recommendations of the SSDEC.	
71.	Bhagat Singh Private Industrial Training Institute Address: Kalwan Road, Near Phed office, Sikrai, Dausa MIS Code: PR08001194	Electrician 4(2+2)	- Irregularities observed during initial Inspection conducted by State official on 24.12.2024. - SCN was issued to the ITI by the State on 07.01.2025. - The ITI replied to the SCN on 25.01.2025. - Further, a joint inspection was conducted on 28.07.2025. - During inspection following deficiencies were found: - In electrician trade lab some items and machines were not working. - IT lab is not properly maintained.	The matter was deliberated in the SCAA, and it was decided to conduct a joint inspection of the ITI to verify its functioning as per prescribed norms. The joint inspection shall be conducted by the concerned State Directorate and RDSDE Rajasthan. The date of inspection shall be decided by the State Directorate in consultation with RDSDE Rajasthan. The inspection report shall be submitted to the DGT within one month from the date of issuance of the minutes of this meeting for consideration in the next SCAA meeting.

Signature Not Verified
UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified
SHRAMEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			iii. Washroom were in very bad condition and not usable at all. iv. There is no proper ventilation in Theory lab and lack of good furniture. v. Building is very old and not well maintained. vi. At the time of inspection there are no trainees available. vii. At time of inspection no records of trainees related to the trade were found like trade files, Projects & Models. 6. Further Joint Inspection team has recommended for de-affiliation of the ITI. 7. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended for de-affiliation. 8. The 25th SCAA has granted a final opportunity to the ITI to represent itself within 21 days by a way of SCN. 9. The reply to the SCN was received on 13.01.2026. 10. In its reply the ITI submitted the following: a) All deficiencies have now been rectified.	

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			b) Required tools and equipment have been provided. c) The IT lab and other facilities have been improved. d) The building has been repaired and maintained. e) Necessary records have been arranged and made available.	
72.	Raghukul Private Industrial Training Institute Address: Behind Government Hospital, Ralawata Road, Distt-Dausa - 303303 MIS Code: PU08000274	Electrician 12(4+4+4)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 07.01.2025. 3. The ITI replied to the SCN on 27.01.2025. 4. Further, a joint inspection was conducted on 29.07.2025. 5. During inspection following deficiencies were found: 6. At the time of inspection only caretaker is available all labs and rooms are locked. 7. He connected us to the owner of the ITI over phone. Owner said that he is right now not interested in inspection of the ITI this connection he has also given us a letter dated.31.07.2025). 8. Further Joint Inspection team has recommended for de-affiliation of the ITI.	The matter was discussed in the SCAA meeting, and the SCAA decided as under: 1. In line with the principles of natural justice, the ITI was afforded final opportunity to represent itself by 25 th SCAA in its meeting held on 13.11.2025 and 14.11.2025, to submit a show-cause reply — explaining why the ITI should not be de-affiliated along with any supporting representation, within 21 days from the issuance of the minutes of that meeting. 2. The ITI, however, submitted the reply but it was found unsatisfactory as the contention of the petitioner ITI, based on the judgment dated 09.04.2021, is untenable, as the said judgment does not restrict the State Directorate or DGT from initiating fresh de-affiliation proceedings in accordance with the applicable rules. 3. On the contrary, reliance is placed on various judgments of different High Courts which

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			9. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended for de-affiliation. 10. The 25th SCAA has granted a final opportunity to the ITI to represent itself within 21 days by a way of SCN. 11. The reply to the SCN was received on 13.01.2026. 12. In its reply the ITI submitted the following: a) The Hon'ble court justice order dated 09.04.2021 and requested not to pass any adverse against the ITI failing which the institute would be free to challenge this order by the way of WPC in Hon'ble Rajasthan High Court.	affirm that state or DGT may conduct inspections and take appropriate action. Notably, in W.P. No. 8116/2025 (Maa Shitla Pvt. ITI v. Union of India & Ors., MP High Court), it was held that the apex body is duty-bound to examine complaints, including through on-site inspections, and such action cannot be termed arbitrary. Similarly, in CWP-20763-2025 (Modern ITI Bathinda v. DGT, Punjab & Haryana High Court), the Court observed that re-inspection does not prejudice the petitioner. Further, in S.B. Civil W.P. No. 18022/2025 (Pooja Pvt. ITI & Ors. v. State of Rajasthan & Ors.), the Rajasthan High Court held that institutions cannot claim inspection as a matter of right in a particular manner or timeline, and compliance with deficiencies is a prerequisite for student admissions. 4. In addition, adherence to DGT norms is essential to ensure quality vocational training and safeguard students' interests. Accordingly, there is no legal bar on the State/DGT to initiate and complete fresh de-affiliation proceedings in accordance with the rules. Therefore, in view of the interest of the trainees and the continuous violations of the affiliation norms, the ITI is hereby de-affiliated.

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
73.	Shri Kedarnath Private Industrial Training Institute Address: Near Circuit House New Housing Board Colony, Khan Bhankari Road, Dist. Dausa MIS Code: PR08000374	Electrician 6(2+2+2)	- Irregularities observed during initial Inspection conducted by State official on 24.12.2024. - SCN was issued to the ITI by the State on 07.01.2025. - The ITI replied to the SCN on 16.01.2025. - Further, a joint inspection was conducted on 01.08.2025. - During inspection following deficiencies were found: - Library is not maintained. - Theory lab furniture is in very bad condition to extent not useable. - In electrician trade lab some items and machines are not working. - The IT Lab was in the basement, it was very damp. - At the time of inspection there are no trainees available. - At the time of Inspection, no records of trainees related to the trade were found like trade files, Projects & Models. - Further Joint Inspection team has recommended for de-affiliation of the ITI. - Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended for de-affiliation.	The matter was deliberated in the SCAA, and it was decided to conduct a joint inspection of the ITI to verify its functioning as per prescribed norms. The joint inspection shall be conducted by the concerned State Directorate and RDSDE Rajasthan. The date of inspection shall be decided by the State Directorate in consultation with RDSDE Rajasthan. The inspection report shall be submitted to the DGT within one month from the date of issuance of the minutes of this meeting for consideration in the next SCAA meeting.

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			8. The 25th SCAA has granted a final opportunity to the ITI to represent itself within 21 days by a way of SCN. 9. The reply to the SCN was received on 10.01.2026 10. In its replies the ITI submitted the following: a) <u>Library is not maintained:</u> Library is fully functional and operational for 11 years with regular trainee use (issuing/returning books). b) Books outside racks or on tables during inspection is normal/temporary (trainees studying). c) Treating minor disarrangement as a "serious deficiency" justifying de-affiliation is unjustified and unreasonable; cannot be grounds for de-affiliation. 11. Further, the ITI was a petitioner in S.B. Civil Writ Petition No. 16381/2025 (L.B.S. Private Industrial Training Institute) and 36 connected matters, which were disposed of by the Hon'ble Court on 23.01.2026. The Hon'ble Court directed the petitioner ITIs to submit representations within two weeks, following which DGT to	

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMESH CHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			conduct joint inspections with the State authorities and take a decision on de-affiliation within a stipulated timeline. It is pertinent to mention that a show cause notice had already been issued to the ITIs vide the Minutes of the 25th SCAA Meeting dated 23.12.2025, prior to the Court's directions. Accordingly, in compliance with the principles of natural justice and the directions of the Hon'ble Court, fresh show cause notices were issued to all petitioner institutes on 05.02.2026, based on the remarks of the Inspection Team and the recommendations of the SSDEC.	
74.	Mahatma Gandhi Private Industrial Training Institute Address: Badiyal Road, Bandikui, Distt. Dausa MIS Code: PR08000863	1. Electrician 2(1+1) 2. Fitter 1(1+0) 3. Mechanic Diesel 2(1+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 14.01.2025. 3. The ITI replied to the SCN on 31.01.2025. 4. Further, a joint inspection was conducted on 28.07.2025. 5. During inspection following deficiencies were found: i. Electrician and Diesel Mechanic lab/workshop are below the plinth level.	The matter was deliberated in the SCAA, and it was decided to conduct a joint inspection of the ITI to verify its functioning as per prescribed norms. The joint inspection shall be conducted by the concerned State Directorate and RDSDE Rajasthan. The date of inspection shall be decided by the State Directorate in consultation with RDSDE Rajasthan. The inspection report shall be submitted to the DGT within one month from the date of issuance of the minutes of this meeting for consideration in the next SCAA meeting.

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			ii. There is no parking for Diesel Mechanic trade as per norms. Parking shown by them is not sufficient for the carrying out the work in vehicles. iii. IT Lab is not as per norms and also not well maintained. iv. One of the ways to It lab way is from the Principal/office room. v. Furniture in the theory lab is not in good condition most of the not useable. There is no proper ventilation in the rooms and there is dampness in the room. vi. Building is very old and is not well maintained. vii. At the time of inspection not trade was running in the ITI and there are no trainees/ staff at all. viii. At the time of Inspection, no records of trainee related to the trade were found like trade files, Projects & Models. 6. Further Joint Inspection team has recommended for de-affiliation of the ITI. 7. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended for de-affiliation.	

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			8. The 25th SCAA has granted a final opportunity to the ITI to represent itself within 21 days by a way of SCN. 9. The reply to the SCN was received on 12.01.2026. 10. In its reply the ITI submitted the following: a) Electronics & Diesel Mechanic Lab/Workshop Slips/labels below ground level have been removed and the entire area has been leveled properly. b) Diesel Mechanic Trade – Popping Facility Popping facility has been updated and made fully functional as per norms. The popping area is now inside the workshop and adequate for the trade. c) IT Lab - The IT Lab has been completely restructured and updated as per the approved map/budget and NCVT norms. Proper maintenance is now ensured. d) Access to IT Lab -The IT Lab has a separate gate and direct access through the gallery. It does not pass through the Principal's office/room. This is clearly visible in the layout plan. e) Theory Lab – Furniture & Ventilation Old and unusable furniture has been removed and new furniture purchased. Classrooms already have 4×3 ft windows.	

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			and ventilators. Floor has been repaired and dampness issue resolved. f) Building Maintenance - The entire building has been repaired and freshly painted. At the time of inspection, no trainees were present due to a holiday (vacation), but all staff was present (staff attendance register photo enclosed). Trade files, projects, models and previous records were shown to the team. All trades are now fully operational. g) All deficiencies pointed out by the inspection team have been fully rectified. The institute assures strict compliance with all norms in future and no building-related shortcomings will occur again. Prayer: Kindly drop the de-affiliation recommendation and restore our affiliation. We are ready for any fresh re-inspection if required.	
75.	Kalpna Chawla Memorial Private Industrial Training Institute	1. Computer Operator and Programming Assistant 1(1+0) 2. Electrician 4(2+2)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 08.01.2025. 3. The ITI replied to the SCN on 24.01.2025. 4. Further, a joint inspection was conducted on 28.07.2025. 5. During inspection following deficiencies were found:	The matter was deliberated in the SCAA meeting, and the SCAA decided as under, based on the recommendations of the SSDEC: 1. It has been observed that the workshop space for Mechanic Diesel, Electrician, and Fitter trades was less than the prescribed norms. Further, as per the revised syllabus, the required tools, equipment, and machinery were not available for the COPA, Fitter, Electrician,

Signature Not Verified
 UJJWAL BHADRA
 13.04.2026 15:49

Signature Not Verified
 SHRAMEEV SHARMA
 12:45:13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
	(Hanumangarh) -335501 MIS Code: PR08000058	3. Fitter 2(1+1) 4. Mechanic Diesel 1(1+0)	i. The workshop space for Mechanic Diesel, Electrician, and Fitter trades was found to be less than the required norms. ii. According to the revised syllabus, all trades (COPA, Fitter, Electrician & Mechanic diesel) do not have the necessary tools, equipment, and machinery. iii. In the COPA trade, only 12 desktop computers, one laptop, printers, and other furniture (chairs and a table for the instructor, 12 desk tables and 24 operator chairs) are available, Other required tools, equipment, machinery, and software are not available. iv. In the COPA trade 12 computers from various companies are available here and seven of them are currently in use. v. In the Electrician, Fitter and Mechanic Diesel trade, all major machinery is either completely non-functional or not in working condition. vi. For the first shift (5 units), only 3 classrooms are available, resulting in a shortage of 2 classrooms. 6. Further Joint Inspection team has recommended for de-affiliation of the ITI	and Mechanic Diesel trades. In the COPA trade, only 12 desktop computers, one laptop, and limited furniture were available, while other required tools, equipment, machinery, and software were not available. It was also observed that the available computers were from different manufacturers, and only seven were in working condition. In the Electrician, Fitter, and Mechanic Diesel trades, major machinery was either non-functional or not in working condition. Additionally, for the first shift comprising five units, only three classrooms were available, resulting in a shortage of two classrooms. 2. In line with the principles of natural justice, the ITI was granted a final opportunity in the 25th SCAA meeting held on 13.11.2025 and 14.11.2025 to submit a show-cause reply, explaining why the ITI should not be de-affiliated, along with any supporting representation, within 21 days from the issuance of the minutes of that meeting. 3. The said communication was issued by DGT to the registered email ID of the institute on 24.12.2025. 4. Further, the ITI did not avail the opportunity provided and failed to submit any reply or representation within the stipulated time.

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			7. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended for de-affiliation. 8. Further, the matter was discussed in the 25th SCAA Meeting and ITI was given an opportunity to show cause why it should not be de-affiliated, within 21 days from the date of issuance of the minutes. However, no reply was received within the prescribed time period.	Accordingly, based on the facts on record, the inadequate workshop space, non-availability and non-functionality of machinery and equipment across trades, and shortage of classrooms indicate non-compliance with the prescribed norms and adversely affect the conduct and quality of training. The ITI is hereby de-affiliated.
76.	Kashav Vidhyapeeth Industrial Training Center Address: Shree Ganganagar Road, Pili Banga (Hanumangarh) MIS Code: PR08000912	Electrician 2(1+1) Mechanic Diesel 1(1+0)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 08.01.2025. 3. Further, a joint inspection was conducted on 30.07.2025. During inspection the following were observed: - No employee was present and the main gate was found open. - Upon entering the premises, some families were residing inside the ITI. - On inquiring with a nearby person, it was informed that the ITI opens only on the days when examinations are scheduled. 4. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended de affiliation due to above mentioned reasons.	The matter was deliberated in the SCAA meeting, and the SCAA decided as under, based on the recommendations of the SSDEC: - It has been observed that no employee was present at the institute and the main gate was found open. Upon entering the premises, families were found to be residing within the ITI. Further, as per inputs received from a nearby person, the ITI was reportedly opened only on days when examinations were scheduled. - In line with the principles of natural justice, the ITI was granted a final opportunity in the 25th SCAA meeting held on 13.11.2025 and 14.11.2025 to submit a show-cause reply, explaining why the ITI should not be de-affiliated, along with any supporting

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			5. Further, the matter was discussed in the 25th SCAA Meeting and ITI was given an opportunity to show cause why it should not be de-affiliated, within 21 days from the date of issuance of the minutes. However, no reply was received within the prescribed time period.	representation, within 21 days from the issuance of the minutes of that meeting. 3. The said communication was issued by DGT to the registered email ID of the institute on 24.12.2025. 4. Further, the ITI did not avail the opportunity provided and failed to submit any reply or representation within the stipulated time. Accordingly, based on the facts on record, the absence of staff, use of the premises for residential purposes, and irregular operation of the ITI indicate that the institute is not being operated as an affiliated institution and is not functioning in accordance with the prescribed norms. The ITI is hereby de-affiliated.
77.	Vivekanand Private Industrial Training Institute Address: Hanuman Nagar, Near Residential Colony, Behind Riico, Bhadra	Electrician 4(1+2+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 08.01.2025. 3. The ITI replied to the SCN on 14.02.2025. 4. Further, a joint inspection was conducted on 28.07.2025. 5. As per joint inspection, following deficiencies were found: 6. During the inspection following were observed:	The matter was deliberated in the SCAA meeting, and the SCAA decided as under, based on the recommendations of the SSDEC: 1. It has been observed that no staff was present and the main gate of the ITI was found locked during inspection. Further, as per inputs received from nearby persons, the ITI has reportedly remained closed for the last 3-4 years. 2. In line with the principles of natural justice, the ITI was granted a final opportunity in the 25th SCAA meeting held on 13.11.2025 and

Signature Not Verified
UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified
SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
	Road, Nohar (Hanumangarh) MIS Code: PR08001118		i. No staff was present, and the main gate was found locked. ii. Nearby persons informed that the ITI had been closed for the last 3–4 years. 7. Further Joint Inspection team has recommended for de-affiliation of the ITI. 8. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended for de-affiliation. 9. Further, the matter was discussed in the 25th SCAA Meeting and ITI was given an opportunity to show cause why it should not be de-affiliated, within 21 days from the date of issuance of the minutes. However, no reply was received within the prescribed time period.	14.11.2025 to submit a show-cause reply, explaining why the ITI should not be de-affiliated, along with any supporting representation, within 21 days from the issuance of the minutes of that meeting. 3. The said communication was issued by DGT to the registered email ID of the institute on 24.12.2025. 4. Further, the ITI did not avail the opportunity provided and failed to submit any reply or representation within the stipulated time. Accordingly, based on the facts on record, the ITI being found locked and absence of staff, along with its reported prolonged closure, indicate that the ITI is not functioning as an affiliated institution. The ITI is hereby de-affiliated.
78.	Saint Kabir Pvt.Industrial Training Institute Address: Near Sujala College, Jaswantgarh, Ladhu, Distt. - Nagaur	Electrician 6(4+2)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 04.01.2025. 3. The ITI replied to the SCN on 11.02.2025. 4. Further, a joint inspection was conducted on 30.07.2025. 5. During inspection following deficiencies were found: As per given Letter (dated 30.07.2025) by institute admission is not taken in future and want to close the institute.	The matter was discussed in the SCAA meeting, and the SCAA decided as under: 1. In line with the principles of natural justice, the ITI was afforded final opportunity to represent itself by 25 th SCAA in its meeting held on 13.11.2025 and 14.11.2025, to submit a show-cause reply — explaining why the ITI should not be de-affiliated along with any supporting representation, within 21 days from the issuance of the minutes of that meeting. The ITI, however, did not submit any reply or representation within the stipulated time,

Signature Not Verified
UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified
SHRAMEV SHARMA
12.45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
	MIS Code: PR08000723		6. Further Joint Inspection team has recommended for de-affiliation of the ITI. 7. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended for de-affiliation. 8. Further, the matter was discussed in the 25th SCAA Meeting and ITI was given an opportunity to show cause why it should not be de-affiliated, within 21 days from the date of issuance of the minutes. However, no reply was received within the prescribed time period.	thereby exhibiting continued negligence and persistent non-compliance. Therefore, in view of the interest of the trainees and the continuous violations of the affiliation norms, the ITI is hereby de-affiliated
79.	Subh Gaurav Private Industrial Training Institute Address: Meethari, Teh.Ladhu, Dist.Nagour Rajasthan MIS Code: PR08000769	Electrician 3(1+0+2)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 04.01.2025. However, no reply was received from the ITI. 3. Further, a joint inspection was conducted on 30.07.2025. 4. During inspection following were the observations: - As per letter (09.07.2025) provided by institute no training activity is running Since 2021. - School was running at given location. 5. Further Joint Inspection team has recommended for de-affiliation of the ITI.	The matter was deliberated in the SCAA meeting, and the SCAA decided as under, based on the recommendations of the SSDEC: - It has been observed that, as per letter dated 09.07.2025 provided by the institute, no training activity has been carried out since 2021. Further, a school was found to be operating at the said location. - In line with the principles of natural justice, the ITI was granted a final opportunity in the 25th SCAA meeting held on 13.11.2025 and 14.11.2025 to submit a show-cause reply, explaining why the ITI should not be de-affiliated, along with any supporting representation, within 21 days from the issuance of the minutes of that meeting.

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEV SHARMA
12.45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			6. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended for de-affiliation. 7. Further, the matter was discussed in the 25th SCAA Meeting and ITI was given an opportunity to show cause why it should not be de-affiliated, within 21 days from the date of issuance of the minutes. However, no reply was received within the prescribed time period.	3. The said communication was issued by DGT to the registered email ID of the institute on 24.12.2025. 4. Further, the ITI did not avail the opportunity provided and failed to submit any reply or representation within the stipulated time. Accordingly, based on the facts on record, the prolonged non-operation of the ITI since 2021, as confirmed by the institute, and the operation of a school at the same premises establish that the ITI is not being operated for the purpose for which affiliation was granted, rendering the continuation of its affiliation untenable. The ITI is hereby de-affiliated.
80.	Vivekanand Private Industrial Training Institute, Address: Near Hisar Bye Pass Circle Bhadra Dist.- Hanumangarh Rajasthan	Electrician 7(4+3)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 08.01.2025. 3. Further, a joint inspection was conducted on 30.07.2025. 4. During inspection following deficiencies were found: - ITI found closed. - The other institute is running in the same building. 5. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on	The matter was deliberated in the SCAA meeting, and the SCAA decided as under, based on the recommendations of the SSDEC: - It has been observed that the ITI was found closed during inspection. Further, another institute was found to be operating in the same building. - In line with the principles of natural justice, the ITI was granted a final opportunity in the 25th SCAA meeting held on 13.11.2025 and 14.11.2025 to submit a show-cause reply, explaining why the ITI should not be de-affiliated, along with any

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
	MIS Code: PR08000156		17.09.2025 has recommended for de-affiliation of the ITI. 6. Further, the matter was discussed in the 25th SCAA Meeting and ITI was given an opportunity to show cause why it should not be de-affiliated, within 21 days from the date of issuance of the minutes. However, no reply was received within the prescribed time period.	supporting representation, within 21 days from the issuance of the minutes of that meeting. 3. The said communication was issued by DGT to the registered email ID of the institute on 24.12.2025. 4. Further, the ITI did not avail the opportunity provided and failed to submit any reply or representation within the stipulated time. Accordingly, based on the facts on record, the ITI being found closed and the operation of another institute in the same premises indicate that the ITI is not functioning as an affiliated institution and is not being operated in accordance with the prescribed norms. The ITI is hereby de-affiliated.
81.	Pilibanga Private Industrial Training Institute Address: Pilibanga, Dist. Hanumangarh MIS Code: PR08000598	Electrician 5(2+2+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 08.01.2025. 3. The ITI replied to the SCN on 28.01.2025. 4. Further, a joint inspection was conducted on 01.08.2025. 5. During inspection following deficiencies were found: i. ITI lab floor area measured and found 15-80 sqm which is not sufficient as per DGT norms.	The matter was discussed in the SCAA meeting, and the SCAA decided as under: 1. In line with the principles of natural justice, the ITI was afforded final opportunity to represent itself by 25 th SCAA in its meeting held on 13.11.2025 and 14.11.2025, to submit a show-cause reply — explaining why the ITI should not be de-affiliated along with any supporting representation, within 21 days from the issuance of the minutes of that meeting. 2. The ITI, however, submitted the reply but the reply was found not satisfactory. The ITI

Signature Not Verified
UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified
SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			ii. Floor area of Electrician workshop No. 01 on ground floor measured and found 90.58 SQM, which was not sufficient as per DGT norms. Also, this floor area is not merely dedicated to Electrician workshop owing to entries of IT Lab and classroom inside to it. iii. Referring to list to Tools Equipment and Machinery Item number not available. iv. Referring to list of Tools equipment and Machinery item number found not in working order. 6. Further Joint Inspection team has recommended for de-affiliation of the ITI. 7. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended for de-affiliation. 8. The 25th SCAA has granted a final opportunity to the ITI to represent itself within 21 days by a way of SCN. 9. The reply to the SCN was received on 12.01.2026. 10. In its reply the ITI submitted the following: a) <u>Main deficiency noted:</u> The ITI has operated since 2022 without an electric meter, relying entirely on a 9.1	accepted itself in its reply that it is running without a Electricity connection since year 2022, which is a serious violation of affiliation norms. Therefore, in view of the interest of the trainees and the continuous violations of the affiliation norms, the ITI is hereby de-affiliated.

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			power system (generator/solar panel) for the entire institute. b) Clarification: The ITI has an active electric connection (Consumer/Account No. 151202093 / 120214038138) alongside the solar system. c) Proof submitted: Latest electricity bill attached ("bill details of iti.pdf", 742 KB) to verify the electric connection and meter. d) Request: If the committee has any concerns about operations, electricity connection, or overall compliance, conduct a re-inspection to verify all required norms. e) Final plea: Grant permission for admissions/operations for the ITI.	
82.	Dhapudevi Private Industrial Training Institute Address: Outside Naya Darwaza Kakku Walo Ki Pole, Dist.Nagaur Rajasthan	Electrician 6(2+2+2)	- Irregularities observed during initial Inspection conducted by State official on 24.12.2024. - SCN was issued to the ITI by the State on 04.01.2025. - The ITI replied to the SCN on 22.01.2025. - Further, a joint inspection was conducted on 15.07.2025. - During inspection following deficiencies were found: - Sign Board of the ITI Not as per standard.	The matter was deliberated in the SCAA, and it was decided to conduct a joint inspection of the ITI to verify its functioning as per prescribed norms. The joint inspection shall be conducted by the concerned State Directorate and RDSDE Rajasthan. The date of inspection shall be decided by the State Directorate in consultation with RDSDE Rajasthan. The inspection report shall be submitted to the DGT within one month from the date of issuance of the minutes of this meeting for consideration in the next SCAA meeting.

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
	MIS Code: PR08000821		ii. Store /Section stock Registers of Tools/Machinery /Raw material are not maintained available iii. Store/Section indent books are not maintained available. iv. Raw material not purchased and expenditure on training is zero (No Bills). v. Few shop machineries not in working condition. vi. Tool kit No. 1 - 12 available only for 4 units. other short. vii. Workshop equipment not as per latest syllabus list. Fire extinguishers are empty and expired condition since 2014. No fire bucket available 6. Further Joint Inspection team has recommended for de-affiliation of the ITI. 7. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended for de-affiliation. 8. The 25th SCAA has granted a final opportunity to the ITI to represent itself within 21 days by a way of SCN. 9. The reply to the SCN was received on 12.01.2026. 10. In its reply the ITI submitted the following:	

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			a) Safety Equipment All fire extinguishers have been refilled and new fire buckets installed. Complete safety audit has been carried out. (Fire bucket was clearly visible near the inspecting officer's feet during inspection – photo enclosed). b) Documentation (Stock Register & Indent Books) All stock registers and indent books have been physically updated. At the time of inspection, they were under audit process and could not be produced immediately due to clerical oversight. Updated documents were ready and taken to the team, but they refused saying the report had already been submitted. c) Training & Raw Material Bills All pending bills and raw material vouchers have been updated and entered. d) Equipment & Machinery All tools, kits and new machinery as per latest syllabus (Synchronous Motor, Washing Machine, Fan Winding Machine, EV Charger, Solar Panel, Battery etc.) along with bills and photographs were shown to the team on the day of inspection. Any shortfall has now been fully made good. All machines are now in running condition (earlier voltage/wiring issue resolved). Inspection-day video screenshots showing the team	

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRADDHA SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			and equipment are enclosed. The team did not specify any particular machine that was non-functional. e) Signboard The signboard has been corrected by adding the institute mobile number and proper publicity details as pointed out by the team. f) Tool Kits No. 1 to 12 All tool kits are complete and available in the institute. During inspection, kits of 2 units were issued to 2nd-year trainees for practical exams (this was informed to the team). The tools have since been collected back and are now fully available. All deficiencies were rectified immediately. Regular training has been continuing smoothly since 16.07.2025. The institute has been functioning since 2014 with current DGT grading of 7.80. Prayer: • Kindly grant one more opportunity and arrange fresh re-inspection at the earliest. • Drop the de-affiliation recommendation and restore our affiliation in the interest of trainees	


Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
83.	Shree Govind Dev Private Industrial Training Institute Address: Plot No. 17, 18, 26l, 27 Ramkrishn Nagar, Near Nehru Cillege, In Front of Stadium, Tonk - 304001 MIS Code: PR08001304	Electrician 6(2+2+2)	- Irregularities observed during initial Inspection conducted by State official on 24.12.2024. - SCN was issued to the ITI by the State on 04.01.2025. - The ITI replied to the SCN on 21.01.2025. - Further, a joint inspection was conducted on 16.07.2025. - During inspection following deficiencies were found: - On the day of inspection dated 16.07.2025 original documents related to the point given in Annexure-III, bill (Electricity, T/E, R/M, Computers, Dispensary, sports, diesel etc.) staff attendance, payment distribution records, trainee records, training records, Stock registers (T/E, R/M), diesel consumption log book and other supporting, papers were not shown and the file was also refused to be given. This file was presented later, in which also complete documents have not been attached. - As per the electricity bill of fully 2025 the consumption of electrical load for the training session 2024 -25 was found to be very low and no record of diesel purchase and diesel consumption was found.	The matter was deliberated in the SCAA, and it was decided to conduct a joint inspection of the ITI to verify its functioning as per prescribed norms. The joint inspection shall be conducted by the concerned State Directorate and RDSDE Rajasthan. The date of inspection shall be decided by the State Directorate in consultation with RDSDE Rajasthan. The inspection report shall be submitted to the DGT within one month from the date of issuance of the minutes of this meeting for consideration in the next SCAA meeting.

Signature Not Verified



UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified



SHRAMEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			iii. As per NSQF level -4 syllabus the following T/E serial number was not found and not working condition. (16,20,26,27,28,32,39,40,41,42,45,46,62,73,80,82,88,90,92,93,101,105,106,107,108,122,131,133,134,159,160,161,165,166). *Not in working condition-(69,70,137,138,139,143,147,148). 6. Further Joint Inspection team has recommended for de-affiliation of the ITI. 7. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended for de-affiliation. 8. The 25th SCAA has granted a final opportunity to the ITI to represent itself within 21 days by a way of SCN. 9. The reply to the SCN was received on 14.01.2026. 10. In its reply the ITI submitted the following: a) Objection 1- <u>Original documents (bills for electricity, tools/equipment (T/E), raw materials (R/M), computer, dispensary, sports, diesel; staff attendance/payment records; trainee/training records; stock registers; diesel log book; other materials) not shown during inspection; supplementary file presented later but incomplete.</u>	

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEV SHARMA
12.45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			Response: The inspection team appeared unauthorized (no authorization letters shown despite request), leading to refusal to present originals. All required documents, photos, and bills are now available for review. b) Objection 2: <u>Low electricity consumption in 2025 bills for 2024-25 session; no records of diesel purchases/consumption.</u> Response: Frequent power cuts in the area necessitate generator use; diesel bills are provided. c) Objection 3: <u>Specific tools/equipment (T/E) serial numbers per NSQF Level 4 syllabus missing or non-functional: Missing (16, 20, 26, 27, 28, 32, 39, 40, 41, 42, 45, 46, 62, 73, 80, 82, 88, 90, 92, 93, 101, 105, 106, 107, 108, 122, 131, 133, 134, 159, 160, 161, 165, 156); Non-functional (69, 70, 137, 138, 139, 143, 147, 148).</u> Response: All listed tools and machinery are now in working condition; photos, bills, and GPS locations are provided as evidence. 11. Further, the ITI was a petitioner in S.B. Civil Writ Petition No. 16381/2025 (L.B.S. Private Industrial Training Institute) and 36 connected	

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMESH CHAKRABARTY
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			matters, which were disposed of by the Hon'ble Court on 23.01.2026. The Hon'ble Court directed the petitioner ITIs to submit representations within two weeks, following which DGT was to conduct joint inspections with the State authorities and take a decision on de-affiliation within a stipulated timeline. It is pertinent to mention that a show cause notice had already been issued to the ITIs vide the Minutes of the 25th SCAA Meeting dated 23.12.2025, prior to the Court's directions. Accordingly, in compliance with the principles of natural justice and the directions of the Hon'ble Court, fresh show cause notices were issued to all petitioner institutes on 05.02.2026, based on the remarks of the Inspection Team and the recommendations of the SSDEC.	

Signature Not Verified

 UJJWAL BISWAS
 13.04.2026 15:49

Signature Not Verified

 SHRAMEV SHARMA
 12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
84.	Bhuvneshwari Private Industrial Training Institute Address: Swarna Durga Mandir Ke Pass, Anand Vihar Colony, Nh-12, Kota Road, Dist.Tonk Pin-304001 Rajasthan MIS Code: PR08000508	Electrician 3(1+1+1)	- Irregularities observed during initial Inspection conducted by State official on 24.12.2024. - SCN was issued to the ITI by the State on 04.01.2025. - The ITI replied to the SCN on 22.01.2025. - Further, a joint inspection was conducted on 30.07.2025. - During inspection following deficiencies were found: - Out of 5 trainers only one trainer was found to be CITS Trained. - As per Annexure-III, serial no. (c and g) of VI were not strictly followed and records were not found on the day of inspection. - The number of Instructors sponsored by ITI for CTI training is 00. - Records of trainees like test copies, Jobs, charts, models etc., were not found. - Instructor records not found like-weekly & monthly schedule. - The register for issuing raw materials to the trainees was not found. - The diesel generator set was found to be only 5 KVA, whereas the requirement is 7.5 KVA. 8. Diesel consumption log book not found.	The matter was deliberated in the SCAA, and it was decided to conduct a joint inspection of the ITI to verify its functioning as per prescribed norms. The joint inspection shall be conducted by the concerned State Directorate and RDSDE Rajasthan. The date of inspection shall be decided by the State Directorate in consultation with RDSDE Rajasthan. The inspection report shall be submitted to the DGT within one month from the date of issuance of the minutes of this meeting for consideration in the next SCAA meeting.

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			6. Further Joint Inspection team has recommended for de-affiliation of the ITI. 7. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended for de-affiliation. 8. The 25th SCAA has granted a final opportunity to the ITI to represent itself within 21 days by a way of SCN. 9. The reply to the SCN was received on 13.01.2026. 10. In its reply the ITI submitted the following: a) CITS Trained Staff (NSQF Level 4 Syllabus): Qualification met; staff will be appointed soon; advertisement already placed. b) Annexure 3rd Point: Completed. c) Instructor Training: Sponsoring two instructors for CTI training. d) Records Submitted: Trainees' test copies, jobs, charts, models included in the file. e) Schedules Submitted: Instructor monthly/weekly schedules. f) Raw Materials Register: Submitted. g) Diesel Generator: Installed a 7.5 kW unit. h) Diesel Log Book: Consumption log submitted.	

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			11. Further, the ITI was a petitioner in S.B. Civil Writ Petition No. 16381/2025 (L.B.S. Private Industrial Training Institute) and 36 connected matters, which were disposed of by the Hon'ble Court on 23.01.2026. The Hon'ble Court directed the petitioner ITIs to submit representations within two weeks, following which DGT was to conduct joint inspections with the State authorities and take a decision on de-affiliation within a stipulated timeline. It is pertinent to mention that a show cause notice had already been issued to the ITIs vide the Minutes of the 25th SCAA Meeting dated 23.12.2025, prior to the Court's directions. Accordingly, in compliance with the principles of natural justice and the directions of the Hon'ble Court, fresh show cause notices were issued to all petitioner institutes on 05.02.2026, based on the remarks of the Inspection Team and the recommendations of the SSDEC.	
85.	Sanskar Private Industrial Training Institute Address: Near Police Station,	Electrician 6(2+2+2)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 04.01.2025. 3. The ITI replied to the SCN on 20.01.2025. 4. Further, a joint inspection was conducted on 15.07.2025.	The matter was deliberated in the SCAA meeting, and the SCAA decided as under, based on the recommendations of the SSDEC: 1. It has been observed that the Theory Rooms I & II, Staff Room, and Principal's Office in the ITI building were not found

Signature Not Verified
UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified
SHRAMEY CHURMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
	Tonk Road, Nagar Fort, Dist.Tonk Rajasthan MIS Code: PR08000545		5. During inspection following deficiencies were found: - Theory Rooms I & II, Staff Room, Principal Office Room in the ITI building were not found as per the dimensions of the building layout. - The lease period is mentioned as 20 years is not mentioned in the lease agreement given. - Most of the machines were found in non-working condition. - Diesel Generator set not found in ITI. - Original diesel bill and diesel consumption log book not found. - IT lab was not found in ITI building. - Raw material issue & Stock register and tools & equipment stock register were not provided. - None of the instructor staff have CITS certification as per the syllabus. 6. Further Joint Inspection team has recommended for de-affiliation of the ITI. 7. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended for de-affiliation. 8. Further, the matter was discussed in the 25th SCAA Meeting and ITI was given an	as per the approved building layout. Further, the lease agreement did not specify the required lease period of 20 years. Most of the machinery was found to be in non-working condition, and the Diesel Generator set was not available. The original diesel purchase bills and diesel consumption logbook were also not found. Additionally, the IT lab was not found in the ITI building. The raw material issue and stock register, as well as the tools and equipment stock register, were not provided. It was also observed that none of the instructors possessed CITS certification as required under the prescribed norms. 2. In line with the principles of natural justice, the ITI was granted a final opportunity in the 25th SCAA meeting held on 13.11.2025 and 14.11.2025 to submit a show-cause reply, explaining why the ITI should not be de-affiliated, along with any supporting representation, within 21 days from the issuance of the minutes of that meeting. 3. The said communication was issued by DGT to the registered email ID of the institute on 24.12.2025. 4. Further, the ITI did not avail the opportunity provided and failed to submit

Signature Not Verified
UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified
SHRADDHA SHARMA
12.45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			opportunity to show cause why it should not be de-affiliated, within 21 days from the date of issuance of the minutes. However, no reply was received within the prescribed time period.	any reply or representation within the stipulated time. Accordingly, based on the facts on record, the deviations in building infrastructure, absence of essential facilities, non-functionality of machinery, non-maintenance of records, and non-compliance with instructor qualification requirements indicate serious non-compliance with the prescribed norms and adversely affect the conduct and quality of training. The ITI is hereby de-affiliated.
86.	BKLG Private Industrial Training Institute Address: H.H. Colony, Bambor Road, Teh. -Tonk, Dist.-Tonk Pin-304001 Rajasthan MIS Code: PR08000588	Electrician - 15 (6+6+3)	- Irregularities observed during initial Inspection conducted by State official on 24.12.2024. - SCN was issued to the ITI by the State on 04.01.2025. - The ITI replied to the SCN on 27.01.2025. - Further, a joint inspection was conducted on 31.07.2025. - During inspection following deficiencies were found: - Sponsorship letter for CTI training and CTI retraining of trainers not provided. - Three out of eight CTIS trainer's appointment letter was not found. - Arrival and departure time of staff members was not found in the staff attendance register.	The matter was deliberated in the SCAA, and it was decided to conduct a joint inspection of the ITI to verify its functioning as per prescribed norms. The joint inspection shall be conducted by the concerned State Directorate and RDSDE Rajasthan. The date of inspection shall be decided by the State Directorate in consultation with RDSDE Rajasthan. The inspection report shall be submitted to the DGT within one month from the date of issuance of the minutes of this meeting for consideration in the next SCAA meeting.

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			iv. Date of payment and revenue stamp were not found in the salary distribution register. v. Time table was not found for running units of the trade. vi. In the last 6 months bills of diesel, per 1tr. rate-91/11 was found to be same. vii. In the given 9 diesel bills the months were different but the serial number was in sequence in bills of 4-4 months. viii. CCTV cameras were not working. ix. Original computer and printer bill were not provided. x. Original bills of raw materials and diesel not provided. 6. Further Joint Inspection team has recommended for de-affiliation of the ITI. 7. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended for de-affiliation. 8. The 25th SCAA has granted a final opportunity to the ITI to represent itself within 21 days by a way of SCN. 9. The reply to the SCN was received on 13.01.2026. 10. In its reply the ITI submitted the following:	

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			a) CITS Training & Trainer – Sponsorship Letter No sponsorship letter was required as per rules. CITS-qualified trainers were already available. All relevant letters are enclosed. b) Appointment Letters of 3 CITS Trainers Total 8 posts sanctioned. 5 appointment letters were produced during inspection; the remaining 3 trainers have now joined. Their appointment letters are enclosed. c) Staff Attendance Register – Joining Date Column Old register did not have a separate column. A new updated attendance registers with joining dates has been prepared and is enclosed. d) Distribution Register & Master Roll New Distribution Register and Master Roll have been prepared as per norms. Copies are enclosed. e) Diesel Bills – Same Rate ₹50.22 for last 6 months Diesel rate in the local market remained unchanged. Certificate from the petrol pump is enclosed as proof. f) Diesel Bills – Month column shown as ₹0.00 in 7 bills This was a typographical error. Corrected bills with proper entries are enclosed.	

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			g) CCTV Cameras All 8 CCTV cameras have been working since 2015. Temporary power issue was resolved on the same day. Current working photos are enclosed. h) Original Bill of Computer Printer Original bill was misplaced during office shifting. Fresh purchase/repair bill is enclosed. i) Labour Welfare & Digital Training Bills Bills were submitted in the Zonal Office during inspection. Copies of the same are enclosed for ready reference. All other records (fire safety, stock, attendance, raw material, tools, machinery, etc.) were produced and verified during inspection. The institute is fully functional and compliant with all NCVT norms. Prayer: Kindly accept the above compliance, drop the de-affiliation recommendation and restore our affiliation in the interest of trainees. We are ready for fresh re-inspection if required.	
87.	Aman Private Industrial Training Institute	Electrician -3 (1+1+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 04.01.2025. 3. The ITI replied to the SCN on 22.01.2025.	1. The matter was deliberated in the SCAA meeting, whereupon it was decided to conduct a joint inspection of the ITI to verify whether it is functioning in accordance with the prescribed norms.

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
	Address: Near by Maziad Pachbati, Dist.Tonk Rajasthan MIS Code: PR08000186		4. Further, a joint inspection was conducted on 14.07.2025. 5. During inspection following deficiencies were found: - Lack of tool and equipment was found in the institute. - Out of 10 old poorly maintained computers kept in the IT lab, only 01 computer was working. - As per the lease agreement, the second party and rented the place for Aman ITI from the first party khadi and gram Udyog samiti, but Aman Private ITI was found in Ratan complex. - Electricity bill was received not in the name of ITI owner, landlord and society but in the name of Ratan Complex - There was a generator set inside the Ratan complex, which was shown to be 8. - Instructor were not qualified as per NSQF (Level-4) syllabus (Essential Qualification-CITS). 13- The lease period is mentioned as 20 years in Annexure III, but 20 years is not mentioned in the lease agreement given.	2. The joint inspection shall cover both the location registered on the NCVT MIS Portal as well as the location claimed by the ITI to be its original place of affiliation. The inspection shall be conducted by the concerned State Directorate in coordination with RDSDE, Rajasthan. The date of inspection shall be mutually decided by the State Directorate in consultation with RDSDE, Rajasthan. 3. During the inspection, the inspecting members shall record the GPS coordinates of both locations and document the exact distance between the two. In the event the ITI is not found at the location registered on the NCVT MIS Portal, the deviation shall be recorded in the inspection report along with photographic and documentary evidence. 4. The inspection report shall be submitted to DGT within one month from the date of issuance of the minutes of this meeting, for consideration in the forthcoming SCAA meeting.

Signature Not Verified
UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified
SHRAMEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			vii. The human amenities of ratan Complex were being used by ITI's own human amenities were not found. viii. As per NSQF (level-4) syllabus T/E serial number was not found. 6. Further Joint Inspection team has recommended for de-affiliation of the ITI. 7. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended for de-affiliation. 8. The 25th SCAA has granted a final opportunity to the ITI to represent itself within 21 days by a way of SCN. 9. The reply to the SCN was received on 12.01.2026. 10. In its reply the ITI submitted the following: a) Compliance of Inspection Observations- With reference to the inspection observations, it is respectfully submitted that the institute has complied with all the deficiencies pointed out by the inspection team. b) Tools and Equipment as per NSQF Level-4 Syllabus-All required tools and equipment as per NSQF Level-4 syllabus have been properly arranged and installed in the respective trades.	

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			videos, and copies of old purchase bills are enclosed as documentary evidence. c) Operational Status of Computers- All computers have been made fully operational. Regular maintenance has been initiated to ensure uninterrupted functioning. Supporting repair bills and photographs are enclosed for verification. d) Change of Location and Present Functioning Premises-The institute is presently functioning at Ratan Complex due to circumstances arising from the auction of the earlier premises by UCO Bank and a related matter pending before the Hon'ble High Court. e) The institute has re-established its complete infrastructure at Ratan Complex, which is situated in close proximity to the original location and fully complies with DGT norms. Relevant documents, including the rent agreement and electricity bill, have been submitted. f) Electricity, Generator, and Safety Compliance-Proper electricity billing arrangements have been ensured at the present premises. A generator has been installed in the designated parking area, and all safety as well as academic	

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			requirements have been complied with as per prescribed norms. g) Engagement of Qualified Instructional Staff-Qualified instructional staff as per NSQF Level-4 norms have been engaged. Copies of their biodata and qualification documents are enclosed for record and verification. h) Human Amenities-Separate and exclusive human amenities for ITI trainees and staff members are available at the premises in accordance with prescribed standards. i) Serial Numbering of Tools and Equipment-Serial numbering of all tools and equipment as per the relevant syllabus has been completed. Documentary evidence in support of the same is enclosed. j) The institute reaffirms its commitment to maintaining all required norms and standards and seeks favorable consideration of its compliance submission. 11. Further, the ITI was a petitioner in S.B. Civil Writ Petition No. 16381/2025 (L.B.S. Private Industrial Training Institute) and 36 connected matters, which were disposed of by the Hon'ble Court on 23.01.2026. The Hon'ble Court directed the petitioner ITIs to submit	

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEN SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			representations within two weeks, following which DGT was to conduct joint inspections with the State authorities and take a decision on de-affiliation within a stipulated timeline. It is pertinent to mention that a show cause notice had already been issued to the ITIs vide the Minutes of the 25th SCAA Meeting dated 23.12.2025, prior to the Court's directions. Accordingly, in compliance with the principles of natural justice and the directions of the Hon'ble Court, fresh show cause notices were issued to all petitioner institutes on 05.02.2026, based on the remarks of the Inspection Team and the recommendations of the SSDEC.	
88.	Shree Teja Private ITI Address: Khasara No. 2448/2, Peeplu, Dist. Tonk MIS Code: PU08001683	1. Computer Hardware & Network Maintenance 2(1+1) 2. Electrician 2(1+1) 3. Fitter 3(1+1+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 04.01.2025. 3. The ITI replied to the SCN on 18.01.2025. 4. Further, a joint inspection was conducted on 28.07.2025 and 29.07.2025. 5. During inspection following deficiencies were found: i. Fitter: - 1- As per NSQF level following T/E serial number 91-93, 99, 103, 107, 109, 111, 116, 123, 125, 131, 140, 156, 157, 161, 169-170, 173-174, 183-185, 198-204 were not found and	The matter was deliberated in the SCAA, and it was decided to conduct a joint inspection of the ITI to verify its functioning as per prescribed norms. The joint inspection shall be conducted by the concerned State Directorate and RDSDE Rajasthan. The date of inspection shall be decided by the State Directorate in consultation with RDSDE Rajasthan. The inspection report shall be submitted to the DGT within one month from the date of issuance of the minutes of this meeting for consideration in the next SCAA meeting.

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			197 and 203 were not found in working condition. ii. Electrician: -As per NSQF level-4 syllabus the following T/E serial number 44, 62, 64, 66, 70, 78, 79, 90, 91, 101, 104, 108, 116, 124, 126, 130, 154, 159-166, 171 were not found and sr. no. 140, 143-145, 149 and 152 were not in working condition. iii. 3- The diesel generator set was found to be of only 5.2KVA, whereas the requirement is 7.5 KVA. iv. In the last one year, the electricity consumption bill was found to be very low and the diesel consumption log book was not found. v. In the last 8 month's bills of diesel per litre rate-90/61 was found to be same. vi. Signboard with name of ITI was not found. vii. Original bills of raw materials not found. viii. Raw material issue registers not found. ix. Training and trainees record not found. 6. Further Joint Inspection team has recommended for de-affiliation of the ITI. 7. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on	

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			17.09.2025, has recommended for de-affiliation. 8. The 25th SCAA has granted a final opportunity to the ITI to represent itself within 21 days by a way of SCN. 9. The reply to the SCN was received on 08.01.2026. 10. In its reply the ITI submitted the following: a) Fitter Trade – Tools & Machinery Deficiency (Sr. No. 91-93, 99, 103, 107, 109, 111, 116, 123, 125, 131, 140, 156, 157, 161, 169-170, 173-174, 183-185, 198-204; 197 & 203 not working) Reply: Tools Sr. No. 91, 92, 93, 99, 107, 183 & 185 were present on the day of inspection (photos attached). All missing tools have been purchased and non-working machinery repaired. Purchase bills & current photos enclosed. b) Electrician Trade – Tools & Machinery Deficiency (Sr. No. 44, 62, 64, 66, 70, 78, 79, 90, 91, 101, 104, 108, 116, 124, 126, 130, 154, 159-166, 171; 140, 143-145, 149 & 152 not working) Reply: Tools Sr. No. 124 & 127 were present on the day of inspection (photos attached). All missing tools purchased and	

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRADDHA SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			non-working items repaired. Purchase bills & current photos enclosed. c) Diesel Generator Set Observation: Only 5.2 KVA found (requirement 7.5 KVA). Reply: Institute has two DG sets – 10 KVA and 5.2 KVA. Purchase bill of 10 KVA set enclosed. d) Electricity & Diesel Consumption Observation: Very low electricity bill and no diesel consumption logbook. Reply: Institute is in rural area with frequent power cuts; DG sets are used. Daily diesel consumption logbook is maintained. Photocopy of logbook & diesel bills enclosed. e) Diesel Rate Uniformity Observation: Same rate (₹90/61) in last 8 months' bills. Reply: Diesel rate in the area has remained unchanged for the last 12 months. Proof: Latest petrol pump meter photo & current bill attached. f) Signboard of ITI Observation: Not found. Reply: Signboard was installed at the time of inspection and additional new signboards have been placed. Photos enclosed.	

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			g) Original Bills of Raw Materials Observation: Not found. Reply: Original raw material bills were shown to the inspection team. Copies attached for re-verification. h) Raw Material Issue Register Observation: Not found. Reply: Register was provided and checked by the team. Photocopy enclosed for re-verification. i) Training & Trainee Records Observation: Not found. Reply: All records (attendance register, progress cards, test copies, demonstration plan, weekly register, time table, syllabus, daily diary, stock register, indent book, previous session lists & degree distribution record) were shown to the team. Complete set attached for re-verification. Prayer: Kindly consider the above submissions, supporting documents & photographs and drop the de-affiliation recommendation immediately so that the institute can continue smooth training and admissions 11. Further, the ITI was a petitioner in S.B. Civil Writ Petition No. 16381/2025 (S.B. Civil)	

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			Industrial Training Institute) and 36 connected matters, which were disposed of by the Hon'ble Court on 23.01.2026. The Hon'ble Court directed the petitioner ITIs to submit representations within two weeks, following which DGT was to conduct joint inspections with the State authorities and take a decision on de-affiliation within a stipulated timeline. It is pertinent to mention that a show cause notice had already been issued to the ITIs vide the Minutes of the 25th SCAA Meeting dated 23.12.2025, prior to the Court's directions. Accordingly, in compliance with the principles of natural justice and the directions of the Hon'ble Court, fresh show cause notices were issued to all petitioner institutes on 05.02.2026, based on the remarks of the Inspection Team and the recommendations of the SSDEC.	
89.	Sevanand Pvt. ITI Address: Near Sawai Madhopur Chouraha, Over Bridge, Tonk-204001	1. Electrician 6(2+2+2) 2. Hospital House Keeping 3(1+1+1)	1. Irregularities observed during initial inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 04.01.2025. 3. The ITI replied to the SCN on 21.01.2025. 4. Further, a joint inspection was conducted on 30.07.2025. 5. During inspection following deficiencies were found:	The matter was deliberated in the SCAA, and it was decided to conduct a joint inspection of the ITI to verify its functioning as per prescribed norms. The joint inspection shall be conducted by the concerned State Directorate and RDSDE Rajasthan. The date of inspection shall be decided by the State Directorate in consultation with RDSDE Rajasthan. The inspection report shall be submitted to the DGT within one month from the

Signature Not Verified
 UJJWAL BISWAS
 13.04.2026 15:49

Signature Not Verified
 SHRAMEV SHARMA
 12:45:13 04/04/2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
	MIS Code: PU08001792		i. Out of 08 instructors in ITI not even one instructor is CITS trained. ii. Only two instructors have been sponsored for CTI training but sponsorship letter is not enclosed. iii. In ITI, PPL room was found to be 16.13sq.m. and library 21.04sq.m. but actual required area for PPL room is 20 sq. and library 40sq.m. iv. In the last one year, the electricity consumption bill was found to be very low and the diesel consumption log book was not found. v. Arrival and departure time of staff members was not found in the staff attendance register. vi. Timetable was not found for running units of the trade. vii. List of technical trade books not found. viii. List of dispensary items/first aid kit not found. ix. Records of trainees like test copies, Jobs, charts models etc., were not found. x. As per NSQF level -4 syllabus the following T/E serial number (28(B), 32, 39, 45, 60, 64, 66, 72, 73, 78, 79, 81,	date of issuance of the minutes of this meeting for consideration in the next SCAA meeting.

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			82, 84 (d,e), 86, 88, 89, 90, 92, 101, 107, 108, 113, 116, 119, 122, 126(d,h) 134, 135, 136, 142, 159 to 166, 168) was not found and not working condition. 6. Further Joint Inspection team has recommended for de-affiliation of the ITI. 7. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended for de-affiliation. 8. The 25th SCAA has granted a final opportunity to the ITI to represent itself within 21 days by a way of SCN. 9. The reply to the SCN was received on 08.01.2026. 10. In its reply the ITI submitted the following: a) Instructors' CITS/CTI Training: No trained instructors at inspection; CITS-trained instructors to be appointed soon. b) PPL Room & Library Area: Building complied with norms initially (QCI accreditation); operates in same building; blueprint attached (Annex-1). c) Electricity Consumption & Diesel Log Book: Low consumption temporary; recent bills and new log book attached (Annex-2).	

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			d) Staff Attendance with Arrival/Departure Times: Implemented; recent sheets attached (Annex-3). e) Trade Units Timetable: Updated and displayed; copy attached (Annex-4). f) Technical Trade Books: Purchased; proof attached (Annex-5). g) First Aid Kit/Dispensary Items List: Kit updated; list and purchase bill attached (Annex-6). h) Trainees' Records (Test Copies, Jobs, Models): Organized; samples attached (Annex-7). i) NSQF Level-4 T/E Equipment: All mentioned items purchased and installed in working condition; bills attached (Annex-8). j) Request: Accepts compliance, notes institute's long-term quality training and employment contributions. De-affiliation would affect current trainees. Requests to revoke de-affiliation recommendation and grant final improvement opportunity. 11. Further, the ITI was a petitioner in S.B. Civil Writ Petition No. 16381/2025 (L.B.S. Private Industrial Training Institute) and 36 connected matters, which were disposed of by the Hon'ble Court on 23.01.2026. The	

Signature Not Verified
 UJJWAL BISWAS
 13.04.2026 15:49

Signature Not Verified
 SHRAMESH SHARMA
 12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			Court directed the petitioner ITIs to submit representations within two weeks, following which DGT was to conduct joint inspections with the State authorities and take a decision on de-affiliation within a stipulated timeline. It is pertinent to mention that a show cause notice had already been issued to the ITIs vide the Minutes of the 25th SCAA Meeting dated 23.12.2025, prior to the Court's directions. Accordingly, in compliance with the principles of natural justice and the directions of the Hon'ble Court, fresh show cause notices were issued to all petitioner institutes on 05.02.2026, based on the remarks of the Inspection Team and the recommendations of the SSDEC.	
90.	Sevanand Private ITI Address: Village Post Peeplu, Dist. Tonk MIS Code: PR08001820	1. Electrician 6(2+2+2) 2. Hospital House Keeping 3(1+1+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 04.01.2025. 3. The ITI replied to the SCN on 18.01.2025. 4. Further, a joint inspection was conducted on 28.07.2025. 5. During inspection following deficiencies were found: i. Out of 08 teaching staff members in ITI, only one instructor was CITS trained.	The matter was deliberated in the SCAA, and it was decided to conduct a joint inspection of the ITI to verify its functioning as per prescribed norms. The joint inspection shall be conducted by the concerned State Directorate and RDSDE Rajasthan. The date of inspection shall be decided by the State Directorate in consultation with RDSDE Rajasthan. The inspection report shall be submitted to the DGT within one month from the date of issuance of the minutes of this meeting for consideration in the next SCAA meeting.

Signature Not Verified

 UJJWAL BISWAS
 13.04.2026 15:49

Signature Not Verified

SHRAMEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			ii. The number of trainers sponsored by ITI for CTI training is 00. iii. Lack of tools and equipment were found iv. Raw material issue and stock register were not provided v. Original bills were not provided for computers and printer. vi. The diesel generator set was not working and the original bill of generator set and log book of diesel consumption were not found. vii. Original purchase bills of raw materials were not found. So many items of machinery were not in working condition. viii. Lesson plan demo plan not provided. ix. As per NSQF level-4 syllabus the following T/F. Serial number was not found and not working condition: (05, 06, 07, 18, 24, 28, 29, 39,44, 45, 55,61,66,68,73,74,78,79,81,82,88,89,90,95,101,104,107,111,112,113,116,119,122,126,131,133,134,151,154,159,160,161,162,163,164,165,166) x. Not working condition: (139, 140,144, 146, 147, 148,	

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			6. Further Joint Inspection team has recommended for de-affiliation of the ITI. 7. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended de-affiliation. 8. The 25th SCAA has granted a final opportunity to the ITI to represent itself within 21 days by a way of SCN. 9. The reply to the SCN was received on 13.01.2026. 10. In its reply the ITI submitted the following: Electrician Trade – CITS Staff (Point 5(i) & 5(ii)) CITS-qualified staff has been appointed. All appointment documents and certificates are enclosed. a) Tools & Equipments (Point 5(iii)) All deficient tools and equipment have been fully procured and installed. b) Raw Material Issue & Stock Register (Point 5(iv)) Updated photographs of Raw Material Issue Register and Stock Register are enclosed. c) Computer (Point 5(v)) Computer purchase bill has been uploaded and is enclosed for verification.	

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified


SHRAMEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			d) Diesel Generator Set (Point 5(vi)) DG set has been made fully operational. Purchase/repair bill and daily Log Book are enclosed. e) Raw Material – Original Purchase Bills & Machinery (Point 5(vii)) All original purchase bills of raw material are enclosed. All machinery has been repaired and is now in working condition. f) Lesson Plan & Demonstration Plan (Point 5(viii)) Updated Lesson Plans and Demonstration Plans are enclosed. g) Electrician Trade – Tools as per T/F List (Point 5(ix)) All tools as per Tool & Fixture list have been procured. New purchase bills and photographs are enclosed. h) Machinery Items (Point 5(x)) Machinery items Sr. No. 139, 140, 144, 146, 147 & 148 have been repaired and are now in running condition. Photographs are enclosed. All deficiencies have been fully rectified. The institute assures strict compliance with all NCVT norms in future.	

Signature Not Verified


 UJJWAL BISWAS
 13.04.2026 15:49

Signature Not Verified


 SHRAMEV SHARMA
 12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			Prayer: Kindly accept the above compliance and grant permission for fresh admissions in the interest of trainees/students. 11. Further, the ITI was a petitioner in S.B. Civil Writ Petition No. 16381/2025 (L.B.S. Private Industrial Training Institute) and 36 connected matters, which were disposed of by the Hon'ble Court on 23.01.2026. The Hon'ble Court directed the petitioner ITIs to submit representations within two weeks, following which DGT was to conduct joint inspections with the State authorities and take a decision on de-affiliation within a stipulated timeline. It is pertinent to mention that a show cause notice had already been issued to the ITIs vide the Minutes of the 25th SCAA Meeting dated 23.12.2025, prior to the Court's directions. Accordingly, in compliance with the principles of natural justice and the directions of the Hon'ble Court, fresh show cause notices were issued to all petitioner institutes on 05.02.2026, based on the remarks of the Inspection Team and the recommendations of the SSDEC.	
91.	Indian Institute of Private Industrial	1. Electrician 6(3+3)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.	The matter was discussed in the SCAA meeting, and the SCAA decided as under:

Signature Not Verified
UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified
SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
	Training Institute* Address: Jaipur Road, Near Vansthali Turn, Teh-Niwai, (Tonk) MIS Code: PR08000397	2. Fitter 2(1+1) 3. Mechanic Diesel 2(1+1)	2. SCN was issued to the ITI by the State on 04.01.2025 and 03.02.2025. 3. Further, a joint inspection was conducted on 15.07.2025. 4. During inspection ITI requested for closure of the ITI vide letter (dated 15.07.2025) 5. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended de-affiliation. 6. Further, the matter was discussed in the 25th SCAA Meeting and ITI was given an opportunity to show cause why it should not be de-affiliated, within 21 days from the date of issuance of the minutes. However, no reply was received within the prescribed time period.	1. In line with the principles of natural justice, the ITI was afforded final opportunity to represent itself by 25 th SCAA in its meeting held on 13.11.2025 and 14.11.2025, to submit a show-cause reply — explaining why the ITI should not be de-affiliated along with any supporting representation, within 21 days from the issuance of the minutes of that meeting. 2. The ITI, however, did not submit any reply or representation within the stipulated time, thereby exhibiting continued negligence and persistent non-compliance. Therefore, in view of the interest of the trainees and the continuous violations of the affiliation norms, the ITI is hereby de-affiliated due to reason :ITI's request for closure
92.	Vinayak Private Industrial Training Institute, Address: Opp. Veterinary Hospital, Tonk Road, Newai, Distt. Tonk-304021	Electrician 4(2+2)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 04.01.2025. 3. The ITI replied to the SCN on 24.01.2025. 4. Further, a joint inspection was conducted on 29.07.2025. 5. During inspection following deficiencies were found: - Electrician Trade Tools deficiencies. - Instead of 7.5 KVA available Diesel Generator set was 5 KVA.	The matter was deliberated in the SCAA, and it was decided to conduct a joint inspection of the ITI to verify its functioning as per prescribed norms. The joint inspection shall be conducted by the concerned State Directorate and RDSDE Rajasthan. The date of inspection shall be decided by the State Directorate in consultation with RDSDE Rajasthan. The inspection report shall be submitted to the DGT within one month from the date of issuance of the minutes of this meeting for consideration in the next SCAA meeting.

Signature Not Verified
 UJJWAL BISWAS
 13.04.2026 15:49

Signature Not Verified
 SHRAMEV SHARMA
 12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
	MIS Code: PR08001217		iii. Some tools were brand new untouched and some were rusty and condition of rest maximum available tools equipment was very poor, not maintained servicing from long time some of them was broken. iv. No safety major followed, fire extinguisher was not CO₂, open wires were hanging and too much seepage on walls. v. No Board, Skill, DGT Logo on Main Entrance, inside, outside. vi. As per NSQF level 04 except progress card and attendance record no evidence found i/o of Formative assessment. vii. Out of 6 electrician trade trainers 05 not CITS qualified and paid emolument not as per prescribed skilled wages norms and No proper light in the workshops. 6. Further Joint Inspection team has recommended for de-affiliation of the ITI. 7. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended de-affiliation. 8. The 25th SCAA has granted a final opportunity to the ITI to represent itself within 21 days by a way of SCN. 9. The reply to the SCN was received on 13.01.2026.	

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			10. In its reply the ITI submitted the following: a) Electrician Trade Tools deficiencies rectified. b) Clarifies that a 7.5 KVA Diesel Generator is installed (not 5 KVA as noted); photo and video attached. c) Tools & Equipment cleaned and regularly used in practical work. d) Safety standards complied with; CO₂ fire extinguisher refilled, open wires and seepage fixed. e) Skill India and DGT logos installed at main entrance, inside, and outside; photo attached. f) Formative Assessment completed. g) CITS Qualified Instructor appointed and paid as per skilled wages norms. h) Proper lighting arranged in workshops. i) Request: Accept the response, continue affiliation, and grant admission permission.	
93.	Gurukripa Pvt ITI Address: Near Rani Laxmi Bai Kanya Mahavidyalaya Khanndewat	Electrician – 12 (4+4+4)	- Irregularities observed during initial Inspection conducted by State official on 24.12.2024. - SCN was issued to the ITI by the State on 04.01.2025 and 03.02.2025. - Further, a joint inspection was conducted on 30.07.2025. - During inspection following deficiencies were found:	The matter was deliberated in the SCAA, and it was decided to conduct a joint inspection of the ITI to verify its functioning as per prescribed norms. The joint inspection shall be conducted by the concerned State Directorate and RDSDE Rajasthan. The date of inspection shall be decided by the State Directorate in consultation with RDSDE Rajasthan. The inspection report shall be

Signature Not Verified
UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified
SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
	Road, Newai Tonk - 304021 MIS Code: PU08001789		i. Electrician trade Tools Deficiency. Too much dust in the workshop and adequate lightening condition of available tools equipment were very poor and it was noticed that they have been rusty & untouched from very long time. ii. IT lab was non-functioning, computer was kept dump. Books in library were related to economics, public administration and Hindi Literature, Civil essential norms regarding board and signage not followed. 5. Further Joint Inspection team has recommended for de-affiliation of the ITI. 6. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended de-affiliation. 7. The 25th SCAA has granted a final opportunity to the ITI to represent itself within 21 days by a way of SCN. 8. The reply to the SCN was received on 08.01.2026. 9. In its reply the ITI submitted the following: a) Electrician Trade Tools Deficiency: Too much dust in the workshop; inadequate lighting;	submitted to the DGT within one month from the date of issuance of the minutes of this meeting for consideration in the next SCAA meeting.

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<u>tools/equipment in poor condition, rusty, and untouched for a long time.</u> Reply: Tools and equipment are adequate per latest NCVT norms. Workshop is properly arranged with good illumination, RCC roof, and whitewashing. Attached: Bills, photos of workshops, and a demonstrative video. b) IT Lab and Library Issues:<u>IT Lab non-functional with computers kept dumped; library books related to unrelated subjects (economics, public administration, Hindi literature); civil essential norms (board and signage) not followed.</u> Reply: IT Lab is properly arranged with 10 computers of latest configuration. Library has adequate Electrician trade books, plus some additional books for trainees. 10. The institute requests resolution of these issues to avoid de-affiliation.	

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
94.	Mission Private ITI Address: Tonk 04 Vikash Colony Station Road, Newai, Rajasthan MIS Code: PU08001744	Electrician 6(2+2+2) Fitter 3(1+1+1)	- Irregularities observed during initial Inspection conducted by State official on 24.12.2024. - SCN was issued to the ITI by the State on 04.01.2025. - The ITI replied to the SCN on 23.01.2025. - Further, a joint inspection was conducted on 31.07.2025. - During inspection following deficiencies were found: - Electrician trade Tools Deficiency instead of 7.5 KVA available Generator set was 05 KVA & SN 16, 63, 66, 74, 78, 83, 84, 86, 88, 92, 99, 100, 101, 106, 115, 116, 118, 125, 134, 135, 150, 151, 161, 165, 166, 168. - Condition of available Tools and equipment both the trade was very poor and it was observed that they have been rusty and untouched from very long time. - Fitter trade Tools Deficiency - SN 01, 03, 10, 13, 14, 15 & 18, 19, 28, 41, 46, 47, 48, 50, 55, 58, 59, 60, 63, 66, 68, 73, 74, 75, 77, 83, 91, 97, 99, 102, 103, 106, 110, 111, 114-118, 120-129, 133, 152, 160, 161, 163-170, 172, 183, 185, 193, 198-204.	The matter was deliberated in the SCAA, and it was decided to conduct a joint inspection of the ITI to verify its functioning as per prescribed norms. The joint inspection shall be conducted by the concerned State Directorate and RDSDE Rajasthan. The date of inspection shall be decided by the State Directorate in consultation with RDSDE Rajasthan. The inspection report shall be submitted to the DGT within one month from the date of issuance of the minutes of this meeting for consideration in the next SCAA meeting.

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			v. Institute corridor was very narrow, in case of any miss happening trainees couldn't reach easily to the emergency exit. 5. Further Joint Inspection team has recommended for de-affiliation of the ITI. 6. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended de-affiliation. 7. The 25th SCAA has granted a final opportunity to the ITI to represent itself within 21 days by a way of SCN. 8. The reply to the SCN was received on 11.01.2026 and 12.01.2026. 9. In its reply the ITI submitted the following: a) Electrician Trade Tools: Deficiency rectified – Replaced 5 KVA generator with a new 7.5 KVA generator; missing tools from the list replaced with new ones (serial number-wise). Bills and photographs uploaded with the grievance. b) Tools & Equipment (both trades): All tools and equipment for Electrician and Fitter trades have been properly cleaned and are now regularly used in practical sessions; commitment to continue regular use in the future.	

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			c) Fitter Trade Tools: Deficiency rectified – Missing tools from the list replaced with new ones (serial number-wise). Bills and photographs uploaded with the grievance. d) Narrow Corridor Issue: Inspection team called the institute corridor "narrow," but it measures 1.5 meters (as approved in the 2016 DGT affiliation/application). Institute has operated continuously in the same building since 2016. Building blueprint uploaded; for emergency exit, an 8-foot shutter installed in front of Electrician Lab & Fitter lab. 10. Further, the ITI was a petitioner in S.B. Civil Writ Petition No. 16381/2025 (L.B.S. Private Industrial Training Institute) and 36 connected matters, which were disposed of by the Hon'ble Court on 23.01.2026. The Hon'ble Court directed the petitioner ITIs to submit representations within two weeks, following which DGT was to conduct joint inspections with the State authorities and take a decision on de-affiliation within a stipulated timeline. It is pertinent to mention that a show cause notice had already been issued to the ITIs vide the Minutes of the 25th SCAA Meeting dated 23.12.2025, prior to the Court's directions. Accordingly, in compliance with the principles	

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRADDHA SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			of natural justice and the directions of the Hon'ble Court, fresh show cause notices were issued to all petitioner institutes on 05.02.2026, based on the remarks of the Inspection Team and the recommendations of the SSDEC.	
95.	RNT Private Industrial Training Institute Address: Tonk Newai, Rajasthan- 304021 MIS Code: PU08001749	1. Electrician 6(2+2+2) 2. Fire Technology and Industrial Safety Management 3(1+1+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 04.01.2025. 3. The ITI replied to the SCN on 23.01.2025. 4. Further, a joint inspection was conducted on 29.07.2025. 5. During inspection following deficiencies were found: i. Electrician trade Tools deficiencies Sr. no. 16, 30, 35, 36, 37, 38, 43, 44, 50, 52, 53, 60-68, 70, 71-75, 82-94, 98, 100, 101, 103-107, 110, 113, 114, 116, 119-125, 127-129, 131-136, 144-145, 150, 151, 154, 155, 158-166. ii. Fire Technology & Industrial safety Management trade deficiencies 13, 14, 19, 25, 26, 27, 31, 35, 36, 43, 44, 47, 50, 55-58, 63-67, 70. iii. Condition of available tools equipment both the trade was very poor, some brand new and it was observed that they have been untouched from very long time.	The matter was deliberated in the SCAA, and it was decided to conduct a joint inspection of the ITI to verify its functioning as per prescribed norms. The joint inspection shall be conducted by the concerned State Directorate and RDSDE Rajasthan. The date of inspection shall be decided by the State Directorate in consultation with RDSDE Rajasthan. The inspection report shall be submitted to the DGT within one month from the date of issuance of the minutes of this meeting for consideration in the next SCAA meeting.

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			iv. Affiliation norms related to boards and signages 6.1 to 6.9 were not complied, it was observed that only one flax banner was installed at the main entrance on the day of inspection, as per the NSQF level 04 except progress card and attendance record no evidence found i/o of formative assessment. 6. Further Joint Inspection team has recommended for de-affiliation of the ITI. 7. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended de-affiliation. 8. The 25th SCAA has granted a final opportunity to the ITI to represent itself within 21 days by a way of SCN. 9. The reply to the SCN was received on 08.01.2026. 10. In its reply the ITI submitted the following: a) Electrician Trade Tools: Lists numerous missing items (Sr. Nos. 16, 30, 35-38, 43-44, 50, 52-53, 60-68, 70-75, 82-94, 98, 100-101, 103-107, 110, 113-114, 116, 119-125, 127-129, 131-136, 144-145, 150-151, 154-155, 158-166). Reply: All equipment available; bills and photos attached. b) Fire Technology & Industrial Safety Management Trade: Missing items (Sr. Nos. 13-14, 19, 25-27, 31, 35-36, 43-44, 47, 50, 55-58, 63-67, 70). Reply: All	

Signature Not Verified
UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified
SHRADDHA SHARMA
12.45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			equipment available; bills and photos attached. c) Condition of Tools/Equipment: Poor condition, some brand new and unused. Reply: Compliant with NCVT norms; new purchases for syllabus updates; daily practical's conducted; photos attached. d) Affiliation Norms - Boards/Signages: Norms 6.1-6.9 not complied; only flex banner at entrance; no formative assessment evidence except progress card/attendance. Reply: Permanent signage installed; progress card and attendance copies attached. 11. Further, the ITI was a petitioner in S.B. Civil Writ Petition No. 16381/2025 (L.B.S. Private Industrial Training Institute) and 36 connected matters, which were disposed of by the Hon'ble Court on 23.01.2026. The Hon'ble Court directed the petitioner ITIs to submit representations within two weeks, following which DGT was to conduct joint inspections with the State authorities and take a decision on de-affiliation within a stipulated timeline. It is pertinent to mention that a show cause notice had already been issued to the ITIs vide the Minutes of the 25th SCAA Meeting dated 23.12.2025, prior to the Court's decision.	

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEY SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			Accordingly, in compliance with the principles of natural justice and the directions of the Hon'ble Court, fresh show cause notices were issued to all petitioner institutes on 05.02.2026, based on the remarks of the Inspection Team and the recommendations of the SSDEC.	
96.	Rajeev Gandhi Private Industrial Training Institute, Address - Shahpura Baag, Amer Road, Jaipur -302002 MIS Code - PR08000122	1. Electrician- 2(1+1)	- Irregularities observed during initial Inspection conducted by State official on 24.12.2024. - SCN was issued to the ITI by State on 07.01.2025. - The ITI replied to the SCN on 16.01.2025. - Further, a joint inspection was conducted on 10.09.2025. - Accordingly, the joint inspection of the ITI was conducted on 10.09.2025. During the inspection the following deficiencies were observed: - The major machinery such as- Machine Trainer etc. was not in working condition on the day of inspection - No qualified instructors were appointed by the ITI. - The trade trainers available in the ITI does not have trade knowledge. - Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended de-affiliation.	The matter was deliberated in the SCAA, and it was decided to conduct a joint inspection of the ITI to verify its functioning as per prescribed norms. The joint inspection shall be conducted by the concerned State Directorate and RDSDE Rajasthan. The date of inspection shall be decided by the State Directorate in consultation with RDSDE Rajasthan. The inspection report shall be submitted to the DGT within one month from the date of issuance of the minutes of this meeting for consideration in the next SCAA meeting.

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			7. The 25th SCAA has granted a final opportunity to the ITI to represent itself within 21 days by a way of SCN. 8. The reply to the SCN was received on 09.01.2026. 9. In its reply the ITI submitted the following: a) A joint inspection was conducted on September 10, 2025, where some deficiencies were identified. <u>Explanation:</u> No running students were present as the previous batch had passed out, and new admissions had not yet begun. The institute is now fully prepared for new admissions and training. b) <u>Explanation on Deficiencies addressed:</u> i. All required machines and tools are available and functional per DGT/NCVT norms. ii. Qualified instructors appointed for each trade. iii. Workshop safety arrangements, signage, and display boards completed as per rules. iv. Academic records (e.g., lesson plans, attendance formats, practical job sheets, formative assessment records) prepared.	

Signature Not Verified

 UJJWAL BISWAS
 13.04.2026 15:49

Signature Not Verified

 SHRAMEEV SHARMA
 12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			v. Supporting documents, photographs, and videos are attached. c) <u>Request:</u> Conduct a re-inspection to restore affiliation and allow resumption of training activities.	
97.	Suparshva Private Industrial Training Institute, Address - Vill. & Post Fagodiya Wala, Bad Ka Balaji, Ajmer Road, Tehsil Sanganer, Dist. Jaipur-302026 MIS Code - PR08001403	1. Electrician- 6 (2+2+2)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by State on 07.01.2025. 3. The ITI replied to the SCN on 22.01.2025. 4. Further, a joint inspection was conducted on 18.09.2025. 5. Accordingly, the joint inspection of the ITI was conducted on 18.09.2025. During the inspection the following deficiencies were observed: - A Paramedical college and the ITI are running under same building. - The qualification of superintendent does not match as per norms. 6. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended de-affiliation. 7. The 25th SCAA has granted a final opportunity to the ITI to represent itself within 21 days by a way of SCN. 8. The reply to the SCN was received on 03.01.2026.	The matter was deliberated in the SCAA, and it was decided to conduct a joint inspection of the ITI to verify its functioning as per prescribed norms. The joint inspection shall be conducted by the concerned State Directorate and RDSDE Rajasthan. The date of inspection shall be decided by the State Directorate in consultation with RDSDE Rajasthan. The inspection report shall be submitted to the DGT within one month from the date of issuance of the minutes of this meeting for consideration in the next SCAA meeting.

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			9. In its reply the ITI submitted the following: a) All facilities of the ITI are fully compliant with prescribed norms, as confirmed during inspection. b) It is submitted that both institutions are managed by the same society but function independently on separate floors with separate entrances. The ITI operates from the Basement and Ground Floor with a separate gate, whereas the other institute operates from the First Floor with a separate gate. c) There is no overlap or interference in academic or administrative functioning, and the arrangement does not adversely affect the quality of training imparted to ITI trainees. d) The Institute has been functioning successfully since the academic session 2014-15 without any such objection earlier. e) Multi-story buildings are commonly used for educational institutions, universities, and offices. The use of upper floors does not violate any norms.	

Signature Not Verified



UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified



SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			f) The Institute is ready and willing to undergo re-inspection at any time to verify compliance. g) In view of the above clarifications, it is respectfully requested that the allegation under Point (i) be reconsidered and the Show Cause Notice on this ground be withdrawn. The Institute remains committed to complying with any further directions issued by the competent authority. h) In compliance with the updated norms, a new qualified Superintendent has been appointed without any delay. All relevant appointment documents and qualification certificates are enclosed for verification. i) The Institute has been contributing significantly to technical education and student welfare since 2014. Adequate infrastructure, qualified staff, and necessary facilities are available as per norms. In light of the above factual clarifications and corrective measures taken, it is humbly requested that the Show Cause Notice be quashed and the matter be decided favorably. 10. The ITI has attached building layout plan of the ITI, ITI Building photos in which the name of	

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMPAN SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			the ITI is written, qualification documents of the appointed Principal for ITI.	
98.	Nav Prateek Private Industrial Training Institute, Address - Chaksu, Dist. Jaipur MIS Code - PR08001419	1. Electrician- 15 (5+5+5)	1. Irregularities observed during initial inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by State on 07.01.2025. 3. The ITI replied to the SCN on 21.01.2025. 4. Further, a joint inspection was conducted on 15.09.2025. 5. Accordingly, the joint inspection of the ITI was conducted on 15.09.2025. During the inspection the following deficiencies were observed - The latest 6 months copy of electricity bill was not provided by the ITI on the day of inspection. - In Electrician workshop earthing of electrical panels, machinery was not found. Also, the safety measures were not available in workshop. - The labs in the ITI were filled with rain water. - The ITI staff were not available at the time of inspection. 6. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended de-affiliation. 7. Further, the matter was discussed in the 25th SCAA Meeting and ITI was given an	The matter was deliberated in the SCAA meeting, and the SCAA decided as under, based on the recommendations of the SSDEC: - It has been observed that the latest six months' electricity bills were not provided by the ITI at the time of inspection. Further, in the Electrician workshop, earthing of electrical panels and machinery was not found, and requisite safety measures were not in place. It was also observed that the Workshops were filled with rainwater. Additionally, no staffs were present at the institute at the time of inspection. - In line with the principles of natural justice, the ITI was granted a final opportunity in the 25th SCAA meeting held on 13.11.2025 and 14.11.2025 to submit a show-cause reply, explaining why the ITI should not be de-affiliated, along with any supporting representation, within 21 days from the issuance of the minutes of that meeting. - The said communication was issued by DGT to the registered email ID of the institute on 24.12.2025.

Signature Not Verified
UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified
SHRAMESH K. SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			opportunity to show cause why it should not be de-affiliated, within 21 days from the date of issuance of the minutes. However, no reply was received within the prescribed time period.	4. Further, the ITI did not avail the opportunity provided and failed to submit any reply or representation within the stipulated time. Accordingly, based on the facts on record, the absence of essential safety measures, poor condition of infrastructure, non-availability of staff, and non-submission of documents indicate serious non-compliance with the prescribed norms and adversely affect the conduct and safety of training activities. The ITI is hereby de-affiliated.
99.	S.L.B.S. Private Industrial Training Institute, Address - Luniyawas, Bheru Khajra, Tehsil Amer Dist. Jaipur MIS Code - PR08001387	1. Electrician-6(2+2+2)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by State on 07.01.2025. 3. The ITI replied to the SCN on 31.01.2025. 4. Further, a joint inspection was conducted on 19.09.2025. 5. Accordingly, the joint inspection of the ITI was conducted on 19.09.2025. During the inspection the following deficiencies were observed: i. The school was running under same building of the ITI.	The matter was deliberated in the SCAA meeting, and the SCAA decided as under, based on the recommendations of the SSDEC: 1. It has been observed that a school was operating in the same building as the ITI. Further, despite attempts by the inspection team to contact the institute on the provided contact number, no response was received from the responsible representative. 2. In line with the principles of natural justice, the ITI was granted a final opportunity in the 25th SCAA meeting held on 13.11.2025 and 14.11.2025 to submit a show-cause reply, explaining why the ITI

Signature Not Verified
UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified
SHRAMEV SHARMA
12.45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			ii. The ITI was called by the inspecting committee called on the given contact no. but key person not responded. 6. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended de-affiliation. 7. Further, the matter was discussed in the 25th SCAA Meeting and ITI was given an opportunity to show cause why it should not be de-affiliated, within 21 days from the date of issuance of the minutes. However, no reply was received within the prescribed time period.	should not be de-affiliated, along with any supporting representation, within 21 days from the issuance of the minutes of that meeting. 3. The said communication was issued by DGT to the registered email ID of the institute on 24.12.2025. 4. Further, the ITI did not avail the opportunity provided and failed to submit any reply or representation within the stipulated time. Accordingly, based on the facts on record, the operation of a school within the ITI premises and non-responsiveness of the institute prevent verification of its functioning and indicate that the ITI is not being operated in accordance with the prescribed norms. The ITI is hereby de-affiliated.
100.	Shri Narayan Private Industrial Training Institute, Address - Gram-Bagwada, Via-Moriza, Teh-	1. Electrician- 4(2+2) 2. Mechanic Diesel- 2(1+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 07.01.2025. 3. The ITI replied to the SCN on 23.01.2025. 4. Further, a joint inspection was conducted on 01.09.2025. 5. Accordingly, the joint inspection of the ITI was conducted on 01.09.2025. During the inspection the following deficiencies were observed:	The matter was deliberated in the SCAA meeting, and the SCAA decided as under, based on the recommendations of the SSDEC: 1. It has been observed that the ITI was not in running condition. Further, a PG Women's College and a school were found to be operating within the ITI premises. The machinery related to various trades was found to be non-functional and in poor condition at the time of inspection.

Signature Not Verified
UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified
SHRAMEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
	Amer, Distt - Jaipur-303805 MIS Code - PR08000887		i. The ITI was not in running condition. ii. A PG women college and a School were found in the ITI premises. iii. All the ITI Labs were present in basement which is not as per norms. iv. The trades related machinery was not in working condition and found in pathetic condition on the day of inspection. v. As per the electricity bill the unit consumption of electricity in the ITI was very low. 6. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended de-affiliation. 7. Further, the matter was discussed in the 25th SCAA Meeting and ITI was given an opportunity to show cause why it should not be de-affiliated, within 21 days from the date of issuance of the minutes. However, no reply was received within the prescribed time period.	Additionally, as per the electricity bills, the unit consumption of electricity in the ITI was found to be very low. 2. In line with the principles of natural justice, the ITI was granted a final opportunity in the 25th SCAA meeting held on 13.11.2025 and 14.11.2025 to submit a show-cause reply, explaining why the ITI should not be de-affiliated, along with any supporting representation, within 21 days from the issuance of the minutes of that meeting. 3. The said communication was issued by DGT to the registered email ID of the institute on 24.12.2025. 4. Further, the ITI did not avail the opportunity provided and failed to submit any reply or representation within the stipulated time. Accordingly, based on the facts on record, the non-operational status of the ITI, use of the premises for running other institutions, non-compliance with infrastructure norms, and non-functional condition of machinery establish that the ITI is not being operated for the purpose for which affiliation was granted and is not functioning in accordance with the prescribed norms. The ITI is hereby de-affiliated.

Signature Not Verified
UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified
SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
101.	New Sunrise Private Industrial Training Institute, Address - Plot No. 4, Kirti Sagar "S" Mangyawas, Mansarover, Dist. Jaipur - 302020 MIS Code - PU08000304	1. Electrician-6(2+2+2)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 07.01.2025. 3. The ITI replied to the SCN on 21.01.2025. 4. Further, a joint inspection was conducted on 03.09.2025. 5. Accordingly, the joint inspection of the ITI was conducted on 03.09.2025. During the inspection the following deficiencies were observed: - The school was running in same ITI Campus. - The electricity bill of the ITI was not on the name of the ITI. - The trade machinery was not in running condition on the day of inspection. - The fire extinguisher available in the ITI was not in working condition on the day of inspection. 6. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended de-affiliation. 7. The 25th SCAA has granted a final opportunity to the ITI to represent itself within 21 days by a way of SCN. 8. The reply to the SCN was received on 07.01.2026 9. In its reply the ITI submitted the following:	The matter was discussed in the SCAA meeting, and the SCAA decided as under: - In line with the principles of natural justice, the ITI was afforded final opportunity to represent itself by 25th SCAA in its meeting held on 13.11.2025 and 14.11.2025, to submit a show-cause reply — explaining why the ITI should not be de-affiliated along with any supporting representation, within 21 days from the issuance of the minutes of that meeting. - The ITI submitted its reply; however, the same was found to be unsatisfactory on the following grounds: - The electricity connection does not comply with the prescribed norms. As per the applicable norms, the electricity connection is required to be registered in the name of the ITI. However, the electricity bill on record is not in the name of the ITI, indicating a clear deviation from the stipulated requirements. - Furthermore, with regard to the running of a school from the ITI premises, the ITI itself has admitted that "the ITI section has now been physically separated and shifted from the school block, ensuring independent

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			a) Electricity bill not issued in the name of ITI Institute → The ITI building is on a rented premise; therefore, the electricity connection and bill are issued in the name of the building owner. A valid rent agreement is available on record. We kindly request this point to be considered compliant as per rental infrastructure norms. b) Trade machine not functional on the day of inspection → The concerned trade machine has now been fully repaired, inspected, and tested. It is presently in proper working condition and is being regularly used for student practical training. c) Fire extinguisher not available in the ITI workshop → Fire safety arrangements have been completed. Fire extinguishers have been installed in all ITI workshops and practical training areas in accordance with prescribed safety norms. d) ITI Institute and school running in the same campus without proper separation → The ITI institute section has now been physically separated and shifted from the school block, ensuring independent functioning and proper institutional setup.	functioning and proper institutional setup." This admission unequivocally establishes that a school was indeed being operated from the ITI premises, which constitutes a gross violation of the ITI affiliation norms. Therefore, in view of the interest of the trainees and the continuous violations of the affiliation norms, the ITI is hereby de-affiliated

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
102.	Navjivan Private Industrial Training Institue, Address - Khasra No.517/9 Bande Ka Balaji-The-Pulera, Distt-Jaipur MIS Code - PR08001269	1. Electrician- 8(4+4) 2. Mechanic Diesel- 2(1+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 07.01.2025. 3. The ITI replied to the SCN on 12.02.2025. 4. Further, a joint inspection was conducted on 09.09.2025. - Accordingly, the joint inspection of the ITI was conducted on 09.09.2025. During the inspection the following deficiencies were observed: - The ITI building did not match the building layout/map presented during the inspection. - The major trades machinery was not in working condition on the day of inspection. - The tools and equipment available in the ITI appear to be untouched and unused for a long time, indicating that no training activities have been conducted at the institute. - No vehicle was available for Diesel Mechanic training purpose. - The signboard was either not as per the prescribed norms or no permanent signboard was fixed at the entrance. - The IT lab and classrooms were found to be in a very poor condition.	The matter was deliberated in the SCAA, and it was decided to conduct a joint inspection of the ITI to verify its functioning as per prescribed norms. The joint inspection shall be conducted by the concerned State Directorate and RDSDE Rajasthan. The date of inspection shall be decided by the State Directorate in consultation with RDSDE Rajasthan. The inspection report shall be submitted to the DGT within one month from the date of issuance of the minutes of this meeting for consideration in the next SCAA meeting.

Signature Not Verified

 UJJWAL BISWAS
 13.04.2026 15:49

Signature Not Verified

 SHRAMEV SHARMA
 12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			5. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended de-affiliation. 6. The 25th SCAA has granted a final opportunity to the ITI to represent itself within 21 days by a way of SCN. 7. The reply to the SCN was received on 15.01.2026. 8. In its reply the ITI submitted the following: • Layout plan mismatch: Institute has been running on the same map since 2013; earlier inspectors were wrong. • Machinery not working properly: Institute is 12 years old; some machines had issues earlier, but now all workshop machinery is functioning properly. • Equipment not in use: New tools & equipment recently purchased; old ones not shown during inspection; regular training is being given by instructors. • No vehicle for Diesel Mechanic: Institute has vehicle register; proof will be submitted. • Sign board not permanent: Institute and sign board are fully permanent and have been installed at the ITI gate for many years.	

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			• IT Lab & Classrooms condition: Photos of IT Lab and classrooms will be provided; inspector did not even visit the IT Lab. • Main Request: Conduct fresh re-inspection and grant admission permission for session 2025-2026. • High Court Direction (Note): As per Rajasthan High Court order in S.B. Civil Writ Petition No. 16895/2025, the institute must be re-inspected and permission granted for 2025-2026 session. • Final Appeal: Grant permission so students' future is not spoiled and the institute gets one chance to rectify mistakes. 9. In its reply the ITI also attached the following: a. The Hon'ble court justice order dated 09.04.2021 and requested not to pass any adverse against the ITI failing which the institute would be free to challenge this order by the way of WPC in Hon'ble Rajasthan High Court.	
103.	Shahpura Private Industrial	1. Electrician- 4(2+2)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 07.01.2025.	The matter was deliberated in the SCAA, and it was decided to conduct a joint inspection of the ITI to verify its functioning as per prescribed norms.

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
	Training Institute, Address - Lakshmi Nagar, Nh-8, Shahpura, Dist. Jaipur - 303103 MIS Code - PU08000308		3. The ITI replied to the SCN on 24.01.2025. 4. Further, a joint inspection was conducted on 12.09.2025. 5. Accordingly, the joint inspection of the ITI was conducted on 12.09.2025. During the inspection the following deficiencies were observed: - The ITI building did not match the building layout/map presented during the inspection. - The major trade machinery was found to be non-functional on the day of inspection, and several machines were also found dislocated from their bases. - The tools and equipment available in the ITI appear to be untouched and unused for a long time, indicating that no training activities have been conducted at the institute. - The signboard was either not as per the prescribed norms or no permanent signboard was fixed at the entrance. - Annex III along with supporting documents were not submitted to Inspection Team. 6. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended de-affiliation.	The joint inspection shall be conducted by the concerned State Directorate and RDSDE Rajasthan. The date of inspection shall be decided by the State Directorate in consultation with RDSDE Rajasthan. The inspection report shall be submitted to the DGT within one month from the date of issuance of the minutes of this meeting for consideration in the next SCAA meeting.

Signature Not Verified

 UJJWAL BISWAS
 13.04.2026 15:49

Signature Not Verified

 SHRAMEV SHARMA
 12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			7. The 25th SCAA has granted a final opportunity to the ITI to represent itself within 21 days by a way of SCN. 8. The reply to the SCN was received on 13.01.2026. 9. In its reply the ITI submitted the following: a) <u>The ITI building did not match the building/map presented during the inspection.</u> Original layout/map from inception was submitted; changes made as per needs, latest map attached for records. b) <u>The major trade machinery was found to be non-functional on the day of inspection, and several machines were also found dislocated from their base.</u> Motors burnt during practical sessions; repaired and placed in lab, but not in position during inspection; repair bill attached. c) <u>The tools and equipment available in the ITI appear to be untouched and unused for a long time, indicating that no training activities have been conducted at the institute.</u> Training ongoing with 54 students (0 in first year, 54 in second); 84 tools available, some unused due to low enrollment, plus new tools purchased; bill attached.	

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			d) <u>The signboard was either not as per the prescribed norms or no permanent signboard was fixed at the entrance.</u> Signboard was broken during inspection; new one installed immediately; photo attached. e) <u>Annex III along with supporting were not submitted to Inspection Team.</u> Most documents provided to team; ready to submit any missing ones if informed.	
104.	Shivalaya Private Industrial Training Institute, Address - P.No.5, Park Residency, Hathoj Kalwar Road, Distt. Jaipur - 302012 MIS Code - PR08000298	1. Electrician- 4(2+2)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 07.01.2025. 3. The ITI replied to the SCN on 24.01.2025. 4. Further, a joint inspection was conducted on 11.09.2025 5. Accordingly, the joint inspection of the ITI was conducted on 11.09.2025. During the inspection the following deficiencies were observed: i. The school or coaching activities were observed in ITI building on the day of inspection. ii. The major trades machinery was not in working condition on the day of inspection. The workshops were also in very poor condition on that day.	The matter was deliberated in the SCAA meeting, and the SCAA decided as under, based on the recommendations of the SSDEC: 1. It has been observed that school or coaching activities were being carried out within the ITI building at the time of inspection. Further, the machinery for major trades was found to be not in working condition, and the workshops were in poor condition. The IT lab was also found to be in a very poor condition with non-functional computers. No adequate safety measures or proper ventilation were available in the IT lab, and the ITI lacked necessary safety provisions, including fire safety arrangements. It was also observed that the signboard was either not as per prescribed norms or no permanent

Signature Not Verified
UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified
SHRAMEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			iii. The IT lab was in very poor condition with non-working PCs. iv. No safety measures or proper ventilation were available in the IT lab. Moreover, the ITI lacked adequate ventilation and necessary safety provisions in case of fire. v. The signboard was either not as per the prescribed norms or no permanent signboard was fixed at the entrance. vi. Annex III along with supporting documents were not submitted to Inspection Team. 6. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended de-affiliation. 7. Further, the matter was discussed in the 25th SCAA Meeting and ITI was given an opportunity to show cause why it should not be de-affiliated, within 21 days from the date of issuance of the minutes. However, no reply was received within the prescribed time period.	signboard was installed at the entrance. Additionally, Annex-III along with supporting documents was not submitted to the inspection team. 2. In line with the principles of natural justice, the ITI was granted a final opportunity in the 25th SCAA meeting held on 13.11.2025 and 14.11.2025 to submit a show-cause reply, explaining why the ITI should not be de-affiliated, along with any supporting representation, within 21 days from the issuance of the minutes of that meeting. 3. The said communication was issued by DGT to the registered email ID of the institute on 24.12.2025. 4. Further, the ITI did not avail the opportunity provided and failed to submit any reply or representation within the stipulated time. Accordingly, based on the facts on record, the use of premises for non-permitted activities, deficiencies in infrastructure and machinery, absence of adequate safety measures, and non-submission of required documents indicate serious non-compliance with the prescribed norms and adversely affect the conduct and safety of training. The ITI is hereby de-affiliated.

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
105.	L.B.S. Private Industrial Training Institute, Addresss - Shiv Colony Plot No.1-2,Air Force Cicle Wing 1st,Sanganer, Jaipur-302029 MIS Code - PR08001260	1. Electrician- 5 (2+2+1) 2. Mechanic Diesel- 1 (1+0)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 07.01.2025. 3. The ITI replied to the SCN on 20.01.2025. 4. Further, a joint inspection was conducted on 08.09.2025 5. Accordingly, the joint inspection of the ITI was conducted on 08.09.2025. During the inspection the following deficiencies were observed: i. The area of classrooms as per the given building plan was found to be less as per DGT norms on the day of inspection. ii. Out of 11 instructors in ITI, only one instructor was found to be CITS trained and also has less experience. iii. The computers in the ITI lab were found in non-functional condition and also outdated not as per norms. iv. The other academic subjects' books of political science, Geography, social Science and Hindi Grammar, environment were found in the ITI library on the day of inspection. v. Some records as per Annexure -III were not provided by the ITI on that day. The sponsorship letter for CTI training and CTI retraining of trainers were not provided.	The matter was deliberated in the SCAA, and it was decided to conduct a joint inspection of the ITI to verify its functioning as per prescribed norms. The joint inspection shall be conducted by the concerned State Directorate and RDSDE Rajasthan. The date of inspection shall be decided by the State Directorate in consultation with RDSDE Rajasthan. The inspection report shall be submitted to the DGT within one month from the date of issuance of the minutes of this meeting for consideration in the next SCAA meeting.

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			vi. The several tools and equipment, shop machinery as per the syllabus of Electrician NSQF level-4 were not available and also several other tools and equipment, shop machinery of the were not working condition on the day of inspection. vii. In the trade Diesel Mechanic NSQF level-3.5.7 the 50% tools and equipment, shop machinery was not available as per the trade syllabus on the day of inspection. 6. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended de-affiliation due to shortage/not in working condition of Major Tools & Machinery in Electrician Trades. 7. The 25th SCAA has granted a final opportunity to the ITI to represent itself within 21 days by a way of SCN. 8. The reply to the SCN was received on 04.01.2026. 9. In its reply the ITI submitted the following: a) <u>Classroom area below DGT norms:</u> Classrooms meet standards per approved building blueprint (Electrician: 24.79 sqm; Mechanic Diesel: 24.79 sqm). Attached: Blueprint.	

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			b) <u>Only one CITS-trained instructor with insufficient experience:</u> 3 CITS-trained instructors available (2 in Electrician, 1 in Mechanic Diesel), all with required experience. Attached: Documents for 3 instructors. c) <u>Computers in IT lab non-functional/outdated:</u> All computers functional and compliant on inspection day. Attached: Geo-tagged photos. d) <u>Library contained unrelated books (e.g., political science, geography):</u> Relevant trade theory, practical, and assignment books available, as confirmed in initial state report (24.12.2024, para 5 sub-points). Attached: Geo-tagged photos. e) <u>Some records per Annexure-III not provided (e.g., CTI training/retraining letters):</u> All records provided in inspection file; reiterates 3 CITS instructors. Attached: Copy of Annexure-III. f) <u>Several Electrician NSQF Level-4 tools/equipment missing or non-working:</u> All major tools, equipment, and machinery available and functional, confirmed in initial state report. Attached: Geo-tagged video, photos, and bills. g) <u>50% Diesel Mechanic NSQF Level-3, 5, 7 tools/equipment missing:</u> All required	

Signature Not Verified
UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified
SHRAMESH PHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			items available and functional, confirmed in initial state report. Attached: Geo-tagged video, photos, and bills. <u>Arguments Against De-Affiliation:</u> a) De-affiliation recommendation unjust, as initial state inspection (24.12.2024) confirmed compliance in all areas (para 5 sub-points a-i). b) Institute fully committed to DGT/state norms; ready for impartial re-inspection at any time to verify facts. c) Requests: Cancel de-affiliation recommendation and maintain affiliation to allow uninterrupted operations. d) No reasons provided in the minutes for initiating de-affiliation against the institute. e) No prior show cause notice issued, violating the Training Manual; minutes improperly treated as final notice. f) De-affiliation procedure under Appendix XX of the Training Manual bypassed; criticizes a "new formula" from DGT letter dated 30.05.2025 as an illegal shortcut to de-affiliate running ITIs; general notice invalid and should be recalled. g) No opportunity for hearing granted.	

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			h) Copy of joint inspection report not supplied; no chance to rectify deficiencies. i) Institute has required infrastructure and is operational. j) Ready for fresh/joint inspection; allegation of inspection refusal untenable; interference in admissions unlawful. k) No standing committee constituted by State Directorate as per Manual (should have 5 members). l) Mandatory 30-day show cause notice not given; minutes treated as notice violates natural justice. Notes inconsistency: ITI selected as exam center but deemed unfit for admissions. m) Only 21 days given for reply, against Manual's 30 days. n) No formal order/letter specifying grounds for de-affiliation. o) DGT order dated 30.05.2025 imposing admission restrictions violates Training Manual. p) Minutes of 25th SCAA (13-14.11.2025) based on SSDEC Rajasthan's 9th/10th meetings (17.09.2025 and 23.09.2025) without providing copies or prior opportunity to ITI. Decisions mechanical, without application of mind, ignoring court orders.	

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<u>Court Reference:</u> a) Cites Rajasthan High Court Jaipur Bench order in S.B. Civil Writ Petition No. 7564/2019 (dated 09/04/2021), which set aside similar de-affiliations, referencing a Delhi High Court order (21.10.2019). It directs fresh inspections, show cause notices, opportunities to rectify deficiencies, personal hearings, and speaking orders. Emphasizes that de-affiliation decisions were kept in abeyance, and running ITIs should get chances to comply. 10. Conclusion: The letter requests withdrawal of the de-affiliation notice, proceedings, and minutes dated 23.12.2025, and no adverse orders. Warns of challenging via writ petition in. 11. Further, the ITI was a petitioner in S.B. Civil Writ Petition No. 16381/2025 (L.B.S. Private Industrial Training Institute) and 36 connected matters, which were disposed of by the Hon'ble Court on 23.01.2026. The Hon'ble Court directed the petitioner ITIs to submit representations within two weeks, following which DGT was to conduct joint inspections.	

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			with the State authorities and take a decision on de-affiliation within a stipulated timeline. It is pertinent to mention that a show cause notice had already been issued to the ITIs vide the Minutes of the 25th SCAA Meeting dated 23.12.2025, prior to the Court's directions. Accordingly, in compliance with the principles of natural justice and the directions of the Hon'ble Court, fresh show cause notices were issued to all petitioner institutes on 05.02.2026, based on the remarks of the Inspection Team and the recommendations of the SSDEC.	
106.	Rajasthan Private Industrial Training Institute, Address - Village Amarsar (Jaipur) 303601 MIS Code - PR08000655	1. Electrician- 4(2+2)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 07.01.2025. 3. The ITI replied to the SCN on 20.01.2025. 4. Further, a joint inspection was conducted on 12.09.2025 5. Accordingly, the joint inspection of the ITI was conducted on 12.09.2025. During the inspection the following deficiencies were observed: i. Major tools and equipment, shop machinery in Electrician trade were not available as well as not in working condition on the day of inspection. ii. Out of 07 instructors in ITI, only one instructor was found to be CITS trained.	The matter was discussed in the SCAA meeting, and the SCAA decided as under: 1. In line with the principles of natural justice, the ITI was afforded final opportunity to represent itself by 25 th SCAA in its meeting held on 13.11.2025 and 14.11.2025, to submit a show-cause reply — explaining why the ITI should not be de-affiliated along with any supporting representation, within 21 days from the issuance of the minutes of that meeting. 2. The ITI, however, submitted the reply but it was found unsatisfactory as there was Generator power issue due to following reason: a) On the day of inspection, a movable (non-foundation) generator set of approximately 62.5 kilowatts was found in the ITI,

Signature Not Verified
UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified
RAMESH SHARMA
12.45 13.01.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			iii. In the last one year, the electricity consumption bill was found to be very low and the diesel consumption log book and Diesel bill were not provided by the ITI on the day of inspection. iv. On the day of inspection, a movable (non-foundation) generator set of approximately 62.5 kilowatts was found in the ITI, whereas, as per the stock register and the bill received, the generator set was recorded as 5 kilowatts. v. The machinery in the Electrician lab was difficult to verify as per the syllabus specifications, as all the equipment had been painted. vi. As per annexure III serial no (c and d) of IV-b the instructions were not strictly followed by the ITI and the records were not provided by the ITI on that day. 6. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended for de-affiliation of the ITI due to shortage of and/or non-functional major tools and machinery in the Electrician trade. 7. The 25th SCAA has granted a final opportunity to the ITI to represent itself within 21 days by a way of SCN.	whereas, as per the stock register and the bill received, the generator set was recorded as 5 kilowatts. Therefore, the ITI has violated the Affiliation Norms 2018, due to serious deficiencies in machinery essential for conducting training. Accordingly, the ITI is hereby de-affiliated.

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			8. The reply to the SCN was received on 11.01.2026. 9. In its reply the ITI submitted the following: a) Tools and Equipment: Main tools/equipment for the Electrician trade were available and functional on inspection day, with purchase bills attached. Machinery was demonstrated by instructors; GPS video is being resent. b) Instructors: All 7 instructors were present, including one CITS-trained. More CITS-trained instructors will be appointed soon. c) Electricity Bill: Low bill due to few trainees in 2023-2024 sessions and rural location. Diesel generator used for practicals; diesel bills provided to inspectors. d) Generator Set: A 5 kW diesel generator was available per stock register. Claims it's impossible to have a 62.5 kW generator in the workshop alongside machinery; denies any attribution to the institute. e) Maintenance: Five electricians handle annual maintenance (monthly cleaning, malfunction prevention, painting). Machines are tagged/punched and verified per curriculum; all equipment meets NCVT standards.	

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			f) Compliance with Instructions: The institute strictly follows ITI guidelines as per Annexure III (serial nos. C and D of IV-b) and will continue to do so. All requested records were provided. g) Request for Reconsideration: Urges reconsideration of the de-affiliation decision from the 10th meeting on September 23, 2025, based on presented facts. Requests not to revoke affiliation and to grant permission for continued operations.	
107.	Mansarovar Private ITI Address - 15, Rajeev Vihar, New Sanganer Road, Taluk Sanganer, Distt. Jaipur - 302020 MIS Code - PU08000289	1. Electrician-3(1+1+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 07.01.2025. 3. The ITI replied to the SCN on 11.01.2025. 4. Further, a joint inspection was conducted on 11.09.2025 5. Accordingly, the joint inspection of the ITI was conducted on 11.09.2025. During the inspection the following were observed: i. After reaching ITI, We spoke to the audio assistant posted at the pillar gate, in which he said that he had no information about the joint inspection and he did not talk further. ii. The machinery in the Electrician lab was difficult to verify as per the syllabus.	The matter was deliberated in the SCAA, and it was decided to conduct a joint inspection of the ITI to verify its functioning as per prescribed norms. The joint inspection shall be conducted by the concerned State Directorate and RDSDE Rajasthan. The date of inspection shall be decided by the State Directorate in consultation with RDSDE Rajasthan. The inspection report shall be submitted to the DGT within one month from the date of issuance of the minutes of this meeting for consideration in the next SCAA meeting.

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRADDHA SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			specifications, as all the equipment had been painted. 6. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended de-affiliation. 7. The 25th SCAA has granted a final opportunity to the ITI to represent itself within 21 days by a way of SCN. 8. The reply to the SCN was received on 06.01.2026. 9. In its reply the ITI submitted the following: a) It is respectfully submitted that during the current academic session no new admissions were taken, and all trainees had already completed their final examinations. Accordingly, no regular training activities were in progress at the time of inspection, which was duly informed to the inspection team. b) The observations recorded during inspection, including interaction with non-authorized gate staff and routine maintenance/painting of machinery in the Electrician Lab, are minor and procedural in nature and did not adversely affect the quality of training or the interests of trainees. c) In view of the above facts and circumstances, it is humbly requested that	

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRIMATI SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			the recommendation of de-affiliation may kindly be withdrawn and the Institute be permitted to take admissions for the academic session 2026–27.	
108.	Nishkam Private Industrial Training Institute, Address - 101 No. Near Railway Gate, Nagour Road, Merta Road (Nagour) MIS Code - PR08001143)	1. Electrician- 4(2+2) 2. Fitter- 2(1+1) 3. Mechanic Diesel- 2(1+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 04.01.2025. 3. The ITI replied to the SCN on 23.01.2025. 4. Further, a joint inspection was conducted on 11.09.2025. 5. Accordingly, the joint inspection of the ITI was conducted on 11.09.2025. During the inspection the following deficiencies were observed: i. There was a shortage of tools, equipment, and machinery by approximately 30% were found on the day of inspection. Moreover, the available tools were outdated and required maintenance. ii. The classroom size of the ITI was not as per norms. iii. In the Diesel Mechanic lab, no engine was found in working condition during inspection. The partitions between the labs in the ITI were improper. iv. The area of the Diesel Mechanic lab was not as per the prescribed norms.	The matter was deliberated in the SCAA, and it was decided to conduct a joint inspection of the ITI to verify its functioning as per prescribed norms. The joint inspection shall be conducted by the concerned State Directorate and RDSDE Rajasthan. The date of inspection shall be decided by the State Directorate in consultation with RDSDE Rajasthan. The inspection report shall be submitted to the DGT within one month from the date of issuance of the minutes of this meeting for consideration in the next SCAA meeting.

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			v. The floors of all the labs were found to be neither cemented nor fitted with tiles which is not as per norms. vi. The machinery in the Fitter lab has not been updated as per the revised syllabus. 6. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended de-affiliation. 7. The 25th SCAA has granted a final opportunity to the ITI to represent itself within 21 days by a way of SCN. 8. The reply to the SCN was received on 08.01.2026. 9. In its reply the ITI submitted the following: a) The joint inspection conducted on 11.09.2025 was carried out without prior intimation. During the inspection, the members of the inspection team allegedly demanded an undue favour for submission of a positive report. Upon refusal by the institute, the inspection was conducted in a biased manner and adverse remarks were recorded. b) The institute has already submitted representations to the Director, the concerned Hon'ble Minister of the Government of Rajasthan, the Secretary, and other departmental authorities, requesting for a fair re-inspection. The	

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMESH SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			institute reiterates its full readiness and willingness to face re-inspection at any time. c) Tools, Machinery and Equipment deficiency reply - It is submitted that all laboratories of the respective trades are fully equipped as per the prescribed norms. Some older tools were without proper coding; however, all required tools and equipment are available and functional. Photographic and video graphic evidence can be furnished as and when required. d) Classrooms deficiency reply- The classrooms are available strictly as per the original affiliation approval and prescribed measurements. There is no deficiency in number or size. e) Diesel Mechanic Trade– Laboratory & Machinery deficiency reply- All engines, including the CRD engine, were operational at the time of inspection. One engine which was temporarily non-functional was repaired and made operational on the spot in the presence of the inspection team. The partitions in the lab are separate and constructed as per prescribed norms. f) Diesel Mechanic Lab Area deficiency reply-	

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			The size and layout of the Diesel Mechanic laboratory are in conformity with the measurements approved at the time of original affiliation. There is no shortage or discrepancy, and the area is fully adequate as per standards. g) Laboratory Roof Structure deficiency reply- The laboratory roofs are constructed with tin sheds as permitted under DGET/DGT norms. The structure is in good condition, properly painted, well maintained, and free from any damage or leakage. The height of the lab exceeds 16 feet, in compliance with prescribed standards. h) Fitter Trade Laboratory deficiency reply- The Fitter trade laboratory is properly arranged and equipped as per the syllabus requirements. All machinery, tools, and materials are available and operational.	
109.	Shekhawati Private ITI, Address - Vpo- Kadoda, Tehsil. Surajgard, Dist. Jhunjhunu Pin- 333029	1. Electrician- 3(2+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 07.01.2025. 3. The ITI replied to the SCN on 16.01.2025. 4. Further, a joint inspection was conducted on 08.09.2025.	The matter was deliberated in the SCAA, and it was decided to conduct a joint inspection of the ITI to verify its functioning as per prescribed norms. The joint inspection shall be conducted by the concerned State Directorate and RDSDE Rajasthan. The date of inspection shall be decided by the State Directorate in consultation with

Signature Not Verified
 UJJWAL BISWAS
 13.04.2026 15:49

Signature Not Verified
 SHRAMEV SHARMA
 13.04.2026 15:49

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
	MIS Code - PR08001723		5. Accordingly, the joint inspection of the ITI was conducted on 08.09.2025. During the inspection the following deficiencies were observed: This ITI has been functioning without an electric meter since 2022 and has installed a 9.1 kW solar power system generated through solar panels. The entire ITI operates on this solar panel. 6. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended de-affiliation. 7. The 25th SCAA has granted a final opportunity to the ITI to represent itself within 21 days by a way of SCN. 8. The reply to the SCN was received on 12.01.2026. 9. In its reply the ITI submitted the following: - The institute claims full compliance with NCVT and DGT norms. - Addresses a deficiency from a September 8-9, 2025 inspection: the ITI has operated without an electric meter since 2022, relying on a 9.1 kW solar power system. - Clarifies that the ITI has an active electric connection (consumer no. 151202093 / 120214038138) alongside the solar system, and attaches the latest electricity bill as proof.	RDSDE Rajasthan. The inspection report shall be submitted to the DGT within one month from the date of issuance of the minutes of this meeting for consideration in the next SCAA meeting.

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			d) Requests a re-inspection to verify all norms and grant permission for admissions.	
110.	Nobel Technology Private Industrial Training Institute, Address - Pratap Nagar, Agra Road, Dausa- 303303 MIS Code - PR08000410	1. Electrician-12(4+4+4) 2. Health Sanitary Inspector-3(1+1+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 07.01.2025. 3. The ITI replied to the SCN on 25.01.2025. 4. Further, a joint inspection was conducted on 10.09.2025. 5. Accordingly, the joint inspection of the ITI was conducted on 10.09.2025. During the inspection the following deficiencies were observed: i. The electrical connection of the ITI is registered in the name of the building owner, Mr. Om Prakash Gurjar, instead of the institute management, which is not in compliance with the DGT affiliation norms. ii. In the trade Health Sanitary Inspector shortage of tools and equipments were observed on the day of inspection. iii. The machinery available in the ITI for Electrician trade is only for 4(2+2) instead of 8(4+4). iv. One single hall in the ITI at first floor was designated as Electrician lab but lacks in necessary tools and machinery for the trade.	The matter was deliberated in the SCAA, and it was decided to conduct a joint inspection of the ITI to verify its functioning as per prescribed norms. The joint inspection shall be conducted by the concerned State Directorate and RDSDE Rajasthan. The date of inspection shall be decided by the State Directorate in consultation with RDSDE Rajasthan. The inspection report shall be submitted to the DGT within one month from the date of issuance of the minutes of this meeting for consideration in the next SCAA meeting.

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			6. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended de-affiliation. 7. Further, the ITI was a petitioner in S.B. Civil Writ Petition No. 16381/2025 (L.B.S. Private Industrial Training Institute) and 36 connected matters, which were disposed of by the Hon'ble Court on 23.01.2026. The Hon'ble Court directed the petitioner ITIs to submit representations within two weeks, following which DGT was to conduct joint inspections with the State authorities and take a decision on de-affiliation within a stipulated timeline. It is pertinent to mention that a show cause notice had already been issued to the ITIs vide the Minutes of the 25th SCAA Meeting dated 23.12.2025, prior to the Court's directions. Accordingly, in compliance with the principles of natural justice and the directions of the Hon'ble Court, fresh show cause notices were issued to all petitioner institutes on 05.02.2026, based on the remarks of the Inspection Team and the recommendations of the SSDEC.	
111.	Matsya Private Industrial Training Institute,	1. Electrician- 4(2+2) 2. Fitter- 4(2+2)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 07.01.2025. 3. The ITI replied to the SCN on 15.01.2025.	The matter was deliberated in the SCAA meeting, and the SCAA decided as under, based on the recommendations of the SSDEC: 1. It has been observed that in the Electrician trade, there was a shortage of tools,

Signature Not Verified
 UJJWAL BISWAS
 13.04.2026 15:49

Signature Not Verified
 SHRAMEEV SHARMA
 12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
	Address - Fauladpur, Nimrana, The. - Bahrod, (Alwar)- 301706 MIS Code - PR08000893		4. Further, a joint inspection was conducted on 09.09.2025. 5. Accordingly, the joint inspection of the ITI was conducted on 09.09.2025. During the inspection the following deficiencies were observed: - In Electrician trade shortage of tools, equipments and machinery were observed on the day of inspection. The electrical wiring in workshop was not found proper for safety purpose. - Similarly, in the Fitter trade shortage of tools and equipment were also observed on the day of inspection. Some tools and equipment were found in rusty condition. - Both lathe machines were not grouted. Floor of the workshop needs repair/ maintenance. 6. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended de-affiliation. 7. Further, the matter was discussed in the 25th SCAA Meeting and ITI was given an opportunity to show cause why it should not be de-affiliated, within 21 days from the date of issuance of the minutes. However, no reply was received within the prescribed time period.	equipment, and machinery, and the electrical wiring in the workshop was not found to be proper from a safety perspective. Similarly, in the Fitter trade, shortages of tools and equipment were observed, and some of the available tools were found to be in rusty condition. It was also observed that both lathe machines were not grouted, and the workshop floor required repair and maintenance. 2. In line with the principles of natural justice, the ITI was granted a final opportunity in the 25th SCAA meeting held on 13.11.2025 and 14.11.2025 to submit a show-cause reply, explaining why the ITI should not be de-affiliated, along with any supporting representation, within 21 days from the issuance of the minutes of that meeting. 3. The said communication was issued by DGT to the registered email ID of the institute on 24.12.2025. 4. Further, the ITI did not avail the opportunity provided and failed to submit any reply or representation within the stipulated time. Accordingly, based on the facts on record, the shortages in tools and equipment, unsafe electrical

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
				conditions, and poor maintenance of workshop infrastructure indicate non-compliance with the prescribed norms and adversely affect the conduct and safety of training. The ITI is hereby de-affiliated.
112.	Bansur Private Industrial Training Institute, Address - Village Budh Bhausing, Bansur Dist. Alwar, 301402 MIS Code - PR08000415	1. Electrician-14(6+6+2) 2. Fitter-3(1+1+1) 3. Mechanic Diesel-3(1+1+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 07.01.2025. 3. The ITI replied to the SCN on 21.01.2025. 4. Further, a joint inspection was conducted on 10.09.2025. 5. Accordingly, the joint inspection of the ITI was conducted on 10.09.2025. During the inspection the following deficiencies were observed: In Electrician, Fitter and Mechanic diesel trades major shortage of tools, equipment and machinery as per syllabus were observed on the day of inspection. 6. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended de-affiliation. 7. Further, the matter was discussed in the 25th SCAA Meeting and ITI was given an opportunity to show cause why it should not be de-affiliated, within 21 days from the date of issuance of the minutes.	The matter was deliberated in the SCAA, and it was decided to conduct a joint inspection of the ITI to verify its functioning as per prescribed norms. The joint inspection shall be conducted by the concerned State Directorate and RDSDE Rajasthan. The date of inspection shall be decided by the State Directorate in consultation with RDSDE Rajasthan. The inspection report shall be submitted to the DGT within one month from the date of issuance of the minutes of this meeting for consideration in the next SCAA meeting.

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			8. The ITI replied on 07.01.2026 on grievance portal and submitted the following : a) Our institute was subjected to a surprise inspection on 24-12-2024 and a joint inspection on 10-09-2025 as per Rajasthan Government orders. b) During both inspections, all staff and students were present as per norms, and the institute was running all courses as per prescribed standards. c) At the time of inspection, some equipment and tools were found as per the old curriculum. However, the institute had already purchased new machinery and equipment as per the new curriculum and updated all labs. d) Bills of the newly purchased machinery and equipment were submitted to the joint inspection team in the supplementary file. e) Despite this, the inspection team did not remove the deficiencies from their report. f) Thereafter, the institute filed a Writ Petition (No. 15628/2025) in the Hon'ble High Court, Jaipur. g) In compliance with the Hon'ble High Court, Jaipur order dated 10-10-2025 in Writ No. 15628/2025, the department granted permission for admission and	

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			provided State Portal Login ID & Password for centralized admission. h) The institute has taken admission of 120 students for the academic year 2025-26 and uploaded all student data on the SIDH Portal. i) As per the directions and subsequent orders of RCVET Jodhpur and RSLDC Jaipur, a fresh joint inspection of the institute was conducted on 01-11-2025. The report of this inspection is still awaited. j) The institute is hopeful of a positive inspection report. k) The matter is still pending before the Hon'ble High Court, Jaipur. l) The institute is currently running fully as per the latest curriculum – both theoretically and practically. l) All supporting documents, including photographs, videos, bills of tools, equipment, and machinery, have been provided to the inspection team. of the Hon'ble High Court	
113.	Brijpal Private Industrial Training Institute, Village- Rela, Post-	1. Electrician- 2(1+1) 2. Fitter- 2(1+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 07.01.2025. 3. The ITI replied to the SCN on 23.01.2025.	The matter was deliberated in the SCAA, and it was decided to conduct a joint inspection of the ITI to verify its functioning as per prescribed norms. The joint inspection shall be conducted by the concerned State Directorate and RDSDE

Signature Not Verified
 UJJWAL BISWAS
 13.04.2026 15:49

Signature Not Verified
 SHRAMEEV SHARMA
 12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
	Kathumer, (Alwar)- 321605 (PR08000044)		4. Further, a joint inspection was conducted on 12.09.2025. 5. Accordingly, the joint inspection of the ITI was conducted on 12.09.2025. During the inspection the following deficiencies were observed: - In Electrician and Fitter trades major shortage of tools, equipment and machinery as per syllabus were observed on the day of inspection. Also, some machinery was not in working condition and found rusty in condition. - The top wooden surface of workbenches found in practical lab and were not suitable for practical purpose as per norms. - The machinery was found to be not properly earthed. 6. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended de-affiliation. 1. The 25th SCAA has granted a final opportunity to the ITI to represent itself within 21 days by a way of SCN. 2. The reply to the SCN was received on 08.01.2026. 3. In its reply the ITI submitted the follow	Rajasthan. The date of inspection shall be decided by the State Directorate in consultation with RDSDE Rajasthan. The inspection report shall be submitted to the DGT within one month from the date of issuance of the minutes of this meeting for consideration in the next SCAA meeting.

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			a) The Fitter trade has been operational since 2006 as per prescribed norms, and all required machinery is duly installed and functional. Some additional industrial equipment has recently been procured and is being utilized during practical training. The Electrician trade has been operational since 2010 as per DGET norms, and all machines/equipment are installed and operational. Minor issues relating to certain monitors/tools have already been rectified. b) The wood-working surface related deficiency has been rectified. The wood-working surface has been repaired and is now fully functional. A photograph of the repaired surface is enclosed. c) Calibration and proper arrangement of the machinery have been completed. A supporting photograph is enclosed. d) In view of the above compliance and rectifications, it is respectfully requested that the same may kindly be considered and the matter be resolved.	
114.	Saurabh Private Industrial Training Institute,	1. Electrician-18(6+6+6)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 07.01.2025.	The matter was discussed in the SCAA meeting, and the SCAA decided as under: 1. In line with the principles of natural justice, the ITI was afforded final opportunity to represent

Signature Not Verified
UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified
SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
	Address - Tijara Road, Bhagwanpura, Near Indane Gas Godown, Alwar-301001 MIS Code - PR08001020	2. Fitter- 7(4+3) 3. Mechanic Diesel- 2(1+1)	3. The ITI replied to the SCN on 22.01.2025. 4. Further, a joint inspection was conducted on 11.09.2025. 5. Accordingly, the joint inspection of the ITI was conducted on 11.09.2025. During the inspection the following deficiencies were observed: a. In Electrician and Fitter trades major shortage of tools, equipment and machinery as per syllabus were observed on the day of inspection. b. Also, some machinery was not in working condition and found rusty in condition. 6. The matter of the ITI was discussed in the 10th SSDEC meeting held on 23.09.2025 and the SSDEC recommended de-affiliation of the ITI. 7. The 25th SCAA has granted a final opportunity to the ITI to represent itself within 21 days by a way of SCN. 8. The reply to the SCN was received on 08.01.2026. 9. In its reply the ITI attached the Hon'ble court justice order dated 09.04.2021 is attached in its reply in which following is mentioned: a) Submitted on behalf of the ITI named in the minutes against adverse proceedings. b) Minutes lack any reasons for initiating de-affiliation.	itself by 25th SCAA in its meeting held on 13.11.2025 and 14.11.2025, to submit a show-cause reply — explaining why the ITI should not be de-affiliated along with any supporting representation, within 21 days from the issuance of the minutes of that meeting. 2. The ITI, however, submitted the reply but it was found unsatisfactory as the contention of the petitioner ITI, based on the judgment dated 09.04.2021, is untenable, as the said judgment does not restrict the State Directorate or DGT from initiating fresh de-affiliation proceedings in accordance with the applicable rules. 3. On the contrary, reliance is placed on various judgments of different High Courts which affirm that state or DGT may conduct inspections and take appropriate action. Notably, in W.P. No. 8116/2025 (Maa Shitla Pvt. ITI v. Union of India & Ors., MP High Court), it was held that the apex body is duty-bound to examine complaints, including through on-site inspections, and such action cannot be termed arbitrary. Similarly, in CWP-20763-2025 (Modern ITI Bathinda v. DGT, Punjab & Haryana High Court), the Court observed that re-inspection does not prejudice the petitioner. Further, in S.B. Civil W.P. No. 18022/2025 (Pooja Pvt. ITI & Ors. v. State of

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12.45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			c) No prior Show Cause Notice (SCN) issued, violating Training Manual; minutes directly treated as final notice. d) De-affiliation procedure under Appendix XX of Training Manual bypassed. e) Criticizes DGT letter dt. 30.05.2025 as an illegal shortcut/formula to de-affiliate running ITIs; general notice improper and liable for recall. f) requested not to pass any adverse against the ITI failing which the institute would be free to challenge this order by the way of WPC in Hon'ble Rajasthan High Court.	Rajasthan & Ors.), the Rajasthan High Court held that institutions cannot claim inspection as a matter of right in a particular manner or timeline, and compliance with deficiencies is a prerequisite for student admissions. 4. In addition, adherence to DGT norms is essential to ensure quality vocational training and safeguard students' interests. Accordingly, there is no legal bar on the State/DGT to initiate and complete fresh de-affiliation proceedings in accordance with the rules. 5. Further, the ITI, in its reply, is silent on the issue of deficiencies identified in the joint inspection, which indicates that ITI is not operating as per Affiliation Norms of ITIs and the syllabus of CTS courses. Therefore, in view of the interest of the trainees and the continuous violations of the affiliation norms, the ITI is hereby de-affiliated.
115.	Shri Bhawani Shankar Private Industrial Training Institute, Address - Narayanpur,	1. Electrician- 5(3+2) 2. Fitter- 2(1+1) 3. Mechanic Diesel- 1(1+0)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 07.01.2025. 3. Further, a joint inspection was conducted on 10.09.2025. 4. Accordingly, the joint inspection of the ITI was conducted on 10.09.2025. During the	The matter was deliberated in the SCAA, and it was decided to conduct a joint inspection of the ITI to verify its functioning as per prescribed norms. The joint inspection shall be conducted by the concerned State Directorate and RDSDE Rajasthan. The date of inspection shall be decided by the State Directorate in consultation with RDSDE Rajasthan. The inspection report shall be

Signature Not Verified
the. -
UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified
SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
	Thanarajaji (Alwar)- 301024 MIS Code - PR08001042		inspection the following deficiencies were observed: - In Electrician, Fitter and Mechanic Diesel trades major shortage of tools, equipments and machinery as per syllabus were observed on the day of inspection. - Also, some machinery was not in working condition. 5. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended de-affiliation. 6. Further, the ITI was a petitioner in S.B. Civil Writ Petition No. 16381/2025 (L.B.S. Private Industrial Training Institute) and 36 connected matters, which were disposed of by the Hon'ble Court on 23.01.2026. The Hon'ble Court directed the petitioner ITIs to submit representations within two weeks, following which DGT was to conduct joint inspections with the State authorities and take a decision on de-affiliation within a stipulated timeline. It is pertinent to mention that a show cause notice had already been issued to the ITIs vide the Minutes of the 25th SCAA Meeting dated 23.12.2025, prior to the Court's directions. Accordingly, in compliance with the principles of natural justice and the directions of the Hon'ble Court, fresh show cause notices were	submitted to the DGT within one month from the date of issuance of the minutes of this meeting for consideration in the next SCAA meeting.

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMESH SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			issued to all petitioner institutes on 05.02.2026, based on the remarks of the Inspection Team and the recommendations of the SSDEC.	
116.	H.K. Memorial Private Industrial Training Institute, Address - Kacchi Basti, Dhobhi Gatta, Alwar –301001 MIS Code - PU08000896	1. Electrician- 4(2+2) 2. Fitter- 1(1+0) 3. Mechanic Diesel- 1(1+0)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 07.01.2025. 3. The ITI replied to the SCN on 22.01.2025. 4. Further, a joint inspection was conducted on 08.09.2025. 5. Accordingly, the joint inspection of the ITI was conducted on 08.09.2025. During the inspection the following deficiencies were observed: i. In Electrician and Fitter trades major shortage of tools, equipments and machinery as per syllabus were observed on the day of inspection. Also, some machinery was not in working condition and found rusty in condition. ii. In one of the workshops, two walls were found to be incomplete, and one of the walls was covered with a net instead of being properly constructed. iii. A shortage of area in one of the workshops, as per the prescribed norms, was observed on the day of inspection.	The matter was deliberated in the SCAA, and it was decided to conduct a joint inspection of the ITI to verify its functioning as per prescribed norms. The joint inspection shall be conducted by the concerned State Directorate and RDSDE Rajasthan. The date of inspection shall be decided by the State Directorate in consultation with RDSDE Rajasthan. The inspection report shall be submitted to the DGT within one month from the date of issuance of the minutes of this meeting for consideration in the next SCAA meeting.

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			iv. The workshop was found to have inadequate ventilation and insufficient lighting. v. The institute has submitted a letter requesting that not inspecting one affiliated unit of Mechanic Diesel trade. 6. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended de-affiliation 7. Further, the ITI was a petitioner in S.B. Civil Writ Petition No. 16381/2025 (L.B.S. Private Industrial Training Institute) and 36 connected matters, which were disposed of by the Hon'ble Court on 23.01.2026. The Hon'ble Court directed the petitioner ITIs to submit representations within two weeks, following which DGT was to conduct joint inspections with the State authorities and take a decision on de-affiliation within a stipulated timeline. It is pertinent to mention that a show cause notice had already been issued to the ITIs vide the Minutes of the 25th SCAA Meeting dated 23.12.2025, prior to the Court's directions. Accordingly, in compliance with the principles of natural justice and the directions of the Hon'ble Court, fresh show cause notices were issued to all petitioner institutes on 05.02.2026, based on the remarks of the Inspection Team and the recommendations of the SSD.	

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEV SHARMA
12:45 13.04.2026


Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
117.	Mahatma Gandhi Private Industrial Training Institute, Address - Vishwas Nagar, Ramgarh (Alwar)- 301026 MIS Code - PR08000897	1. Electrician- 2(1+1) 2. Fitter- 1(1+0)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 07.01.2025. 3. The ITI replied to the SCN on 23.01.2025. 4. Further, a joint inspection was conducted on 11.09.2025. 5. Accordingly, the joint inspection of the ITI was conducted on 11.09.2025. During the inspection the following was observed: i. On the day of inspection, the joint inspection team visited on affiliated address. The institute vide its letter dated 11.09.2025 expressed its inability to get the inspection due to following reason: ii. The ITI is running in rented building and the land lease of the ITI is valid till 31.07.2026. The owner of the ITI has taken possession IT lab and the library of the ITI and refused to further renewal of the agreement due to which the ITI will have to shifted at another place. The ITI requested to give 04 months' time for shifting of the ITI. 6. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended de-affiliation.	The matter was deliberated in the SCAA, and it was decided to conduct a joint inspection of the ITI to verify its functioning as per prescribed norms. The joint inspection shall be conducted by the concerned State Directorate and RDSDE Rajasthan. The date of inspection shall be decided by the State Directorate in consultation with RDSDE Rajasthan. The inspection report shall be submitted to the DGT within one month from the date of issuance of the minutes of this meeting for consideration in the next SCAA meeting.

Signature Not Verified



UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified



SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			7. The 25th SCAA has granted a final opportunity to the ITI to represent itself within 21 days by a way of SCN. 8. The reply to the SCN was received on 12.01.2026. a. In its reply the ITI submitted the following: b. The institution confirms compliance with the directives for SSDEC has been done . the land lease deficiency has been rectified. c. Request: Consider the institution for further investment/inspection and issue approval or (grant, or certification) under center code PR08000897.	
118.	Pawan Private Industrial Training Institute, Address - Gopal Kunj, Nounera Road, Kama (Bharatpur)- 321022 MIS Code - PR08001073	1. Electrician- 1(1+0) 2. Fitter- 1(1+0)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 03.01.2025. followed by reminder dated 30.01.2025. 3. Further, a joint inspection was conducted on 07.08.2025. 4. Accordingly, the joint inspection of the ITI was conducted on 07.08.2025. During the inspection the following deficiencies were observed: i. The electric bills provided by the ITI on the day of inspection is not original and found that the same has been physically rectified.	The matter was deliberated in the SCAA meeting, and the SCAA decided as under, based on the recommendations of the SSDEC: 1. It has been observed that the electricity bills produced by the ITI during inspection were not original and appeared to have been physically modified. Further, the institute was found to be without a valid electricity connection required for conducting training activities. 2. In line with the principles of natural justice, the ITI was granted a final opportunity in the 25th SCAA meeting held on

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			ii. The institute does not have valid electric connection for training in the ITI. 5. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended de-affiliation. 6. Further, the matter was discussed in the 25th SCAA Meeting and ITI was given an opportunity to show cause why it should not be de-affiliated, within 21 days from the date of issuance of the minutes. However, no reply was received within the prescribed time period. 7. Further, the matter was discussed in the 25th SCAA Meeting and ITI was given an opportunity to show cause why it should not be de-affiliated, within 21 days from the date of issuance of the minutes. However, no reply was received within the prescribed time period.	13.11.2025 and 14.11.2025 to submit a show-cause reply, explaining why the ITI should not be de-affiliated, along with any supporting representation, within 21 days from the issuance of the minutes of that meeting. 3. The said communication was issued by DGT to the registered email ID of the institute on 24.12.2025. 4. Further, the ITI did not avail the opportunity provided and failed to submit any reply or representation within the stipulated time. Accordingly, based on the facts on record, the submission of altered documents and absence of a valid electricity connection indicate serious non-compliance with the prescribed norms and render the ITI incapable of conducting training in accordance with the prescribed standards. The ITI is hereby de-affiliated.
119.	Sarvodaya Private Industrial Training Institute, Address - Kamalpura,	1. Computer Operator and Programming Assistant-2(1+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 03.01.2025. 3. The ITI replied to the SCN on 23.01.2025. 4. Further, a joint inspection was conducted on 10.09.2025.	The matter was deliberated in the SCAA, and it was decided to conduct a joint inspection of the ITI to verify its functioning as per prescribed norms. The joint inspection shall be conducted by the concerned State Directorate and RDSDE Rajasthan. The date of inspection shall be decided by the State Directorate in consultation with

Signature Not Verified
UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified
SHRAMEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
	N.H. 11, Th. Weir (Bharatpur)- 321408 MIS Code - PR08000468	2. Electrician- 4(2+2) 3. Fitter- 4(2+2) 4. Mechanic Diesel- 2(1+1)	5. Accordingly, the joint inspection of the ITI was conducted on 10.09.2025. During the inspection the following deficiencies were observed: a. The area of Mechanic Diesel workshop was measured on the day of inspection was 119.42 m ² . Similarly, the Fitter area workshop measured as 67.28 m ² which are not as norms. b. Both trade workshops were in open tin sheet without partition. Three sides of workshops were open (without wall). c. Other activities, such as a school, were being conducted on the same campus. d. The major tools and equipment required for the Electrician, Fitter, and Mechanic Diesel trades were either not available or not as per the prescribed syllabus. e. The area of COPA trade workshop was measured on the day of inspection was 43.43 m ² which is not as norms. f. The major machinery required for the Electrician and Fitter lab were not as per syllabus and also major tools and equipment were not available in the lab during inspection. g. In Mechanic Diesel trade engines were not found on the day of inspection.	RDSDE Rajasthan. The inspection report shall be submitted to the DGT within one month from the date of issuance of the minutes of this meeting for consideration in the next SCAA meeting.

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			h. IT lab record was not provided by the ITI on that day. i. The files were damage and corrosive condition. j. During inspection, all staff were not present, and no attendance records of absent staff was provided by the ITI. k. The experience of the principal and staff was found to be not as per norms, and no valid supporting data for their experience was provided by t he ITI on the day of inspection. 6. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended de-affiliation. 7. Further, the matter was discussed in the 25th SCAA Meeting and ITI was given an opportunity to show cause why it should not be de-affiliated, within 21 days from the date of issuance of the minutes. 8. The reply to the SCN was received on 10.01. 2026. In its reply the ITI submitted the following: a) Diesel Trade: Declining trainee numbers; decision to discontinue, with management resolution attached.	

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			b) Fitter Workshop: Size compliant; wrong info provided; yellow marking line separates workshops. c) ITI & School Buildings: Operated in separate buildings with distinct campuses, main gates, and over 50m distance; photos attached. d) Fitter Trade Equipment: All machines/tools per NCVT norms, functional. e) COPA Lab: 89 sqm (exceeds 60 sqm norm). f) Electrician Trade Equipment: All tools/machinery per NCVT norms, functional. g) IT Lab: Terminal record prepared and provided during inspection. h) Practical Files: 10-15 files used for 1-2 experiments; cleaned. i) Staff Presence: Full staff present during inspection. j) Principal Appointment: Yogesh Kumar (B.Tech 2020) has experience in other ITIs (2021-25); promoted in 2025; appointment letter, experience certificates attached.	

Signature Not Verified


 UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified


 SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
120.	Guru Atma Vallabh Private Industrial Training Institute, Address - Behind Vetinary Hospital, Hindone Road, Bhusawar (Bharatpur)- 321406 MIS Code - PR08000469	1. Electrician- 2(1+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 03.01.2025. 3. The ITI replied to the SCN on 20.01.2025. 4. Further, a joint inspection was conducted on 29.07.2025. 5. Accordingly, the joint inspection of the ITI was conducted on 10.09.2025. During the inspection the following deficiencies were observed: i. The tin shed of the workshop was found to be damaged. ii. Some items of trade shop machinery were not available as per syllabus on the day of inspection. iii. The other shop machinery was not in working condition on the day of inspection. iv. Most of the tools were found in corrosive condition on that day and were not suitable for training purpose on that day. v. The approved map produced during inspection was not signed by a registered architect. vi. The sizes of the IT Lab, Library, Principal's Room, and Staff Room are not as per the prescribed norms.	The matter was deliberated in the SCAA meeting, and the SCAA decided as under, based on the recommendations of the SSDEC: 1. It has been observed that the workshop tin shed was found to be damaged. Further, several items of trade machinery were not available as per the prescribed syllabus, and the available machinery was found to be not in working condition. Most of the tools were found to be in a corroded condition and not suitable for training purposes. It was also observed that the approved building plan produced during inspection was not signed by a registered architect. Additionally, the sizes of the IT lab, library, Principal's room, and staff room were not as per the prescribed norms. 2. In line with the principles of natural justice, the ITI was granted a final opportunity in the 25th SCAA meeting held on 13.11.2025 and 14.11.2025 to submit a show-cause reply, explaining why the ITI should not be de-affiliated, along with any supporting representation, within 21 days from the issuance of the minutes of that meeting.

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			5. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended de-affiliation. 6. Further, the matter was discussed in the 25th SCAA Meeting and ITI was given an opportunity to show cause why it should not be de-affiliated, within 21 days from the date of issuance of the minutes. However, no reply was received within the prescribed time period.	3. The said communication was issued by DGT to the registered email ID of the institute on 24.12.2025. 4. Further, the ITI did not avail the opportunity provided and failed to submit any reply or representation within the stipulated time. Accordingly, based on the facts on record, the deficiencies in workshop infrastructure, non-availability and non-functionality of machinery, unsuitable condition of tools, and non-compliance with prescribed building and documentation norms indicate serious non-compliance with the prescribed standards and adversely affect the conduct and quality of training. The ITI is hereby de-affiliate
121.	Kala Mandir Private Industrial Training Institute, Address - Near Mansingh Circle, Bijlighar, Dist.- Bharatpur	1. Electrician-6(2+2+2)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 03.01.2025. As per the SCN reply, the date has not been mentioned in the attached document. 3. Further, a joint inspection was conducted on 18.08.2025. 4. Accordingly, the joint inspection of the ITI was conducted on 18.08.2025. During the inspection the following deficiencies were observed:	The matter was deliberated in the SCAA, and it was decided to conduct a joint inspection of the ITI to verify its functioning as per prescribed norms. The joint inspection shall be conducted by the concerned State Directorate and RDSDE Rajasthan. The date of inspection shall be decided by the State Directorate in consultation with RDSDE Rajasthan. The inspection report shall be submitted to the DGT within one month from the

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
	Rajasthan - 321001 MIS Code - PU08001460 Joint inspection as per 27th SCAA decision		i. Other activities, such as a coaching institute, were found to be running within the premises. ii. Major trade related tools, equipment, and machinery were found to be non-functional and in poor condition on the day of inspection. iii. The ITI building requires maintenance. iv. The trade related machines were not properly earthed as per norms on the day of inspection. 5. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended de-affiliation. 6. Further, the matter was discussed in the 25th SCAA Meeting and ITI was given an opportunity to show cause why it should not be de-affiliated, within 21 days from the date of issuance of the minutes. However, no reply was received within the prescribed time period. 7. The ITI submitted its reply on 05.01.2026 on grievance portal and submitted the following : a) All required infrastructure, machinery, tools & equipment, classrooms, workshop facilities, power supply, safety measures, and qualified instructional staff have been arranged and are available at the institute.	date of issuance of the minutes of this meeting for consideration in the next SCAA meeting.

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			Relevant documents and records are also maintained as per guidelines. b) The ITI humbly requested the concerned authority to kindly consider our grievance and allow re-inspection of our institute at the earliest, so that the affiliation process may be completed and assured full cooperation during re-inspection and compliance with all rules and regulations.	
122.	L.S.M.D. Bharatpur Private Industrial Training Institute, Address - Riico Road, Railway Fatak No.38, Dist.-Bharatpur Pin-321021 Rajasthan MIS Code - PU08001504	1. Electrician-6(2+2+2)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 03.01.2025. 3. The ITI replied to the SCN on 18.01.2025. 4. Further, a joint inspection was conducted on 18.08.2025. 5. Accordingly, the joint inspection of the ITI was conducted on 18.08.2025. During the inspection the following deficiencies were observed: i. Other activities such as a 10th school, residential facilities, and animal husbandry were found to be operating within the ITI campus. ii. Most of trade related machines were not installed and were not as per DGT specification norms. Also, the machines	The matter was deliberated in the SCAA, and it was decided to conduct a joint inspection of the ITI to verify its functioning as per prescribed norms. The joint inspection shall be conducted by the concerned State Directorate and RDSDE Rajasthan. The date of inspection shall be decided by the State Directorate in consultation with RDSDE Rajasthan. The inspection report shall be submitted to the DGT within one month from the date of issuance of the minutes of this meeting for consideration in the next SCAA meeting.

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			available in the workshop were found to be in poor condition on the day of inspection iii. The IT Lab was not found as per DGT norms. 6. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended de-affiliation. 7. The 25th SCAA has granted a final opportunity to the ITI to represent itself within 21 days by a way of SCN. 8. The reply to the SCN was received on 02.01.2026. 9. In its reply the ITI submitted the following: a) At the time of inspection, the Secretary was unable to be present due to a family tragedy, and the Principal was hospitalized due to dengue. Despite a request for postponement under these unavoidable circumstances, the inspection was conducted in their absence. b) The Institute submits that the deficiencies reported in the inspection are not factual and largely arose due to ongoing renovation work (painting/distempering) and the temporary absence of key officials. A detailed point-wise reply to all major objections has already been submitted along with geo-tagged photographs.	

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			videos, and location maps as supporting evidence. c) With regard to specific observations: No non-ITI activities were being conducted on the campus on the date of inspection. The play school referred to in the report had already been closed and shifted prior to the inspection. d) The area referred to as a residential portion is merely a guard room for security purposes. e) Allegations regarding animal husbandry are incorrect; a stray cow had temporarily entered the premises, which was beyond the Institute's control. f) Machines and IT Lab equipment were temporarily shifted or covered due to renovation work; the same have now been fully re-installed and are operational strictly as per DGT/NCVT norms. g) The Institute has been operational since 2014 and has maintained a good grading of 8.2. It has consistently complied with NCVT/DGT norms and has a clean record of functioning. h) In view of the above submissions and supporting evidence, it is respectfully requested that the matter may kindly be reconsidered, re-inspection may be	

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMESH SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			allowed if deemed necessary, and a new portal ID/password may be issued to enable the continuation of student welfare measures and institutional activities.	
123.	MD Private ITI, Address - Tikhria, Sikray, Dist. Dausa MIS Code - PU08001649	1. Early Childhood Educator - 3(1+1+1) 2. Electrician - 2(1+1) 3. Fitter - 3(1+1+1) 4. Health Sanitary Inspector - 3(1+1+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 07.01.2025. 3. The ITI replied to the SCN on 20.01.2025. 4. Further, a joint inspection was conducted on 09.08.2025. 5. Accordingly, the joint inspection of the ITI was conducted on 09.08.2025. During the inspection the following deficiencies were observed: i. In Electrician trade all panels were not in working condition. The CRO was not found in working condition & shaded pole motor was also not in running condition. Additionally, the major trade related tools, machinery, equipment items were not available in the workshop on the day of inspection. ii. In Fitter trade some major trade related tools, machinery, equipment items were not available in the workshop and few items were not in working condition on the day of inspection.	The matter was deliberated in the SCAA meeting, and the SCAA decided as under, based on the recommendations of the SSDEC: 1. It has been observed that in the Electrician trade, all panels were not in working condition, and equipment such as CRO and shaded pole motor were also non-functional. Additionally, major tools, machinery, and equipment required for the trade were not available. In the Fitter trade, several major tools, machinery, and equipment were not available, and some of the available items were not in working condition. Similarly, in the Health Sanitary Inspector trade, certain tools, machinery, and equipment as per the prescribed syllabus were not available. All instructors were found to be non-CITS qualified. The building lacked a staircase, with only a ramp provided. Additionally, the fire extinguishers were not in working condition.

Signature Not Verified
UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified
SHRAMEV SHARMA
12.45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			iii. Similarly, in Health Sanitary Inspector trade few tools and equipment, machinery items as per syllabus were not available in the workshop on that day. iv. The Workshop and classroom for the trade Pre-Preparatory School Management Assistant were not available in the ITI on the day of inspection. And all the staff is non CITS. v. The stair case was not available in ITI building. Only slope /ramp was available. vi. Fire extinguishers were not in working condition. 6. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended de-affiliation. 7. Further, the matter was discussed in the 25th SCAA Meeting and ITI was given an opportunity to show cause why it should not be de-affiliated, within 21 days from the date of issuance of the minutes. However, no reply was received within the prescribed time period.	2. In line with the principles of natural justice, the ITI was granted a final opportunity in the 25th SCAA meeting held on 13.11.2025 and 14.11.2025 to submit a show-cause reply, explaining why the ITI should not be de-affiliated, along with any supporting representation, within 21 days from the issuance of the minutes of that meeting. 3. The said communication was issued by DGT to the registered email ID of the institute on 24.12.2025. 4. Further, the ITI did not avail the opportunity provided and failed to submit any reply or representation within the stipulated time. Accordingly, based on the facts on record, the non-availability and non-functionality of machinery across trades, absence of essential training facilities, non-compliance with instructor qualification requirements, structural deficiencies, and lack of functional safety equipment indicate serious non-compliance with the prescribed norms and adversely affect the conduct and safety of training. The ITI is hereby de-affiliated.

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
124.	Krishna Private Industrial Training Institute, Address - Ambedkar Nagar, Shyampura Road, Opp.Govt. College Chandsen Lalsot, Dist- Dausa Rajasthan MIS Code - PR08000764 *	1. Electrician- 10(4+2+4)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 07.01.2025. 3. Further, a joint inspection was conducted on 05.08.2025. 4. Accordingly, the joint inspection of the ITI was conducted on 05.08.2025. During the inspection the following were observed: i. The Navjeevan Nursing College was running in the ITI building and no ITI related workshops and Classrooms found available in the day of inspection. ii. The ITI vide its letter dated 10.06.2025 has also submitted to State Directorate for self-closure of the ITI. 5. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended de-affiliation. 6. Further, the matter was discussed in the 25th SCAA Meeting and ITI was given an opportunity to show cause why it should not be de-affiliated, within 21 days from the date of issuance of the minutes. However, no reply was received within the prescribed time period.	The matter was deliberated in the SCAA meeting, and the SCAA decided as under, based on the recommendations of the SSDEC: 1. It has been observed that Navjeevan Nursing College was operating in the ITI building, and no ITI-related workshops or classrooms were found available during inspection. Further, the ITI, vide its letter dated 10.06.2025, has submitted a request to the State Directorate for self-closure of the institute. 2. In line with the principles of natural justice, the ITI was granted a final opportunity in the 25th SCAA meeting held on 13.11.2025 and 14.11.2025 to submit a show-cause reply, explaining why the ITI should not be de-affiliated, along with any supporting representation, within 21 days from the issuance of the minutes of that meeting. 3. The said communication was issued by DGT to the registered email ID of the institute on 24.12.2025. 4. Further, the ITI did not avail the opportunity provided and failed to submit any reply or representation within the stipulated time.

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
				Accordingly, based on the facts on record, the operation of a nursing college in place of the ITI, absence of any ITI-related infrastructure, and the request for self-closure establish that the ITI is not being operated for the purpose for which affiliation was granted, rendering the continuation of its affiliation untenable. The ITI is hereby de-affiliated.
125.	New Maa Bhagwati Private ITI, Address - Ayodhya Nagar, Dausa-303303 MIS Code - PR08001842	1. Early Childhood Educator-3(1+1+1) 2. Early Childhood Educator (NSQF)-3(1+1+1) 3. Electrician-3(1+1+1)	1. Irregularities observed during initial inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 07.01.2025. 3. The ITI replied to the SCN. 4. Further, a joint inspection was conducted on 25 th to 30 th August 2025. 5. Accordingly, the joint inspection of the ITI was conducted on date not corrected mentioned in the SSDEC MoM and not even in the joint inspection date. During the inspection the following were observed: ITI had not submitted challan and document related to ITI on the day of inspection 6. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended de-affiliation. 7. The 25th SCAA has granted a final opportunity to the ITI to represent itself within 21 days by a way of SCN.	The matter was deliberated in the SCAA, and it was decided to conduct a joint inspection of the ITI to verify its functioning as per prescribed norms. The joint inspection shall be conducted by the concerned State Directorate and RDSDE Rajasthan. The date of inspection shall be decided by the State Directorate in consultation with RDSDE Rajasthan. The inspection report shall be submitted to the DGT within one month from the date of issuance of the minutes of this meeting for consideration in the next SCAA meeting.

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			8. The reply to the SCN was received on 10.01.2026. 9. In its reply the ITI submitted the following: a) Allegation: ITI had not submitted challan and documents related to ITI on the day of inspection (12.09.2025). Clarification: On 12.09.2025, staff was sent to bank to prepare challan/DD for inspection fee. Challan/DD was received the next day. When contacted again for inspection and document submission, the team refused to conduct it despite repeated requests. Institute has always been ready for inspection. b) Compliance History • Institute regularly conducts training as per norms. • It has been a recognized NCVT examination centre since 2017. • All practical examinations are conducted as per DGT guidelines. c) Current Status Institute is fully functional and ready for any fresh inspection at any time. All required documents/challans are now submitted and available. Prayer: • Kindly consider the above facts and recommend dropping the de-affiliation process recommended in the 9th SSDEC Meeting (17.09.2025).	

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEV SHARMA
12:45:13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			- Allow the institute to continue smooth training and admissions without hindrance. - Arrange fresh inspection if required to verify compliance. 10. Further, the ITI was a petitioner in S.B. Civil Writ Petition No. 16381/2025 (L.B.S. Private Industrial Training Institute) and 36 connected matters, which were disposed of by the Hon'ble Court on 23.01.2026. The Hon'ble Court directed the petitioner ITIs to submit representations within two weeks, following which DGT was to conduct joint inspections with the State authorities and take a decision on de-affiliation within a stipulated timeline. It is pertinent to mention that a show cause notice had already been issued to the ITIs vide the Minutes of the 25th SCAA Meeting dated 23.12.2025, prior to the Court's directions. Accordingly, in compliance with the principles of natural justice and the directions of the Hon'ble Court, fresh show cause notices were issued to all petitioner institutes on 05.02.2026, based on the remarks of the Inspection Team and the recommendations of the SSDEC.	
126.	Guru Diksha Private Industrial Training Institute,	1. Electrician- 2(1+1) 2. Fitter- 2(1+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 07.01.2025. 3. The ITI replied to the SCN on 28.01.2025.	The matter was deliberated in the SCAA, and it was decided to conduct a joint inspection of the ITI to verify its functioning as per prescribed norms.

Signature Not Verified
UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified
SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
	Address - Mundawar Mahuwa Road, Teh. Mahuwa, Distt. Dausa MIS Code - PR08000607		4. Further, a joint inspection was conducted on 16.09.2025. 5. Accordingly, the joint inspection of the ITI was conducted on 16.09.2025. During the inspection the following deficiencies were observed: - The major machinery for all affiliated trades of the ITI were not in working condition & also they were not connected to main supply. - The building of the ITI was found in pathetic condition and non-plastered. - The IT Lab available in the ITI was non-functional on the day of inspection. 6. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended de-affiliation. 7. The 25th SCAA has granted a final opportunity to the ITI to represent itself within 21 days by a way of SCN. 8. The reply to the SCN was received on 15.01.2026. 9. In its reply the ITI submitted the following: - All major machines have been repaired and connected to the main power supply; they are now fully operational. - The mentioned building was used for the now-closed trades and is not part of	The joint inspection shall be conducted by the concerned State Directorate and RDSDE Rajasthan. The date of inspection shall be decided by the State Directorate in consultation with RDSDE Rajasthan. The inspection report shall be submitted to the DGT within one month from the date of issuance of the minutes of this meeting for consideration in the next SCAA meeting.

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

ISHRAMESH SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			current operations. It has been repaired and brought to standard. c) Some computers were not working during the inspection; they have been repaired and are now fully functional. d) Based on the clarifications and rectifications, the institute requests an urgent re-inspection to enable admissions in the upcoming session.	
127.	Shri Madhukar Shyam Private ITI, Address - Luharu Road, Surajgarh, Dist. Jhunjhunu- MIS Code - PU08001727	1. Electrician- 2(1+1) 2. Fitter- 2(1+1) 3. Health Sanitary Inspector- 2(1+1) 4. Surveyor- 2(1+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 07.01.2025. 3. The ITI replied to the SCN on 23.01.2025. 4. Further, a joint inspection was conducted on 15.09.2025. 5. Accordingly, the joint inspection of the ITI was conducted on 15.09.2025. During the inspection the following deficiencies were observed: i. The electricity consumption shown in the electricity bills was found to be significantly low. ii. No diesel consumption logbook has been maintained by the ITI, which is a mandatory requirement. iii. Raw material consumption was found to be very low, and no consumption register was available for verification.	The matter was deliberated in the SCAA, and it was decided to conduct a joint inspection of the ITI to verify its functioning as per prescribed norms. The joint inspection shall be conducted by the concerned State Directorate and RDSDE Rajasthan. The date of inspection shall be decided by the State Directorate in consultation with RDSDE Rajasthan. The inspection report shall be submitted to the DGT within one month from the date of issuance of the minutes of this meeting for consideration in the next SCAA meeting.

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			iv. The generator set was not in running condition and was of 5 KVA capacity instead of the required 7.5 KVA. v. Electrician trade Instructors' experience certificates were not provided during inspection. vi. The theory classroom for electrician trade was located in a separate building, where other activities may also be running. vii. In the Fitter trade, major machinery and equipment as per the approved list (Serial Nos. 197 to 204) were not available in the institute. viii. Due to non-availability of required machinery in the Fitter trade, approximately 80 hours of the prescribed syllabus could not be covered, adversely affecting trainees' practical training. ix. In Health Sanitary Inspector trade instructor's experience certificate was not provided on that day and the instructor appointed for the trade was not CTS trained. Moreover, during the inspection, the instructor for the concerned trade was not physically present. and also, the theory classroom for the said trade was located in a separate building, where other activities may also be taking place.	

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			6. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended de-affiliation. 7. The 25th SCAA has granted a final opportunity to the ITI to represent itself within 21 days by a way of SCN. 8. The reply to the SCN was received on 12.01.2026. 9. In its reply the ITI submitted the following: a) <u>Low electricity consumption in bills:</u> Explained by installation of a solar plant; no need for diesel generator usage. b) <u>Raw material:</u> All required raw materials purchased; consumption register is maintained and available. c) <u>Generator set:</u> Now fully operational and in running condition. d) <u>Instructor for Electrician trade:</u> Appointed; relevant documents attached. e) <u>Classroom for Electrician trade:</u> Available in a separate building, which is part of the same Society. f) <u>Request:</u> Kindly consider the rectifications and associated documents. 10. Further, the ITI was a petitioner in S.B. Civil Writ Petition No. 16381/2025 (L.B.S. Private Industrial Training Institute) and 36 connected matters, which were disposed of by the Hon'ble Court on 23.01.2026. The	

Signature Not Verified
UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified
SHRAMESH SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			Court directed the petitioner ITIs to submit representations within two weeks, following which DGT was to conduct joint inspections with the State authorities and take a decision on de-affiliation within a stipulated timeline. It is pertinent to mention that a show cause notice had already been issued to the ITIs vide the Minutes of the 25th SCAA Meeting dated 23.12.2025, prior to the Court's directions. Accordingly, in compliance with the principles of natural justice and the directions of the Hon'ble Court, fresh show cause notices were issued to all petitioner institutes on 05.02.2026, based on the remarks of the Inspection Team and the recommendations of the SSDEC.	
128.	Pariskar Pvt ITI, Address - Railway Colony Singhana, Tehsil Buhana, Jhunjhunu - 333516 MIS Code - PR08001783	Electrician-1(1+0)	- Irregularities observed during initial Inspection conducted by State official on 24.12.2024. - SCN was issued to the ITI by the State on 07.01.2025. - The ITI replied to the SCN on 10.02.2025. - Further, a joint inspection was conducted on 17.09.2025. - Accordingly, the joint inspection of the ITI was conducted on 17.09.2025. During the inspection the following deficiencies were observed:	The matter was deliberated in the SCAA meeting, and the SCAA decided as under, based on the recommendations of the SSDEC: It has been observed that the IT lab was not in working condition, and no computers were installed or connected during inspection. In the Electrician workshop, more than 50% of the machinery was found to be non-functional, including major machinery listed at Serial Nos. 145, 146, 148, and 149. No rubber mats were found in the workshop, indicating absence of

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			i. The IT Lab was not in working condition; no computers were installed or connected to the CPU during inspection. ii. In the Electrician workshop, more than 50% of the machinery was found to be non-functional. Major machinery listed at Serial Nos. 145, 146, 148, and 149 was not in working condition. iii. No rubber mats were found in the Electrician workshop. iv. The IT Instructor was not present at the time of inspection. v. Raw material consumption register and diesel consumption register were not available. vi. Electricity consumption recorded in the bills was very low during the last six months — for example, only 20 to 51 units were consumed over a two-month period — and diesel consumption was also found to be very low. 6. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended de-affiliation. 7. Further, the matter was discussed in the 25th SCAA Meeting and ITI was given an opportunity to show cause why it should not be de-affiliated, within 21 days from the date of	essential safety measures. The IT Instructor was also not present at the time of inspection. Further, the raw material consumption register and diesel consumption register were not available. It was also observed that the electricity consumption recorded in the bills over the last six months was very low, and diesel consumption was also minimal, indicating lack of regular training activity. 2. In line with the principles of natural justice, the ITI was granted a final opportunity in the 25th SCAA meeting held on 13.11.2025 and 14.11.2025 to submit a show-cause reply, explaining why the ITI should not be de-affiliated, along with any supporting representation, within 21 days from the issuance of the minutes of that meeting. 3. The said communication was issued by DGT to the registered email ID of the institute on 24.12.2025. 4. Further, the ITI did not avail the opportunity provided and failed to submit any reply or representation within the stipulated time. Accordingly, based on the facts on record, the non-functional condition of training facilities, absence of safety measures and instructor, non-availability

Signature Not Verified
UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified
SHRIMPESH SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			issuance of the minutes. However, no reply was received within the prescribed time period.	of records, and negligible consumption of electricity and diesel indicate non-compliance with the prescribed norms and suggest that the ITI is not functioning effectively as an affiliated institution. The ITI is hereby de-affiliated.
129.	Hans Private ITI, Address - Near By Kundal School, Vpo Narainpur, Alwar-301024 MIS Code - PR08001831	1. Electrician-12(4+4+4) 2. Health Sanitary Inspector-4(2+2)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 07.01.2025. 3. The ITI replied to the SCN on 27.01.2025. 4. Further, a joint inspection was conducted on 14.08.2025. 5. Accordingly, the joint inspection of the ITI was conducted on 14.08.2025. During the inspection the following deficiencies were observed: i. Original Lease deed documents was not provided during inspection and there was overwriting observed in the duration mentioned in the lease deed document. ii. The number of electricity units consumed per trainee per month is very low, approximately 0.87 KWH, as per Annexure III and the previous months' electricity bills. iii. D.G set with change over and switch and power back up supply not available in the institute on the day of inspection.	The matter was discussed in the SCAA meeting, and the SCAA decided as under: 1. In line with the principles of natural justice, the ITI was afforded final opportunity to represent itself by 25 th SCAA in its meeting held on 13.11.2025 and 14.11.2025, to submit a show-cause reply — explaining why the ITI should not be de-affiliated along with any supporting representation, within 21 days from the issuance of the minutes of that meeting. 2. The ITI, however, submitted the reply but it was found unsatisfactory as ITI, in its reply, is silent on the deficiencies identified during the joint inspection which indicates ITI is not running as per Affiliation norms and syllabus of the CTS courses. Therefore, in view of the interest of the trainees and the continuous violations of the affiliation norms, the ITI is hereby de-affiliated

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			Additionally, the D.G set was not available and installed in the institute. iv. Diesel purchasing bills and consumption records were not provided by the ITI during inspection. v. In electrician workshop earthing of electric panels and electric motors were not found available that day. 6. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended de-affiliation. 7. The 25th SCAA has granted a final opportunity to the ITI to represent itself within 21 days by a way of SCN. 8. The reply to the SCN was received on 13.01.2026. 9. In its reply the ITI submitted the following: a) Challenges the proceedings on procedural grounds: b) No reasons provided for de-affiliation. c) No prior show-cause notice issued, violating Training Manual; minutes improperly treated as final notice. d) De-affiliation procedure under Appendix XX of Training Manual ignored. e) No opportunity for hearing granted. f) Joint inspection report not supplied; no chance to rectify deficiencies.	

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			g) Institute has required infrastructure and is operational. h) Ready for fresh/joint inspection by DGT. i) State Director failed to constitute a 5-member standing committee for evaluation as required. j) Mandatory 30-day show cause notice not given; minutes treated as notice violates natural justice. k) Only 21 days given for reply, against Manual's 30 days. l) No formal order/letter specifying grounds for de-affiliation. m) DGT's order dated 30.05.2025 restricting admissions violates Training Manual. n) Requests: Do not proceed with de-affiliation.	
130.	Shri Agrasen Private Industrial Training Institute, Address - Mahashya, Colony, Ward No. 12, Hindaun Road,	Electrician-4(2+2)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 14.01.2025. 3. The ITI replied to the SCN on 24.01.2025. 4. Further, a joint inspection was conducted on 11.08.2025. 5. Accordingly, the joint inspection of the ITI was conducted on 11.08.2025. During the inspection the following was observed. i. Institute was found closed on the day of inspection.	The matter was deliberated in the SCAA meeting, and the SCAA decided as under, based on the recommendations of the SSDEC: 1. It has been observed that the institute was found closed on the day of inspection. Further, upon contacting the ITI on the provided telephone number, it was informed that the institute has been closed. 2. In line with the principles of natural justice, the ITI was granted a final opportunity in the 25th SCAA meeting held on

Signature Not Verified
 UJJWAL BISWAS
 13.04.2026 15:49

Signature Not Verified
 SHRAMEEV SHARMA
 12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
	Kherli (Alwar) 321606 MIS Code - PR08000439		ii. The ITI was contacted telephonically on the given number, and it was informed over the phone that the ITI has been closed. 6. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended de-affiliation. 7. Further, the matter was discussed in the 25th SCAA Meeting and ITI was given an opportunity to show cause why it should not be de-affiliated, within 21 days from the date of issuance of the minutes. However, no reply was received within the prescribed time period.	13.11.2025 and 14.11.2025 to submit a show-cause reply, explaining why the ITI should not be de-affiliated, along with any supporting representation, within 21 days from the issuance of the minutes of that meeting. 3. The said communication was issued by DGT to the registered email ID of the institute on 24.12.2025. 4. Further, the ITI did not avail the opportunity provided and failed to submit any reply or representation within the stipulated time. Accordingly, based on the facts on record, the ITI being found closed and the confirmation of its closure indicate that the institute is not functioning as an affiliated institution. The ITI is hereby de-affiliated.
131.	Bhagwati Devi Private ITI, Address - Karauli Road, Fajupura Mod, Mandrayal, Distt Karauli 322251, Rajasthan	1. Electrician - 4 (0+2+2)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 03.01.2025. 3. Further, a joint inspection was conducted on 02.09.2025. 4. Accordingly, the joint inspection of the ITI was conducted on 02.09.2025. During the inspection the following was observed: ITI building has been already demolished.	The matter was deliberated in the SCAA meeting, and the SCAA decided as under, based on the recommendations of the SSDEC: 1. It has been observed that the ITI building had already been demolished, and no infrastructure related to the ITI was found available at the site during inspection. 2. In line with the principles of natural justice, the ITI was granted a final opportunity in the 25th

Signature Not Verified
UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified
CHHAMEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
	MIS Code - PR08000704		5. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended de-affiliation. 6. Further, the matter was discussed in the 25th SCAA Meeting and ITI was given an opportunity to show cause why it should not be de-affiliated, within 21 days from the date of issuance of the minutes. However, no reply was received within the prescribed time period.	SCAA meeting held on 13.11.2025 and 14.11.2025 to submit a show-cause reply, explaining why the ITI should not be de-affiliated, along with any supporting representation, within 21 days from the issuance of the minutes of that meeting. 3. The said communication was issued by DGT to the registered email ID of the institute on 24.12.2025. 4. Further, the ITI did not avail the opportunity provided and failed to submit any reply or representation within the stipulated time. Accordingly, based on the facts on record, the demolition of the ITI building and absence of any infrastructure establish that the ITI is not being operated for the purpose for which affiliation was granted, rendering the continuation of its affiliation untenable. The ITI is hereby de-affiliated.
132.	Adrash Private Industrial Training Institute, Address - Opp. Police Station Hindaun	1. Electrician- 2 (0+1+1)	1. Irregularities observed during initial inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 03.01.2025. 3. Further, a joint inspection was conducted on 01.09.2025. 4. Accordingly, the joint inspection of the ITI was conducted on 01.09.2025.	The matter was deliberated in the SCAA meeting, and the SCAA decided as under, based on the recommendations of the SSDEC: 1. It has been observed that neither the staff nor the owner of the ITI was present at the time of the joint inspection, and no documents or records related to the ITI were provided during inspection.

Signature Not Verified
UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified
SHRAMEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
	Bayana Road, Suroth, Dist.Karauli Rajasthan MIS Code - PR08000828		inspection the following deficiencies were observed: - Neither the staff nor the owner of the ITI were available at the time of the joint inspection. - Only B.P.E.D staff were present and they were unable to produce any documents or reports related to the ITI. 5. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended de-affiliation. 6. Further, the matter was discussed in the 25th SCAA Meeting and ITI was given an opportunity to show cause why it should not be de-affiliated, within 21 days from the date of issuance of the minutes. However, no reply was received within the prescribed time period.	2. In line with the principles of natural justice, the ITI was granted a final opportunity in the 25th SCAA meeting held on 13.11.2025 and 14.11.2025 to submit a show-cause reply, explaining why the ITI should not be de-affiliated, along with any supporting representation, within 21 days from the issuance of the minutes of that meeting. 3. The said communication was issued by DGT to the registered email ID of the institute on 24.12.2025. 4. Further, the ITI did not avail the opportunity provided and failed to submit any reply or representation within the stipulated time. Accordingly, based on the facts on record, the absence of responsible personnel and non-submission of documents prevent verification of the functioning of the ITI and indicate that the institute is not being operated in accordance with the prescribed norms. The ITI is hereby de-affiliated.
133.	Maa Gayatri Private Industrial Training Institute,	1. Electrician-6(2+2+2)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 30.12.2024. 3. The ITI replied to the SCN on 18.01.2025.	The matter was deliberated in the SCAA, and it was decided to conduct a joint inspection of the ITI to verify its functioning as per prescribed norms.

Signature Not Verified
UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified
SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
	Address - Opp.- S.B. Of Bikaner & Jaipur, Kota Road, Sangod, Dist.-Kota Rajasthan- 325601 MIS Code - PR08000154		4. Further, a joint inspection was conducted on 08.08.2025. 5. Accordingly, the joint inspection of the ITI was conducted on 08.08.2025. During the inspection the following deficiencies were observed: i. Major Equipment such as three phase EV charger, coil winding machine, DG set, inverter, single phase transformer, Oscilloscope, function generator, smart energy meter etc were not available in the Electrician trade during inspection. ii. The ITI building was found to be in poor condition, with dampness and an unpleasant odor throughout. Proper ventilation and adequate lighting were also lacking. iii. Principal office was situated outside the building of the ITI and it seems that shop was running there. iv. As observed that the Fire Extinguisher was not refilled in the ITI. v. In the Engineering drawing classroom ED Tables were not present on the day of inspection. 6. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended de-affiliation.	The joint inspection shall be conducted by the concerned State Directorate and RDSDE Rajasthan. The date of inspection shall be decided by the State Directorate in consultation with RDSDE Rajasthan. The inspection report shall be submitted to the DGT within one month from the date of issuance of the minutes of this meeting for consideration in the next SCAA meeting.

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			7. The 25th SCAA has granted a final opportunity to the ITI to represent itself within 21 days by a way of SCN. 8. The reply to the SCN was received on 12.01.2026. 9. In its reply the ITI submitted the following: a) Equipment & Tools All required equipment is now available in the institute. Some equipment which was earlier not available has been newly purchased and installed. Certain equipment that could not be noticed due to improper placement has now been properly arranged. Purchase bills are enclosed for verification. b) Building Repair & Ventilation All repair work in the institute building has been completed. Exhaust fans have been installed to ensure proper lighting and ventilation. c) Principal's Office & Staff Room The Principal's office is attached to the classroom and the staff room has direct access to the rest of the building, as clearly shown in the approved blueprint. The area was not in use during inspection, causing confusion. Approved blueprint is enclosed for ready reference.	

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			d) Fire Extinguishers All fire extinguishers have been refilled and serviced. Service bills are enclosed. e) Engineering Drawing (ED) Room ED table has been provided in the ED room for students. f) Overall Compliance All observations raised by the inspection team have been fully complied with. Prayer: - Kindly grant us an opportunity for fresh re-inspection before taking any decision on de-affiliation. - The institute is ready to deposit the re-inspection fee immediately. Kindly direct the concerned department accordingly.	
134.	Balaji Private Industrial Training Institute, Address - Ipo-7, Ranpur, Dist.Kota Rajasthan-325003 MIS Code - PU08000827	1. Electrician-17(6+6+5)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 30.12.2024. 3. The ITI replied to the SCN on 18.01.2025. 4. Further, a joint inspection was conducted on 08.09.2025. 5. Accordingly, the joint inspection of the ITI was conducted on 08.09.2025. During the inspection the following were observed: i. No ITI was found at the above-mentioned address.	The matter was deliberated in the SCAA meeting, and the SCAA decided as under, based on the recommendations of the SSDEC: - It has been observed that no ITI was found at the specified address during inspection. Further, a hostel was found to be operating at the said location. - In line with the principles of natural justice, the ITI was granted a final opportunity in the 25th SCAA meeting held on 13.11.2025 and 14.11.2025 to submit a show-cause reply, explaining why the ITI

Signature Not Verified
UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified
SHRAMEV SHARMA
12.45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			ii. A hostel was found to be running at that location. 6. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended de-affiliation. 7. Further, the matter was discussed in the 25th SCAA Meeting and ITI was given an opportunity to show cause why it should not be de-affiliated, within 21 days from the date of issuance of the minutes. However, no reply was received within the prescribed time period.	should not be de-affiliated, along with any supporting representation, within 21 days from the issuance of the minutes of that meeting. 3. The said communication was issued by DGT to the registered email ID of the institute on 24.12.2025. 4. Further, the ITI did not avail the opportunity provided and failed to submit any reply or representation within the stipulated time. Accordingly, based on the facts on record, the absence of the ITI at the approved location and the operation of a hostel at the premises establish that the ITI is not being operated for the purpose for which affiliation was granted. The ITI is hereby de-affiliated.
135.	Gurukul Private Industrial Training Institute, Address - Ipb-13, Ricco Industrial Area Ranpur, Dist Kota Rajasthan-	1. Electrician- 2(0+2)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 30.12.2024. 3. The ITI replied to the SCN on 31.01.2025. 4. Further, a joint inspection was conducted on 08.09.2025. 5. Accordingly, the joint inspection of the ITI was conducted on 08.09.2025. During the inspection the following were observed:	The matter was deliberated in the SCAA meeting, and the SCAA decided as under, based on the recommendations of the SSDEC: 1. It has been observed that no ITI was found at the specified address during inspection. Further, a Pharmacy college was found to be operating at the said location. 2. In line with the principles of natural justice, the ITI was granted a final opportunity in the 25th SCAA meeting held on 13.11.2025 and

Signature Not Verified
UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified
SHRAMEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
	MIS Code - PR08000528		i. No ITI was found at the above-mentioned address. ii. A Pharmacy college was found to be running at that location. 6. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended de-affiliation. 7. Further, the matter was discussed in the 25th SCAA Meeting and ITI was given an opportunity to show cause why it should not be de-affiliated, within 21 days from the date of issuance of the minutes. However, no reply was received within the prescribed time period.	14.11.2025 to submit a show-cause reply, explaining why the ITI should not be de-affiliated, along with any supporting representation, within 21 days from the issuance of the minutes of that meeting. 3. The said communication was issued by DGT to the registered email ID of the institute on 24.12.2025. 4. Further, the ITI did not avail the opportunity provided and failed to submit any reply or representation within the stipulated time. Accordingly, based on the facts on record, the absence of the ITI at the approved location and the operation of another institution at the premises establish that the ITI is not being operated for the purpose for which affiliation was granted. The ITI is hereby de-affiliated.
136.	Balaji Private Industrial Training Institute, Address – Vikash Colony, Samarthpura, Pirali Road, Sikar - 332601	Electrician – 6 (2+2+2)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 07.01.2025. 3. The ITI replied to the SCN on 25.01.2025. 4. Further, a joint inspection was conducted on 09.09.2025. 5. Accordingly, the joint inspection of the ITI was conducted on 09.09.2025. During the inspection the following were observed:	The matter was deliberated in the SCAA meeting, and the SCAA decided as under, based on the recommendations of the SSDEC: 1. It has been observed that in the Electrician trade, there was a shortage of approximately 30% of tools and equipment, and about 50% of the machinery was not in working condition. The workshop structure, including walls and ceiling, was made of tin sheets.

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
	MIS Code - PR08000343		i. There was shortage of approximately 30% of tools and equipment in the Electrician trade and also approximately 50% of machinery were not in working condition on the day of inspection. ii. The walls and ceiling of the Electrician trade workshop were made of tin sheets. iii. The photocopy of building map was provided by the ITI rather than original building map on the day of inspection. iv. The ITI was functioning on two floors — the ground floor was used for ITI activities, while the first floor was being used for some other unspecified purpose. The inspecting committee was not permitted by the ITI to enter the first floor. v. On ground floor one office (18 sqm), Staff room (15 sqm), one class room (21 Sqm), 2nd Class room (15 Sqm), Library- (15 sqm), and IT lab (Sqm) were available and short in size as per DGT norms. 6. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended de-affiliation. 7. Further, the matter was discussed in the 25th SCAA Meeting and ITI was given an opportunity to show cause why it should not be de-affiliated, within 21 days from the date of	Further, only a photocopy of the building plan was provided during inspection instead of the original approved plan. It was also observed that the ITI was functioning on two floors, wherein the ground floor was being used for ITI activities, while the first floor was being used for other purposes, and the inspection team was not permitted to access the first floor. Additionally, the office, staff room, classrooms, library, and IT lab available on the ground floor were found to be undersized as per prescribed norms. 2. In line with the principles of natural justice, the ITI was granted a final opportunity in the 25th SCAA meeting held on 13.11.2025 and 14.11.2025 to submit a show-cause reply, explaining why the ITI should not be de-affiliated, along with any supporting representation, within 21 days from the issuance of the minutes of that meeting. 3. The said communication was issued by DGT to the registered email ID of the institute on 24.12.2025. 4. Further, the ITI did not avail the opportunity provided and failed to submit

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			issuance of the minutes. However, no reply was received within the prescribed time period.	any reply or representation within the stipulated time. Accordingly, based on the facts on record, the deficiencies in tools and machinery, non-compliant workshop infrastructure, inadequate room sizes, non-submission of original documents, and restricted access during inspection indicate non-compliance with the prescribed norms and prevent full verification of the institute's functioning. The ITI is hereby de-affiliated.
137.	Krishna Private Industrial Training Institute, Address - Near Jeevan Mahavidhyalay a Nawalgarh Road, Dist. Sikar - 332001 MIS Code - PR08000340	Electrician-6(2+2+2)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 07.01.2025. 3. The ITI replied to the SCN on 26.01.2025. 4. Further, a joint inspection was conducted on 19.09.2025. 5. Accordingly, the joint inspection of the ITI was conducted on 19.09.2025. During the inspection the following were observed: i. The location of the ITI mentioned on the NCVT MIS portal differs from the current building location by approximately 300 meters. ii. Some items in the workshop were not available as per the DGT prescribed tool list.	The matter was deliberated in the SCAA meeting, and the SCAA decided as under, based on the recommendations of the SSDEC: 1. It has been observed that the location of the ITI, as mentioned on the NCVT MIS portal, differs from the actual building location by approximately 300 meters. Further, certain items in the workshop were not available as per the prescribed DGT tool list, and electrical machine panels were not installed in the Electrician trade. No trainees were present at the time of inspection. It was also observed that the workshop on the first floor had only one entry/exit point, and the sizes of rooms such as the library

Signature Not Verified
UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified
SHRAMEV SHARMA
12.45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			iii. Electrical machine panels were not installed in the Electrician trade. iv. No trainees were present at the time of inspection. v. The workshop on the first floor has only one entry/exit gate. vi. The sizes of rooms such as the Library and IT Lab are smaller than the DGT norms. vii. There is no provision for a permanent electrical connection in the IT Lab 6. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended de-affiliation. 7. Further, the matter was discussed in the 25th SCAA Meeting and ITI was given an opportunity to show cause why it should not be de-affiliated, within 21 days from the date of issuance of the minutes. However, no reply was received within the prescribed time period.	and IT lab were below the prescribed norms. Additionally, no provision for a permanent electrical connection was available in the IT lab. 2. In line with the principles of natural justice, the ITI was granted a final opportunity in the 25th SCAA meeting held on 13.11.2025 and 14.11.2025 to submit a show-cause reply, explaining why the ITI should not be de-affiliated, along with any supporting representation, within 21 days from the issuance of the minutes of that meeting. 3. The said communication was issued by DGT to the registered email ID of the institute on 24.12.2025. 4. Further, the ITI did not avail the opportunity provided and failed to submit any reply or representation within the stipulated time. Accordingly, based on the facts on record, the discrepancy in the approved location, deficiencies in tools and infrastructure, absence of trainees, and safety concerns indicate non-compliance with the prescribed norms and adversely affect the conduct and safety of training. The ITI is hereby de-affiliated.

Signature Not Verified
UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified
SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
138.	Karmbhumi Private Industrial Training Institute, Address - Ward No-7, Neem Ka Thana (SIKAR)332713 MIS Code - PR08000069	1. Electrician- 2(1+1) 2. Fitter- 2(1+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 07.01.2025. 3. The ITI replied to the SCN on 22.01.2025. 4. Further, a joint inspection was conducted on 04.08.2025. 5. Accordingly, the joint inspection of the ITI was conducted on 04.08.2025. During the inspection the following were observed: Workshops and machines were not available in the ITI on day of inspection. 6. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended de-affiliation. 7. Further, the matter was discussed in the 25th SCAA Meeting and ITI was given an opportunity to show cause why it should not be de-affiliated, within 21 days from the date of issuance of the minutes. However, no reply was received within the prescribed time period.	The matter was deliberated in the SCAA meeting, and the SCAA decided as under, based on the recommendations of the SSDEC: 1. It has been observed that no workshops or machinery were available in the ITI at the time of inspection. 2. In line with the principles of natural justice, the ITI was granted a final opportunity in the 25th SCAA meeting held on 13.11.2025 and 14.11.2025 to submit a show-cause reply, explaining why the ITI should not be de-affiliated, along with any supporting representation, within 21 days from the issuance of the minutes of that meeting. 3. The said communication was issued by DGT to the registered email ID of the institute on 24.12.2025. 4. Further, the ITI did not avail the opportunity provided and failed to submit any reply or representation within the stipulated time. Accordingly, based on the facts on record, the absence of essential training infrastructure, including workshops and machinery, establishes that the ITI is not being operated for the purpose

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
				for which affiliation was granted. The ITI is hereby de-affiliated.
139.	Aanchhal Private Industrial Training Institute, Address - Near Railway Station, Ringus (Sikar) MIS Code - PR08000924	1. Electrician- 4(2+2) 2. Mechanic Diesel- 2(1+1)	1. Irregularities observed during initial inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 07.01.2025. 3. The ITI replied to the SCN on 25.01.2025. 4. Further, a joint inspection was conducted on 04.08.2025. 5. Accordingly, the joint inspection of the ITI was conducted on 04.08.2025. During the inspection the following were observed: i. Signboards for both the ITI and “Radiance Academy” school were found at the same entrance. ii. No electrical fittings were provided for the computers kept in the IT Lab, and the original purchase bills of the computers and printer were not available. iii. Out of 06 trainers one trainer was found to be CITS trained which is not as per norms. iv. The library register was available; however, the original purchase bills of the books were not found, and only 2–3 books were physically present in the library at the time of inspection. v. Separate electricity meters were not found for ITI and school. Only one electric meter was found in the building.	The matter was deliberated in the SCAA meeting, and the SCAA decided as under, based on the recommendations of the SSDEC: 1. It has been observed that signboards of both the ITI and “Radiance Academy” school were displayed at the same entrance, indicating shared premises. Further, no electrical fittings were provided for the computers placed in the IT lab, and original purchase bills of the computers and printer were not available. Out of six trainers, only one was found to be CITS qualified, which is not in accordance with the prescribed norms. It was also observed that although a library register was available, original purchase bills of the books were not found, and only 2–3 books were physically present in the library. Additionally, a separate electricity meter for the ITI was not available, and a single meter was being used for both the ITI and the school. 2. In line with the principles of natural justice, the ITI was granted a final opportunity in the 25th SCAA meeting held on 13.11.2025 and 14.11.2025 to submit a show-cause reply, explaining why the ITI

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			vi. The ITI is not following the instructions as per Annexure III serial no. (c&d) of IV- b and the records were not found on the day of inspection. 6. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended de-affiliation. 7. Further, the matter was discussed in the 25th SCAA Meeting and ITI was given an opportunity to show cause why it should not be de-affiliated, within 21 days from the date of issuance of the minutes. However, no reply was received within the prescribed time period.	should not be de-affiliated, along with any supporting representation, within 21 days from the issuance of the minutes of that meeting. 3. The said communication was issued by DGT to the registered email ID of the institute on 24.12.2025. 4. Further, the ITI did not avail the opportunity provided and failed to submit any reply or representation within the stipulated time. Accordingly, based on the facts on record, the shared use of premises, deficiencies in infrastructure, non-compliance with instructor qualification requirements, inadequate library facilities, and absence of proper documentation indicate non-compliance with the prescribed norms and adversely affect the conduct and quality of training. The ITI is hereby de-affiliated.
140.	R.S. Private Industrial Training Institute, Address - Opposite Pad Chowki, Ajeetgarh	1. Electrician- 2(1+1) 2. Fitter- 2(1+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 07.01.2025. 3. The ITI replied to the SCN on 22.01.2025. 4. Further, a joint inspection was conducted on 14.08.2025.	The matter was deliberated in the SCAA meeting, and the SCAA decided as under, based on the recommendations of the SSDEC: 1. It has been observed that original purchase bills of tools and equipment were not provided during inspection. Further, none of the five instructors in the ITI were found to be CITS qualified. It was also observed that the

Signature Not Verified
UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified
SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
	Road, Kanwat, Panchayat Samittee-Khandela (Sikar) MIS Code - PR08000068		5. Accordingly, the joint inspection of the ITI was conducted on 14.08.2025. During the inspection the following were observed: - Original bills of tools and equipment were not provided by the ITI on the day of inspection. - Out of the five instructors in the ITI, none are CITS trained. - As per Annexure-III, Serial Nos. (c) and (d) of IV-b were not strictly followed, and the related records were not available on the day of inspection. - The time table was not found in the institute. - The dispensary and store room were not available in the ITI. - The building of the ITI was not according to the original building plan. In original plan fitter room converted into IT lab and library and new room allotted for Fitter trade was store in original plan and this room not as per DGT norms width less than 3 meters. - On the day of inspection, the following areas were found to have less area as per DGT norms. - Fitter theory room 6.3 sqm. - IT lab: 9.25 - Library: 8.75 sqm.	provisions of Annexure-III were not complied with, and the relevant records were not available. The time table was not found in the institute, and essential facilities such as dispensary and store room were not available. It was further observed that the building was not in accordance with the approved plan, with functional areas being altered, including conversion of the Fitter room into IT lab and library, and allocation of a non-compliant room for the Fitter trade. Additionally, the sizes of key rooms such as the Fitter theory room, IT lab, library, and office were found to be below the prescribed norms. In the Electrician and Fitter trades, a substantial number of tools, equipment, and machinery as per the prescribed syllabus were not available, and several items were found to be non-functional. 2. In line with the principles of natural justice, the ITI was granted a final opportunity in the 25th SCAA meeting held on 13.11.2025 and 14.11.2025 to submit a show-cause reply, explaining why the ITI should not be de-affiliated, along with any supporting

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			iv. Office: 10.88 sqm. viii. Tools equipment, shop machinery of the following serial numbers were not available as per the syllabus per Electrician trade- (3,8,9,21,28,39,45,52,56,61,62,63,64,67,70,71,73,75,76,78,(a),79,81,82,83,84(a,b,d,e),85(c,d,e,f,g,h,i),86,87(a),88(a,c,d,g,h),89,90,91,92,93,97,101,103,104,107,108,114,115,116,118,(a,d,f,g),122,123,125,126(b,d),127,129,130,132,133,134,140,144,147,148,149,151,152,154,158,159,160,161,164,165). ix. Tools equipment, shop machinery of the following serial numbers were not in working condition: (66,112,139). x. Tools equipment, shop machinery of the following serial numbers were not available as per the syllabus of Fitter trade: (34,40,51,57,58,62,63,64,67,72,74,82,87,97,102,103,104,105,106,107,108,109,110,111,112,113,114,116,117,119,120,122,123,125,127,128,129,131,133,134,137,140,141,144,145,147,148,155,156,157,159,160,162,164,165,166,170,174,177,184,185,188,189,193,194,197,198,199,200,201,202,203,204).	representation, within 21 days from the issuance of the minutes of that meeting. 3. The said communication was issued by DGT to the registered email ID of the institute on 24.12.2025. 4. Further, the ITI did not avail the opportunity provided and failed to submit any reply or representation within the stipulated time. Accordingly, based on the facts on record, the non-submission of essential documents, complete non-compliance with instructor qualification requirements, deviations from approved building plan, inadequate infrastructure, and large-scale deficiencies in tools, equipment, and machinery indicate serious non-compliance with the prescribed norms and adversely affect the conduct and quality of training. The ITI is hereby de-affiliated.

Signature Not Verified
UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified
SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			6. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended de-affiliation. 7. Further, the matter was discussed in the 25th SCAA Meeting and ITI was given an opportunity to show cause why it should not be de-affiliated, within 21 days from the date of issuance of the minutes. However, no reply was received within the prescribed time period.	
141.	Tagore Private Industrial Training Institute, Address - Near Bus Stand, Dugoli, Dist. Sikar-332042 MIS Code - PR08000385	1. Electrician- 6(3+3)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 07.01.2025. 3. The ITI replied to the SCN on 20.01.2025. 4. Further, a joint inspection was conducted on 12.08.2025. 5. Accordingly, the joint inspection of the ITI was conducted on 12.08.2025. During the inspection the following were observed: i. On the day of inspection dated 12.08.2025, the original documents related to the points mentioned in Annexure-III, including bills (Electricity, Tools & Equipment, Raw Material, Computer, Dispensary, Sports, Diesel, etc.), staff attendance records, payment distribution records, trainee records, stock registers (T/E, R/M), diesel consumption logbook, and other supporting documents were not produced.	The matter was deliberated in the SCAA meeting, and the SCAA decided as under, based on the recommendations of the SSDEC: 1. It has been observed that on the day of inspection dated 12.08.2025, the ITI did not produce original documents related to Annexure-III, including bills pertaining to electricity, tools and equipment, raw material, computers, dispensary, sports, diesel, as well as staff attendance records, payment records, trainee records, stock registers, diesel consumption logbook, and other supporting documents. Further, the institute, vide its letter dated 12.08.2025, had assured that the said documents would be submitted at a later stage and had also stated that in case of failure to do so, it would have no objection

Signature Not Verified
UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified
SHRADDHA SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			ii. The institute, vide its letter dated 12.08.2025, assured that the above-mentioned documents would be provided later and stated that in case of failure to do so, it would have no objection to de-affiliation. However, the documents were not submitted by the ITI. iii. Major number of tools, equipment, and shop machinery as per the syllabus of Electrician were not available at the time of inspection. 6. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended de-affiliation. 7. Further, the matter was discussed in the 25th SCAA Meeting and ITI was given an opportunity to show cause why it should not be de-affiliated, within 21 days from the date of issuance of the minutes. However, no reply was received within the prescribed time period.	to de-affiliation. However, the ITI failed to submit the documents thereafter. It was also observed that a major number of tools, equipment, and machinery required for the Electrician trade as per the prescribed syllabus were not available at the time of inspection. 2. In line with the principles of natural justice, the ITI was granted a final opportunity in the 25th SCAA meeting held on 13.11.2025 and 14.11.2025 to submit a show-cause reply, explaining why the ITI should not be de-affiliated, along with any supporting representation, within 21 days from the issuance of the minutes of that meeting. 3. The said communication was issued by DGT to the registered email ID of the institute on 24.12.2025. 4. Further, the ITI did not avail the opportunity provided and failed to submit any reply or representation within the stipulated time. Accordingly, based on the facts on record, the non-submission of essential documents despite undertaking, along with deficiencies in tools and

Signature Not Verified

 UJJWAL BISWAS
 13.04.2026 15:49

Signature Not Verified

 SHRAMEEV SHARMA
 12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
				machinery, indicate serious non-compliance with the prescribed norms and prevent verification of the functioning of the ITI. The ITI is hereby de-affiliated.
142.	Tagore Private ITI, Vpo Chala, Dist. Sikar-332706 (PR08001857)	1. Electrician-6(2+2+2) 2. Fire Technology and Industrial Safety Management-3(1+1+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 07.01.2025. 3. The ITI replied to the SCN on 24.01.2025. 4. Further, a joint inspection was conducted on 13.08.2025. 5. Accordingly, the joint inspection of the ITI was conducted on 13.08.2025. During the inspection the following were observed: i. The major number of tools, equipment and machinery as per Electrician trade syllabus list were not available on the day of inspection and few tools and equipment, shop machinery was also not in working condition. ii. Similarly, few tools, equipment and machinery as per syllabus of fire Technology and Industrial safety Management trade were not available on the day of inspection. iii. Out of 13 trainers only two trainers were found to be CITS trained. iv. As per Staff attendance register records, attendance of 15 staff members were	The matter was deliberated in the SCAA meeting, and the SCAA decided as under, based on the recommendations of the SSDEC: 1. It has been observed that a major number of tools, equipment, and machinery required as per the Electrician trade syllabus were not available, and several of the available items were not in working condition. Similarly, certain tools, equipment, and machinery required for the Fire Technology and Industrial Safety Management trade were not available. Further, out of 13 trainers, only two were found to be CITS qualified. Discrepancies were also observed in staff attendance records, with significantly varying attendance figures across different months. It was also observed that trainee-related records were incomplete, including marksheets and progress reports. Additionally, records such as weekly and monthly schedules of instructors, stock

Signature Not Verified
UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified
SHRAMESH CHARMA
12.45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			recorded in the month of August 2025, whereas in the month of May, June, July 2025 only 7 staff members attendance were recorded. v. Out of 40 students of Electronics second year, marksheets of only 11 students were received and progress reports another related document of Fire Technology and Industrial management session 2024-2026 trade were not received. vi. The records such as weekly, monthly schedule records of Instructors were not provided on the day of inspection. Also, stock register of raw material & tools equipment records were not provided by the ITI. vii. The original copy of computers bills and printers' bills were not provided by the ITI on that day. viii. Diesel log book was not found available in the ITI during inspection. ix. The academic books of Chemistry, Physics, Social Science and Hindi Grammar books for class 2 to 12 were found in the library of ITI. x. The name of other ITIs was mentioned on the few cylinders available in the ITI. Moreover, only one of the cylinders had refilling date mention on it. Almost all the	registers of raw materials and tools/equipment, original bills of computers and printers, and diesel logbook were not provided during inspection. The presence of academic books unrelated to ITI training was also noted in the library. It was further observed that cylinders available in the ITI bore markings of other ITIs, and most of them lacked proper refilling and expiry details, and were found to be non-functional. 2. In line with the principles of natural justice, the ITI was granted a final opportunity in the 25th SCAA meeting held on 13.11.2025 and 14.11.2025 to submit a show-cause reply, explaining why the ITI should not be de-affiliated, along with any supporting representation, within 21 days from the issuance of the minutes of that meeting. 3. The said communication was issued by DGT to the registered email ID of the institute on 24.12.2025. 4. Further, the ITI did not avail the opportunity provided and failed to submit

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

CHHAMEL SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			cylinders except few did not have expiry mentioned on them as well as they were out of pressure and gas. 6. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended de-affiliation. 7. Further, the matter was discussed in the 25th SCAA Meeting and ITI was given an opportunity to show cause why it should not be de-affiliated, within 21 days from the date of issuance of the minutes. However, no reply was received within the prescribed time period.	any reply or representation within the stipulated time. Accordingly, based on the facts on record, the deficiencies in tools and machinery, non-compliance with instructor qualification requirements, inconsistencies and gaps in records, and safety concerns indicate serious non-compliance with the prescribed norms and adversely affect the conduct and safety of training. The ITI is hereby de-affiliated.
143.	Shree Balaji Private Industrial Training Institute, Address - Ward No.5, Near Small Power House, Sikar Road, Datan (Sikar) MIS Code - PR08001108	1. Electrician- 4(2+2) 2. Mechanic Diesel- 1(1+0)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 07.01.2025. 3. The ITI replied to the SCN on 31.01.2025. 4. Further, a joint inspection was conducted on 26.08.2025. 5. Accordingly, the joint inspection of the ITI was conducted on 26.08.2025. During the inspection the following were observed: - The electricity consumption of the ITI over the past six months has been significantly low. - Tools and equipment corresponding to Serial Nos. 137, 139 (only DC shunt and compound generators available; 3-phase squirrel cage and 5 HP induction motor).	The matter was deliberated in the SCAA meeting, and the SCAA decided as under, based on the recommendations of the SSDEC: 1. It has been observed that the electricity consumption of the ITI over the past six months was significantly low. Further, several tools and equipment corresponding to prescribed serial numbers were not available, including key machinery required for training. It was also observed that multiple tools and machinery were not in working condition, and ammeters, voltmeters, and other indicators mounted on machine panels were non-functional.

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

BHUPENDRA K. SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			motors not available), 142, 144, 157, 161, 152, and 163 were not available during the inspection. iii. Tools and machinery corresponding to Serial Nos. 145, 146, 147, 148, and 152 were found not in working condition. iv. Ammeters, voltmeters, and other indicators mounted on the panels of all machines were found non-functional. v. As per the ITI building blueprint, the front-side spaces are designated as a dispensary and a store; however, during the joint inspection, it was observed that both spaces have been rented out and are being used for other activities. vi. Since most of the machinery was found to be non-functional, it appears that training was not being conducted properly. 6. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended de-affiliation. 7. Further, the matter was discussed in the 25th SCAA Meeting and ITI was given an opportunity to show cause why it should not be de-affiliated, within 21 days from the date of issuance of the minutes. However, no reply was received within the prescribed time period.	It was further observed that as per the approved building plan, certain front-side spaces designated for dispensary and store were being used for other activities. Additionally, the overall non-functional condition of machinery indicates that training activities were not being conducted effectively. 2. In line with the principles of natural justice, the ITI was granted a final opportunity in the 25th SCAA meeting held on 13.11.2025 and 14.11.2025 to submit a show-cause reply, explaining why the ITI should not be de-affiliated, along with any supporting representation, within 21 days from the issuance of the minutes of that meeting. 3. The said communication was issued by DGT to the registered email ID of the institute on 24.12.2025. 4. Further, the ITI did not avail the opportunity provided and failed to submit any reply or representation within the stipulated time. Accordingly, based on the facts on record, the non-availability and non-functionality of machinery, misuse of designated infrastructure, and indicators of inadequate training activity indicate non-compliance with the prescribed norms and

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
				adversely affect the conduct and quality of training. The ITI is hereby de-affiliated.
144	Sunrise Private Industrial Training Institute, Address - Nh-11, Talab Ki Dhani, Village.Rewasa, Dist.Sikar Rajasthan MIS Code - PR08000519	1. Electrician-12(4+4+4)	1. Irregularities observed during initial inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 07.01.2025. 3. The ITI replied to the SCN on 24.01.2025. 4. Further, a joint inspection was conducted on 27.08.2025. 5. Accordingly, the joint inspection of the ITI was conducted on 27.08.2025. During the inspection the following were observed: At present the Old age care center activities were running in the ITI premises. 6. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended de-affiliation. 7. Further, the matter was discussed in the 25th SCAA Meeting and ITI was given an opportunity to show cause why it should not be de-affiliated, within 21 days from the date of issuance of the minutes. However, no reply was received within the prescribed time period. 8. The ITI replied on 07.01.2026 on grievance portal and submitted the following point wise reply : a) Point No. 1 – Joint Inspection Date: Report mentions joint inspection conducted on 27.08.2025.	The matter was deliberated in the SCAA, and it was decided to conduct a joint inspection of the ITI to verify its functioning as per prescribed norms. The joint inspection shall be conducted by the concerned State Directorate and RDSDE Rajasthan. The date of inspection shall be decided by the State Directorate in consultation with RDSDE Rajasthan. The inspection report shall be submitted to the DGT within one month from the date of issuance of the minutes of this meeting for consideration in the next SCAA meeting.

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			b) Institute Reply: No inspection was conducted on this date. Reason: 27.08.2025 was Ganesh Chaturthi (official holiday) and the institute was closed. c) Point No. 2 – Old Age Care Centre Activities: Report shows “Old age care centre activities” in the institute. d) Institute Reply: Only one old person was present – he is the institute’s Gardner who lives in a separate cottage on the premises. e) Request Made: Kindly look into the above issues, conduct a fresh inspection to verify the facts, and give the institute a chance to avoid de-affiliation.	
145.	Saraswati Private Industrial Training Institute, Address - Village Danta Ramgarh, Teh.Dantaramgarh, Dist.Sikar Rajasthan MIS Code - PR08000795	1. Electrician- 3(1+2)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 07.01.2025. 3. The ITI replied to the SCN on 03.02.2025. 4. Further, a joint inspection was conducted on 28.08.2025. 5. Thereafter, the matter of 682 ITIs was subsequently discussed in 7th SSDEC meeting dated 25.03.2025, 8th SSDEC meeting dated 12.06.2025 and 9th SSDEC meeting dated 17.10.2025 to complete the joint inspection of above said 682 ITIs in phased manner and the inspection shall be completed by 20.09.2025.	The matter was deliberated in the SCAA meeting, and the SCAA decided as under, based on the recommendations of the SSDEC: 1. It has been observed that Saraswati Vidya Mandir School was operating in the ITI premises at the time of inspection. Further, the ITI owner had packed all the workshop machinery, tools, and equipment and stored them in a room, instead of keeping them installed and operational as required under the prescribed norms. 2. In line with the principles of natural justice, the ITI was granted a final opportunity in the 25th SCAA meeting held on

Signature Not Verified
UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified
SHRAMEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			6. Accordingly, the joint inspection of the ITI was conducted on 28.08.2025. During the inspection the following were observed: - At present Saraswati Vidya Mandir School was running in the ITI premises. - The ITI owner had packed all the workshop machines, tools, and equipment and kept them in the store, which is not as per norms. 7. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended de-affiliation. 8. Further, the matter was discussed in the 25th SCAA Meeting and ITI was given an opportunity to show cause why it should not be de-affiliated, within 21 days from the date of issuance of the minutes. However, no reply was received within the prescribed time period.	13.11.2025 and 14.11.2025 to submit a show-cause reply, explaining why the ITI should not be de-affiliated, along with any supporting representation, within 21 days from the issuance of the minutes of that meeting. - The said communication was issued by DGT to the registered email ID of the institute on 24.12.2025. - Further, the ITI did not avail the opportunity provided and failed to submit any reply or representation within the stipulated time. Accordingly, based on the facts on record, the use of the premises for running a school and the non-operational status of machinery and equipment indicate that the ITI is not being operated for the purpose for which affiliation was granted and is not functioning in accordance with the prescribed norms. The ITI is hereby de-affiliated.
146.	Nav Prarna Private Industrial Training Institute, Address - At. Trilokpura Post	1. Electrician – 12(4+4+4)	- Irregularities observed during initial Inspection conducted by State official on 24.12.2024. - SCN was issued to the ITI by the State on 07.01.2025. - The ITI replied to the SCN on 22.01.2025. - Further, a joint inspection was conducted on 25.08.2025.	The matter was deliberated in the SCAA meeting, and the SCAA decided as under, based on the recommendations of the SSDEC: It has been observed that a Defence Academy was operating within the ITI premises, and all laboratories and

Signature Not Verified
UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified
SHRAMEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
	Ranoli Teh.Dantaramgarh, Dist.Sikar Rajasthan MIS Code - PR08000824		5. Accordingly, the joint inspection of the ITI was conducted on 25.08.2025. During the inspection the following were observed: Currently, a Defence Academy is operating within the ITI premises, and all the laboratories and classrooms are being used by the Defence Academy trainees. 6. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended de-affiliation. 7. Further, the matter was discussed in the 25th SCAA Meeting and ITI was given an opportunity to show cause why it should not be de-affiliated, within 21 days from the date of issuance of the minutes. However, no reply was received within the prescribed time period.	classrooms were being used by the Defence Academy trainees at the time of inspection. 2. In line with the principles of natural justice, the ITI was granted a final opportunity in the 25th SCAA meeting held on 13.11.2025 and 14.11.2025 to submit a show-cause reply, explaining why the ITI should not be de-affiliated, along with any supporting representation, within 21 days from the issuance of the minutes of that meeting. 3. The said communication was issued by DGT to the registered email ID of the institute on 24.12.2025. 4. Further, the ITI did not avail the opportunity provided and failed to submit any reply or representation within the stipulated time. Accordingly, based on the facts on record, the operation of a Defence Academy within the ITI premises and complete utilization of laboratories and classrooms for non-permitted activities establish that the ITI is not being operated for the purpose for which affiliation was granted. The ITI is hereby de-affiliated.

Signature Not Verified
UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified
SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
147.	Shri Shyam Private Industrial Training Institute, Address - Bus Stand, Ranali, Teh.-Danta Ramgarh, Dist.-Sikar Rajasthan MIS Code - PR08000215	1. Electrician-3(1+1+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 07.01.2025. 3. Further, a joint inspection was conducted on 27.08.2025. 4. Accordingly, the joint inspection of the ITI was conducted on 27.08.2025. During the inspection the following were observed: 5. According to the lease deed, the property is described as having seven rooms, one bathroom, one toilet, and a tin shed. However, during the joint inspection, it was observed that only a basement and ground floor construction exist, which are not mentioned in the approved layout map. 6. The details mentioned in the lease deed do not align with the actual ITI layout, which constitutes a clear violation of the norms prescribed by the National Council for Vocational Education and Training (NCVET). 7. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended de-affiliation. 8. The 25th SCAA has granted a final opportunity to the ITI to represent itself within 21 days by a way of SCN. 9. The reply to the SCN was received on 13.01.2026.	The matter was deliberated in the SCAA, and it was decided to conduct a joint inspection of the ITI to verify its functioning as per prescribed norms. The joint inspection shall be conducted by the concerned State Directorate and RDSDE Rajasthan. The date of inspection shall be decided by the State Directorate in consultation with RDSDE Rajasthan. The inspection report shall be submitted to the DGT within one month from the date of issuance of the minutes of this meeting for consideration in the next SCAA meeting.

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			10. In its reply the ITI submitted the following: - The 7 rooms, bathroom, and toilet still exist as per the lease deed. - The tin shed had become dilapidated over time and was removed; a permanent (pukka) construction was built in its place during the COVID period to avoid disrupting trainee training. - Amendment letter regarding the new construction was prepared and informed to the Technical Education Board and Nodal Officer via mail. 11. Additional clarifications- on infrastructure, machinery, staff, or other observations. Assurance of full compliance with NCVT/DGT norms post-rectification. 12. Request - for re-inspection or approval to maintain affiliation.	
148.	S.V.P. Private Industrial Training Institute., Address - Khasra No.2207/1, 2207/2, 2849/3,	1. Mechanic Diesel- 1(1+0)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 15.01.2025, followed by reminder dated 11.02.2025. 3. Further, a joint inspection was conducted on 29.07.2025.	The matter was deliberated in the SCAA meeting, and the SCAA decided as under, based on the recommendations of the SSDEC: It has been observed that as per the NCVT MIS portal, all units of Electrician, Fitter, and Plumber trades, along with one unit of Mechanic Diesel trade, had already been de-affiliated on 10.02.2025. However, for

Signature Not Verified
UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified
SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
	N.H.11, Palsana, Palsana, Teh. Dhataramgarh, Distt. Sikar- 332402 MIS Code - PR08001236		4. Accordingly, the joint inspection of the ITI was conducted on 25.08.2025. During the inspection the following were observed: - As per NCVT MIS Portal all Electrician, Fitter and Plumber trade & units and one unit of Mechanic diesel have been de-affiliated on 10.02.2025, However, for one unit of Mechanic Diesel trade, the workshop and lab set up was not found available during inspection. - The details mentioned in the lease deed do not align with the actual ITI layout, which constitutes a clear violation of the norms prescribed by the National Council for Vocational Education and Training (NCVT). 5. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended de-affiliation. 6. Further, the matter was discussed in the 25th SCAA Meeting and ITI was given an opportunity to show cause why it should not be de-affiliated, within 21 days from the date of issuance of the minutes. However, no reply was received within the prescribed time period.	the remaining unit of the Mechanic Diesel trade, the workshop and laboratory setup were not found available during inspection. Further, the details mentioned in the lease deed were not found to be aligned with the actual layout of the ITI. - In line with the principles of natural justice, the ITI was granted a final opportunity in the 25th SCAA meeting held on 13.11.2025 and 14.11.2025 to submit a show-cause reply, explaining why the ITI should not be de-affiliated, along with any supporting representation, within 21 days from the issuance of the minutes of that meeting. - The said communication was issued by DGT to the registered email ID of the institute on 24.12.2025. - Further, the ITI did not avail the opportunity provided and failed to submit any reply or representation within the stipulated time. Accordingly, based on the facts on record, the absence of required infrastructure for the remaining affiliated unit and mismatch between the lease deed and actual layout indicate non-compliance with the prescribed norms and

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
				foundational requirements of affiliation. The ITI is hereby de-affiliated.
149.	Shree Nath Private Industrial Training Institute, Address - 974/1, Vill. Amthala, The. Abu Road, Distt. Sirohi- 307510 MIS Code - PR08001207	1. Electrician-6(2+2+2) 2. Fitter-2(1+1) 3. Mechanic Diesel-2(1+1)	1. Irregularities observed during initial inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 04.01.2025. 3. The ITI replied to the SCN on 20.01.2025. 4. Further, a joint inspection was conducted on 30.07.2025. 5. Accordingly, the joint inspection of the ITI was conducted on 30.07.2025. During the inspection the following were observed: i. The institute has common entrance for ITI and B. ED college. ii. Mechanic Diesel major machinery was not working on the day of inspection. iii. The machines of Electrician trade were installed on stone lab. iv. For mechanic Diesel trade no Motor vehicle was found available under the ownership of ITI for training purpose. v. The ITI has very low electrical consumption indicates less training. vi. The condition of the labs and workshops in the ITI were found very bad, not maintained and without safety hazards. vii. The sign board of the ITI was found without any logo of Skill India.	The matter was deliberated in the SCAA, and it was decided to conduct a joint inspection of the ITI to verify its functioning as per prescribed norms. The joint inspection shall be conducted by the concerned State Directorate and RDSDE Rajasthan. The date of inspection shall be decided by the State Directorate in consultation with RDSDE Rajasthan. The inspection report shall be submitted to the DGT within one month from the date of issuance of the minutes of this meeting for consideration in the next SCAA meeting.

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			viii. The amenities in the ITI were found very poor. 6. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended de-affiliation. 7. The 25th SCAA has granted a final opportunity to the ITI to represent itself within 21 days by a way of SCN. 8. The reply to the SCN was received on 13.01.2026. 9. In its reply the ITI submitted the following: a) Common Entrance for ITI & B.Ed Institute ITI and B.Ed are separately administered. Common gate used only by staff, management, and visitors (standard practice for multi-course campuses). Separate student entry arrangements exist; no violation of NCVT/DGT norms. b) Electrician Trade – Stone Lab Setup Stone lab established at time of initial affiliation; accepted in previous inspections with no prior objection. Institute assures compliance with any future modification suggestions. c) Diesel Mechanic Trade – Major Machine Not Working Machine was temporarily under repair on inspection day.	

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEL SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			It is institute-owned, repair already in progress, and used exclusively for regular trainee practicals. d) Vehicle for Diesel Mechanic Trade Vehicle owned by a Trust member; proper authorization/undertaking issued to ITI for training use. Regularly utilized for practical training; requirements fully met. e) Low Electricity Consumption Institute in rural area with irregular grid supply; relies on diesel generator (DG) for workshops/labs. Practical training for Electrician, Diesel Mechanic, and Fitter conducted on DG power. DG log books and diesel consumption records maintained. Low units reflect DG usage, not lack of activity. f) Condition of Labs & Workshops Academic session ended 21 July 2025; inspection occurred ~10 days later (post-session break). Labs appeared non-operational due to vacation period. During active sessions, all labs/workshops fully functional and maintained. g) Amenities Found Poor Observation relates to post-session period with minimal use. All required amenities adequately provided and maintained during active training.	

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift & Unit	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			h) Sign Board / Skill India Logo Immediate corrective action initiated; sign board being updated with Skill India logo as per guidelines. Undertaking & Prayer: • Observations were temporary/situational, not intentional non-compliance. • Full commitment to improvement and NCVT/DGT norm adherence. a) Humble request to consider clarifications and allow continuation of affiliation in the interest of skill development and trainees.	

Signature Not Verified

 UJJWAL BISWAS
 13.04.2026 15:49

Signature Not Verified

 SHRAMEEV SHARMA
 12:45 13.04.2026

Annexure-5 as referred in Agenda 5 regarding De-affiliation matter of 33 ITIs, in continuation of the discussion under Agenda Item No. 2.3 of the Minutes of the 25th SCAA Meeting held on 13.11.2025 and 14.11.2025

Sr.no	Name/Address and MIS Code of ITI	Trade/units affiliated as per NCVT MIS Portal	Brief of Matter as	27 th SCAA decision
(1)	(2)	(3)	(4)	(5)
1	LBS Pvt. ITI Address: Lbs College, Ganora (Banswara) - 327021 MIS Code: PU08001884	1. Electrician 3(1+1+1) 2. Health Sanitary Inspector- 1(1+0)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 03.01.2025. 3. The ITI replied to the SCN on 23.01.2025. 4. Further, a joint inspection was conducted on 10.06.2025. 5. Accordingly, in compliance to 7th SSDEC decision, the joint inspection of the ITI was conducted on 10.06.2025. During the inspection the ITI was not found as per NCVT MIS portal address and location. 6. The ITI has submitted its letter dated 10.06.2025 in which it has been informed that the ITI was earlier operated from rented building and now the ITI is operating from its own building and the distance between the old building and the new building is 50 mt. The ITI has been shifted to the	The matter was deliberated in the SCAA meeting, and the SCAA decided as under, based on the recommendations of the SSDEC: 1. It has been observed that the ITI has been shifted without obtaining prior approval of DGT. 2. In line with the principles of natural justice, the ITI was granted a final opportunity in the 25th SCAA meeting held on 13.11.2025 and 14.11.2025 to submit a show-cause reply, explaining why the ITI should not be de-affiliated, along with any supporting representation, within 21 days from the issuance of the minutes of that meeting. 3. The said communication was issued by DGT to the registered email ID of the institute on 24.12.2025. 4. The ITI failed to avail the opportunity and did not submit any reply or representation within the stipulated time.

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sr.no	Name/Address and MIS Code of ITI	Trade/units affiliated as per NCVT MIS Portal	Brief of Matter as	27 th SCAA decision
(1)	(2)	(3)	(4)	(5)
			building opposite. The reply of the ITI was considered. 7. The matter of the ITI was discussed in 9th SSDEC meeting held on 17.09.2025 and the SSDEC recommended de-affiliation of the ITI due to shifting without approval of DGT. 8. Further, the matter was discussed in the 25th SCAA Meeting and ITI was given an opportunity to show cause why it should not be de-affiliated, within 21 days from the date of issuance of the minutes. However, no reply was received within the prescribed time period.	Accordingly, based on the facts on record, the ITI has shifted without prior approval of DGT, in violation of Clause 3.5 of the Affiliation Norms, 2018; therefore, the ITI is hereby de-affiliated.
2	Shree Sai Private Industrial Training Institute, Address: Sanwal Circle, Fatehnagar, Dist.Udaipur Mis Code: PR08001392	Electrician - 9(4+2+3)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 03.01.2025. 3. The ITI replied to the SCN on 23.01.2025. 4. Further, a joint inspection was conducted on 11.06.2025. 5. Accordingly, in compliance to 7th SSDEC decision, the joint inspection of the ITI was conducted on	The matter was deliberated in the SCAA meeting, and the SCAA decided as under, based on the recommendations of the SSDEC: 1. It has been observed that the ITI has been shifted without obtaining prior approval of DGT. 2. In line with the principles of natural justice, the ITI was granted a final opportunity in the 25th SCAA meeting held on 13.11.2025 and 14.11.2025 to submit a show-cause reply, explaining why the ITI should

Signature Not Verified
UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified
SHRAMEEV SHARMA
12.45 13.04.2026

Sr.no	Name/Address and MIS Code of ITI	Trade/units affiliated as per NCVT MIS Portal	Brief of Matter as	27 th SCAA decision
(1)	(2)	(3)	(4)	(5)
			11.06.2025. During the inspection the ITI was not found as per NCVT MIS portal address and location. 6. The ITI has submitted its letter dated 11.06.2025 in which it has been informed that the ITI will not be able to do the inspection till the Hon'ble Court decision came, therefore requested to not to send any officials for inspection. 7. The matter of the ITI was discussed in 9th SSDEC meeting held on 17.09.2025 and the SSDEC recommended de-affiliation of the ITI due to shifting without approval of DGT. 8. Further, the matter was discussed in the 25th SCAA Meeting and ITI was given an opportunity to show cause why it should not be de-affiliated, within 21 days from the date of issuance of the minutes. However, no reply was received within the prescribed time period.	not be de-affiliated, along with any supporting representation, within 21 days from the issuance of the minutes of that meeting. 3. The said communication was issued by DGT to the registered email ID of the institute on 24.12.2025. 4. The ITI failed to avail the opportunity and did not submit any reply or representation within the stipulated time. Accordingly, based on the facts on record, the ITI has shifted without prior approval of DGT, in violation of Clause 3.5 of the Affiliation Norms, 2018; therefore, the ITI is hereby de-affiliated.
3	Sanskar A Valley of Education Private Industrial Training	Electrician-5 (2+2+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 03.01.2025.	The matter was deliberated in the SCAA meeting, and the SCAA decided as under, based on the recommendations of the SSDEC:

Signature Not Verified
UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified
SHRAMEEV SHARMA
12.45 13.04.2026

Sr.no	Name/Address and MIS Code of ITI	Trade/units affiliated as per NCVT MIS Portal	Brief of Matter as	27 th SCAA decision
(1)	(2)	(3)	(4)	(5)
	Institute, Address: N.H.112, Bhandiayawas, Pachpadra, Dist.Barmer Rajasthan344032 MIS Code: PR08001543		3. The ITI replied to the SCN on 27.01.2025. 4. Further, a joint inspection was conducted on 17.06.2025. 5. Accordingly, in compliance to 7th SSDEC decision, the joint inspection of the ITI was conducted on 17.06.2025. During the inspection the following were observed: a) The ITIs was found closed when concerned staff was called on mobile he refused to give any papers of the ITI b) In the ITI building the school was also running and the ITI board was not present on the site. 6. The matter of the ITI was discussed in 9th SSDEC meeting held on 17.09.2025 and the SSDEC recommended de-affiliation of the ITI due to shifting without approval of DGT. 7. Further, the matter was discussed in the 25th SCAA Meeting and ITI was given an opportunity to show cause why it should not be de-affiliated, within 21 days from the date of issuance of the minutes. However, no reply was	1. It has been observed that the ITI has been shifted without obtaining prior approval of DGT. 2. In line with the principles of natural justice, the ITI was granted a final opportunity in the 25th SCAA meeting held on 13.11.2025 and 14.11.2025 to submit a show-cause reply, explaining why the ITI should not be de-affiliated, along with any supporting representation, within 21 days from the issuance of the minutes of that meeting. 3. The said communication was issued by DGT to the registered email ID of the institute on 24.12.2025. 4. The ITI failed to avail the opportunity and did not submit any reply or representation within the stipulated time. Accordingly, based on the facts on record, the ITI has shifted without prior approval of DGT, in violation of Clause 3.5 of the Affiliation Norms, 2018; therefore, the ITI is hereby de-affiliated.

Signature Not Verified

 UJJWAL BISWAS
 13.04.2026 15:49

Signature Not Verified

 SHRAMEV SHARMA
 12:45 13.04.2026

Sr.no	Name/Address and MIS Code of ITI	Trade/units affiliated as per NCVT MIS Portal	Brief of Matter as	27 th SCAA decision
(1)	(2)	(3)	(4)	(5)
			received within the prescribed time period.	
4	Shri Amar Private ITI, Address: Megha Highway, Sindhari Dist. Barmer - 344033 MIS Code: PR08001726	1. Electrician-2(1+1) 2. Health Sanitary Inspector-1(1+0) 3. Mechanic Two & Three-Wheeler-1(1+0) 4. Wireman-1(1+0)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 03.02.2025. 3. Further, a joint inspection was conducted on 16.06.2025. 4. Accordingly, in compliance to 7th SSDEC decision, the joint inspection of the ITI was conducted on 16.06.2025. During the inspection the following were observed: a) ITI was not exist as per NCVT MIS portal address and location. b) Other business activities running at the site. c) As inquired by people at site, it has been informed that the ITI was not running since long. 5. The matter of the ITI was discussed in 9th SSDEC meeting held on 17.09.2025 and the SSDEC recommended de-affiliation of the ITI due to shifting without approval of DGT.	The matter was deliberated in the SCAA meeting, and the SCAA decided as under, based on the recommendations of the SSDEC: 1. It has been observed that the ITI has been shifted without obtaining prior approval of DGT. 2. In line with the principles of natural justice, the ITI was granted a final opportunity in the 25th SCAA meeting held on 13.11.2025 and 14.11.2025 to submit a show-cause reply, explaining why the ITI should not be de-affiliated, along with any supporting representation, within 21 days from the issuance of the minutes of that meeting. 3. The said communication was issued by DGT to the registered email ID of the institute on 24.12.2025. 4. The ITI failed to avail the opportunity and did not submit any reply or representation within the stipulated time.

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sr.no	Name/Address and MIS Code of ITI	Trade/units affiliated as per NCVT MIS Portal	Brief of Matter as	27 th SCAA decision
(1)	(2)	(3)	(4)	(5)
			6. Further, the matter was discussed in the 25th SCAA Meeting and ITI was given an opportunity to show cause why it should not be de-affiliated, within 21 days from the date of issuance of the minutes. However, no reply was received within the prescribed time period.	Accordingly, based on the facts on record, the ITI has shifted without prior approval of DGT, in violation of Clause 3.5 of the Affiliation Norms, 2018; therefore, the ITI is hereby de-affiliated.
5	Maharaja Private Industrial Training Institute, Address: Munderi, Khanpur Road, Dist.-Jhalawar Rajasthan MIS Code: PR08000167	Electrician - 6 (2+2+2)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 03.02.2025. 3. The ITI replied to the SCN on 20.01.2025 4. Further, a joint inspection was conducted on 09.06.2025. 5. Accordingly, in compliance to 7th SSDEC decision, the joint inspection of the ITI was conducted on 09.06.2025. During the inspection the following were observed: a) ITI was locked up and was not running at the same address given in the inspection letter. b) ITI name and board was not present on the building on the given address. c) A hotel was found present on the	The matter was deliberated in the SCAA meeting, and the SCAA decided as under, based on the recommendations of the SSDEC: 1. It has been observed that the ITI has been shifted without obtaining prior approval of DGT. 2. In line with the principles of natural justice, the ITI was granted a final opportunity in the 25th SCAA meeting held on 13.11.2025 and 14.11.2025 to submit a show-cause reply, explaining why the ITI should not be de-affiliated, along with any supporting representation, within 21 days from the issuance of the minutes of that meeting. 3. The said communication was issued by DGT to the registered email ID of the institute on 24.12.2025.

Signature Not Verified
UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified
SHRAMEV SHARMA
12.45 13.04.2026

Sr.no	Name/Address and MIS Code of ITI	Trade/units affiliated as per NCVT MIS Portal	Brief of Matter as	27 th SCAA decision
(1)	(2)	(3)	(4)	(5)
			given address of the ITI. d) ITI staff did not allowed the inspection of the ITI. 6. The ITI has submitted its letter dated 09.06.2025 in which it has been informed that the ITI will not be able to do the inspection till the Hon'ble Court decision came, therefore requested to not to send any officials for inspection. 7. The matter of the ITI was discussed in 9th SSDEC meeting held on 17.09.2025 and the SSDEC recommended de-affiliation of the ITI due to shifting without approval of DGT. 8. Further, the matter was discussed in the 25th SCAA Meeting and ITI was given an opportunity to show cause why it should not be de-affiliated, within 21 days from the date of issuance of the minutes. However, no reply was received within the prescribed time period.	4. The ITI failed to avail the opportunity and did not submit any reply or representation within the stipulated time. Accordingly, based on the facts on record, the ITI has shifted without prior approval of DGT, in violation of Clause 3.5 of the Affiliation Norms, 2018; therefore, the ITI is hereby de-affiliated.
6	Azad Pvt Industrial Training Institute,	1. Electrician-2(1+1) 2. Health Sanitary	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 14.01.2025.	1. The matter was deliberated in the SCAA meeting, whereupon it was decided to conduct a joint inspection of the ITI to verify whether it is functioning in accordance with the prescribed norms.

Signature Not Verified
UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified
SHRAMEEV SHARMA
12.45 13.04.2026

Sr.no	Name/Address and MIS Code of ITI	Trade/units affiliated as per NCVT MIS Portal	Brief of Matter as	27 th SCAA decision
(1)	(2)	(3)	(4)	(5)
	Address: M.Post-Chithwari , Chomu , Jaipur , Rajasthan-303805 MIS Code: PR08001812	Inspector-2(1+1)	3. The ITI replied to the SCN on 22.01.2025 4. Further, a joint inspection was conducted on 25.06.2025 5. Accordingly, in compliance to 7th SSDEC decision, the joint inspection of the ITI was conducted on 25.06.2025. During the inspection the following were observed: a) ITI location was different from NCVT MIS portal location. b) ITI refused for Inspection. 6. The ITI, vide its letter dated 25.06.2025, informed that as per the State Level Private ITI Association (Rajasthan), it is not possible to conduct the inspection of the institute. 7. The matter of the ITI was discussed in 9th SSDEC meeting held on 17.09.2025 and the SSDEC recommended de-affiliation of the ITI due to shifting without approval of DGT. 7. The 25th SCAA has granted a final opportunity to the ITI to represent itself within 21 days by a way of SCN. 8. The reply to the SCN was received on 15.01.2026.	2. The joint inspection shall cover both the location registered on the NCVT MIS Portal as well as the location claimed by the ITI to be its original place of affiliation. The inspection shall be conducted by the concerned State Directorate in coordination with RDSDE, Rajasthan. The date of inspection shall be mutually decided by the State Directorate in consultation with RDSDE, Rajasthan. 3. During the inspection, the inspecting members shall record the GPS coordinates of both locations and document the exact distance between the two. In the event the ITI is not found at the location registered on the NCVT MIS Portal, the deviation shall be recorded in the inspection report along with photographic and documentary evidence. 4. The inspection report shall be submitted to DGT within one month from the date of issuance of the minutes of this meeting, for consideration in the forthcoming SCAA meeting.

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sr.no	Name/Address and MIS Code of ITI	Trade/units affiliated as per NCVT MIS Portal	Brief of Matter as	27 th SCAA decision
(1)	(2)	(3)	(4)	(5)
			9. In its reply the ITI submitted the following: a) Joint Inspection Scheduled on 25.06.2025- A joint inspection was scheduled on 25.06.2025. However, the same could not be conducted due to an indefinite strike called by the State-level Private ITI Association. The institute did not refuse inspection; rather, the closure was due to circumstances arising out of the association's collective decision. b) Readiness for Future Inspection- The institute reiterates that it is fully prepared to extend complete cooperation for any rescheduled or future inspection and to comply with all applicable norms and guidelines. c) Alleged Mismatch of Institute Location on NCVT MIS Portal- The alleged mismatch of the institute's location on the NCVT MIS portal is unintentional. The institute has been operating from the same premises since its establishment.	

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49Signature Not Verified
NecessBHPAMEV SHARMA
12:45 13.04.2026

Sr.no	Name/Address and MIS Code of ITI	Trade/units affiliated as per NCVT MIS Portal	Brief of Matter as	27 th SCAA decision
(1)	(2)	(3)	(4)	(5)
			corrective action will be taken immediately to rectify any discrepancy on the portal. d) Request for Sympathetic Consideration- In view of the above facts and circumstances, the institute respectfully requests sympathetic consideration and withdrawal of the proposed cancellation of affiliation, in order to safeguard the academic interests and future prospects of the trainees. e) The institute remains committed to full compliance with all prescribed norms and assures continued cooperation with the competent authorities.	
7	Sunrise Moon Private ITI, Address: Khasara No. 828, Gram Kanota, Tehsil Bassi, Dist. Jaipur-303012 MIS Code: U08001698	1. Electrician-6(2+2+2) 2. Health Sanitary Inspector-2(1+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 07.01.2025. 3. Further, a joint inspection was conducted on 26.06.2025 4. Accordingly, in compliance to 7th SSDEC decision, the joint inspection of the ITI was conducted on 26.06.2025. During the inspection the	The matter was deliberated in the SCAA meeting, and the SCAA decided as under, based on the recommendations of the SSDEC: 1. It has been observed that the ITI has been shifted without obtaining prior approval of DGT. 2. In line with the principles of natural justice, the ITI was granted a final opportunity in the 25th SCAA meeting held on 13.11.2025 and

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEV SHARMA
12.45 13.04.2026

Sr.no	Name/Address and MIS Code of ITI	Trade/units affiliated as per NCVT MIS Portal	Brief of Matter as	27 th SCAA decision
(1)	(2)	(3)	(4)	(5)
			following were observed: a) ITI was not found at the given address/Location as per location given on NCVT MIS portal/ Inspection letter. 5. The matter of the ITI was discussed in 9th SSDEC meeting held on 17.09.2025 and the SSDEC recommended de-affiliation of the ITI due to shifting without approval of DGT. 6. Further, the matter was discussed in the 25th SCAA Meeting and ITI was given an opportunity to show cause why it should not be de-affiliated, within 21 days from the date of issuance of the minutes. However, no reply was received within the prescribed time period.	14.11.2025 to submit a show-cause reply, explaining why the ITI should not be de-affiliated, along with any supporting representation, within 21 days from the issuance of the minutes of that meeting. 3. The said communication was issued by DGT to the registered email ID of the institute on 24.12.2025. 4. The ITI failed to avail the opportunity and did not submit any reply or representation within the stipulated time. Accordingly, based on the facts on record, the ITI has shifted without prior approval of DGT, in violation of Clause 3.5 of the Affiliation Norms, 2018; therefore, the ITI is hereby de-affiliated.
8	S.P.D.M. Private Industrial Training Institute, Address: Plot No 4, Nangal Nangal	Electrician-6(2+2+2)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 14.01.2025. 3. Further, a joint inspection was conducted on 23.06.2025	The matter was deliberated in the SCAA meeting, and the SCAA decided as under, based on the recommendations of the SSDEC: 1. It has been observed that the ITI has been shifted without obtaining prior approval of DGT.

Signature Not Verified
UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified
SHRAMEV SHARMA
12.45 13.04.2026

Sr.no	Name/Address and MIS Code of ITI	Trade/units affiliated as per NCVT MIS Portal	Brief of Matter as	27 th SCAA decision
(1)	(2)	(3)	(4)	(5)
	Jaisa Bohra, Jhotwara, Dist.Jaipur Pin-302012 Rajasthan MIS Code - PU08001596		4. Accordingly, in compliance to 7th SSDEC decision, the joint inspection of the ITI was conducted on 23.06.2025. During the inspection the following were observed: a) No ITI was found on the given location except sign board indicating name of the ITI b) A hotel was found to be operating at the address provided for the ITI. 5. The matter of the ITI was discussed in 9th SSDEC meeting held on 17.09.2025 and the SSDEC recommended de-affiliation of the ITI due to shifting without approval of DGT. 6. Further, the matter was discussed in the 25th SCAA Meeting and ITI was given an opportunity to show cause why it should not be de-affiliated, within 21 days from the date of issuance of the minutes. However, no reply was received within the prescribed time period.	2. In line with the principles of natural justice, the ITI was granted a final opportunity in the 25th SCAA meeting held on 13.11.2025 and 14.11.2025 to submit a show-cause reply, explaining why the ITI should not be de-affiliated, along with any supporting representation, within 21 days from the issuance of the minutes of that meeting. 3. The said communication was issued by DGT to the registered email ID of the institute on 24.12.2025. 4. The ITI failed to avail the opportunity and did not submit any reply or representation within the stipulated time. Accordingly, based on the facts on record, the ITI has shifted without prior approval of DGT, in violation of Clause 3.5 of the Affiliation Norms, 2018; therefore, the ITI is hereby de-affiliated.
9	Veer Teja Private Industrial Training	Electrician-10(4+3+3)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.	The matter was deliberated in the SCAA meeting, and the SCAA decided as under, based on the recommendations of the SSDEC:

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sr.no	Name/Address and MIS Code of ITI	Trade/units affiliated as per NCVT MIS Portal	Brief of Matter as	27 th SCAA decision
(1)	(2)	(3)	(4)	(5)
	Institute, Address: Bhatta Churaha, Kucharran Road, Choti Khattu, Dist.Nagaur Pin-341302 Rajasthan MIS Code: PR08000182		2. SCN was issued to the ITI by the State on 03.01.2025. 3. The ITI replied to the SCN on 24.01.2025. 4. Further, a joint inspection was conducted on 27.06.2025 5. Accordingly, in compliance to 7th SSDEC decision, the joint inspection of the ITI was conducted on 27.06.2025. During the inspection the following were observed: a) The ITI was not found at the location specified on the NCVT MIS portal. 6. The ITI, vide its letter dated 25.06.2025 submitted that the ITI is not ready for inspection as the ITI has been closed due to strike from 2nd May 2025 due to which the ITI was not prepared for inspection and also busy in admissions. Hence ITI requested to conduct the inspection of the ITI with other 120 ITIs inspections. 7. The matter of the ITI was discussed in 9th SSDEC meeting held on 17.09.2025 and the SSDEC recommended de-affiliation of the ITI due to shifting without approval of DGT.	1. It has been observed that the ITI has been shifted without obtaining prior approval of DGT. 2. In line with the principles of natural justice, the ITI was granted a final opportunity in the 25th SCAA meeting held on 13.11.2025 and 14.11.2025 to submit a show-cause reply, explaining why the ITI should not be de-affiliated, along with any supporting representation, within 21 days from the issuance of the minutes of that meeting. 3. The said communication was issued by DGT to the registered email ID of the institute on 24.12.2025. 4. The ITI failed to avail the opportunity and did not submit any reply or representation within the stipulated time. Accordingly, based on the facts on record, the ITI has shifted without prior approval of DGT, in violation of Clause 3.5 of the Affiliation Norms, 2018; therefore, the ITI is hereby de-affiliated.

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sr.no	Name/Address and MIS Code of ITI	Trade/units affiliated as per NCVT MIS Portal	Brief of Matter as	27 th SCAA decision
(1)	(2)	(3)	(4)	(5)
			8. Further, the matter was discussed in the 25th SCAA Meeting and ITI was given an opportunity to show cause why it should not be de-affiliated, within 21 days from the date of issuance of the minutes. However, no reply was received within the prescribed time period.	
10	M.D. Private Industrial Training Address: Institute, Near Katputali Mandir, Jagina Gate, Bharatpur-321001 MIS Code: PR08000434	1. Electrician- 2(1+1) 2. Fitter- 2(1+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 03.01.2025. 3. The ITI replied to the SCN on 23.01.2025. 4. Further, a joint inspection was conducted on 27.06.2025 5. Accordingly, in compliance to 7th SSDEC decision, the joint inspection of the ITI was conducted on 27.06.2025. During the inspection the following were observed: a) The ITI was not found as per the given address. 6. The matter of the ITI was discussed in 9th SSDEC meeting held on 17.09.2025 and the SSDEC recommended de-affiliation of the ITI	The matter was deliberated in the SCAA meeting, and the SCAA decided as under, based on the recommendations of the SSDEC: 1. It has been observed that the ITI has been shifted without obtaining prior approval of DGT. 2. In line with the principles of natural justice, the ITI was granted a final opportunity in the 25th SCAA meeting held on 13.11.2025 and 14.11.2025 to submit a show-cause reply, explaining why the ITI should not be de-affiliated, along with any supporting representation, within 21 days from the issuance of the minutes of that meeting. 3. The said communication was issued by DGT to the registered email ID of the institute on 24.12.2025.

Signature Not Verified
UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified
SHRAMEEV SHARMA
12.45 13.04.2026

Sr.no	Name/Address and MIS Code of ITI	Trade/units affiliated as per NCVT MIS Portal	Brief of Matter as	27 th SCAA decision
(1)	(2)	(3)	(4)	(5)
			due to shifting without approval of DGT. 7. Further, the matter was discussed in the 25th SCAA Meeting and ITI was given an opportunity to show cause why it should not be de-affiliated, within 21 days from the date of issuance of the minutes. However, no reply was received within the prescribed time period.	4. The ITI failed to avail the opportunity and did not submit any reply or representation within the stipulated time. Accordingly, based on the facts on record, the ITI has shifted without prior approval of DGT, in violation of Clause 3.5 of the Affiliation Norms, 2018; therefore, the ITI is hereby de-affiliated.
11	Balaji Pvt. Industrial Training Institute, Address: Vpo-Pratapgarh, Tehsilthanagazi, Distt.- Alwar MIS Code: PR08001474	Electrician-12(4+4+4)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 07.01.2025. 3. The ITI replied to the SCN on 27.01.2025. 4. Further, a joint inspection was conducted on 28.07.2025 5. Accordingly, in compliance to 7th SSDEC decision, the joint inspection of the ITI was conducted on 28.07.2025. During the inspection the following were	The matter was deliberated in the SCAA meeting, and the SCAA decided as under, based on the recommendations of the SSDEC: 1. It has been observed that the ITI has been shifted without obtaining prior approval of DGT. 2. In line with the principles of natural justice, the ITI was granted a final opportunity in the 25th SCAA meeting held on 13.11.2025 and 14.11.2025 to submit a show-cause reply, explaining why the ITI should not be de-affiliated, along with any supporting

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEV SHARMA
12:45 13.04.2026

Sr.no	Name/Address and MIS Code of ITI	Trade/units affiliated as per NCVT MIS Portal	Brief of Matter as	27 th SCAA decision
(1)	(2)	(3)	(4)	(5)
			a) The Latitude and longitude of the ITI are different from NCVT MIS Portal. b) Expect principal no staff were available. c) Shortage of major machineries, tools and equipment were found short and also, they were not in working condition. d) School was running in the same building. e) The ITI did not adhere to the civil infrastructure norms prescribed by DGT. 6. The matter of the ITI was discussed in 9th SSDEC meeting held on 17.09.2025 and the SSDEC recommended de-affiliation of the ITI due to shifting without approval of DGT. 7. Further, the matter was discussed in the 25th SCAA Meeting and ITI was given an opportunity to show cause why it should not be de-affiliated, within 21 days from the date of issuance of the minutes. However, no reply was received within the prescribed time period.	representation, within 21 days from the issuance of the minutes of that meeting. 3. The said communication was issued by DGT to the registered email ID of the institute on 24.12.2025. 4. The ITI failed to avail the opportunity and did not submit any reply or representation within the stipulated time. Accordingly, based on the facts on record, the ITI has shifted without prior approval of DGT, in violation of Clause 3.5 of the Affiliation Norms, 2018; therefore, the ITI is hereby de-affiliated.

Signature Not Verified
 UJJWAL BISWAS
 13.04.2026 15:49

Signature Not Verified
 SHRAMEEV SHARMA
 12:45 13.04.2026

Sr.no	Name/Address and MIS Code of ITI	Trade/units affiliated as per NCVT MIS Portal	Brief of Matter as	27 th SCAA decision
(1)	(2)	(3)	(4)	(5)
12	R.N.T. Private Industrial Training Institute Address: Bajrang Colony, Bari Dhaulpur MIS Code: PR08000123	1. Electrician-2(1+1) 2. Mechanic Diesel 2(1+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 03.01.2025. 3. The ITI replied to the SCN on 27.01.2025. 4. Further, a joint inspection was conducted on 29.07.2025 5. Accordingly, in compliance to 7th SSDEC decision, the joint inspection of the ITI was conducted on 29.07.2025. During the inspection the following were observed: a) ITI was not found at the given address/Location as per location given on NCVT MIS portal/ Inspection letter. 6. The matter of the ITI was discussed in 9th SSDEC meeting held on 17.09.2025 and the SSDEC recommended de-affiliation of the ITI due to shifting without approval of DGT. 7. The 25th SCAA has granted a final opportunity to the ITI to represent itself within 21 days by a way of SCN. 8. The reply to the SCN was received on 31.12.2025.	1. The matter was deliberated in the SCAA meeting, whereupon it was decided to conduct a joint inspection of the ITI to verify whether it is functioning in accordance with the prescribed norms. 2. The joint inspection shall cover both the location registered on the NCVT MIS Portal as well as the location claimed by the ITI to be its original place of affiliation. The inspection shall be conducted by the concerned State Directorate in coordination with RDSDE, Rajasthan. The date of inspection shall be mutually decided by the State Directorate in consultation with RDSDE, Rajasthan. 3. During the inspection, the inspecting members shall record the GPS coordinates of both locations and document the exact distance between the two. In the event the ITI is not found at the location registered on the NCVT MIS Portal, the deviation shall be recorded in the inspection report along with photographic and documentary evidence. 4. The inspection report shall be submitted to DGT within one month from the date of issuance of the minutes of this meeting, for consideration in the forthcoming SCAA meeting.

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sr.no	Name/Address and MIS Code of ITI	Trade/units affiliated as per NCVT MIS Portal	Brief of Matter as	27 th SCAA decision
(1)	(2)	(3)	(4)	(5)
			9. In its reply the ITI submitted the following: a) The institute was granted affiliation by DGT in the year 2003. It is presently functioning at the same approved location (Badi, Bhilwara, Rajasthan) which is mentioned in the original affiliation order. The institute continues to operate from its duly approved and recognized premises. b) During the surprise inspection conducted by the State Directorate on 24.12.2024, the inspection team reached approximately 200–300 meters away from the actual institute location (at some other company's head office / different site). The institute was wrongly marked as non-existing / not found due to this location mismatch. The institute strongly asserts that it is functioning at the correct, DGT-approved location as per records c) Geolocation & NCVT MIS Portal Details- In 2015, DGT had conducted geo-tagging of the	

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sr.no	Name/Address and MIS Code of ITI	Trade/units affiliated as per NCVT MIS Portal	Brief of Matter as	27 th SCAA decision
(1)	(2)	(3)	(4)	(5)
			institute. The coordinates recorded were: Latitude: 26.6298 Longitude: 77.6366 These details are still available and updated on the NCVT MIS Portal (as on 29.08.2015 and later). The institute continues to operate from the same approved and geo-tagged location. d) The institute is fully functional at its original, DGT-approved, and geo-tagged location. The inspection observation appears to be based on a location error. The institute requests withdrawal of the show cause notice and continuation/restoration of its affiliation.	
13	Baba R.D. Rawat Private Industrial Training Institute, Address: Bari By Pass Road In Front Of Kotwali, Bari, Dist. Pholpur-328021	Electrician – 6(2+2+2)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 03.01.2025. 3. The ITI replied to the SCN on 27.01.2025. 4. Further, a joint inspection was conducted on 29.07.2025	1. The matter was deliberated in the SCAA meeting, whereupon it was decided to conduct a joint inspection of the ITI to verify whether it is functioning in accordance with the prescribed norms. 2. The joint inspection shall cover both the location registered on the NCVT MIS Portal as well as the location claimed by the ITI to be its original place of affiliation. The inspection shall be conducted by the

Signature Not Verified
UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified
SHRAMEEV SHARMA
12.45 13.04.2026

Sr.no	Name/Address and MIS Code of ITI	Trade/units affiliated as per NCVT MIS Portal	Brief of Matter as	27 th SCAA decision
(1)	(2)	(3)	(4)	(5)
	MIS Code: PR08000281		5. Accordingly, in compliance to 7th SSDEC decision, the joint inspection of the ITI was conducted on 29.07.2025. During the inspection the following were observed: a) ITI was not found at the given address/Location as per location given on NCVT MIS portal/ Inspection letter. 6. The matter of the ITI was discussed in 9th SSDEC meeting held on 17.09.2025 and the SSDEC recommended de-affiliation of the ITI due to shifting without approval of DGT. 7. The 25th SCAA has granted a final opportunity to the ITI to represent itself within 21 days by a way of SCN. 8. The reply to the SCN was received on 31.12.2025. 9. In its reply the ITI submitted the following: a) The institute has requested continuation of its affiliation and submitted the requisite clarification. b) It has stated that it was affiliated by DGT in 2013 and is situated at Bari By Pass Road, in front of Kotw	concerned State Directorate in coordination with RDSDE, Rajasthan. The date of inspection shall be mutually decided by the State Directorate in consultation with RDSDE, Rajasthan. 3. During the inspection, the inspecting members shall record the GPS coordinates of both locations and document the exact distance between the two. In the event the ITI is not found at the location registered on the NCVT MIS Portal, the deviation shall be recorded in the inspection report along with photographic and documentary evidence. 4. The inspection report shall be submitted to DGT within one month from the date of issuance of the minutes of this meeting, for consideration in the forthcoming SCAA meeting.

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sr.no	Name/Address and MIS Code of ITI	Trade/units affiliated as per NCVT MIS Portal	Brief of Matter as	27 th SCAA decision
(1)	(2)	(3)	(4)	(5)
			Bari, Dholpur (copy of affiliation enclosed), and has been operating from the same premises since the grant of affiliation. c) The institute has further submitted that geo-tagging was completed in 2015 (Latitude: 26.6213; Longitude: 77.6108) and the details were uploaded on the NCVT MIS portal on 25.08.2015, and that there has been no change in its location. d) It has also affirmed that it is complying with the norms and standards prescribed by DGT, that regular maintenance and upkeep of the premises are carried out to ensure quality training, and has assured continued adherence to the prescribed norms in future.	
14	Shri Dama Ram Memorial Private Industrial Training Institute Address: Khimsar, Dist. Nagour - 341025	Electrician-6(2+2+2)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 04.01.2025. 3. The ITI replied to the SCN on 24.01.2025. 4. Further, a joint inspection was conducted on 31.07.2025	The matter was deliberated in the SCAA meeting, and the SCAA decided as under, based on the recommendations of the SSDEC: 1. It has been observed that the ITI has been shifted without obtaining prior approval of DGT.

Signature Not Verified
UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified
SHRAMEEV SHARMA
12.45 13.04.2026

Sr.no	Name/Address and MIS Code of ITI	Trade/units affiliated as per NCVT MIS Portal	Brief of Matter as	27 th SCAA decision
(1)	(2)	(3)	(4)	(5)
	MIS Code - PR08000336		5. Accordingly, in compliance to 7th SSDEC decision, the joint inspection of the ITI was conducted on 31.07.2025. During the inspection the following were observed: a) Institute is not found /Closed at given location. 6. The matter of the ITI was discussed in 9th SSDEC meeting held on 17.09.2025 and the SSDEC recommended de-affiliation of the ITI due to shifting without approval of DGT. 7. Further, the matter was discussed in the 25th SCAA Meeting and ITI was given an opportunity to show cause why it should not be de-affiliated, within 21 days from the date of issuance of the minutes. However, no reply was received within the prescribed time period.	2. In line with the principles of natural justice, the ITI was granted a final opportunity in the 25th SCAA meeting held on 13.11.2025 and 14.11.2025 to submit a show-cause reply, explaining why the ITI should not be de-affiliated, along with any supporting representation, within 21 days from the issuance of the minutes of that meeting. 3. The said communication was issued by DGT to the registered email ID of the institute on 24.12.2025. 4. The ITI failed to avail the opportunity and did not submit any reply or representation within the stipulated time. Accordingly, based on the facts on record, the ITI has shifted without prior approval of DGT, in violation of Clause 3.5 of the Affiliation Norms, 2018; therefore, the ITI is hereby de-affiliated.
15	Shri Dariyav Private Industrial Training Institute	Electrician - 6 (2+2+2)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.	The matter was deliberated in the SCAA meeting, and the SCAA decided as under, based on the recommendations of the SSDEC:

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEV SHARMA
12:45 13.04.2026

Sr.no	Name/Address and MIS Code of ITI	Trade/units affiliated as per NCVT MIS Portal	Brief of Matter as	27 th SCAA decision
(1)	(2)	(3)	(4)	(5)
	Address: At.K.No.56, Village Gogelav, Teh.&Dist.Nagaur MIS Code: PR08000830		2. SCN was issued to the ITI by the State on 04.01.2025. 3. Further, a joint inspection was conducted on 14.07.2025 4. Accordingly, in compliance to 7th SSDEC decision, the joint inspection of the ITI was conducted on 14.07.2025. During the inspection the following were observed: a) ITI, does not exist at the location as per the location mentioned on NCVT MIS portal b) Other college was running in that building and location. 5. The matter of the ITI was discussed in 9th SSDEC meeting held on 17.09.2025 and the SSDEC recommended de-affiliation of the ITI due to shifting without approval of DGT. 6. Further, the matter was discussed in the 25th SCAA Meeting and ITI was given an opportunity to show cause why it should not be de-affiliated, within 21 days from the date of issuance of the minutes. However, no reply was received within the prescribed time period.	1. It has been observed that the ITI has been shifted without obtaining prior approval of DGT. 2. In line with the principles of natural justice, the ITI was granted a final opportunity in the 25th SCAA meeting held on 13.11.2025 and 14.11.2025 to submit a show-cause reply, explaining why the ITI should not be de-affiliated, along with any supporting representation, within 21 days from the issuance of the minutes of that meeting. 3. The said communication was issued by DGT to the registered email ID of the institute on 24.12.2025. 4. The ITI failed to avail the opportunity and did not submit any reply or representation within the stipulated time. Accordingly, based on the facts on record, the ITI has shifted without prior approval of DGT, in violation of Clause 3.5 of the Affiliation Norms, 2018; therefore, the ITI is hereby de-affiliated.

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sr.no	Name/Address and MIS Code of ITI	Trade/units affiliated as per NCVT MIS Portal	Brief of Matter as	27 th SCAA decision
(1)	(2)	(3)	(4)	(5)
16	Shri Balaji Private Industrial Training Institute Tausar Road, Dist.-Nagaur Rajasthan Mis Code: PR08000160	Electrician - 3 (1+1+1)	- Irregularities observed during initial Inspection conducted by State official on 24.12.2024. - SCN was issued to the ITI by the State on 04.01.2025. - The ITI replied to the SCN on 21.01.2025. - Further, a joint inspection was conducted on 15.07.2025 - Accordingly, in compliance to 7th SSDEC decision, the joint inspection of the ITI was conducted on 15.07.2025. During the inspection the following were observed: a) ITI, does not exist at the location as per the location mentioned on NCVT MIS portal. b) The building was found collapsed. - The matter of the ITI was discussed in 9th SSDEC meeting held on 17.09.2025 and the SSDEC recommended de-affiliation of the ITI due to shifting without approval of DGT. - Further, the matter was discussed in the 25th SCAA Meeting and ITI was given an opportunity to show cause why it should not be de-affiliated, with	The matter was deliberated in the SCAA meeting, and the SCAA decided as under, based on the recommendations of the SSDEC: - It has been observed that the ITI has been shifted without obtaining prior approval of DGT. - In line with the principles of natural justice, the ITI was granted a final opportunity in the 25th SCAA meeting held on 13.11.2025 and 14.11.2025 to submit a show-cause reply, explaining why the ITI should not be de-affiliated, along with any supporting representation, within 21 days from the issuance of the minutes of that meeting. - The said communication was issued by DGT to the registered email ID of the institute on 24.12.2025. - The ITI failed to avail the opportunity and did not submit any reply or representation within the stipulated time. Accordingly, based on the facts on record, the ITI has shifted without prior approval of DGT, in violation of

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sr.no	Name/Address and MIS Code of ITI	Trade/units affiliated as per NCVT MIS Portal	Brief of Matter as	27 th SCAA decision
(1)	(2)	(3)	(4)	(5)
			days from the date of issuance of the minutes. However, no reply was received within the prescribed time period.	Clause 3.5 of the Affiliation Norms, 2018; therefore, the ITI is hereby de-affiliated.
17	New Deshraj Navjeevan Private Industrial Training Institute, Address - Tehsil. Newai, Dist. Tonk Rajasthan-304021 MIS Code- PR08000481	Electrician 12(4+4+4)	- Irregularities observed during initial Inspection conducted by State official on 24.12.2024. - SCN was issued to the ITI by the State on 04.01.2025. - The ITI replied to the SCN on 20.01.2025. - Further, a joint inspection was conducted on 16.07.2025 - Accordingly, in compliance to 7th SSDEC decision, the joint inspection of the ITI was conducted on 16.07.2025. During the inspection the following were observed: a) ITI NOT Found at DGT Affiliated Place - The matter of the ITI was discussed in 9th SSDEC meeting held on 17.09.2025 and the SSDEC recommended de-affiliation of the ITI due to shifting without approval of DGT. - Further, the matter was discussed in the 25th SCAA Meeting and ITI was given	The matter was deliberated in the SCAA meeting, and the SCAA decided as under, based on the recommendations of the SSDEC: - It has been observed that the ITI has been shifted without obtaining prior approval of DGT. - In line with the principles of natural justice, the ITI was granted a final opportunity in the 25th SCAA meeting held on 13.11.2025 and 14.11.2025 to submit a show-cause reply, explaining why the ITI should not be de-affiliated, along with any supporting representation, within 21 days from the issuance of the minutes of that meeting. - The said communication was issued by DGT to the registered email ID of the institute on 24.12.2025. - The ITI failed to avail the opportunity and did not submit any reply or representation within the stipulated time.

Signature Not Verified
UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified
SHRAMEEV SHARMA
12.45 13.04.2026

Sr.no	Name/Address and MIS Code of ITI	Trade/units affiliated as per NCVT MIS Portal	Brief of Matter as	27 th SCAA decision
(1)	(2)	(3)	(4)	(5)
			an opportunity to show cause why it should not be de-affiliated, within 21 days from the date of issuance of the minutes. However, no reply was received within the prescribed time period.	Accordingly, based on the facts on record, the ITI has shifted without prior approval of DGT, in violation of Clause 3.5 of the Affiliation Norms, 2018; therefore, the ITI is hereby de-affiliated.
18	Balaji Private Industrial Training Institute, Address -At. Banstali More Roopwas, Newai, Dist.Tonk Rajasthan MIS Code: PR08000781	Electrician 9(3+3+3)	- Irregularities observed during initial Inspection conducted by State official on 24.12.2024. - SCN was issued to the ITI by the State on 04.01.2025. - The ITI replied to the SCN on 20.01.2025. - Further, a joint inspection was conducted on 16.07.2025 - Accordingly, in compliance to 7th SSDEC decision, the joint inspection of the ITI was conducted on 16.07.2025. During the inspection the following were observed: a) ITI NOT Found at DGT Affiliated Place - The matter of the ITI was discussed in 9th SSDEC meeting held	- The matter was deliberated in the SCAA meeting, whereupon it was decided to conduct a joint inspection of the ITI to verify whether it is functioning in accordance with the prescribed norms. - The joint inspection shall cover both the location registered on the NCVT MIS Portal as well as the location claimed by the ITI to be its original place of affiliation. The inspection shall be conducted by the concerned State Directorate in coordination with RDSDE, Rajasthan. The date of inspection shall be mutually decided by the State Directorate in consultation with RDSDE, Rajasthan. - During the inspection, the inspecting members shall record the GPS coordinates of both locations and document the exact distance between the two. In the event the ITI is not found at the location registered on the NCVT MIS Portal, the deviation shall be recorded

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEY SHARMA
12:45 13.04.2026

Sr.no	Name/Address and MIS Code of ITI	Trade/units affiliated as per NCVT MIS Portal	Brief of Matter as	27 th SCAA decision
(1)	(2)	(3)	(4)	(5)
			17.09.2025 and the SSDEC recommended de-affiliation of the ITI due to shifting without approval of DGT. 4. The inspection report shall be submitted to DGT within one month from the date of issuance of the minutes of this meeting, for consideration in the forthcoming SCAA meeting. 7. Further, the matter was discussed in the 25th SCAA Meeting and ITI was given an opportunity to show cause why it should not be de-affiliated, within 21 days from the date of issuance of the minutes. However, no reply was received within the prescribed time period. 8. The ITI did not avail the opportunity granted by 25th SCAA meeting . 9. Further, the ITI was a petitioner in S.B. Civil Writ Petition No. 16381/2025 (L.B.S. Private Industrial Training Institute) and 36 connected matters, which were disposed of by the Hon'ble Court on 23.01.2026. The Hon'ble Court directed the petitioner ITIs to submit representations within two weeks, following which DGT was to conduct joint inspections with the State authorities and take a decision on de-affiliation within a stipulated timeline. It is pertinent to mention that a show cause notice had already been issued	in the inspection report along with photographic and documentary evidence. 4. The inspection report shall be submitted to DGT within one month from the date of issuance of the minutes of this meeting, for consideration in the forthcoming SCAA meeting.

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

BHPAMEV SHARMA
12:45 13.04.2026

Sr.no	Name/Address and MIS Code of ITI	Trade/units affiliated as per NCVT MIS Portal	Brief of Matter as	27 th SCAA decision
(1)	(2)	(3)	(4)	(5)
			the ITIs vide the Minutes of the 25th SCAA Meeting dated 23.12.2025, prior to the Court's directions. Accordingly, in compliance with the principles of natural justice and the directions of the Hon'ble Court, fresh show cause notices were issued to all petitioner institutes on 05.02.2026, based on the remarks of the Inspection Team and the recommendations of the SSDEC.	
19	Shivalik Private ITI, Address: Plot No. 1, New Chandlai Nagar Extn. Tehsil Chaksu, Dist.Jaipur MIS Code - PU08001416	Electrician - 6(2+2+2)	- Irregularities observed during initial Inspection conducted by State official on 24.12.2024. - SCN was issued to the ITI by the State on 07.01.2025. - The ITI replied to the SCN on 16.01.2025. - Further, a joint inspection was conducted on 10.09.2025 - Accordingly, the joint inspection of the ITI was conducted on 10.09.2025. During the inspection the following were observed: - No ITI Found on the Location - No ITI representative were available on the day of inspection.	- The matter was deliberated in the SCAA meeting, whereupon it was decided to conduct a joint inspection of the ITI to verify whether it is functioning in accordance with the prescribed norms. - The joint inspection shall cover both the location registered on the NCVT MIS Portal as well as the location claimed by the ITI to be its original place of affiliation. The inspection shall be conducted by the concerned State Directorate in coordination with RDSDE, Rajasthan. The date of inspection shall be mutually decided by the State Directorate in consultation with RDSDE, Rajasthan. - During the inspection, the inspecting members shall record the GPS coordinates of both locations and document the exact distance between the two. In the event the ITI is not found at the location registered on

Signature Not Verified
UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified
SHRAMESH VERMA
13.04.2026 17:45

Sr.no	Name/Address and MIS Code of ITI	Trade/units affiliated as per NCVT MIS Portal	Brief of Matter as	27 th SCAA decision
(1)	(2)	(3)	(4)	(5)
			8. Other activity was found on the ITI address. 9. The matter of the ITI was discussed in the 10th SSDEC meeting held on 23.09.2025 and the SSDEC recommended de-affiliation of the ITI due to shifting without approval of DGT. 10. The 25th SCAA has granted a final opportunity to the ITI to represent itself within 21 days by a way of SCN. 11. The reply to the SCN was received on 08.01.2026. 12. In its reply the ITI submitted the following: a) The inspecting team reported that the institute is not at its notified location. Clarification: This observation is incorrect. The institute has been continuously operating at the same notified location (Plot No.1, Chandlai Nagar, Chandlai Road,	the NCVT MIS Portal, the deviation shall be recorded in the inspection report along with photographic and documentary evidence. 4. The inspection report shall be submitted to DGT within one month from the date of issuance of the minutes of this meeting, for consideration in the forthcoming SCAA meeting.

Signature Not Verified
 UJJWAL BISWAS
 13.04.2026 15:49

Signature Not Verified
 SHRAMEV SHARMA
 12:45 13.04.2026

Sr.no	Name/Address and MIS Code of ITI	Trade/units affiliated as per NCVT MIS Portal	Brief of Matter as	27 th SCAA decision
(1)	(2)	(3)	(4)	(5)
			Shivdaspora, Jaipur, Rajasthan) for the past 10 years. b) Practical Exams & Other Activities The team noted that Rajkiya Audyogik Prashikshan Sansthan (Fazil Nagar, Jaipur) is conducting practical exams at the same location. Clarification: This is a misunderstanding. Our institute has been independently conducting its own practical exams and regular activities. Periodic inspections by competent authorities (including Nodal Officer, Jaipur) have been carried out at our premises without any adverse remark on location. c) Other Activities & Operations The team stated that no other activities are being conducted at the institute. Clarification: The institute is fully operational with regular training activities. All NCCT-affiliated trades are being conducted as per norms. d) NCVT Exam – December 2025 The institute successfully	

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sr.no	Name/Address and MIS Code of ITI	Trade/units affiliated as per NCVT MIS Portal	Brief of Matter as	27 th SCAA decision
(1)	(2)	(3)	(4)	(5)
			conducted the NCVT examination in December 2025 at our premises. Clarification: This clearly proves the institute is active, functional, and located at the notified address. Prayer: • Kindly arrange a fresh/re-inspection of the institute at the earliest to verify the facts on ground. • Grant permission for admissions and operations for the session 2025-26 immediately upon satisfactory verification. • Drop any adverse recommendations arising from the previous inspections based on the above clarifications and ongoing functionality. • All supporting documents (previous inspection reports, exam conduct proof, photographs of premises, etc.) can be provided upon request. 13. The ITI has attached the following with its reply :	

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEY CHARMA
12:45 13.04.2026

Sr.no	Name/Address and MIS Code of ITI	Trade/units affiliated as per NCVT MIS Portal	Brief of Matter as	27 th SCAA decision
(1)	(2)	(3)	(4)	(5)
			1. The Hon'ble court justice order dated 09.04.2021 and requested not to pass any adverse against the ITI failing which the institute would be free to challenge this order by the way of WPC in Hon'ble Rajasthan High Court.	
20	Shri Shyam Private Industrial Training Institute, Address: Paota Tehsil Kotputli, Dist. Jaipur - 303106 MIS code: PR08000305	Electrician - 6(2+2+2)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 07.01.2025. 3. The ITI replied to the SCN on 16.01.2025. 4. Further, a joint inspection was conducted on 10.09.2025 5. Accordingly, the joint inspection of the ITI was conducted on 10.09.2025. During the inspection the following were observed: a) The coordinates of the ITI location mentioned in the MIS portal are significantly different from the current location of the ITI, and no document has been found regarding the shifting of the building.	1. The matter was deliberated in the SCAA meeting, whereupon it was decided to conduct a joint inspection of the ITI to verify whether it is functioning in accordance with the prescribed norms. 2. The joint inspection shall cover both the location registered on the NCVT MIS Portal as well as the location claimed by the ITI to be its original place of affiliation. The inspection shall be conducted by the concerned State Directorate in coordination with RDSDE, Rajasthan. The date of inspection shall be mutually decided by the State Directorate in consultation with RDSDE, Rajasthan. 3. During the inspection, the inspecting members shall record the GPS coordinates of both locations and document the exact distance between the two. In the event the ITI is not found at the location registered on the NCVT MIS Portal, the deviation shall be recorded in the inspection report along with photographic and documentary evidence.

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEV SHARMA
12:45 13.04.2026

Sr.no	Name/Address and MIS Code of ITI	Trade/units affiliated as per NCVT MIS Portal	Brief of Matter as	27 th SCAA decision
(1)	(2)	(3)	(4)	(5)
			b) Annexure 111 file along with supporting documents was not given on the day of inspection. c) The machinery in the electrician's lab was not as per norms. d) Lease deed and Site plan were not matched. e) The ITI submitted vide its letter dated 10.09.2025 that due to some reasons the iTI was unable to show the documents during inspection, therefore requested to postponed the inspection till further dates. 6. The matter of the ITI was discussed in the 10th SSDEC meeting held on 23.09.2025 and the SSDEC recommended de-affiliation of the ITI due to shifting without approval of DGT. 7. Further, the matter was discussed in the 25th SCAA Meeting and ITI was given an opportunity to show cause why it should not be de-affiliated, within 21 days from the date of issuance of the minutes. However, no reply was received within the prescribed time period.	4. The inspection report shall be submitted to DGT within one month from the date of issuance of the minutes of this meeting, for consideration in the forthcoming SCAA meeting.

Signature Not Verified

 UJJWAL BISWAS
 13.04.2026 15:49

Signature Not Verified

 SHRAMEV SHARMA
 12:45 13.04.2026

Sr.no	Name/Address and MIS Code of ITI	Trade/units affiliated as per NCVT MIS Portal	Brief of Matter as	27 th SCAA decision
(1)	(2)	(3)	(4)	(5)
			8. Further, the ITI was a petitioner in S.B. Civil Writ Petition No. 16381/2025 (L.B.S. Private Industrial Training Institute) and 36 connected matters, which were disposed of by the Hon'ble Court on 23.01.2026. The Hon'ble Court directed the petitioner ITIs to submit representations within two weeks, following which DGT was to conduct joint inspections with the State authorities and take a decision on de-affiliation within a stipulated timeline. It is pertinent to mention that a show cause notice had already been issued to the ITIs vide the Minutes of the 25th SCAA Meeting dated 23.12.2025, prior to the Court's directions. Accordingly, in compliance with the principles of natural justice and the directions of the Hon'ble Court, fresh show cause notices were issued to all petitioner institutes on 05.02.2026, based on the remarks of the Inspection Team and the recommendations of the SSDEC.	

Signature Not Verified

 UJJWAL BISWAS
 13.04.2026 15:49

Signature Not Verified

 SHRAMEV SHARMA
 12:45 13.04.2026

Sr.no	Name/Address and MIS Code of ITI	Trade/units affiliated as per NCVT MIS Portal	Brief of Matter as	27 th SCAA decision
(1)	(2)	(3)	(4)	(5)
21.	Agarwal Private Industrial Training Institute, Address - Near Agarwal Dharamshala, Kumher, Bharatpur(Raj)-321001 MIS Code - PR08000904	1. Electrician - 2(1+1) 2. Fitter-2(1+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 03.01.2025. 3. The ITI replied to the SCN on 10.01.2025. 4. Further, a joint inspection was conducted on 05.08.2025 5. Accordingly, the joint inspection of the ITI was conducted on 05.08.2025. During the inspection it was observed that the ITI was not found on affiliated address. 6. The matter of the ITI was discussed in the 10th SSDEC meeting held on 23.09.2025 and the SSDEC recommended de-affiliation of the ITI due to shifting without approval of DGT. 7. Further, the matter was discussed in the 25th SCAA Meeting and ITI was given an opportunity to show cause why it should not be de-affiliated, within 21 days from the date of issuance of the minutes. However, no reply was received within the prescribed time period.	The matter was deliberated in the SCAA meeting, and the SCAA decided as under, based on the recommendations of the SSDEC: 1. It has been observed that the ITI has been shifted without obtaining prior approval of DGT. 2. In line with the principles of natural justice, the ITI was granted a final opportunity in the 25th SCAA meeting held on 13.11.2025 and 14.11.2025 to submit a show-cause reply, explaining why the ITI should not be de-affiliated, along with any supporting representation, within 21 days from the issuance of the minutes of that meeting. 3. The said communication was issued by DGT to the registered email ID of the institute on 24.12.2025. 4. The ITI failed to avail the opportunity and did not submit any reply or representation within the stipulated time. Accordingly, based on the facts on record, the ITI has shifted without prior approval of DGT, in violation of

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sr.no	Name/Address and MIS Code of ITI	Trade/units affiliated as per NCVT MIS Portal	Brief of Matter as	27 th SCAA decision
(1)	(2)	(3)	(4)	(5)
				Clause 3.5 of the Affiliation Norms, 2018; therefore, the ITI is hereby de-affiliated.
22.	Shree Durg Singh Private ITI, Address - Kumher, Dist. Bharatpur-321201 MIS Code - PU08001685	1. Electrician - 2(1+1) 2. Fitter- 3(1+1+1) 3. Health Sanitary Inspector - 1(1+0)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 03.01.2025. 3. The ITI replied to the SCN on 28.01.2025. 4. Further, a joint inspection was conducted on 05.08.2025 5. Accordingly, the joint inspection of the ITI was conducted on 05.08.2025. During the inspection it was observed that the ITI was not found on affiliated address. 6. The matter of the ITI was discussed in the 10th SSDEC meeting held on 23.09.2025 and the SSDEC recommended de-affiliation of the ITI due to shifting without approval of DGT. 7. Further, the matter was discussed in the 25th SCAA Meeting and ITI was given an opportunity to show cause why it should not be de-affiliated, within	The matter was deliberated in the SCAA meeting, and the SCAA decided as under, based on the recommendations of the SSDEC: 1. It has been observed that the ITI has been shifted without obtaining prior approval of DGT. 2. In line with the principles of natural justice, the ITI was granted a final opportunity in the 25th SCAA meeting held on 13.11.2025 and 14.11.2025 to submit a show-cause reply, explaining why the ITI should not be de-affiliated, along with any supporting representation, within 21 days from the issuance of the minutes of that meeting. 3. The said communication was issued by DGT to the registered email ID of the institute on 24.12.2025. 4. The ITI failed to avail the opportunity and did not submit any reply or representation within the stipulated time.

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

RHPAMEV SHARMA
12:45 13.04.2026

Sr.no	Name/Address and MIS Code of ITI	Trade/units affiliated as per NCVT MIS Portal	Brief of Matter as	27 th SCAA decision
(1)	(2)	(3)	(4)	(5)
			days from the date of issuance of the minutes. However, no reply was received within the prescribed time period.	Accordingly, based on the facts on record, the ITI has shifted without prior approval of DGT, in violation of Clause 3.5 of the Affiliation Norms, 2018; therefore, the ITI is hereby de-affiliated.
23.	Arya Bhatt Private Industrial Training Institute, Address - Opposite Gurudawara, Station Road, Bayana (Bharatpur)-321401 MIS Code - PR08000064	1. Electrician - 2(1+1) 2. Fitter-2(1+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 03.01.2025. 3. The ITI replied to the SCN on 23.01.2025. 4. Further, a joint inspection was conducted on 08.09.2025 5. Accordingly, the joint inspection of the ITI was conducted on 08.09.2025. During the inspection it was observed that the ITI was not found on affiliated address. 6. The matter of the ITI was discussed in the 10th SSDEC meeting held on 23.09.2025 and the SSDEC recommended de-affiliation of the ITI due to shifting without approval of DGT.	The matter was deliberated in the SCAA meeting, and the SCAA decided as under, based on the recommendations of the SSDEC: 1. It has been observed that the ITI has been shifted without obtaining prior approval of DGT. 2. In line with the principles of natural justice, the ITI was granted a final opportunity in the 25th SCAA meeting held on 13.11.2025 and 14.11.2025 to submit a show-cause reply, explaining why the ITI should not be de-affiliated, along with any supporting representation, within 21 days from the issuance of the minutes of that meeting. 3. The said communication was issued by DGT to the registered email ID of the institute on 24.12.2025.

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEV SHARMA
12:45 13.04.2026

Sr.no	Name/Address and MIS Code of ITI	Trade/units affiliated as per NCVT MIS Portal	Brief of Matter as	27 th SCAA decision
(1)	(2)	(3)	(4)	(5)
			7. Further, the matter was discussed in the 25th SCAA Meeting and ITI was given an opportunity to show cause why it should not be de-affiliated, within 21 days from the date of issuance of the minutes. However, no reply was received within the prescribed time period.	4. The ITI failed to avail the opportunity and did not submit any reply or representation within the stipulated time. Accordingly, based on the facts on record, the ITI has shifted without prior approval of DGT, in violation of Clause 3.5 of the Affiliation Norms, 2018; therefore, the ITI is hereby de-affiliated.
24.	Vasundara Private Industrial Training Institute, Address - Jagan Colony, Jatmasi Road, Roopbas, Bharatpur-321404 MIS Code - PR08000071	Fitter-1(1+0)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 03.01.2025. 3. Further, a joint inspection was conducted on 08.09.2025 4. Accordingly, the joint inspection of the ITI was conducted on 08.09.2025. During the inspection it was observed that ITI was found closed. 5. The matter of the ITI was discussed in the 10th SSDEC meeting held on 23.09.2025 and the SSDEC recommended de-affiliation of the ITI	The matter was deliberated in the SCAA meeting, and the SCAA decided as under, based on the recommendations of the SSDEC: 1. It has been observed that the ITI has been shifted without obtaining prior approval of DGT. 2. In line with the principles of natural justice, the ITI was granted a final opportunity in the 25th SCAA meeting held on 13.11.2025 and 14.11.2025 to submit a show-cause reply, explaining why the ITI should not be de-affiliated, along with any supporting representation, within 21 days from the issuance of the minutes of that meeting.

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEV SHARMA
12:45 13.04.2026

Sr.no	Name/Address and MIS Code of ITI	Trade/units affiliated as per NCVT MIS Portal	Brief of Matter as	27 th SCAA decision
(1)	(2)	(3)	(4)	(5)
			due to shifting without approval of DGT. 6. Further, the matter was discussed in the 25th SCAA Meeting and ITI was given an opportunity to show cause why it should not be de-affiliated, within 21 days from the date of issuance of the minutes. However, no reply was received within the prescribed time period.	3. The said communication was issued by DGT to the registered email ID of the institute on 24.12.2025. 4. The ITI failed to avail the opportunity and did not submit any reply or representation within the stipulated time. Accordingly, based on the facts on record, the ITI has shifted without prior approval of DGT, in violation of Clause 3.5 of the Affiliation Norms, 2018; therefore, the ITI is hereby de-affiliated.
25.	New Maa Bhagwati Pvt. ITI, Address - Ayodhya Nagar Dausa MIS Code - PU08001907	Electrician-3(2+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 07.01.2025. 3. The ITI replied to the SCN on 29.01.2025. 4. Further, a joint inspection was conducted on 08.08.2025 5. Accordingly, the joint inspection of the ITI was conducted on 08.08.2025. During the inspection the following were observed:	The matter was deliberated in the SCAA meeting, and the SCAA decided as under, based on the recommendations of the SSDEC: 1. It has been observed that the ITI has been shifted without obtaining prior approval of DGT. 2. In line with the principles of natural justice, the ITI was granted a final opportunity in the 25th SCAA meeting held on 13.11.2025 and 14.11.2025 to submit a show-cause reply, explaining why the ITI should not be de-

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sr.no	Name/Address and MIS Code of ITI	Trade/units affiliated as per NCVT MIS Portal	Brief of Matter as	27 th SCAA decision
(1)	(2)	(3)	(4)	(5)
			a) Fire extinguisher were not found in working condition. b) This ITI is not situated on the coordinate available on the NCVT MIS portal. c) Some machinery items as per syllabus were not available in the Electrician lab. 6. The matter of the ITI was discussed in the 10th SSDEC meeting held on 23.09.2025 and the SSDEC recommended de-affiliation of the ITI due to shifting without approval of DGT. 7. Further, the matter was discussed in the 25th SCAA Meeting and ITI was given an opportunity to show cause why it should not be de-affiliated, within 21 days from the date of issuance of the minutes. However, no reply was received within the prescribed time period.	affiliated, along with any supporting representation, within 21 days from the issuance of the minutes of that meeting. 3. The said communication was issued by DGT to the registered email ID of the institute on 24.12.2025. 4. The ITI failed to avail the opportunity and did not submit any reply or representation within the stipulated time. Accordingly, based on the facts on record, the ITI has shifted without prior approval of DGT, in violation of Clause 3.5 of the Affiliation Norms, 2018; therefore, the ITI is hereby de-affiliated.
26.	Mata Chawli Devi Private ITI Address - Ganganagar Road, Pri Karanpur.	1. Electrician-6(2+2+2) 2. Plumber-2(1+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 08.01.2025.	1. The matter was deliberated in the SCAA meeting, whereupon it was decided to conduct a joint inspection of the ITI to verify whether it is functioning in accordance with the prescribed norms.

Signature Not Verified
UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified
SHRAMEEV SHARMA
12.45 13.04.2026

Sr.no	Name/Address and MIS Code of ITI	Trade/units affiliated as per NCVT MIS Portal	Brief of Matter as	27 th SCAA decision
(1)	(2)	(3)	(4)	(5)
	Teh-Srikanpur, Distt. -Sri Ganganagar, Rajasthan-335073 MIS Code - PU08001740		3. The ITI replied to the SCN on 28.01.2025. 4. Further, a joint inspection was conducted on 04.08.2025 5. Accordingly, the joint inspection of the ITI was conducted on 04.08.2025. During the inspection it was observed that the ITI was not found on NCVT MIS portal location ITI owner telephonically confirmed that the ITI has been shifted to another location. 6. The matter of the ITI was discussed in the 10th SSDEC meeting held on 23.09.2025 and the SSDEC recommended de-affiliation of the ITI due to shifting without approval of DGT. 7. The 25th SCAA has granted a final opportunity to the ITI to represent itself within 21 days by a way of SCN. 8. The reply to the SCN was received on 12.01.2026. 9. In its reply the ITI submitted the following: a) The institute challenges the de-affiliation proposal, arguing	2. The joint inspection shall cover both the location registered on the NCVT MIS Portal as well as the location claimed by the ITI to be its original place of affiliation. The inspection shall be conducted by the concerned State Directorate in coordination with RDSDE, Rajasthan. The date of inspection shall be mutually decided by the State Directorate in consultation with RDSDE, Rajasthan. 3. During the inspection, the inspecting members shall record the GPS coordinates of both locations and document the exact distance between the two. In the event the ITI is not found at the location registered on the NCVT MIS Portal, the deviation shall be recorded in the inspection report along with photographic and documentary evidence. 4. The inspection report shall be submitted to DGT within one month from the date of issuance of the minutes of this meeting, for consideration in the forthcoming SCAA meeting.

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEV SHARMA
12:45 13.04.2026

Sr.no	Name/Address and MIS Code of ITI	Trade/units affiliated as per NCVT MIS Portal	Brief of Matter as	27 th SCAA decision
(1)	(2)	(3)	(4)	(5)
			based on incomplete facts and ignores exceptional circumstances (force majeure) where temporary shifting was necessary for trainee safety. b) Managed by Sant Kabir Navyug Seva Samiti (registered society), the ITI has operated since 2016 without complaints or violations, affiliated by DGT on 27.09.2016 (Annexure-1 attached). c) In late 2023-early 2024, the building deteriorated rapidly, becoming structurally unsafe, prompting representations from local representatives, parents, and students for repairs or relocation (Annexure-2 colly.). d) On 13.07.2024, a severe storm damaged the building (workshop shed and side wall collapsed), making it unfit and risky; reported in local newspapers (Annexure-3 colly.). e) On 23.07.2024, the principal requested urgent repairs from the landlord (Annexure-4).	

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sr.no	Name/Address and MIS Code of ITI	Trade/units affiliated as per NCVT MIS Portal	Brief of Matter as	27 th SCAA decision
(1)	(2)	(3)	(4)	(5)
			f) Landlord's reply on 12.08.2024 required vacating for ~6 months for reconstruction (Annexure-5). g) Due to unavoidable circumstances, the ITI temporarily shifted on 05.11.2024 to new rented premises ~800 meters away, fully equipped per NCVT norms (ITI grading 7.9); includes architect blueprint and photos (Annexure-6). h) A surprise state inspection on 24.12.2024 at the old site found it "not running," without prior notice or checking the new site. i) On 01.01.2025, the institute informed Director, Technical Education, Jodhpur, about the shift with documents (rent agreement, layout, electricity docs, GPS photos; Annexure-7). j) Despite this, a show cause notice was issued on 08.01.2025 alleging non-operation at approved location (Annexure-8). k) Detailed reply submitted on 28.01.2025 explaining circumstances and requesting re-inspection/update (Annexure-9).	

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

BHPAMEV SHARMA
12:45 13.04.2026

Sr.no	Name/Address and MIS Code of ITI	Trade/units affiliated as per NCVT MIS Portal	Brief of Matter as	27 th SCAA decision
(1)	(2)	(3)	(4)	(5)
			l) Online application on 03.06.2025 for joint inspection at new site (Annexure-10). m) Cites DGT Office Memorandum dated 10.09.2024 allowing shifts for force majeure like natural disasters (Annexure-11 extract). n) During 04.08.2025 inspection, team only checked old site despite requests; led to 10th SSDEC (23.09.2025) de-affiliation recommendation based on incomplete facts. o) Old building now demolished (only boundary wall remains); geo-tagged photos attached (Annexure-12). p) Argues reliance on Clause 3.5 of Affiliation Norms 2018 ignores DGT's force majeure exception, is arbitrary, violates natural justice, and would harm trainees; requests dropping proceedings, treating as exception, directing proper inspection, and continuing affiliation.	

Signature Not Verified
 UJJWAL BISWAS
 13.04.2026 15:49

Signature Not Verified
 SHRAMEEV SHARMA
 12:45 13.04.2026

Sr.no	Name/Address and MIS Code of ITI	Trade/units affiliated as per NCVT MIS Portal	Brief of Matter as	27 th SCAA decision
(1)	(2)	(3)	(4)	(5)
27.	Sankalp Private ITI, Address - Vpo Pokaran, Mandal- Pokaran, Dist. Jaisalmer-345021 MIS Code - PU08001852	1. Electrician-6(2+2+2) 2. Fire Technology and Industrial Safety Management-2(1+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 04.01.2025. 3. Further, a joint inspection was conducted on 04.08.2025 4. Accordingly, the joint inspection of the ITI was conducted on 04.08.2025. During the inspection the following were observed: a) The ITI was not found on NCVT MIS portal location. b) As inquired by the nearby resident it was stated that the ITI is functioning at this location but at a different place. c) No ITI staff/Principal were present at the ITI's location or address. d) ITI submitted letter dated 04.08.2025 in which it was stated that the rent agreement of the ITI has been finished and the building owner of the ITI has denied to renew the rent agreement.in this condition, the ITI will have to be shifted on another location, therefore, it is requested to inspect	The matter was deliberated in the SCAA meeting, and the SCAA decided as under, based on the recommendations of the SSDEC: 1. It has been observed that the ITI has been shifted without obtaining prior approval of DGT. 2. In line with the principles of natural justice, the ITI was granted a final opportunity in the 25th SCAA meeting held on 13.11.2025 and 14.11.2025 to submit a show-cause reply, explaining why the ITI should not be de-affiliated, along with any supporting representation, within 21 days from the issuance of the minutes of that meeting. 3. The said communication was issued by DGT to the registered email ID of the institute on 24.12.2025. 4. The ITI failed to avail the opportunity and did not submit any reply or representation within the stipulated time. Accordingly, based on the facts on record, the ITI has shifted without prior approval of DGT, in violation of

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sr.no	Name/Address and MIS Code of ITI	Trade/units affiliated as per NCVT MIS Portal	Brief of Matter as	27 th SCAA decision
(1)	(2)	(3)	(4)	(5)
			the ITI after shifting on new location. 5. The matter of the ITI was discussed in the 10th SSDEC meeting held on 23.09.2025 and the SSDEC recommended de-affiliation of the ITI due to shifting without approval of DGT. 6. Further, the matter was discussed in the 25th SCAA Meeting and ITI was given an opportunity to show cause why it should not be de-affiliated, within 21 days from the date of issuance of the minutes. However, no reply was received within the prescribed time period.	Clause 3.5 of the Affiliation Norms, 2018; therefore, the ITI is hereby de-affiliated.
28.	Chanakya Pvt. ITI, Address - Jhunjhunu, Alsisar Road, Vpo Dhanuri The-Malsisar, Dist. Jhunjhunu, MIS Code - R08001804	1. Electrician-3(1+1+1) 2. Fire Technology and Industrial Safety Management-2(2+0)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 07.01.2025. 3. The ITI replied to the SCN on 23.01.2025. 4. Further, a joint inspection was conducted on 17.09.2025 5. Accordingly, the joint inspection of the ITI was conducted on 17.09.2025	1. The matter was deliberated in the SCAA meeting, whereupon it was decided to conduct a joint inspection of the ITI to verify whether it is functioning in accordance with the prescribed norms. 2. The joint inspection shall cover both the location registered on the NCVT MIS Portal as well as the location claimed by the ITI to be its original place of affiliation. The inspection shall be conducted by the concerned State Directorate in coordination with RDSDE, Rajasthan. The date of inspection shall be

Signature Not Verified
UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified
SHRAMEV SHARMA
12.45 13.04.2026

Sr.no	Name/Address and MIS Code of ITI	Trade/units affiliated as per NCVT MIS Portal	Brief of Matter as	27 th SCAA decision
(1)	(2)	(3)	(4)	(5)
			During the inspection the following were observed: a) The Institute was not found at given location. b) The KLC Ola Hospital is running at given location. 6. The matter of the ITI was discussed in the 10th SSDEC meeting held on 23.09.2025 and the SSDEC recommended de-affiliation of the ITI due to shifting without approval of DGT. 7. The 25th SCAA has granted a final opportunity to the ITI to represent itself within 21 days by a way of SCN. 8. The reply to the SCN was received on 13.01.2026. 9. In its reply the ITI submitted the following: a) The ITI is still operated in its original location and we are interested in running the ITI b) ITI did not denied for inspection. 10. Further, the ITI was a petitioner in S.B. Civil Writ Petition No. 16381/2025 (L.B.S. Private Industrial Training Institute) and 36 connected matters.	mutually decided by the State Directorate in consultation with RDSDE, Rajasthan. 3. During the inspection, the inspecting members shall record the GPS coordinates of both locations and document the exact distance between the two. In the event the ITI is not found at the location registered on the NCVT MIS Portal, the deviation shall be recorded in the inspection report along with photographic and documentary evidence. 4. The inspection report shall be submitted to DGT within one month from the date of issuance of the minutes of this meeting, for consideration in the forthcoming SCAA meeting.

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sr.no	Name/Address and MIS Code of ITI	Trade/units affiliated as per NCVT MIS Portal	Brief of Matter as	27 th SCAA decision
(1)	(2)	(3)	(4)	(5)
			which were disposed of by the Hon'ble Court on 23.01.2026. The Hon'ble Court directed the petitioner ITIs to submit representations within two weeks, following which DGT was to conduct joint inspections with the State authorities and take a decision on de-affiliation within a stipulated timeline. It is pertinent to mention that a show cause notice had already been issued to the ITIs vide the Minutes of the 25th SCAA Meeting dated 23.12.2025, prior to the Court's directions. Accordingly, in compliance with the principles of natural justice and the directions of the Hon'ble Court, fresh show cause notices were issued to all petitioner institutes on 05.02.2026, based on the remarks of the Inspection Team and the recommendations of the SSDEC.	
29.	Maa Vaishnavi Private ITI, Address - Nalka Tirahaya, Mailkheri Road,	Electrician-2(1+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 30.12.2024. 3. Further, a joint inspection was conducted on 08.09.2025	The matter was deliberated in the SCAA meeting, and the SCAA decided as under, based on the recommendations of the SSDEC:

Signature Not Verified
UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified
SHRAMEEV SHARMA
12.45 13.04.2026

Sr.no	Name/Address and MIS Code of ITI	Trade/units affiliated as per NCVT MIS Portal	Brief of Matter as	27 th SCAA decision
(1)	(2)	(3)	(4)	(5)
	Dist. Baran - 325205 MIS Code - PU08001645		4. Accordingly, the joint inspection of the ITI was conducted on 08.09.2025. During the inspection the it was observed that the ITI was not found at the given address. 5. The ITI has submitted letter dated 08.09.2025 that institute has not admitted the trainees from session 2022-2023 and the ITI is not operating from session 2023-2024. 6. The matter of the ITI was discussed in the 10th SSDEC meeting held on 23.09.2025 and the SSDEC recommended de-affiliation of the ITI due to shifting without approval of DGT. 7. Further, the matter was discussed in the 25th SCAA Meeting and ITI was given an opportunity to show cause why it should not be de-affiliated, within 21 days from the date of issuance of the minutes. However, no reply was received within the prescribed time period.	1. It has been observed that the ITI has been shifted without obtaining prior approval of DGT. 2. In line with the principles of natural justice, the ITI was granted a final opportunity in the 25th SCAA meeting held on 13.11.2025 and 14.11.2025 to submit a show-cause reply, explaining why the ITI should not be de-affiliated, along with any supporting representation, within 21 days from the issuance of the minutes of that meeting. 3. The said communication was issued by DGT to the registered email ID of the institute on 24.12.2025. 4. The ITI failed to avail the opportunity and did not submit any reply or representation within the stipulated time. Accordingly, based on the facts on record, the ITI has shifted without prior approval of DGT, in violation of Clause 3.5 of the Affiliation Norms, 2018; therefore, the ITI is hereby de-affiliated.

Signature Not Verified
UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified
SHRAMEV SHARMA
12:45 13.04.2026

Sr.no	Name/Address and MIS Code of ITI	Trade/units affiliated as per NCVT MIS Portal	Brief of Matter as	27 th SCAA decision
(1)	(2)	(3)	(4)	(5)
30.	Eminent Private Industrial Training Institute, Address - Plot No. 20, Dayanand Colony, Opp.Of Balaji Nagar, Mangrol By Pass, Baran-325205 MIS Code - PR08001175	1. Computer Operator and Programming Assistant- 2(1+1) 2. Electrician- 2(1+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 15.01.2025. 3. Further, a joint inspection was conducted on 08.09.2025 4. Accordingly, the joint inspection of the ITI was conducted on 08.09.2025. During the inspection the it was observed that the ITI was not found at the given address. 5. The ITI has submitted letter dated 08.09.2025 that institute has not admitted the trainees from session 2019-2020 and the ITI is not operating from session 2025-2026. 6. The matter of the ITI was discussed in the 10th SSDEC meeting held on 23.09.2025 and the SSDEC recommended de-affiliation of the ITI due to shifting without approval of DGT. 7. Further, the matter was discussed in the 25th SCAA Meeting and ITI was given an opportunity to show cause why it should not be de-affiliated, within 21 days from the date of issuance of	The matter was deliberated in the SCAA meeting, and the SCAA decided as under, based on the recommendations of the SSDEC: 1. It has been observed that the ITI has been shifted without obtaining prior approval of DGT. 2. In line with the principles of natural justice, the ITI was granted a final opportunity in the 25th SCAA meeting held on 13.11.2025 and 14.11.2025 to submit a show-cause reply, explaining why the ITI should not be de-affiliated, along with any supporting representation, within 21 days from the issuance of the minutes of that meeting. 3. The said communication was issued by DGT to the registered email ID of the institute on 24.12.2025. 4. The ITI failed to avail the opportunity and did not submit any reply or representation within the stipulated time. Accordingly, based on the facts on record, the ITI has shifted without prior approval of DGT, in violation of

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sr.no	Name/Address and MIS Code of ITI	Trade/units affiliated as per NCVT MIS Portal	Brief of Matter as	27 th SCAA decision
(1)	(2)	(3)	(4)	(5)
			minutes. However, no reply was received within the prescribed time period.	Clause 3.5 of the Affiliation Norms, 2018; therefore, the ITI is hereby de-affiliated.
31	Gandhi Private Industrial Training Institute, Address - 73,74, R.K. Colony Dist.-Kota Rajasthan-324002 MIS Code - PU08000219	Electrician - 6 (2+2+2)	- Irregularities observed during initial Inspection conducted by State official on 24.12.2024. - SCN was issued to the ITI by the State on 30.12.2024. - The ITI replied to the SCN on 21.01.2025. - Further, a joint inspection was conducted on 09.09.2025 - Accordingly, the joint inspection of the ITI was conducted on 09.09.2025. During the inspection the it was observed that the ITI was not found at the given address. - The matter of the ITI was discussed in the 10th SSDEC meeting held on 23.09.2025 and the SSDEC recommended de-affiliation of the ITI due to shifting without approval of DGT. - Further, the matter was discussed in the 25th SCAA Meeting and ITI was given an opportunity to show cause why it should not be de-affiliated, within	The matter was deliberated in the SCAA meeting, and the SCAA decided as under, based on the recommendations of the SSDEC: - It has been observed that the ITI has been shifted without obtaining prior approval of DGT. - In line with the principles of natural justice, the ITI was granted a final opportunity in the 25th SCAA meeting held on 13.11.2025 and 14.11.2025 to submit a show-cause reply, explaining why the ITI should not be de-affiliated, along with any supporting representation, within 21 days from the issuance of the minutes of that meeting. - The said communication was issued by DGT to the registered email ID of the institute on 24.12.2025. - The ITI failed to avail the opportunity and did not submit any reply or representation within the stipulated time.

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

RHPAMEV SHARMA
12:45 13.04.2026

Sr.no	Name/Address and MIS Code of ITI	Trade/units affiliated as per NCVT MIS Portal	Brief of Matter as	27 th SCAA decision
(1)	(2)	(3)	(4)	(5)
			days from the date of issuance of the minutes. However, no reply was received within the prescribed time period.	Accordingly, based on the facts on record, the ITI has shifted without prior approval of DGT, in violation of Clause 3.5 of the Affiliation Norms, 2018; therefore, the ITI is hereby de-affiliated.
32.	City Private Industrial Training Institute, Address - Vpo.Gokulpura, Dist.Sikar Rajasthan MIS Code - PR08000195	Electrician - 10 (8+2)	- Irregularities observed during initial Inspection conducted by State official on 24.12.2024. - SCN was issued to the ITI by the State on 07.01.2025. - Further, a joint inspection was conducted on 08.09.2025 - Accordingly, the joint inspection of the ITI was conducted on 08.09.2025. During the inspection the it was observed that the ITI was not found at the given address. - The matter of the ITI was discussed in the 10th SSDEC meeting held on 23.09.2025 and the SSDEC recommended de-affiliation of the ITI due to shifting without approval of DGT. - Further, the matter was discussed in the 25th SCAA Meeting and ITI was given	The matter was deliberated in the SCAA meeting, and the SCAA decided as under, based on the recommendations of the SSDEC: - It has been observed that the ITI has been shifted without obtaining prior approval of DGT. - In line with the principles of natural justice, the ITI was granted a final opportunity in the 25th SCAA meeting held on 13.11.2025 and 14.11.2025 to submit a show-cause reply, explaining why the ITI should not be de-affiliated, along with any supporting representation, within 21 days from the issuance of the minutes of that meeting. - The said communication was issued by DGT to the registered email ID of the institute on 24.12.2025.

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sr.no	Name/Address and MIS Code of ITI	Trade/units affiliated as per NCVT MIS Portal	Brief of Matter as	27 th SCAA decision
(1)	(2)	(3)	(4)	(5)
			an opportunity to show cause why it should not be de-affiliated, within 21 days from the date of issuance of the minutes. However, no reply was received within the prescribed time period.	4. The ITI failed to avail the opportunity and did not submit any reply or representation within the stipulated time. Accordingly, based on the facts on record, the ITI has shifted without prior approval of DGT, in violation of Clause 3.5 of the Affiliation Norms, 2018; therefore, the ITI is hereby de-affiliated.
33.	Shree Shyam Private ITI, Address - Diwrala Road, Ajitgarh, Dist Sikar Pin- 332701 Rajasthan MIS Code - PR08000801	Electrician 4(2+2)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 07.01.2025. 3. The ITI replied to the SCN on 25.01.2025. 4. Further, a joint inspection was conducted on 11.08.2025 5. Accordingly, the joint inspection of the ITI was conducted on 11.08.2025. During the inspection the following were observed: a) The Coordinates of the location of ITI, which is given in MIS portal is	1. The matter was deliberated in the SCAA meeting, whereupon it was decided to conduct a joint inspection of the ITI to verify whether it is functioning in accordance with the prescribed norms. 2. The joint inspection shall cover both the location registered on the NCVT MIS Portal as well as the location claimed by the ITI to be its original place of affiliation. The inspection shall be conducted by the concerned State Directorate in coordination with RDSDE, Rajasthan. The date of inspection shall be mutually decided by the State Directorate in consultation with RDSDE, Rajasthan. 3. During the inspection, the inspecting members shall record the GPS coordinates of both locations and document the exact distance between the two. In the

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sr.no	Name/Address and MIS Code of ITI	Trade/units affiliated as per NCVT MIS Portal	Brief of Matter as	27 th SCAA decision
(1)	(2)	(3)	(4)	(5)
			2.5 Km away from the present location of ITI. b) There is no building existing in the urban area at the coordinate's location. c) Original bills of Tools and equipment were not available during inspection. d) Out of 07 Instructors in ITI, only one Instructor is CITS trained. e) Records of the ITI were not produced during inspection. 6. The matter of the ITI was discussed in the 10th SSDEC meeting held on 23.09.2025 and the SSDEC recommended de-affiliation of the ITI due to shifting without approval of DGT. 7. The 25th SCAA has granted a final opportunity to the ITI to represent itself within 21 days by a way of SCN. 8. The reply to the SCN was received on 15.01.2026. 9. In its reply the ITI submitted the following: a) MIS Portal Coordinates	event the ITI is not found at the location registered on the NCVT MIS Portal, the deviation shall be recorded in the inspection report along with photographic and documentary evidence. 4. The inspection report shall be submitted to DGT within one month from the date of issuance of the minutes of this meeting, for consideration in the forthcoming SCAA meeting.

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sr.no	Name/Address and MIS Code of ITI	Trade/units affiliated as per NCVT MIS Portal	Brief of Matter as	27 th SCAA decision
(1)	(2)	(3)	(4)	(5)
			- Coordinates shown in MIS portal are 2.5 km away from actual ITI location. Reply: Institute received QCI/NCVT recognition in 2014 at the current location (Khasra No. 1210/03, registered in society's name). Revenue, sales & municipal records attached. The wrong coordinates were entered by an employee in 2015 update — completely erroneous. b) No Building at the Given Coordinates (Urban Area)Reply: Institute is not located at the wrong coordinates shown in MIS. Hence no building exists there. Error due to 2015 employee update. c) Original Bills of Tools & Equipment Not AvailableReply: Original bills from 2014 were misplaced/scattered, but photocopies were provided to inspectors on the spot. Bills exist (items were purchased). QCI granted recognition in 2014 even	

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sr.no	Name/Address and MIS Code of ITI	Trade/units affiliated as per NCVT MIS Portal	Brief of Matter as	27 th SCAA decision
(1)	(2)	(3)	(4)	(5)
			without original bills. Copies could not be made due to time shortage. d) Only 1 out of 7 Instructors is CITS TrainedReply: CITS training for all instructors is not mandatory as per inspection guidelines. One CITS instructor was present at the time of inspection. Now, as per latest guidelines, all staff have been appointed. Names submitted; verification can be done anytime. e) Records Not Presented During InspectionReply: Records were presented, but had 10–20% deficiencies. These have been fully completed as per inspection team's directions. Records are continuously updated. Institute is always ready for DGT re-verification. Final Assurance & Request: • All machinery, tools and required standards are installed at the correct recognized location. • All information given is true.	

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sr.no	Name/Address and MIS Code of ITI	Trade/units affiliated as per NCVT MIS Portal	Brief of Matter as	27 th SCAA decision
(1)	(2)	(3)	(4)	(5)
			- Institute is ready for surprise/re-inspection by DGT at any time. - Kindly accept/verify the replies and allow the ITI to continue affiliation smoothly.	

Signature Not Verified

 UJJWAL BISWAS
 13.04.2026 15:49

Signature Not Verified

 SHRAMEEV SHARMA
 12:45 13.04.2026

Annexure-6 as referred in Agenda 6 regarding De-affiliation matter of 54 ITIs, in continuation of the discussion under Agenda Item No. 2.5 of the Minutes of the 25th SCAA Meeting held on 13.11.2025 and 14.11.2025.

Sl. No	Name of ITI, Address and MIS Code	Trade/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
1.	Rise Private Industrial Training Institute, Address - Indra Colony Kota Road Sawar, Theh-Kekri, Dist-Ajmer305407 MIS Code - PR08000931	Electrician -9 (4+4+1)	- Irregularities observed during initial Inspection conducted by State official on 24.12.2024. - The SCN was issued to the ITI by State Directorate on 04.01.2025 - The reply dated 15.01.2025 was received from the ITI. - Further, a joint inspection of the ITI was conducted on 20.06.2025 by RDSDE and State Directorate official. - During the inspection the ITI was locked and FOUND CLOSED. - The matter of the ITI was discussed in 9th SSDEC meeting held on 17.09.2025 and the SSDEC recommended de-affiliation of the ITI. - Further, the matter was discussed in the 25th SCAA Meeting and ITI was given an opportunity to show cause why it should not be de-affiliated, within 21 days from the date of issuance of the minutes. However, no reply was received within the prescribed time period.	The matter was deliberated in the SCAA meeting, and the SCAA decided as under, based on the recommendations of the SSDEC: - It has been observed that the ITI was found closed during inspection. - In line with the principles of natural justice, the ITI was granted a final opportunity in the 25th SCAA meeting held on 13.11.2025 and 14.11.2025 to submit a show-cause reply, explaining why the ITI should not be de-affiliated, along with any supporting representation, within 21 days from the issuance of the minutes of that meeting. - The said communication was issued by DGT to the registered email ID of the institute on 24.12.2025.

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sl. No	Name of ITI, Address and MIS Code	Trade/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
				4. Further, the ITI did not avail the opportunity provided and failed to submit any reply or representation within the stipulated time. Accordingly, based on the facts on record, the ITI being found closed during inspection indicates that the ITI is not functioning as an affiliated institution. The ITI is hereby de-affiliated.
2.	Shri Neelkamal Private Industrial Training Institute, Address - 10-E-4, Tilak Nagar Bhilwara, Dist.Bhilwara Pin- 311001 Rajasthan MIS Code - PU08001425	Electrician- 1 (1+0)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. The SCN was issued to the ITI by State Directorate on 04.01.2025, followed by reminder dated 03.02.2025 3. Further, a joint inspection of the ITI was conducted on 11.06.2025 by RDSDE and State Directorate official. 4. During the inspection the ITI was FOUND CLOSED. The inspecting committee also inquired by the nearby residents of the ITI and informed by them that the ITI has been closed from last 2-3 years.	The matter was deliberated in the SCAA meeting, and the SCAA decided as under, based on the recommendations of the SSDEC: 1. It has been observed that the ITI was found closed during inspection. 2. In line with the principles of natural justice, the ITI was granted a final opportunity in the 25th SCAA meeting held on 13.11.2025 and 14.11.2025 to submit a show-cause reply, explaining why

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sl. No	Name of ITI, Address and MIS Code	Trade/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			5. The matter of the ITI was discussed in 9th SSDEC meeting held on 17.09.2025 and the SSDEC recommended de-affiliation of the ITI. 6. Further, the matter was discussed in the 25th SCAA Meeting and ITI was given an opportunity to show cause why it should not be de-affiliated, within 21 days from the date of issuance of the minutes. However, no reply was received within the prescribed time period.	the ITI should not be de-affiliated, along with any supporting representation, within 21 days from the issuance of the minutes of that meeting. 3. The said communication was issued by DGT to the registered email ID of the institute on 24.12.2025. 4. Further, the ITI did not avail the opportunity provided and failed to submit any reply or representation within the stipulated time. Accordingly, based on the facts on record, the ITI being found closed during inspection indicates that the ITI is not functioning as an affiliated institution. The ITI is hereby de-affiliated.
3.	Dr. R.L. JAT PRIVATE ITI Address - 16, RADHE KRISHNA VIHAR, Gangapur, Dist.	1. Electrician- 2 (1+1) 2. Fire Technology and Industrial	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.	The matter was deliberated in the SCAA meeting, and the SCAA decided as under, based on the recommendations of the SSDEC:

Signature Not Verified
UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified
SHRAMEEV SHARMA
12:45 13.04.2026

Sl. No	Name of ITI, Address and MIS Code	Trade/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
	MIS Code - PU08001628	Safety Management- 1 (1+0) 3. Fitter- 1 (1+0) 4. Health Safety & Environment- 1(1+0)	2. The SCN was issued to the ITI by State Directorate on 04.01.2025, followed by reminder dated 03.02.2025 3. The reply dated 17.02.2025 was received from the ITI. 4. Further, a joint inspection of the ITI was conducted on 16.06.2025 by RDSDE and State Directorate official. 5. During the inspection the ITI was FOUND CLOSED. 6. The matter of the ITI was discussed in 9th SSDEC meeting held on 17.09.2025 and the SSDEC recommended de-affiliation of the ITI. 7. Further, the matter was discussed in the 25th SCAA Meeting and ITI was given an opportunity to show cause why it should not be de-affiliated, within 21 days from the date of issuance of the minutes. However, no reply was received within the prescribed time period.	1. It has been observed that the ITI was found closed during inspection. 2. In line with the principles of natural justice, the ITI was granted a final opportunity in the 25th SCAA meeting held on 13.11.2025 and 14.11.2025 to submit a show-cause reply, explaining why the ITI should not be de-affiliated, along with any supporting representation, within 21 days from the issuance of the minutes of that meeting. 3. The said communication was issued by DGT to the registered email ID of the institute on 24.12.2025. 4. Further, the ITI did not avail the opportunity provided and failed to submit any reply or representation within the stipulated time. Accordingly, based on the facts on record, the ITI being found

Signature Not Verified

 UJJWAL BISWAS
 13.04.2026 15:49

Signature Not Verified

 SHRAMEV SHARMA
 12:45 13.04.2026

Sl. No	Name of ITI, Address and MIS Code	Trade/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
				closed during inspection indicates that the ITI is not functioning as an affiliated institution. The ITI is hereby de-affiliated.
4.	Lotus Private ITI, Address - Near Sukharla Circle, Gaurav Path, Bhilwara 311001 MIS Code - PU08001836	1. Electrician- 2 (1+1) 2. Mechanic Auto Electrical and Electronics- 3 (1+1+1) 3. Mechanic Diesel- 3 (1+1+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. The SCN was issued to the ITI by State Directorate on 04.01.2025, followed by reminder dated 03.02.2025 3. The reply dated 23.01.2025 was received from the ITI. 4. Further, a joint inspection of the ITI was conducted on 18.06.2025 by RDSDE and State Directorate official. 5. During the inspection the ITI was FOUND CLOSED. 6. The matter of the ITI was discussed in 9th SSDEC meeting held on 17.09.2025 and the SSDEC recommended de-affiliation of the ITI. 7. Further, the matter was discussed in the 25th SCAA Meeting and ITI was given an opportunity to show cause why it should not be de-affiliated, within 21 days from the date of issuance of the minutes. However, no reply was received within the prescribed time period.	The matter was deliberated in the SCAA meeting, and the SCAA decided as under, based on the recommendations of the SSDEC: 1. It has been observed that the ITI was found closed during inspection. 2. In line with the principles of natural justice, the ITI was granted a final opportunity in the 25th SCAA meeting held on 13.11.2025 and 14.11.2025 to submit a show-cause reply, explaining why the ITI should not be de-affiliated, along with any supporting representation, within 21 days from the issuance of the minutes of that meeting. 3. The said communication was issued by DGT to the

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEV SHARMA
12:45 12.04.2026

Sl. No	Name of ITI, Address and MIS Code	Trade/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
				registered email ID of the institute on 24.12.2025. 4. Further, the ITI did not avail the opportunity provided and failed to submit any reply or representation within the stipulated time. Accordingly, based on the facts on record, the ITI being found closed during inspection indicates that the ITI is not functioning as an affiliated institution. The ITI is hereby de-affiliated.
5.	Balaji Private ITI, Address - Pali Sojat Highway, Near Village Bagawas, Sojat City, Dist. Pali MIS Code - PU08001732	Electrician- 1 (1+0)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. The SCN was issued to the ITI by State Directorate on 04.01.2025, followed by reminder dated 03.02.2025 3. Further, a joint inspection of the ITI was conducted on 12.06.2025 by RDSDE and State Directorate official. 4. During the inspection the following were observed: i) The main gate of the ITI was FOUND CLOSED on the day of inspection.	The matter was deliberated in the SCAA meeting, and the SCAA decided as under, based on the recommendations of the SSDEC: 1. It has been observed that the ITI was found closed during inspection. 2. In line with the principles of natural justice, the ITI was granted a final opportunity in the 25th SCAA meeting held on 13.11.2025 and

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49Signature Not Verified
of InspectorSHRAMEY SHARMA
12:45 13.04.2026

Sl. No	Name of ITI, Address and MIS Code	Trade/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			ii) No staff were available on the day of inspection. iii) The ITI was tried to contact on the given number but the contact number was not reachable. 5. The matter of the ITI was discussed in 9th SSDEC meeting held on 17.09.2025 and the SSDEC recommended de-affiliation of the ITI. 6. Further, the matter was discussed in the 25th SCAA Meeting and ITI was given an opportunity to show cause why it should not be de-affiliated, within 21 days from the date of issuance of the minutes. However, no reply was received within the prescribed time period.	14.11.2025 to submit a show-cause reply, explaining why the ITI should not be de-affiliated, along with any supporting representation, within 21 days from the issuance of the minutes of that meeting. 3. The said communication was issued by DGT to the registered email ID of the institute on 24.12.2025. 4. Further, the ITI did not avail the opportunity provided and failed to submit any reply or representation within the stipulated time. Accordingly, based on the facts on record, the ITI being found closed during inspection indicates that the ITI is not functioning as an affiliated institution. The ITI is hereby de-affiliated.
6.	Ishwar Private ITI,	Electrician- 1 (1+0)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.	The matter was deliberated in the SCAA meeting, and the SCAA

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sl. No	Name of ITI, Address and MIS Code	Trade/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
	Address - College Road Nandawat-Bhim, Dist. Rajsamand MIS Code - PR08001635		2. The SCN was issued to the ITI by State Directorate on 03.01.2025, followed by reminder dated 30.01.2025 3. Further, a joint inspection of the ITI was conducted on 11.06.2025 by RDSDE and State Directorate official. 4. During the inspection the following were observed: i) No staff were available on the day of inspection. ii) The ITI Principal and the owner were contacted and they informed that ITI is not running after CORONA period. iii) At present a Hotel was running at that the ITI location. 5. The matter of the ITI was discussed in 9th SSDEC meeting held on 17.09.2025 and the SSDEC recommended de-affiliation of the ITI. 6. Further, the matter was discussed in the 25th SCAA Meeting and ITI was given an opportunity to show cause why it should not be de-affiliated, within 21 days from the date of issuance of the minutes. However, no reply was received within the prescribed time period.	decided as under, based on the recommendations of the SSDEC: 1. It has been observed that the ITI was found closed during inspection. 2. In line with the principles of natural justice, the ITI was granted a final opportunity in the 25th SCAA meeting held on 13.11.2025 and 14.11.2025 to submit a show-cause reply, explaining why the ITI should not be de-affiliated, along with any supporting representation, within 21 days from the issuance of the minutes of that meeting. 3. The said communication was issued by DGT to the registered email ID of the institute on 24.12.2025. 4. Further, the ITI did not avail the opportunity provided and failed to submit any reply or representation within the stipulated time.

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sl. No	Name of ITI, Address and MIS Code	Trade/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
				Accordingly, based on the facts on record, the ITI being found closed during inspection indicates that the ITI is not functioning as an affiliated institution. The ITI is hereby de-affiliated.
7.	Sunrise Private Industrial Training Institute, Address - Old Alanpur Road, Near Income Tax Office, Sawai Madhopur 322001 MIS Code - PR08000610	Electrician- 7 (7+0)	- Irregularities observed during initial Inspection conducted by State official on 24.12.2024. - The SCN was issued to the ITI by State Directorate on 03.01.2025. - The reply dated 18.01.2025 was received from the ITI. - Further, a joint inspection of the ITI was conducted on 12.06.2025 by RDSDE and State Directorate official. - During the inspection the ITI was found locked and no one was available on the day of inspection. The ITI was contacted telephonically and informed that the ITI is closed. - The matter of the ITI was discussed in 9th SSDEC meeting held on 17.09.2025 and the SSDEC recommended de-affiliation of the ITI. - Further, the matter was discussed in the 25th SCAA Meeting and ITI was given	The matter was deliberated in the SCAA meeting, and the SCAA decided as under, based on the recommendations of the SSDEC: - It has been observed that the ITI was found closed during inspection. - In line with the principles of natural justice, the ITI was granted a final opportunity in the 25th SCAA meeting held on 13.11.2025 and 14.11.2025 to submit a show-cause reply, explaining why the ITI should not be de-affiliated, along with any supporting representation, within 21 days from the

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sl. No	Name of ITI, Address and MIS Code	Trade/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			an opportunity to show cause why it should not be de-affiliated, within 21 days from the date of issuance of the minutes. However, no reply was received within the prescribed time period.	issuance of the minutes of that meeting. 3. The said communication was issued by DGT to the registered email ID of the institute on 24.12.2025. 4. Further, the ITI did not avail the opportunity provided and failed to submit any reply or representation within the stipulated time. Accordingly, based on the facts on record, the ITI being found closed during inspection indicates that the ITI is not functioning as an affiliated institution. The ITI is hereby de-affiliated.
8.	Sardar Patal Industrial Training Center, Address - Behind Gayatri Mandir, Gayatri Colony, Jhalawar-326001 MIS Code - PR08000684	Computer Operator and Programming Assistant- 2 (1+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. The SCN was issued to the ITI by State Directorate on 30.12.2024. 3. Further, a joint inspection of the ITI was conducted on 09.06.2025 by RDSDE and State Directorate official. 4. During the inspection the following were observed:	The matter was deliberated in the SCAA meeting, and the SCAA decided as under, based on the recommendations of the SSDEC: 1. It has been observed that the ITI was found closed during inspection.

Signature Not Verified
 UJJWAL BISWAS
 13.04.2026 15:49

Signature Not Verified
 SHRAMEEV SHARMA
 12.45 13.04.2026

Sl. No	Name of ITI, Address and MIS Code	Trade/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			i) ITI was FOUND CLOSED. The inspecting committee also inquired by the nearby residents of the ITI and informed by them that the ITI has been closed from last 4-5 years as the rent agreement of the ITI was not extended. ii) No any machinery equipment's workshop classroom, office etc, were found at the ITI'S Address on the day of inspection. 5. The matter of the ITI was discussed in 9th SSDEC meeting held on 17.09.2025 and the SSDEC recommended de-affiliation of the ITI. 6. Further, the matter was discussed in the 25th SCAA Meeting and ITI was given an opportunity to show cause why it should not be de-affiliated, within 21 days from the date of issuance of the minutes. However, no reply was received within the prescribed time period.	2. In line with the principles of natural justice, the ITI was granted a final opportunity in the 25th SCAA meeting held on 13.11.2025 and 14.11.2025 to submit a show-cause reply, explaining why the ITI should not be de-affiliated, along with any supporting representation, within 21 days from the issuance of the minutes of that meeting. 3. The said communication was issued by DGT to the registered email ID of the institute on 24.12.2025. 4. Further, the ITI did not avail the opportunity provided and failed to submit any reply or representation within the stipulated time. Accordingly, based on the facts on record, the ITI being found closed during inspection indicates that the ITI is not functioning as an affiliated

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sl. No	Name of ITI, Address and MIS Code	Trade/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
				institution. The ITI is hereby de-affiliated.
9.	Rathorji Private Industrial Training Institute, Address - A-Baran Road Khanpur, Dist.Jhalawar, Rajasthan MIS Code - PR08000709	Electrician- 5 (2+2+1)	- Irregularities observed during initial Inspection conducted by State official on 24.12.2024. - The SCN was issued to the ITI by State Directorate on 15.01.2025, followed by reminder dated 11.02.2025. - Further, a joint inspection of the ITI was conducted on 10.06.2025 by RDSDE and State Directorate official. - During the inspection the following were observed: - ITI was FOUND CLOSED. The inspecting committee also inquired by the nearby residents of the ITI and informed by them that the ITI has been closed from last 4-5 years. - The matter of the ITI was discussed in 9th SSDEC meeting held on 17.09.2025 and the SSDEC recommended de-affiliation of the ITI. - Further, the matter was discussed in the 25th SCAA Meeting and ITI was given an opportunity to show cause why it should not be de-affiliated, within 21 days from the date of issuance of the minutes. However, no reply was	The matter was deliberated in the SCAA meeting, and the SCAA decided as under, based on the recommendations of the SSDEC: - It has been observed that the ITI was found closed during inspection. - In line with the principles of natural justice, the ITI was granted a final opportunity in the 25th SCAA meeting held on 13.11.2025 and 14.11.2025 to submit a show-cause reply, explaining why the ITI should not be de-affiliated, along with any supporting representation, within 21 days from the issuance of the minutes of that meeting. - The said communication was issued by DGT to the registered email ID of the institute on 24.12.2025.

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEY SHARMA
12:45 13.04.2026

Sl. No	Name of ITI, Address and MIS Code	Trade/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			received within the prescribed time period.	4. Further, the ITI did not avail the opportunity provided and failed to submit any reply or representation within the stipulated time. Accordingly, based on the facts on record, the ITI being found closed during inspection indicates that the ITI is not functioning as an affiliated institution. The ITI is hereby de-affiliated.
10.	Arihant Private Industrial Training Institute, Address - 161, Taruchaya Nagar, Tonk Road, Jaipur-302018 MIS Code - PR08001049	Electrician- 2 (1+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. The SCN was issued to the ITI by State Directorate on 14.01.2025, followed by reminder dated 11.02.2025. 3. Further, a joint inspection of the ITI was conducted on 02.07.2025 by RDSDE and State Directorate official. 4. During the inspection the ITI was FOUND CLOSED and the ITI Principal was contacted and it was told that the ITI is closed since long. 5. The matter of the ITI was discussed in 9th SSDEC meeting held on 17.09.2025.	The matter was deliberated in the SCAA meeting, and the SCAA decided as under, based on the recommendations of the SSDEC: 1. It has been observed that the ITI was found closed during inspection. 2. In line with the principles of natural justice, the ITI was granted a final opportunity in the 25th SCAA meeting held on 13.11.2025 and 14.11.2025 to submit a show-cause reply, explaining why

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sl. No	Name of ITI, Address and MIS Code	Trade/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			recommended de-affiliation of the ITI. 6. Further, the matter was discussed in the 25th SCAA Meeting and ITI was given an opportunity to show cause why it should not be de-affiliated, within 21 days from the date of issuance of the minutes. However, no reply was received within the prescribed time period.	the ITI should not be de-affiliated, along with any supporting representation, within 21 days from the issuance of the minutes of that meeting. 3. The said communication was issued by DGT to the registered email ID of the institute on 24.12.2025. 4. Further, the ITI did not avail the opportunity provided and failed to submit any reply or representation within the stipulated time. Accordingly, based on the facts on record, the ITI being found closed during inspection indicates that the ITI is not functioning as an affiliated institution. The ITI is hereby de-affiliated.
11.	Vikas Private Industrial Training Institute,	1. Computer Operator and Programming Assistant- 1 (1+0)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.	The matter was deliberated in the SCAA meeting, and the SCAA decided as under, based on the recommendations of the SSDEC:

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sl. No	Name of ITI, Address and MIS Code	Trade/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
	Address - Opp. Sector 116, Shipra Path, Agarwal Farm, Mansarover, Jaipur-302020 MIS Code - PR08000023	2. Electrician-4 (2+2)	2. The SCN was issued to the ITI by State Directorate on 14.01.2025, followed by reminder dated 11.02.2025. 3. Further, a joint inspection of the ITI was conducted on 03.07.2025 by RDSDE and State Directorate official. 4. During the inspection the ITI was FOUND CLOSED and a letter dated 01.07.2025 was submitted by the Director of the ITI for self-closure of the ITI. 5. The matter of the ITI was discussed in 9th SSDEC meeting held on 17.09.2025 and the SSDEC recommended de-affiliation of the ITI. 6. Further, the matter was discussed in the 25th SCAA Meeting and ITI was given an opportunity to show cause why it should not be de-affiliated, within 21 days from the date of issuance of the minutes. However, no reply was received within the prescribed time period.	1. It has been observed that the ITI was found closed during inspection. 2. In line with the principles of natural justice, the ITI was granted a final opportunity in the 25th SCAA meeting held on 13.11.2025 and 14.11.2025 to submit a show-cause reply, explaining why the ITI should not be de-affiliated, along with any supporting representation, within 21 days from the issuance of the minutes of that meeting. 3. The said communication was issued by DGT to the registered email ID of the institute on 24.12.2025. 4. Further, the ITI did not avail the opportunity provided and failed to submit any reply or representation within the stipulated time. Accordingly, based on the facts on record, the ITI being found

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sl. No	Name of ITI, Address and MIS Code	Trade/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
				closed during inspection indicates that the ITI is not functioning as an affiliated institution. The ITI is hereby de-affiliated.
12.	Prateek Private Industrial Training Institute, Address - Near Suraj Kund, Chaksu (Jaipur)-303901 MIS Code - PR08000048	1. Electrician- 2 (1+1) 2. Fitter- 2 (1+1) 3. Mechanic Diesel- 2 (1+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. The SCN was issued to the ITI by State Directorate on 14.01.2025, followed by reminder dated 11.02.2025. 3. Further, a joint inspection of the ITI was conducted on 02.07.2025 by RDSDE and State Directorate official. 4. During the inspection the ITI was FOUND CLOSED. 5. The matter of the ITI was discussed in 9th SSDEC meeting held on 17.09.2025 and the SSDEC recommended de-affiliation of the ITI. 6. Further, the matter was discussed in the 25th SCAA Meeting and ITI was given an opportunity to show cause why it should not be de-affiliated, within 21 days from the date of issuance of the minutes. However, no reply was received within the prescribed time period.	The matter was deliberated in the SCAA meeting, and the SCAA decided as under, based on the recommendations of the SSDEC: 1. It has been observed that the ITI was found closed during inspection. 2. In line with the principles of natural justice, the ITI was granted a final opportunity in the 25th SCAA meeting held on 13.11.2025 and 14.11.2025 to submit a show-cause reply, explaining why the ITI should not be de-affiliated, along with any supporting representation, within 21 days from the issuance of the minutes of that meeting. 3. The said communication was issued by DGT to the

Signature Not Verified

UJJWAL BISWAS

13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA

12:45:13,04/2026

Sl. No	Name of ITI, Address and MIS Code	Trade/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
				registered email ID of the institute on 24.12.2025. 4. Further, the ITI did not avail the opportunity provided and failed to submit any reply or representation within the stipulated time. Accordingly, based on the facts on record, the ITI being found closed during inspection indicates that the ITI is not functioning as an affiliated institution. The ITI is hereby de-affiliated.
13.	Vishvakarma Private Industrial Training Institute, Address - 70-72/C, Kusum Vihar, Jagatpura (Jaipur) – 302025 MIS Code - PR08000867	1. Electrician- 2 (1+1) 2. Fitter- 1 (0+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. The SCN was issued to the ITI by State Directorate on 14.01.2025, followed by reminder dated 11.02.2025. 3. Further, a joint inspection of the ITI was conducted on 25.06.2025 by RDSDE and State Directorate official. 4. During the inspection the following were observed: i) ITI was FOUND CLOSED. ii) No ITI related activities were found on the day of inspection.	The matter was deliberated in the SCAA meeting, and the SCAA decided as under, based on the recommendations of the SSDEC: 1. It has been observed that the ITI was found closed during inspection. 2. In line with the principles of natural justice, the ITI was granted a final opportunity in the 25th SCAA meeting held on 13.11.2025 and

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEY SHARMA
12:45 13.04.2026

Sl. No	Name of ITI, Address and MIS Code	Trade/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			iii) No ITI staff was available on the day of inspection for contact or verification purposes. 5. The matter of the ITI was discussed in 9th SSDEC meeting held on 17.09.2025 and the SSDEC recommended de-affiliation of the ITI. 6. Further, the matter was discussed in the 25th SCAA Meeting and ITI was given an opportunity to show cause why it should not be de-affiliated, within 21 days from the date of issuance of the minutes. However, no reply was received within the prescribed time period.	14.11.2025 to submit a show-cause reply, explaining why the ITI should not be de-affiliated, along with any supporting representation, within 21 days from the issuance of the minutes of that meeting. 3. The said communication was issued by DGT to the registered email ID of the institute on 24.12.2025. 4. Further, the ITI did not avail the opportunity provided and failed to submit any reply or representation within the stipulated time. Accordingly, based on the facts on record, the ITI being found closed during inspection indicates that the ITI is not functioning as an affiliated institution. The ITI is hereby de-affiliated.
14.	Shri Govind Private Industrial Training Institute,	Electrician- 6 (2+2+2)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.	The matter was deliberated in the SCAA, and it was decided to conduct a joint inspection of the

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sl. No	Name of ITI, Address and MIS Code	Trade/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
	Address - 302/715 Khora Bisal, The. Amer Benad Road, Dist. Jaipur Rajasthan MIS Code - PR08001364		2. The SCN was issued to the ITI by State Directorate on 07.01.2025. 3. The reply dated 24.01.2025 was received from the ITI. 4. Further, a joint inspection of the ITI was conducted on 23.06.2025 by RDSDE and State Directorate official. 5. During the inspection the following were observed: i) ITI was FOUND CLOSED. ii) The ITI owner refused for inspection. iii) A school was running in the same ITI premises. 6. The matter of the ITI was discussed in 9th SSDEC meeting held on 17.09.2025 and the SSDEC recommended de-affiliation of the ITI. 7. The 25th SCAA has granted a final opportunity to the ITI to represent itself within 21 days by a way of SCN. 8. The reply to the SCN was received on 13.01.2026. 9. In its reply the ITI submitted the following: a) <u>ITI found closed during inspection:</u> Classes were ongoing with staff present on	ITI to verify its functioning as per prescribed norms. The joint inspection shall be conducted by the concerned State Directorate and RDSDE Rajasthan. The date of inspection shall be decided by the State Directorate in consultation with RDSDE Rajasthan. The inspection report shall be submitted to the DGT within one month from the date of issuance of the minutes of this meeting for consideration in the next SCAA meeting.

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sl. No	Name of ITI, Address and MIS Code	Trade/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			23.06.2025. The main gate was closed due to mandatory directives ("bandh") from the Joint Private ITI Union (Sangh/Yunion). b) <u>Owner refused inspection:</u> The owner declined due to the same union-imposed obligations/directives on that date. c) <u>School running in the same ITI premises:</u> A school exists on site, but the ITI building/premises is separate from the school's. Attached photos prove the distinct buildings and premises for both.	
15.	Adarsh Private ITI, Address - Bhiwal Colony, Mukundpura Raod Basdi, Tehsil Sanganer, Dist. Jaipur Pin-302026 Rajasthan MIS Code - PU08001426	Electrician- 6 (2+2+2)	- Irregularities observed during initial Inspection conducted by State official on 24.12.2024. - The SCN was issued to the ITI by State Directorate on 07.01.2025. - The reply dated 28.01.2025 was received from the ITI. - Further, a joint inspection of the ITI was conducted on 25.06.2025 by RDSDE and State Directorate official. - During the inspection the following were observed: - ITI was FOUND CLOSED.	The matter was deliberated in the SCAA meeting, and the SCAA decided as under, based on the recommendations of the SSDEC: - It has been observed that the ITI was found closed during inspection. - In line with the principles of natural justice, the ITI was granted a final opportunity in the 25th SCAA meeting held on 13.11.2025 and

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEV SHARMA
12:45 13.04.2026

Sl. No	Name of ITI, Address and MIS Code	Trade/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			ii) The ITI owner refused for inspection. iii) A school was running in the same ITI premises. 6. The matter of the ITI was discussed in 9th SSDEC meeting held on 17.09.2025 and the SSDEC recommended de-affiliation of the ITI. 7. Further, the matter was discussed in the 25th SCAA Meeting and ITI was given an opportunity to show cause why it should not be de-affiliated, within 21 days from the date of issuance of the minutes. However, no reply was received within the prescribed time period.	14.11.2025 to submit a show-cause reply, explaining why the ITI should not be de-affiliated, along with any supporting representation, within 21 days from the issuance of the minutes of that meeting. 3. The said communication was issued by DGT to the registered email ID of the institute on 24.12.2025. 4. Further, the ITI did not avail the opportunity provided and failed to submit any reply or representation within the stipulated time. Accordingly, based on the facts on record, the ITI being found closed during inspection indicates that the ITI is not functioning as an affiliated institution. The ITI is hereby de-affiliated.
16.	G.D. Private Industrial Training Institute,	Electrician- 3 (1+1+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.	The matter was deliberated in the SCAA meeting, and the SCAA

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49SHRAMEEV SHARMA
12:45 13.04.2026

Sl. No	Name of ITI, Address and MIS Code	Trade/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
	Address - Chaumukha, Jamawa Ram Garh, Dist. Jaipur Rajasthan MIS Code - PR08001453		2. The SCN was issued to the ITI by State Directorate on 07.01.2025. 3. The reply dated 18.01.2025 was received from the ITI. 4. Further, a joint inspection of the ITI was conducted on 27.06.2025 by RDSDE and State Directorate official. 5. During the inspection the following were observed: i) ITI was FOUND CLOSED. ii) The ITI owner refused for inspection. iii) A school was running in the same ITI premises. 6. The matter of the ITI was discussed in 9th SSDEC meeting held on 17.09.2025 and the SSDEC recommended de-affiliation of the ITI. 7. Further, the matter was discussed in the 25th SCAA Meeting and ITI was given an opportunity to show cause why it should not be de-affiliated, within 21 days from the date of issuance of the minutes. However, no reply was received within the prescribed time period.	decided as under, based on the recommendations of the SSDEC: 1. It has been observed that the ITI was found closed during inspection. 2. In line with the principles of natural justice, the ITI was granted a final opportunity in the 25th SCAA meeting held on 13.11.2025 and 14.11.2025 to submit a show-cause reply, explaining why the ITI should not be de-affiliated, along with any supporting representation, within 21 days from the issuance of the minutes of that meeting. 3. The said communication was issued by DGT to the registered email ID of the institute on 24.12.2025. 4. Further, the ITI did not avail the opportunity provided and failed to submit any reply or representation within the stipulated time.

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEV SHARMA
12:45 13.04.2026

Sl. No	Name of ITI, Address and MIS Code	Trade/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
				Accordingly, based on the facts on record, the ITI being found closed during inspection indicates that the ITI is not functioning as an affiliated institution. The ITI is hereby de-affiliated.
17.	R.K. Private ITI Address - Plot No. G-13, Ricco Industrial Area, Phulera, Dist. Jaipur Rajasthan MIS Code - PR08001451	Electrician- 5 (1+2+2)	- Irregularities observed during initial Inspection conducted by State official on 24.12.2024. - The SCN was issued to the ITI by State Directorate on 07.01.2025. - The reply dated 16.01.2025 was received from the ITI. - Further, a joint inspection of the ITI was conducted on 26.06.2025 by RDSDE and State Directorate official. - During the inspection the following were observed: - ITI was FOUND CLOSED. - The ITI owner refused for inspection. - The matter of the ITI was discussed in 9th SSDEC meeting held on 17.09.2025 and the SSDEC recommended de-affiliation of the ITI.	The matter was deliberated in the SCAA, and it was decided to conduct a joint inspection of the ITI to verify its functioning as per prescribed norms. The joint inspection shall be conducted by the concerned State Directorate and RDSDE Rajasthan. The date of inspection shall be decided by the State Directorate in consultation with RDSDE Rajasthan. The inspection report shall be submitted to the DGT within one month from the date of issuance of the minutes of this meeting for consideration in the next SCAA meeting.

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sl. No	Name of ITI, Address and MIS Code	Trade/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			7. The 25th SCAA has granted a final opportunity to the ITI to represent itself within 21 days by a way of SCN. 8. The reply to the SCN was received on 08.01.2026. 9. In its reply the ITI submitted the following: a) The Institute repeatedly requested the inspection team to properly examine the infrastructure, laboratories, records, and other facilities. All staff members also requested that a fair and detailed inspection be conducted. However, the inspection officials stated that they did not have sufficient time and obtained the signature of the Head of the Institute on the inspection proforma without properly verifying the facilities. b) The Head of the Institute signed the inspection proforma under pressure and apprehension, as the inspection officer stated that if the signature was not provided, he would submit a blank report, which could adversely affect the Institute.	

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEV SHARMA
12:45 13.04.2026

Sl. No	Name of ITI, Address and MIS Code	Trade/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			c) The Institute has been functioning since 2014 and has maintained a clean and unblemished record. There has been no adverse record against the Institute to date. The Institute has consistently achieved full admissions every year along with 100% results. Relevant documentary evidence can be submitted for verification. d) All teaching and non-teaching staff are regularly performing their duties sincerely, and the Institute is continuously imparting training to enrolled students as per prescribed norms and syllabus. e) The Institute had already submitted its grievance and reply to the Hon'ble Director and Deputy Director (DTE), Jodhpur, Rajasthan, through email and speed post on 07.01.2025 and 16.01.2025. f) Subsequently, on 26.06.2025, officials from DSDE and the	

Signature Not Verified

UJJWAL BISWAS

13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA

12:45 13.04.2026

Sl. No	Name of ITI, Address and MIS Code	Trade/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			State Directorate visited for a joint inspection. During the visit, the officials stated that the ITI was not properly prepared and that if the inspection was conducted, a negative report would be submitted. g) The officials advised the Institute to submit a letter on its letterhead citing the ongoing association strike as a reason for not conducting the inspection. As per their directions, the Institute submitted the said letter. h) The Institute submits that such actions amount to unfair treatment and have caused serious prejudice to the institution and the students enrolled therein. i) The Institute is fully prepared and has always been ready for re-inspection at any time. Photographs of ongoing classes, practical workshops, and activities dated	

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEV SHARMA
12:45 13.04.2026

Sl. No	Name of ITI, Address and MIS Code	Trade/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			24.12.2024 can be furnished for verification. j) In view of the above facts, it is humbly requested that permission for admissions for the academic session 2025–26 may kindly be granted so that the future of the students does not suffer. k) The Institute once again requests that a fair re-inspection may be conducted and that admission permission for the session 2025–26 be allowed in the interest of students. l) The Institute shall remain ever grateful for your kind consideration. 10. The ITI has attached the following documents as supporting documents: a) The Hon'ble court justice order dated 09.04.2021 and requested not to pass any adverse against the ITI failing which the institute would be liable to challenge this	

Signature Not Verified
 UJJWAL BISWAS
 13.04.2026 15:49

Signature Not Verified
 SHRAMEV SHARMA
 12:45 13.04.2026

Sl. No	Name of ITI, Address and MIS Code	Trade/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			order by the way of WPC in Hon'ble Rajasthan High Court. b) The ITI has also attached letter dated 30.09.2025 to State Directorate Rajasthan in which it was submitted that During the visit, the officials stated that the ITI was not properly prepared and that if the inspection was conducted, a negative report would be submitted. c) The officials advised the Institute to submit a letter on its letterhead citing the ongoing association strike as a reason for not conducting the inspection. As per their directions, the Institute submitted the said letter (copy enclosed) .It is also informed that the institute is operational and requested to kindly conduct the re-inspection of the ITI and grant the admission for session 2025-2026.	
18.	Sahil Private ITI, Address - V.P.O. Dhodhsar, Via Govindgarh, Dist. Jaipur-303712	Electrician- 3 (1+1+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. The SCN was issued to the ITI by State Directorate on 07.01.2025.	The matter was deliberated in the SCAA, and it was decided to conduct a joint inspection of the

Signature Not Verified
 UJJWAL BISWAS
 13.04.2026 15:49

Signature Not Verified
 SHRADDHA ARMA
 13.04.2026 15:49

Sl. No	Name of ITI, Address and MIS Code	Trade/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
	MIS Code - PR08001718		3. The reply dated 22.01.2025 was received from the ITI. 4. Further, a joint inspection of the ITI was conducted on 25.06.2025 by RDSDE and State Directorate official. 5. During the inspection the ITI was FOUND CLOSED. 6. The matter of the ITI was discussed in 9th SSDEC meeting held on 17.09.2025 and the SSDEC recommended de-affiliation of the ITI. 7. The 25th SCAA has granted a final opportunity to the ITI to represent itself within 21 days by a way of SCN. 8. The reply to the SCN was received on 13.01.2026. 9. In its reply the ITI submitted the following: a) The joint inspection scheduled for 25.06.2025 by RDSDE and state-level inspection team could not occur as the institute was closed due to a legitimate strike by the Rajasthan State ITI Union, of which the institute is an active member.	ITI to verify its functioning as per prescribed norms. The joint inspection shall be conducted by the concerned State Directorate and RDSDE Rajasthan. The date of inspection shall be decided by the State Directorate in consultation with RDSDE Rajasthan. The inspection report shall be submitted to the DGT within one month from the date of issuance of the minutes of this meeting for consideration in the next SCAA meeting.

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sl. No	Name of ITI, Address and MIS Code	Trade/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			b) The closure was in compliance with the union's collective decision, not due to any deficiencies, irregularities, or lack of cooperation. c) The strike has ended, and all educational/administrative activities are now normal. d) Requests rescheduling of the inspection with full cooperation assured. e) Urges reconsideration of any rejection/de-affiliation decision based solely on the missed inspection, in line with natural justice principles.	
19.	Shri Ganesh Private Industrial Training Institute, Address - Bhagwati Nagar, Near Bad Ka Ped, Lalchandpura Road, Jhotwara Dist. Jaipur Rajasthan MIS Code - PR08001444	Electrician- 12 (4+4+4)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. The SCN was issued to the ITI by State Directorate on 07.01.2025. 3. The reply dated 22.01.2025 was received from the ITI. 4. Further, a joint inspection of the ITI was conducted on 23.06.2025 by RDSDE and State Directorate official. 5. During the inspection the following were observed:	The matter was deliberated in the SCAA, and it was decided to conduct a joint inspection of the ITI to verify its functioning as per prescribed norms. The joint inspection shall be conducted by the concerned State Directorate and RDSDE Rajasthan. The date of inspection shall be decided by the State Directorate in consultation with

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12.45 13.04.2026

Sl. No	Name of ITI, Address and MIS Code	Trade/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			i) ITI was FOUND CLOSED. ii) No documents produced by ITI representative for inspection. iii) The tin-shed workshops were shown only from the outside by the ITI representative. The institute appeared to be non-operational for a long time. 6. The matter of the ITI was discussed in 9th SSDEC meeting held on 17.09.2025 and the SSDEC recommended de-affiliation of the ITI. 7. The 25th SCAA has granted a final opportunity to the ITI to represent itself within 21 days by a way of SCN. 8. The reply to the SCN was received on 13.01.2026. 9. In its reply the ITI submitted the following: a) <u>ITI was FOUND Closed</u>- Surprise inspection occurred when most trainees were at industry for practical training (on-the-job). Invitation letter from industry (Mach Unitech Systems) for trainee training is attached as proof.	RDSDE Rajasthan. The inspection report shall be submitted to the DGT within one month from the date of issuance of the minutes of this meeting for consideration in the next SCAA meeting.

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEV SHARMA
12:45 13.04.2026

Sl. No	Name of ITI, Address and MIS Code	Trade/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			b) <u>Some staff on leave, but most present;</u> staff attendance register - copy attached. c) <u>No documents produced by ITI representative for inspection-</u> Most requested documents were shown to the inspection team during the visit. Institute is ready to provide any remaining/future required documents. d) <u>Tin-shed workshops shown only from outside;</u> - institute appeared non-operational for long time Representative allowed lab/workshop inspection is continuously operational; recent lab photographs attached as evidence. Ready for future inspection of labs by team.	
20.	Jodhana Private Industrial Training Institute, Address - Khasra No. 89/487 Back Side Mahadev Nagar, Pilar	Mechanic Diesel- 2 (2+0)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. The SCN was issued to the ITI by State Directorate on 04.01.2025, followed by reminder dated 03.02.2025.	The matter was deliberated in the SCAA meeting, and the SCAA decided as under, based on the recommendations of the SSDEC:

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEV SHARMA
12:45 13.04.2026

Sl. No	Name of ITI, Address and MIS Code	Trade/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
	Balaji Mandir Banar Highway Road, Dist. Jodhpur Rajasthan MIS Code - PR08000719		3. Further, a joint inspection of the ITI was conducted on 23.06.2025 by RDSDE and State Directorate official. 4. During the inspection the following were observed: 5. The ITI was found Locked and CLOSED. 6. The ITI owner was contacted on the provided phone number, and he informed that they wish to discontinue the affiliation of the ITI and do not intend to pursue any further correspondence in this matter. 7. The matter of the ITI was discussed in 9th SSDEC meeting held on 17.09.2025 and the SSDEC recommended de-affiliation of the ITI. 8. Further, the matter was discussed in the 25th SCAA Meeting and ITI was given an opportunity to show cause why it should not be de-affiliated, within 21 days from the date of issuance of the minutes. However, no reply was received within the prescribed time period.	1. It has been observed that the ITI was found closed during inspection. 2. In line with the principles of natural justice, the ITI was granted a final opportunity in the 25th SCAA meeting held on 13.11.2025 and 14.11.2025 to submit a show-cause reply, explaining why the ITI should not be de-affiliated, along with any supporting representation, within 21 days from the issuance of the minutes of that meeting. 3. The said communication was issued by DGT to the registered email ID of the institute on 24.12.2025. 4. Further, the ITI did not avail the opportunity provided and failed to submit any reply or representation within the stipulated time. Accordingly, based on the facts on record, the ITI being found

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEV SHARMA
12:45 13.04.2026

Sl. No	Name of ITI, Address and MIS Code	Trade/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
				closed during inspection indicates that the ITI is not functioning as an affiliated institution. The ITI is hereby de-affiliated.
21.	Vinayak Private Industrial Training Institute, Address -Village Deh, Teh. Jayal, Dist. Nagaur Rajasthan-341022 MIS Code - PR08000784	Electrician- 6 (2+2+2)	- Irregularities observed during initial Inspection conducted by State official on 24.12.2024. - The SCN was issued to the ITI by State Directorate on 04.01.2025, followed by reminder dated 03.02.2025. - Further, a joint inspection of the ITI was conducted on 23.06.2025 by RDSDE and State Directorate official. - During the inspection the following were observed: - ITI was FOUND CLOSED. - A Bachpan school was running in the same ITI premises. - ITI was tried to contact several times on the day of inspection but no response. Also, no ITI staff was available for inspection. - The matter of the ITI was discussed in 9th SSDEC meeting held on 17.09.2025 and the SSDEC recommended de-affiliation of the ITI.	The matter was deliberated in the SCAA meeting, and the SCAA decided as under, based on the recommendations of the SSDEC: - It has been observed that the ITI was found closed during inspection. - In line with the principles of natural justice, the ITI was granted a final opportunity in the 25th SCAA meeting held on 13.11.2025 and 14.11.2025 to submit a show-cause reply, explaining why the ITI should not be de-affiliated, along with any supporting representation, within 21 days from the issuance of the minutes of that meeting. - The said communication was issued by DGT to the

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sl. No	Name of ITI, Address and MIS Code	Trade/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			6. Further, the matter was discussed in the 25th SCAA Meeting and ITI was given an opportunity to show cause why it should not be de-affiliated, within 21 days from the date of issuance of the minutes. However, no reply was received within the prescribed time period.	registered email ID of the institute on 24.12.2025. 4. Further, the ITI did not avail the opportunity provided and failed to submit any reply or representation within the stipulated time. Accordingly, based on the facts on record, the ITI being found closed during inspection indicates that the ITI is not functioning as an affiliated institution. The ITI is hereby de-affiliated.
22.	Phooshraj Todi Private Industrial Training Institute, Address - 451, Mile Stone, N.H. - 11, Rajaldeser, Ratangarh (Churu) - 331802 MIS Code - PR08001041	Electrician- 9 (5+4)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. The SCN was issued to the ITI by State Directorate on 08.01.2025, followed by reminder dated 06.02.2025. 3. Further, a joint inspection of the ITI was conducted on 07.07.2025 by RDSDE and State Directorate official. 4. During the inspection the following were observed: i) The ITI was not FOUND as per NCVT MIS portal address and location of the ITI. The	The matter was deliberated in the SCAA meeting, and the SCAA decided as under, based on the recommendations of the SSDEC: 1. It has been observed that the ITI was found closed during inspection. 2. In line with the principles of natural justice, the ITI was granted a final opportunity in the 25th SCAA meeting held on 13.11.2025 and

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49Signature Not Verified
SHRAMEEV SHARMA
12:45 13.04.2026

Sl. No	Name of ITI, Address and MIS Code	Trade/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			construction work was going on that location. ii) The ITI Principal was contacted, and he shared a letter dated 07.07.2025 via WhatsApp, stating that the ITI has been closed for the past two years due to zero admissions. He also mentioned that this information had already been communicated earlier by the ITI. 5. The matter of the ITI was discussed in 9th SSDEC meeting held on 17.09.2025 and the SSDEC recommended de-affiliation of the ITI. 6. Further, the matter was discussed in the 25th SCAA Meeting and ITI was given an opportunity to show cause why it should not be de-affiliated, within 21 days from the date of issuance of the minutes. However, no reply was received within the prescribed time period.	14.11.2025 to submit a show-cause reply, explaining why the ITI should not be de-affiliated, along with any supporting representation, within 21 days from the issuance of the minutes of that meeting. 3. The said communication was issued by DGT to the registered email ID of the institute on 24.12.2025. 4. Further, the ITI did not avail the opportunity provided and failed to submit any reply or representation within the stipulated time. Accordingly, based on the facts on record, the ITI being found closed during inspection indicates that the ITI is not functioning as an affiliated institution. The ITI is hereby de-affiliated.
23.	Chandrawanshi Private Industrial Training Institute,	Electrician- 6 (2+2+2)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.	The matter was deliberated in the SCAA meeting, and the SCAA

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sl. No	Name of ITI, Address and MIS Code	Trade/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
	Address - Vill. -Bani Park, Post-Bagawas Ahiran Teh. -Viratnagar Dist.-Jaipur Rajasthan-303119 MIS Code - PR08001508		2. The SCN was issued to the ITI by State Directorate on 07.01.2025, followed by reminder dated 06.02.2025. 3. Further, a joint inspection of the ITI was conducted on 02.07.2025 by RDSDE and State Directorate official. 4. During the inspection the ITI was found CLOSED. 5. The matter of the ITI was discussed in 9th SSDEC meeting held on 17.09.2025 and the SSDEC recommended de-affiliation of the ITI. 6. Further, the matter was discussed in the 25th SCAA Meeting and ITI was given an opportunity to show cause why it should not be de-affiliated, within 21 days from the date of issuance of the minutes. However, no reply was received within the prescribed time period.	decided as under, based on the recommendations of the SSDEC: 1. It has been observed that the ITI was found closed during inspection. 2. In line with the principles of natural justice, the ITI was granted a final opportunity in the 25th SCAA meeting held on 13.11.2025 and 14.11.2025 to submit a show-cause reply, explaining why the ITI should not be de-affiliated, along with any supporting representation, within 21 days from the issuance of the minutes of that meeting. 3. The said communication was issued by DGT to the registered email ID of the institute on 24.12.2025. 4. Further, the ITI did not avail the opportunity provided and failed to submit any reply or representation within the stipulated time.

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sl. No	Name of ITI, Address and MIS Code	Trade/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
				Accordingly, based on the facts on record, the ITI being found closed during inspection indicates that the ITI is not functioning as an affiliated institution. The ITI is hereby de-affiliated.
24.	Anmol Private ITI, Address - Nh-8, Peepli Stand Antela, Tehsil Virat Nagar Dist. Jaipur-303119 MIS Code - PU08001616	Electrician- 6 (2+2+2)	- Irregularities observed during initial Inspection conducted by State official on 24.12.2024. - The SCN was issued to the ITI by State Directorate on 07.01.2025, followed by reminder dated 06.02.2025. - Further, a joint inspection of the ITI was conducted on 01.07.2025 by RDSDE and State Directorate official. - During the inspection the ITI was found CLOSED. - The matter of the ITI was discussed in 9th SSDEC meeting held on 17.09.2025 and the SSDEC recommended de-affiliation of the ITI. - Further, the matter was discussed in the 25th SCAA Meeting and ITI was given an opportunity to show cause why it should not be de-affiliated, within 21 days from the date of issuance of the	The matter was deliberated in the SCAA meeting, and the SCAA decided as under, based on the recommendations of the SSDEC: - It has been observed that the ITI was found closed during inspection. - In line with the principles of natural justice, the ITI was granted a final opportunity in the 25th SCAA meeting held on 13.11.2025 and 14.11.2025 to submit a show-cause reply, explaining why the ITI should not be de-affiliated, along with any supporting representation, within 21 days from the

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sl. No	Name of ITI, Address and MIS Code	Trade/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			minutes. However, no reply was received within the prescribed time period.	issuance of the minutes of that meeting. 3. The said communication was issued by DGT to the registered email ID of the institute on 24.12.2025. 4. Further, the ITI did not avail the opportunity provided and failed to submit any reply or representation within the stipulated time. Accordingly, based on the facts on record, the ITI being found closed during inspection indicates that the ITI is not functioning as an affiliated institution. The ITI is hereby de-affiliated.
25.	Vikas Private Industrial Training Institute, Address - Near R.T.O. Office, Putli Road, Kotputli (Jaipur) MIS Code - PR08000917	1. Electrician- 3 (2+1) 2. Fitter- 2 (1+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. The SCN was issued to the ITI by State Directorate on 14.01.2025, followed by reminder dated 11.02.2025. 3. Further, a joint inspection of the ITI was conducted on 01.07.2025 by RDSDE and State Directorate official.	The matter was deliberated in the SCAA meeting, and the SCAA decided as under, based on the recommendations of the SSDEC: 1. It has been observed that the ITI was found closed during inspection.

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sl. No	Name of ITI, Address and MIS Code	Trade/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			4. During the inspection the ITI was found CLOSED. 5. The matter of the ITI was discussed in 9th SSDEC meeting held on 17.09.2025 and the SSDEC recommended de-affiliation of the ITI. 6. Further, the matter was discussed in the 25th SCAA Meeting and ITI was given an opportunity to show cause why it should not be de-affiliated, within 21 days from the date of issuance of the minutes. However, no reply was received within the prescribed time period.	2. In line with the principles of natural justice, the ITI was granted a final opportunity in the 25th SCAA meeting held on 13.11.2025 and 14.11.2025 to submit a show-cause reply, explaining why the ITI should not be de-affiliated, along with any supporting representation, within 21 days from the issuance of the minutes of that meeting. 3. The said communication was issued by DGT to the registered email ID of the institute on 24.12.2025. 4. Further, the ITI did not avail the opportunity provided and failed to submit any reply or representation within the stipulated time. Accordingly, based on the facts on record, the ITI being found closed during inspection indicates that the ITI is not functioning as an affiliated

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEV SHARMA
12:45 13.04.2026

Sl. No	Name of ITI, Address and MIS Code	Trade/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
				institution. The ITI is hereby de-affiliated.
26.	Netaji Subash Chander Bosh Private Industrial Training Institute., Address - Post-Tunga, Teh. Bassi, Distt. Jaipur-303302 MIS Code - PR08000872	Electrician- 1 (0+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. The SCN was issued to the ITI by State Directorate on 14.01.2025, followed by reminder dated 11.02.2025. 3. Further, a joint inspection of the ITI was conducted on 30.06.2025 by RDSDE and State Directorate official. 4. During the inspection the ITI was found CLOSED. 5. The matter of the ITI was discussed in 9th SSDEC meeting held on 17.09.2025 and the SSDEC recommended de-affiliation of the ITI. 6. Further, the matter was discussed in the 25th SCAA Meeting and ITI was given an opportunity to show cause why it should not be de-affiliated, within 21 days from the date of issuance of the minutes. However, no reply was received within the prescribed time period.	The matter was deliberated in the SCAA meeting, and the SCAA decided as under, based on the recommendations of the SSDEC: 1. It has been observed that the ITI was found closed during inspection. 2. In line with the principles of natural justice, the ITI was granted a final opportunity in the 25th SCAA meeting held on 13.11.2025 and 14.11.2025 to submit a show-cause reply, explaining why the ITI should not be de-affiliated, along with any supporting representation, within 21 days from the issuance of the minutes of that meeting. 3. The said communication was issued by DGT to the registered email ID of the institute on 24.12.2025.

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEV SHARMA
12:45 13.04.2026

Sl. No	Name of ITI, Address and MIS Code	Trade/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
				4. Further, the ITI did not avail the opportunity provided and failed to submit any reply or representation within the stipulated time. Accordingly, based on the facts on record, the ITI being found closed during inspection indicates that the ITI is not functioning as an affiliated institution. The ITI is hereby de-affiliated.
27.	Shree Ramanandacharya Private Industrial Training Institute, Address - Plot No. S/240, Tehsil Road, Shahpura (Jaipur)303103 MIS Code - PR08000966	Electrician- 4 (2+2)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. The SCN was issued to the ITI by State Directorate on 15.01.2025, followed by reminder dated 11.02.2025. 3. Further, a joint inspection of the ITI was conducted on 02.07.2025 by RDSDE and State Directorate official. 4. During the inspection the ITI was found CLOSED and non -operational. 5. The matter of the ITI was discussed in 9th SSDEC meeting held on 17.09.2025 and the SSDEC recommended de-affiliation of the ITI.	The matter was deliberated in the SCAA meeting, and the SCAA decided as under, based on the recommendations of the SSDEC: 1. It has been observed that the ITI was found closed during inspection. 2. In line with the principles of natural justice, the ITI was granted a final opportunity in the 25th SCAA meeting held on 13.11.2025 and 14.11.2025 to submit a show-cause reply, explaining why

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sl. No	Name of ITI, Address and MIS Code	Trade/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			6. Further, the matter was discussed in the 25th SCAA Meeting and ITI was given an opportunity to show cause why it should not be de-affiliated, within 21 days from the date of issuance of the minutes. However, no reply was received within the prescribed time period.	the ITI should not be de-affiliated, along with any supporting representation, within 21 days from the issuance of the minutes of that meeting. 3. The said communication was issued by DGT to the registered email ID of the institute on 24.12.2025. 4. Further, the ITI did not avail the opportunity provided and failed to submit any reply or representation within the stipulated time. Accordingly, based on the facts on record, the ITI being found closed during inspection indicates that the ITI is not functioning as an affiliated institution. The ITI is hereby de-affiliated.
28.	Vaidh Patiram Private Industrial Training Institute,	Electrician- 4 (2+2)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. The SCN was issued to the ITI by State Directorate on 03.01.2025.	The matter was deliberated in the SCAA meeting, and the SCAA decided as under, based on the recommendations of the SSDEC:

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sl. No	Name of ITI, Address and MIS Code	Trade/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
	Address - Vill. Bhaisa, Teh. Roopwas, Dist. Bharatpur Pin-321404 Rajasthan MIS Code - PR08001569		3. The reply dated 21.01.2025 was received from the ITI. 4. Further, a joint inspection of the ITI was conducted on 26.06.2025 by RDSDE and State Directorate official. 5. During the inspection the ITI was found CLOSED. 6. The matter of the ITI was discussed in 9th SSDEC meeting held on 17.09.2025 and the SSDEC recommended de-affiliation of the ITI. 7. Further, the matter was discussed in the 25th SCAA Meeting and ITI was given an opportunity to show cause why it should not be de-affiliated, within 21 days from the date of issuance of the minutes. However, no reply was received within the prescribed time period.	1. It has been observed that the ITI was found closed during inspection. 2. In line with the principles of natural justice, the ITI was granted a final opportunity in the 25th SCAA meeting held on 13.11.2025 and 14.11.2025 to submit a show-cause reply, explaining why the ITI should not be de-affiliated, along with any supporting representation, within 21 days from the issuance of the minutes of that meeting. 3. The said communication was issued by DGT to the registered email ID of the institute on 24.12.2025. 4. Further, the ITI did not avail the opportunity provided and failed to submit any reply or representation within the stipulated time. Accordingly, based on the facts on record, the ITI being found

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sl. No	Name of ITI, Address and MIS Code	Trade/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
				closed during inspection indicates that the ITI is not functioning as an affiliated institution. The ITI is hereby de-affiliated.
29.	New Mahalaxmi Private Industrial Training Institute Address - kota Road, Talera, The. Talera, Dist. Bundi - 323021 MIS Code - PR08001346	1. Electrician- 12 (4+4+4) 2. Fitter- 3 (1+1+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. The SCN was issued to the ITI by State Directorate on 30.12.2024. 3. Further, a joint inspection of the ITI was conducted on 29.07.2025 by RDSDE and State Directorate official. 4. During the inspection the ITI was found CLOSED. 5. The matter of the ITI was discussed in 9th SSDEC meeting held on 17.09.2025 and the SSDEC recommended de-affiliation of the ITI. 6. Further, the matter was discussed in the 25th SCAA Meeting and ITI was given an opportunity to show cause why it should not be de-affiliated, within 21 days from the date of issuance of the minutes. However, no reply was received within the prescribed time period.	The matter was deliberated in the SCAA meeting, and the SCAA decided as under, based on the recommendations of the SSDEC: 1. It has been observed that the ITI was found closed during inspection. 2. In line with the principles of natural justice, the ITI was granted a final opportunity in the 25th SCAA meeting held on 13.11.2025 and 14.11.2025 to submit a show-cause reply, explaining why the ITI should not be de-affiliated, along with any supporting representation, within 21 days from the issuance of the minutes of that meeting. 3. The said communication was issued by DGT to the

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sl. No	Name of ITI, Address and MIS Code	Trade/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
				registered email ID of the institute on 24.12.2025. 4. Further, the ITI did not avail the opportunity provided and failed to submit any reply or representation within the stipulated time. Accordingly, based on the facts on record, the ITI being found closed during inspection indicates that the ITI is not functioning as an affiliated institution. The ITI is hereby de-affiliated.
30.	Shiv Private Industrial Training Institute, Address - Kalkakra, Lalsot (Dausa) MIS Code - PR08000147	1. Electrician- 2 (2+0) 2. Fitter- 1 (0+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. The SCN was issued to the ITI by State Directorate on 14.01.2025. 3. Further, a joint inspection of the ITI was conducted on 30.07.2025 by RDSDE and State Directorate official. 4. During the inspection the following were observed: 5. ITI was found locked. 6. There was no board of ITI. The nearby people confirmed that this is the ITI.	The matter was deliberated in the SCAA meeting, and the SCAA decided as under, based on the recommendations of the SSDEC: 1. It has been observed that the ITI was found closed during inspection. 2. In line with the principles of natural justice, the ITI was granted a final opportunity in the 25th SCAA meeting held on 13.11.2025 and

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sl. No	Name of ITI, Address and MIS Code	Trade/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			7. The ITI was contacted on the given no. but number was not reachable. 8. As per the portal address the ITI was there but no signage board was found available on the day of inspection. 9. The matter of the ITI was discussed in 9th SSDEC meeting held on 17.09.2025 and the SSDEC recommended de-affiliation of the ITI. 10. Further, the matter was discussed in the 25th SCAA Meeting and ITI was given an opportunity to show cause why it should not be de-affiliated, within 21 days from the date of issuance of the minutes. However, no reply was received within the prescribed time period.	14.11.2025 to submit a show-cause reply, explaining why the ITI should not be de-affiliated, along with any supporting representation, within 21 days from the issuance of the minutes of that meeting. 3. The said communication was issued by DGT to the registered email ID of the institute on 24.12.2025. 4. Further, the ITI did not avail the opportunity provided and failed to submit any reply or representation within the stipulated time. Accordingly, based on the facts on record, the ITI being found closed during inspection indicates that the ITI is not functioning as an affiliated institution. The ITI is hereby de-affiliated.
31.	Bhadu Private Industrial Training Institute,	Electrician- 3 (1+1+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.	The matter was deliberated in the SCAA meeting, and the SCAA

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sl. No	Name of ITI, Address and MIS Code	Trade/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
	Address - Ward No.19, Pili Banga Dist.-Hanumangarh Rajasthan MIS Code - PR08000162		2. The SCN was issued to the ITI by State Directorate on 15.01.2025. 3. Further, a joint inspection of the ITI was conducted on 01.08.2025 by RDSDE and State Directorate official. 4. During the inspection the ITI was found closed. 5. The matter of the ITI was discussed in 9th SSDEC meeting held on 17.09.2025 and the SSDEC recommended de-affiliation of the ITI. 6. Further, the matter was discussed in the 25th SCAA Meeting and ITI was given an opportunity to show cause why it should not be de-affiliated, within 21 days from the date of issuance of the minutes. However, no reply was received within the prescribed time period.	decided as under, based on the recommendations of the SSDEC: 1. It has been observed that the ITI was found closed during inspection. 2. In line with the principles of natural justice, the ITI was granted a final opportunity in the 25th SCAA meeting held on 13.11.2025 and 14.11.2025 to submit a show-cause reply, explaining why the ITI should not be de-affiliated, along with any supporting representation, within 21 days from the issuance of the minutes of that meeting. 3. The said communication was issued by DGT to the registered email ID of the institute on 24.12.2025. 4. Further, the ITI did not avail the opportunity provided and failed to submit any reply or representation within the stipulated time.

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sl. No	Name of ITI, Address and MIS Code	Trade/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
				Accordingly, based on the facts on record, the ITI being found closed during inspection indicates that the ITI is not functioning as an affiliated institution. The ITI is hereby de-affiliated.
32.	P.R.G. Memorial Private Industrial Training Institute, Address - West Side Gate, B.R. Miradha Dharmshala, Fort Road, Dist.-Nagaur Rajasthan MIS Code - PR08000245	Electrician- 4 (1+1+2)	- Irregularities observed during initial Inspection conducted by State official on 24.12.2024. - The SCN was issued to the ITI by State Directorate on 04.01.2025. - Further, a joint inspection of the ITI was conducted on 14.07.2025 by RDSDE and State Directorate official. - During the inspection the Following were observed: - ITI was found closed. - The ITI Principal was contacted, and he informed that the ITI has been closed since 2020 due to no admissions. - The Principal and the management were not physically presented for inspection on that day. - The matter of the ITI was discussed in 9th SSDEC meeting held on	The matter was deliberated in the SCAA meeting, and the SCAA decided as under, based on the recommendations of the SSDEC: - It has been observed that the ITI was found closed during inspection. - In line with the principles of natural justice, the ITI was granted a final opportunity in the 25th SCAA meeting held on 13.11.2025 and 14.11.2025 to submit a show-cause reply, explaining why the ITI should not be de-affiliated, along with any supporting representation, within 21 days from the

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEV SHARMA
12:45 13.04.2026

Sl. No	Name of ITI, Address and MIS Code	Trade/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			17.09.2025 and the SSDEC recommended de-affiliation of the ITI. 6. Further, the matter was discussed in the 25th SCAA Meeting and ITI was given an opportunity to show cause why it should not be de-affiliated, within 21 days from the date of issuance of the minutes. However, no reply was received within the prescribed time period.	issuance of the minutes of that meeting. 3. The said communication was issued by DGT to the registered email ID of the institute on 24.12.2025. 4. Further, the ITI did not avail the opportunity provided and failed to submit any reply or representation within the stipulated time. Accordingly, based on the facts on record, the ITI being found closed during inspection indicates that the ITI is not functioning as an affiliated institution. The ITI is hereby de-affiliated.
33.	Saahil Private Industrial Training Institute, Address - Near Bye Pass, Tonk MIS Code - PR08000673	Electrician- 6 (3+3)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. The SCN was issued to the ITI by State Directorate on 04.01.2025. 3. Further, a joint inspection of the ITI was conducted on 15.07.2025 by RDSDE and State Directorate official. 4. During the inspection the following were observed:	The matter was deliberated in the SCAA meeting, and the SCAA decided as under, based on the recommendations of the SSDEC: 1. It has been observed that the ITI was found closed during inspection.

Signature Not Verified
 UJJWAL BISWAS
 13.04.2026 15:49

Signature Not Verified
 SHRAMEEV SHARMA
 12.45 13.04.2026

Sl. No	Name of ITI, Address and MIS Code	Trade/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			i) ITI was found closed. ii) The ITI submitted vide its letter dated 15.07.2025 that the admissions have not been taken by the ITI in Electrician trade from last 2 yrs, therefore, the ITI want to close the ITI. iii) The Principal and the management were not physically presented for inspection on that day. 5. The matter of the ITI was discussed in 9th SSDEC meeting held on 17.09.2025 and the SSDEC recommended de-affiliation of the ITI. 6. Further, the matter was discussed in the 25th SCAA Meeting and ITI was given an opportunity to show cause why it should not be de-affiliated, within 21 days from the date of issuance of the minutes. However, no reply was received within the prescribed time period.	2. In line with the principles of natural justice, the ITI was granted a final opportunity in the 25th SCAA meeting held on 13.11.2025 and 14.11.2025 to submit a show-cause reply, explaining why the ITI should not be de-affiliated, along with any supporting representation, within 21 days from the issuance of the minutes of that meeting. 3. The said communication was issued by DGT to the registered email ID of the institute on 24.12.2025. 4. Further, the ITI did not avail the opportunity provided and failed to submit any reply or representation within the stipulated time. Accordingly, based on the facts on record, the ITI being found closed during inspection indicates that the ITI is not functioning as an affiliated

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sl. No	Name of ITI, Address and MIS Code	Trade/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
				institution. The ITI is hereby de-affiliated.
34.	Shiv Private Industrial Training Institute, Address - Dak Bangla Ke Pichhe, Aligarh, Distt. Tonk MIS Code - PR08000625	Electrician- 2 (1+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. The SCN was issued to the ITI by State Directorate on 04.01.2025. 3. Further, a joint inspection of the ITI was conducted on 15.07.2025 by RDSDE and State Directorate official. 4. During the inspection the ITI was found closed. 5. The matter of the ITI was discussed in 9th SSDEC meeting held on 17.09.2025 and the SSDEC recommended de-affiliation of the ITI. 6. Further, the matter was discussed in the 25th SCAA Meeting and ITI was given an opportunity to show cause why it should not be de-affiliated, within 21 days from the date of issuance of the minutes. However, no reply was received within the prescribed time period.	The matter was deliberated in the SCAA meeting, and the SCAA decided as under, based on the recommendations of the SSDEC: 1. It has been observed that the ITI was found closed during inspection. 2. In line with the principles of natural justice, the ITI was granted a final opportunity in the 25th SCAA meeting held on 13.11.2025 and 14.11.2025 to submit a show-cause reply, explaining why the ITI should not be de-affiliated, along with any supporting representation, within 21 days from the issuance of the minutes of that meeting. 3. The said communication was issued by DGT to the registered email ID of the institute on 24.12.2025.

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sl. No	Name of ITI, Address and MIS Code	Trade/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
				4. Further, the ITI did not avail the opportunity provided and failed to submit any reply or representation within the stipulated time. Accordingly, based on the facts on record, the ITI being found closed during inspection indicates that the ITI is not functioning as an affiliated institution. The ITI is hereby de-affiliated.
35	Shri Dadu Private ITI Address - Nagaur Chosla, Nawa, Rajasthan -341508 MIS Code - PR08000889	Electrician- 3 (1+1+1) Mechanic Diesel- 3 (1+1+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. The SCN was issued to the ITI by State Directorate on 04.01.2025. 3. The reply dated 23.01.2024 was received from the ITI. 4. Further, a joint inspection of the ITI was conducted on 09.09.2025 and 11.09.2025 by RDSDE and State Directorate official. 5. During the inspection the following were observed: a) The ITI was found closed on 11.09.2025.	The matter was deliberated in the SCAA meeting, and the SCAA decided as under, based on the recommendations of the SSDEC: 1. It has been observed that the ITI was found closed during inspection. 2. In line with the principles of natural justice, the ITI was granted a final opportunity in the 25th SCAA meeting held on 13.11.2025 and 14.11.2025 to submit a show-cause reply, explaining why

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEV SHARMA
12:45:13.04.2026

Sl. No	Name of ITI, Address and MIS Code	Trade/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			b) All the labs, classroom, office was also found closed on 09.09.2025. c) No ITI representative was available for inspection. d) Building of the ITI seems like closed since long time and no training related activities were found available on the day of inspection. 6. The matter of the ITI was discussed in the 10th SSDEC meeting held on 23.09.2025 and the SSDEC recommended de-affiliation of the ITI. 7. Further, the matter was discussed in the 25th SCAA Meeting and ITI was given an opportunity to show cause why it should not be de-affiliated, within 21 days from the date of issuance of the minutes. However, no reply was received within the prescribed time period.	the ITI should not be de-affiliated, along with any supporting representation, within 21 days from the issuance of the minutes of that meeting. 3. The said communication was issued by DGT to the registered email ID of the institute on 24.12.2025. 4. Further, the ITI did not avail the opportunity provided and failed to submit any reply or representation within the stipulated time. Accordingly, based on the facts on record, the ITI being found closed during inspection indicates that the ITI is not functioning as an affiliated institution. The ITI is hereby de-affiliated.
36	Maa Saraswati Private Industrial Training Institute,	Electrician- 3 (1+1+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. The SCN was issued to the ITI by State official on 30.12.2024	The matter was deliberated in the SCAA meeting, and the SCAA decided as under, based on the recommendations of the SSDEC:

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sl. No	Name of ITI, Address and MIS Code	Trade/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
	Address - Van Vibhag Ke Samne Kota Road, Dist. Baran Pin- 325205 Rajasthan MIS Code - PU08000494		3. Further, a joint inspection of the ITI was conducted on 15.09.2025 by RDSDE and State Directorate official. 4. During the inspection the ITI was found closed. 5. The matter of the ITI was discussed in the 10th SSDEC meeting held on 23.09.2025 and the SSDEC recommended de-affiliation of the ITI. 6. Further, the matter was discussed in the 25th SCAA Meeting and ITI was given an opportunity to show cause why it should not be de-affiliated, within 21 days from the date of issuance of the minutes. However, no reply was received within the prescribed time period.	1. It has been observed that the ITI was found closed during inspection. 2. In line with the principles of natural justice, the ITI was granted a final opportunity in the 25th SCAA meeting held on 13.11.2025 and 14.11.2025 to submit a show-cause reply, explaining why the ITI should not be de-affiliated, along with any supporting representation, within 21 days from the issuance of the minutes of that meeting. 3. The said communication was issued by DGT to the registered email ID of the institute on 24.12.2025. 4. Further, the ITI did not avail the opportunity provided and failed to submit any reply or representation within the stipulated time. Accordingly, based on the facts on record, the ITI being found

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sl. No	Name of ITI, Address and MIS Code	Trade/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
				closed during inspection indicates that the ITI is not functioning as an affiliated institution. The ITI is hereby de-affiliated.
37	New Vansh Private ITI, Address - Lalsot By Pass, Dausa Dist. Dausa-303303 MIS Code - PU08001759	Computer Operator and Programming Assistant- 3 (1+1+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. The SCN was issued to the ITI by State Directorate on 07.01.2025. 3. Further, a joint inspection of the ITI was conducted on 15.09.2025 by RDSDE and State Directorate official. 4. During the inspection the ITI was found closed. 5. The matter of the ITI was discussed in the 10th SSDEC meeting held on 23.09.2025 and the SSDEC recommended de-affiliation of the ITI. 6. Further, the matter was discussed in the 25th SCAA Meeting and ITI was given an opportunity to show cause why it should not be de-affiliated, within 21 days from the date of issuance of the minutes. However, no reply was received within the prescribed time period.	The matter was deliberated in the SCAA meeting, and the SCAA decided as under, based on the recommendations of the SSDEC: 1. It has been observed that the ITI was found closed during inspection. 2. In line with the principles of natural justice, the ITI was granted a final opportunity in the 25th SCAA meeting held on 13.11.2025 and 14.11.2025 to submit a show-cause reply, explaining why the ITI should not be de-affiliated, along with any supporting representation, within 21 days from the issuance of the minutes of that meeting. 3. The said communication was issued by DGT to the

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sl. No	Name of ITI, Address and MIS Code	Trade/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
				registered email ID of the institute on 24.12.2025. 4. Further, the ITI did not avail the opportunity provided and failed to submit any reply or representation within the stipulated time. Accordingly, based on the facts on record, the ITI being found closed during inspection indicates that the ITI is not functioning as an affiliated institution. The ITI is hereby de-affiliated.
38	Rajasthali Private Industrial Training Institute, Address - Ward No.1, Ashapura Jodhpuriya Teh-Baswara, Dist.- Dausa Rajasthan-303313 MIS Code - PR08000761	Electrician- 12 (4+4+4)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. The SCN was issued to the ITI by State Directorate on 07.01.2025. 3. The reply dated 27.01.2025 was received from the ITI. 4. Further, a joint inspection of the ITI was conducted on 12.09.2025 by RDSDE and State Directorate official. 5. During the inspection the ITI was found closed.	The matter was deliberated in the SCAA meeting, and the SCAA decided as under, based on the recommendations of the SSDEC: 1. It has been observed that the ITI was found closed during inspection. 2. In line with the principles of natural justice, the ITI was granted a final opportunity in the 25th SCAA meeting held on 13.11.2025 and

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sl. No	Name of ITI, Address and MIS Code	Trade/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			6. The matter of the ITI was discussed in the 10th SSDEC meeting held on 23.09.2025 and the SSDEC recommended de-affiliation of the ITI. 7. Further, the matter was discussed in the 25th SCAA Meeting and ITI was given an opportunity to show cause why it should not be de-affiliated, within 21 days from the date of issuance of the minutes. However, no reply was received within the prescribed time period.	14.11.2025 to submit a show-cause reply, explaining why the ITI should not be de-affiliated, along with any supporting representation, within 21 days from the issuance of the minutes of that meeting. 3. The said communication was issued by DGT to the registered email ID of the institute on 24.12.2025. 4. Further, the ITI did not avail the opportunity provided and failed to submit any reply or representation within the stipulated time. Accordingly, based on the facts on record, the ITI being found closed during inspection indicates that the ITI is not functioning as an affiliated institution. The ITI is hereby de-affiliated.
39	Indian Institute of Private Industrial Training Institute,	Electrician- 3 (2+1)	1. Irregularities observed during initial Inspection conducted by State of India on 12/12/2024.	The matter was deliberated in the SCAA meeting, and the SCAA

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sl. No	Name of ITI, Address and MIS Code	Trade/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
	Address - Near Ganesh Mandir, Kothun Road, Lalsot (Dausa) MIS Code - PR08000074		- The SCN was issued to the ITI by State Directorate on 07.01.2025. - Further, a joint inspection of the ITI was conducted on 11.09.2025 by RDSDE and State Directorate official. - During the inspection the ITI was found closed. - The matter of the ITI was discussed in the 10th SSDEC meeting held on 23.09.2025 and the SSDEC recommended de-affiliation of the ITI. - The 25th SCAA has granted a final opportunity to the ITI to represent itself within 21 days by a way of SCN. - The reply to the SCN was received late on 16.01.2026.	decided as under, based on the recommendations of the SSDEC: - It has been observed that the ITI was found closed during inspection. - In line with the principles of natural justice, the ITI was granted a final opportunity in the 25th SCAA meeting held on 13.11.2025 and 14.11.2025 to submit a show-cause reply, explaining why the ITI should not be de-affiliated, along with any supporting representation, within 21 days from the issuance of the minutes of that meeting. - The said communication was issued by DGT to the registered email ID of the institute on 24.12.2025. - Further, the ITI did not avail the opportunity provided and failed to submit any reply or representation within the stipulated time.

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sl. No	Name of ITI, Address and MIS Code	Trade/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
				Accordingly, based on the facts on record, the ITI being found closed during inspection indicates that the ITI is not functioning as an affiliated institution. The ITI is hereby de-affiliated.
40	Indian Institute of Private Industrial Training Institute, Address - Baniyana Road, Hingotia (Dausa) MIS Code - PR08000401	Electrician- 11 (4+4+3)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. The SCN was issued to the ITI by State Directorate on 07.01.2025. 3. Further, a joint inspection of the ITI was conducted on 11.09.2025 by RDSDE and State Directorate official. 4. During the inspection the ITI was found closed. 5. The matter of the ITI was discussed in the 10th SSDEC meeting held on 23.09.2025 and the SSDEC recommended de-affiliation of the ITI. 6. Further, the matter was discussed in the 25th SCAA Meeting and ITI was given opportunity to show	The matter was deliberated in the SCAA meeting, and the SCAA decided as under, based on the recommendations of the SSDEC: 1. It has been observed that the ITI was found closed during inspection. 2. In line with the principles of natural justice, the ITI was granted a final opportunity in the 25th SCAA meeting held on 13.11.2025 and 14.11.2025 to submit a show-cause reply, explaining why the ITI should not be de-affiliated, along with any supporting representation, within 21 days from the

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sl. No	Name of ITI, Address and MIS Code	Trade/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			cause why it should not be de-affiliated, within 21 days from the date of issuance of the minutes. However, no reply was received within the prescribed time period.	issuance of the minutes of that meeting. 3. The said communication was issued by DGT to the registered email ID of the institute on 24.12.2025. 4. Further, the ITI did not avail the opportunity provided and failed to submit any reply or representation within the stipulated time. Accordingly, based on the facts on record, the ITI being found closed during inspection indicates that the ITI is not functioning as an affiliated institution. The ITI is hereby de-affiliated.
41	New Rajasthan Private ITI Dausa Address - Village-Baharawanda, Tehsil-Sikrai, District-Dausa, Rajasthan MIS Code - PR08001746	Electrician- 6 (2+2+2) Health Sanitary Inspector- 3 (1+1+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. The SCN was issued to the ITI by State Directorate on 07.01.2025. 3. The reply dated 24.01.2025 was received from the ITI. 4. Further, a joint inspection of the ITI was conducted on 19.09.2025 by RDSDE and State Directorate official.	The matter was deliberated in the SCAA meeting, and the SCAA decided as under, based on the recommendations of the SSDEC: 1. It has been observed that the ITI was found closed during inspection.

Signature Not Verified
 UJJWAL BISWAS
 13.04.2026 15:49

Signature Not Verified
 SHRADDHA KUMAR
 12.45 13.04.2026

Sl. No	Name of ITI, Address and MIS Code	Trade/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			5. During the inspection the following were observed: i) ITI was found closed. ii) A school was running in the ITI building. 6. The matter of the ITI was discussed in the 10th SSDEC meeting held on 23.09.2025 and the SSDEC recommended de-affiliation of the ITI. 7. Further, the matter was discussed in the 25th SCAA Meeting and ITI was given an opportunity to show cause why it should not be de-affiliated, within 21 days from the date of issuance of the minutes. However, no reply was received within the prescribed time period.	2. In line with the principles of natural justice, the ITI was granted a final opportunity in the 25th SCAA meeting held on 13.11.2025 and 14.11.2025 to submit a show-cause reply, explaining why the ITI should not be de-affiliated, along with any supporting representation, within 21 days from the issuance of the minutes of that meeting. 3. The said communication was issued by DGT to the registered email ID of the institute on 24.12.2025. 4. Further, the ITI did not avail the opportunity provided and failed to submit any reply or representation within the stipulated time. Accordingly, based on the facts on record, the ITI being found closed during inspection indicates that the ITI is not functioning as an affiliated

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sl. No	Name of ITI, Address and MIS Code	Trade/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
				institution. The ITI is hereby de-affiliated.
42	SDS Private Industrial Training Institute, Address - V/P. Rajota, Dist. Jhujhunu - 333503 MIS Code - PR08001329	Electrician- 2 (1+1)	- Irregularities observed during initial Inspection conducted by State official on 24.12.2024. - The SCN was issued to the ITI by State Directorate on 14.01.2025. - The reply dated 13.02.2025 was received from the ITI. - Further, a joint inspection of the ITI was conducted on 17.09.2025 by RDSDE and State Directorate official. - During the inspection the following were observed: - ITI was found closed. - No sign board of the ITI was found available at the site on the day of inspection - The matter of the ITI was discussed in the 10th SSDEC meeting held on 23.09.2025 and the SSDEC recommended de-affiliation of the ITI. - Further, the matter was discussed in the 25th SCAA Meeting and ITI was given an opportunity to show cause why it should not be de-affiliated, within 21 days from the date of issuance of the minutes. However, no reply was received within the prescribed time period.	The matter was deliberated in the SCAA meeting, and the SCAA decided as under, based on the recommendations of the SSDEC: - It has been observed that the ITI was found closed during inspection. - In line with the principles of natural justice, the ITI was granted a final opportunity in the 25th SCAA meeting held on 13.11.2025 and 14.11.2025 to submit a show-cause reply, explaining why the ITI should not be de-affiliated, along with any supporting representation, within 21 days from the issuance of the minutes of that meeting. - The said communication was issued by DGT to the registered email ID of the institute on 24.12.2025.

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sl. No	Name of ITI, Address and MIS Code	Trade/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
				4. Further, the ITI did not avail the opportunity provided and failed to submit any reply or representation within the stipulated time. Accordingly, based on the facts on record, the ITI being found closed during inspection indicates that the ITI is not functioning as an affiliated institution. The ITI is hereby de-affiliated.
43	Umrao Singh Arya Private Industrial Training Institute, Address - Vpo Pacheri Kalan, Dist.Jhunjhunu-333515 MIS Code - PR08000354	Electrician- 1 (0+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. The SCN was issued to the ITI by State Directorate on 14.01.2025. 3. Further, a joint inspection of the ITI was conducted on 18.09.2025 by RDSDE and State Directorate official. 4. During the inspection the following were observed: i) ITI was found closed. ii) No sign board of the ITI was found available at the site on the day of inspection. iii) Soni Devi international school Pacheri, Buhana and Uma Singh shikshan	The matter was deliberated in the SCAA meeting, and the SCAA decided as under, based on the recommendations of the SSDEC: 1. It has been observed that the ITI was found closed during inspection. 2. In line with the principles of natural justice, the ITI was granted a final opportunity in the 25th SCAA meeting held on 13.11.2025 and 14.11.2025 to submit a show-cause reply, explaining why

Signature Not Verified
 UJJWAL BISWAS
 13.04.2026 15:49

Sl. No	Name of ITI, Address and MIS Code	Trade/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			sansthan college was running in same ITI premises. 5. The matter of the ITI was discussed in the 10th SSDEC meeting held on 23.09.2025 and the SSDEC recommended de-affiliation of the ITI. 6. Further, the matter was discussed in the 25th SCAA Meeting and ITI was given an opportunity to show cause why it should not be de-affiliated, within 21 days from the date of issuance of the minutes. However, no reply was received within the prescribed time period.	the ITI should not be de-affiliated, along with any supporting representation, within 21 days from the issuance of the minutes of that meeting. 3. The said communication was issued by DGT to the registered email ID of the institute on 24.12.2025. 4. Further, the ITI did not avail the opportunity provided and failed to submit any reply or representation within the stipulated time. Accordingly, based on the facts on record, the ITI being found closed during inspection indicates that the ITI is not functioning as an affiliated institution. The ITI is hereby de-affiliated.
44	LR Pvt. ITI Address - Alwar Behror- Alwar Road, Power House, Bahrod, Alwar-301020	Electrician- 6 (2+2+2) Fitter- 3 (1+1+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. The SCN was issued to the ITI by State Director on 14.01.2025.	The matter was deliberated in the SCAA meeting, and the SCAA decided as under, based on the recommendations of the SSDEC:

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sl. No	Name of ITI, Address and MIS Code	Trade/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
	MIS Code - PU08001798		3. Further, a joint inspection of the ITI was conducted on 12.08.2025 by RDSDE and State Directorate official. 4. During the inspection the ITI was found closed and the ITI also informed the following: i) The ITI, vide its letter dated 12.08.2025, submitted that due to heavy rains, the institute is temporarily closed and no admissions have been taken during the current academic year. It was further stated that whenever the institute resumes operations, admissions will be taken only after informing the department and conducting a fresh inspection. 5. The matter of the ITI was discussed in the 10th SSDEC meeting held on 23.09.2025 and the SSDEC recommended de-affiliation of the ITI. 6. Further, the matter was discussed in the 25th SCAA Meeting and ITI was given an opportunity to show cause why it should not be de-affiliated, within 21 days from the date of issuance of the minutes. However, no reply was received within the prescribed time period.	1. It has been observed that the ITI was found closed during inspection. 2. In line with the principles of natural justice, the ITI was granted a final opportunity in the 25th SCAA meeting held on 13.11.2025 and 14.11.2025 to submit a show-cause reply, explaining why the ITI should not be de-affiliated, along with any supporting representation, within 21 days from the issuance of the minutes of that meeting. 3. The said communication was issued by DGT to the registered email ID of the institute on 24.12.2025. 4. Further, the ITI did not avail the opportunity provided and failed to submit any reply or representation within the stipulated time. Accordingly, based on the facts on record, the ITI being found

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sl. No	Name of ITI, Address and MIS Code	Trade/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
				closed during inspection indicates that the ITI is not functioning as an affiliated institution. The ITI is hereby de-affiliated.
45	Atal Private ITI, Address - Alwar, - Tijara-Delhi Highway, Chikani, Dist. Alwar - 301028 MIS Code - PU08001617	Electrician- 6 (2+2+2) Fitter- 6 (2+2+2)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. The SCN was issued to the ITI by State Directorate on 14.01.2025. 3. The reply dated 26.12.2024 was received from the ITI. 4. Further, a joint inspection of the ITI was conducted on 12.08.2025 by RDSDE and State Directorate official. 5. During the inspection the ITI was found closed. 6. The matter of the ITI was discussed in the 10th SSDEC meeting held on 23.09.2025 and the SSDEC recommended de-affiliation of the ITI. 7. Further, the matter was discussed in the 25th SCAA Meeting and ITI was given an opportunity to show cause why it should not be de-affiliated, within 21 days from the date of issuance of the minutes. However, no reply was received within the prescribed time period.	The matter was deliberated in the SCAA meeting, and the SCAA decided as under, based on the recommendations of the SSDEC: 1. It has been observed that the ITI was found closed during inspection. 2. In line with the principles of natural justice, the ITI was granted a final opportunity in the 25th SCAA meeting held on 13.11.2025 and 14.11.2025 to submit a show-cause reply, explaining why the ITI should not be de-affiliated, along with any supporting representation, within 21 days from the issuance of the minutes of that meeting. 3. The said communication was issued by DGT to the

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
13.04.2026 12:45

Sl. No	Name of ITI, Address and MIS Code	Trade/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
				registered email ID of the institute on 24.12.2025. 4. Further, the ITI did not avail the opportunity provided and failed to submit any reply or representation within the stipulated time. Accordingly, based on the facts on record, the ITI being found closed during inspection indicates that the ITI is not functioning as an affiliated institution. The ITI is hereby de-affiliated.
46	Maharana Pratap Private Industrial Training Institute, Address - Gopalpura, Jhalawar Road, Kota, Distt. Kota-325003 MIS Code - PR08001273	Electrician- 1 (1+0) Mechanic Diesel- 1 (1+0)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. The SCN was issued to the ITI by State Directorate on 30.12.2024 3. Further, a joint inspection of the ITI was conducted on 02.09.2025 by RDSDE and State Directorate official. 4. During the inspection the following were observed: i) The ITI was found locked.	The matter was deliberated in the SCAA meeting, and the SCAA decided as under, based on the recommendations of the SSDEC: 1. It has been observed that the ITI was found closed during inspection. 2. In line with the principles of natural justice, the ITI was granted a final opportunity in the 25th SCAA meeting held on 13.11.2025 and

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sl. No	Name of ITI, Address and MIS Code	Trade/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			ii) The ITI name board was not found available on the building of the ITI. iii) When we talked on phone they have sent us a letter on whatsapp itself. 5. The matter of the ITI was discussed in the 10th SSDEC meeting held on 23.09.2025 and the SSDEC recommended de-affiliation of the ITI. 6. Further, the matter was discussed in the 25th SCAA Meeting and ITI was given an opportunity to show cause why it should not be de-affiliated, within 21 days from the date of issuance of the minutes. However, no reply was received within the prescribed time period.	14.11.2025 to submit a show-cause reply, explaining why the ITI should not be de-affiliated, along with any supporting representation, within 21 days from the issuance of the minutes of that meeting. 3. The said communication was issued by DGT to the registered email ID of the institute on 24.12.2025. 4. Further, the ITI did not avail the opportunity provided and failed to submit any reply or representation within the stipulated time. Accordingly, based on the facts on record, the ITI being found closed during inspection indicates that the ITI is not functioning as an affiliated institution. The ITI is hereby de-affiliated.
47	Satyam Private Industrial Training Institute,	Electrician- 4 (2+2) Fitter- 1 (1+0)	1. Irregularities observed during initial Inspection conducted by State Office on 4.12.2024.	The matter was deliberated in the SCAA meeting, and the SCAA

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49SHRAMEEV SHARMA
12:45 13.04.2026

Sl. No	Name of ITI, Address and MIS Code	Trade/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
	Address - Baluram Compounder Ki Gali, Jaipur Road, Sikar- 332001 MIS Code - PR08000395		2. The SCN was issued to the ITI by State Directorate on 07.01.2025. 3. The reply dated 27.01.2025 was received from the ITI. 4. Further, a joint inspection of the ITI was conducted on 12.09.2025 by RDSDE and State Directorate official. 5. During the inspection the ITI was found locked. 6. The matter of the ITI was discussed in the 10th SSDEC meeting held on 23.09.2025 and the SSDEC recommended de-affiliation of the ITI. 7. Further, the matter was discussed in the 25th SCAA Meeting and ITI was given an opportunity to show cause why it should not be de-affiliated, within 21 days from the date of issuance of the minutes. However, no reply was received within the prescribed time period.	decided as under, based on the recommendations of the SSDEC: 1. It has been observed that the ITI was found closed during inspection. 2. In line with the principles of natural justice, the ITI was granted a final opportunity in the 25th SCAA meeting held on 13.11.2025 and 14.11.2025 to submit a show-cause reply, explaining why the ITI should not be de-affiliated, along with any supporting representation, within 21 days from the issuance of the minutes of that meeting. 3. The said communication was issued by DGT to the registered email ID of the institute on 24.12.2025. 4. Further, the ITI did not avail the opportunity provided and failed to submit any reply or representation within the stipulated time.

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sl. No	Name of ITI, Address and MIS Code	Trade/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
				Accordingly, based on the facts on record, the ITI being found closed during inspection indicates that the ITI is not functioning as an affiliated institution. The ITI is hereby de-affiliated.
48	Shekhawati Private Industrial Training Institute, Address - 45-46, Yojna Nagar, Salasar Bus Stand, Palbas Road, Sikar-332001 MIS Code - PU08000926	Electrician- 2 (1+1) Mechanic Diesel- 2 (1+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. The SCN was issued to the ITI by State Directorate on 07.01.2025. 3. The reply dated 10.02.2025 was received from the ITI. 4. Further, a joint inspection of the ITI was conducted on 11.09.2025 by RDSDE and State Directorate official. 5. During the inspection the ITI was found locked. 6. The matter of the ITI was discussed in the 10th SSDEC meeting held on 23.09.2025 and the SSDEC recommended de-affiliation of the ITI. 7. Further, the matter was discussed in the 25th SCAA Meeting and ITI was given an opportunity to show	The matter was deliberated in the SCAA meeting, and the SCAA decided as under, based on the recommendations of the SSDEC: 1. It has been observed that the ITI was found closed during inspection. 2. In line with the principles of natural justice, the ITI was granted a final opportunity in the 25th SCAA meeting held on 13.11.2025 and 14.11.2025 to submit a show-cause reply, explaining why the ITI should not be de-affiliated, along with any supporting representation, within 21 days from the

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEV SHARMA
12:45 13.04.2026

Sl. No	Name of ITI, Address and MIS Code	Trade/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			cause why it should not be de-affiliated, within 21 days from the date of issuance of the minutes. However, no reply was received within the prescribed time period.	issuance of the minutes of that meeting. 3. The said communication was issued by DGT to the registered email ID of the institute on 24.12.2025. 4. Further, the ITI did not avail the opportunity provided and failed to submit any reply or representation within the stipulated time. Accordingly, based on the facts on record, the ITI being found closed during inspection indicates that the ITI is not functioning as an affiliated institution. The ITI is hereby de-affiliated.
49	Surabhi Private Industrial Training Institute, Address - Radha Krishan Pura, Dist. Sikar Rajasthan MIS Code - PU08000794	Electrician- 5 (1+2+2)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. The SCN was issued to the ITI by State Directorate on 07.01.2025. 3. Further, a joint inspection of the ITI was conducted on 19.09.2025 by RDSDE and State Directorate official.	The matter was deliberated in the SCAA meeting, and the SCAA decided as under, based on the recommendations of the SSDEC: 1. It has been observed that the ITI was found closed during inspection.

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEV SHARMA
12:45 13.04.2026

Sl. No	Name of ITI, Address and MIS Code	Trade/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			4. During the inspection the following were observed: i) ITI was found closed and non-operational. ii) A Rex international school was running in the ITI building. 5. The matter of the ITI was discussed in the 10th SSDEC meeting held on 23.09.2025 and the SSDEC recommended de-affiliation of the ITI. 6. Further, the matter was discussed in the 25th SCAA Meeting and ITI was given an opportunity to show cause why it should not be de-affiliated, within 21 days from the date of issuance of the minutes. However, no reply was received within the prescribed time period.	2. In line with the principles of natural justice, the ITI was granted a final opportunity in the 25th SCAA meeting held on 13.11.2025 and 14.11.2025 to submit a show-cause reply, explaining why the ITI should not be de-affiliated, along with any supporting representation, within 21 days from the issuance of the minutes of that meeting. 3. The said communication was issued by DGT to the registered email ID of the institute on 24.12.2025. 4. Further, the ITI did not avail the opportunity provided and failed to submit any reply or representation within the stipulated time. Accordingly, based on the facts on record, the ITI being found closed during inspection indicates that the ITI is not functioning as an affiliated

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sl. No	Name of ITI, Address and MIS Code	Trade/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
				institution. The ITI is hereby de-affiliated.
50	Rajasthan Private Industrial Training Institute, Address - Dhod Road, Dist.-Sikar Pin-332001 Rajasthan MIS Code - PU08000247	Electrician- 3 (1+0+2)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. The SCN was issued to the ITI by State Directorate on 07.01.2025. 3. Further, a joint inspection of the ITI was conducted on 19.09.2025 by RDSDE and State Directorate official. 4. During the inspection the following were observed: i) ITI was found closed and non-operational. ii) The Rajasthan Public School was running in the ITI building. iii) The Institute principal was present in institute during visit. He informed the inspection team that institute is unable to get the inspection done on the inspection date 19-09-2025 as there is zero students in the ITI and requested 3 months' time for inspection. He submitted all the above vide its letter dated 19.09.2025 to the inspection team. 5. The matter of the ITI was discussed in the 10th SSDEC meeting held on 23.09.2025 and the SSDEC	The matter was deliberated in the SCAA meeting, and the SCAA decided as under, based on the recommendations of the SSDEC: 1. It has been observed that the ITI was found closed during inspection. 2. In line with the principles of natural justice, the ITI was granted a final opportunity in the 25th SCAA meeting held on 13.11.2025 and 14.11.2025 to submit a show-cause reply, explaining why the ITI should not be de-affiliated, along with any supporting representation, within 21 days from the issuance of the minutes of that meeting. 3. The said communication was issued by DGT to the registered email ID of the institute on 24.12.2025.

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEV SHARMA
12:45 13.04.2026

Sl. No	Name of ITI, Address and MIS Code	Trade/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			recommended de-affiliation of the ITI. 6. Further, the matter was discussed in the 25th SCAA Meeting and ITI was given an opportunity to show cause why it should not be de-affiliated, within 21 days from the date of issuance of the minutes. However, no reply was received within the prescribed time period.	4. Further, the ITI did not avail the opportunity provided and failed to submit any reply or representation within the stipulated time. Accordingly, based on the facts on record, the ITI being found closed during inspection indicates that the ITI is not functioning as an affiliated institution. The ITI is hereby de-affiliated.
51	Sorabh Private Industrial Training Institute, Address - Mahatma Jyotibha Phule Nagar, Balrampura Palbas Road, Dist. Sikar Rajasthan- 332001 MIS Code - PR08000378	Electrician- 4 (2+2)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. The SCN was issued to the ITI by State Directorate on 07.01.2025. 3. The reply dated 24.01.2025 was received from the ITI. 4. Further, a joint inspection of the ITI was conducted on 19.09.2025 by RDSDE and State Directorate official. 5. During the inspection the following were observed: i) ITI was found closed. ii) The Institute principal was contacted and informed by him that the ITI is not ready for inspection.	The matter was deliberated in the SCAA meeting, and the SCAA decided as under, based on the recommendations of the SSDEC: 1. It has been observed that the ITI was found closed during inspection. 2. In line with the principles of natural justice, the ITI was granted a final opportunity in the 25th SCAA meeting held on 13.11.2025 and 14.11.2025 to submit a show-cause reply, explaining why

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sl. No	Name of ITI, Address and MIS Code	Trade/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			6. The matter of the ITI was discussed in the 10th SSDEC meeting held on 23.09.2025 and the SSDEC recommended de-affiliation of the ITI. 7. Further, the matter was discussed in the 25th SCAA Meeting and ITI was given an opportunity to show cause why it should not be de-affiliated, within 21 days from the date of issuance of the minutes. However, no reply was received within the prescribed time period.	the ITI should not be de-affiliated, along with any supporting representation, within 21 days from the issuance of the minutes of that meeting. 3. The said communication was issued by DGT to the registered email ID of the institute on 24.12.2025. 4. Further, the ITI did not avail the opportunity provided and failed to submit any reply or representation within the stipulated time. Accordingly, based on the facts on record, the ITI being found closed during inspection indicates that the ITI is not functioning as an affiliated institution. The ITI is hereby de-affiliated.
52	Vivekanand Private Industrial Training Institute,	Electrician- 4 (2+2)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. The SCN was issued to the ITI by State Director No on 07.01.2025.	The matter was deliberated in the SCAA meeting, and the SCAA decided as under, based on the recommendations of the SSDEC:

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sl. No	Name of ITI, Address and MIS Code	Trade/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
	Address - At. Kuli Khachariyawas, Dist. Sikar Pin- 332710 Rajasthan MIS Code - PR08000752		3. The reply dated 11.02.2025 was received from the ITI. 4. Further, a joint inspection of the ITI was conducted 12.08.2025 by RDSDE and State Directorate official. 5. During the inspection the ITI was found closed. 6. The matter of the ITI was discussed in the 10th SSDEC meeting held on 23.09.2025 and the SSDEC recommended de-affiliation of the ITI. 7. Further, the matter was discussed in the 25th SCAA Meeting and ITI was given an opportunity to show cause why it should not be de-affiliated, within 21 days from the date of issuance of the minutes. However, no reply was received within the prescribed time period.	1. It has been observed that the ITI was found closed during inspection. 2. In line with the principles of natural justice, the ITI was granted a final opportunity in the 25th SCAA meeting held on 13.11.2025 and 14.11.2025 to submit a show-cause reply, explaining why the ITI should not be de-affiliated, along with any supporting representation, within 21 days from the issuance of the minutes of that meeting. 3. The said communication was issued by DGT to the registered email ID of the institute on 24.12.2025. 4. Further, the ITI did not avail the opportunity provided and failed to submit any reply or representation within the stipulated time. Accordingly, based on the facts on record, the ITI being found

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEV SHARMA
12:45 13.04.2026

Sl. No	Name of ITI, Address and MIS Code	Trade/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
				closed during inspection indicates that the ITI is not functioning as an affiliated institution. The ITI is hereby de-affiliated.
53	Shri Rupana Dham Private Industrial Training Institute, Address - Gram Palsana, Dist. Sikar Rajasthan MIS Code - PR08000806	Electrician 12- (4+4+4)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. The SCN was issued to the ITI by State Directorate on 07.01.2025. 3. Further, a joint inspection of the ITI was conducted 12.08.2025 by RDSDE and State Directorate official. 4. During the inspection the ITI was found closed. 5. The matter of the ITI was discussed in the 10th SSDEC meeting held on 23.09.2025 and the SSDEC recommended de-affiliation of the ITI. 6. Further, the matter was discussed in the 25th SCAA Meeting and ITI was given an opportunity to show cause why it should not be de-affiliated, within 21 days from the date of issuance of the minutes. However, no reply was received within the prescribed time period.	The matter was deliberated in the SCAA meeting, and the SCAA decided as under, based on the recommendations of the SSDEC: 1. It has been observed that the ITI was found closed during inspection. 2. In line with the principles of natural justice, the ITI was granted a final opportunity in the 25th SCAA meeting held on 13.11.2025 and 14.11.2025 to submit a show-cause reply, explaining why the ITI should not be de-affiliated, along with any supporting representation, within 21 days from the issuance of the minutes of that meeting. 3. The said communication was issued by DGT to the

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sl. No	Name of ITI, Address and MIS Code	Trade/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
				registered email ID of the institute on 24.12.2025. 4. Further, the ITI did not avail the opportunity provided and failed to submit any reply or representation within the stipulated time. Accordingly, based on the facts on record, the ITI being found closed during inspection indicates that the ITI is not functioning as an affiliated institution. The ITI is hereby de-affiliated.
54	S.R. Private Industrial Training Institute, Address - Ajabpura Road, Palasana, Dist. Sikar, Rajasthan MIS Code - PR08000184	Electrician- 5 (2+2+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. The SCN was issued to the ITI by State Directorate on 07.01.2025. 3. The reply 11.02.2025 was received from the ITI. 4. Further, a joint inspection of the ITI was conducted 12.08.2025 by RDSDE and State Directorate official. 5. During the inspection the ITI was found closed.	The matter was deliberated in the SCAA meeting, and the SCAA decided as under, based on the recommendations of the SSDEC: 1. It has been observed that the ITI was found closed during inspection. 2. In line with the principles of natural justice, the ITI was granted a final opportunity in the 25th SCAA meeting held on 13.11.2025 and

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sl. No	Name of ITI, Address and MIS Code	Trade/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			6. The matter of the ITI was discussed in the 10th SSDEC meeting held on 23.09.2025 and the SSDEC recommended de-affiliation of the ITI. 7. Further, the matter was discussed in the 25th SCAA Meeting and ITI was given an opportunity to show cause why it should not be de-affiliated, within 21 days from the date of issuance of the minutes. However, no reply was received within the prescribed time period.	14.11.2025 to submit a show-cause reply, explaining why the ITI should not be de-affiliated, along with any supporting representation, within 21 days from the issuance of the minutes of that meeting. 3. The said communication was issued by DGT to the registered email ID of the institute on 24.12.2025. 4. Further, the ITI did not avail the opportunity provided and failed to submit any reply or representation within the stipulated time. Accordingly, based on the facts on record, the ITI being found closed during inspection indicates that the ITI is not functioning as an affiliated institution. The ITI is hereby de-affiliated.

Signature Not Verified

 UJJWAL BISWAS
 13.04.2026 15:49

Signature Not Verified

 SHRAMEV SHARMA
 12:45 13.04.2026

Annexure-7 as referred in Agenda 7 regarding De-affiliation matter of 106 ITIs, in continuation of the discussion under Agenda Item No. 2.6 of the Minutes of the 25th SCAA Meeting held on 13.11.2025 and 14.11.2025.

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
1	Sanskar Private Industrial Training Institute, Arain, Near Petrol Pump, Kisangarh Road, Arain, Dist.Ajmer, Rajasthan-305813 (PR08001462)	Electrician- 5 (2+2+1)	- Irregularities observed during initial Inspection conducted by State official on 24.12.2024. - SCN was issued to the ITI by State Directorate on 04.01.2025. - The reply dated 24.01.2025 was received from the ITI. - Further, Joint inspection was conducted on 17.06.2025 by the RDSDE and State official. - During the inspection the ITI was found closed and under strike declared by State level ITI Association. - The matter of the ITI was discussed in the 9th SSDEC meeting held on 17.09.2025, wherein the SSDEC recommended de-affiliation of the ITI due to its refusal to undergo inspection. - The 25th SCAA has granted a final opportunity to the ITI to represent itself within 21 days by the way of SCN. - The reply to the SCN was received on 07.01.2026. - In its reply the ITI submitted the following:	The matter was deliberated in the SCAA, and it was decided to conduct a joint inspection of the ITI to verify its functioning as per prescribed norms. The joint inspection shall be conducted by the concerned State Directorate and RDSDE Rajasthan. The date of inspection shall be decided by the State Directorate in consultation with RDSDE Rajasthan. The inspection report shall be submitted to the DGT within one month from the date of issuance of the minutes of this meeting for consideration in the next SCAA meeting.

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			a) The Institute has never refused inspection at any stage. On 17.06.2025, when the joint inspection team visited the Institute, a symbolic protest/temporary closure had been declared by the State-level ITI Association as an administrative protest. The said closure was not intended to avoid inspection, nor was there any malafide intention or non-cooperation from the Institute. b) The closure of the Institute on that particular day was purely temporary and due to prevailing circumstances. It was not a deliberate act to deny inspection. c) The Institute is functioning regularly and smoothly. All trades, staff members, tools, machinery, equipment, and infrastructure are available as per DGT norms. Training activities are being conducted without interruption in accordance with prescribed guidelines. d) The Show Cause Notice dated 04.01.2025 was duly replied to by the Institute on 24.01.2025 within the	

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			stipulated time. The said reply may kindly be taken into proper consideration before taking any adverse decision. e) Recommending de-affiliation based on a single day's abnormal and circumstantial situation would be excessively harsh and would adversely affect the future of hundreds of trainees. Such action would be contrary to the principles of natural justice and also against the policy of providing an Opportunity of Rectification as adopted earlier by the authorities. f) The Institute is fully prepared and gives its unconditional consent for re-inspection at any time deemed appropriate by the competent authority. g) In view of the above submissions, it is humbly requested that the recommendation for de-affiliation may kindly be reconsidered and an opportunity for re-inspection may be granted in the interest of justice and in the larger interest of the Institute.	

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			10. Further, the ITI was a petitioner in S.B. Civil Writ Petition No. 16381/2025 (L.B.S. Private Industrial Training Institute) and 36 connected matters, which were disposed of by the Hon'ble Court on 23.01.2026. The Hon'ble Court directed the petitioner ITIs to submit representations within two weeks, following which DGT was to conduct joint inspections with the State authorities and take a decision on de-affiliation within a stipulated timeline. It is pertinent to mention that a show cause notice had already been issued to the ITIs vide the Minutes of the 25th SCAA Meeting dated 23.12.2025, prior to the Court's directions. Accordingly, in compliance with the principles of natural justice and the directions of the Hon'ble Court, fresh show cause notices were issued to all petitioner institutes on 05.02.2026, based on the remarks of the Inspection Team and the recommendations of the SSDEC.	
2	Veer Teja Private Industrial Training Situated	Electrician- 6 (2+2+2)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.	The matter was discussed in the SCAA meeting, and the SCAA decided as under:

Signature Not Verified
 UJJWAL BISWAS
 13.04.2026 15:49

Signature Not Verified
 SHRAMEV SHARMA
 12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
	At Village Sursura Teh. Kishangarh, Dist. Ajmer Rajasthan- 305801 (PR08001600)		2. SCN was issued to the ITI by State Directorate on 04.01.2025, followed by reminder dated 03.02.2025. 3. The ITI did not reply to the both SCN and reminder issued by State Directorate. 4. Further, a Joint inspection was conducted on 17.06.2025 by the RDSDE and State official. 5. During the inspection the ITI was found closed and under strike declared by State level ITI Association. 6. The matter of the ITI was discussed in the 9th SSDEC meeting held on 17.09.2025, wherein the SSDEC recommended de-affiliation of the ITI due to its refusal to undergo inspection. 7. Further, the matter was discussed in the 25th SCAA Meeting and ITI was given an opportunity to show cause why it should not be de-affiliated, within 21 days from the date of issuance of the minutes. However, no reply was received within the prescribed time period.	1. In line with the principles of natural justice, the ITI was afforded final opportunity to represent itself by 25th SCAA in its meeting held on 13.11.2025 and 14.11.2025, to submit a show-cause reply explaining why the ITI should not be de-affiliated along with any supporting representation, within 21 days from the issuance of the minutes of that meeting. 2. The said communication was issued by DGT to the registered email of the institute on 24.12.2025 3. Further, the ITI did not avail the final opportunity provided by DGT in the 25th SCAA meeting and failed to submit any reply or representation within the stipulated time, thereby exhibiting continued negligence and persistent non-compliance. 4. The ITI has blatantly refused to undergo inspection on the ground of a State-level ITI Association strike in the year 2025, which cannot be

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
				considered a valid reason for denying inspection. 5. Further, reliance is placed on various judgments of different High Courts which affirm that state or DGT may conduct inspections and take appropriate action. Notably, in W.P. No. 8116/2025 (Maa Shitla Pvt. ITI v. Union of India & Ors., MP High Court), it was held that the apex body is duty-bound to examine complaints, including through on-site inspections, and such action cannot be termed arbitrary. Similarly, in CWP-20763-2025 (Modern ITI Bathinda v. DGT, Punjab & Haryana High Court), the Court observed that re-inspection does not prejudice the petitioner. Further, in S.B. Civil W.P. No. 18022/2025 (Pooja Pvt. ITI & Ors. v. State of Rajasthan & Ors.), the Rajasthan High Court held that institutions cannot claim inspection as a matter of right in a particular manner or timeline, and compliance with deficiencies is a prerequisite for student admissions.

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
				6. The quality of training imparted to students is of paramount importance to DGT, which cannot be ensured without on-site verification of the institute. The non-submission of a reply and refusal to undergo inspection clearly indicate that the ITI is not functioning in accordance with the prescribed norms, thereby defeating the very purpose of the Craftsmen Training Scheme (CTS). Therefore, in view of the above remarks and in the interest of the trainees, the ITI is hereby de-affiliated.
3	Geet Ganpati Private ITI, Lohakhan Police Line, Dist.Ajmer-305001 (PU08001722)	Electrician- 2 (1+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by State Directorate on 04.01.2025. 3. The reply dated 20.01.2025 was received from the ITI. 4. Further, a joint inspection was conducted on 16.06.2025 by the RDSDE and State official. 5. During the inspection, the ITI refused to undergo the inspection, stating that it was under a strike declared by the State-level ITI Association.	The matter was discussed in the SCAA meeting, and the SCAA decided as under: 1. In line with the principles of natural justice, the ITI was afforded final opportunity to represent itself by 25th SCAA in its meeting held on 13.11.2025 and 14.11.2025, to submit a show-cause reply explaining why the ITI should not be de-affiliated along with any supporting representation, within 21 days from the issuance of the minutes of that meeting.

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			6. The matter of the ITI was discussed in the 9th SSDEC meeting held on 17.09.2025, wherein the SSDEC recommended de-affiliation of the ITI due to its refusal to undergo inspection. 7. Further, the matter was discussed in the 25th SCAA Meeting and ITI was given an opportunity to show cause why it should not be de-affiliated, within 21 days from the date of issuance of the minutes. However, no reply was received within the prescribed time period.	2. The said communication was issued by DGT to the registered email of the institute on 24.12.2025 3. Further, the ITI did not avail the final opportunity provided by DGT in the 25th SCAA meeting and failed to submit any reply or representation within the stipulated time, thereby exhibiting continued negligence and persistent non-compliance. 4. The ITI has blatantly refused to undergo inspection on the ground of a State-level ITI Association strike in the year 2025, which cannot be considered a valid reason for denying inspection. 5. Further, reliance is placed on various judgments of different High Courts which affirm that state or DGT may conduct inspections and take appropriate action. Notably, in W.P. No. 8116/2025 (Maa Shitla Pvt. ITI v. Union of India & Ors., MP High Court), it was held that the apex body is duty-bound to examine complaints, including through on-site inspections, and such action

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified


SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
				cannot be termed arbitrary. Similarly, in CWP-20763-2025 (Modern ITI Bathinda v. DGT, Punjab & Haryana High Court), the Court observed that re-inspection does not prejudice the petitioner. Further, in S.B. Civil W.P. No. 18022/2025 (Pooja Pvt. ITI & Ors. v. State of Rajasthan & Ors.), the Rajasthan High Court held that institutions cannot claim inspection as a matter of right in a particular manner or timeline, and compliance with deficiencies is a prerequisite for student admissions. 6. The quality of training imparted to students is of paramount importance to DGT, which cannot be ensured without on-site verification of the institute. The non-submission of a reply and refusal to undergo inspection clearly indicate that the ITI is not functioning in accordance with the prescribed norms, thereby defeating the very purpose of the Craftsmen Training Scheme (CTS).

Signature Not Verified


 UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified


 SHRAMEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
				Therefore, in view of the above remarks and in the interest of the trainees, the ITI is hereby de-affiliated.
4	Ganpati Private ITI Ajmer Sarmalia Choraya Thikrana Gujran, Beawar (Dist. Ajmer), Rajasthan - 305901 (PU08001766)	Mechanic Diesel- 2 (1+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by State Directorate on 04.01.2025. 3. The reply dated 16.01.2025 was received from the ITI. 4. Further, a joint inspection of the ITI was conducted on 19.06.2025 by the RDSDE and State official. 5. During the inspection, the ITI refused to undergo the inspection, stating that it was under a strike declared by the State-level ITI Association. 6. The matter of the ITI was discussed in the 9th SSDEC meeting held on 17.09.2025, wherein the SSDEC recommended de-affiliation of the ITI due to its refusal to undergo inspection. 7. Further, the matter was discussed in the 25th SCAA Meeting and ITI was given an opportunity to show cause why it should not be de-affiliated, within 21 days from the date of issuance of the	The matter was discussed in the SCAA meeting, and the SCAA decided as under: 1. In line with the principles of natural justice, the ITI was afforded final opportunity to represent itself by 25th SCAA in its meeting held on 13.11.2025 and 14.11.2025, to submit a show-cause reply explaining why the ITI should not be de-affiliated along with any supporting representation, within 21 days from the issuance of the minutes of that meeting. 2. The said communication was issued by DGT to the registered email of the institute on 24.12.2025 3. Further, the ITI did not avail the final opportunity provided by DGT in the 25th SCAA meeting and failed to submit any reply or representation within the stipulated time, thereby exhibiting continued

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			minutes. However, no reply was received within the prescribed time period.	negligence and persistent non-compliance. 4. The ITI has blatantly refused to undergo inspection on the ground of a State-level ITI Association strike in the year 2025, which cannot be considered a valid reason for denying inspection. 5. Further, reliance is placed on various judgments of different High Courts which affirm that state or DGT may conduct inspections and take appropriate action. Notably, in W.P. No. 8116/2025 (Maa Shitla Pvt. ITI v. Union of India & Ors., MP High Court), it was held that the apex body is duty-bound to examine complaints, including through on-site inspections, and such action cannot be termed arbitrary. Similarly, in CWP-20763-2025 (Modern ITI Bathinda v. DGT, Punjab & Haryana High Court), the Court observed that re-inspection does not prejudice the petitioner. Further, in S.B. Civil W.P. No. 18022/2025 (Pooja Pvt. ITI & Ors. v. State of Rajasthan & Ors.), the

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
				Rajasthan High Court held that institutions cannot claim inspection as a matter of right in a particular manner or timeline, and compliance with deficiencies is a prerequisite for student admissions. 6. The quality of training imparted to students is of paramount importance to DGT, which cannot be ensured without on-site verification of the institute. The non-submission of a reply and refusal to undergo inspection clearly indicate that the ITI is not functioning in accordance with the prescribed norms, thereby defeating the very purpose of the Craftsmen Training Scheme (CTS). Therefore, in view of the above remarks and in the interest of the trainees, the ITI is hereby de-affiliated.
5	Tulsi Private ITI Near Ganesh Temple Vill. Junia Teh. Kekri Dist. Ajmer- 305406 (PR08001946)	1. Electrician- 3 (1+1+1) 2. Health Sanitary Inspector- 2 (1+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by State Directorate on 04.01.2025. 3. The reply dated 14.01.2025 was received from the ITI.	The matter was deliberated in the SCAA, and it was decided to conduct a joint inspection of the ITI to verify its functioning as per prescribed norms. The joint inspection shall be conducted by the concerned State Directorate and RDSDE Rajasthan. The date of

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45:13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			4. Further, a joint inspection of the ITI was conducted on 18.06.2025 by the RDSDE and State official. 5. During the inspection, the ITI refused to undergo the inspection, stating that it was under a strike declared by the State-level ITI Association. 6. The matter of the ITI was discussed in the 9th SSDEC meeting held on 17.09.2025, wherein the SSDEC recommended de-affiliation of the ITI due to its refusal to undergo inspection. 7. The 25th SCAA has granted a final opportunity to the ITI to represent itself within 21 days by a way of SCN. 8. The reply to the SCN was received on 10.01.2026. 9. In its reply the ITI submitted the following: a) <u>No Refusal of Inspection:</u> Denies refusing inspection. On June 17, 2025, the joint team arrived during a symbolic protest/closure by the state ITI association, which was administrative opposition, not deliberate non-cooperation. b) <u>Closure Not Intentional:</u> The closure was temporary and situational; the institute operates	inspection shall be decided by the State Directorate in consultation with RDSDE Rajasthan. The inspection report shall be submitted to the DGT within one month from the date of issuance of the minutes of this meeting for consideration in the next SCAA meeting.

Signature Not Verified
UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified
SHRAMEV CHAUHAN
12.45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			regularly with all trades, staff, equipment, and infrastructure per DGT norms; training activities are ongoing. c) <u>SCN Reply Already Submitted:</u> Response to SCN was provided on January 24, 2025, and should be considered. d) <u>De-Affiliation is Harsh:</u> Based on one unusual day; unjust to hundreds of trainees; violates natural justice principles and DGT's policy of opportunity for rectification. e) <u>Ready for Re-Inspection:</u> Fully prepared for inspection on any date; all records, machinery, staff attendance, biometric/online data, and training activities will be presented. f) <u>Request:</u> Remove from de-affiliation recommendation list; grant re-inspection opportunity; continue affiliation in trainees' interest. Assures commitment to DGT/NCVT rules. 10. Further, the ITI was a petitioner in S.B. Civil Writ Petition No. 6381/2025	

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHP/AMEV/SHR/6MA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			(L.B.S. Private Industrial Training Institute) and 36 connected matters, which were disposed of by the Hon'ble Court on 23.01.2026. The Hon'ble Court directed the petitioner ITIs to submit representations within two weeks, following which DGT was to conduct joint inspections with the State authorities and take a decision on de-affiliation within a stipulated timeline. It is pertinent to mention that a show cause notice had already been issued to the ITIs vide the Minutes of the 25th SCAA Meeting dated 23.12.2025, prior to the Court's directions. Accordingly, in compliance with the principles of natural justice and the directions of the Hon'ble Court, fresh show cause notices were issued to all petitioner institutes on 05.02.2026, based on the remarks of the Inspection Team and the recommendations of the SSDEC.	
6	Saraswati Vidhya Mandir Private ITI Banswara Udaji Ka Gada, Ghatol (Near Khamera) Teh. - Ghatol (Banswara) - 327027 (PR08001770)	1. Electrician-3 (1+1+1) 2. Fitter- 2 (1+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by State Directorate on 04.01.2025. 3. The reply dated 22.01.2025 was received from the ITI.	The matter was deliberated in the SCAA meeting, and the SCAA decided as under, based on the recommendations of the SSDEC: 1. It has been observed that the ITI refused to undergo inspection.

Signature Not Verified

 UJJWAL BISWAS
 13.04.2026 15:49

Signature Not Verified

 SHRAMEEV SHARMA
 12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			4. Further, a joint inspection of the ITI was conducted on 10.06.2025 by the RDSDE and State official. 5. During the inspection, the ITI refused to undergo the inspection. 6. The matter of the ITI was discussed in the 9th SSDEC meeting held on 17.09.2025, wherein the SSDEC recommended de-affiliation of the ITI due to its refusal to undergo inspection. 7. Further, the matter was discussed in the 25th SCAA Meeting and ITI was given an opportunity to show cause why it should not be de-affiliated, within 21 days from the date of issuance of the minutes. However, no reply was received within the prescribed time period.	2. In line with the principles of natural justice, the ITI was granted a final opportunity in the 25th SCAA meeting held on 13.11.2025 and 14.11.2025 to submit a show-cause reply, explaining why the ITI should not be de-affiliated, along with any supporting representation, within 21 days from the issuance of the minutes of that meeting. 3. The said communication was issued by DGT to the registered email ID of the institute on 24.12.2025. 4. Further, the ITI did not avail the opportunity provided and failed to submit any reply or representation within the stipulated time. 5. Further, reliance is placed on judicial pronouncements which affirm that DGT and the State Directorate are empowered to conduct inspections and take appropriate action in case of non-compliance. Notably, in W.P. No. 8116/2025 (Maa Shitla Pvt. ITI v. Union of India

Signature Not Verified
UJJWAL BISWAS
13.04.2026 15:49


Signature Not Verified
SHRAMEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
				& Ors., MP High Court), it was held that the apex body is duty-bound to examine complaints, including through on-site inspections, and such action cannot be termed arbitrary. Similarly, in CWP-20763-2025 (Modern ITI Bathinda v. DGT, Punjab & Haryana High Court), the Court observed that re-inspection does not prejudice the petitioner. Further, in S.B. Civil W.P. No. 18022/2025 (Pooja Pvt. ITI & Ors. v. State of Rajasthan & Ors.), the Rajasthan High Court held that institutions cannot claim inspection as a matter of right in a particular manner or timeline, and compliance with prescribed norms is essential. Accordingly, based on the facts on record, the refusal to undergo inspection prevents verification of the functioning of the ITI and its compliance with the prescribed norms. The ITI is hereby de-affiliated.

Signature Not Verified


 UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified


 SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
7	Shivam Private Industrial Training Institute, Uncha, Tehsil Jahazpur, Dist. Bhilwara (PR08001399)	Electrician- 3 (2+1)	- Irregularities observed during initial Inspection conducted by State official on 24.12.2024. - SCN was issued to the ITI by State Directorate on 04.01.2025. - The reply dated 22.01.2025 was received from the ITI. - Further, a joint inspection of the ITI was conducted on 09.06.2025 by the RDSDE and State official. - During the inspection, the ITI refused to undergo the inspection, stating that it was under a strike declared by the State-level ITI Association. - The matter of the ITI was discussed in the 9th SSDEC meeting held on 17.09.2025, wherein the SSDEC recommended de-affiliation of the ITI due to its refusal to undergo inspection. - Further, the matter was discussed in the 25th SCAA Meeting and ITI was given an opportunity to show cause why it should not be de-affiliated, within 21 days from the date of issuance of the minutes. However, no reply was received within the prescribed time period.	The matter was discussed in the SCAA meeting, and the SCAA decided as under: - In line with the principles of natural justice, the ITI was afforded final opportunity to represent itself by 25th SCAA in its meeting held on 13.11.2025 and 14.11.2025, to submit a show-cause reply explaining why the ITI should not be de-affiliated along with any supporting representation, within 21 days from the issuance of the minutes of that meeting. - The said communication was issued by DGT to the registered email of the institute on 24.12.2025 - Further, the ITI did not avail the final opportunity provided by DGT in the 25th SCAA meeting and failed to submit any reply or representation within the stipulated time, thereby exhibiting continued negligence and persistent non-compliance. - The ITI has blatantly refused to undergo inspection on the ground of a State-level ITI Association strike

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45:13.04.2026


Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
				in the year 2025, which cannot be considered a valid reason for denying inspection. 5. Further, reliance is placed on various judgments of different High Courts which affirm that state or DGT may conduct inspections and take appropriate action. Notably, in W.P. No. 8116/2025 (Maa Shitla Pvt. ITI v. Union of India & Ors., MP High Court), it was held that the apex body is duty-bound to examine complaints, including through on-site inspections, and such action cannot be termed arbitrary. Similarly, in CWP-20763-2025 (Modern ITI Bathinda v. DGT, Punjab & Haryana High Court), the Court observed that re-inspection does not prejudice the petitioner. Further, in S.B. Civil W.P. No. 18022/2025 (Pooja Pvt. ITI & Ors. v. State of Rajasthan & Ors.), the Rajasthan High Court held that institutions cannot claim inspection as a matter of right in a particular manner or timeline, and compliance

Signature Not Verified



UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified



SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
				with deficiencies is a prerequisite for student admissions. 6. The quality of training imparted to students is of paramount importance to DGT, which cannot be ensured without on-site verification of the institute. The non-submission of a reply and refusal to undergo inspection clearly indicate that the ITI is not functioning in accordance with the prescribed norms, thereby defeating the very purpose of the Craftsmen Training Scheme (CTS). Therefore, in view of the above remarks and in the interest of the trainees, the ITI is hereby de-affiliated.
8	Vidhyaa Private ITI Behind Gokul Complex, Sahara Road, Gangapur, Tehsil Sahara, Dist. Bhilwara (PR08001708)	1. Computer Operator and Programming Assistant- 3 (1+1+1) 2. Electrician -2 (1+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by State Directorate on 04.01.2025. 3. The reply dated 24.01.2025 was received from the ITI. 4. Further, a joint inspection of the ITI was conducted on 16.06.2025 by the RDSDE and State official. 5. During the inspection, the ITI refused to undergo the inspection, stating that it was	The matter was discussed in the SCAA meeting, and the SCAA decided as under: 1. In line with the principles of natural justice, the ITI was afforded final opportunity to represent itself by 25th SCAA in its meeting held on 13.11.2025 and 14.11.2025, to submit a show-cause reply explaining why the ITI should not be de-affiliated along with any supporting representation, within 21

Signature Not Verified
 UJJWAL BISWAS
 13.04.2026 15:49

Signature Not Verified
 SHRADDHA KUMAR
 13.04.2026 15:49

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			under a strike declared by the State-level ITI Association. 6. The matter of the ITI was discussed in the 9th SSDEC meeting held on 17.09.2025, wherein the SSDEC recommended de-affiliation of the ITI due to its refusal to undergo inspection. 7. Further, the matter was discussed in the 25th SCAA Meeting and ITI was given an opportunity to show cause why it should not be de-affiliated, within 21 days from the date of issuance of the minutes. However, no reply was received within the prescribed time period.	days from the issuance of the minutes of that meeting. 2. The said communication was issued by DGT to the registered email of the institute on 24.12.2025 3. Further, the ITI did not avail the final opportunity provided by DGT in the 25th SCAA meeting and failed to submit any reply or representation within the stipulated time, thereby exhibiting continued negligence and persistent non-compliance. 4. The ITI has blatantly refused to undergo inspection on the ground of a State-level ITI Association strike in the year 2025, which cannot be considered a valid reason for denying inspection. 5. Further, reliance is placed on various judgments of different High Courts which affirm that state or DGT may conduct inspections and take appropriate action. Notably, in W.P. No. 8116/2025 (Maa Shitla Pvt. ITI v. Union of India & Ors., MP High Court), it was held that the

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
				apex body is duty-bound to examine complaints, including through on-site inspections, and such action cannot be termed arbitrary. Similarly, in CWP-20763-2025 (Modern ITI Bathinda v. DGT, Punjab & Haryana High Court), the Court observed that re-inspection does not prejudice the petitioner. Further, in S.B. Civil W.P. No. 18022/2025 (Pooja Pvt. ITI & Ors. v. State of Rajasthan & Ors.), the Rajasthan High Court held that institutions cannot claim inspection as a matter of right in a particular manner or timeline, and compliance with deficiencies is a prerequisite for student admissions. 6. The quality of training imparted to students is of paramount importance to DGT, which cannot be ensured without on-site verification of the institute. The non-submission of a reply and refusal to undergo inspection clearly indicate that the ITI is not functioning in accordance with the prescribed norms, thereby

Signature Not Verified

 UJJWAL BISWAS
 13.04.2026 15:49

Signature Not Verified

 SHRAMEEV SHARMA
 12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
				defeating the very purpose of the Craftsmen Training Scheme (CTS). Therefore, in view of the above remarks and in the interest of the trainees, the ITI is hereby de-affiliated.
9	Vidhya Private ITI Bhilwara Haled Tehsil-Bhilwara, Rajasthan-311001 (PR08001765)	1. Electrician -6 (2+2+2) 2. Fitter 3 (1+1+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by State Directorate on 04.01.2025. 3. The reply dated 23.01.2025 was received from the ITI. 4. Further, a joint inspection of the ITI was conducted on 19.06.2025 by the RDSDE and State official. 5. During the inspection, the ITI refused to undergo the inspection, stating that it was under a strike declared by the State-level ITI Association. 6. The matter of the ITI was discussed in the 9th SSDEC meeting held on 17.09.2025, wherein the SSDEC recommended de-affiliation of the ITI due to its refusal to undergo inspection. 7. The 25th SCAA has granted a final opportunity to the ITI to represent itself within 21 days by a way of SCN.	The matter was deliberated in the SCAA, and it was decided to conduct a joint inspection of the ITI to verify its functioning as per prescribed norms. The joint inspection shall be conducted by the concerned State Directorate and RDSDE Rajasthan. The date of inspection shall be decided by the State Directorate in consultation with RDSDE Rajasthan. The inspection report shall be submitted to the DGT within one month from the date of issuance of the minutes of this meeting for consideration in the next SCAA meeting.

Signature Not Verified
UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified
SHRADDHA SHARMA
13.04.2026 12:45

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			8. The reply to the SCN was received on 08.01.2026. 9. In its reply the ITI submitted the following: a) It is respectfully submitted that, as recorded in Point No. 5 of the Minutes, the Department itself acknowledged that the proposed inspection dated 19.06.2025 could not be conducted due to a state-level strike declared by the ITI Association. b) The said event was beyond the control of the Institute and constitutes an unavoidable force majeure circumstance. Therefore, the same cannot be construed as a “wilful refusal” on the part of the Institute. c) Proactive Approach for Re-Inspection (Proof of Bona-fide Intent)- After the strike was withdrawn, the Institute proactively requested the Department to conduct a joint inspection. In this regard, the following communications were sent: Letter/Email dated 31.07.2025 (Ref: VITI/2025-26/47) Letter/Email dated 04.10.2025 (Ref: VITI/SHR/2025-26/60),	

Signature Not Verified
 UJJWAL BISWAS
 13.04.2026 15:49

Signature Not Verified
 13.04.2026 15:49

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			Letter/Email dated 09.10.2025 (Ref: VITI/2025-26/61) d) These communications were sent to the official email IDs, namely: dte.trg.raj@gmail.com, inspectiondtetraining@gmail.com, dte_raj@rajasthan.gov.in, and sunil.gupta67@gmail.com e) Copies of the said communications are enclosed herewith. f) This clearly establishes the Institute's bona-fide intention and refutes any allegation of refusal to undergo inspection. g) Readiness for Inspection- The Institute is fully operational with all requisite infrastructure, machinery, and qualified staff as per prescribed norms. In the interest of transparency and natural justice, the Institute hereby invites even an unannounced surprise inspection at any time convenient to the Department. h) Prayer / Conclusion- In view of the above facts, particularly the Department's own acknowledgment of the strike as the reason for non-conduct of inspection, it is	

Signature Not Verified
 UJJWAL BISWAS
 13.04.2026 15:49

Signature Not Verified
 SHRAMEV SHARMA
 13.04.2026 15:49

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			respectfully prayed that the allegation of wilful refusal be set aside and the de-affiliation proceedings initiated against the Institute be kindly dropped.	
10	Shree Ramdev Private ITI, Gudamalani Road, Dhorimanna, Dist. Barmer (PU08001854)	1. Electrician -6 (2+2+2) 2. Health Sanitary Inspector -3 (1+1+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by State Directorate on 04.01.2025. 3. The reply dated 21.01.2025 was received from the ITI. 4. Further, a joint inspection of the ITI was conducted on 10.06.2025 by the RDSDE and State official. 5. During the inspection the following were observed: a) The ITI name board was placed on the land b) A letter has been received from the staff of the ITI regarding refusal of the inspection. c) Another ITI board was found on the address, location of the ITI d) A banner was found displayed on the wall of the ITI containing information about the ongoing strike of the Institute.	The matter was deliberated in the SCAA, and it was decided to conduct a joint inspection of the ITI to verify its functioning as per prescribed norms. The joint inspection shall be conducted by the concerned State Directorate and RDSDE Rajasthan. The date of inspection shall be decided by the State Directorate in consultation with RDSDE Rajasthan. The inspection report shall be submitted to the DGT within one month from the date of issuance of the minutes of this meeting for consideration in the next SCAA meeting.

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			6. The matter of the ITI was discussed in the 9th SSDEC meeting held on 17.09.2025, wherein the SSDEC recommended de-affiliation of the ITI due to its refusal to undergo inspection. 7. The 25th SCAA has granted a final opportunity to the ITI to represent itself within 21 days by a way of SCN. 8. The reply to the SCN was received on 12.01.2026. 9. In its reply the ITI submitted the following: a) The institute is regularly and smoothly conducting training and remains fully operational. b) On 03.06.2025, the Directorate ordered a joint inspection. c) The Rajasthan Private ITI Association strongly opposed the inspection decision and called for a strike. d) Many affiliated private ITIs, including this one, followed the association's call and did not allow the joint inspection on the scheduled date (declared strike)	

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			e) The institute candidly admits this was a wrong decision on their part and gives a firm assurance that such non-cooperation or strike participation will never be repeated in the future toward any authority or inspection. f) There was no permanent or intentional refusal to inspection — it was a one-time collective action under association pressure. Prayer: - Do not take any unilateral/one-sided de-affiliation action against the institute. - Issue fresh orders for a joint inspection at the earliest. - Grant one more opportunity to the institute to cooperate fully and prove compliance, so that affiliation can be restored/continued.	
11	Jyoti Private Industrial Training Institute, Balotra Near 4th Railway Fatak By Pass, Khed Road, Balotra Dist.Barmer	Electrician -6 (2+2+2)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by State Directorate on 04.01.2025.	The matter was discussed in the SCAA meeting, and the SCAA decided as under: 1. In line with the principles of natural justice, the ITI was afforded final

Signature Not Verified
UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified
SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
	Rajasthan-344022 (PU08001586)		3. The reply dated 22.01.2025 was received from the ITI. 4. Further, a joint inspection of the ITI was conducted on 13.06.2025 by the RDSDE and State official. 5. During the inspection, the ITI refused to undergo the inspection, stating that it was under a strike declared by the State-level ITI Association. 6. The matter of the ITI was discussed in the 9th SSDEC meeting held on 17.09.2025, wherein the SSDEC recommended de-affiliation of the ITI due to its refusal to undergo inspection. 7. Further, the matter was discussed in the 25th SCAA Meeting and ITI was given an opportunity to show cause why it should not be de-affiliated, within 21 days from the date of issuance of the minutes. However, no reply was received within the prescribed time period.	opportunity to represent itself by 25th SCAA in its meeting held on 13.11.2025 and 14.11.2025, to submit a show-cause reply explaining why the ITI should not be de-affiliated along with any supporting representation, within 21 days from the issuance of the minutes of that meeting. 2. The said communication was issued by DGT to the registered email of the institute on 24.12.2025 3. Further, the ITI did not avail the final opportunity provided by DGT in the 25th SCAA meeting and failed to submit any reply or representation within the stipulated time, thereby exhibiting continued negligence and persistent non-compliance. 4. The ITI has blatantly refused to undergo inspection on the ground of a State-level ITI Association strike in the year 2025, which cannot be considered a valid reason for denying inspection.

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
				5. Further, reliance is placed on various judgments of different High Courts which affirm that state or DGT may conduct inspections and take appropriate action. Notably, in W.P. No. 8116/2025 (Maa Shitla Pvt. ITI v. Union of India & Ors., MP High Court), it was held that the apex body is duty-bound to examine complaints, including through on-site inspections, and such action cannot be termed arbitrary. Similarly, in CWP-20763-2025 (Modern ITI Bathinda v. DGT, Punjab & Haryana High Court), the Court observed that re-inspection does not prejudice the petitioner. Further, in S.B. Civil W.P. No. 18022/2025 (Pooja Pvt. ITI & Ors. v. State of Rajasthan & Ors.), the Rajasthan High Court held that institutions cannot claim inspection as a matter of right in a particular manner or timeline, and compliance with deficiencies is a prerequisite for student admissions. 6. The quality of training imparted to students is of paramount importance to DGT, which cannot be ensured

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
				without on-site verification of the institute. The non-submission of a reply and refusal to undergo inspection clearly indicate that the ITI is not functioning in accordance with the prescribed norms, thereby defeating the very purpose of the Craftsmen Training Scheme (CTS). Therefore, in view of the above remarks and in the interest of the trainees, the ITI is hereby de-affiliated.
12	Pragyan Private Industrial Training Institute, Samadhri Road, Gandhipura Balotra, Barmer Rajasthan-344022 (PU08001553)	Electrician -6 (2+2+2)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by State Directorate on 04.01.2025. 3. The reply dated 16.01.2025 was received from the ITI. 4. Further, a joint inspection of the ITI was conducted on 13.06.2025 by the RDSDE and State official. 5. During the inspection, the ITI refused to undergo the inspection, stating that it was under a strike declared by the State-level ITI Association. 6. The matter of the ITI was discussed in the 9th SSDEC meeting held on 17.09.2025,	The matter was discussed in the SCAA meeting, and the SCAA decided as under: 1. In line with the principles of natural justice, the ITI was afforded final opportunity to represent itself by 25th SCAA in its meeting held on 13.11.2025 and 14.11.2025, to submit a show-cause reply — explaining why the ITI should not be de-affiliated along with any supporting representation, within 21 days from the issuance of the minutes of that meeting.

Signature Not Verified
UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified
SHRAMEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			wherein the SSDEC recommended de-affiliation of the ITI due to its refusal to undergo inspection. 7. The 25th SCAA has granted a final opportunity to the ITI to represent itself within 21 days by a way of SCN. 8. The reply to the SCN was received on 13.01.2026. 9. In its reply the ITI submitted the following: a) The Hon'ble court justice order dated 09.04.2021 and requested not to pass any adverse against the ITI failing which the institute would be free to challenge this order by the way of WPC in Hon'ble Rajasthan High Court.	2. The ITI, however, submitted the reply but it was found unsatisfactory as the contention of the petitioner ITI, based on the judgment dated 09.04.2021, is untenable, as the said judgment does not restrict the State Directorate or DGT from initiating fresh de-affiliation proceedings in accordance with the applicable rules. 3. On the contrary, reliance is placed on various judgments of different High Courts which affirm that state or DGT may conduct inspections and take appropriate action. Notably, in W.P. No. 8116/2025 (Maa Shitla Pvt. ITI v. Union of India & Ors., MP High Court), it was held that the apex body is duty-bound to examine complaints, including through on-site inspections, and such action cannot be termed arbitrary. Similarly, in CWP-20763-2025 (Modern ITI Bathinda v. DGT, Punjab & Haryana High Court),

Signature Not Verified
UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified
SHRAMEV SHARMA
13.04.2026 12:45

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
				the Court observed that re-inspection does not prejudice the petitioner. Further, in S.B. Civil W.P. No. 18022/2025 (Pooja Pvt. ITI & Ors. v. State of Rajasthan & Ors.), the Rajasthan High Court held that institutions cannot claim inspection as a matter of right in a particular manner or timeline, and compliance with deficiencies is a prerequisite for student admissions. 4. In addition, adherence to DGT norms is essential to ensure quality vocational training and safeguard students' interests. Accordingly, there is no legal bar on the State/DGT to initiate and complete fresh de-affiliation proceedings in accordance with the rules. 5. The quality of training imparted to students is of paramount importance to DGT, which cannot be ensured without on-site verification of the institute. The non-submission of a reply

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEY SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
				and refusal to undergo inspection clearly indicate that the ITI is not functioning in accordance with the prescribed norms, thereby defeating the very purpose of the Craftsmen Training Scheme (CTS). Therefore, in view of the above remarks and in the interest of the trainees, the ITI is hereby de-affiliated
13	Shri Balaji Private Industrial Training Institute, Baldev Nagar, Dist.Barmer Rajasthan-344001 (PU08001516)	Electrician -3 (1+1+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by State Directorate on 04.01.2025. 3. The reply dated 23.01.2025 was received from the ITI. 4. Further, a joint inspection of the ITI was conducted on 16.06.2025 by the RDSDE and State official. 5. During the inspection, the ITI refused to undergo the inspection vide its letter dated 16.06.2025, stating that it was under a strike declared by the State-level ITI Association. 6. The matter of the ITI was discussed in the 9th SSDEC meeting held on 17.09.2025, wherein	The matter was deliberated in the SCAA, and it was decided to conduct a joint inspection of the ITI to verify its functioning as per prescribed norms. The joint inspection shall be conducted by the concerned State Directorate and RDSDE Rajasthan. The date of inspection shall be decided by the State Directorate in consultation with RDSDE Rajasthan. The inspection report shall be submitted to the DGT within one month from the date of issuance of the minutes of this meeting for consideration in the next SCAA meeting.

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			recommended de-affiliation of the ITI due to its refusal to undergo inspection. 7. The 25th SCAA has granted a final opportunity to the ITI to represent itself within 21 days by a way of SCN. 8. The reply to the SCN was received on 12.01.2026. 9. In its reply the ITI submitted the following: a) <u>Alleged Refusal of Inspection</u> Institute did not intentionally or willfully refuse inspection. In compliance with Rajasthan State Directorate letter (Ref: f.7(12)/T-1/pe-aff/2024/10523), submitted timely written reply, rectified shown deficiencies, and gave written consent for joint inspection (with request to defer till December 2025). b) <u>Request for Deferral till Dec</u> Deferral request was limited, temporary, and in good faith, as institute is member of Rajasthan State Private ITI Association; submitted collectively/administratively (not to evade inspection). Subsequently, institute proactively followed up: sent written letter/email.	

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEV SHARMA
12:45 13.04.2026 Deputy

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			Director General, DGT, on 30.07.2025 requesting early joint inspection. c) <u>Parity/Equal Treatment with Similar ITIs</u> : Other private ITIs (association members in similar situations) were inspected after administrative resolution and granted ID/Password for admissions. Institute seeks same fair, non-discriminatory treatment (parity principle). d) <u>Current Status & Assurance:</u> Institute fully complies with affiliation norms (infrastructure, trainers, equipment, etc.) and assures full cooperation for inspection on any date fixed by competent authority. e) <u>Prayer/Request:</u> Do not treat non-inspection as willful refusal for de-affiliation basis. Provide opportunity for joint inspection to assess actual status fairly. Protect trainees' educational interests.	
14	Krishna Private Industrial Training Institute, Sant Pramanand Ashram, Station Road, Barmer	Electrician -6 (2+2+2)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.	The matter was deliberated in the SCAA, and it was decided to conduct a

Signature Not Verified

 UJJWAL BISWAS
 13.04.2026 15:49

Signature Not Verified

 SHRAMEEV SHARMA
 12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
	Rajasthan344001 (PU08001529)		2. SCN was issued to the ITI by State Directorate on 04.01.2025. 3. The reply dated 24.01.2025 was received from the ITI. 4. Further, a joint inspection of the ITI was conducted on 16.06.2025 by the RDSDE and State official. 5. During the inspection, the ITI refused to undergo the inspection vide its letter dated 16.06.2025, stating that it was under a strike declared by the State-level ITI Association. 6. The matter of the ITI was discussed in the 9th SSDEC meeting held on 17.09.2025, wherein the SSDEC recommended de-affiliation of the ITI due to its refusal to undergo inspection. 7. The 25th SCAA has granted a final opportunity to the ITI to represent itself within 21 days by a way of SCN. 8. The reply to the SCN was received on 12.01.2026. 9. In its reply the ITI submitted the following: a) The institute asserts that regular training activities are being conducted smoothly and continuously, fully complying with	joint inspection of the ITI to verify its functioning as per prescribed norms. The joint inspection shall be conducted by the concerned State Directorate and RDSDE Rajasthan. The date of inspection shall be decided by the State Directorate in consultation with RDSDE Rajasthan. The inspection report shall be submitted to the DGT within one month from the date of issuance of the minutes of this meeting for consideration in the next SCAA meeting.

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			all NCVT/DGT norms, standards, and guidelines. b) It remains committed to maintaining academic, administrative, and infrastructural requirements. c) Offers full cooperation for any joint inspection whenever scheduled. d) Specific Response to Allegation (Point-i): Refusal of Inspection e) Strongly denies any deliberate or willful refusal of inspection by the competent authority at any stage. f) States that, in compliance with Rajasthan Government / Directorate of Technical Education, Jodhpur letter No. f.7(12)/T-1/pe-aff/2025/14690: g) A written reply was submitted within the stipulated time. h) All pointed-out deficiencies were rectified. i) Written consent for joint inspection was given. j) <u>Overall Request:</u> Requests that de-affiliation proceedings be stopped.	

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			- Seeks restoration of affiliation after a joint inspection to verify current compliance. 10. The ITI has attached following documents with its reply: - Previous correspondences with State directorate regarding ready for re-inspection . - The Hon'ble court justice order dated 09.04.2021 and requested not to pass any adverse against the ITI failing which the institute would be free to challenge this order by the way of WPC in Hon'ble Rajasthan High Court.	
15	Shri Damaram Memorial Private Industrial Training Institute, Main C.C. Road, Indira Colony, Dist. Barmer 344001 (PU08001489)	Electrician -6 (2+2+2)	- Irregularities observed during initial Inspection conducted by State official on 24.12.2024. - SCN was issued to the ITI by State Directorate on 04.01.2025. - The reply dated 24.01.2025 was received from the ITI. - Further, a joint inspection of the ITI was conducted on 16.06.2025 by the RDSDE and State official. - During the inspection, the ITI refused to undergo the inspection.	The matter was discussed in the SCAA meeting, and the SCAA decided as under: In line with the principles of natural justice, the ITI was afforded final opportunity to represent itself by 25th SCAA in its meeting held on 13.11.2025 and 14.11.2025, to submit a show-cause reply explaining why the ITI should not be de-affiliated along with any supporting representation, within 21

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			dated 16.06.2025, stating that it was under a strike declared by the State-level ITI Association. 6. The matter of the ITI was discussed in the 9th SSDEC meeting held on 17.09.2025, wherein the SSDEC recommended de-affiliation of the ITI due to its refusal to undergo inspection. 7. Further, the matter was discussed in the 25th SCAA Meeting and ITI was given an opportunity to show cause why it should not be de-affiliated, within 21 days from the date of issuance of the minutes. However, no reply was received within the prescribed time period.	days from the issuance of the minutes of that meeting. 2. The said communication was issued by DGT to the registered email of the institute on 24.12.2025 3. Further, the ITI did not avail the final opportunity provided by DGT in the 25th SCAA meeting and failed to submit any reply or representation within the stipulated time, thereby exhibiting continued negligence and persistent non-compliance. 4. The ITI has blatantly refused to undergo inspection on the ground of a State-level ITI Association strike in the year 2025, which cannot be considered a valid reason for denying inspection. 5. Further, reliance is placed on various judgments of different High Courts which affirm that state or DGT may conduct inspections and take appropriate action. Notably, in W.P. No. 8116/2025 (Maa Shitla Pvt. ITI v. Union of India & Ors., MP High Court), it was held that the

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
				apex body is duty-bound to examine complaints, including through on-site inspections, and such action cannot be termed arbitrary. Similarly, in CWP-20763-2025 (Modern ITI Bathinda v. DGT, Punjab & Haryana High Court), the Court observed that re-inspection does not prejudice the petitioner. Further, in S.B. Civil W.P. No. 18022/2025 (Pooja Pvt. ITI & Ors. v. State of Rajasthan & Ors.), the Rajasthan High Court held that institutions cannot claim inspection as a matter of right in a particular manner or timeline, and compliance with deficiencies is a prerequisite for student admissions. 6. The quality of training imparted to students is of paramount importance to DGT, which cannot be ensured without on-site verification of the institute. The non-submission of a reply and refusal to undergo inspection clearly indicate that the ITI is not functioning in accordance with the prescribed norms, thereby

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
				defeating the very purpose of the Craftsmen Training Scheme (CTS). Therefore, in view of the above remarks and in the interest of the trainees, the ITI is hereby de-affiliated.
16	Smt. Dhapu Devi Memorial Pvt. ITI Sirdari Road, Baldev Nagar, Dist. Barmer-344001 (PU08001697)	1. Electrician 2 (1+1) 2. Fire Technology and Industrial Safety Management – 4 (2+1+1) 3. Health Safety & Environment- 1 (1+0) 4. Health Sanitary Inspector- 1(1+0)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by State Directorate on 04.01.2025, followed by reminder dated 03.02.2025. 3. The reply dated 25.01.2025 was received from the ITI. 4. Further, a joint inspection of the ITI was conducted on 16.06.2025 by the RDSDE and State official. 5. During the inspection, the ITI refused to undergo the inspection vide its letter dated 16.06.2025, stating that it was under a strike declared by the State-level ITI Association. Additionally, it has been also observed that the other courses were also running in the ITI. 6. The matter of the ITI was discussed in the 9th SSDEC meeting held on 17.09.2025, wherein the SSDEC recommended de-affiliation of the ITI due to its refusal to undergo inspection.	The matter was deliberated in the SCAA, and it was decided to conduct a joint inspection of the ITI to verify its functioning as per prescribed norms. The joint inspection shall be conducted by the concerned State Directorate and RDSDE Rajasthan. The date of inspection shall be decided by the State Directorate in consultation with RDSDE Rajasthan. The inspection report shall be submitted to the DGT within one month from the date of issuance of the minutes of this meeting for consideration in the next SCAA meeting.

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45:13 04/2026

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			7. The 25th SCAA has granted a final opportunity to the ITI to represent itself within 21 days by a way of SCN. 8. The reply to the SCN was received on 12.01.2026. 9. In its reply the ITI submitted the following: a) No Intentional Refusal of Inspection The institute never refused inspection at any stage. In compliance with State Directorate letter No. F.7(12)/T-1/pe-aff/2025/14267, we submitted a written reply to all deficiencies, rectified them and gave explicit written consent for joint inspection. b) Request for Postponement (Not Refusal) We only made a polite, temporary and bona-fide request to postpone the joint inspection till December 2025. This request was made collectively as a member of the State-level Private ITI Association purely on administrative grounds. The purpose was never to avoid or obstruct the inspection process.	

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEY CHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			c) Follow-up Action Taken by Institute When the inspection could not be scheduled, the institute itself took proactive steps and sent a written Follow-up letter/e-mail to the Additional Director General, DGT on 09.10.2025 requesting early inspection. d) Parity with Similarly Placed ITIs Several other Private ITIs which were also members of the same State-level Association and were in identical circumstances were later inspected by the competent authority. After successful inspection, their ID/Password was restored and fresh admissions permitted. The same equitable and non-discriminatory treatment may kindly be extended to our institute. e) Current Status & Assurance The institute is fully functional and compliant with all NCVT affiliation norms (infrastructure, instructors, equipment, etc.). We are ready to extend complete cooperation for	

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			inspection on any date fixed by the competent authority. Prayer: • Kindly keep the de-affiliation proceedings in abeyance. • Arrange a fresh Joint Inspection at the earliest under principles of natural justice. • Restore our affiliation and allow smooth functioning/admissions in the interest of trainees.	
17	Ramdev Private ITI, Near Govt. Water Tank, Baldev Nagar, Dist. Barmer Pin344001 (PU08001724)	Electrician -3 (1+1+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by State Directorate on 04.01.2025. 3. The reply dated 23.01.2025 was received from the ITI. 4. Further, a joint inspection of the ITI was conducted on 16.06.2025 by the RDSDE and State official. 5. During the inspection, the ITI refused to undergo the inspection and also refused for inspection vide its letter dated 17.06.2025, stating that it was under a	The matter was discussed in the SCAA meeting, and the SCAA decided as under: 1. In line with the principles of natural justice, the ITI was afforded final opportunity to represent itself by 25th SCAA in its meeting held on 13.11.2025 and 14.11.2025, to submit a show-cause reply explaining why the ITI should not be de-affiliated along with any supporting representation, within 21 days from the issuance of the minutes of that meeting.

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			strike declared by the State-level ITI Association. 6. The matter of the ITI was discussed in the 9th SSDEC meeting held on 17.09.2025, wherein the SSDEC recommended de-affiliation of the ITI due to its refusal to undergo inspection. 7. Further, the matter was discussed in the 25th SCAA Meeting and ITI was given an opportunity to show cause why it should not be de-affiliated, within 21 days from the date of issuance of the minutes. However, no reply was received within the prescribed time period.	2. The said communication was issued by DGT to the registered email of the institute on 24.12.2025 3. Further, the ITI did not avail the final opportunity provided by DGT in the 25th SCAA meeting and failed to submit any reply or representation within the stipulated time, thereby exhibiting continued negligence and persistent non-compliance. 4. The ITI has blatantly refused to undergo inspection on the ground of a State-level ITI Association strike in the year 2025, which cannot be considered a valid reason for denying inspection. 5. Further, reliance is placed on various judgments of different High Courts which affirm that state or DGT may conduct inspections and take appropriate action. Notably, in W.P. No. 8116/2025 (Maa Shitla Pvt. ITI v. Union of India & Ors., MP High Court), it was held that the apex body is duty-bound to examine complaints, including through on-site inspections, and such action

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
				cannot be termed arbitrary. Similarly, in CWP-20763-2025 (Modern ITI Bathinda v. DGT, Punjab & Haryana High Court), the Court observed that re-inspection does not prejudice the petitioner. Further, in S.B. Civil W.P. No. 18022/2025 (Pooja Pvt. ITI & Ors. v. State of Rajasthan & Ors.), the Rajasthan High Court held that institutions cannot claim inspection as a matter of right in a particular manner or timeline, and compliance with deficiencies is a prerequisite for student admissions. 6. The quality of training imparted to students is of paramount importance to DGT, which cannot be ensured without on-site verification of the institute. The non-submission of a reply and refusal to undergo inspection clearly indicate that the ITI is not functioning in accordance with the prescribed norms, thereby defeating the very purpose of the Craftsmen Training Scheme (CTS).

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
				Therefore, in view of the above remarks and in the interest of the trainees, the ITI is hereby de-affiliated.
18	Maa Gayatri Private ITI, Village Biloda, Dungla, Dist. Chittorgarh 312024 (PR08001643)	1. Electrician- 6 (2+2+2) 2. Wiremen- 2 (1+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by State Directorate on 03.01.2025. 3. The reply dated 22.01.2025 was received from the ITI. 4. Further, a joint inspection of the ITI was conducted on 19.06.2025 by the RDSDE and State official. 5. During the inspection, the ITI refused to undergo the inspection vide its letter dated 19.06.2025, stating that it was under a strike declared by the State-level ITI Association. 6. The matter of the ITI was discussed in the 9th SSDEC meeting held on 17.09.2025, wherein the SSDEC recommended de-affiliation of the ITI due to its refusal to undergo inspection. 7. Further, the matter was discussed in the 25th SCAA Meeting and ITI was given an opportunity to show cause why it should not be de-affiliated, within 21 days from the date of issuance of the	The matter was discussed in the SCAA meeting, and the SCAA decided as under: 1. In line with the principles of natural justice, the ITI was afforded final opportunity to represent itself by 25 th SCAA in its meeting held on 13.11.2025 and 14.11.2025, to submit a show-cause reply explaining why the ITI should not be de-affiliated along with any supporting representation, within 21 days from the issuance of the minutes of that meeting. 2. The said communication was issued by DGT to the registered email of the institute on 24.12.2025 3. Further, the ITI did not avail the final opportunity provided by DGT in the 25th SCAA meeting and failed to submit any reply or representation within the stipulated time, thereby exhibiting continued

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRUTI K. SHARMA
12.45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			minutes. However, no reply was received within the prescribed time period.	negligence and persistent non-compliance. 4. The ITI has blatantly refused to undergo inspection on the ground of a State-level ITI Association strike in the year 2025, which cannot be considered a valid reason for denying inspection. 5. Further, reliance is placed on various judgments of different High Courts which affirm that state or DGT may conduct inspections and take appropriate action. Notably, in W.P. No. 8116/2025 (Maa Shitla Pvt. ITI v. Union of India & Ors., MP High Court), it was held that the apex body is duty-bound to examine complaints, including through on-site inspections, and such action cannot be termed arbitrary. Similarly, in CWP-20763-2025 (Modern ITI Bathinda v. DGT, Punjab & Haryana High Court), the Court observed that re-inspection does not prejudice the petitioner. Further, in S.B. Civil W.P. No. 18022/2025 (Pooja Pvt. ITI & Ors. v. State of Rajasthan & Ors.), the

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
				Rajasthan High Court held that institutions cannot claim inspection as a matter of right in a particular manner or timeline, and compliance with deficiencies is a prerequisite for student admissions. 6. The quality of training imparted to students is of paramount importance to DGT, which cannot be ensured without on-site verification of the institute. The non-submission of a reply and refusal to undergo inspection clearly indicate that the ITI is not functioning in accordance with the prescribed norms, thereby defeating the very purpose of the Craftsmen Training Scheme (CTS). Therefore, in view of the above remarks and in the interest of the trainees, the ITI is hereby de-affiliated.
19	Shree Ram Private Industrial Training Institute, Plot No. A-57,A72, Raja Park Colony, Bikaner Dist. Bikaner-334022 (R08000404)	Electrician- 2 (1+1)	1 Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2 SCN was issued to the ITI by State Directorate on 08.01.2025. 3 The reply dated 18.01.2025 was received from the ITI.	The matter was deliberated in the SCAA, and it was decided to conduct a joint inspection of the ITI to verify its functioning as per prescribed norms. The joint inspection shall be conducted by the concerned State Directorate and

Signature Not Verified
UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified
SHRAMEEV SHARMA
12:45:13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			4 Further, a joint inspection of the ITI was conducted on 10.06.2025 by the RDSDE and State official. 5 The ITI did not allow for inspection on 10.06.2025 and also refused to undergo the inspection vide its letter dated letter dated 09.06.2025, stating that it was under a strike declared by the State-level ITI Association. 6 The matter of the ITI was discussed in the 9th SSDEC meeting held on 17.09.2025, wherein the SSDEC recommended de-affiliation of the ITI due to its refusal to undergo inspection. 7. The 25th SCAA has granted a final opportunity to the ITI to represent itself within 21 days by a way of SCN. 8. The reply to the SCN was received on 09.01.2026. 9. In its reply the ITI submitted the following: a) Denies irregularities in surprise state inspection (Dec 24, 2024); cites extreme cold (3-5°C at ~8 AM, year-end); adequate reply sent Jan 18, 2025.	RDSDE Rajasthan. The date of inspection shall be decided by the State Directorate in consultation with RDSDE Rajasthan. The inspection report shall be submitted to the DGT within one month from the date of issuance of the minutes of this meeting for consideration in the next SCAA meeting.

Signature Not Verified



UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified



SHRAMEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			b) Initial SCN (Jan 8, 2025) replied adequately. c) Joint inspection refused (Jun 10, 2025 attempt) due to ITI Association strike (letter Jun 9, 2025), but strike called off; institute requested inspection Aug 18, 2025—no inspection held, unlike many other Rajasthan ITIs (claims discriminatory treatment). d) No inspection → no valid findings; SSDEC wrongly deliberated and recommended de-affiliation under category "refused inspection." e) Admissions restricted for 2025-26 session (SSDEC 8th meeting, Jun 12, 2025) without notice, hearing, or natural justice; many ITIs got court stays (institute's case pending). f) Overall: Actions violate due process, natural justice, and are discriminatory. Prayer: Reject de-affiliation recommendation; immediately restore portal access and allow 2025-26 admissions in students' and education sector's interest.	

Signature Not Verified

 UJJWAL BISWAS
 13.04.2026 15:49

Signature Not Verified

 SHRAMEEV SHARMA
 12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
20	S.L.S. Graphic Private Industrial Training Institute, N.H. 15 Road Vishav Karma Market, Infront Of Jolya Petrol Pump, Loonkaransar, Distt. Bikaner-334603 (PU08001609)	1. Electrician-6 (2+2+2) 2. Fitter- 6 (2+2+2)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by State Directorate on 08.01.2025, followed by reminder dated 06.02.2025. 3. The reply dated 22.01.2025 was received from the ITI. 4. Further, a joint inspection of the ITI was conducted on 13.06.2025 by the RDSDE and State official. 5. The ITI did not allow for inspection on 10.06.2025 and also refused to undergo the inspection vide its letter dated 07.06.2025, stating that it was under a strike declared by the State-level ITI Association. 6. The matter of the ITI was discussed in the 9th SSDEC meeting held on 17.09.2025, wherein the SSDEC recommended de-affiliation of the ITI due to its refusal to undergo inspection. 7. Further, the matter was discussed in the 25th SCAA Meeting and ITI was given an opportunity to show cause why it should not be de-affiliated, within 21 days from the date of issuance of the minutes. However, no reply was received within the prescribed time period.	The matter was discussed in the SCAA meeting, and the SCAA decided as under: 1. In line with the principles of natural justice, the ITI was afforded final opportunity to represent itself by 25 th SCAA in its meeting held on 13.11.2025 and 14.11.2025, to submit a show-cause reply explaining why the ITI should not be de-affiliated along with any supporting representation, within 21 days from the issuance of the minutes of that meeting. 2. The said communication was issued by DGT to the registered email of the institute on 24.12.2025 3. Further, the ITI did not avail the final opportunity provided by DGT in the 25th SCAA meeting and failed to submit any reply or representation within the stipulated time, thereby exhibiting continued negligence and persistent non-compliance. 4. The ITI has blatantly refused to undergo inspection on the ground of a State-level ITI Association strike

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEV SHARMA
12:45 13.04.2026


Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
				in the year 2025, which cannot be considered a valid reason for denying inspection. 5. Further, reliance is placed on various judgments of different High Courts which affirm that state or DGT may conduct inspections and take appropriate action. Notably, in W.P. No. 8116/2025 (Maa Shitla Pvt. ITI v. Union of India & Ors., MP High Court), it was held that the apex body is duty-bound to examine complaints, including through on-site inspections, and such action cannot be termed arbitrary. Similarly, in CWP-20763-2025 (Modern ITI Bathinda v. DGT, Punjab & Haryana High Court), the Court observed that re-inspection does not prejudice the petitioner. Further, in S.B. Civil W.P. No. 18022/2025 (Pooja Pvt. ITI & Ors. v. State of Rajasthan & Ors.), the Rajasthan High Court held that institutions cannot claim inspection as a matter of right in a particular manner or timeline, and compliance

Signature Not Verified



UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified



SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
				with deficiencies is a prerequisite for student admissions. 6. The quality of training imparted to students is of paramount importance to DGT, which cannot be ensured without on-site verification of the institute. The non-submission of a reply and refusal to undergo inspection clearly indicate that the ITI is not functioning in accordance with the prescribed norms, thereby defeating the very purpose of the Craftsmen Training Scheme (CTS). Therefore, in view of the above remarks and in the interest of the trainees, the ITI is hereby de-affiliated.
21	MBD Private Industrial Training Institute, Tilak Nagar, Dist. Bikaner Pin-334003 Rajasthan (PU08001562)	Electrician- 18 (6+6+6)	- Irregularities observed during initial Inspection conducted by State official on 24.12.2024. - SCN was issued to the ITI by State Directorate on 08.01.2025. - The reply dated 24.01.2025 was received from the ITI. - Further, a joint inspection of the ITI was conducted on 11.06.2025 by the RDSDE and State official. - The ITI did not allow for inspection on 10.06.2025 and also refused to undergo	The matter was deliberated in the SCAA, and it was decided to conduct a joint inspection of the ITI to verify its functioning as per prescribed norms. The joint inspection shall be conducted by the concerned State Directorate and RDSDE Rajasthan. The date of inspection shall be decided by the State Directorate in consultation with RDSDE Rajasthan. The inspection report shall be submitted to the DGT

Signature Not Verified

UJJWAL BISWAS

13.04.2026 15:49

Signature Not Verified

SHRUTI CHAND

12.45 12.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			the inspection vide its letter dated 10.06.2025, stating that it was under a strike declared by the State-level ITI Association. 6. The matter of the ITI was discussed in the 9th SSDEC meeting held on 17.09.2025, wherein the SSDEC recommended de-affiliation of the ITI due to its refusal to undergo inspection. 7. The 25th SCAA has granted a final opportunity to the ITI to represent itself within 21 days by a way of SCN. 8. The reply to the SCN was received on 11.01.2026 and 12.01.2026. 9. In its reply the ITI submitted the following: a) The institute received a show-cause notice for de-affiliation under Point 2.6 of the 25th SCAA minutes: "I.T.I. is not Recommended for Continuation of Affiliation as they refused to undergo inspection." b) Point-wise submission/clarification: i. A state-level inspection by RCVET (Rajasthan Council for Vocational Education and Training)	within one month from the date of issuance of the minutes of this meeting for consideration in the next SCAA meeting.

Signature Not Verified
 UJJWAL BISWAS
 13.04.2026 15:49

Signature Not Verified
 SHRUTI KUMAR
 13.04.2026 17:45

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			conducted on December 24, 2024. ii. Only 3 deficiencies were identified during this inspection. iii. The institute fully rectified these deficiencies and submitted a timely reply to RCVET, including supporting photos, videos, and all required documents. The letter emphasizes that the institute has addressed the state inspection issues and disputes the SCAA's characterization of "refusal to undergo inspection," likely arguing that any non-cooperation was limited or resolved via the RCVET process. Requests favorable consideration to continue/maintain affiliation, considering the rectifications and compliance.	
22	New Basic Private Industrial Training Institute, Behind Radhe Motor, Galna Bass, Dist.Bikaner	Electrician -6 (2+2+2)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by State Directorate on 08.01.2025.	The matter was deliberated in the SCAA, and it was decided to conduct a joint inspection of the ITI to verify its functioning as per prescribed norms.

Signature Not Verified
UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified
SHRAMEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
	334305 Rajasthan (PR08001509)		3. The reply dated 21.01.2025 was received from the ITI. 4. Further, a joint inspection of the ITI was conducted on 12.06.2025 by the RDSDE and State official. 5. The ITI did not allow for inspection on 10.06.2025 and also refused to undergo the inspection vide its letter dated 10.06.2025, stating that it was under a strike declared by the State-level ITI Association. 6. The matter of the ITI was discussed in the 9th SSDEC meeting held on 17.09.2025, wherein the SSDEC recommended de-affiliation of the ITI due to its refusal to undergo inspection. 7. The 25th SCAA has granted a final opportunity to the ITI to represent itself within 21 days by a way of SCN. 8. The reply to the SCN was received on 11.01.2026. 9. In its reply the ITI submitted the following: a) Joint inspection ordered via RCVET letter No. 77109/03 June 2025, but could not be conducted due to statewide pressure/strike/lock-down by Rajasthan ITI Association;	The joint inspection shall be conducted by the concerned State Directorate and RDSDE Rajasthan. The date of inspection shall be decided by the State Directorate in consultation with RDSDE Rajasthan. The inspection report shall be submitted to the DGT within one month from the date of issuance of the minutes of this meeting for consideration in the next SCAA meeting.

Signature Not Verified

UJJWAL BISWAS

13.04.2026 15:49

Signature Not Verified

SHRADDHA KUMAR

13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			institute informed team via letter No. 167/08 June 2025, requesting postponement per association directive. b) Despite repeated emails/letters to RCVET for rescheduling, no opportunity given; admissions denied for 2025 session, while some other Rajasthan ITIs received chance. c) <u>Request:</u> Conduct joint inspection if required and grant admission permission for session 2026.	
23	Lal Bahadur Shastri Private Industrial Training Institute, Hindaun Road Saloda, Tehsil Gangapur City, Distt. Sawai Madhopur - 322201 (PR08000332)	Electrician- 6 (2+2+2)	- Irregularities observed during initial Inspection conducted by State official on 24.12.2024. - SCN was issued to the ITI by State Directorate on 03.01.2025. - The reply dated 20.01.2025 was received from the ITI. - Further, a joint inspection of the ITI was conducted on 10.06.2025 by the RDSDE and State official. - During the inspection, the ITI refused to undergo the inspection vide its letter dated 10.06.2025.	The matter was deliberated in the SCAA, and it was decided to conduct a joint inspection of the ITI to verify its functioning as per prescribed norms. The joint inspection shall be conducted by the concerned State Directorate and RDSDE Rajasthan. The date of inspection shall be decided by the State Directorate in consultation with RDSDE Rajasthan. The inspection report shall be submitted to the DGT within one month from the date of

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			under a strike declared by the State-level ITI Association. 6. The matter of the ITI was discussed in 9th SSDEC meeting held on 17.09.2025 and the SSDEC recommended de-affiliation of the ITI due to its refusal to undergo inspection. 7. The 25th SCAA has granted a final opportunity to the ITI to represent itself within 21 days by a way of SCN. 8. The reply to the SCN was received on 04.01.2026. 9. In its reply the ITI submitted the following: a) The Hon'ble court justice order dated 09.04.2021 and requested not to pass any adverse against the ITI failing which the institute would be free to challenge this order by the way of WPC in Hon'ble Rajasthan High Court. 10. Further, the ITI was a petitioner in S.B. Civil Writ Petition No. 16381/2025 (L.B.S. Private Industrial Training Institute) and 36 connected matters, which were disposed of by the Hon'ble Court on 23.01.2026. The Hon'ble Court directed the petitioner to submit	issuance of the minutes of this meeting for consideration in the next SCAA meeting.

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			representations within two weeks, following which DGT was to conduct joint inspections with the State authorities and take a decision on de-affiliation within a stipulated timeline. It is pertinent to mention that a show cause notice had already been issued to the ITIs vide the Minutes of the 25th SCAA Meeting dated 23.12.2025, prior to the Court's directions. Accordingly, in compliance with the principles of natural justice and the directions of the Hon'ble Court, fresh show cause notices were issued to all petitioner institutes on 05.02.2026, based on the remarks of the Inspection Team and the recommendations of the SSDEC.	
24	Divine Fire Safety Private ITI Sawai Madhopur Bonli, Sawai Madhopur, Rajasthan (PR08001776)	1. Electrician- 3 (1+1+1) 2. Fire Technology and Industrial Safety Management -2 (1+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by State Directorate on 03.01.2025. 3. The ITI did not reply to the both SCN and the reminder issued by State Directorate. 4. Further, a joint inspection of the ITI was conducted on 10.06.2025 by the RDSDE and State official.	The matter was discussed in the SCAA meeting, and the SCAA decided as under: 1. In line with the principles of natural justice, the ITI was afforded final opportunity to represent itself by 25th SCAA in its meeting held on 13.11.2025 and 14.11.2025, to submit a show-cause reply explaining why the ITI should not be de-affiliated along with any

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			5. During the inspection, the ITI refused to undergo the inspection vide its letter dated 10.06.2025, stating that it was under a strike declared by the State-level ITI Association. 6. The matter of the ITI was discussed in 9th SSDEC meeting held on 17.09.2025 and the SSDEC recommended de-affiliation of the ITI due to its refusal to undergo inspection. 7. Further, the matter was discussed in the 25th SCAA Meeting and ITI was given an opportunity to show cause why it should not be de-affiliated, within 21 days from the date of issuance of the minutes. However, no reply was received within the prescribed time period.	supporting representation, within 21 days from the issuance of the minutes of that meeting. 2. The said communication was issued by DGT to the registered email of the institute on 24.12.2025 3. Further, the ITI did not avail the final opportunity provided by DGT in the 25th SCAA meeting and failed to submit any reply or representation within the stipulated time, thereby exhibiting continued negligence and persistent non-compliance. 4. The ITI has blatantly refused to undergo inspection on the ground of a State-level ITI Association strike in the year 2025, which cannot be considered a valid reason for denying inspection. 5. Further, reliance is placed on various judgments of different High Courts which affirm that state or DGT may conduct inspections and take appropriate action. Notably, in W.P. No. 8116/2025 (Maa Shitla Pvt. ITI v. Union of India & Ors.,

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
				MP High Court), it was held that the apex body is duty-bound to examine complaints, including through on-site inspections, and such action cannot be termed arbitrary. Similarly, in CWP-20763-2025 (Modern ITI Bathinda v. DGT, Punjab & Haryana High Court), the Court observed that re-inspection does not prejudice the petitioner. Further, in S.B. Civil W.P. No. 18022/2025 (Pooja Pvt. ITI & Ors. v. State of Rajasthan & Ors.), the Rajasthan High Court held that institutions cannot claim inspection as a matter of right in a particular manner or timeline, and compliance with deficiencies is a prerequisite for student admissions. 6. The quality of training imparted to students is of paramount importance to DGT, which cannot be ensured without on-site verification of the institute. The non-submission of a reply and refusal to undergo inspection clearly indicate that the ITI is not functioning in accordance with the prescribed norms, thereby

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
				defeating the very purpose of the Craftsmen Training Scheme (CTS). Therefore, in view of the above remarks and in the interest of the trainees, the ITI is hereby de-affiliated.
25	Agrasen Private Industrial Training Institute Sawai Madhopur Sawai Ganj Moad, Kota Highway Road, Sawaimadhopur, Rajasthan-322001 (PU08001777)	1. Electrician- 6 (2+2+2) 2. Health Sanitary Inspector- 2 (1+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by State Directorate on 08.01.2025. 3. The reply dated 25.01.2025 was received from the ITI. 4. Further, a joint inspection of the ITI was conducted on 11.06.2025 by the RDSDE and State official. 5. During the inspection, the ITI refused to undergo the inspection vide its letter dated 11.06.2025, stating that it was under a strike declared by the State-level ITI Association. 6. The matter of the ITI was discussed in the 9th SSDEC meeting held on 17.09.2025, wherein the SSDEC recommended de-affiliation of the ITI due to its refusal to undergo inspection. 7. Further, the matter was discussed in the 25th SCAA Meeting and was given	The matter was discussed in the SCAA meeting, and the SCAA decided as under: 1. In line with the principles of natural justice, the ITI was afforded final opportunity to represent itself by 25 th SCAA in its meeting held on 13.11.2025 and 14.11.2025, to submit a show-cause reply explaining why the ITI should not be de-affiliated along with any supporting representation, within 21 days from the issuance of the minutes of that meeting. 2. The said communication was issued by DGT to the registered email of the institute on 24.12.2025 3. Further, the ITI did not avail the final opportunity provided by DGT in the 25th SCAA meeting and failed to submit any reply or representation within the stipulated

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			an opportunity to show cause why it should not be de-affiliated, within 21 days from the date of issuance of the minutes. However, no reply was received within the prescribed time period.	time, thereby exhibiting continued negligence and persistent non-compliance. 4. The ITI has blatantly refused to undergo inspection on the ground of a State-level ITI Association strike in the year 2025, which cannot be considered a valid reason for denying inspection. 5. Further, reliance is placed on various judgments of different High Courts which affirm that state or DGT may conduct inspections and take appropriate action. Notably, in W.P. No. 8116/2025 (Maa Shitla Pvt. ITI v. Union of India & Ors., MP High Court), it was held that the apex body is duty-bound to examine complaints, including through on-site inspections, and such action cannot be termed arbitrary. Similarly, in CWP-20763-2025 (Modern ITI Bathinda v. DGT, Punjab & Haryana High Court), the Court observed that re-inspection does not prejudice the petitioner. Further, in S.B. Civil W.P. No. 18022/2025 (Pooja Pvt. ITI & Ors.

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
				v. State of Rajasthan & Ors.), the Rajasthan High Court held that institutions cannot claim inspection as a matter of right in a particular manner or timeline, and compliance with deficiencies is a prerequisite for student admissions. 6. The quality of training imparted to students is of paramount importance to DGT, which cannot be ensured without on-site verification of the institute. The non-submission of a reply and refusal to undergo inspection clearly indicate that the ITI is not functioning in accordance with the prescribed norms, thereby defeating the very purpose of the Craftsmen Training Scheme (CTS). Therefore, in view of the above remarks and in the interest of the trainees, the ITI is hereby de-affiliated.
26	Maa Sharda Private Industrial Training Institute, Plot No.6, Opp. Chandrawati Hotel, Jhalrapatan Road, Dist. Jhalawar Rajasthan (R08000773)	1. Electrician- 6 (2+2+2) 2. Fitter- 2 (2+0+0)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by State Directorate on 30.12.2024. 3. The reply dated 21.01.2025 was received from the ITI.	The matter was deliberated in the SCAA, and it was decided to conduct a joint inspection of the ITI to verify its functioning as per prescribed norms. The joint inspection shall be conducted by the concerned State Directorate and

Signature Not Verified
 UJJWAL BISWAS
 13.04.2026 15:49

Signature Not Verified
 SHRAMEV SHARMA
 13.04.2026 12:45

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			4. Further, a joint inspection of the ITI was conducted on 09.06.2025 by the RDSDE and State official. 5. During the inspection, the ITI refused to undergo the inspection vide its letter dated 09.06.2025, stating that it was under a strike declared by the State-level ITI Association. 6. The matter of the ITI was discussed in the 9th SSDEC meeting held on 17.09.2025, wherein the SSDEC recommended de-affiliation of the ITI due to its refusal to undergo inspection. 7. The 25th SCAA has granted a final opportunity to the ITI to represent itself within 21 days by a way of SCN. 8. The reply to the SCN was received on 06.01.2026. 9. In its reply the ITI submitted the following : a) The allegation of refusal of inspection is clarified as being on account of a statewide strike called by the Rajasthan Private ITI Association from March to June 2025. During this period, private ITIs were directed by the Association to remain closed and	RDSDE Rajasthan. The date of inspection shall be decided by the State Directorate in consultation with RDSDE Rajasthan. The inspection report shall be submitted to the DGT within one month from the date of issuance of the minutes of this meeting for consideration in the next SCAA meeting.

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			to refrain from inspections in support of their demands. b) A meeting was held on 24.06.2025 between representatives of the ITI Association and departmental officials (RDSDE and RCVET), wherein assurance was given for re-inspection. It was unanimously decided by the private ITIs to formally request re-inspection. c) In the 8th RDSDE meeting, it was resolved to provide another opportunity to those ITIs that could not be inspected due to the strike. Accordingly, orders were issued in respect of approximately 111 ITIs (vide letter No. F.7(12)/T-1/De aff/2025/14690 dated 18.07.2025). d) The Institute has consistently expressed its willingness for inspection and, vide letter No. MSPITI/2024-25/196 dated 24.07.2025 (sent through email), informed the authorities that it is ready for joint inspection at any time convenient to the department.	

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			10. The ITI has attached the following documents as supporting documents: d) The Hon'ble court justice order dated 09.04.2021 and requested not to pass any adverse against the ITI failing which the institute would be free to challenge this order by the way of WPC in Hon'ble Rajasthan High Court. e) The ITI also submitted the photographs of lab, classroom office staff room, , Generator, front ITI view, amenities present in the ITI etc. f) The ITI also attached the letter dated 24.07.2025 in which it was requested by the ITI to State Directorate that the ITI is ready for inspection.	
27	Siddarth Private Industrial Training Institute, at. Raj Laxmi Nagar, Dist.Jhalawar Rajasthan (PR08000808)	Electrician -5 (2+2+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by State Directorate on 30.12.2024. 3. The reply dated 23.01.2025 was received from the ITI. 4. Further, a joint inspection of the ITI was conducted on 09.06.2025 by the RDSDE and State official.	The matter was discussed in the SCAA meeting, and the SCAA decided as under: 1. In line with the principles of natural justice, the ITI was afforded final opportunity to represent itself by 25th SCAA in its meeting held on 13.11.2025 and 14.11.2025, to submit a show-cause reply explaining why the ITI should not

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			5. During the inspection, the ITI refused to undergo the inspection vide its letter dated 09.06.2025, stating that it was under a strike declared by the State-level ITI Association. 6. The matter of the ITI was discussed in 9th SSDEC meeting held on 17.09.2025 and the SSDEC recommended de-affiliation of the ITI due to its refusal to undergo inspection. 7. Further, the matter was discussed in the 25th SCAA Meeting and ITI was given an opportunity to show cause why it should not be de-affiliated, within 21 days from the date of issuance of the minutes. However, no reply was received within the prescribed time period.	be de-affiliated along with any supporting representation, within 21 days from the issuance of the minutes of that meeting. 2. The said communication was issued by DGT to the registered email of the institute on 24.12.2025 3. Further, the ITI did not avail the final opportunity provided by DGT in the 25th SCAA meeting and failed to submit any reply or representation within the stipulated time, thereby exhibiting continued negligence and persistent non-compliance. 4. The ITI has blatantly refused to undergo inspection on the ground of a State-level ITI Association strike in the year 2025, which cannot be considered a valid reason for denying inspection. 5. Further, reliance is placed on various judgments of different High Courts which affirm that state or DGT may conduct inspections and take appropriate action. Notably, in W.P. No. 8116/2025 (Maa Shitla

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
				Pvt. ITI v. Union of India & Ors., MP High Court), it was held that the apex body is duty-bound to examine complaints, including through on-site inspections, and such action cannot be termed arbitrary. Similarly, in CWP-20763-2025 (Modern ITI Bathinda v. DGT, Punjab & Haryana High Court), the Court observed that re-inspection does not prejudice the petitioner. Further, in S.B. Civil W.P. No. 18022/2025 (Pooja Pvt. ITI & Ors. v. State of Rajasthan & Ors.), the Rajasthan High Court held that institutions cannot claim inspection as a matter of right in a particular manner or timeline, and compliance with deficiencies is a prerequisite for student admissions. 6. The quality of training imparted to students is of paramount importance to DGT, which cannot be ensured without on-site verification of the institute. The non-submission of a reply and refusal to undergo inspection clearly indicate that the ITI is not functioning in accordance with the prescribed norms, thereby

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
				defeating the very purpose of the Craftsmen Training Scheme (CTS). Therefore, in view of the above remarks and in the interest of the trainees, the ITI is hereby de-affiliated.
28	Aachal Private Industrial Training Institute, Near Petrol Pump, Hasteda Chomu, Dist.Jaipur Rajasthan (PR08001432)	Electrician- 6 (2+2+2)	- Irregularities observed during initial Inspection conducted by State official on 24.12.2024. - SCN was issued to the ITI by State Directorate on 07.01.2025. - The reply dated 29.01.2025 was received from the ITI. - Further, a joint inspection of the ITI was conducted on 23.06.2025 by the RDSDE and State official. - During the inspection, the ITI refused to undergo the inspection vide its letter dated 23.06.2025, stating that it was under a strike declared by the State-level ITI Association. - The matter of the ITI was discussed in 9th SSDEC meeting held on 17.09.2025 and the SSDEC recommended de-affiliation of the ITI due to its refusal to undergo inspection. - Further, the matter was discussed in the 25th SCAA Meeting and was given	The matter was discussed in the SCAA meeting, and the SCAA decided as under: - In line with the principles of natural justice, the ITI was afforded final opportunity to represent itself by 25th SCAA in its meeting held on 13.11.2025 and 14.11.2025, to submit a show-cause reply explaining why the ITI should not be de-affiliated along with any supporting representation, within 21 days from the issuance of the minutes of that meeting. - The said communication was issued by DGT to the registered email of the institute on 24.12.2025 - Further, the ITI did not avail the final opportunity provided by DGT in the 25th SCAA meeting and failed to submit any reply or representation within the stipulated

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			an opportunity to show cause why it should not be de-affiliated, within 21 days from the date of issuance of the minutes. However, no reply was received within the prescribed time period.	time, thereby exhibiting continued negligence and persistent non-compliance. 4. The ITI has blatantly refused to undergo inspection on the ground of a State-level ITI Association strike in the year 2025, which cannot be considered a valid reason for denying inspection. 5. Further, reliance is placed on various judgments of different High Courts which affirm that state or DGT may conduct inspections and take appropriate action. Notably, in W.P. No. 8116/2025 (Maa Shitla Pvt. ITI v. Union of India & Ors., MP High Court), it was held that the apex body is duty-bound to examine complaints, including through on-site inspections, and such action cannot be termed arbitrary. Similarly, in CWP-20763-2025 (Modern ITI Bathinda v. DGT, Punjab & Haryana High Court), the Court observed that re-inspection does not prejudice the petitioner. Further, in S.B. Civil W.P. No. 18022/2025 (Pooja Pvt. ITI & Ors.

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
				v. State of Rajasthan & Ors.), the Rajasthan High Court held that institutions cannot claim inspection as a matter of right in a particular manner or timeline, and compliance with deficiencies is a prerequisite for student admissions. 6. The quality of training imparted to students is of paramount importance to DGT, which cannot be ensured without on-site verification of the institute. The non-submission of a reply and refusal to undergo inspection clearly indicate that the ITI is not functioning in accordance with the prescribed norms, thereby defeating the very purpose of the Craftsmen Training Scheme (CTS). Therefore, in view of the above remarks and in the interest of the trainees, the ITI is hereby de-affiliated.
29	Gyandeep Private Industrial Training Institute, Village.Amarapura, Tehsol.Chomu, Dist.Jaipur Rajasthan (R08001437)	Electrician- 12 (4+4+4)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by State Directorate on 07.01.2025. 3. The reply dated 27.01.2025 was received from the ITI.	The matter was discussed in the SCAA meeting, and the SCAA decided as under: 1. In line with the principles of natural justice, the ITI was afforded final opportunity to represent itself by 25th SCAA in its meeting held on

Signature Not Verified
UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified
SHRAMEEV SHARMA
12:45 12.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			4. Further, a joint inspection of the ITI was conducted on 24.06.2025 by the RDSDE and State official. 5. During the inspection, the ITI refused to undergo the inspection vide its letter dated 24.06.2025, stating that it was under a strike declared by the State-level ITI Association. 6. The matter of the ITI was discussed in 9th SSDEC meeting held on 17.09.2025 and the SSDEC recommended de-affiliation of the ITI due to its refusal to undergo inspection. 7. Further, the matter was discussed in the 25th SCAA Meeting and ITI was given an opportunity to show cause why it should not be de-affiliated, within 21 days from the date of issuance of the minutes. However, no reply was received within the prescribed time period.	13.11.2025 and 14.11.2025, to submit a show-cause reply explaining why the ITI should not be de-affiliated along with any supporting representation, within 21 days from the issuance of the minutes of that meeting. 2. The said communication was issued by DGT to the registered email of the institute on 24.12.2025 3. Further, the ITI did not avail the final opportunity provided by DGT in the 25th SCAA meeting and failed to submit any reply or representation within the stipulated time, thereby exhibiting continued negligence and persistent non-compliance. 4. The ITI has blatantly refused to undergo inspection on the ground of a State-level ITI Association strike in the year 2025, which cannot be considered a valid reason for denying inspection. 5. Further, reliance is placed on various judgments of different High Courts which affirm that state or

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
				DGT may conduct inspections and take appropriate action. Notably, in W.P. No. 8116/2025 (Maa Shitla Pvt. ITI v. Union of India & Ors., MP High Court), it was held that the apex body is duty-bound to examine complaints, including through on-site inspections, and such action cannot be termed arbitrary. Similarly, in CWP-20763-2025 (Modern ITI Bathinda v. DGT, Punjab & Haryana High Court), the Court observed that re-inspection does not prejudice the petitioner. Further, in S.B. Civil W.P. No. 18022/2025 (Pooja Pvt. ITI & Ors. v. State of Rajasthan & Ors.), the Rajasthan High Court held that institutions cannot claim inspection as a matter of right in a particular manner or timeline, and compliance with deficiencies is a prerequisite for student admissions. 6. The quality of training imparted to students is of paramount importance to DGT, which cannot be ensured without on-site verification of the institute. The non-submission of a reply and refusal to undergo

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
				inspection clearly indicate that the ITI is not functioning in accordance with the prescribed norms, thereby defeating the very purpose of the Craftsmen Training Scheme (CTS). Therefore, in view of the above remarks and in the interest of the trainees, the ITI is hereby de-affiliated.
30	Aarav Pvt. Industrial Training Institute, Village-Tankarda Chomu, Distt.-Jaipur (PR08001475)	Electrician- 6 (2+2+2)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by State Directorate on 07.01.2025. 3. The reply was received from the ITI but without date 4. Further, a joint inspection of the ITI was conducted on 24.06.2025 by the RDSDE and State official. 5. During the inspection, the ITI refused to undergo the inspection vide its letter dated 24.06.2025, stating that it was under a strike declared by the State-level ITI Association. 6. The matter of the ITI was discussed in 9th SSDEC meeting held on 17.09.2025 and the SSDEC recommended de-affiliation	The matter was deliberated in the SCAA, and it was decided to conduct a joint inspection of the ITI to verify its functioning as per prescribed norms. The joint inspection shall be conducted by the concerned State Directorate and RDSDE Rajasthan. The date of inspection shall be decided by the State Directorate in consultation with RDSDE Rajasthan. The inspection report shall be submitted to the DGT within one month from the date of issuance of the minutes of this meeting for consideration in the next SCAA meeting.

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			of the ITI due to its refusal to undergo inspection. 7. The 25th SCAA has granted a final opportunity to the ITI to represent itself within 21 days by a way of SCN. 8. The reply to the SCN was received on 13.01.2026. 9. In its reply the ITI submitted the following: a) Strike on the Scheduled Date of Inspection On the said date, a duly announced strike by the State-level ITI Association was in force. Being an active member of the association, the institute was bound to adhere to the collective decision of the association. b) Reason for Non-Conduct of Inspection Due to the ongoing strike, the institute remained closed on 24.06.2025, and consequently, the inspection could not be conducted. It is submitted that the non-conduct of inspection was not due to any deficiency, irregularity, or lack of cooperation on the part of the	

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEY SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			institute, but solely due to the prevailing strike situation. c) Present Status of the Institute The strike has since been called off, and all academic as well as administrative activities of the institute are presently functioning normally. d) Request for Rescheduling of Inspection In view of the above, the institute respectfully requests that the joint inspection may kindly be rescheduled at a convenient date. The institute assures full compliance with all prescribed norms and complete cooperation to the inspection team during the rescheduled visit. e) Request for Reconsideration of Any Adverse Decision It is further requested that any rejection or de-affiliation decision taken solely on the basis of alleged refusal during the strike period may kindly be reconsidered, in accordance with the principles of natural justice.	

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			f) The institute remains committed to maintaining all required standards and extends its full cooperation to the competent authorities.	
31	Tagore Pvt. Industrial Training Institute, Villeg & Post- Hasteda, Tehsil-Chomu, Distt.-Jaipur (PR08001488)	Electrician- 6 (2+2+2)	- Irregularities observed during initial Inspection conducted by State official on 24.12.2024. - SCN was issued to the ITI by State Directorate on 07.01.2025, followed by reminder dated 06.02.2025. - The reply dated 26.01.2024/25? was received from the ITI. - Further, a joint inspection of the ITI was conducted on 23.06.2025 by the RDSDE and State official. - During the inspection, the ITI refused to undergo the inspection vide its letter dated 23.06.2025, stating that it was under a strike declared by the State-level ITI Association. - The matter of the ITI was discussed in 9th SSDEC meeting held on 17.09.2025 and the SSDEC recommended de-affiliation of the ITI due to its refusal to undergo inspection.	The matter was deliberated in the SCAA, and it was decided to conduct a joint inspection of the ITI to verify its functioning as per prescribed norms. The joint inspection shall be conducted by the concerned State Directorate and RDSDE Rajasthan. The date of inspection shall be decided by the State Directorate in consultation with RDSDE Rajasthan. The inspection report shall be submitted to the DGT within one month from the date of issuance of the minutes of this meeting for consideration in the next SCAA meeting.

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			7. The 25th SCAA has granted a final opportunity to the ITI to represent itself within 21 days by a way of SCN. 8. The reply to the SCN was received on 13.01.2026. 9. In its reply the ITI submitted the following: a) The institute, as an active member of the union, had to comply with the collective decision, leading to closure that day. Emphasizes it was not due to any deficiencies, irregularities, or lack of cooperation, but solely situational. b) The strike has ended, and all educational and administrative activities are now normal. c) Requests rescheduling of the inspection with full cooperation assured. d) Urges reconsideration of any de-affiliation decision based on the refusal, in line with natural justice principles.	
32	Balaji Private Industrial Training Institute, N.H. 1, By Pass Road, Near	Electrician- 6 (2+2+2)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.	The matter was deliberated in the SCAA, and it was decided to conduct a

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
	Bus Stand, Govind Garh, Chomu, Dist. Jaipur Rajasthan (PR08001524)		2. SCN was issued to the ITI by State Directorate on 07.01.2025. 3. The reply dated 29.01.2025 was received from the ITI. 4. Further, a joint inspection of the ITI was conducted on 25.06.2025 by the RDSDE and State official. 5. During the inspection, the ITI refused to undergo the inspection vide its letter dated 25.06.2025, stating that it was under a strike declared by the State-level ITI Association. 6. The matter of the ITI was discussed in the 9th SSDEC meeting held on 17.09.2025, wherein the SSDEC recommended de-affiliation of the ITI due to its refusal to undergo inspection. 7. The 25th SCAA has granted a final opportunity to the ITI to represent itself within 21 days by a way of SCN. 8. The reply to the SCN was received on 12.01.2026. 9. In its reply the ITI submitted the following: a) Joint Inspection Scheduled on 25.06.2025 It is respectfully submitted that a	joint inspection of the ITI to verify its functioning as per prescribed norms. The joint inspection shall be conducted by the concerned State Directorate and RDSDE Rajasthan. The date of inspection shall be decided by the State Directorate in consultation with RDSDE Rajasthan. The inspection report shall be submitted to the DGT within one month from the date of issuance of the minutes of this meeting for consideration in the next SCAA meeting.

Signature Not Verified
UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified
It is respectfully submitted that a

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			joint inspection of the institute was scheduled on 25.06.2025 by RDSDE and the State-level Inspection Team. b) Strike on the Scheduled Date On the said date, a duly declared strike by the State-level ITI Association was in force. Being a member of the association, the institute adhered to the collective decision, due to which the inspection could not be conducted. c) Reason for Non-Conduct of Inspection The non-conduct of inspection was solely due to the strike situation and not on account of any deficiency, irregularity, or lack of cooperation on the part of the institute. d) Post-Strike Action by the Institute After the strike was called off, the institute formally requested rescheduling of the joint inspection.	

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			communications submitted to the Directorate of Technical Education, Jodhpur and the Ministry of Skill Development and Entrepreneurship, New Delhi. e) Present Status of the Institute All academic and administrative activities of the institute are presently functioning normally in accordance with prescribed norms. f) Request for Rescheduling of Inspection The institute respectfully requests that the joint inspection may kindly be rescheduled at a convenient date. The institute assures full compliance with all applicable norms and extends complete cooperation to the inspection team during the rescheduled visit. g) Request for Reconsideration of Adverse Decision It is further requested that any rejection, Signature Not Verified or	

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified or

SHRAMEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			adverse decision taken solely on the basis of non-inspection during the strike period may kindly be reconsidered in the interest of justice and fairness. 10. Further, the ITI was a petitioner in S.B. Civil Writ Petition No. 16381/2025 (L.B.S. Private Industrial Training Institute) and 36 connected matters, which were disposed of by the Hon'ble Court on 23.01.2026. The Hon'ble Court directed the petitioner ITIs to submit representations within two weeks, following which DGT was to conduct joint inspections with the State authorities and take a decision on de-affiliation within a stipulated timeline. It is pertinent to mention that a show cause notice had already been issued to the ITIs vide the Minutes of the 25th SCAA Meeting dated 23.12.2025, prior to the Court's directions. Accordingly, in compliance with the principles of natural justice and the directions of the Hon'ble Court, fresh show cause notices were issued to all petitioners on	

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			05.02.2026, based on the remarks of the Inspection Team and the recommendations of the SSDEC.	
33	Sunrise Private 111, VPO.- Amarpura, Vla-Itawa Bhopajl, Teh.-Chomu, Dist.- Jaipur-303804 (PR08001533)	Electrician- 3 (1+1+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by State Directorate on 07.01.2025. 3. The reply dated 25.01.2025 was received from the ITI. 4. Further, a joint inspection of the ITI was conducted on 24.06.2025 by the RDSDE and State official. 5. During the inspection, the ITI refused to undergo the inspection vide its letter dated 24.06.2025, stating that it was under a strike declared by the State-level ITI Association. 6. The matter of the ITI was discussed in the 9th SSDEC meeting held on 17.09.2025, wherein the SSDEC recommended de-affiliation of the ITI due to its refusal to undergo inspection. 7. Further, the matter was discussed in the 25th SCAA Meeting and ITI was given an opportunity to show cause why it should not be de-affiliated within 21 days from the date of issuance of the	The matter was discussed in the SCAA meeting, and the SCAA decided as under: 1. In line with the principles of natural justice, the ITI was afforded final opportunity to represent itself by 25th SCAA in its meeting held on 13.11.2025 and 14.11.2025, to submit a show-cause reply explaining why the ITI should not be de-affiliated along with any supporting representation, within 21 days from the issuance of the minutes of that meeting. 2. The said communication was issued by DGT to the registered email of the institute on 24.12.2025 3. Further, the ITI did not avail the final opportunity provided by DGT in the 25th SCAA meeting and failed to submit any reply or representation within the stipulated time, thereby exhibiting continued

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRUTI K. SHARMA
12:45:13 04/2026

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			minutes. However, no reply was received within the prescribed time period.	negligence and persistent non-compliance. 4. The ITI has blatantly refused to undergo inspection on the ground of a State-level ITI Association strike in the year 2025, which cannot be considered a valid reason for denying inspection. 5. Further, reliance is placed on various judgments of different High Courts which affirm that state or DGT may conduct inspections and take appropriate action. Notably, in W.P. No. 8116/2025 (Maa Shitla Pvt. ITI v. Union of India & Ors., MP High Court), it was held that the apex body is duty-bound to examine complaints, including through on-site inspections, and such action cannot be termed arbitrary. Similarly, in CWP-20763-2025 (Modern ITI Bathinda v. DGT, Punjab & Haryana High Court), the Court observed that re-inspection does not prejudice the petitioner. Further, in S.B. Civil W.P. No. 18022/2025 (Pooja Pvt. ITI & Ors. v. State of Rajasthan & Ors.), the

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
				Rajasthan High Court held that institutions cannot claim inspection as a matter of right in a particular manner or timeline, and compliance with deficiencies is a prerequisite for student admissions. 6. The quality of training imparted to students is of paramount importance to DGT, which cannot be ensured without on-site verification of the institute. The non-submission of a reply and refusal to undergo inspection clearly indicate that the ITI is not functioning in accordance with the prescribed norms, thereby defeating the very purpose of the Craftsmen Training Scheme (CTS). Therefore, in view of the above remarks and in the interest of the trainees, the ITI is hereby de-affiliated.
34	New Subodh Private Industrial Training Institute, Raikaranpura, Teh.Katputli, Dist.Jaipur Rajasthan (PR08001597	Electrician- 6 (2+2+2)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by State Directorate on 07.01.2025. 3. The reply dated 16.01.2025 was received from the ITI.	The matter was deliberated in the SCAA, and it was decided to conduct a joint inspection of the ITI to verify its functioning as per prescribed norms. The joint inspection shall be conducted by the concerned State Directorate and

Signature Not Verified
 UJJWAL BISWAS
 13.04.2026 15:49

Signature Not Verified
 SHRAMEV SHARMA
 12:45:13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			4. Further, a joint inspection of the ITI was conducted on 24.06.2025 by the RDSDE and State official. 5. During the inspection the following were observed: a) ITI found closed and the owner of the ITI refused for inspection. b) A school was running in the same campus. c) No training staff was present. 6. The matter of the ITI was discussed in the 9th SSDEC meeting held on 17.09.2025, wherein the SSDEC recommended de-affiliation of the ITI due to its refusal to undergo inspection. 7. The 25th SCAA has granted a final opportunity to the ITI to represent itself within 21 days by a way of SCN. 8. The reply to the SCN was received on 12.01.2026. 9. In its reply the ITI submitted the following: a) SSDEC Inspection Observed (S.No. 1): ITI found closed, and the owner was not present / available during inspection.	RDSDE Rajasthan. The date of inspection shall be decided by the State Directorate in consultation with RDSDE Rajasthan. The inspection report shall be submitted to the DGT within one month from the date of issuance of the minutes of this meeting for consideration in the next SCAA meeting.

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			b) ITI Clarification: The State Level Association of Rajasthan announced a statewide lockdown/protest or shutdown of ITIs until June 25, 2025. Due to this association directive, the ITI owner sent a request letter to RCVET Jodhpur (Rajasthan Council for Vocational Education and Training) to postpone the inspection. The clarification notes that the institute was not open/operational on the inspection date because of this statewide action, not due to intentional refusal. 10. Further, the ITI was a petitioner in S.B. Civil Writ Petition No. 16381/2025 (L.B.S. Private Industrial Training Institute) and 36 connected matters, which were disposed of by the Hon'ble Court on 23.01.2026. The Hon'ble Court directed the petitioner ITIs to submit representations within two weeks, following which DGT was to conduct joint inspections with the State authorities and take a decision on de-affiliation within a stipulated timeline.	

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			It is pertinent to mention that a show cause notice had already been issued to the ITIs vide the Minutes of the 25th SCAA Meeting dated 23.12.2025, prior to the Court's directions. Accordingly, in compliance with the principles of natural justice and the directions of the Hon'ble Court, fresh show cause notices were issued to all petitioner institutes on 05.02.2026, based on the remarks of the Inspection Team and the recommendations of the SSDEC.	
35	Aditya Private Industrial Training Institute, P.No. B-6,7 & 8 Govind Vihar Kaladera, Teh, Chomu, Dist.Jaipur Rajasthan-303801 (PR08001575)	Electrician- 6 (2+2+2)	- Irregularities observed during initial Inspection conducted by State official on 24.12.2024. - SCN was issued to the ITI by State Directorate on 07.01.2025. - The reply dated 28.01.2025 was received from the ITI. - Further, a joint inspection of the ITI was conducted on 23.06.2025 by the RDSDE and State official. - During the inspection the following were observed: - ITI found closed and the owner of the ITI refused for inspection.	The matter was deliberated in the SCAA meeting, and the SCAA decided as under, based on the recommendations of the SSDEC: - It has been observed that the ITI was found closed, and the owner of the institute refused inspection. Further, a school was found to be operating in the same campus. No training staff was present at the time of inspection. - In line with the principles of natural justice, the ITI was

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			b) A school was running in the same campus. c) No training staff was present. 6. The matter of the ITI was discussed in the 9th SSDEC meeting held on 17.09.2025, wherein the SSDEC recommended de-affiliation of the ITI due to its refusal to undergo inspection. 7. Further, the matter was discussed in the 25th SCAA Meeting and ITI was given an opportunity to show cause why it should not be de-affiliated, within 21 days from the date of issuance of the minutes. However, no reply was received within the prescribed time period.	granted a final opportunity in the 25th SCAA meeting held on 13.11.2025 and 14.11.2025 to submit a show-cause reply, explaining why the ITI should not be de-affiliated, along with any supporting representation, within 21 days from the issuance of the minutes of that meeting. 3. The said communication was issued by DGT to the registered email ID of the institute on 24.12.2025. 4. Further, the ITI did not avail the opportunity provided and failed to submit any reply or representation within the stipulated time. 5. Further, reliance is placed on judicial pronouncements which affirm that DGT and the State Directorate are empowered to conduct inspections and take appropriate action in case of non-compliance. Notably, in W.P. No. 8116/2025 (Maa Shitla Pvt. ITI v. Union of India & Ors., MP High Court), it was held that the apex body is duty-

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
				bound to examine complaints, including through on-site inspections, and such action cannot be termed arbitrary. Similarly, in CWP-20763-2025 (Modern ITI Bathinda v. DGT, Punjab & Haryana High Court), the Court observed that re-inspection does not prejudice the petitioner. Further, in S.B. Civil W.P. No. 18022/2025 (Pooja Pvt. ITI & Ors. v. State of Rajasthan & Ors.), the Rajasthan High Court held that institutions cannot claim inspection as a matter of right in a particular manner or timeline, and compliance with prescribed norms is essential. Accordingly, based on the facts on record, the closure of the ITI, denial of inspection, absence of staff, and use of the premises for other activities prevent verification of its functioning and indicate non-compliance with the prescribed norms. The ITI is hereby de-affiliated.

Signature Not Verified


 UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified


 SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
36	Abhinav Private Industrial Training Institute, Kaladera Chomu, Dist.Jaipur Rajasthan-303801 (PR08001574)	Electrician- 6 (2+2+2)	- Irregularities observed during initial Inspection conducted by State official on 24.12.2024. - SCN was issued to the ITI by State Directorate on 07.01.2025. - The reply dated 29.01.2025 was received from the ITI. - Further, a joint inspection of the ITI was conducted on 23.06.2025 by the RDSDE and State official. - During the inspection the following were observed: - ITI found closed and the owner of the ITI refused for inspection. - No training staff was present. - The matter of the ITI was discussed in the 9th SSDEC meeting held on 17.09.2025, wherein the SSDEC recommended de-affiliation of the ITI due to its refusal to undergo inspection. - Further, the matter was discussed in the 25th SCAA Meeting and ITI was given an opportunity to show cause why it should not be de-affiliated, within 21 days from the date of issuance of the minutes. However, no reply was received within the prescribed time period.	The matter was deliberated in the SCAA meeting, and the SCAA decided as under, based on the recommendations of the SSDEC: - It has been observed that the ITI was found closed, and the owner of the institute refused inspection. Further, no training staff was present at the time of inspection. - In line with the principles of natural justice, the ITI was granted a final opportunity in the 25th SCAA meeting held on 13.11.2025 and 14.11.2025 to submit a show-cause reply, explaining why the ITI should not be de-affiliated, along with any supporting representation, within 21 days from the issuance of the minutes of that meeting. - The said communication was issued by DGT to the registered email ID of the institute on 24.12.2025. - Further, the ITI did not avail the opportunity provided and failed

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
				to submit any reply or representation within the stipulated time. 5. Further, reliance is placed on judicial pronouncements which affirm that DGT and the State Directorate are empowered to conduct inspections and take appropriate action in case of non-compliance. Notably, in W.P. No. 8116/2025 (Maa Shitla Pvt. ITI v. Union of India & Ors., MP High Court), it was held that the apex body is duty-bound to examine complaints, including through on-site inspections, and such action cannot be termed arbitrary. Similarly, in CWP-20763-2025 (Modern ITI Bathinda v. DGT, Punjab & Haryana High Court), the Court observed that re-inspection does not prejudice the petitioner. Further, in S.B. Civil W.P. No. 18022/2025 (Pooja Pvt. ITI & Ors. v. State of Rajasthan & Ors.), the Rajasthan High Court held that institutions cannot claim inspection as a matter of right in

Signature Not Verified

 UJJWAL BISWAS
 13.04.2026 15:49

Signature Not Verified

 SHRAMEEV SHARMA
 12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
				a particular manner or timeline, and compliance with prescribed norms is essential. Accordingly, based on the facts on record, the closure of the ITI, denial of inspection, and absence of staff prevent verification of its functioning and indicate non-compliance with the prescribed norms. The ITI is hereby de-affiliated.
37	Maharishi Private Industrial Training Institute, V/P-Boraj, Teh.-Dudu, Dist.-Jaipur Rajasthan- (PU08001554)	Electrician- 5 (2+2+1)	- Irregularities observed during initial Inspection conducted by State official on 24.12.2024. - SCN was issued to the ITI by State Directorate on 07.01.2025. - The reply dated 16.01.2025 was received from the ITI. - Further, a joint inspection of the ITI was conducted on 26.06.2025 by the RDSDE and State official. - During the inspection the following were observed: - ITI found closed and the owner of the ITI refused for inspection. - No training staff was present. - The matter of the ITI was discussed in the 9th SSDEC meeting held on 07.09.2025,	The matter was deliberated in the SCAA, and it was decided to conduct a joint inspection of the ITI to verify its functioning as per prescribed norms. The joint inspection shall be conducted by the concerned State Directorate and RDSDE Rajasthan. The date of inspection shall be decided by the State Directorate in consultation with RDSDE Rajasthan. The inspection report shall be submitted to the DGT within one month from the date of issuance of the minutes of this meeting for consideration in the next SCAA meeting.

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			wherein the SSDEC recommended de-affiliation of the ITI due to its refusal to undergo inspection. 7. The 25th SCAA has granted a final opportunity to the ITI to represent itself within 21 days by a way of SCN. 8. The reply to the SCN was received on 08.01.2026. 9. In its reply the ITI submitted the following : a) On 26.06.2025, a joint inspection by RDSDE and State officials was conducted immediately after the conclusion of the ITI Association strike. Despite the availability of staff and ongoing institutional activities, the inspection team stated that the inspection would be conducted strictly as per 2018 norms and that even minor deficiencies would not be overlooked. b) The Institute was advised not to proceed with inspection and was directed to submit a letter, which was provided under the instructions of the inspection team.	

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			c) It is respectfully submitted that the Institute has always remained operational, with training activities conducted as per prescribed norms. All required documents, infrastructure, and facilities were available at the time of inspection. Any minor issues were temporary in nature and did not warrant adverse conclusions. d) The Institute has made substantial investments in infrastructure and training facilities and has consistently complied with applicable norms without negligence. e) The sudden adverse observations and actions have negatively impacted admissions and have put the Institute's recognition at risk. f) In view of the above facts, it is humbly requested that the entire matter be examined thoroughly, the circumstances of inspection be reviewed in a fair and objective manner, and appropriate relief be granted in the interest of justice and the future of the state.	

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			10. The ITI has attached the Hon'ble court justice order dated 09.04.2021 and requested not to pass any adverse against the ITI failing which the institute would be free to challenge this order by the way of WPC in Hon'ble Rajasthan High Court.	
38	Geetanjali Private Industrial Training Institute, Patal Mohala, Ranwal Manji, Tehsil Phagi, Dist. Jaipur Rajasthan-303904 (PR08000475)	Electrician- 4 (2+2)	- Irregularities observed during initial Inspection conducted by State official on 24.12.2024. - SCN was issued to the ITI by State Directorate on 07.01.2025, followed by reminder dated 06.02.2025. - The ITI did not reply to the both SCN and reminder issued by State Directorate. - Further, a joint inspection of the ITI was conducted on 23.06.2025 by the RDSDE and State official. - During the inspection the following were observed: - The ITI was found closed. - The ITI telephonically denied for inspection. - The matter of the ITI was discussed in the 9th SSDEC meeting held on 17.09.2025, wherein the SSDEC recommended de-	The matter was deliberated in the SCAA meeting, and the SCAA decided as under, based on the recommendations of the SSDEC: - It has been observed that the ITI was found closed during inspection. Further, the institute denied inspection telephonically. - In line with the principles of natural justice, the ITI was granted a final opportunity in the 25th SCAA meeting held on 13.11.2025 and 14.11.2025 to submit a show-cause reply, explaining why the ITI should not be de-affiliated, along with any supporting representation, within 21 days from the

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			affiliation of the ITI due to its refusal to undergo inspection. 7. Further, the matter was discussed in the 25th SCAA Meeting and ITI was given an opportunity to show cause why it should not be de-affiliated, within 21 days from the date of issuance of the minutes. However, no reply was received within the prescribed time period.	issuance of the minutes of that meeting. 3. The said communication was issued by DGT to the registered email ID of the institute on 24.12.2025. 4. Further, the ITI did not avail the opportunity provided and failed to submit any reply or representation within the stipulated time. 5. Further, reliance is placed on judicial pronouncements which affirm that DGT and the State Directorate are empowered to conduct inspections and take appropriate action in case of non-compliance. Notably, in W.P. No. 8116/2025 (Maa Shitla Pvt. ITI v. Union of India & Ors., MP High Court), it was held that the apex body is duty-bound to examine complaints, including through on-site inspections, and such action cannot be termed arbitrary. Similarly, in CWP-20763-2025 (Modern ITI Bathinda v. DGT, Punjab & Haryana High Court), the Court observed that re-

Signature Not Verified

UJJWAL BISWAS

13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA

12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
				inspection does not prejudice the petitioner. Further, in S.B. Civil W.P. No. 18022/2025 (Pooja Pvt. ITI & Ors. v. State of Rajasthan & Ors.), the Rajasthan High Court held that institutions cannot claim inspection as a matter of right in a particular manner or timeline, and compliance with prescribed norms is essential. Accordingly, based on the facts on record, the ITI being found closed and denial of inspection prevent verification of its functioning and compliance with the prescribed norms. The ITI is hereby de-affiliated.
39	Shri Hanumat Private Industrial Training Institute, Vill.Mahapura, Nh-8, Dist. Jaipur Rajasthan-302026 (PR08001480)	Electrician- 6 (2+2+2)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by State Directorate on 07.01.2025. 3. The reply dated 24.01.2025 was received from the ITI. 4. Further, a joint inspection of the ITI was conducted on 23.06.2025 by the RDSDE and State official.	The matter was discussed in the SCAA meeting, and the SCAA decided as under: 1. In line with the principles of natural justice, the ITI was afforded final opportunity to represent itself by 25th SCAA in its meeting held on 13.11.2025 and 14.11.2025, to submit a show-cause reply — explaining why the ITI should not be de-affiliated along with any

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			5. During the inspection, the ITI officials refused to undergo the inspection, stating that it was under a strike declared by the State-level ITI Association. 6. The matter of the ITI was discussed in the 9th SSDEC meeting held on 17.09.2025, wherein the SSDEC recommended de-affiliation of the ITI due to its refusal to undergo inspection. 7. The 25th SCAA has granted a final opportunity to the ITI to represent itself within 21 days by a way of SCN. 8. The reply to the SCN was received on 08.01.2026. 9. In its reply the ITI submitted the following: a) The Hon'ble court justice order dated 09.04.2021 and requested not to pass any adverse against the ITI failing which the institute would be free to challenge this order by the way of WPC in Hon'ble Rajasthan High Court.	supporting representation, within 21 days from the issuance of the minutes of that meeting. 2. The ITI, however, submitted the reply but it was found unsatisfactory as the contention of the petitioner ITI, based on the judgment dated 09.04.2021, is untenable, as the said judgment does not restrict the State Directorate or DGT from initiating fresh de-affiliation proceedings in accordance with the applicable rules. 3. On the contrary, reliance is placed on various judgments of different High Courts which affirm that state or DGT may conduct inspections and take appropriate action. Notably, in W.P. No. 8116/2025 (Maa Shitla Pvt. ITI v. Union of India & Ors., MP High Court), it was held that the apex body is duty-bound to examine complaints, including through on-site inspections, and such action cannot be termed arbitrary. Similarly, in CWP-20763-2025 (Modern ITI Bathinda v. DGT, Punjab &

Signature Not Verified
UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified
SHRAMEV SHARMA
13.04.2026 12:45

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
				Haryana High Court), the Court observed that re-inspection does not prejudice the petitioner. Further, in S.B. Civil W.P. No. 18022/2025 (Pooja Pvt. ITI & Ors. v. State of Rajasthan & Ors.), the Rajasthan High Court held that institutions cannot claim inspection as a matter of right in a particular manner or timeline, and compliance with deficiencies is a prerequisite for student admissions. 4. In addition, adherence to DGT norms is essential to ensure quality vocational training and safeguard students' interests. Accordingly, there is no legal bar on the State/DGT to initiate and complete fresh de-affiliation proceedings in accordance with the rules. 5. The quality of training imparted to students is of paramount importance to DGT, which cannot be ensured without on-site verification of the institute. The non-submission of a reply and refusal to undergo inspection clearly indicate that the ITI is not functioning in accordance

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
				with the prescribed norms, thereby defeating the very purpose of the Craftsmen Training Scheme (CTS). Therefore, in view of the above remarks and in the interest of the trainees, the ITI is hereby de-affiliated
40	L.J. Private ITI, Village Shivadaspora, Chandlai Road, Tehsil-Chaksu, Dist.Jaipur -303903 (PR08001719)	Electrician- 6 (2+2+2)	- Irregularities observed during initial Inspection conducted by State official on 24.12.2024. - SCN was issued to the ITI by State Directorate on 07.01.2025, followed by reminder 06.02.2025. - The reply dated 26.01.2025 was received from the ITI. - Further, a joint inspection of the ITI was conducted on 24.06.2025 by the RDSDE and State official. - During the inspection, the ITI officials refused to undergo the inspection, stating that it was under a strike declared by the State-level ITI Association. - The matter of the ITI was discussed in the 9th SSDEC meeting held on 17.09.2025, wherein the SSDEC recommended de-affiliation of the ITI due to its refusal to undergo inspection.	The matter was deliberated in the SCAA, and it was decided to conduct a joint inspection of the ITI to verify its functioning as per prescribed norms. The joint inspection shall be conducted by the concerned State Directorate and RDSDE Rajasthan. The date of inspection shall be decided by the State Directorate in consultation with RDSDE Rajasthan. The inspection report shall be submitted to the DGT within one month from the date of issuance of the minutes of this meeting for consideration in the next SCAA meeting.

Signature Not Verified

 UJJWAL BISWAS
 13.04.2026 15:49

Signature Not Verified

 SHRAMEEV SHARMA
 12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			7. The 25th SCAA has granted a final opportunity to the ITI to represent itself within 21 days by a way of SCN. 8. The reply to the SCN was received on 11.01.2026. 9. In its reply the ITI submitted the following: a) Our college is running as per NCVT rules, still if the department has any kind of objection then they can inspect us, we are ready for it.	
41	The Tulsi Private Industrial Training Institute, Plot No.75-79 & 90-95 Khasra No.111, Prem Vihar Nandri Dist.-Jodhpur, Rajasthan (PU08000596)	Electrician- 4 (2+2)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by State Directorate on 04.01.2025. 3. The reply dated 24.01.2025 was received from the ITI. 4. Further, a joint inspection of the ITI was conducted on 26.06.2025 by the RDSDE and State official. 5. During the inspection, the ITI officials refused to undergo the inspection, stating that it was under a strike declared by the State-level ITI Association. 6. The matter of the ITI was discussed in the 9th SSDEC meeting held on 17.09.2025,	The matter was deliberated in the SCAA, and it was decided to conduct a joint inspection of the ITI to verify its functioning as per prescribed norms. The joint inspection shall be conducted by the concerned State Directorate and RDSDE Rajasthan. The date of inspection shall be decided by the State Directorate in consultation with RDSDE Rajasthan. The inspection report shall be submitted to the DGT within one month from the date of issuance of the minutes of this meeting for consideration in the next SCAA meeting.

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			wherein the SSDEC recommended de-affiliation of the ITI due to its refusal to undergo inspection. 7. The 25th SCAA has granted a final opportunity to the ITI to represent itself within 21 days by a way of SCN. 8. The reply to the SCN was received on 12.01.2026. 9. In its reply the ITI submitted the following: a) Due to pressure from the ITI College Association's decision to go on strike, the institute could not facilitate the inspection. They informed authorities via letter that they are ready for a joint inspection after the strike ends, but no such inspection has been conducted since. b) Request: Considering the explanations, reject the de-affiliation recommendation made by SSDEC Rajasthan in its 9th and 10th meetings on September 17-18, 2025 (due to alleged refusal of inspection). Grant permission for admissions in the 2026-27 session. Assures readiness for future inspections and urges	

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			halting de-affiliation proceedings in the interest of the education sector and trainees.	
42	Central Modern Private Industrial Training Institute, Main Bahar Road, Jaipur Highway, Dist.-Jodhpur Rajasthan (PR08000166)	1. Electrician- 2 (2+0) 2. Mechanic Diesel- 2 (1+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by State Directorate on 04.01.2025. 3. The reply dated 24.01.2025 was received from the ITI. 4. Further, a joint inspection of the ITI was conducted on 23.06.2025 by the RDSDE and State official. 5. During the inspection the following were observed a) The ITI was found closed and also the workshops were also found locked. b) The ITI owner was contacted telephonically and it was told that the ITI was under a strike declared by the State-level ITI Association. 6. The matter of the ITI was discussed in the 9th SSDEC meeting held on 17.09.2025, wherein the SSDEC recommended de-affiliation of the ITI due to its refusal to undergo inspection.	The matter was deliberated in the SCAA, and it was decided to conduct a joint inspection of the ITI to verify its functioning as per prescribed norms. The joint inspection shall be conducted by the concerned State Directorate and RDSDE Rajasthan. The date of inspection shall be decided by the State Directorate in consultation with RDSDE Rajasthan. The inspection report shall be submitted to the DGT within one month from the date of issuance of the minutes of this meeting for consideration in the next SCAA meeting.

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			7. The 25th SCAA has granted a final opportunity to the ITI to represent itself within 21 days by a way of SCN. 8. The reply to the SCN was received on 14.01.2026. 9. In its reply the ITI submitted the following: a) Rule/Precedent for De-affiliation on Single Refusal ○ No DGT Rule/Act/Circular equates “refusal for inspection” directly to de-affiliation. ○ Only one refusal occurred (23.06.2025) due to valid reason — State I.T.I. Union Strike. ○ Institute is not a “wilful defaulter” or engaged in regular obstruction to hide irregularities. ○ SSDEC recommendation is illegal and made under pressure. b) Double Punishment for the Same Offence (Not Allowed) ○ For the same refusal (23.06.2025), the institute was already punished by “Not Allowed Admissions” for	

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			sessions 2025-2027 (Electrician & Mechanic Diesel trades). ○ This was a financial punishment. ○ Recommending de-affiliation now amounts to second punishment for the identical fault — against principles of natural justice. ○ Both punishments (if any) should have been decided together in one meeting. c) Legal Judgments Do Not Support This Case ○ All cited judgments in the Show Cause Notice have been examined + legal opinion taken. ○ No judgment supports “First-time refusal of inspection = De-affiliation recommendation”. ○ Request DGT to produce any such judgment before confirming de-affiliation. Request: Kindly remand the wrongful SSDEC recommendation back for detailed	

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			reconsideration and grant the institute a reasonable opportunity of being heard.	
43	Vikas Pvt ITI, P.N. - 27, Prem Nagar, Digari, District: Jodhpur, Rajasthan, 342015 (PU08001811)	1. Electrician- 2 (1+1) 2. Health Sanitary Inspector -2 (1+0+1)	- Irregularities observed during initial Inspection conducted by State official on 24.12.2024. - SCN was issued to the ITI by State Directorate on 04.01.2025. - The reply dated 18.01.2025 was received from the ITI. - Further, a joint inspection of the ITI was conducted on 26.06.2025 by the RDSDE and State official. - During the inspection the owner of the ITI was present and submitted its letter dated 26.06.2025 by stating that the ITI is not ready for inspection and requested to conduct the inspection in further course of time. - The matter of the ITI was discussed in the 9th SSDEC meeting held on 17.09.2025, wherein the SSDEC recommended de-affiliation of the ITI due to its refusal to undergo inspection. - The 25th SCAA has granted a final opportunity to the ITI to represent itself within 21 days by a way of SCN. - The reply to the SCN was received on 12.01.2026.	The matter was deliberated in the SCAA, and it was decided to conduct a joint inspection of the ITI to verify its functioning as per prescribed norms. The joint inspection shall be conducted by the concerned State Directorate and RDSDE Rajasthan. The date of inspection shall be decided by the State Directorate in consultation with RDSDE Rajasthan. The inspection report shall be submitted to the DGT within one month from the date of issuance of the minutes of this meeting for consideration in the next SCAA meeting.

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			9. In its reply the ITI submitted the following: a) Due to pressure from the ITI College Association's strike decision, they could not allow inspection on June 26, 2025. Informed authorities they are ready for joint inspection post-strike, but none was conducted. b) Request: Consider the explanations, reject SSDEC Rajasthan's de-affiliation recommendation from its 9th and 10th meetings on September 17-18, 2025 (due to refusal of inspection). Grant admission permission for the 2026-27 session. Assures readiness for future inspections and urges halting de-affiliation in the interest of education and trainees.	
44	SDRM Private Industrial Training Institute, Near basni Over Bridge, Sanjay Colony, Dist.- Nagaur Rajasthan (PR08000714)	Electrician- 6 (2+2+2)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by State Directorate on 04.01.2025, followed by reminder dated 03.02.2025. 3. The reply dated 24.01.2025 was received from the ITI.	The matter was deliberated in the SCAA meeting, and the SCAA decided as under, based on the recommendations of the SSDEC: 1. It has been observed that the ITI was found closed, and inspection was denied by the institute.

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			4. Further, a joint inspection of the ITI was conducted on 23.06.2025 by the RDSDE and State official. 5. During the inspection the ITI was found closed and also denied for inspection. 6. The matter of the ITI was discussed in the 9th SSDEC meeting held on 17.09.2025, wherein the SSDEC recommended de-affiliation of the ITI due to its refusal to undergo inspection. 7. Further, the matter was discussed in the 25th SCAA Meeting and ITI was given an opportunity to show cause why it should not be de-affiliated, within 21 days from the date of issuance of the minutes. However, no reply was received within the prescribed time period.	2. In line with the principles of natural justice, the ITI was granted a final opportunity in the 25th SCAA meeting held on 13.11.2025 and 14.11.2025 to submit a show-cause reply, explaining why the ITI should not be de-affiliated, along with any supporting representation, within 21 days from the issuance of the minutes of that meeting. 3. The said communication was issued by DGT to the registered email ID of the institute on 24.12.2025. 4. Further, the ITI did not avail the opportunity provided and failed to submit any reply or representation within the stipulated time. 5. Further, reliance is placed on judicial pronouncements which affirm that DGT and the State Directorate are empowered to conduct inspections and take appropriate action in case of non-compliance. Notably, in W.P. No. 8116/2025 (Maa Shitla Pvt. ITI v. Union of India & Ors., MP High Court), it was held that the apex body is duty-bound to examine complaints, including through on-site inspections, and such action

Signature Not Verified

 UJJWAL BISWAS
 13.04.2026 15:49

Signature Not Verified

 SHRAMEV SHARMA
 12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
				cannot be termed arbitrary. Similarly, in CWP-20763-2025 (Modern ITI Bathinda v. DGT, Punjab & Haryana High Court), the Court observed that re-inspection does not prejudice the petitioner. Further, in S.B. Civil W.P. No. 18022/2025 (Pooja Pvt. ITI & Ors. v. State of Rajasthan & Ors.), the Rajasthan High Court held that institutions cannot claim inspection as a matter of right in a particular manner or timeline, and compliance with prescribed norms is essential. Accordingly, based on the facts on record, the ITI being found closed and denial of inspection prevent verification of its functioning and compliance with the prescribed norms. The ITI is hereby de-affiliated.
45	Tagore Private Industrial Training Institute, Kuchaman City Road, Choti Khatu (Khatu Kurad), Didwana, Dist.Nagore Pin-341302 Rajasthan (PR08000738)	Electrician -12 (4+4+4)	- Irregularities observed during initial Inspection conducted by State official on 24.12.2024. - SCN was issued to the ITI by State Directorate on 04.01.2025, followed by reminder dated 03.02.2025. - The ITI did not reply to the both SCN and reminder issued by State Directorate	The matter was discussed in the SCAA meeting, and the SCAA decided as under: In line with the principles of natural justice, the ITI was afforded final opportunity to represent itself by 25th SCAA in its meeting held on 13.11.2025 and 14.11.2025, to

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			4. Further, a joint inspection of the ITI was conducted on 27.06.2025 by the RDSDE and State official. 5. During the inspection, the ITI officials refused to undergo the inspection vide is letter dated 27.06.2025 by stating that it was under a strike declared by the State-level ITI Association. 6. The matter of the ITI was discussed in the 9th SSDEC meeting held on 17.09.2025, wherein the SSDEC recommended de-affiliation of the ITI due to its refusal to undergo inspection. 7. Further, the matter was discussed in the 25th SCAA Meeting and ITI was given an opportunity to show cause why it should not be de-affiliated, within 21 days from the date of issuance of the minutes. However, no reply was received within the prescribed time period.	submit a show-cause reply explaining why the ITI should not be de-affiliated along with any supporting representation, within 21 days from the issuance of the minutes of that meeting. 2. The said communication was issued by DGT to the registered email of the institute on 24.12.2025 3. Further, the ITI did not avail the final opportunity provided by DGT in the 25th SCAA meeting and failed to submit any reply or representation within the stipulated time, thereby exhibiting continued negligence and persistent non-compliance. 4. The ITI has blatantly refused to undergo inspection on the ground of a State-level ITI Association strike in the year 2025, which cannot be considered a valid reason for denying inspection. 5. Further, reliance is placed on various judgments of different High Courts which affirm that state or DGT may conduct inspections and

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
				take appropriate action. Notably, in W.P. No. 8116/2025 (Maa Shitla Pvt. ITI v. Union of India & Ors., MP High Court), it was held that the apex body is duty-bound to examine complaints, including through on-site inspections, and such action cannot be termed arbitrary. Similarly, in CWP-20763-2025 (Modern ITI Bathinda v. DGT, Punjab & Haryana High Court), the Court observed that re-inspection does not prejudice the petitioner. Further, in S.B. Civil W.P. No. 18022/2025 (Pooja Pvt. ITI & Ors. v. State of Rajasthan & Ors.), the Rajasthan High Court held that institutions cannot claim inspection as a matter of right in a particular manner or timeline, and compliance with deficiencies is a prerequisite for student admissions. 6. The quality of training imparted to students is of paramount importance to DGT, which cannot be ensured without on-site verification of the institute. The non-submission of a reply and refusal to undergo inspection clearly indicate that the

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
				ITI is not functioning in accordance with the prescribed norms, thereby defeating the very purpose of the Craftsmen Training Scheme (CTS). Therefore, in view of the above remarks and in the interest of the trainees, the ITI is hereby de-affiliated.
46	Didwana Private Industrial Training Institute, At Near Ladhun Road Crossing, Didwana, Dist.Nagaur Rajasthan (PR08000793)	Electrician- 9 (3+3+3)	- Irregularities observed during initial Inspection conducted by State official on 24.12.2024. - SCN was issued to the ITI by State Directorate on 04.01.2025. - The reply dated 24.01.2025 was received from the ITI. - Further, a joint inspection of the ITI was conducted on 25.06.2025 by the RDSDE and State official. - During the inspection, the ITI officials refused to undergo the inspection vide is letter dated 25.06.2025 by stating that it was under a strike declared by the State-level ITI Association. - The matter of the ITI was discussed in the 9th SSDEC meeting held on 17.09.2025, wherein the SSDEC recommended de-affiliation of the ITI due to its refusal to undergo inspection.	The matter was deliberated in the SCAA, and it was decided to conduct a joint inspection of the ITI to verify its functioning as per prescribed norms. The joint inspection shall be conducted by the concerned State Directorate and RDSDE Rajasthan. The date of inspection shall be decided by the State Directorate in consultation with RDSDE Rajasthan. The inspection report shall be submitted to the DGT within one month from the date of issuance of the minutes of this meeting for consideration in the next SCAA meeting.

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Specified.

SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			7. The 25th SCAA has granted a final opportunity to the ITI to represent itself within 21 days by a way of SCN. 8. The reply to the SCN was received on 01.01.2026. 9. In its reply the ITI submitted the following : a) The inspection could not be conducted due to an indefinite strike called by the Rajasthan State Level Private ITI Association at that time. b) The Institute sincerely apologizes for the inconvenience caused on account of the above circumstances. c) Thereafter, the Institute submitted its consent letter vide No. Didwana/Pvt/P1393/2025/135 dated 25/06/2025 to the Director, Technical Education, Jodhpur, expressing its willingness to undergo inspection after the strike period. d) A reminder vide No. Didwana/PVT/P-1393/2025/137 dated 18/09/2025 (also emailed on 19/09/2025) was subsequently sent, reiterating the Institute's readiness for inspection.	

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			e) It is submitted that, till date, no inspection has been conducted by the Technical Education Directorate, Jodhpur. f) In view of the above, it is respectfully requested that the Institute's apology may kindly be accepted, a joint inspection may please be scheduled at the earliest, and further necessary action may be taken accordingly.	
47	Tagore Private Industrial Training Institute, Near 220 Kva Power House, Butati Road, Kuchera Dist.-Nagour Rajasthan (PR08000208)	Electrician- 12 (4+4+4)	- Irregularities observed during initial Inspection conducted by State official on 24.12.2024. - SCN was issued to the ITI by State Directorate on 04.01.2025. - The reply dated 23.01.2025 was received from the ITI. - Further, a joint inspection of the ITI was conducted on 24.06.2025 by the RDSDE and State official. - During the inspection, the ITI was found closed and the ITI officials refused to undergo the inspection by stating that it was under a strike declared by the State-level ITI Association. - The matter of the ITI was discussed in the 9th SSDEC meeting held on	The matter was deliberated in the SCAA, and it was decided to conduct a joint inspection of the ITI to verify its functioning as per prescribed norms. The joint inspection shall be conducted by the concerned State Directorate and RDSDE Rajasthan. The date of inspection shall be decided by the State Directorate in consultation with RDSDE Rajasthan. The inspection report shall be submitted to the DGT within one month from the date of issuance of the minutes of this meeting for consideration in the next SCAA meeting.

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			17.09.2025, wherein the SSDEC recommended de-affiliation of the ITI due to its refusal to undergo inspection. 7. The 25th SCAA has granted a final opportunity to the ITI to represent itself within 21 days by a way of SCN. 8. The reply to the SCN was received on 15.01.2026. 9. In its reply the ITI submitted the following: a) In a letter dated 12/06/2025, the institute notes that students arrived late due to extreme cold and fog, but three instructors were present, and they commit to better punctuality in the future. b) An inspection order was received on 18/06/2025 (No. Inspection 2025/77333), but an indefinite strike by the Rajasthan Private Union pressured the institute not to proceed with the inspection. c) On 29/09/2025, the institute sought approval for a joint inspection from the Rajasthan Vocational Education and Training Council, Jodhpur, via	

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			email (inspectiondtetraining@gmail.com), and consent was granted (attachment included). d) The institute expresses full consent for the inspection and requests revocation of de-affiliation, along with issuance of an ID and password for smooth operation in session 2025/26 for admitted students.	
48	Marudhar Pvt. ITI VPO Sahwa Road, Retana Bhaleri, Taranagar, Churu -331304 (PR08001794)	Electrician- 5 (2+2+1)	- Irregularities observed during initial Inspection conducted by State official on 24.12.2024. - SCN was issued to the ITI by State Directorate on 08.01.2025, followed by reminder dated 06.02.2025. - The ITI did not reply to the both SCN and reminder issued by State Directorate. - Further, a joint inspection of the ITI was conducted on 01.07.2025 by the RDSDE and State official. - On the day of inspection, the ITI telephonically denied for inspection. - The matter of the ITI was discussed in the 9th SSDEC meeting held on 17.09.2025, wherein the SSDEC	The matter was deliberated in the SCAA meeting, and the SCAA decided as under, based on the recommendations of the SSDEC: - It has been observed that on the day of inspection, the ITI denied inspection telephonically. - In line with the principles of natural justice, the ITI was granted a final opportunity in the 25th SCAA meeting held on 13.11.2025 and 14.11.2025 to submit a show-cause reply, explaining why the ITI should not be de-affiliated, along with any supporting representation, within 21 days from the

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
13.04.2026 12:45

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			recommended de-affiliation of the ITI due to its refusal to undergo inspection. 7. Further, the matter was discussed in the 25th SCAA Meeting and ITI was given an opportunity to show cause why it should not be de-affiliated, within 21 days from the date of issuance of the minutes. However, no reply was received within the prescribed time period.	issuance of the minutes of that meeting. 3. The said communication was issued by DGT to the registered email ID of the institute on 24.12.2025. 4. Further, the ITI did not avail the opportunity provided and failed to submit any reply or representation within the stipulated time. 5. Further, reliance is placed on judicial pronouncements which affirm that DGT and the State Directorate are empowered to conduct inspections and take appropriate action in case of non-compliance. Notably, in W.P. No. 8116/2025 (Maa Shitla Pvt. ITI v. Union of India & Ors., MP High Court), it was held that the apex body is duty-bound to examine complaints, including through on-site inspections, and such action cannot be termed arbitrary. Similarly, in CWP-20763-2025 (Modern ITI Bathinda v. DGT, Punjab & Haryana High Court), the Court observed that re-

Signature Not Verified
 UJJWAL BISWAS
 13.04.2026 15:49

Signature Not Verified
 SHRAMEEV SHARMA
 12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
				inspection does not prejudice the petitioner. Further, in S.B. Civil W.P. No. 18022/2025 (Pooja Pvt. ITI & Ors. v. State of Rajasthan & Ors.), the Rajasthan High Court held that institutions cannot claim inspection as a matter of right in a particular manner or timeline, and compliance with prescribed norms is essential. Accordingly, based on the facts on record, the denial of inspection prevents verification of the functioning of the ITI and its compliance with the prescribed norms. The ITI is hereby de-affiliated.
49	Choudhary Ishar Ram Jakhar Private Industrial Training Institute, Sadulpur (Rajgarh) Dist. Churu-331023 (PR08000474)	Mechanic Diesel -2 (1+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by State Directorate on 15.01.2025, followed by reminder dated 11.02.2025. 3. The ITI did not reply to the both SCN and reminder issued by State Directorate. 4. Further, a joint inspection of the ITI was conducted on 04.07.2025 by the RDSDE and State official.	The matter was deliberated in the SCAA meeting, and the SCAA decided as under, based on the recommendations of the SSDEC: 1. It has been observed that the ITI, vide its letter dated 04.07.2025, denied inspection. 2. In line with the principles of natural justice, the ITI was granted a final opportunity in the 25th SCAA meeting held on

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			5. On the day of inspection, the ITI vide its letter dated 04.07.2025 denied for inspection for this time. 6. The matter of the ITI was discussed in the 9th SSDEC meeting held on 17.09.2025, wherein the SSDEC recommended de-affiliation of the ITI due to its refusal to undergo inspection. 7. Further, the matter was discussed in the 25th SCAA Meeting and ITI was given an opportunity to show cause why it should not be de-affiliated, within 21 days from the date of issuance of the minutes. However, no reply was received within the prescribed time period.	13.11.2025 and 14.11.2025 to submit a show-cause reply, explaining why the ITI should not be de-affiliated, along with any supporting representation, within 21 days from the issuance of the minutes of that meeting. 3. The said communication was issued by DGT to the registered email ID of the institute on 24.12.2025. 4. Further, the ITI did not avail the opportunity provided and failed to submit any reply or representation within the stipulated time. 5. Further, reliance is placed on judicial pronouncements which affirm that DGT and the State Directorate are empowered to conduct inspections and take appropriate action in case of non-compliance. Notably, in W.P. No. 8116/2025 (Maa Shitla Pvt. ITI v. Union of India & Ors., MP High Court), it was held that the apex body is duty-bound to examine complaints, including through on-site

Signature Not Verified

 UJJWAL BISWAS
 13.04.2026 15:49

Signature Not Verified

 SHRAMEEV SHARMA
 12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
				inspections, and such action cannot be termed arbitrary. Similarly, in CWP-20763-2025 (Modern ITI Bathinda v. DGT, Punjab & Haryana High Court), the Court observed that re-inspection does not prejudice the petitioner. Further, in S.B. Civil W.P. No. 18022/2025 (Pooja Pvt. ITI & Ors. v. State of Rajasthan & Ors.), the Rajasthan High Court held that institutions cannot claim inspection as a matter of right in a particular manner or timeline, and compliance with prescribed norms is essential. Accordingly, based on the facts on record, the denial of inspection prevents verification of the functioning of the ITI and its compliance with the prescribed norms. The ITI is hereby de-affiliated.
50	Noble Private Industrial Training Institute, Adrash Nagar, Piparcity, Dist.Jodhpur Rajasthan-342601 (PR08000569)	Electrician- 5 (2+1+2)	- Irregularities observed during initial Inspection conducted by State official on 24.12.2024. - SCN was issued to the ITI by State Directorate on 04.01.2025, followed by reminder dated 03.02.2025.	The matter was deliberated in the SCAA meeting, and the SCAA decided as under, based on the recommendations of the SSDEC:

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEY SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			3. The ITI did not reply to the both SCN and reminder issued by State Directorate. 4. Further, a joint inspection of the ITI was conducted on 24.06.2025 by the RDSDE and State official. 5. On the day of inspection, the ITI refused for inspection. The ITI also submitted vide its letter dated 25.06.2025 that though the ITI has full infrastructure but the students are not coming in the ITI for last 03 years due to which the ITI is not taking fresh admissions and want to run the ITI with zero admission, therefore, it is requested to not to conduct inspection. 6. The matter of the ITI was discussed in the 9th SSDEC meeting held on 17.09.2025, wherein the SSDEC recommended de-affiliation of the ITI due to its refusal to undergo inspection. 7. Further, the matter was discussed in the 25th SCAA Meeting and ITI was given an opportunity to show cause why it should not be de-affiliated, within 21 days from the date of issuance of the minutes. However, no reply was received within the prescribed time period.	1. It has been observed that on the day of inspection, the ITI refused inspection. Further, the ITI, vide its letter dated 25.06.2025, stated that although it possesses the required infrastructure, no students have been attending the institute for the last three years, and the institute is not taking fresh admissions. The ITI further requested that inspection may not be conducted and expressed its intent to operate with zero admissions. 2. In line with the principles of natural justice, the ITI was granted a final opportunity in the 25th SCAA meeting held on 13.11.2025 and 14.11.2025 to submit a show-cause reply, explaining why the ITI should not be de-affiliated, along with any supporting representation, within 21 days from the issuance of the minutes of that meeting. 3. The said communication was issued by DGT to the registered email ID of the institute on 24.12.2025. 4. Further, the ITI did not avail the opportunity provided and failed to submit any reply or representation within the stipulated time.

Signature Not Verified

 UJJWAL BISWAS
 13.04.2026 15:49

Signature Not Verified

 SHRAMEV SHARMA
 12:45 13.04.2026


Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
				5. Further, reliance is placed on judicial pronouncements which affirm that DGT and the State Directorate are empowered to conduct inspections and take appropriate action in case of non-compliance. Notably, in W.P. No. 8116/2025 (Maa Shitla Pvt. ITI v. Union of India & Ors., MP High Court), it was held that the apex body is duty-bound to examine complaints, including through on-site inspections, and such action cannot be termed arbitrary. Similarly, in CWP-20763-2025 (Modern ITI Bathinda v. DGT, Punjab & Haryana High Court), the Court observed that re-inspection does not prejudice the petitioner. Further, in S.B. Civil W.P. No. 18022/2025 (Pooja Pvt. ITI & Ors. v. State of Rajasthan & Ors.), the Rajasthan High Court held that institutions cannot claim inspection as a matter of right in a particular manner or timeline, and compliance with prescribed norms is essential.

Signature Not Verified



UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified



SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
				Accordingly, based on the facts on record, the denial of inspection and the admission of non-functioning of the ITI, including absence of trainees and non-admission of students, indicate that the institute is not being operated in accordance with the prescribed norms. The ITI is hereby de-affiliated.
51	Pooja Private Industrial Training Institute, Sathin Cauraha, Piparcity, Dist.Jodhpur Rajasthan (PR08000568)	Electrician- 6 (2+2+2)	- Irregularities observed during initial Inspection conducted by State official on 24.12.2024. - SCN was issued to the ITI by State Directorate on 04.01.2025. - The reply dated 21.01.2025 was received from the ITI. - Further, a joint inspection of the ITI was conducted on 24.06.2025 by the RDSDE and State official. - During inspection the ITI refused for inspection and submitted the following vide its letter dated 24.06.2025: - The ITI did not receive the letter no-F.7(12) T.1/De-aff Inspection/2025/777367 dated 18.06.2025 sent by State Directorate either by email nor by post. - The ITI also submitted a letter dated 24.05.2025 regarding the strike	The matter was deliberated in the SCAA, and it was decided to conduct a joint inspection of the ITI to verify its functioning as per prescribed norms. The joint inspection shall be conducted by the concerned State Directorate and RDSDE Rajasthan. The date of inspection shall be decided by the State Directorate in consultation with RDSDE Rajasthan. The inspection report shall be submitted to the DGT within one month from the date of issuance of the minutes of this meeting for consideration in the next SCAA meeting.

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			declared by the State-level ITI Association. c) The ITI also stated that the new admission counselling for the session 2025-2026 are ongoing in the ITI due to which the other ITI d) It was also submitted that the ITI had already submitted a reply to the Show Cause- Notice dated 21.01.2025, but no response was received, and the inspection team again visited the institute. It was further stated that they are now with the State-level Association and are not interested in today's inspection. 6. The matter of the ITI was discussed in the 9th SSDEC meeting held on 17.09.2025, wherein the SSDEC recommended de-affiliation of the ITI due to its refusal to undergo inspection. 7. The 25th SCAA has granted a final opportunity to the ITI to represent itself within 21 days by a way of SCN. 8. The reply to the SCN was received on 07.01.2026. 9. In its reply the ITI submitted the following :	

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			a) No inspection notice dated 18.06.2025 was received by the Institute. b) An ongoing strike by the ITI Association concluded on the same day. c) Authorities had assured that the inspection would be rescheduled between 23–28.06.2025. d) The Institute had kept all documents ready and prepared a Demand Draft of ₹12,000 (photograph attached) for the inspection. e) A reminder was also sent on 17.10.2025 expressing readiness for inspection. f) Despite this, no inspection has been conducted till date, whereas more than 120 other ITIs were inspected, which amounts to discriminatory treatment. g) Further, the restriction imposed on admissions for the academic session 2025–26 was done without issuing prior notice or providing an opportunity of hearing, thereby violating the principles of natural justice.	

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			justice. It is pertinent to mention that several ITIs, including the present Institute, have obtained interim relief/stay orders from the Hon'ble Court. h) In the absence of any joint inspection having been conducted, there are no findings against the Institute. Therefore, the Institute cannot be labeled as having "refused inspection," nor can any recommendation for de-affiliation be sustained on the basis of a non-conducted inspection. i) The recommendation for de-affiliation is thus arbitrary, discriminatory, and in violation of the principles of natural justice and due process. The Institute has at all times expressed its readiness and willingness for inspection and has never refused the same. j) In view of the above facts and submissions, it is respectfully prayed that the recommendation for de-affiliation may kindly be rejected, the affiliation of the Institute be	

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			restored/continued, and permission for admissions be allowed accordingly.	
52	SPR Private Industrial Training Institute, Baghsara East, Tehsil Sujangarh. Distt Churu - 331506 (PU08000273)	Electrician- 3 (2+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by State Directorate on 08.01.2025, followed by reminder dated 06.02.2025. 3. The reply dated 28.01.2025 was received from the ITI. 4. Further, a joint inspection of the ITI was conducted on 26.06.2025 by the RDSDE and State official. 5. On the day of inspection, the ITI refused for inspection vide its letter dated 26.06.2025 and submitted that it was unable to facilitate the inspection as the Director of the Institute was away due to personal reasons. Therefore, kindly schedule the inspection of ITI in the next batch. 6. The matter of the ITI was discussed in the 9th SSDEC meeting held on 17.09.2025, wherein the SSDEC recommended de-affiliation of the ITI due to its refusal to undergo inspection.	The matter was deliberated in the SCAA, and it was decided to conduct a joint inspection of the ITI to verify its functioning as per prescribed norms. The joint inspection shall be conducted by the concerned State Directorate and RDSDE Rajasthan. The date of inspection shall be decided by the State Directorate in consultation with RDSDE Rajasthan. The inspection report shall be submitted to the DGT within one month from the date of issuance of the minutes of this meeting for consideration in the next SCAA meeting.

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			7. The 25th SCAA has granted a final opportunity to the ITI to represent itself within 21 days by a way of SCN. 8. The reply to the SCN was received on 08.01.2026. 9. In its reply the ITI submitted the following: a) Regarding Joint Inspection dated 26.06.2025 i) On 26.06.2025, a Joint Inspection Team visited the institute; however, the institute operator was not present at that time, and the Superintendent was away on urgent official work. ii) Consequently, the inspection report file remained unsigned. iii) The institute requested the team to inspect the available and fully prepared facilities, including laboratories, IT lab, classrooms, and office. Photographs were also taken as evidence of readiness. b) Request for Short Time i. The team insisted on submission of an “OK” report on the same day. ii. The institute requested 1–2 days’ time to complete formalities.	

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			iii. The team declined to revisit the next day and instructed the institute to submit a written request for inspection in the next batch, mentioning that other ITIs were following the same procedure. iv. Accordingly, the institute submitted the required written letter on 26.06.2025. c) <u>Re-Inspection Granted to Other ITIs</u> i. At that time, the Rajasthan Private ITI Association was on strike. ii. A total of 111 ITIs that had submitted similar written requests for deferred inspection were granted re-inspection orders (copy of PDF enclosed), and opportunities were provided on 18.07.2025. iii. Despite submitting the written request on the same date, this institute was not granted re-inspection. iv. Multiple follow-ups were made with the Board, which repeatedly referred to a “next batch,” but no inspection opportunity has been provided to date. d) <u>Request</u>	

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
13.04.2026 12:45

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			i. If 111 similarly placed ITIs were granted a second opportunity, the same consideration may kindly be extended to this institute in the interest of fairness and natural justice. ii. The institute respectfully requests that de-affiliation proceedings may not be initiated and that one opportunity for inspection may be granted. iii. The institute affirms that it is fully prepared and ready for inspection at any time.	
53	Nirmal Private Industrial Training Institute, Rishikul Asharm, Churu By Pass Road, Rathangarh, Dist.Churu Rajasthan-331022 (PR08000181)	Electrician- 5 (2+2+1)	- Irregularities observed during initial Inspection conducted by State official on 24.12.2024. - SCN was issued to the ITI by State Directorate on 08.01.2025. - The reply dated 24.01.2025 was received from the ITI. - Further, a joint inspection of the ITI was conducted on 23.06.2025 by the RDSDE and State official. - On the day of inspection, the ITI refused for inspection. - The matter of the ITI was discussed in the 9th SSDEC meeting held on 17.09.2025, wherein SSDEC	The matter was deliberated in the SCAA meeting, and the SCAA decided as under, based on the recommendations of the SSDEC: - It has been observed that on the day of inspection, the ITI refused inspection. - In line with the principles of natural justice, the ITI was granted a final opportunity in the 25th SCAA meeting held on 13.11.2025 and 14.11.2025 to submit a show-cause reply, explaining why the ITI should not be de-affiliated, along with

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEV SHARMA
12:45:13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			recommended de-affiliation of the ITI due to its refusal to undergo inspection. 7. Further, the matter was discussed in the 25th SCAA Meeting and ITI was given an opportunity to show cause why it should not be de-affiliated, within 21 days from the date of issuance of the minutes. However, no reply was received within the prescribed time period.	any supporting representation, within 21 days from the issuance of the minutes of that meeting. 3. The said communication was issued by DGT to the registered email ID of the institute on 24.12.2025. 4. Further, the ITI did not avail the opportunity provided and failed to submit any reply or representation within the stipulated time. 5. Further, reliance is placed on judicial pronouncements which affirm that DGT and the State Directorate are empowered to conduct inspections and take appropriate action in case of non-compliance. Notably, in W.P. No. 8116/2025 (Maa Shitla Pvt. ITI v. Union of India & Ors., MP High Court), it was held that the apex body is duty-bound to examine complaints, including through on-site inspections, and such action cannot be termed arbitrary. Similarly, in CWP-20763-2025 (Modern ITI Bathinda v. DGT,

Signature Not Verified

 UJJWAL BISWAS
 13.04.2026 15:49

Signature Not Verified

 SHRAMEEV SHARMA
 12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
				Punjab & Haryana High Court), the Court observed that re-inspection does not prejudice the petitioner. Further, in S.B. Civil W.P. No. 18022/2025 (Pooja Pvt. ITI & Ors. v. State of Rajasthan & Ors.), the Rajasthan High Court held that institutions cannot claim inspection as a matter of right in a particular manner or timeline, and compliance with prescribed norms is essential. Accordingly, based on the facts on record, the refusal of inspection prevents verification of the functioning of the ITI and its compliance with the prescribed norms. The ITI is hereby de-affiliated.
54	Kaptan Singh Private Industrial Training Institute, Surjangarh Dist.-Churu Pin-331507 Rajasthan (PR08000268)	Electrician- 12 (4+4+4)	- Irregularities observed during initial Inspection conducted by State official on 24.12.2024. - SCN was issued to the ITI by State Directorate on 08.01.2025. - The reply dated 25.01.2025 was received from the ITI.	The matter was deliberated in the SCAA meeting, and the SCAA decided as under, based on the recommendations of the SSDEC: It has been observed that on the day of inspection, the ITI refused inspection.

Signature Not Verified



UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified



SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			4. Further, a joint inspection of the ITI was conducted on 25.06.2025 by the RDSDE and State official. 5. On the day of inspection, the ITI refused for inspection. 6. The matter of the ITI was discussed in the 9th SSDEC meeting held on 17.09.2025, wherein the SSDEC recommended de-affiliation of the ITI due to its refusal to undergo inspection. 7. Further, the matter was discussed in the 25th SCAA Meeting and ITI was given an opportunity to show cause why it should not be de-affiliated, within 21 days from the date of issuance of the minutes. However, no reply was received within the prescribed time period.	2. In line with the principles of natural justice, the ITI was granted a final opportunity in the 25th SCAA meeting held on 13.11.2025 and 14.11.2025 to submit a show-cause reply, explaining why the ITI should not be de-affiliated, along with any supporting representation, within 21 days from the issuance of the minutes of that meeting. 3. The said communication was issued by DGT to the registered email ID of the institute on 24.12.2025. 4. Further, the ITI did not avail the opportunity provided and failed to submit any reply or representation within the stipulated time. 5. Further, reliance is placed on judicial pronouncements which affirm that DGT and the State Directorate are empowered to conduct inspections and take appropriate action in case of non-compliance. Notably, in W.P. No. 8116/2025 (Maa Shitla Pvt. ITI v. Union of India & Ors., MP High Court), it was held that the apex body is duty-bound to examine complaints, including through on-site inspections, and such action

Signature Not Verified

UJJWAL BISWAS

13.04.2026 15:49

Signature Not Verified

SHRAMEV SHARMA

12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
				cannot be termed arbitrary. Similarly, in CWP-20763-2025 (Modern ITI Bathinda v. DGT, Punjab & Haryana High Court), the Court observed that re-inspection does not prejudice the petitioner. Further, in S.B. Civil W.P. No. 18022/2025 (Pooja Pvt. ITI & Ors. v. State of Rajasthan & Ors.), the Rajasthan High Court held that institutions cannot claim inspection as a matter of right in a particular manner or timeline, and compliance with prescribed norms is essential. Accordingly, based on the facts on record, the refusal of inspection prevents verification of the functioning of the ITI and its compliance with the prescribed norms. The ITI is hereby de-affiliated.
55	Bhanwarlal Private Industrial Training Institute, Vpo-Mohanpura, Teh-Kotputli, Dist.Jaipur Rajasthan-303108 (PR08001570)	1. Electrician- 4 (2+2) 2. Fire Technology and Industrial Safety Management- 1 (1+0)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by State Directorate on 07.01.2025. 3. The reply dated 27.01.2025 was received from the ITI.	The matter was deliberated in the SCAA meeting, and the SCAA decided as under, based on the recommendations of the SSDEC: 1. It has been observed that on the day of inspection, the ITI refused inspection.

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			4. Further, a joint inspection of the ITI was conducted on 01.07.2025 by the RDSDE and State official. 5. On the day of inspection, the ITI refused for inspection vide its letter dated 01.07.2025. 6. The matter of the ITI was discussed in the 9th SSDEC meeting held on 17.09.2025, wherein the SSDEC recommended de-affiliation of the ITI due to its refusal to undergo inspection. 7. Further, the matter was discussed in the 25th SCAA Meeting and ITI was given an opportunity to show cause why it should not be de-affiliated, within 21 days from the date of issuance of the minutes. However, no reply was received within the prescribed time period.	2. In line with the principles of natural justice, the ITI was granted a final opportunity in the 25th SCAA meeting held on 13.11.2025 and 14.11.2025 to submit a show-cause reply, explaining why the ITI should not be de-affiliated, along with any supporting representation, within 21 days from the issuance of the minutes of that meeting. 3. The said communication was issued by DGT to the registered email ID of the institute on 24.12.2025. 4. Further, the ITI did not avail the opportunity provided and failed to submit any reply or representation within the stipulated time. 5. Further, reliance is placed on judicial pronouncements which affirm that DGT and the State Directorate are empowered to conduct inspections and take appropriate action in case of non-compliance. Notably, in W.P. No. 8116/2025 (Maa Shitla Pvt. ITI v. Union of India

Signature Not Verified

 UJJWAL BISWAS
 13.04.2026 15:49

Signature Not Verified


 SHRAMEEV SHARMA
 12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
				& Ors., MP High Court), it was held that the apex body is duty-bound to examine complaints, including through on-site inspections, and such action cannot be termed arbitrary. Similarly, in CWP-20763-2025 (Modern ITI Bathinda v. DGT, Punjab & Haryana High Court), the Court observed that re-inspection does not prejudice the petitioner. Further, in S.B. Civil W.P. No. 18022/2025 (Pooja Pvt. ITI & Ors. v. State of Rajasthan & Ors.), the Rajasthan High Court held that institutions cannot claim inspection as a matter of right in a particular manner or timeline, and compliance with prescribed norms is essential. Accordingly, based on the facts on record, the refusal of inspection prevents verification of the functioning of the ITI and its compliance with the prescribed norms. The ITI is hereby de-affiliated.

Signature Not Verified


 UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified


 SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
56	Global Private ITI, Simawta, Karali, Kotputli Dist.-Jaipur Rajasthan-303110 (PR08001534)	Electrician- 4 (2+1+1)	- Irregularities observed during initial Inspection conducted by State official on 24.12.2024. - SCN was issued to the ITI by State Directorate on 07.01.2025. - The reply dated 23.01.2025 was received from the ITI. - Further, a joint inspection of the ITI was conducted on 02.07.2025 by the RDSDE and State official. - On the day of inspection, the ITI refused for inspection vide its letter dated 02.07.2025. - The matter of the ITI was discussed in the 9th SSDEC meeting held on 17.09.2025, wherein the SSDEC recommended de-affiliation of the ITI due to its refusal to undergo inspection. - Further, the matter was discussed in the 25th SCAA Meeting and ITI was given an opportunity to show cause why it should not be de-affiliated, within 21 days from the date of issuance of the minutes. However, no reply was received within the prescribed time period.	The matter was deliberated in the SCAA meeting, and the SCAA decided as under, based on the recommendations of the SSDEC: - It has been observed that on the day of inspection, the ITI refused inspection. - In line with the principles of natural justice, the ITI was granted a final opportunity in the 25th SCAA meeting held on 13.11.2025 and 14.11.2025 to submit a show-cause reply, explaining why the ITI should not be de-affiliated, along with any supporting representation, within 21 days from the issuance of the minutes of that meeting. - The said communication was issued by DGT to the registered email ID of the institute on 24.12.2025. - Further, the ITI did not avail the opportunity provided and failed to submit any reply or representation within the stipulated time. - Further, reliance is placed on judicial pronouncements which affirm that DGT and the State Directorate are empowered to

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
				conduct inspections and take appropriate action in case of non-compliance. Notably, in W.P. No. 8116/2025 (Maa Shitla Pvt. ITI v. Union of India & Ors., MP High Court), it was held that the apex body is duty-bound to examine complaints, including through on-site inspections, and such action cannot be termed arbitrary. Similarly, in CWP-20763-2025 (Modern ITI Bathinda v. DGT, Punjab & Haryana High Court), the Court observed that re-inspection does not prejudice the petitioner. Further, in S.B. Civil W.P. No. 18022/2025 (Pooja Pvt. ITI & Ors. v. State of Rajasthan & Ors.), the Rajasthan High Court held that institutions cannot claim inspection as a matter of right in a particular manner or timeline, and compliance with prescribed norms is essential. Accordingly, based on the facts on record, the refusal of inspection prevents verification of the functioning of the ITI and its compliance with the

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
				prescribed norms. The ITI is hereby de-affiliated.
57	Shri Krishna Private Industrial Training Institute, Kalu Ka Bass Tigariy, Dist.Jaipur Rajasthan-303804 (PR08001572)	Electrician- 6 (2+2+2)	- Irregularities observed during initial Inspection conducted by State official on 24.12.2024. - SCN was issued to the ITI by State Directorate on 07.01.2025, followed by reminder dated 06.02.2025. - The reply dated 10.02.2025 was received from the ITI. - Further, a joint inspection of the ITI was conducted on 03.07.2025 by the RDSDE and State official. - On the day of inspection, the ITI representative refused for inspection. - The matter of the ITI was discussed in the 9th SSDEC meeting held on 17.09.2025, wherein the SSDEC recommended de-affiliation of the ITI due to its refusal to undergo inspection. - The 25th SCAA has granted a final opportunity to the ITI to represent itself within 21 days by a way of SCN. - The reply to the SCN was received on 10.01.2026. - In its reply the ITI submitted the following:	The matter was deliberated in the SCAA, and it was decided to conduct a joint inspection of the ITI to verify its functioning as per prescribed norms. The joint inspection shall be conducted by the concerned State Directorate and RDSDE Rajasthan. The date of inspection shall be decided by the State Directorate in consultation with RDSDE Rajasthan. The inspection report shall be submitted to the DGT within one month from the date of issuance of the minutes of this meeting for consideration in the next SCAA meeting.

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			a) No Intentional Refusal or Violation Non-conduct of inspection on the scheduled date was not due to any deliberate avoidance, non-compliance or violation of norms/rules. b) Reason for Non-Inspection Due to unavoidable local circumstances and representative issues in the area at that time, clarity/communication gap occurred, making it practically difficult to facilitate the inspection on the fixed date. c) Institute's Track Record d) The institute has been functioning strictly as per NCVT affiliation norms since inception (2018 onwards). e) It has always complied with all timely directions/guidelines issued by Government of India / DGT. f) No serious irregularity or adverse finding has ever been recorded against the institute in the past. g) Current Status & Assurance h) The present status is fully clear and transparent.	

Signature Not Verified


 UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified


 SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			i) We unconditionally assure that inspection will never be refused in future under any circumstances. j) The institute will extend full cooperation on any date fixed by the competent authority. k) Prayer Kindly grant one fresh opportunity for inspection under principles of natural justice so that: l) The actual/ground position of the institute can be verified. m) Affiliation can continue uninterrupted in the interest of trainees/students.	
58	Sardar Patel Private Industrial Training Institute, Vpo.Gulabbari Vio.Somod, Teh. Shahpura, Dist. Jaipur Rajasthan-303806 (PR08001520)	Electrician- 6 (2+2+2)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by State Directorate on 07.01.2025. 3. The reply dated 16.01.2025 was received from the ITI. 4. Further, a joint inspection of the ITI was conducted on 03.07.2025 by the RDSDE and State official. 5. On the day of inspection, the ITI representative refused for inspection.	The matter was deliberated in the SCAA meeting, and the SCAA decided as under, based on the recommendations of the SSDEC: 1. It has been observed that on the day of inspection, the ITI refused inspection. 2. In line with the principles of natural justice, the ITI was granted a final opportunity in the 25th SCAA meeting held on 13.11.2025 and 14.11.2025 to submit a show-cause reply,

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			6. The matter of the ITI was discussed in the 9th SSDEC meeting held on 17.09.2025, wherein the SSDEC recommended de-affiliation of the ITI due to its refusal to undergo inspection. 7. Further, the matter was discussed in the 25th SCAA Meeting and ITI was given an opportunity to show cause why it should not be de-affiliated, within 21 days from the date of issuance of the minutes. However, no reply was received within the prescribed time period.	explaining why the ITI should not be de-affiliated, along with any supporting representation, within 21 days from the issuance of the minutes of that meeting. 3. The said communication was issued by DGT to the registered email ID of the institute on 24.12.2025. 4. Further, the ITI did not avail the opportunity provided and failed to submit any reply or representation within the stipulated time. 5. Further, reliance is placed on judicial pronouncements which affirm that DGT and the State Directorate are empowered to conduct inspections and take appropriate action in case of non-compliance. Notably, in W.P. No. 8116/2025 (Maa Shitla Pvt. ITI v. Union of India & Ors., MP High Court), it was held that the apex body is duty-bound to examine complaints, including through on-site inspections, and such action cannot be termed arbitrary.

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
				Similarly, in CWP-20763-2025 (Modern ITI Bathinda v. DGT, Punjab & Haryana High Court), the Court observed that re-inspection does not prejudice the petitioner. Further, in S.B. Civil W.P. No. 18022/2025 (Pooja Pvt. ITI & Ors. v. State of Rajasthan & Ors.), the Rajasthan High Court held that institutions cannot claim inspection as a matter of right in a particular manner or timeline, and compliance with prescribed norms is essential. Accordingly, based on the facts on record, the refusal of inspection prevents verification of the functioning of the ITI and its compliance with the prescribed norms. The ITI is hereby de-affiliated.
59	Index Private ITI, Plot No- 73,74,75 Ram Janki Vihar, Baad-Bagpura. Chaksu, Jaipur - Rajasthan-303901 (PR08001747)	1. Electrician- 9 (3+3+3) 2. Health Sanitary Inspector- 1 (1+0)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by State Directorate on 07.01.2025. 3. The reply dated 27.01.2025 was received from the ITI.	The matter was deliberated in the SCAA meeting, and the SCAA decided as under, based on the recommendations of the SSDEC:

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEY SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			4. Further, a joint inspection of the ITI was conducted on 30.06.2025 by the RDSDE and State official. 5. On the day of inspection, the ITI representative refused for inspection. 6. The matter of the ITI was discussed in the 9th SSDEC meeting held on 17.09.2025, wherein the SSDEC recommended de-affiliation of the ITI due to its refusal to undergo inspection. 7. Further, the matter was discussed in the 25th SCAA Meeting and ITI was given an opportunity to show cause why it should not be de-affiliated, within 21 days from the date of issuance of the minutes. However, no reply was received within the prescribed time period.	1. It has been observed that on the day of inspection, the ITI refused inspection. 2. In line with the principles of natural justice, the ITI was granted a final opportunity in the 25th SCAA meeting held on 13.11.2025 and 14.11.2025 to submit a show-cause reply, explaining why the ITI should not be de-affiliated, along with any supporting representation, within 21 days from the issuance of the minutes of that meeting. 3. The said communication was issued by DGT to the registered email ID of the institute on 24.12.2025. 4. Further, the ITI did not avail the opportunity provided and failed to submit any reply or representation within the stipulated time. 5. Further, reliance is placed on judicial pronouncements which affirm that DGT and the State Directorate are empowered to conduct inspections and take appropriate action in case of non-compliance. Notably, in W.P. No. 8116/2025 (Maa Shitla Pvt. ITI v. Union of India & Ors., MP High Court), it was held that the apex

Signature Not Verified

 UJJWAL BISWAS
 13.04.2026 15:49

Signature Not Verified

 SHRAMEEV SHARMA
 12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
				body is duty-bound to examine complaints, including through on-site inspections, and such action cannot be termed arbitrary. Similarly, in CWP-20763-2025 (Modern ITI Bathinda v. DGT, Punjab & Haryana High Court), the Court observed that re-inspection does not prejudice the petitioner. Further, in S.B. Civil W.P. No. 18022/2025 (Pooja Pvt. ITI & Ors. v. State of Rajasthan & Ors.), the Rajasthan High Court held that institutions cannot claim inspection as a matter of right in a particular manner or timeline, and compliance with prescribed norms is essential. Accordingly, based on the facts on record, the refusal of inspection prevents verification of the functioning of the ITI and its compliance with the prescribed norms. The ITI is hereby de-affiliated.
60	Maharaja Surajmal Private Industrial Training Institute Deeg, Distt. Bharatpur-321203 (R080000849)	1. Electrician- 2 (1+1) 2. Fitter- 2 (1+1) 3. Mechanic Diesel- 2 (1+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by State Directorate on 03.01.2025.	The matter was discussed in the SCAA meeting, and the SCAA decided as under: 1. In line with the principles of natural justice, the ITI was afforded final

Signature Not Verified
UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified
SHRAMEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			3. The reply dated 16.01.2025 was received from the ITI. 4. Further, a joint inspection of the ITI was conducted on 24.06.2025 by the RDSDE and State official. 5. During the inspection, the ITI officials refused to undergo the inspection vide is letter dated 24.06.2025 by stating that it was under a strike declared by the State-level ITI Association. 6. The matter of the ITI was discussed in the 9th SSDEC meeting held on 17.09.2025, wherein the SSDEC recommended de-affiliation of the ITI due to its refusal to undergo inspection. 7. Further, the matter was discussed in the 25th SCAA Meeting and ITI was given an opportunity to show cause why it should not be de-affiliated, within 21 days from the date of issuance of the minutes. However, no reply was received within the prescribed time period.	opportunity to represent itself by 25th SCAA in its meeting held on 13.11.2025 and 14.11.2025, to submit a show-cause reply explaining why the ITI should not be de-affiliated along with any supporting representation, within 21 days from the issuance of the minutes of that meeting. 2. The said communication was issued by DGT to the registered email of the institute on 24.12.2025 3. Further, the ITI did not avail the final opportunity provided by DGT in the 25th SCAA meeting and failed to submit any reply or representation within the stipulated time, thereby exhibiting continued negligence and persistent non-compliance. 4. The ITI has blatantly refused to undergo inspection on the ground of a State-level ITI Association strike in the year 2025, which cannot be considered a valid reason for denying inspection.

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
				5. Further, reliance is placed on various judgments of different High Courts which affirm that state or DGT may conduct inspections and take appropriate action. Notably, in W.P. No. 8116/2025 (Maa Shitla Pvt. ITI v. Union of India & Ors., MP High Court), it was held that the apex body is duty-bound to examine complaints, including through on-site inspections, and such action cannot be termed arbitrary. Similarly, in CWP-20763-2025 (Modern ITI Bathinda v. DGT, Punjab & Haryana High Court), the Court observed that re-inspection does not prejudice the petitioner. Further, in S.B. Civil W.P. No. 18022/2025 (Pooja Pvt. ITI & Ors. v. State of Rajasthan & Ors.), the Rajasthan High Court held that institutions cannot claim inspection as a matter of right in a particular manner or timeline, and compliance with deficiencies is a prerequisite for student admissions. 6. The quality of training imparted to students is of paramount importance to DGT, which cannot be ensured

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
				without on-site verification of the institute. The non-submission of a reply and refusal to undergo inspection clearly indicate that the ITI is not functioning in accordance with the prescribed norms, thereby defeating the very purpose of the Craftsmen Training Scheme (CTS). Therefore, in view of the above remarks and in the interest of the trainees, the ITI is hereby de-affiliated.
61	Jai Hind Private Industrial Training Institute, Sarvodaya Nagar, Riico Road, Dist. Bharatpur Rajasthan - 321001 (PU08001467)	Electrician- 3 (1+1+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by State Directorate on 03.01.2025, followed by reminder dated 30.01.2025. 3. The reply dated 23.01.2025 was received from the ITI. 4. Further, a joint inspection of the ITI was conducted on 25.06.2025 by the RDSDE and State official. 5. During the inspection, the ITI officials refused to undergo the inspection vide is letter dated 25.06.2025 by stating that it was under a strike declared by the State-level ITI Association.	The matter was deliberated in the SCAA, and it was decided ITI is de-affiliated due to following reasons: 1. ITI has admitted to have shifted its location in year 2024 despite of ongoing training of 20 admitted trainees which is in violation of Clause 3.5 of Affiliation Norms 2018. 2. The issue of rent agreement and dispute with Landlord are private in nature. DGT has no authority over such issues and this cannot be made a reason for unauthorized shifting during the ongoing training activities. ITI is supposed to

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			6. The matter of the ITI was discussed in the 9th SSDEC meeting held on 17.09.2025, wherein the SSDEC recommended de-affiliation of the ITI due to its refusal to undergo inspection. 7. The 25th SCAA has granted a final opportunity to the ITI to represent itself within 21 days by a way of SCN. 8. The reply to the SCN was received on 12.01.2026. 9. In its reply the ITI submitted the following: a) The institute's previous rent agreement expired in August 2024. Despite requests, the landlord (described as domineering) refused to extend it and locked the premises in October 2024, barring entry to students. b) The institute relocated to a new building in Ganesh Puram, Bharatpur (2 km away, same municipal area), which complies with all ITI standards and is easily accessible. c) Timeline of requests: On 23/01/2025, requested inspection at the new site via letter (P-1081/2025/11) and email to	maintain the live land lease for continuing the training activities. 3. The shifting application submitted by the ITI on the portal was rejected by the concerned State Directorate on 22.07.2025 as no NOC was issued by the State. Therefore, in view of the interest of the trainees and the violations of the affiliation norms, the ITI is hereby de-affiliated.

Signature Not Verified
UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified
SHRUTI ARMA
13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			inspectiondatetraing@gmail.com (with speed post receipt attached). d) On 05/02/2025, follow-up request via letter (P-1081/2025/12) and email to the same ID, with CC to rcvet.exam.raj@gmail.com. e) In April 2025, submitted online application for site change (Ref: PU08001967, dated 09/04/2025) with fee payment, but no inspection conducted yet (receipt attached). f) On 25/06/2025, an inspection team visited but refused to inspect the new building, advising to obtain a consensus letter from the state-level ITI organization for collective inspections. g) Further letter sent to D.T.E. Jodhpur for inspection, but no additional opportunity provided. h) The institute is ready for joint inspection and requests restoration of recognition.	
62	Sailendra Private Industrial Training Institute, Sugriv Colony, Near Jain Mandir, Saver	1. Electrician- 9 (3+3+3)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.	The matter was deliberated in the SCAA, and it was decided to conduct a

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
	Road, Bharatpur-321001 (PR08001022)	2. Electronics Mechanic- 2 (1+1) 3. Fitter- 3 (1+1+1) 4. Mechanic Diesel- 2(1+1) 5. Refrigeration and Air Conditioning Technician- 2 (1+1)	2. SCN was issued to the ITI by State Directorate on 03.01.2025. 3. The reply dated 17.01.2025 was received from the ITI. 4. Further, a joint inspection of the ITI was conducted on 27.06.2025 by the RDSDE and State official. 5. During the inspection, the following were observed: 6. In the ITI address and location, the building renovation work was currently in progress. 7. Machines were not found installed in the ITI and were not in working condition. 8. The Tools and equipment were found scattered across the ITI premises. Due to these conditions, it was not possible to complete the verification of machines and equipment as per the latest trade tool list. 9. The matter of the ITI was discussed in the 9th SSDEC meeting held on 17.09.2025, wherein the SSDEC recommended de-affiliation of the ITI due to its refusal to undergo inspection. 10. The 25th SCAA has granted a final opportunity to the ITI to represent itself within 21 days by a way of SCN.	joint inspection of the ITI to verify its functioning as per prescribed norms. The joint inspection shall be conducted by the concerned State Directorate and RDSDE Rajasthan. The date of inspection shall be decided by the State Directorate in consultation with RDSDE Rajasthan. The inspection report shall be submitted to the DGT within one month from the date of issuance of the minutes of this meeting for consideration in the next SCAA meeting.

Signature Not Verified


 UJJWAL BISWAS
 13.04.2026 15:49

Signature Not Verified


 SHRAMEV SHARMA
 12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			11. The reply to the SCN was received on 08.01.2026. 12. In its reply the ITI submitted the following: a) Institute affiliated with NCVT since 2004-05; fully equipped with 18 units across trades (Electrician, Electronics Mechanic, Fitter, etc.), skilled instructors, machinery, tools, labs, library, 40 KW power, playground, computers, RO water, separate facilities for students. b) Initial inspection (24.12.2024): Alleged closed at 8:30 AM, but institute claims open with RCC roof work ongoing; replied via letter No. 2541 dt. 17.01.2025. c) Joint re-inspection (27.06.2025) by T.L. Parashar (TO, NSTI Jodhpur) & Pramod Kumar Gaud (VP, Govt. ITI Bharatpur): All facilities/machines verified, run & re-fitted; found compliant. d) Allegation: T.L. Parashar demanded ₹2 lakh bribe; upon refusal, threatened de-affiliation. Claims Parashar corrupt (local from Deeg, Bharatpur), took bribes from other ITIs (e.g., Career Double P ITI) for favorable reports.	

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
13.04.2026 12:45

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			e) Email sent (No. 2546-1 dt. 25.09.2025) to DGT Delhi & State Director Jodhpur requesting re-inspection by anti-corruption bureau/DGT officials. f) SSDEC 9th Meeting (17.09.2025): Recommended de-affiliation citing 'refusal of inspection'; institute denies any refusal, no communication received from State Directorate. g) Requests: (i) Investigate SSDEC meeting decision & T.L. Parashar's conduct; (ii) Cancel de-affiliation proceedings; (iii) Conduct fresh impartial inspection. 13. Further, the ITI was a petitioner in S.B. Civil Writ Petition No. 16381/2025 (L.B.S. Private Industrial Training Institute) and 36 connected matters, which were disposed of by the Hon'ble Court on 23.01.2026. The Hon'ble Court directed the petitioner ITIs to submit representations within two weeks, following which DGT was to conduct joint inspections with the State authorities and take a decision on de-affiliation within a stipulated timeline.	

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			It is pertinent to mention that a show cause notice had already been issued to the ITIs vide the Minutes of the 25th SCAA Meeting dated 23.12.2025, prior to the Court's directions. Accordingly, in compliance with the principles of natural justice and the directions of the Hon'ble Court, fresh show cause notices were issued to all petitioner institutes on 05.02.2026, based on the remarks of the Inspection Team and the recommendations of the SSDEC.	
63	Devyani Private Industrial Training Institute, at .Agra Road Dausa, Tehsil Dausa, Dist Dausa, Rajasth (PR08001581)	Electrician- 6 (2+2+2)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by State Directorate on 07.01.2025, followed by reminder dated 06.02.2025. 3. The reply dated 04.02.2025 was received from the ITI. 4. Further, a joint inspection of the ITI was conducted on 04.07.2025 by the RDSDE and State official. 5. During the inspection, the ITI officials refused to undergo the inspection. 6. The matter of the ITI was discussed in the 9th SSDEC meeting held on 17.09.2025, wherein the SSDEC	The matter was deliberated in the SCAA, and it was decided to conduct a joint inspection of the ITI to verify its functioning as per prescribed norms. The joint inspection shall be conducted by the concerned State Directorate and RDSDE Rajasthan. The date of inspection shall be decided by the State Directorate in consultation with RDSDE Rajasthan. The inspection report shall be submitted to the DGT within one month from the date of issuance of the minutes of this meeting for consideration in the next SCAA meeting.

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			recommended de-affiliation of the ITI due to its refusal to undergo inspection. 7. Further, the ITI was a petitioner in S.B. Civil Writ Petition No. 16381/2025 (L.B.S. Private Industrial Training Institute) and 36 connected matters, which were disposed of by the Hon'ble Court on 23.01.2026. The Hon'ble Court directed the petitioner ITIs to submit representations within two weeks, following which DGT was to conduct joint inspections with the State authorities and take a decision on de-affiliation within a stipulated timeline. It is pertinent to mention that a show cause notice had already been issued to the ITIs vide the Minutes of the 25th SCAA Meeting dated 23.12.2025, prior to the Court's directions. Accordingly, in compliance with the principles of natural justice and the directions of the Hon'ble Court, fresh show cause notices were issued to all petitioner institutes on 05.02.2026, based on the remarks of the Inspection Team and the recommendations of the SSDEC.	

Signature Not Verified

 UJJWAL BISWAS
 13.04.2026 15:49

Signature Not Verified

 SHRAMEV SHARMA
 12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
64	Rukmani Devi Private ITI, Jaipur Agra By Pass Road, Dist. Dausa MIS code: (PU08001663)	1. Computer Operator and Programming Assistant- 2 (1+1) 2. Electrician -2 (1+1) 3. Health Sanitary Inspector- 2 (1+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by State Directorate on 07.01.2025, followed by reminder dated 06.02.2025. 3. Further, a joint inspection of the ITI was conducted on 01.07.2025 by the RDSDE and State official. 4. During the inspection, the ITI refused to undergo the inspection. 5. The matter of the ITI was discussed in the 9th SSDEC meeting held on 17.09.2025, wherein the SSDEC recommended de-affiliation of the ITI due to its refusal to undergo inspection. 6. Further, the matter was discussed in the 25th SCAA Meeting and ITI was given an opportunity to show cause why it should not be de-affiliated, within 21 days from the date of issuance of the minutes. However, no reply was received within the prescribed time period.	The matter was deliberated in the SCAA meeting, and the SCAA decided as under, based on the recommendations of the SSDEC: 1. It has been observed that on the day of inspection, the ITI refused inspection. 2. In line with the principles of natural justice, the ITI was granted a final opportunity in the 25th SCAA meeting held on 13.11.2025 and 14.11.2025 to submit a show-cause reply, explaining why the ITI should not be de-affiliated, along with any supporting representation, within 21 days from the issuance of the minutes of that meeting. 3. The said communication was issued by DGT to the registered email ID of the institute on 24.12.2025. 4. Further, the ITI did not avail the opportunity provided and failed to submit any reply or representation within the stipulated time.

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
				5. Further, reliance is placed on judicial pronouncements which affirm that DGT and the State Directorate are empowered to conduct inspections and take appropriate action in case of non-compliance. Notably, in W.P. No. 8116/2025 (Maa Shitla Pvt. ITI v. Union of India & Ors., MP High Court), it was held that the apex body is duty-bound to examine complaints, including through on-site inspections, and such action cannot be termed arbitrary. Similarly, in CWP-20763-2025 (Modern ITI Bathinda v. DGT, Punjab & Haryana High Court), the Court observed that re-inspection does not prejudice the petitioner. Further, in S.B. Civil W.P. No. 18022/2025 (Pooja Pvt. ITI & Ors. v. State of Rajasthan & Ors.), the Rajasthan High Court held that institutions cannot claim inspection as a matter of right in a particular manner or timeline,

Signature Not Verified



UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified



SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
				and compliance with prescribed norms is essential. Accordingly, based on the facts on record, the refusal of inspection prevents verification of the functioning of the ITI and its compliance with the prescribed norms. The ITI is hereby de-affiliated.
65	Shree Radhakrisnan Private Industrial Training Institute, Near Mangala Ice Factory, Khedali Road, KATHUMER (ALWAR)-321605 (PR08000902)	1. Electrician -4 (2+2) 2. Fitter- 2 (1+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by State Directorate on 07.01.2025. 3. The reply dated 20.01.2025 was received from the ITI. 4. Further, a joint inspection of the ITI was conducted on 01.08.2025 by the RDSDE and State official. 5. During the inspection, the ITI declined to undergo the process, citing that the matter is under consideration before the Hon'ble Jaipur High Court, as conveyed vide its letter dated 01.08.2025. 6. The matter of the ITI was discussed in the 9th SSDEC meeting held on	The matter was deliberated in the SCAA meeting, and the SCAA decided as under, based on the recommendations of the SSDEC: 1. It has been observed that on the day of inspection, the ITI refused inspection. 2. In line with the principles of natural justice, the ITI was granted a final opportunity in the 25th SCAA meeting held on 13.11.2025 and 14.11.2025 to submit a show-cause reply, explaining why the ITI should not be de-affiliated, along with any supporting representation, within 21 days from the

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			17.09.2025, wherein the SSDEC recommended de-affiliation of the ITI due to its refusal to undergo inspection. 7. Further, the matter was discussed in the 25th SCAA Meeting and ITI was given an opportunity to show cause why it should not be de-affiliated, within 21 days from the date of issuance of the minutes. However, no reply was received within the prescribed time period.	issuance of the minutes of that meeting. 3. The said communication was issued by DGT to the registered email ID of the institute on 24.12.2025. 4. Further, the ITI did not avail the opportunity provided and failed to submit any reply or representation within the stipulated time. 5. Further, reliance is placed on judicial pronouncements which affirm that DGT and the State Directorate are empowered to conduct inspections and take appropriate action in case of non-compliance. Notably, in W.P. No. 8116/2025 (Maa Shitla Pvt. ITI v. Union of India & Ors., MP High Court), it was held that the apex body is duty-bound to examine complaints, including through on-site inspections, and such action cannot be termed arbitrary. Similarly, in CWP-20763-2025 (Modern ITI Bathinda v. DGT, Punjab & Haryana High Court), the Court observed that re-

Signature Not Verified

 UJJWAL BISWAS
 13.04.2026 15:49

Signature Not Verified

 SHRAMEV SHARMA
 12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
				inspection does not prejudice the petitioner. Further, in S.B. Civil W.P. No. 18022/2025 (Pooja Pvt. ITI & Ors. v. State of Rajasthan & Ors.), the Rajasthan High Court held that institutions cannot claim inspection as a matter of right in a particular manner or timeline, and compliance with prescribed norms is essential. Accordingly, based on the facts on record, the refusal of inspection prevents verification of the functioning of the ITI and its compliance with the prescribed norms. The ITI is hereby de-affiliated.
66	Guru Kripa Private Industrial Training Institute, Near Maheshwari Ibp Petrol Pump, Kapren, Via Keshorai Patan, Dist. Bundi-323301 (PR08000372)	Electrician- 6 (2+2+2)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by State Directorate on 30.12.2024. 3. The reply dated 16.01.2025 was received from the ITI. 4. Further, a joint inspection of the ITI was conducted on 28.07.2025 by the RDSDE and State official.	The matter was deliberated in the SCAA meeting, and the SCAA decided as under, based on the recommendations of the SSDEC: 1. It has been observed that on the day of inspection, the ITI refused inspection. 2. In line with the principles of natural justice, the ITI was granted a final opportunity in

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			5. During the inspection, the ITI declined to undergo the process, citing that needs more time for inspection as conveyed vide its letter dated 28.07.2025 and requested to conduct inspection on 10.08.2025. 6. The matter of the ITI was discussed in the 9th SSDEC meeting held on 17.09.2025, wherein the SSDEC recommended de-affiliation of the ITI due to its refusal to undergo inspection. 7. Further, the matter was discussed in the 25th SCAA Meeting and ITI was given an opportunity to show cause why it should not be de-affiliated, within 21 days from the date of issuance of the minutes. However, no reply was received within the prescribed time period.	the 25th SCAA meeting held on 13.11.2025 and 14.11.2025 to submit a show-cause reply, explaining why the ITI should not be de-affiliated, along with any supporting representation, within 21 days from the issuance of the minutes of that meeting. 3. The said communication was issued by DGT to the registered email ID of the institute on 24.12.2025. 4. Further, the ITI did not avail the opportunity provided and failed to submit any reply or representation within the stipulated time. 5. Further, reliance is placed on judicial pronouncements which affirm that DGT and the State Directorate are empowered to conduct inspections and take appropriate action in case of non-compliance. Notably, in W.P. No. 8116/2025 (Maa Shitla Pvt. ITI v. Union of India & Ors., MP High Court), it was held that the apex body is duty-bound to examine complaints,

Signature Not Verified

 UJJWAL BISWAS
 13.04.2026 15:49

Signature Not Verified

 SHRAMEEV SHARMA
 12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
				including through on-site inspections, and such action cannot be termed arbitrary. Similarly, in CWP-20763-2025 (Modern ITI Bathinda v. DGT, Punjab & Haryana High Court), the Court observed that re-inspection does not prejudice the petitioner. Further, in S.B. Civil W.P. No. 18022/2025 (Pooja Pvt. ITI & Ors. v. State of Rajasthan & Ors.), the Rajasthan High Court held that institutions cannot claim inspection as a matter of right in a particular manner or timeline, and compliance with prescribed norms is essential. Accordingly, based on the facts on record, the refusal of inspection prevents verification of the functioning of the ITI and its compliance with the prescribed norms. The ITI is hereby de-affiliated.
67	S.N. Private Industrial Training Institute, Near 220 K.V.GSS, Manohar	Electrician- 3 (2+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.	The matter was deliberated in the SCAA meeting, and the SCAA decided

Signature Not Verified


 UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified


 SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
	Vihar Colony, Bari Road, Dhaulpur (PR08000409)		2. SCN was issued to the ITI by State Directorate on 03.01.2025. 3. The reply dated 21.01.2025 was received from the ITI. 4. Further, a joint inspection of the ITI was conducted on 16.07.2025 by the RDSDE and State official. 5. During the inspection, the ITI declined to undergo the process, citing that needs more time for inspection as conveyed vide its letter dated 16.07.2025. 6. The matter of the ITI was discussed in the 9th SSDEC meeting held on 17.09.2025, wherein the SSDEC recommended de-affiliation of the ITI due to its refusal to undergo inspection. 7. Further, the matter was discussed in the 25th SCAA Meeting and ITI was given an opportunity to show cause why it should not be de-affiliated, within 21 days from the date of issuance of the minutes. However, no reply was received within the prescribed time period.	as under, based on the recommendations of the SSDEC: 1. It has been observed that on the day of inspection, the ITI refused inspection. 2. In line with the principles of natural justice, the ITI was granted a final opportunity in the 25th SCAA meeting held on 13.11.2025 and 14.11.2025 to submit a show-cause reply, explaining why the ITI should not be de-affiliated, along with any supporting representation, within 21 days from the issuance of the minutes of that meeting. 3. The said communication was issued by DGT to the registered email ID of the institute on 24.12.2025. 4. Further, the ITI did not avail the opportunity provided and failed to submit any reply or representation within the stipulated time. 5. Further, reliance is placed on judicial pronouncements which

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
				affirm that DGT and the State Directorate are empowered to conduct inspections and take appropriate action in case of non-compliance. Notably, in W.P. No. 8116/2025 (Maa Shitla Pvt. ITI v. Union of India & Ors., MP High Court), it was held that the apex body is duty-bound to examine complaints, including through on-site inspections, and such action cannot be termed arbitrary. Similarly, in CWP-20763-2025 (Modern ITI Bathinda v. DGT, Punjab & Haryana High Court), the Court observed that re-inspection does not prejudice the petitioner. Further, in S.B. Civil W.P. No. 18022/2025 (Pooja Pvt. ITI & Ors. v. State of Rajasthan & Ors.), the Rajasthan High Court held that institutions cannot claim inspection as a matter of right in a particular manner or timeline, and compliance with prescribed norms is essential.

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
				Accordingly, based on the facts on record, the refusal of inspection prevents verification of the functioning of the ITI and its compliance with the prescribed norms. The ITI is hereby de-affiliated.
68	Harri Narayan Private Industrial Training Institute, Balaji Nagar, Jali Road, Near Railway Phatak, Dist.-Dholpur Rajasthan (PU08000235)	Electrician- 2 (1+1)	- Irregularities observed during initial Inspection conducted by State official on 24.12.2024. - SCN was issued to the ITI by State Directorate on 03.01.2025. - The reply dated 24.01.2025 was received from the ITI. - Further, a joint inspection of the ITI was conducted on 16.07.2025 by the RDSDE and State official. - During the inspection, the ITI declined to undergo the process as conveyed vide its letter dated 05.07.2025 due to following reason: - The construction work is currently in progress at the ITI. The institute intends to extend the building up to the 3rd floor, which is expected to take approximately one year. Owing to this, the ITI did not admit trainees for the session 2024-25 and will also not take admissions for the session 2025-26.	- The matter was deliberated in the SCAA meeting, and the SCAA decided as under, based on the recommendations of the SSDEC: - It has been observed that on the day of inspection, the ITI refused inspection. - In line with the principles of natural justice, the ITI was granted a final opportunity in the 25th SCAA meeting held on 13.11.2025 and 14.11.2025 to submit a show-cause reply, explaining why the ITI should not be de-affiliated, along with any supporting representation, within 21 days from the issuance of the minutes of that meeting. - The said communication was issued by DGT to the registered email ID of the institute on 24.12.2025. - Further, the ITI did not avail the opportunity provided and failed to

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			2025-26. The institute has stated that admissions will be resumed from the session 2026-27, after the completion of construction and subsequent inspection of the ITI. 6. The matter of the ITI was discussed in the 9th SSDEC meeting held on 17.09.2025, wherein the SSDEC recommended de-affiliation of the ITI due to its refusal to undergo inspection. 7. Further, the matter was discussed in the 25th SCAA Meeting and ITI was given an opportunity to show cause why it should not be de-affiliated, within 21 days from the date of issuance of the minutes. However, no reply was received within the prescribed time period.	submit any reply or representation within the stipulated time. 13. Further, reliance is placed on judicial pronouncements which affirm that DGT and the State Directorate are empowered to conduct inspections and take appropriate action in case of non-compliance. Notably, in W.P. No. 8116/2025 (Maa Shitla Pvt. ITI v. Union of India & Ors., MP High Court), it was held that the apex body is duty-bound to examine complaints, including through on-site inspections, and such action cannot be termed arbitrary. Similarly, in CWP-20763-2025 (Modern ITI Bathinda v. DGT, Punjab & Haryana High Court), the Court observed that re-inspection does not prejudice the petitioner. Further, in S.B. Civil W.P. No. 18022/2025 (Pooja Pvt. ITI & Ors. v. State of Rajasthan & Ors.), the Rajasthan High Court held that institutions cannot claim inspection as a matter of right in a particular

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
				manner or timeline, and compliance with prescribed norms is essential. Accordingly, based on the facts on record, the refusal of inspection prevents verification of the functioning of the ITI and its compliance with the prescribed norms. The ITI is hereby de-affiliated.
69	Bapuji Private Industrial Training Institute, Ward No.16, Gaurav Path Ladnun, Dist. Nagaur Rajasthan-341306 (PR08000780)	Electrician- 6 (3+3)	- Irregularities observed during initial Inspection conducted by State official on 24.12.2024. - SCN was issued to the ITI by State Directorate on 04.01.2025. - The reply dated 18.01.2025 was received from the ITI. - Further, a joint inspection of the ITI was conducted on 30.07.2025 by the RDSDE and State official. - During the inspection, following were observed: - Other institute was found running at given location of the ITI on the day of inspection. - The ITI also provided a letter dated 30.07.2025 by stating that they are on strike and don't want to do joint inspection.	The matter was discussed in the SCAA meeting, and the SCAA decided as under: - In line with the principles of natural justice, the ITI was afforded final opportunity to represent itself by 25th SCAA in its meeting held on 13.11.2025 and 14.11.2025, to submit a show-cause reply explaining why the ITI should not be de-affiliated along with any supporting representation, within 21 days from the issuance of the minutes of that meeting. - The said communication was issued by DGT to the registered email of the institute on 24.12.2025 - Further, the ITI did not avail the final opportunity provided by DGT

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEY SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			6. The matter of the ITI was discussed in the 9th SSDEC meeting held on 17.09.2025, wherein the SSDEC recommended de-affiliation of the ITI due to its refusal to undergo inspection. 7. Further, the matter was discussed in the 25th SCAA Meeting and ITI was given an opportunity to show cause why it should not be de-affiliated, within 21 days from the date of issuance of the minutes. However, no reply was received within the prescribed time period.	in the 25th SCAA meeting and failed to submit any reply or representation within the stipulated time, thereby exhibiting continued negligence and persistent non-compliance. 4. The ITI has blatantly refused to undergo inspection on the ground of a State-level ITI Association strike in the year 2025, which cannot be considered a valid reason for denying inspection. 5. Further, reliance is placed on various judgments of different High Courts which affirm that state or DGT may conduct inspections and take appropriate action. Notably, in W.P. No. 8116/2025 (Maa Shitla Pvt. ITI v. Union of India & Ors., MP High Court), it was held that the apex body is duty-bound to examine complaints, including through on-site inspections, and such action cannot be termed arbitrary. Similarly, in CWP-20763-2025 (Modern ITI Bathinda v. DGT, Punjab & Haryana High Court), the Court observed that re-inspection

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
				does not prejudice the petitioner. Further, in S.B. Civil W.P. No. 18022/2025 (Pooja Pvt. ITI & Ors. v. State of Rajasthan & Ors.), the Rajasthan High Court held that institutions cannot claim inspection as a matter of right in a particular manner or timeline, and compliance with deficiencies is a prerequisite for student admissions. 6. The quality of training imparted to students is of paramount importance to DGT, which cannot be ensured without on-site verification of the institute. The non-submission of a reply and refusal to undergo inspection clearly indicate that the ITI is not functioning in accordance with the prescribed norms, thereby defeating the very purpose of the Craftsmen Training Scheme (CTS). Therefore, in view of the above remarks and in the interest of the trainees, the ITI is hereby de-affiliated.
70	New Saraswati Private Industrial Training Institute, Behind Ganesh Mandir, Bamber Road,	Electrician- 6 (2+2+2)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.	The matter was deliberated in the SCAA meeting, and the SCAA decided

Signature Not Verified
UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified
SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
	Dist.-Tonk Rajasthan (PR08000252)		2. SCN was issued to the ITI by State Directorate on 04.01.2025, followed by reminder dated 03.02.2025. 3. The reply dated 22.01.2025 was received from the ITI. 4. Further, a joint inspection of the ITI was conducted on 31.07.2025 by the RDSDE and State official. 5. During the inspection, the ITI submitted its letter dated 31.07.2025 in which it was requested to reschedule the inspection as the principal and the secretary of ITI will not be available on the day of inspection due to some unavoidable medical condition therefore, requested to reschedule the inspection date after 15th August 2025. 6. The matter of the ITI was discussed in the 9th SSDEC meeting held on 17.09.2025, wherein the SSDEC recommended de-affiliation of the ITI due to its refusal to undergo inspection. 7. Further, the matter was discussed in the 25th SCAA Meeting and ITI was given an opportunity to show cause why it should not be de-affiliated, within 21 days from the date of issuance of the	as under, based on the recommendations of the SSDEC: 1. It has been observed that on the day of inspection, the ITI refused inspection. 2. In line with the principles of natural justice, the ITI was granted a final opportunity in the 25th SCAA meeting held on 13.11.2025 and 14.11.2025 to submit a show-cause reply, explaining why the ITI should not be de-affiliated, along with any supporting representation, within 21 days from the issuance of the minutes of that meeting. 3. The said communication was issued by DGT to the registered email ID of the institute on 24.12.2025. 4. Further, the ITI did not avail the opportunity provided and failed to submit any reply or representation within the stipulated time. 5. Further, reliance is placed on judicial pronouncements which

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			minutes. However, no reply was received within the prescribed time period.	affirm that DGT and the State Directorate are empowered to conduct inspections and take appropriate action in case of non-compliance. Notably, in W.P. No. 8116/2025 (Maa Shitla Pvt. ITI v. Union of India & Ors., MP High Court), it was held that the apex body is duty-bound to examine complaints, including through on-site inspections, and such action cannot be termed arbitrary. Similarly, in CWP-20763-2025 (Modern ITI Bathinda v. DGT, Punjab & Haryana High Court), the Court observed that re-inspection does not prejudice the petitioner. Further, in S.B. Civil W.P. No. 18022/2025 (Pooja Pvt. ITI & Ors. v. State of Rajasthan & Ors.), the Rajasthan High Court held that institutions cannot claim inspection as a matter of right in a particular manner or timeline, and compliance with prescribed norms is essential.

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
				Accordingly, based on the facts on record, the refusal of inspection prevents verification of the functioning of the ITI and its compliance with the prescribed norms. The ITI is hereby de-affiliated.
71	Harsal Private ITI Tonk Paramanand Colony, Sadar Thana Ke Samane, Choudhary Pratrol Pump Ke Pas, Tonk, Rajasthan (PU08001772)	1. Electrician- 6 (2+2+2) 2. Front Office Assistant -3 (1+1+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by State Directorate on 04.01.2025, followed by reminder dated 03.02.2025. 3. The reply dated 22.01.2025 was received from the ITI. 4. Further, a joint inspection of the ITI was conducted on 16.07.2025 by the RDSDE and State official. 5. During the inspection, the ITI submitted a letter dated 16.07.2025 stating that it will not admit trainees for the session 2025-26 and proposes to shift the institute during the same session. The ITI further mentioned that it will obtain a No Objection Certificate (NOC) for shifting from the DET, Jodhpur, if there are no admissions. Thereafter, the ITI will apply for shifting once the DGT online portal for the same is opened, showing which	The matter was deliberated in the SCAA meeting, and the SCAA decided as under, based on the recommendations of the SSDEC: 1. It has been observed that on the day of inspection, the ITI refused inspection. 2. In line with the principles of natural justice, the ITI was granted a final opportunity in the 25th SCAA meeting held on 13.11.2025 and 14.11.2025 to submit a show-cause reply, explaining why the ITI should not be de-affiliated, along with any supporting representation, within 21 days from the issuance of the minutes of that meeting. 3. The said communication was issued by DGT to the registered

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			a joint inspection will be carried out at the recommended new location. 6. The matter of the ITI was discussed in the 9th SSDEC meeting held on 17.09.2025, wherein the SSDEC recommended de-affiliation of the ITI due to its refusal to undergo inspection. 7. Further, the matter was discussed in the 25th SCAA Meeting and ITI was given an opportunity to show cause why it should not be de-affiliated, within 21 days from the date of issuance of the minutes. However, no reply was received within the prescribed time period.	email ID of the institute on 24.12.2025. 4. Further, the ITI did not avail the opportunity provided and failed to submit any reply or representation within the stipulated time. 5. Further, reliance is placed on judicial pronouncements which affirm that DGT and the State Directorate are empowered to conduct inspections and take appropriate action in case of non-compliance. Notably, in W.P. No. 8116/2025 (Maa Shitla Pvt. ITI v. Union of India & Ors., MP High Court), it was held that the apex body is duty-bound to examine complaints, including through on-site inspections, and such action cannot be termed arbitrary. Similarly, in CWP-20763-2025 (Modern ITI Bathinda v. DGT, Punjab & Haryana High Court), the Court observed that re-inspection does not prejudice the petitioner. Further, in S.B. Civil W.P. No. 18022/2025 (Pooja Pvt. ITI & Ors. v. State

Signature Not Verified

 UJJWAL BISWAS
 13.04.2026 15:49

Signature Not Verified

 SHRAMEEV SHARMA
 12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
				of Rajasthan & Ors.), the Rajasthan High Court held that institutions cannot claim inspection as a matter of right in a particular manner or timeline, and compliance with prescribed norms is essential. Accordingly, based on the facts on record, the refusal of inspection prevents verification of the functioning of the ITI and its compliance with the prescribed norms. The ITI is hereby de-affiliated.
72	Atul Private Industrial Training Institute, Plot No. 57 & 60, Industrial Area, Rohri Road, Rawla Gharsana, Dist. Sriganga Nagar Rajasthan (PR08000187)	Electrician- 2 (1+1)	- Irregularities observed during initial Inspection conducted by State official on 24.12.2024. - SCN was issued to the ITI by State Directorate on 08.01.2025, followed by reminder dated 06.02.2025. - Further, a joint inspection of the ITI was conducted on 28.07.2025 by the RDSDE and State official. - During the inspection, the ITI submitted a letter dated 28.07.2025, requesting that the inspection be rescheduled to January 2026 or conducted after the	The matter was deliberated in the SCAA meeting, and the SCAA decided as under, based on the recommendations of the SSDEC: - It has been observed that on the day of inspection, the ITI refused inspection. - In line with the principles of natural justice, the ITI was granted a final opportunity in the 25th SCAA meeting held on 13.11.2025 and 14.11.2025 to submit a show-cause reply, explaining why the ITI should not be de-affiliated, along

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			pronouncement of the Hon'ble Court's judgment. 5. The matter of the ITI was discussed in the 9th SSDEC meeting held on 17.09.2025, wherein the SSDEC recommended de-affiliation of the ITI due to its refusal to undergo inspection. 6. Further, the matter was discussed in the 25th SCAA Meeting and ITI was given an opportunity to show cause why it should not be de-affiliated, within 21 days from the date of issuance of the minutes. However, no reply was received within the prescribed time period.	with any supporting representation, within 21 days from the issuance of the minutes of that meeting. 3. The said communication was issued by DGT to the registered email ID of the institute on 24.12.2025. 4. Further, the ITI did not avail the opportunity provided and failed to submit any reply or representation within the stipulated time. 5. Further, reliance is placed on judicial pronouncements which affirm that DGT and the State Directorate are empowered to conduct inspections and take appropriate action in case of non-compliance. Notably, in W.P. No. 8116/2025 (Maa Shitla Pvt. ITI v. Union of India & Ors., MP High Court), it was held that the apex body is duty-bound to examine complaints, including through on-site inspections, and such action cannot be termed arbitrary. Similarly, in CWP-20763-2025 (Modern ITI Bathinda v. DGT, Punjab & Haryana High Court), the Court observed that re-inspection

Signature Not Verified

 UJJWAL BISWAS
 13.04.2026 15:49

Signature Not Verified

 SHRAMEV SHARMA
 13.04.2026 12:45

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
				does not prejudice the petitioner. Further, in S.B. Civil W.P. No. 18022/2025 (Pooja Pvt. ITI & Ors. v. State of Rajasthan & Ors.), the Rajasthan High Court held that institutions cannot claim inspection as a matter of right in a particular manner or timeline, and compliance with prescribed norms is essential. Accordingly, based on the facts on record, the refusal of inspection prevents verification of the functioning of the ITI and its compliance with the prescribed norms. The ITI is hereby de-affiliated.
73	Bharti Private Industrial Training Institute, Bhainsawa, Tehsil-Phulera, Jaipur-303603 (PR08001286)	1. Electrician- 4 (2+2) 2. Mechanic Diesel -2 (1+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by State Directorate on 07.01.2025. 3. The reply dated 24.01.2025 was received from the ITI. 4. Further, a joint inspection of the ITI was conducted on 11.09.2025 by the RDSDE and State official. 5. On the day of inspection, the ITI refused for inspection.	1. The matter was deliberated in the SCAA meeting, and the SCAA decided as under, based on the recommendations of the SSDEC: 2. It has been observed that on the day of inspection, the ITI refused inspection. 3. In line with the principles of natural justice, the ITI was granted a final opportunity in the 25th SCAA meeting held on 13.11.2025 and 14.11.2025 to

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			6. The matter of the ITI was discussed in the 10th SSDEC meeting held on 23.09.2025, wherein the SSDEC recommended de-affiliation of the ITI due to its refusal to undergo inspection. 7. Further, the matter was discussed in the 25th SCAA Meeting and ITI was given an opportunity to show cause why it should not be de-affiliated, within 21 days from the date of issuance of the minutes. However, no reply was received within the prescribed time period.	submit a show-cause reply, explaining why the ITI should not be de-affiliated, along with any supporting representation, within 21 days from the issuance of the minutes of that meeting. 4. The said communication was issued by DGT to the registered email ID of the institute on 24.12.2025. 5. Further, the ITI did not avail the opportunity provided and failed to submit any reply or representation within the stipulated time. 6. Further, reliance is placed on judicial pronouncements which affirm that DGT and the State Directorate are empowered to conduct inspections and take appropriate action in case of non-compliance. Notably, in W.P. No. 8116/2025 (Maa Shitla Pvt. ITI v. Union of India & Ors., MP High Court), it was held that the apex body is duty-bound to examine complaints, including through on-site inspections, and such action

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
				cannot be termed arbitrary. Similarly, in CWP-20763-2025 (Modern ITI Bathinda v. DGT, Punjab & Haryana High Court), the Court observed that re-inspection does not prejudice the petitioner. Further, in S.B. Civil W.P. No. 18022/2025 (Pooja Pvt. ITI & Ors. v. State of Rajasthan & Ors.), the Rajasthan High Court held that institutions cannot claim inspection as a matter of right in a particular manner or timeline, and compliance with prescribed norms is essential. Accordingly, based on the facts on record, the refusal of inspection prevents verification of the functioning of the ITI and its compliance with the prescribed norms. ITI is hereby de-affiliated.
74	Shrimati Omwati Devi Pvt. ITI, Bharatpur Kumher, Bharatpur-321201 (PU08001795)	1. Electrician- 2 (1+1) 2. Fitter- 1 (1+0)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by State Directorate on 03.01.2025, followed by reminder dated 30.01.2025	The matter was deliberated in the SCAA meeting, and the SCAA decided as under, based on the recommendations of the SSDEC:

Signature Not Verified

 UJJWAL BISWAS
 13.04.2026 15:49

Signature Not Verified

 SHRAMEEV SHARMA
 12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			3. The reply dated 28.01.2025 was received from the ITI. 4. Further, a joint inspection of the ITI was conducted on 06.08.2025 by the RDSDE and State official. 5. On the day of inspection, the ITI refused for inspection vide its letter dated 06.08.2025 by stating that ITI has already informed that not to conduct the inspection on this day and conduct the inspection of the ITI in next batch. 6. The matter of the ITI was discussed in the 10th SSDEC meeting held on 23.09.2025, wherein the SSDEC recommended de-affiliation of the ITI due to its refusal to undergo inspection. 7. Further, the matter was discussed in the 25th SCAA Meeting and ITI was given an opportunity to show cause why it should not be de-affiliated, within 21 days from the date of issuance of the minutes. However, no reply was received within the prescribed time period.	1. It has been observed that on the day of inspection, the ITI refused inspection. 2. In line with the principles of natural justice, the ITI was granted a final opportunity in the 25th SCAA meeting held on 13.11.2025 and 14.11.2025 to submit a show-cause reply, explaining why the ITI should not be de-affiliated, along with any supporting representation, within 21 days from the issuance of the minutes of that meeting. 3. The said communication was issued by DGT to the registered email ID of the institute on 24.12.2025. 4. Further, the ITI did not avail the opportunity provided and failed to submit any reply or representation within the stipulated time. 5. Further, reliance is placed on judicial pronouncements which affirm that DGT and the State Directorate are empowered to conduct inspections and take appropriate action in case of non-compliance. Notably, in W.P. No. 8116/2025 (Maa Shitla Pvt. ITI v. Union of India & Ors., MP High Court), it was held that the apex

Signature Not Verified

 UJJWAL BISWAS
 13.04.2026 15:49

Signature Not Verified

 SHRAMEV SHARMA
 12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
				body is duty-bound to examine complaints, including through on-site inspections, and such action cannot be termed arbitrary. Similarly, in CWP-20763-2025 (Modern ITI Bathinda v. DGT, Punjab & Haryana High Court), the Court observed that re-inspection does not prejudice the petitioner. Further, in S.B. Civil W.P. No. 18022/2025 (Pooja Pvt. ITI & Ors. v. State of Rajasthan & Ors.), the Rajasthan High Court held that institutions cannot claim inspection as a matter of right in a particular manner or timeline, and compliance with prescribed norms is essential. Accordingly, based on the facts on record, the refusal of inspection prevents verification of the functioning of the ITI and its compliance with the prescribed norms. The ITI is hereby de-affiliated.
75	Raj Private Industrial Training Institute, Jsh-37 Beed Jhunjhunu Dist.Jhunjhunu Rajasthan (K08000787)	Electrician- 6 (2+2+2)	- Irregularities observed during initial Inspection conducted by State official on 24.12.2024. - SCN was issued to the ITI by State Directorate on 07.01.2025	The matter was deliberated in the SCAA, and it was decided to conduct a joint inspection of the ITI to verify its functioning as per prescribed norms.

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			3. The reply dated 27.01.2025 was received from the ITI. 4. Further, a joint inspection of the ITI was conducted on 18.09.2025 by the RDSDE and State official. 5. During inspection the following were observed: a) No Staff & Trainees were available in the ITI on day of inspection. b) The ITI submitted a letter dated 16.09.2025 stating that examinations were scheduled on 18.09.2025 and 19.09.2025 at the institute. Due to this, the staff would not be able to devote sufficient time for the inspection. Therefore, the ITI requested that the inspection be conducted on any date after 28.09.2025. 6. The matter of the ITI was discussed in the 10th SSDEC meeting held on 23.09.2025, wherein the SSDEC recommended de-affiliation of the ITI due to its refusal to undergo inspection. 7. The 25th SCAA has granted a final opportunity to the ITI to represent itself within 21 days by a way of SCN. 8. The reply to the SCN was received on 12.01.2026.	The joint inspection shall be conducted by the concerned State Directorate and RDSDE Rajasthan. The date of inspection shall be decided by the State Directorate in consultation with RDSDE Rajasthan. The inspection report shall be submitted to the DGT within one month from the date of issuance of the minutes of this meeting for consideration in the next SCAA meeting.

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			9. In its reply the ITI submitted the following: - Referenced in Annexure-8, de-affiliation recommended due to alleged refusal of inspection. Clarification: Institute did not refuse; inspection on September 18, 2025, coincided with a competitive examination for staff at the institute, notified to the department via letter dated September 16, 2025. - Staff and resources were engaged in the exam, leading to temporary inability to facilitate inspection—not intentional avoidance. - Affirms full commitment to NCVT/DGT norms and past cooperation. Requests: Sympathetic reconsideration of de-affiliation, opportunity for fresh/joint inspection at any suitable date/time, and submission of undertaking/affidavit if needed. 10. Further, the ITI was a petitioner in S.B. Civil Writ Petition No. 16381/2025	

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			(L.B.S. Private Industrial Training Institute) and 36 connected matters, which were disposed of by the Hon'ble Court on 23.01.2026. The Hon'ble Court directed the petitioner ITIs to submit representations within two weeks, following which DGT was to conduct joint inspections with the State authorities and take a decision on de-affiliation within a stipulated timeline. It is pertinent to mention that a show cause notice had already been issued to the ITIs vide the Minutes of the 25th SCAA Meeting dated 23.12.2025, prior to the Court's directions. Accordingly, in compliance with the principles of natural justice and the directions of the Hon'ble Court, fresh show cause notices were issued to all petitioner institutes on 05.02.2026, based on the remarks of the Inspection Team and the recommendations of the SSDEC.	
76	Radha Krishna Private Industrial Training Institute, Khashra No.23, Sangod Road, Village Dhikoli, Tehsil.	Electrician- 6 (2+2+2)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by State Directorate on 30.12.2024.	The matter was deliberated in the SCAA, and it was decided to conduct a joint inspection of the ITI to verify its functioning as per prescribed norms.

Signature Not Verified
UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified
SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
	Kanwas, Dist.Kota Pin-325601 Rajasthan (PR08000734)		3. The reply dated 21.01.2025 was received from the ITI. 4. Further, a joint inspection of the ITI was scheduled on 11.08.2025. However, ITI denied for inspection. 5. The matter of the ITI was discussed in the 10th SSDEC meeting held on 23.09.2025, wherein the SSDEC recommended de-affiliation of the ITI due to its refusal to undergo inspection. 6. The 25th SCAA has granted a final opportunity to the ITI to represent itself within 21 days by a way of SCN. 7. The SCN was issued to the ITI. 8. The reply to the SCN was received on 08.01.2026. 9. In its reply the ITI submitted the following: a) for 11.08.2025 inspection, institute denied/refused. Per letters (F.7(12)/T-1/DE&FF. Inspection/78207 and /78472), the Directorate conducted it earlier on 07-08.08.2025; institute requested two additional days for preparations due to no admissions/sessions in 2023-24 and 2024-25 (no operations for two years), rural location, and	The joint inspection shall be conducted by the concerned State Directorate and RDSDE Rajasthan. The date of inspection shall be decided by the State Directorate in consultation with RDSDE Rajasthan. The inspection report shall be submitted to the DGT within one month from the date of issuance of the minutes of this meeting for consideration in the next SCAA meeting.

Signature Not Verified
UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified
ISHRAJ KUMAR
13.04.2026 12:45

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			heavy rains/flooding disrupting arrangements in 2024-25. b) The Building has been renovated; all machinery, equipment, and documentation are now complete and compliant. c) The institute requests another opportunity for re-inspection at any time, in accordance with standards of the Directorate of Technical Education, Jodhpur, and DGE&T.	
77	Suman Bharti Private Industrial Training Institute, Sector+-2, Ganesh Talab Dadabari, Tehsil-Kota, Dist.Kota Pin-324009 Rajasthan (PU08000496)	Electrician- 6 (2+2+2)	- Irregularities observed during initial Inspection conducted by State official on 24.12.2024. - SCN was issued to the ITI by State Directorate on 30.12.2024. - Further, a joint inspection of the ITI was conducted on 11.09.2025 by the RDSDE and State official. - During inspection the ITI head denied for inspection. - The matter of the ITI was discussed in the 10th SSDEC meeting held on 23.09.2025, wherein the SSDEC recommended de-affiliation of the ITI due to its refusal to undergo inspection.	The matter was deliberated in the SCAA meeting, and the SCAA decided as under, based on the recommendations of the SSDEC: - It has been observed that on the day of inspection, the ITI refused inspection. - In line with the principles of natural justice, the ITI was granted a final opportunity in the 25th SCAA meeting held on 13.11.2025 and 14.11.2025 to submit a show-cause reply, explaining why the ITI should not be de-affiliated, along with

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			6. Further, the matter was discussed in the 25th SCAA Meeting and ITI was given an opportunity to show cause why it should not be de-affiliated, within 21 days from the date of issuance of the minutes. However, no reply was received within the prescribed time period.	any supporting representation, within 21 days from the issuance of the minutes of that meeting. 3. The said communication was issued by DGT to the registered email ID of the institute on 24.12.2025. 4. Further, the ITI did not avail the opportunity provided and failed to submit any reply or representation within the stipulated time. 5. Further, reliance is placed on judicial pronouncements which affirm that DGT and the State Directorate are empowered to conduct inspections and take appropriate action in case of non-compliance. Notably, in W.P. No. 8116/2025 (Maa Shitla Pvt. ITI v. Union of India & Ors., MP High Court), it was held that the apex body is duty-bound to examine complaints, including through on-site inspections, and such action cannot be termed arbitrary. Similarly, in CWP-20763-2025 (Modern ITI Bathinda v. DGT,

Signature Not Verified

 UJJWAL BISWAS
 13.04.2026 15:49

Signature Not Verified

 SHRAMEV SHARMA
 12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
				Punjab & Haryana High Court), the Court observed that re-inspection does not prejudice the petitioner. Further, in S.B. Civil W.P. No. 18022/2025 (Pooja Pvt. ITI & Ors. v. State of Rajasthan & Ors.), the Rajasthan High Court held that institutions cannot claim inspection as a matter of right in a particular manner or timeline, and compliance with prescribed norms is essential. Accordingly, based on the facts on record, the refusal of inspection prevents verification of the functioning of the ITI and its compliance with the prescribed norms. The ITI is hereby de-affiliated.
78	HIFT Private Industrial Training Institute, Jai Ambe Nagar Opposite Police Chowki Rangbari, Dist. Kota Rajasthan-324005 (PR08000814)	Electrician- 6 (2+2+2)	- Irregularities observed during initial Inspection conducted by State official on 24.12.2024. - SCN was issued to the ITI by State Directorate on 30.12.2024. - The reply dated 18.01.2025 was received from the ITI.	The matter was deliberated in the SCAA meeting, and the SCAA decided as under, based on the recommendations of the SSDEC: It has been observed that on the day of inspection, the ITI refused inspection.

Signature Not Verified



UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified



SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			4. Further, a joint inspection of the ITI was conducted on 09.09.2025 by the RDSDE and State official. 5. During inspection the ITI head denied for inspection. The ITI also submitted a letter dated 08.09.2025 that they want to reschedule the joint inspection due to unavoidable reasons and requested to schedule after next 10days. 6. The matter of the ITI was discussed in the 10th SSDEC meeting held on 23.09.2025, wherein the SSDEC recommended de-affiliation of the ITI due to its refusal to undergo inspection. 7. Further, the matter was discussed in the 25th SCAA Meeting and ITI was given an opportunity to show cause why it should not be de-affiliated, within 21 days from the date of issuance of the minutes. However, no reply was received within the prescribed time period.	2. In line with the principles of natural justice, the ITI was granted a final opportunity in the 25th SCAA meeting held on 13.11.2025 and 14.11.2025 to submit a show-cause reply, explaining why the ITI should not be de-affiliated, along with any supporting representation, within 21 days from the issuance of the minutes of that meeting. 3. The said communication was issued by DGT to the registered email ID of the institute on 24.12.2025. 4. Further, the ITI did not avail the opportunity provided and failed to submit any reply or representation within the stipulated time. 5. Further, reliance is placed on judicial pronouncements which affirm that DGT and the State Directorate are empowered to conduct inspections and take appropriate action in case of non-compliance. Notably, in W.P. No. 8116/2025 (Maa Shitla Pvt. ITI v. Union of India

Signature Not Verified

 UJJWAL BISWAS
 13.04.2026 15:49

Signature Not Verified

 SHRAMEV SHARMA
 12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
				& Ors., MP High Court), it was held that the apex body is duty-bound to examine complaints, including through on-site inspections, and such action cannot be termed arbitrary. Similarly, in CWP-20763-2025 (Modern ITI Bathinda v. DGT, Punjab & Haryana High Court), the Court observed that re-inspection does not prejudice the petitioner. Further, in S.B. Civil W.P. No. 18022/2025 (Pooja Pvt. ITI & Ors. v. State of Rajasthan & Ors.), the Rajasthan High Court held that institutions cannot claim inspection as a matter of right in a particular manner or timeline, and compliance with prescribed norms is essential. Accordingly, based on the facts on record, the refusal of inspection prevents verification of the functioning of the ITI and its compliance with the prescribed norms. The ITI is hereby de-affiliated.

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
79	Magnifying Private Industrial Training Institute, 184-Opp. Govt. Sec School, Deoli Arab Main Road, Dist.-Kota Rajasthan-324001 (PR08000756)	Electrician- 4 (1+1+2)	- Irregularities observed during initial inspection conducted by State official on 24.12.2024. - SCN was issued to the ITI by State Directorate on 30.12.2024. - The reply dated 15.01.2025 was received from the ITI. - Further, a joint inspection of the ITI was conducted on 09.09.2025 by the RDSDE and State official. - On the day of inspection, the ITI denied for inspection and submitted the following vide its letter dated 09.09.2025: - The ITI reported that due to heavy rains, the institute building has become dilapidated and is currently under construction. - The ITI informed that it had already intimated the Directorate regarding this situation vide email dated 11.07.2025. The practical examinations scheduled in July were conducted at Government ITI, Kota, with prior permission from the Directorate. - The ITI has therefore requested that the inspection be conducted after the completion of the ongoing building construction work. - The matter of the ITI was discussed in the 10th SSDEC meeting held on	The matter was deliberated in the SCAA meeting, and the SCAA decided as under, based on the recommendations of the SSDEC: - It has been observed that on the day of inspection, the ITI refused inspection. - In line with the principles of natural justice, the ITI was granted a final opportunity in the 25th SCAA meeting held on 13.11.2025 and 14.11.2025 to submit a show-cause reply, explaining why the ITI should not be de-affiliated, along with any supporting representation, within 21 days from the issuance of the minutes of that meeting. - The said communication was issued by DGT to the registered email ID of the institute on 24.12.2025. - Further, the ITI did not avail the opportunity provided and failed to submit any reply or representation within the stipulated time.

Signature Not Verified
UJJWAL BISWAS
13.04.2026 15:49


Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			23.09.2025, wherein the SSDEC recommended de-affiliation of the ITI due to its refusal to undergo inspection. 7. Further, the matter was discussed in the 25th SCAA Meeting and ITI was given an opportunity to show cause why it should not be de-affiliated, within 21 days from the date of issuance of the minutes. However, no reply was received within the prescribed time period.	5. Further, reliance is placed on judicial pronouncements which affirm that DGT and the State Directorate are empowered to conduct inspections and take appropriate action in case of non-compliance. Notably, in W.P. No. 8116/2025 (Maa Shitla Pvt. ITI v. Union of India & Ors., MP High Court), it was held that the apex body is duty-bound to examine complaints, including through on-site inspections, and such action cannot be termed arbitrary. Similarly, in CWP-20763-2025 (Modern ITI Bathinda v. DGT, Punjab & Haryana High Court), the Court observed that re-inspection does not prejudice the petitioner. Further, in S.B. Civil W.P. No. 18022/2025 (Pooja Pvt. ITI & Ors. v. State of Rajasthan & Ors.), the Rajasthan High Court held that institutions cannot claim inspection as a matter of right in a particular manner or timeline,

Signature Not Verified



UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified



SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
				and compliance with prescribed norms is essential. Accordingly, based on the facts on record, the refusal of inspection prevents verification of the functioning of the ITI and its compliance with the prescribed norms. The ITI is hereby de-affiliated.
80	Shekhawati Private Industrial Training Institute., Vivek Colony, Ward No.42, Navalgarh Road, Teh-Sikar, Sikar-332001 (PR08001187)	Electrician -6 (2+2+2)	- Irregularities observed during initial Inspection conducted by State official on 24.12.2024. - SCN was issued to the ITI by State Directorate on 07.01.2025. - The reply dated 22.01.2025 was received from the ITI. - Further, a joint inspection of the ITI was conducted on 10.09.2025 by the RDSDE and State official. - On the day of inspection, the Principal of the institute was present. He informed the inspection team that the institute was unable to undergo the inspection due to ongoing civil construction work. - The matter of the ITI was discussed in the 10th SSDEC meeting held on 23.09.2025, wherein the SSDEC recommended de-affiliation of the ITI due to its refusal to undergo inspection.	The matter was deliberated in the SCAA meeting, and the SCAA decided as under, based on the recommendations of the SSDEC: - It has been observed that on the day of inspection, the ITI refused inspection. - In line with the principles of natural justice, the ITI was granted a final opportunity in the 25th SCAA meeting held on 13.11.2025 and 14.11.2025 to submit a show-cause reply, explaining why the ITI should not be de-affiliated, along with any supporting representation, within 21 days from the issuance of the minutes of that meeting.

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Specified.

SHRAMEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			7. Further, the matter was discussed in the 25th SCAA Meeting and ITI was given an opportunity to show cause why it should not be de-affiliated, within 21 days from the date of issuance of the minutes. However, no reply was received within the prescribed time period.	3. The said communication was issued by DGT to the registered email ID of the institute on 24.12.2025. 4. Further, the ITI did not avail the opportunity provided and failed to submit any reply or representation within the stipulated time. 5. Further, reliance is placed on judicial pronouncements which affirm that DGT and the State Directorate are empowered to conduct inspections and take appropriate action in case of non-compliance. Notably, in W.P. No. 8116/2025 (Maa Shitla Pvt. ITI v. Union of India & Ors., MP High Court), it was held that the apex body is duty-bound to examine complaints, including through on-site inspections, and such action cannot be termed arbitrary. Similarly, in CWP-20763-2025 (Modern ITI Bathinda v. DGT, Punjab & Haryana High Court), the Court observed that re-inspection does not prejudice the petitioner. Further, in S.B.

Signature Not Verified

 UJJWAL BISWAS
 13.04.2026 15:49

Signature Not Verified

 SHRAMEEV SHARMA
 12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
				Civil W.P. No. 18022/2025 (Pooja Pvt. ITI & Ors. v. State of Rajasthan & Ors.), the Rajasthan High Court held that institutions cannot claim inspection as a matter of right in a particular manner or timeline, and compliance with prescribed norms is essential. Accordingly, based on the facts on record, the refusal of inspection prevents verification of the functioning of the ITI and its compliance with the prescribed norms. The ITI is hereby de-affiliated.
81	Unitech Private Industrial Training Institute, Jaipur Road, Khichron Ka Bas, Sikar (PR08001198)	1. Computer Operator and Programming Assistant -2 (1+1) 2. Electrician- 2 (1+1) 3. Mechanic Diesel- 2 (1+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by State Directorate on 07.01.2025. 3. The reply dated 25.01.2025 was received from the ITI. 4. Further, a joint inspection of the ITI was conducted on 08.09.2025 by the RDSDE and State official. 5. On the day of inspection, the Principal of the institute was present. He informed the inspection teams that the institute was not ready for inspection.	The matter was deliberated in the SCAA meeting, and the SCAA decided as under, based on the recommendations of the SSDEC: It has been observed that on the day of inspection, the ITI refused inspection. In line with the principles of natural justice, the ITI was granted a final opportunity in the 25th SCAA meeting held on 13.11.2025 and 14.11.2025 to submit a show-cause reply, explaining why the ITI should not be de-affiliated, along with any supporting

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEV SHARMA
12:45:13 04/2026

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			08.09.2025 that the institute was unable to undergo the inspection due to ongoing civil construction work. 6. The matter of the ITI was discussed in the 10th SSDEC meeting held on 23.09.2025, wherein the SSDEC recommended de-affiliation of the ITI due to its refusal to undergo inspection. 7. Further, the matter was discussed in the 25th SCAA Meeting and ITI was given an opportunity to show cause why it should not be de-affiliated, within 21 days from the date of issuance of the minutes. However, no reply was received within the prescribed time period.	representation, within 21 days from the issuance of the minutes of that meeting. The said communication was issued by DGT to the registered email ID of the institute on 24.12.2025. Further, the ITI did not avail the opportunity provided and failed to submit any reply or representation within the stipulated time. Further, reliance is placed on judicial pronouncements which affirm that DGT and the State Directorate are empowered to conduct inspections and take appropriate action in case of non-compliance. Notably, in W.P. No. 8116/2025 (Maa Shitla Pvt. ITI v. Union of India & Ors., MP High Court), it was held that the apex body is duty-bound to examine complaints, including through on-site inspections, and such action cannot be termed arbitrary. Similarly, in CWP-20763-2025 (Modern ITI Bathinda v. DGT, Punjab & Haryana High Court), the Court observed that re-inspection does not prejudice the petitioner. Further, in S.B. Civil W.P. No. 18022/2025 (Pooja Pvt. ITI & Ors. v. State of Rajasthan & Ors.),

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 12.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
				the Rajasthan High Court held that institutions cannot claim inspection as a matter of right in a particular manner or timeline, and compliance with prescribed norms is essential. Accordingly, based on the facts on record, the refusal of inspection prevents verification of the functioning of the ITI and its compliance with the prescribed norms. The ITI is hereby de-affiliated.
82	Bagaria Private Industrial Training Institute, Riico, Fatehpur Shekhawati (Sikar)-332301 (PR08001167)	1. Electrician -2 (1+1) 2. Mechanic Diesel- 1 (1+0) 3. Refrigeration and Air Conditioning Technician- 1 (1+0)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by State Directorate on 07.01.2025. 3. The reply dated 22.01.2025 was received from the ITI. 4. Further, a joint inspection of the ITI was conducted on 05.08.2025 by the RDSDE and State official. 5. On the day of inspection, the ITI denied for inspection by stating that not ready for inspection. 6. The matter of the ITI was discussed in the 10th SSDEC meeting held on 23.09.2025, wherein the SSDEC recommended de-affiliation of the ITI due to its refusal to undergo inspection.	The matter was deliberated in the SCAA meeting, and the SCAA decided as under, based on the recommendations of the SSDEC: 1. It has been observed that on the day of inspection, the ITI refused inspection. 2. In line with the principles of natural justice, the ITI was granted a final opportunity in the 25th SCAA meeting held on 13.11.2025 and 14.11.2025 to submit a show-cause reply, explaining why the ITI should not be de-affiliated, along with any supporting representation, within 21 days from the

Signature Not Verified
UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified
SHRADDHA KUMAR
12.45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			7. Further, the matter was discussed in the 25th SCAA Meeting and ITI was given an opportunity to show cause why it should not be de-affiliated, within 21 days from the date of issuance of the minutes. However, no reply was received within the prescribed time period.	issuance of the minutes of that meeting. 3. The said communication was issued by DGT to the registered email ID of the institute on 24.12.2025. 4. Further, the ITI did not avail the opportunity provided and failed to submit any reply or representation within the stipulated time. 5. Further, reliance is placed on judicial pronouncements which affirm that DGT and the State Directorate are empowered to conduct inspections and take appropriate action in case of non-compliance. Notably, in W.P. No. 8116/2025 (Maa Shitla Pvt. ITI v. Union of India & Ors., MP High Court), it was held that the apex body is duty-bound to examine complaints, including through on-site inspections, and such action cannot be termed arbitrary. Similarly, in CWP-20763-2025 (Modern ITI Bathinda v. DGT, Punjab & Haryana High Court), the Court observed that re-

Signature Not Verified
 UJJWAL BISWAS
 13.04.2026 15:49

Signature Not Verified
 SHRAMEEV SHARMA
 12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
				inspection does not prejudice the petitioner. Further, in S.B. Civil W.P. No. 18022/2025 (Pooja Pvt. ITI & Ors. v. State of Rajasthan & Ors.), the Rajasthan High Court held that institutions cannot claim inspection as a matter of right in a particular manner or timeline, and compliance with prescribed norms is essential. Accordingly, based on the facts on record, the refusal of inspection prevents verification of the functioning of the ITI and its compliance with the prescribed norms. The ITI is hereby de-affiliated.
83	Sumitra Memorial Private Industrial Training Institute, Bus Stand, Losal, Dist. Sikar-332025 (PR08000876)	1. Electrician- 1 (0+1) 2. Fitter- 1 (0+1) 3. Mechanic Diesel -2 (1+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by State Directorate on 07.01.2025. 3. The reply dated 24.01.2025 was received from the ITI. 4. Further, a joint inspection of the ITI was conducted on 06.08.2025 by the RDSDE and State official.	The matter was deliberated in the SCAA meeting, and the SCAA decided as under, based on the recommendations of the SSDEC: 1. It has been observed that on the day of inspection, the ITI refused inspection. 2. In line with the principles of natural justice, the ITI was granted a final opportunity in the 25th SCAA meeting held on

Signature Not Verified
 UJJWAL BISWAS
 13.04.2026 15:49

Signature Not Verified
 SHRAMEV SHARMA
 12.45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			5. On the day of inspection, the ITI denied for inspection by stating that not ready for inspection. 6. The matter of the ITI was discussed in the 10th SSDEC meeting held on 23.09.2025, wherein the SSDEC recommended de-affiliation of the ITI due to its refusal to undergo inspection. 7. Further, the matter was discussed in the 25th SCAA Meeting and ITI was given an opportunity to show cause why it should not be de-affiliated, within 21 days from the date of issuance of the minutes. However, no reply was received within the prescribed time period.	13.11.2025 and 14.11.2025 to submit a show-cause reply, explaining why the ITI should not be de-affiliated, along with any supporting representation, within 21 days from the issuance of the minutes of that meeting. 3. The said communication was issued by DGT to the registered email ID of the institute on 24.12.2025. 4. Further, the ITI did not avail the opportunity provided and failed to submit any reply or representation within the stipulated time. 5. Further, reliance is placed on judicial pronouncements which affirm that DGT and the State Directorate are empowered to conduct inspections and take appropriate action in case of non-compliance. Notably, in W.P. No. 8116/2025 (Maa Shitla Pvt. ITI v. Union of India & Ors., MP High Court), it was held that the apex body is duty-

Signature Not Verified

 UJJWAL BISWAS
 13.04.2026 15:49

Signature Not Verified

 SHRAMEV SHARMA
 13:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
				bound to examine complaints, including through on-site inspections, and such action cannot be termed arbitrary. Similarly, in CWP-20763-2025 (Modern ITI Bathinda v. DGT, Punjab & Haryana High Court), the Court observed that re-inspection does not prejudice the petitioner. Further, in S.B. Civil W.P. No. 18022/2025 (Pooja Pvt. ITI & Ors. v. State of Rajasthan & Ors.), the Rajasthan High Court held that institutions cannot claim inspection as a matter of right in a particular manner or timeline, and compliance with prescribed norms is essential. Accordingly, based on the facts on record, the refusal of inspection prevents verification of the functioning of the ITI and its compliance with the prescribed norms. The ITI is hereby de-affiliated.
84	Losal Private Industrial Training Institute, Ward No. 24, Bhirana Road,	Electrician- 4 (2+2)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.	The matter was deliberated in the SCAA meeting, and the SCAA decided

Signature Not Verified
UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified
SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
	Near Police Station Losal, Dist.Sikar Rajasthan (PR08000809)		2. SCN was issued to the ITI by State Directorate on 07.01.2025. 3. The reply dated 24.01.2025 was received from the ITI. 4. Further, a joint inspection of the ITI was conducted on 06.08.2025 by the RDSDE and State official. 5. During the inspection the following were observed: a) A school was running in the ITI Campus. b) ITI person denied for Inspection & submitted a letter for strike of ITI Association. 6. The matter of the ITI was discussed in the 10th SSDEC meeting held on 23.09.2025, wherein the SSDEC recommended de-affiliation of the ITI due to its refusal to undergo inspection. 7. Further, the matter was discussed in the 25th SCAA Meeting and ITI was given an opportunity to show cause why it should not be de-affiliated, within 21 days from the date of issuance of the minutes. However, no reply was received within the prescribed time period.	as under, based on the recommendations of the SSDEC: 1. It has been observed that a school was operating within the ITI campus. Further, the ITI representative denied inspection and submitted a letter citing a strike called by the ITI Association. 2. In line with the principles of natural justice, the ITI was granted a final opportunity in the 25th SCAA meeting held on 13.11.2025 and 14.11.2025 to submit a show-cause reply, explaining why the ITI should not be de-affiliated, along with any supporting representation, within 21 days from the issuance of the minutes of that meeting. 3. The said communication was issued by DGT to the registered email ID of the institute on 24.12.2025. 4. Further, the ITI did not avail the opportunity provided and failed to submit any reply or

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
				representation within the stipulated time. 5. Further, reliance is placed on judicial pronouncements which affirm that DGT and the State Directorate are empowered to conduct inspections and take appropriate action in case of non-compliance. Notably, in W.P. No. 8116/2025 (Maa Shitla Pvt. ITI v. Union of India & Ors., MP High Court), it was held that the apex body is duty-bound to examine complaints, including through on-site inspections, and such action cannot be termed arbitrary. Similarly, in CWP-20763-2025 (Modern ITI Bathinda v. DGT, Punjab & Haryana High Court), the Court observed that re-inspection does not prejudice the petitioner. Further, in S.B. Civil W.P. No. 18022/2025 (Pooja Pvt. ITI & Ors. v. State of Rajasthan & Ors.), the Rajasthan High Court held that institutions cannot claim inspection as a matter of right in a particular manner or timeline,

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
				and compliance with prescribed norms is essential. Accordingly, based on the facts on record, the use of the premises for non-permitted activities and denial of inspection prevent verification of the functioning of the ITI and indicate non-compliance with the prescribed norms. The ITI is hereby de-affiliated.
85	J.D. Private Industrial Training Institute, Plot No. - 4a, Opp.Chokhi Dhani, Sitapura Educational Area, Jaipur-302015 MIS code : (PR08001033)	Electrician-24(8+8+8)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN dated 07.01.2025, followed by reminder dated 06.02.2025 were issued to the ITI by State Directorate. 3. The ITI did not reply to the SCN and reminder issued by State Directorate. 4. Further, Joint inspection was conducted on 08.05.2025 by the RDSDE and State official. 5. During the inspection the ITI following were observed: a) The guard denied at the entrance to go inside. b) As checked from the main gate the nursing and medical college were running in the ITI premises.	The matter was deliberated in the SCAA meeting, and the SCAA decided as under, based on the recommendations of the SSDEC: 1. It has been observed that entry to the premises was denied at the main gate by the guard, preventing access for inspection. Further, from the main gate, a nursing and medical college were observed to be operating within the ITI premises. It was also observed that the ITI owner denied inspection, stating that construction work was ongoing at the institute. 2. In line with the principles of natural justice, the ITI was granted a final opportunity in the 25th SCAA

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			c) The ITI owner denied for inspection and it was told that construct work is going on in the ITI. 6. The matter was discussed in 9th SSDEC meeting dated 17.09.2025 and the SSDEC recommended de-affiliation of the ITI. 7. Further, the matter was discussed in the 25th SCAA Meeting and ITI was given an opportunity to show cause why it should not be de-affiliated, within 21 days from the date of issuance of the minutes. However, no reply was received within the prescribed time period.	meeting held on 13.11.2025 and 14.11.2025 to submit a show-cause reply, explaining why the ITI should not be de-affiliated, along with any supporting representation, within 21 days from the issuance of the minutes of that meeting. 3. The said communication was issued by DGT to the registered email ID of the institute on 24.12.2025. 4. Further, the ITI did not avail the opportunity provided and failed to submit any reply or representation within the stipulated time. 5. Further, reliance is placed on judicial pronouncements which affirm that DGT and the State Directorate are empowered to conduct inspections and take appropriate action in case of non-compliance. Notably, in W.P. No. 8116/2025 (Maa Shitla Pvt. ITI v. Union of India & Ors., MP High Court), it was held that the apex body is duty-bound to examine complaints, including through on-site inspections, and such action cannot be termed arbitrary. Similarly, in CWP-20763-2025 (Modern ITI Bathinda v. DGT,

Signature Not Verified

 UJJWAL BISWAS
 13.04.2026 15:49

Signature Not Verified

 SHRAMEV SHARMA
 12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
				Punjab & Haryana High Court), the Court observed that re-inspection does not prejudice the petitioner. Further, in S.B. Civil W.P. No. 18022/2025 (Pooja Pvt. ITI & Ors. v. State of Rajasthan & Ors.), the Rajasthan High Court held that institutions cannot claim inspection as a matter of right in a particular manner or timeline, and compliance with prescribed norms is essential. Accordingly, based on the facts on record, the denial of inspection, including restriction of entry at the premises, and use of the premises for other activities prevent verification of the functioning of the ITI and indicate non-compliance with the prescribed norms. The ITI is hereby de-affiliated.
86	Savitri Bai Phule Private Industrial Training Institute, Bagwaranear Toll Tax, Exprees Highway, Jaipur-303820 MIS code: (PR08000886)	Electrician-2(1+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by State Directorate on 07.01.2025. 3. The reply dated 26.01.2025 was received from the ITI.	The matter was discussed in the SCAA meeting, and the SCAA decided as under: 1. In line with the principles of natural justice, the ITI was afforded final opportunity to represent itself by 25th SCAA in its meeting held on 13.11.2025 and 14.11.2025, to submit a show-cause reply

Signature Not Verified
UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified
SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			4. Further, a Joint inspection was conducted on 06.05.2025 by the RDSDE and State official. 5. During the inspection, the ITI denied the conduct of inspection vide letter dated 06.05.2025 due to a strike declared by the State-level ITI Association. 6. The matter was discussed in 9th SSDEC meeting dated 17.09.2025 and the SSDEC recommended de-affiliation of the ITI due to its refusal to undergo inspection. 7. Further, the matter was discussed in the 25th SCAA Meeting and ITI was given an opportunity to show cause why it should not be de-affiliated, within 21 days from the date of issuance of the minutes. However, no reply was received within the prescribed time period.	explaining why the ITI should not be de-affiliated along with any supporting representation, within 21 days from the issuance of the minutes of that meeting. 2. The said communication was issued by DGT to the registered email of the institute on 24.12.2025 3. Further, the ITI did not avail the final opportunity provided by DGT in the 25th SCAA meeting and failed to submit any reply or representation within the stipulated time, thereby exhibiting continued negligence and persistent non-compliance. 4. The ITI has blatantly refused to undergo inspection on the ground of a State-level ITI Association strike in the year 2025, which cannot be considered a valid reason for denying inspection. 5. Further, reliance is placed on various judgments of different High Courts which affirm that state or DGT may conduct inspections and take appropriate action. Notably, in

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
				W.P. No. 8116/2025 (Maa Shitla Pvt. ITI v. Union of India & Ors., MP High Court), it was held that the apex body is duty-bound to examine complaints, including through on-site inspections, and such action cannot be termed arbitrary. Similarly, in CWP-20763-2025 (Modern ITI Bathinda v. DGT, Punjab & Haryana High Court), the Court observed that re-inspection does not prejudice the petitioner. Further, in S.B. Civil W.P. No. 18022/2025 (Pooja Pvt. ITI & Ors. v. State of Rajasthan & Ors.), the Rajasthan High Court held that institutions cannot claim inspection as a matter of right in a particular manner or timeline, and compliance with deficiencies is a prerequisite for student admissions. 6. The quality of training imparted to students is of paramount importance to DGT, which cannot be ensured without on-site verification of the institute. The non-submission of a reply and refusal to undergo inspection clearly indicate that the ITI is not functioning in accordance

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
				with the prescribed norms, thereby defeating the very purpose of the Craftsmen Training Scheme (CTS). Therefore, in view of the above remarks and in the interest of the trainees, the ITI is hereby de-affiliated.
87	Om Private Industrial Training Institute Khasara No. 52-55, Village Ramlaxmanpura, Tehsil Chaksu, Distt. Jaipur – 303901 MIS code: (PR08001314)	Electrician-12(4+4+4)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by State Directorate on 07.01.2025. 3. The reply dated 27.01.2025 was received from the ITI. 4. Further, a joint inspection was conducted on 13.05.2025 by the RDSDE and State official. 5. The ITI refused to undergo the inspection. 6. The matter was discussed in 9th SSDEC meeting dated 17.09.2025 and the SSDEC recommended de-affiliation of the ITI due to refusal for inspection by ITI itself. 7. Further, the matter was discussed in the 25th SCAA Meeting and ITI was given an opportunity to show cause why it should not be de-affiliated, within 21 days from the date of issuance of the	The matter was deliberated in the SCAA meeting, and the SCAA decided as under, based on the recommendations of the SSDEC: 1. It has been observed that, the ITI refused inspection. 2. In line with the principles of natural justice, the ITI was granted a final opportunity in the 25th SCAA meeting held on 13.11.2025 and 14.11.2025 to submit a show-cause reply, explaining why the ITI should not be de-affiliated, along with any supporting representation, within 21 days from the issuance of the minutes of that meeting. 3. The said communication was issued by DGT to the registered email ID of the institute on 24.12.2025. 4. Further, the ITI did not avail the opportunity provided and failed to

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026


Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			minutes. However, no reply was received within the prescribed time period.	submit any reply or representation within the stipulated time. 5. Further, reliance is placed on judicial pronouncements which affirm that DGT and the State Directorate are empowered to conduct inspections and take appropriate action in case of non-compliance. Notably, in W.P. No. 8116/2025 (Maa Shitla Pvt. ITI v. Union of India & Ors., MP High Court), it was held that the apex body is duty-bound to examine complaints, including through on-site inspections, and such action cannot be termed arbitrary. Similarly, in CWP-20763-2025 (Modern ITI Bathinda v. DGT, Punjab & Haryana High Court), the Court observed that re-inspection does not prejudice the petitioner. Further, in S.B. Civil W.P. No. 18022/2025 (Pooja Pvt. ITI & Ors. v. State of Rajasthan & Ors.), the Rajasthan High Court held that institutions cannot claim inspection as a matter of right in a particular

Signature Not Verified



UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified



SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
				manner or timeline, and compliance with prescribed norms is essential. Accordingly, based on the facts on record, the refusal of inspection prevents verification of the functioning of the ITI and its compliance with the prescribed norms. The ITI is hereby de-affiliated.
88	JD Private Industrial Training Institute, Village/Post, Sagwada Tehsil Dadu, Taluk Maujmabad, Distt. Jaipur – 303348 MIS Code: (PR08000291)	Electrician-14(14+0)	- Irregularities observed during initial Inspection conducted by State official on 24.12.2024. - SCN was issued to the ITI by State Directorate on 07.01.2025. - The reply dated 16.01.2025 was received from the ITI. - Further, a joint inspection of the ITI was conducted on 13.05.2025 by the RDSDE and State official. - During the inspection, the ITI was found closed and locked. - The matter was discussed in 9th SSDEC meeting held on 17.09.2025 and the SSDEC meeting recommended de-affiliation of the ITI due to its refusal to undergo inspection. - Further, the matter was discussed in the 25th SCAA Meeting and ITI was given an opportunity to show Cause, but it	The matter was deliberated in the SCAA meeting, and the SCAA decided as under, based on the recommendations of the SSDEC: - It has been observed that, the ITI refused inspection. - In line with the principles of natural justice, the ITI was granted a final opportunity in the 25th SCAA meeting held on 13.11.2025 and 14.11.2025 to submit a show-cause reply, explaining why the ITI should not be de-affiliated, along with any supporting representation, within 21 days from the issuance of the minutes of that meeting. - The said communication was issued by DGT to the registered email ID of the institute on 24.12.2025.

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			should not be de-affiliated, within 21 days from the date of issuance of the minutes. However, no reply was received within the prescribed time period.	4. Further, the ITI did not avail the opportunity provided and failed to submit any reply or representation within the stipulated time. 5. Further, reliance is placed on judicial pronouncements which affirm that DGT and the State Directorate are empowered to conduct inspections and take appropriate action in case of non-compliance. Notably, in W.P. No. 8116/2025 (Maa Shitla Pvt. ITI v. Union of India & Ors., MP High Court), it was held that the apex body is duty-bound to examine complaints, including through on-site inspections, and such action cannot be termed arbitrary. Similarly, in CWP-20763-2025 (Modern ITI Bathinda v. DGT, Punjab & Haryana High Court), the Court observed that re-inspection does not prejudice the petitioner. Further, in S.B. Civil W.P. No. 18022/2025 (Pooja Pvt. ITI & Ors. v. State of Rajasthan & Ors.), the Rajasthan High Court held that institutions cannot claim inspection as a matter of right in a particular

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
				manner or timeline, and compliance with prescribed norms is essential. Accordingly, based on the facts on record, the refusal of inspection prevents verification of the functioning of the ITI and its compliance with the prescribed norms. The ITI is hereby de-affiliated.
89	Bhairav Private Industrial Training Institute VPO Dhawali, Dist. Jaipur – 303806 MIS code: (PR08000299)	Electrician-9(3+3+3)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by State Directorate on 07.01.2025. 3. The reply dated 27.01.2025 was received from the ITI. 4. Further, a joint inspection of the ITI was conducted on 12.05.2025 by the RDSDE and State official. 5. The ITI refused to undergo the inspection. 6. The matter was discussed in 9th SSDEC meeting held on 17.09.2025 and the SSDEC recommended de-affiliation of the ITI due to its refusal to undergo inspection. 7. Further, the matter was discussed in the 25th SCAA Meeting and ITI was given an opportunity to show-cause why it	The matter was deliberated in the SCAA meeting, and the SCAA decided as under, based on the recommendations of the SSDEC: 1. It has been observed that, the ITI refused inspection. 2. In line with the principles of natural justice, the ITI was granted a final opportunity in the 25th SCAA meeting held on 13.11.2025 and 14.11.2025 to submit a show-cause reply, explaining why the ITI should not be de-affiliated, along with any supporting representation, within 21 days from the issuance of the minutes of that meeting. 3. The said communication was issued by DGT to the registered email ID of the institute on 24.12.2025.

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			should not be de-affiliated, within 21 days from the date of issuance of the minutes. However, no reply was received within the prescribed time period.	4. Further, the ITI did not avail the opportunity provided and failed to submit any reply or representation within the stipulated time. 5. Further, reliance is placed on judicial pronouncements which affirm that DGT and the State Directorate are empowered to conduct inspections and take appropriate action in case of non-compliance. Notably, in W.P. No. 8116/2025 (Maa Shitla Pvt. ITI v. Union of India & Ors., MP High Court), it was held that the apex body is duty-bound to examine complaints, including through on-site inspections, and such action cannot be termed arbitrary. Similarly, in CWP-20763-2025 (Modern ITI Bathinda v. DGT, Punjab & Haryana High Court), the Court observed that re-inspection does not prejudice the petitioner. Further, in S.B. Civil W.P. No. 18022/2025 (Pooja Pvt. ITI & Ors. v. State of Rajasthan & Ors.), the Rajasthan High Court held that institutions cannot claim inspection as a matter of right in a particular

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
				manner or timeline, and compliance with prescribed norms is essential. Accordingly, based on the facts on record, the refusal of inspection prevents verification of the functioning of the ITI and its compliance with the prescribed norms. The ITI is hereby de-affiliated.
90	Chandel Private Industrial Training Institute Reengus Road, Ward No. 30, Chomu Distt. Jaipur - 303702 MIS code: (PR08001310)	Electrician-9(4+4+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by State Directorate on 07.01.2025. 3. The reply dated 22.01.2025 was received from the ITI. 4. Further, a joint inspection of the ITI was conducted on 12.05.2025 by the RDSDE and State official. 5. The ITI refused to undergo the inspection vide letter dated 07.05.2025. 6. The matter was discussed in 9th SSDEC meeting dated 17.09.2025 and the SSDEC recommended de-affiliation of the ITI due to its refusal to undergo inspection. 7. The 25th SCAA has granted a final opportunity to the ITI to represent itself within 21 days by a way of SCN.	The matter was deliberated in the SCAA, and it was decided to conduct a joint inspection of the ITI to verify its functioning as per prescribed norms. The joint inspection shall be conducted by the concerned State Directorate and RDSDE Rajasthan. The date of inspection shall be decided by the State Directorate in consultation with RDSDE Rajasthan. The inspection report shall be submitted to the DGT within one month from the date of issuance of the minutes of this meeting for consideration in the next SCAA meeting.

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEY SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			8. The reply to the SCN was received on 08.01.2026. 9. In its reply the ITI submitted the following: a) Institute respectfully requests re-scheduling of joint inspection (by RDSDE & State team) that was refused on 12.05.2025 solely due to the legitimate strike called by the Rajasthan State ITI Association. Strike has ended; normal operations resumed. Request reconsideration of any de-affiliation/denial decision based on this one-time refusal and grant fresh inspection date. b) Reason for Refusal of Inspection ○ Scheduled joint inspection on 12.05.2025 could not take place. ○ State-level ITI union (Rajasthan ITI Association) announced and enforced a valid strike starting from 02.05.2025. ○ Institute, as an active member, followed the collective decision of the Association.	

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			○ Refusal was not due to any lack of cooperation, irregularity hiding, or unwillingness — purely due to strike circumstances. c) Current Status ○ Strike has now concluded. ○ All educational and administrative activities at the institute are running normally. d) Compliance Assurance ○ Institute fully complies with all prescribed DGT/NCVT norms and standards. ○ On re-inspection date, full cooperation will be extended to the inspection team. e) Requests Made ○ Kindly re-schedule / fix a new date for inspection. ○ Reconsider any adverse decision (de-affiliation or similar) taken solely on the basis of the strike-period refusal.	

Signature Not Verified

 UJJWAL BISWAS
 13.04.2026 15:49

Signature Not Verified

 SHRAMEEV SHARMA
 12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			This aligns with principles of natural justice.	
91	Rajasthan Private Industrial Training Institute Village- Hingonla, Dist.Jaipur MIS code: (PR08001415)	Electrician-6(2+2+2)	- Irregularities observed during initial Inspection conducted by State official on 24.12.2024. - SCN was issued to the ITI by State Directorate on 07.01.2025. - The ITI did not reply to the SCN issued by State Directorate. - Further, a joint inspection of the ITI was conducted on 14.05.2025 by the RDSDE and State official. - During the inspection, the ITI refused to undergo the inspection, stating that it was under a strike declared by the State-level ITI Association. - The matter was discussed in 9th SSDEC meeting dated 17.09.2025 and the SSDEC recommended de-affiliation of the ITI due to its refusal to undergo inspection. - Further, the matter was discussed in the 25th SCAA Meeting and ITI was given an opportunity to show cause why it should not be de-affiliated, within 21 days from the date of issuance of the minutes. However, no reply was received within the prescribed time period.	The matter was discussed in the SCAA meeting, and the SCAA decided as under: - In line with the principles of natural justice, the ITI was afforded final opportunity to represent itself by 25th SCAA in its meeting held on 13.11.2025 and 14.11.2025, to submit a show-cause reply explaining why the ITI should not be de-affiliated along with any supporting representation, within 21 days from the issuance of the minutes of that meeting. - The said communication was issued by DGT to the registered email of the institute on 24.12.2025 - Further, the ITI did not avail the final opportunity provided by DGT in the 25th SCAA meeting and failed to submit any reply or representation within the stipulated time, thereby exhibiting continued

Signature Not Verified


UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEY SHARMA
12:45 13.04.2026


Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
				negligence and persistent non-compliance. 4. The ITI has blatantly refused to undergo inspection on the ground of a State-level ITI Association strike in the year 2025, which cannot be considered a valid reason for denying inspection. 5. Further, reliance is placed on various judgments of different High Courts which affirm that state or DGT may conduct inspections and take appropriate action. Notably, in W.P. No. 8116/2025 (Maa Shitla Pvt. ITI v. Union of India & Ors., MP High Court), it was held that the apex body is duty-bound to examine complaints, including through on-site inspections, and such action cannot be termed arbitrary. Similarly, in CWP-20763-2025 (Modern ITI Bathinda v. DGT, Punjab & Haryana High Court), the Court observed that re-inspection does not prejudice the petitioner. Further, in S.B. Civil W.P. No. 18022/2025 (Pooja Pvt. ITI & Ors. v. State of Rajasthan & Ors.), the

Signature Not Verified



UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified



SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
				Rajasthan High Court held that institutions cannot claim inspection as a matter of right in a particular manner or timeline, and compliance with deficiencies is a prerequisite for student admissions. 6. The quality of training imparted to students is of paramount importance to DGT, which cannot be ensured without on-site verification of the institute. The non-submission of a reply and refusal to undergo inspection clearly indicate that the ITI is not functioning in accordance with the prescribed norms, thereby defeating the very purpose of the Craftsmen Training Scheme (CTS). Therefore, in view of the above remarks and in the interest of the trainees, the ITI is hereby de-affiliated.
92	G.D. Somani Polytechnic Maulaser (Nagour) MIS code: (PR08000963)	8. Electrician-1(0+1) Fitter- 1(0+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN dated 04.01.2025, followed by reminder dated 03.02.2025 were issued to the ITI by State Directorate.	The matter was deliberated in the SCAA meeting, and the SCAA decided as under, based on the recommendations of the SSDEC: 1. It has been observed that the ITI was found closed, and

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEY CHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			3. The ITI did not reply to the SCN and reminder issued by State Directorate. 4. Further, a joint inspection of the ITI was conducted on 06.05.2025 by the RDSDE and State official. 5. During the inspection, the ITI Found closed. 6. The matter was discussed in 9th SSDEC meeting dated 17.09.2025 and the SSDEC recommended de-affiliation of the ITI due to its refusal to undergo inspection. 7. Further, the matter was discussed in the 25th SCAA Meeting and ITI was given an opportunity to show cause why it should not be de-affiliated, within 21 days from the date of issuance of the minutes. However, no reply was received within the prescribed time period.	inspection was denied by the institute. 2. In line with the principles of natural justice, the ITI was granted a final opportunity in the 25th SCAA meeting held on 13.11.2025 and 14.11.2025 to submit a show-cause reply, explaining why the ITI should not be de-affiliated, along with any supporting representation, within 21 days from the issuance of the minutes of that meeting. 3. The said communication was issued by DGT to the registered email ID of the institute on 24.12.2025. 4. Further, the ITI did not avail the opportunity provided and failed to submit any reply or representation within the stipulated time. 5. Further, reliance is placed on judicial pronouncements which affirm that DGT and the State Directorate are empowered to conduct inspections and take appropriate action in case of non-compliance. Notably, in

Signature Not Verified

 UJJWAL BISWAS
 13.04.2026 15:49

Signature Not Verified

 SHRAMEV SHARMA
 12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
				W.P. No. 8116/2025 (Maa Shitla Pvt. ITI v. Union of India & Ors., MP High Court), it was held that the apex body is duty-bound to examine complaints, including through on-site inspections, and such action cannot be termed arbitrary. Similarly, in CWP-20763-2025 (Modern ITI Bathinda v. DGT, Punjab & Haryana High Court), the Court observed that re-inspection does not prejudice the petitioner. Further, in S.B. Civil W.P. No. 18022/2025 (Pooja Pvt. ITI & Ors. v. State of Rajasthan & Ors.), the Rajasthan High Court held that institutions cannot claim inspection as a matter of right in a particular manner or timeline, and compliance with prescribed norms is essential. Accordingly, based on the facts on record, the ITI being found closed and denial of inspection prevent verification of its functioning and compliance with

Signature Not Verified


 UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified


 SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
				the prescribed norms. The ITI is hereby de-affiliated.
93	Mirdha Private Industrial Training Institute Senik Colony, Nagaur 341001 MIS code: (PR08000656)	Electrician-2(1+1)	- Irregularities observed during initial Inspection conducted by State official on 24.12.2024. - SCN was issued to the ITI by State Directorate on 04.01.2025. - The reply dated 23.01.2025 was received from the ITI. - Further, a joint inspection of the ITI was conducted on 05.05.2025 by the RDSDE and State official. - During the inspection, the ITI found closed. - The matter was discussed in 9th SSDEC meeting dated 17.09.2025 and the SSDEC recommended de-affiliation of the ITI due to its refusal to undergo inspection. - Further, the matter was discussed in the 25th SCAA Meeting and ITI was given an opportunity to show cause why it should not be de-affiliated, within 21 days from the date of issuance of the minutes. However, no reply was received within the prescribed time period.	The matter was deliberated in the SCAA meeting, and the SCAA decided as under, based on the recommendations of the SSDEC: - It has been observed that the ITI was found closed, and inspection was denied by the institute. - In line with the principles of natural justice, the ITI was granted a final opportunity in the 25th SCAA meeting held on 13.11.2025 and 14.11.2025 to submit a show-cause reply, explaining why the ITI should not be de-affiliated, along with any supporting representation, within 21 days from the issuance of the minutes of that meeting. - The said communication was issued by DGT to the registered email ID of the institute on 24.12.2025. - Further, the ITI did not avail the opportunity provided and failed

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
				to submit any reply or representation within the stipulated time. 5. Further, reliance is placed on judicial pronouncements which affirm that DGT and the State Directorate are empowered to conduct inspections and take appropriate action in case of non-compliance. Notably, in W.P. No. 8116/2025 (Maa Shitla Pvt. ITI v. Union of India & Ors., MP High Court), it was held that the apex body is duty-bound to examine complaints, including through on-site inspections, and such action cannot be termed arbitrary. Similarly, in CWP-20763-2025 (Modern ITI Bathinda v. DGT, Punjab & Haryana High Court), the Court observed that re-inspection does not prejudice the petitioner. Further, in S.B. Civil W.P. No. 18022/2025 (Pooja Pvt. ITI & Ors. v. State of Rajasthan & Ors.), the Rajasthan High Court held that institutions cannot claim inspection as a matter of right in

Signature Not Verified

 UJJWAL BISWAS
 13.04.2026 15:49

Signature Not Verified

 SHRAMEEV SHARMA
 12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
				a particular manner or timeline, and compliance with prescribed norms is essential. Accordingly, based on the facts on record, the ITI being found closed and denial of inspection prevent verification of its functioning and compliance with the prescribed norms. The ITI is hereby de-affiliated.
94	Shiv Private Industrial Training Institute Gonwa Kala Road, Vpo. Shilgaon, Block-Munda, Dist. Nagour - 341028 MIS code: (PR08000337)	Electrician-2(2+0)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN dated 04.01.2025, followed by reminder dated 03.02.2025 were issued to the ITI by State Directorate. 3. The ITI did not reply to the SCN and reminder issued by State Directorate. 4. Further, a joint inspection of the ITI was conducted on 05.05.2025 by the RDSDE and State official. 5. During the inspection, the ITI found closed. 6. The matter was discussed in 9th SSDEC meeting dated 17.09.2025 and the SSDEC recommended de-affiliation of	The matter was deliberated in the SCAA meeting, and the SCAA decided as under, based on the recommendations of the SSDEC: 1. It has been observed that the ITI was found closed, and inspection was denied by the institute. 2. In line with the principles of natural justice, the ITI was granted a final opportunity in the 25th SCAA meeting held on 13.11.2025 and 14.11.2025 to submit a show-cause reply, explaining why the ITI should not be de-affiliated, along with

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			the ITI due to its refusal to undergo inspection. 7. Further, the matter was discussed in the 25th SCAA Meeting and ITI was given an opportunity to show cause why it should not be de-affiliated, within 21 days from the date of issuance of the minutes. However, no reply was received within the prescribed time period.	any supporting representation, within 21 days from the issuance of the minutes of that meeting. 3. The said communication was issued by DGT to the registered email ID of the institute on 24.12.2025. 4. Further, the ITI did not avail the opportunity provided and failed to submit any reply or representation within the stipulated time. 5. Further, reliance is placed on judicial pronouncements which affirm that DGT and the State Directorate are empowered to conduct inspections and take appropriate action in case of non-compliance. Notably, in W.P. No. 8116/2025 (Maa Shitla Pvt. ITI v. Union of India & Ors., MP High Court), it was held that the apex body is duty-bound to examine complaints, including through on-site inspections, and such action cannot be termed arbitrary. Similarly, in CWP-20763-2025 (Modern ITI Bathinda v. DGT,

Signature Not Verified

 UJJWAL BISWAS
 13.04.2026 15:49

Signature Not Verified

 SHRAMEEV SHARMA
 12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
				Punjab & Haryana High Court), the Court observed that re-inspection does not prejudice the petitioner. Further, in S.B. Civil W.P. No. 18022/2025 (Pooja Pvt. ITI & Ors. v. State of Rajasthan & Ors.), the Rajasthan High Court held that institutions cannot claim inspection as a matter of right in a particular manner or timeline, and compliance with prescribed norms is essential. Accordingly, based on the facts on record, the ITI being found closed and denial of inspection prevent verification of its functioning and compliance with the prescribed norms. The ITI is hereby de-affiliated.
95	Indian Private Industrial Training Institute Gupteshwar Road, Dausa 303303 MIS code: (PR08000075)	Electrician-6(3+2+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN dated 07.01.2025, followed by reminder dated 06.02.2025 were issued to the ITI by State Directorate. 3. The ITI did not reply to the SCN and reminder issued by State Directorate.	The matter was deliberated in the SCAA meeting, and the SCAA decided as under, based on the recommendations of the SSDEC: 1. It has been observed that the ITI was found locked during inspection. Further, a different banner was displayed at the

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			4. Further, a joint inspection of the ITI was conducted on 13.05.2025 by the RDSDE and State official. 5. During the inspection, the following were observed: a) ITI was found locked. b) Different banner was placed before the ITI front as Indian Group of institution offerings BSC, ITI courses. c) ITI was contacted on the given no. no response received from ITI and refused for the joint inspection. 6. The matter was discussed in 9th SSDEC meeting dated 17.09.2025 and the SSDEC recommended de-affiliation of the ITI due to its refusal to undergo inspection. 7. Further, the matter was discussed in the 25th SCAA Meeting and ITI was given an opportunity to show cause why it should not be de-affiliated, within 21 days from the date of issuance of the minutes. However, no reply was received within the prescribed time period.	entrance indicating “Indian Group of Institutions” offering B.Sc. and ITI courses. It was also observed that despite attempts to contact the institute on the provided contact number, no response was received, and inspection was refused. 2. In line with the principles of natural justice, the ITI was granted a final opportunity in the 25th SCAA meeting held on 13.11.2025 and 14.11.2025 to submit a show-cause reply, explaining why the ITI should not be de-affiliated, along with any supporting representation, within 21 days from the issuance of the minutes of that meeting. 3. The said communication was issued by DGT to the registered email ID of the institute on 24.12.2025. 4. Further, the ITI did not avail the opportunity provided and failed to submit any reply or representation within the stipulated time.

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
				5. Further, reliance is placed on judicial pronouncements which affirm that DGT and the State Directorate are empowered to conduct inspections and take appropriate action in case of non-compliance. Notably, in W.P. No. 8116/2025 (Maa Shitla Pvt. ITI v. Union of India & Ors., MP High Court), it was held that the apex body is duty-bound to examine complaints, including through on-site inspections, and such action cannot be termed arbitrary. Similarly, in CWP-20763-2025 (Modern ITI Bathinda v. DGT, Punjab & Haryana High Court), the Court observed that re-inspection does not prejudice the petitioner. Further, in S.B. Civil W.P. No. 18022/2025 (Pooja Pvt. ITI & Ors. v. State of Rajasthan & Ors.), the Rajasthan High Court held that institutions cannot claim inspection as a matter of right in a particular manner or timeline,

Signature Not Verified



UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified



SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
				and compliance with prescribed norms is essential. Accordingly, based on the facts on record, the ITI being found locked, presence of misleading signage, and denial of inspection prevent verification of its functioning and indicate non-compliance with the prescribed norms. The ITI is hereby de-affiliated.
96	Maa Pitambra Private Industrial Training Institute E-10a, Somnath Choraha, In Front Of Rawat Hotal, Dausa MIS code: (PR08000400)	7. Electrician- 2(1+1) 8. Fitter- 2(1+1) 9. Mechanic Diesel- 2(1+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by State Directorate on 07.01.2025. 3. The reply dated 01.02.2025 was received from the ITI. 4. Further, a joint inspection of the ITI was conducted on 15.05.2025 by the RDSDE and State official. 5. During the inspection, the ITI found locked and the ITI representative refused for joint inspection. 6. The matter was discussed in 9th SSDEC meeting dated 17.09.2025 and the SSDEC recommended de-affiliation of the ITI due to its refusal to undergo inspection.	The matter was deliberated in the SCAA meeting, and the SCAA decided as under, based on the recommendations of the SSDEC: 1. It has been observed that during inspection, the ITI was found locked, and the ITI representative refused joint inspection. 2. In line with the principles of natural justice, the ITI was granted a final opportunity in the 25th SCAA meeting held on 13.11.2025 and 14.11.2025 to submit a show-cause reply, explaining why the ITI should not be de-affiliated, along with any supporting representation,

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			7. Further, the matter was discussed in the 25th SCAA Meeting and ITI was given an opportunity to show cause why it should not be de-affiliated, within 21 days from the date of issuance of the minutes. However, no reply was received within the prescribed time period.	within 21 days from the issuance of the minutes of that meeting. 3. The said communication was issued by DGT to the registered email ID of the institute on 24.12.2025. 4. Further, the ITI did not avail the opportunity provided and failed to submit any reply or representation within the stipulated time. 5. Further, reliance is placed on judicial pronouncements which affirm that DGT and the State Directorate are empowered to conduct inspections and take appropriate action in case of non-compliance. Notably, in W.P. No. 8116/2025 (Maa Shitla Pvt. ITI v. Union of India & Ors., MP High Court), it was held that the apex body is duty-bound to examine complaints, including through on-site inspections, and such action cannot be termed arbitrary. Similarly, in CWP-20763-2025 (Modern ITI Bathinda v. DGT, Punjab & Haryana High Court),

Signature Not Verified

 UJJWAL BISWAS
 13.04.2026 15:49

Signature Not Verified

 SHRAMEEV SHARMA
 12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
				the Court observed that re-inspection does not prejudice the petitioner. Further, in S.B. Civil W.P. No. 18022/2025 (Pooja Pvt. ITI & Ors. v. State of Rajasthan & Ors.), the Rajasthan High Court held that institutions cannot claim inspection as a matter of right in a particular manner or timeline, and compliance with prescribed norms is essential. Accordingly, based on the facts on record, the ITI being found locked and refusal of inspection prevent verification of its functioning and compliance with the prescribed norms. The ITI is hereby de-affiliated.
97	Sawtantrata Senani Choudhary Bega Ram Private Industrial Training Institute Kolsia, Vpo. Kolsia, Teh. Nawalgarh, Distt. Jhunjhunu-333042 MIS code: (PR08001196)	10. Electrician- 2(1+1) 11. Fitter- 1(1+0) Mechanic Diesel- 1(1+0)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by State Directorate on 07.01.2025. 3. The reply dated 21.01.2025 was received from the ITI. 4. Further, a joint inspection of the ITI was conducted on 31.05.2025 by the RDSDE and State official.	The matter was discussed in the SCAA meeting, and the SCAA decided as under: 1. In line with the principles of natural justice, the ITI was afforded final opportunity to represent itself by 25th SCAA in its meeting held on 13.11.2025 and 14.11.2025, to submit a show-cause reply explaining why the ITI should not

Signature Not Verified
UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified
SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			5. During the inspection, the ITI refused to undergo the inspection vide its letter dated 31.05.2025, stating that it was under a strike declared by the State-level ITI Association. 6. The matter was discussed in 9th SSDEC meeting dated 17.09.2025 and the SSDEC recommended de-affiliation of the ITI due to its refusal to undergo inspection. 7. Further, the matter was discussed in the 25th SCAA Meeting and ITI was given an opportunity to show cause why it should not be de-affiliated, within 21 days from the date of issuance of the minutes. However, no reply was received within the prescribed time period.	be de-affiliated along with any supporting representation, within 21 days from the issuance of the minutes of that meeting. 2. The said communication was issued by DGT to the registered email of the institute on 24.12.2025 3. Further, the ITI did not avail the final opportunity provided by DGT in the 25th SCAA meeting and failed to submit any reply or representation within the stipulated time, thereby exhibiting continued negligence and persistent non-compliance. 4. The ITI has blatantly refused to undergo inspection on the ground of a State-level ITI Association strike in the year 2025, which cannot be considered a valid reason for denying inspection. 5. Further, reliance is placed on various judgments of different High Courts which affirm that state or DGT may conduct inspections and take appropriate action. Notably, in W.P. No. 8116/2025 (Maa Shitla

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
				Pvt. ITI v. Union of India & Ors., MP High Court), it was held that the apex body is duty-bound to examine complaints, including through on-site inspections, and such action cannot be termed arbitrary. Similarly, in CWP-20763-2025 (Modern ITI Bathinda v. DGT, Punjab & Haryana High Court), the Court observed that re-inspection does not prejudice the petitioner. Further, in S.B. Civil W.P. No. 18022/2025 (Pooja Pvt. ITI & Ors. v. State of Rajasthan & Ors.), the Rajasthan High Court held that institutions cannot claim inspection as a matter of right in a particular manner or timeline, and compliance with deficiencies is a prerequisite for student admissions. 6. The quality of training imparted to students is of paramount importance to DGT, which cannot be ensured without on-site verification of the institute. The non-submission of a reply and refusal to undergo inspection clearly indicate that the ITI is not functioning in accordance with the prescribed norms, thereby

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
				defeating the very purpose of the Craftsmen Training Scheme (CTS). Therefore, in view of the above remarks and in the interest of the trainees, the ITI is hereby de-affiliated.
98	Seth Motilal Private Industrial Training Institute Isharpura, Mandrella Road, Jhunjhunu-333001 MIS code: (PR08001281)	1. Electrician-1(1+0) 2. Fitter- 1(1+0) Mechanic Diesel-1(1+0)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN dated 07.01.2025, followed by reminder dated 06.02.2025 were issued to the ITI by State Directorate. 3. The ITI did not reply to the SCN and reminder issued by State Directorate. 4. Further, a joint inspection of the ITI was conducted on 27.05.2025 by the RDSDE and State official. 5. During the inspection, the ITI was found closed, and only one guard was present at the location. A representative from its other branch informed that this ITI has been closed and no admissions have been conducted for a long time. 6. The matter was discussed in 9th SSDEC meeting dated 17.09.2025 and the SSDEC recommended de-affiliation of the ITI due to its refusal to undergo inspection.	The matter was deliberated in the SCAA meeting, and the SCAA decided as under, based on the recommendations of the SSDEC: 1. It has been observed that the ITI was found closed during inspection, and only a guard was present at the location. Further, as per inputs received from a representative of another branch of the institute, the ITI has reportedly been closed and no admissions have been conducted for a considerable period of time. 2. In line with the principles of natural justice, the ITI was granted a final opportunity in the 25th SCAA meeting held on 13.11.2025 and 14.11.2025 to submit a show-cause reply, explaining why the ITI should

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			7. Further, the matter was discussed in the 25th SCAA Meeting and ITI was given an opportunity to show cause why it should not be de-affiliated, within 21 days from the date of issuance of the minutes. However, no reply was received within the prescribed time period.	not be de-affiliated, along with any supporting representation, within 21 days from the issuance of the minutes of that meeting. 3. The said communication was issued by DGT to the registered email ID of the institute on 24.12.2025. 4. Further, the ITI did not avail the opportunity provided and failed to submit any reply or representation within the stipulated time. Accordingly, based on the facts on record, the ITI being found closed, absence of operational staff, and its reported prolonged non-functioning indicate that the institute is not functioning as an affiliated institution. The ITI is hereby de-affiliated.
99	Hadoti Private Industrial Training Institute	Electrician-3(2+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.	The matter was deliberated in the SCAA meeting, and the SCAA decided as under, based on the recommendations of the SSDEC:

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
	Siswali Bus Stand, Siswali Road, Anta, Distt. Baran-325202 MIS code:(PR08001183)		2. SCN dated 30.12.2024, followed by reminder dated 27.01.2025 were issued to the ITI by State Directorate. 3. The ITI did not reply to the SCN and reminder issued by State Directorate. 4. Further, a joint inspection of the ITI was conducted on 13.05.2025 by the RDSDE and State official. 5. During the inspection, the ITI found closed. 6. The matter was discussed in 9th SSDEC meeting dated 17.09.2025 and the SSDEC recommended de-affiliation of the ITI due to its refusal to undergo inspection. 7. Further, the matter was discussed in the 25th SCAA Meeting and ITI was given an opportunity to show cause why it should not be de-affiliated, within 21 days from the date of issuance of the minutes. However, no reply was received within the prescribed time period.	1. It has been observed that during inspection, the ITI was found closed, and inspection was denied by the institute. 2. In line with the principles of natural justice, the ITI was granted a final opportunity in the 25th SCAA meeting held on 13.11.2025 and 14.11.2025 to submit a show-cause reply, explaining why the ITI should not be de-affiliated, along with any supporting representation, within 21 days from the issuance of the minutes of that meeting. 3. The said communication was issued by DGT to the registered email ID of the institute on 24.12.2025. 4. Further, the ITI did not avail the opportunity provided and failed to submit any reply or representation within the stipulated time. 5. Further, reliance is placed on judicial pronouncements which affirm that DGT and the State Directorate are empowered to conduct inspections and take appropriate action in case of non-compliance. Notably, in W.P. No. 8116/2025 (Maa Shitla Pvt. ITI v. Union of India & Ors., MP High

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
				Court), it was held that the apex body is duty-bound to examine complaints, including through on-site inspections, and such action cannot be termed arbitrary. Similarly, in CWP-20763-2025 (Modern ITI Bathinda v. DGT, Punjab & Haryana High Court), the Court observed that re-inspection does not prejudice the petitioner. Further, in S.B. Civil W.P. No. 18022/2025 (Pooja Pvt. ITI & Ors. v. State of Rajasthan & Ors.), the Rajasthan High Court held that institutions cannot claim inspection as a matter of right in a particular manner or timeline, and compliance with prescribed norms is essential. Accordingly, based on the facts on record, the ITI being found closed and denial of inspection prevent verification of its functioning and compliance with the prescribed norms. The ITI is hereby de-affiliated.
100	Sai Private Industrial Training Institute	Electrician- 2(1+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.	The matter was discussed in the SCAA meeting, and the SCAA decided as under:

Signature Not Verified


 UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified



 SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
	Baran, Dist. Baran-325205 MIS code: (PR08001412)		- SCN was issued to the ITI by State Directorate on 30.12.2024. - The reply dated 25.01.2025 was received from the ITI. - Further, a joint inspection of the ITI was conducted on 13.05.2025 by the RDSDE and State official. - During the inspection, the ITI refused to undergo the inspection vide its letter dated 16.06.2025, stating that it was under a strike declared by the State-level ITI Association. Additionally, it has been also observed that the other courses were also running in the ITI. - The matter was discussed in 9th SSDEC meeting held on 17.09.2025 and the SSDEC meeting recommended de-affiliation of the ITI due to its refusal to undergo inspection. - Further, the matter was discussed in the 25th SCAA Meeting and ITI was given an opportunity to show cause why it should not be de-affiliated, within 21 days from the date of issuance of the minutes. However, no reply was received within the prescribed time period.	- In line with the principles of natural justice, the ITI was afforded final opportunity to represent itself by 25th SCAA in its meeting held on 13.11.2025 and 14.11.2025, to submit a show-cause reply explaining why the ITI should not be de-affiliated along with any supporting representation, within 21 days from the issuance of the minutes of that meeting. - The said communication was issued by DGT to the registered email of the institute on 24.12.2025 - Further, the ITI did not avail the final opportunity provided by DGT in the 25th SCAA meeting and failed to submit any reply or representation within the stipulated time, thereby exhibiting continued negligence and persistent non-compliance. - The ITI has blatantly refused to undergo inspection on the ground of a State-level ITI Association strike in the year 2025, which cannot be

Signature Not Verified


 UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified


 SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
				considered a valid reason for denying inspection. 5. Further, reliance is placed on various judgments of different High Courts which affirm that state or DGT may conduct inspections and take appropriate action. Notably, in W.P. No. 8116/2025 (Maa Shitla Pvt. ITI v. Union of India & Ors., MP High Court), it was held that the apex body is duty-bound to examine complaints, including through on-site inspections, and such action cannot be termed arbitrary. Similarly, in CWP-20763-2025 (Modern ITI Bathinda v. DGT, Punjab & Haryana High Court), the Court observed that re-inspection does not prejudice the petitioner. Further, in S.B. Civil W.P. No. 18022/2025 (Pooja Pvt. ITI & Ors. v. State of Rajasthan & Ors.), the Rajasthan High Court held that institutions cannot claim inspection as a matter of right in a particular manner or timeline, and compliance with deficiencies is a prerequisite for student admissions.

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
				6. The quality of training imparted to students is of paramount importance to DGT, which cannot be ensured without on-site verification of the institute. The non-submission of a reply and refusal to undergo inspection clearly indicate that the ITI is not functioning in accordance with the prescribed norms, thereby defeating the very purpose of the Craftsmen Training Scheme (CTS). Therefore, in view of the above remarks and in the interest of the trainees, the ITI is hereby de-affiliated.
101	Preet Private Industrial Training Institute Khandela Road, Sita Bari Kelwara(Danta), Tehsil. Sahabad, Dist.Baran-325216 MIS code: (PR08000493)	Electrician-6(2+2+2)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN dated 30.12.2024, followed by reminder dated 27.01.2025 were issued to the ITI by State Directorate. 3. The ITI did not reply to the SCN and reminder issued by State Directorate. 4. Further, a joint inspection of the ITI was conducted on 14.05.2025 by the RDSDE and State official. 5. During the inspection, the ITI found closed and also Swami Vivekanand	The matter was deliberated in the SCAA meeting, and the SCAA decided as under, based on the recommendations of the SSDEC: 1. It has been observed that the ITI was found closed during inspection. Further, Swami Vivekanand College of Teacher's Training and Research was found to be operating within the ITI premises.

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			college of Teacher's training and Research was running in the ITI premises. 6. The matter was discussed in 9th SSDEC meeting held on 17.09.2025 and the SSDEC meeting recommended de-affiliation of the ITI due to its refusal to undergo inspection. 7. Further, the matter was discussed in the 25th SCAA Meeting and ITI was given an opportunity to show cause why it should not be de-affiliated, within 21 days from the date of issuance of the minutes. However, no reply was received within the prescribed time period.	2. In line with the principles of natural justice, the ITI was granted a final opportunity in the 25th SCAA meeting held on 13.11.2025 and 14.11.2025 to submit a show-cause reply, explaining why the ITI should not be de-affiliated, along with any supporting representation, within 21 days from the issuance of the minutes of that meeting. 3. The said communication was issued by DGT to the registered email ID of the institute on 24.12.2025. 4. Further, the ITI did not avail the opportunity provided and failed to submit any reply or representation within the stipulated time. Accordingly, based on the facts on record, the ITI being found closed and the operation of another institution within the premises indicate that the ITI is not being operated for the purpose for

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
				which affiliation was granted. The ITI is hereby de-affiliated.
102	Shree Vishavkarma Private Industrial Training Institute Sanadya Bhavan Mangrol, Dist.-Baran Pin-325215 Rajasthan MIS code: (PR08000380)	Electrician-3(1+1+1)	- Irregularities observed during initial Inspection conducted by State official on 24.12.2024. - SCN was issued to the ITI by State Directorate on 30.12.2024. - The reply dated 20.01.2025 was received from the ITI. - Further, a joint inspection of the ITI was conducted on 16.05.2025 by the RDSDE and State official. - During the inspection, the ITI found closed. The notice was pasted on the ITI gate as ITI is on strike declared by the State-level ITI Association. - The matter was discussed in 9th SSDEC meeting dated 17.09.2025 and the SSDEC recommended de-affiliation of the ITI due to refusal for inspection by ITI itself. - Further, the matter was discussed in the 25th SCAA Meeting and ITI was given an opportunity to show cause why it should not be de-affiliated, within 21 days from the date of issuance of the	The matter was discussed in the SCAA meeting, and the SCAA decided as under: - In line with the principles of natural justice, the ITI was afforded final opportunity to represent itself by 25th SCAA in its meeting held on 13.11.2025 and 14.11.2025, to submit a show-cause reply explaining why the ITI should not be de-affiliated along with any supporting representation, within 21 days from the issuance of the minutes of that meeting. - The said communication was issued by DGT to the registered email of the institute on 24.12.2025 - Further, the ITI did not avail the final opportunity provided by DGT in the 25th SCAA meeting and failed to submit any reply or representation within the stipulated time, thereby exhibiting continued

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			minutes. However, no reply was received within the prescribed time period.	negligence and persistent non-compliance. 4. The ITI has blatantly refused to undergo inspection on the ground of a State-level ITI Association strike in the year 2025, which cannot be considered a valid reason for denying inspection. 5. Further, reliance is placed on various judgments of different High Courts which affirm that state or DGT may conduct inspections and take appropriate action. Notably, in W.P. No. 8116/2025 (Maa Shitla Pvt. ITI v. Union of India & Ors., MP High Court), it was held that the apex body is duty-bound to examine complaints, including through on-site inspections, and such action cannot be termed arbitrary. Similarly, in CWP-20763-2025 (Modern ITI Bathinda v. DGT, Punjab & Haryana High Court), the Court observed that re-inspection does not prejudice the petitioner. Further, in S.B. Civil W.P. No. 18022/2025 (Pooja Pvt. ITI & Ors. v. State of Rajasthan & Ors.), the

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
				Rajasthan High Court held that institutions cannot claim inspection as a matter of right in a particular manner or timeline, and compliance with deficiencies is a prerequisite for student admissions. 6. The quality of training imparted to students is of paramount importance to DGT, which cannot be ensured without on-site verification of the institute. The non-submission of a reply and refusal to undergo inspection clearly indicate that the ITI is not functioning in accordance with the prescribed norms, thereby defeating the very purpose of the Craftsmen Training Scheme (CTS). Therefore, in view of the above remarks and in the interest of the trainees, the ITI is hereby de-affiliated.
103	Shri Shyam Private Industrial Training Institute Vpo-Devari Teh.- Shahbad, Dist.-Baran Pin-252117 Rajasthan	Electrician- 2(1+0)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN dated 30.12.2024, followed by reminder dated 27.01.2025 were issued to the ITI by State Directorate.	The matter was deliberated in the SCAA meeting, and the SCAA decided as under, based on the recommendations of the SSDEC: 1. It has been observed that the ITI was found closed, and

Signature Not Verified
UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified
SHRAMEEV SHARMA
12:45:13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
	MIS code: (PR08001357)		3. The ITI did not reply to the SCN and reminder issued by State Directorate. 4. Further, a joint inspection of the ITI was conducted on 15.05.2025 by the RDSDE and State official. 5. During the inspection, the ITI found closed. 6. The matter was discussed in 9th SSDEC meeting dated 17.09.2025 and the SSDEC recommended de-affiliation of the ITI due to its refusal to undergo inspection. 7. Further, the matter was discussed in the 25th SCAA Meeting and ITI was given an opportunity to show cause why it should not be de-affiliated, within 21 days from the date of issuance of the minutes. However, no reply was received within the prescribed time period.	inspection was denied by the institute. 2. In line with the principles of natural justice, the ITI was granted a final opportunity in the 25th SCAA meeting held on 13.11.2025 and 14.11.2025 to submit a show-cause reply, explaining why the ITI should not be de-affiliated, along with any supporting representation, within 21 days from the issuance of the minutes of that meeting. 3. The said communication was issued by DGT to the registered email ID of the institute on 24.12.2025. 4. Further, the ITI did not avail the opportunity provided and failed to submit any reply or representation within the stipulated time. 5. Further, reliance is placed on judicial pronouncements which affirm that DGT and the State Directorate are empowered to conduct inspections and take appropriate action in case of non-compliance. Notably, in

Signature Not Verified

 UJJWAL BISWAS
 13.04.2026 15:49

Signature Not Verified

 SHRAMEEV SHARMA
 12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
				W.P. No. 8116/2025 (Maa Shitla Pvt. ITI v. Union of India & Ors., MP High Court), it was held that the apex body is duty-bound to examine complaints, including through on-site inspections, and such action cannot be termed arbitrary. Similarly, in CWP-20763-2025 (Modern ITI Bathinda v. DGT, Punjab & Haryana High Court), the Court observed that re-inspection does not prejudice the petitioner. Further, in S.B. Civil W.P. No. 18022/2025 (Pooja Pvt. ITI & Ors. v. State of Rajasthan & Ors.), the Rajasthan High Court held that institutions cannot claim inspection as a matter of right in a particular manner or timeline, and compliance with prescribed norms is essential. Accordingly, based on the facts on record, the ITI being found closed and denial of inspection prevent verification of its functioning and compliance with

Signature Not Verified



UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified



SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
				the prescribed norms. The ITI is hereby de-affiliated.
104	Bajrang Private Industrial Training Institute Samela Road, Shiv Colony, Govind Garh, Lakshmangarh (Alwar)-321607 MIS Code : (PR08000045)	7. Electrician-3(2+1) 8. Fitter- 2(1+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN dated 07.01.2025, followed by reminder dated 06.02.2025 were issued to the ITI by State Directorate. 3. The ITI did not reply to the SCN and reminder issued by State Directorate. 4. Further, a joint inspection of the ITI was conducted on 15.05.2025 by the RDSDE and State official. 5. The ITI refused to undergo the inspection vide its letter dated 15.05.2025, stating that it was under a strike declared by the State-level ITI Association. 6. The matter was discussed in 9th SSDEC meeting dated 17.09.2025 and the SSDEC recommended de-affiliation of the ITI due to its refusal to undergo inspection. 7. Further, the matter was discussed in the 25th SCAA Meeting and ITI was given an opportunity to show cause why it should not be de-affiliated, within 21 days from the date of issuance of the minutes. However, no reply was received within the prescribed time period.	The matter was discussed in the SCAA meeting, and the SCAA decided as under: 1. In line with the principles of natural justice, the ITI was afforded final opportunity to represent itself by 25th SCAA in its meeting held on 13.11.2025 and 14.11.2025, to submit a show-cause reply explaining why the ITI should not be de-affiliated along with any supporting representation, within 21 days from the issuance of the minutes of that meeting. 2. The said communication was issued by DGT to the registered email of the institute on 24.12.2025 3. Further, the ITI did not avail the final opportunity provided by DGT in the 25th SCAA meeting and failed to submit any reply or representation within the stipulated time, thereby exhibiting continued negligence and persistent non-compliance.

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
				4. The ITI has blatantly refused to undergo inspection on the ground of a State-level ITI Association strike in the year 2025, which cannot be considered a valid reason for denying inspection. 5. Further, reliance is placed on various judgments of different High Courts which affirm that state or DGT may conduct inspections and take appropriate action. Notably, in W.P. No. 8116/2025 (Maa Shitla Pvt. ITI v. Union of India & Ors., MP High Court), it was held that the apex body is duty-bound to examine complaints, including through on-site inspections, and such action cannot be termed arbitrary. Similarly, in CWP-20763-2025 (Modern ITI Bathinda v. DGT, Punjab & Haryana High Court), the Court observed that re-inspection does not prejudice the petitioner. Further, in S.B. Civil W.P. No. 18022/2025 (Pooja Pvt. ITI & Ors. v. State of Rajasthan & Ors.), the Rajasthan High Court held that institutions cannot claim inspection as a matter of right in a particular

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
				manner or timeline, and compliance with deficiencies is a prerequisite for student admissions. 6. The quality of training imparted to students is of paramount importance to DGT, which cannot be ensured without on-site verification of the institute. The non-submission of a reply and refusal to undergo inspection clearly indicate that the ITI is not functioning in accordance with the prescribed norms, thereby defeating the very purpose of the Craftsmen Training Scheme (CTS). Therefore, in view of the above remarks and in the interest of the trainees, the ITI is hereby de-affiliated.
105	Sarvesh Private Industrial Training Institute Near Bus Stand , Rajgarh (Alwar)-301408 MIS code: (PR08000977)	1. Electrician- 2(1+1) 2. Fitter- 2(1+1) 3. Mechanic Diesel- 2(1+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by State Directorate on 07.01.2025. 3. The reply dated 22.01.2025 was received from the ITI. 4. Further, a joint inspection of the ITI was conducted on 12.05.2025 by the RDSDE and State official.	The matter was deliberated in the SCAA, and it was decided to conduct a joint inspection of the ITI to verify its functioning as per prescribed norms. The joint inspection shall be conducted by the concerned State Directorate and RDSDE Rajasthan. The date of inspection shall be decided by the State Directorate in consultation with

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEV SHARMA
12:45:13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			5. The ITI refused to undergo the inspection vide its letter dated 12.05.2025, stating that it was under a strike declared by the State-level ITI Association. 6. The matter was discussed in 9th SSDEC meeting dated 17.09.2025 and the SSDEC recommended de-affiliation of the ITI due to its refusal to undergo inspection. 7. The 25th SCAA has granted a final opportunity to the ITI to represent itself within 21 days by a way of SCN. 8. The reply to the SCN was received on 30.12.2025. 9. In its reply the ITI submitted the following: a) The allegation that Sarvesh Private Industrial Training Institute, Rajgarh (MIS Code: PR08000977) refused to undergo inspection due to a strike declared by the State-level ITI Association is incorrect, baseless, and not acceptable. The institute has at no point refused inspection on account of any strike or association decision. b) Regarding Show Cause Notice Sr. No. 10582 dated 07.01.2025-The said Show Cause Notice alleged	RDSDE Rajasthan. The inspection report shall be submitted to the DGT within one month from the date of issuance of the minutes of this meeting for consideration in the next SCAA meeting.

Signature Not Verified
UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified
The said Show Cause Notice alleged

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			deficiency of major machinery and equipment. In order to seek clarity and specific details regarding the alleged deficiencies, the institute applied under the Right to Information Act on 30.04.2025 to the Public Information Officer, Directorate of Technical Education, Jodhpur. However, no reply has been received till date. c) Further, several subsequent representations were submitted by the institute (copies enclosed), but the exact nature and details of the alleged deficiencies were never communicated. d) Regarding Joint Inspection dated 12.05.2025-On 12.05.2025, when the joint inspection team visited the institute, the institute did not refuse inspection. The institute only requested that the inspection be deferred until the alleged deficiencies of major machinery and equipment were formally communicated by the Directorate. e) It was submitted that conducting inspection without prior	

Signature Not Verified

UJJWAL BISWAS

13.04.2026 15:49

Signature Not Verified

UJJWAL BISWAS

13.04.2026 15:49

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			communication of specific deficiencies was not feasible and would prejudice the institute's opportunity to respond effectively. f) Submission of Written Representation-The institute submitted its written representation along with relevant records to the inspection team vide letter No. ASI/Inspection/2025/2750 dated 12.05.2025 (copy enclosed). This clearly demonstrates the institute's willingness to cooperate with the authorities. g) First Appeal dated 31.05.2025- In the first appeal dated 31.05.2025, it was categorically stated that until the required information regarding the alleged deficiencies was received from the Directorate in the prescribed format, the institute would be unable to undergo inspection. This was not a refusal, but a reasonable request for necessary information to ensure meaningful compliance. h) In view of the above facts, the allegation of refusal to undergo	

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			inspection is factually incorrect and liable to be withdrawn.	
106	Shri Krishna Private Industrial Training Institute Sher Singh Market, Opp. P.W. Rest House, N.H. 8, Shajahanpur, the.-Bahrod, (Alwar) -301706 MIS code: (PR08001045)	1. Electrician- 2(1+1) 2. Fitter- 2(1+1) 3. Mechanic Diesel- 2(1+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by State Directorate on 07.01.2025. 3. The did not reply to the SCN issued by State Directorate. 4. Further, a joint inspection of the ITI was conducted on 14.05.2025 by the RDSDE and State official. 5. The ITI refused to undergo the inspection stating that it was under a strike declared by the State-level ITI Association. 6. The matter was discussed in 9th SSDEC meeting held on 17.09.2025 and the SSDEC meeting recommended de-affiliation of the ITI due to its refusal to undergo inspection. 7. Further, the matter was discussed in the 25th SCAA Meeting and ITI was given an opportunity to show cause why it should not be de-affiliated, within 21 days from the date of issuance of the minutes. However, no reply was received within the prescribed time period.	The matter was discussed in the SCAA meeting, and the SCAA decided as under: 1. In line with the principles of natural justice, the ITI was afforded final opportunity to represent itself by 25th SCAA in its meeting held on 13.11.2025 and 14.11.2025, to submit a show-cause reply explaining why the ITI should not be de-affiliated along with any supporting representation, within 21 days from the issuance of the minutes of that meeting. 2. The said communication was issued by DGT to the registered email of the institute on 24.12.2025 3. Further, the ITI did not avail the final opportunity provided by DGT in the 25th SCAA meeting and failed to submit any reply or representation within the stipulated time, thereby exhibiting continued negligence and persistent non-compliance.

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
				4. The ITI has blatantly refused to undergo inspection on the ground of a State-level ITI Association strike in the year 2025, which cannot be considered a valid reason for denying inspection. 5. Further, reliance is placed on various judgments of different High Courts which affirm that state or DGT may conduct inspections and take appropriate action. Notably, in W.P. No. 8116/2025 (Maa Shitla Pvt. ITI v. Union of India & Ors., MP High Court), it was held that the apex body is duty-bound to examine complaints, including through on-site inspections, and such action cannot be termed arbitrary. Similarly, in CWP-20763-2025 (Modern ITI Bathinda v. DGT, Punjab & Haryana High Court), the Court observed that re-inspection does not prejudice the petitioner. Further, in S.B. Civil W.P. No. 18022/2025 (Pooja Pvt. ITI & Ors. v. State of Rajasthan & Ors.), the Rajasthan High Court held that institutions cannot claim inspection as a matter of right in a particular

Signature Not Verified

UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified

SHRAMEEV SHARMA
12:45 13.04.2026

Sr. No	Name of ITI, Address and MIS Code	Shift/Unit as per NCVT MIS Portal	Brief of Matter	27 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
				manner or timeline, and compliance with deficiencies is a prerequisite for student admissions. 6. The quality of training imparted to students is of paramount importance to DGT, which cannot be ensured without on-site verification of the institute. The non-submission of a reply and refusal to undergo inspection clearly indicate that the ITI is not functioning in accordance with the prescribed norms, thereby defeating the very purpose of the Craftsmen Training Scheme (CTS). Therefore, in view of the above remarks and in the interest of the trainees, the ITI is hereby de-affiliated.

Signature Not Verified

 UJJWAL BISWAS
 13.04.2026 15:49

Signature Not Verified

 SHRAMEV SHARMA
 12:45 13.04.2026

Annexure-8 as referred in Agenda 8.1 regarding the ITIs for which clarification was sought from SSDEC Rajasthan

Sr.No.	Name of the ITI	MIS Code
1.	Wagd PrivateITI	PR08001897
2.	Punit Private ITI	PU08001657
3.	Thar Private ITI	PR08001703
4.	Marudhara PrivateITI	PR08001883
5.	CLG PrivateITI	PU08001943
6.	Sanskar PrivateITI	PR08000677
7.	Marwar PrivateITI	PR08001927
8.	Rajasthan PrivateITI	PR08001470
9.	Swabhimaan PrivateITI	PU08001593
10.	B.S PrivateITI	PR08001521
11.	Vandana Private ITI	PU08001705
12.	Guru Kripa Private ITI	PU08001885
13.	The Rajasthan Private ITI	PU08001797
14.	Mahipal Private ITI	PR08000226
15.	Gramotthan Private ITI	PR08000357
16.	Om Private ITI	PR08001561
17.	Shri Shyam Private ITI	PR08001510
18.	Carrier Develop Private ITI	PR08001018
19.	Balaji Private ITI	PR08000758
20.	Sarvodaya Private ITI	PR08001672
21.	Impulse Private ITI	PU08001944
22.	Survesh Private ITI	PR08001058
23.	Vivekanand Private ITI	PR08000459
24.	Sidhi Vinayak Private ITI	PU08001695
25.	Gandhi Private ITI	PR08000972
26.	Keshav Private ITI	PR08001191

Signature Not Verified
UJJWAL BISWAS
13.04.2026 15:49

Signature Not Verified
SHRAMEV SHARMA
12:45 13.04.2026

Sr.No.	Name of the ITI	MIS Code
27.	Ch. G. R Dhaka Private ITI	PR08001263
28.	Lakshay Private ITI	PR08001351
29.	Navjeevan Private ITI	PR08001149
30.	Balaji Private ITI	PR08000073
31.	Indian Private ITI	PR08001173
32.	Basant Private ITI	PR08000142
33.	New Tech. Group Private ITI	PR08001291
34.	Shivaji Private ITI	PR08000284
35.	Taj Memorial Private ITI	PR08001413
36.	Jai Jagdish Private ITI	PR08000301
37.	Jai Hind Private ITI	PU08001568
38.	Ganga Devi Private ITI	PR08001243
39.	Shri Balaji Private ITI	PR08001258
40.	Shri Vinayak Private ITI	PU08001434
41.	Tolasaria Private ITI	PR08001216
42.	Ch. Charan Singh Private ITI	PR08001299
43.	Shri Ram Private ITI	PR08000312
44.	Maulana Abul Kalam Azad Muslim Private ITI	PR08001021
45.	Shri Hari Aadarsh Private ITI	PR08001302
46.	Jai Shree Radhe Private ITI	PR08001485
47.	Shri Vishvakarma Private ITI	PR08000701
48.	Sanskar Private ITI	PU08001761
49.	Shri Nemsingh Parmar Private ITI	PR08001762
50.	Kanishk Private ITI	PU08001833
51.	Lovely Private ITI	PR08000582
52.	Pioneer Private ITI	PR08001107
53.	Chawala Private ITI	PR08001110
54.	Technnotime Private ITI	PR08000740
55.	Ch Mota Ram Meel Memorial Private ITI	PR08001750

Signature Not Verified
 UJJWAL BISWAS
 13.04.2026 15:49

Signature Not Verified
 SHRAMEV SHARMA
 13.04.2026 15:45

Sr.No.	Name of the ITI	MIS Code
56.	Smt Ganga Dixit Private ITI	PU08001906
57.	Vivekanand Private ITI	PU08001710
58.	Modern Private ITI	PR08001652
59.	Rajkamal Private ITI	PR08001948
60.	Baba Ganganath Private ITI	PR08000485
61.	Jai Giriraj Private ITI	PU08001636
62.	Tagore Private ITI	PR08001864
63.	Anand Private ITI	PR08001428
64.	Navodaya Private ITI	PR08000325
65.	Shree Shyam Sanaday Private ITI	PR08000384
66.	Shree Ram Private ITI	PR08000843
67.	Param Private ITI	PU08001654
68.	Tagore Private ITI	PR08001701
69.	Baba Narayandas Private ITI	PU08001755
70.	Aadarsh Private ITI	PR08001061
71.	Shivalik Private ITI	PR08001751
72.	Swami Vivekanand Private ITI	PR08000201
73.	Rajasthali Private ITI	PR08001816
74.	Gyandev Private ITI	PR08000721
75.	Shri Ganesh Pvt. ITI	PR08001904

Signature Not Verified

 UJJWAL BISWAS
 13.04.2026 15:49

Signature Not Verified

 SHRAMEEV SHARMA
 12:45 13.04.2026