

ईमेल द्वारा

DGT-Aff011/2/2026-O/o DIR (TC) (E- 77791)

भारत सरकार/Government of India

कौशल विकास एवं उद्यमिता मंत्रालय/ Ministry of Skill Development and Entrepreneurship
प्रशिक्षण महानिदेशालय/Directorate General of Training

7वीं मंजिल, कौशल भवन, न्यू मोती बाग,
चाणक्यपुरी, नई दिल्ली – 110023,
दिनांक : 1 जून 2026

To

The State Directors (Dealing with Craftsmen Training Scheme)
Karnataka, Bihar, Madhya Pradesh, Jharkhand, Haryana, Maharashtra and Tamilnadu.

To

The Regional Directors , RDSDEs
Karnataka, Bihar, Madhya Pradesh, Jharkhand, Haryana, Maharashtra and Tamilnadu.

Subject: Minutes of the 29th Meeting of the Standing Committee on Accreditation and Affiliation (SCAA) held on 08.05.2026 - regarding

Madam/ Sir,

Please find the enclosed approved Minutes of the 29th Meeting of “Standing Committee on Accreditation and Affiliation (SCAA) held on 08.05.2026.

2. Any grievances regarding the decision outlined in these minutes may be raised through the NIMI portal (<https://nimionlineadmission.in/iti/GrievancePortal/register.php>) within 30 days from the date of issue of this minute. Grievances submitted after this period will not be considered.

3 This issues with the approval of Competent Authority.

भवदीय ,

(उज्वल विश्वास/Ujjwal Biswas)
निदेशक/ Director ,टीसी अनुभाग

Copy for information to:

1. Sr.PPS to DG(T)/SS, DGT Hqrs, New Delhi.
2. PPS to DDG(Affiliation)/SCAA Chairperson, DGT Hqrs, New Delhi.
3. DGT MIS Portal In-charge, New Delhi, with a request to upload MoM on DGT MIS portal .

(श्रमेव शर्मा / Shramev Sharma)
उप निदेशक /Deputy Director , टी . सी अनुभाग

DGT-Aff011/2/2026-O/o DIR (TC) [E-77791]
Government of India
Ministry of Skill Development and Entrepreneurship
Directorate General of Training

7th Floor, Kaushal Bhawan, New Moti Bagh
Chanakyapuri, New Delhi- 110023
Date: 01.06.2026

Minutes of 29th Meeting of “Standing Committee on Accreditation and Affiliation” held on dated 08.05.2026

The 29th meeting of the Standing Committee on Accreditation and Affiliation (SCAA) was held on 08.05.2026 through video conferencing. During the meeting, the Committee deliberated upon matters related to de-affiliation of ITIs earlier discussed in the 26th SCAA meetings held on 15.01.2026 and 20.01.2026, as well as fresh de-affiliation cases received from various State Directorates.

The list of participants who attended the meeting is attached at *Annexure-1*.

At the outset, Shri Sunil Kumar Gupta, Deputy Director General and Chairperson of SCAA, extended a warm welcome to all the committee members and participants. Thereafter, Shri Ujjwal Biswas, Director, TC took agenda points for detailed discussions. The details of discussions, deliberations, and agenda-wise decisions taken by the Chair, are as follows:

Agenda 1: Matter regarding de-affiliation of ITIs which were earlier discussed in 26th SCAA.

The matter regarding de-affiliation of ITIs from various States had been deliberated in the 26th SCAA meeting vide Agenda Items 5.2, 5.3, and 5.4 pertaining to the States of Karnataka, Bihar, and Madhya Pradesh, respectively. Based on the recommendations of the State Skill Development and Entrepreneurship Committee (SSDECs) and the material facts available on record, it had been observed that the concerned ITIs had violated the prescribed norms and guidelines, thereby defeating the objectives of the Craftsmen Training Scheme (CTS).

However, in adherence to the principles of natural justice, 82 ITIs of the aforesaid States had been granted a final opportunity to submit their replies against the inspection observations and recommendations of the SSDECs, duly supported with relevant documentary evidence, including geo-tagged photographs of infrastructure, location, and operational machinery/equipment. The replies were required to be submitted to DGT within 21 days from the date of issuance of the Minutes of Meeting at tc-deaffiliation@dgt.gov.in. It had also

been decided that, in case no reply was received within the stipulated period, or if the reply submitted was found unsatisfactory, a final decision regarding de-affiliation would be taken without any further notice.

1.1: Matter regarding de-affiliation of 71 ITIs of the State of Karnataka in continuation of the discussions held in the 26th SCAA meeting vide Agenda Item 5.2.

In the 26th SCAA, 71 cases for de-affiliation of ITIs were received from SSDEC Karnataka. Out of these, 13 ITIs were de-affiliated during the 26th SCAA itself. The remaining 58 ITIs were given a final opportunity by the 26th SCAA to represent themselves. Subsequently, during the 28th SCAA which was held on 28.03.2026, 45 ITIs out of these 58 ITIs were de-affiliated on account of zero admissions for four consecutive years (2022-2025). Out of the remaining ITIs, 13 ITIs did not submit any reply despite the opportunity provided by the 26th SCAA. The Details of the ITIs and the remarks of 29th SCAA are provided at *Annexure-2*.

1.2: Matter regarding de-affiliation of 08 ITIs of the State of Bihar in continuation of the discussions held in the 26th SCAA meeting vide Agenda Item 5.3.

In the 26th SCAA, 08 cases for de-affiliation of ITIs were received from SSDEC. Out of these, 02 ITIs were de-affiliated during the 26th SCAA. In 02 cases, the matter is subjudice and the decision is pending before the Hon'ble Court. The remaining 04 ITIs were given a final opportunity by the 26th SCAA to represent themselves. Subsequently, during the 28th SCAA, 01 ITI among 04 ITIs was de-affiliated due to zero admissions for four consecutive years (2022-2025). Out of the remaining cases, 03 ITIs did not submit any reply despite the opportunity provided by the 26th SCAA. The details of the ITIs and the remarks of 29th SCAA are provided at *Annexure-3*.

1.3: Matter regarding de-affiliation of 32 ITIs of the State of Madhya Pradesh in continuation of the discussions held in the 26th SCAA meeting vide Agenda Item 5.4.

In the 26th SCAA, 32 cases for de-affiliation of ITIs were received from SSDEC. Out of these, 14 ITIs were de-affiliated during the 26th SCAA. The remaining 18 ITIs were given a final opportunity by the 26th SCAA to represent themselves. Out of these 18 ITIs, replies from 11 ITIs were received either within the stipulated time period or with some delay. Subsequently, during the 28th SCAA, out of 18 ITIs, 02 ITIs were de-affiliated due to zero admissions for four consecutive years(2022-2025). Out of the remaining cases, 05 ITIs did not submit any reply despite the opportunity provided by the 26th SCAA. The details of the ITIs and the remarks of 29th SCAA are provided at *Annexure-4*.

Agenda 2: Fresh proposal for de-affiliation of ITIs received from the State of Madhya Pradesh, Jharkhand, Haryana, Maharashtra along with SSDEC recommendations.

- 2.1: Proposal for de-affiliation of 21 ITIs received from the State of Madhya Pradesh along with SSDEC recommendations. Details thereof and remarks of the 29th SCAA are provided at *Annexure-5*.
- 2.2: Proposal for de-affiliation of 06 ITIs received from the State of Jharkhand State, along with SSDEC recommendations. Details thereof and remarks of the 29th SCAA are provided at *Annexure-6*.
- 2.3: Proposal for de-affiliation of 01 ITI received from the State of Maharashtra, along with SSDEC recommendations. Details thereof and remarks of the 29th SCAA are provided at *Annexure-7*.
- 2.4: Proposal for de-affiliation of 01 ITIs received from the State of Haryana, along with in principal approval of Principal Secretary HSDEC recommendations. Details thereof and remarks of the 29th SCAA are provided at *Annexure-8*.
- 2.5: Proposal for de-affiliation of 02 ITIs received from the State of Tamil Nadu, along with SSDEC recommendations. Details thereof and remarks of the 29th SCAA are provided at *Annexure-9*.

Agenda 3: Miscellaneous matters

3.1: Affiliation/de-affiliation matter of Nagda Pvt. ITI (MIS code: PR23000959)

Brief of Matter:

1. Nagda Pvt. ITI was found involved in unauthorized access/use of the NCVT MIS portal. Although no formal de-affiliation order had been issued, the ITI was shown as de-affiliated on the NCVT MIS portal.
2. The ITI submitted a grievance dated 10.04.2024 seeking reactivation of its login credentials and restoration of portal access.
3. The matter was placed before the Competent Authority, which decided that comments from the State Directorate, Madhya Pradesh be obtained and a Joint Inspection be conducted before taking any decision.
4. Comments were sought through RDSDE, Madhya Pradesh. Vide letter No. MPSSDEGB/SCVT/Affiliation/2024/4925 dated 12.11.2024, the State Directorate (ACEO, MPSSDEGB) also requested a Joint Inspection of the ITI.
5. A Joint Inspection by the State Directorate and RDSDE was conducted on 16.01.2025. The report was received from RDSDE via email dated 04.02.2025.
6. Findings of Joint Inspection (16.01.2025):
 - a) Staff had not yet joined and were proposed to join after grant of affiliation.
 - b) Land, building, and infrastructure documents were reportedly available as per NCVT norms.
 - c) Power supply was found available as per norms.
 - d) Machinery and equipment for Electrician trade were available as per norms.
 - e) Machinery for Fitter trade was available except pneumatic and hydraulics equipment.

- f) Committee recommended Electrician trade 2(1+1).
 - g) Fitter trade 2(1+1) was recommended subject to rectification of deficiencies.
7. It is pertinent to mention here that vide Agenda 3 of 8th SCAA held on 12.04.2023, Nagda Pvt. ITI (at Sr. No. 57) was included in the list of 166 ITIs involved in illegal use of ITI login credentials, which was shared with all concerned State Directorates for examination in SSDEC meetings.
 8. The matter was discussed in the 8th SSDEC of Madhya Pradesh held on 09.12.2024 & 10.12.2024 under Agenda No. 6(v), wherein guidance from the DGT was sought regarding such ITIs involved in illegal use of login credentials.
 9. Based on the Joint Inspection report and in view of the principle of natural justice, the Competent Authority decided to activate only Electrician trade 2(1+1), since no de-affiliation order had been issued and de-affiliation proceedings were still pending.
 10. Vide email dated 18.03.2025, Nagda Pvt. ITI (copy to State Directorate and RDSDE MP) was informed that:
 - a) Portal activation was approved only for Electrician trade 2(1+1).
 - b) Fitter trade affiliation would be considered only after rectification of deficiencies and subsequent verification.
 11. Accordingly, another Joint Inspection by State Directorate and RDSDE officials was conducted on 24.07.2025, and the report was submitted by RDSDE MP vide email dated 01.08.2025.
 12. Findings of Verification (24.07.2025): Affiliation for Fitter trade was recommended subject to:
 - a) proper installation of machineries with workstations;
 - b) submission of genuine purchase bills and payment proof;
 - c) ensuring trainee safety.
 13. Subsequently, RDSDE MP forwarded ITI's submission vide email dated 06.08.2025, wherein the ITI stated that deficiencies pointed out during inspection had been rectified, including replacement of workstations in Fitter lab. Purchase bills and lab photographs were also submitted.
 14. It was decided by the competent authority that RDSDE MP to verify the claimed rectifications and submit a clear verification report with recommendations to DGT for final decision.
 15. Since the ITI was involved in unauthorized/illegal access of the NCVT portal,
 16. The joint verification of the ITI was conducted on 24.07.2025 in which the Joint Inspection committee verified that the Fitter trade related deficiencies have been rectified.

29th SCAA Decision: The matter was deliberated in the SCAA meeting, and based on the joint verification report on the deficiencies rectified by the ITI for Fitter 2(1+1), SCAA recommended the affiliation for Fitter -2(1+1) to the ITI . The SCAA also decided that since the ITI was alleged to involved in unauthorized/illegal access of the NCVT portal, and the FIR has been lodged by the DGT against the ITI, the ITI will be liable to de-affiliate if illegal activity is established.

3.2: De-affiliation matter of Pt Brij Kishore ITI (MIS Code: PR23000904) , Madhya Pradesh State

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	29 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
1.	Pt. Brij Kishore Address: Gram Besra Tehsil Malhona Distt - Sagar Madhya Pradesh- 470441 MIS code: PR23000904	1. Electrician- 5(2+2+1) 2. Computer Operator and Programmi ng Assistant- 2(1+1) 3. Stenograph er & Secretarial Assistant (Hindi)- 2(1+1) 4. Fitter- 3(1+1+1)	1. The de-affiliation proceeding of the ITI was initiated due to less grading. 2. The due procedure was followed during de-affiliation proceedings. 3. The matter was discussed in its 4th SSDEC meeting dated 18.09.2023 and as principle of natural justice, 4th SSDEC decided to conduct joint inspection of the ITI. 4. The joint inspection of the ITI was conducted and joint inspection committee recommended Fitter, Electrician and Stenographer & Secretarial Assistant (Hindi). 5. Based on joint inspection the 5th SSDEC in its meeting dated 22.05.2024 recommended Fitter, Electrician and Stenographer & Secretarial Assistant (Hindi). 6. The matter was discussed in 26 th SCAA in its meeting dated 06.03.2026 and SCAA decided that RDSDE to provide clarification regarding deficiencies in COPA trade. 7. Thereafter, RDSDE forwarded the matter to DGT to de-affiliate COPA Trade of the	The matter was again revisited in the SCAA and in adherence to the principles of natural justice, the concerned ITI is hereby granted a final opportunity to show cause on the following deficiencies observed in joint inspection dated 13.09.2023: a) No software license available b) 03 Air conditioners not available c) 03 KVA Online UPS not available d) LAN Tester not available e) Revolving Computer chair not available 2. The explanation/reply, if any, must be comprehensive and duly supported by relevant documentary evidence, including proof regarding the present operational status of the institute, availability of trainees and staff, operational machinery and equipment along with geo-tagged photographs, geo-tagged photographs of the institute infrastructure and location,

			<p>mentioned Pvt ITI as per 5th SSDEC recommendations.</p>	<p>electricity bills, attendance records, and any other documents substantiating compliance with the prescribed norms. In case the reply consists of multiple pages, the institute shall prepare a proper index and clearly reference all annexures relied upon in the submission.</p> <p>3. The reply must reach DGT within 21 days from the date of issuance of these Minutes at the email ID tc-deaffiliation@dgt.gov.in using the following subject line: “Reply to Notice under 29th SCAA Minutes – <ITI Name>, <MIS Code>, <State Name>”.</p> <p>4. In case no reply is received within the stipulated period, or if the reply submitted is found unsatisfactory, the matter shall be processed for taking an appropriate final decision regarding de-affiliation without any further notice.</p>
--	--	--	------------------------------------------------------------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

Annexure-1

List of Participants in the 29th SCAA Meeting.

1. Shri Sunil Kumar Gupta, Deputy Director General, DGT
2. Shri Ujjwal Biswas, Director, TC, DGT
3. Shri, R.C Mandal, Director, Regional Director, RDSDE Bihar
4. Shri, Abhay Arun Mahishi, Regional Director, RDSDE Madhya Pradesh
5. Shri, B.K Dubey, Regional Director, RDSDE Jharkhand
6. Shri Satish Kumar, Joint Director, TC Section, DGT
7. Shri Raju Kannam, Joint Director, TC Section, DGT
8. Shri D.L Meena, Joint Director, RDSDE, Madhya Pradesh
9. Shri, Rakesh Ranjan, Joint Director, State Directorate Bihar
10. Shri, D.S. Thakur, Joint Director, State Directorate Madhya Pradesh
11. Shri R..K. Austin, Deputy Director, State Directorate Madhya Pradesh
12. Shri, Umesh Rao, Deputy Director, State Directorate Karnataka
13. Smt. Anju Agrawal, Assistant Director, State Directorate Jharkhand
14. Shri, Sanjeev Kumar, Additional Director, State Directorate Haryana
15. Shri, Piyush Ramtek Assistant Director, RDSDE Karnataka
16. Shri Jayakumar, Deputy Director, State Directorate Tamil Nadu
17. Shri, Prashant Dongre, Assistant Director, State Directorate Maharashtra
18. Shri Sumant Kumar, Deputy Director, RDSDE, Madhya Pradesh
19. Shri. Shramev Sharma, Deputy Director, TC Section, DGT
20. Mrs. Pooja Verma, Deputy Director, TC Section, DGT
21. Mrs. Priyanka Somani, Deputy Director, RDSDE Rajasthan
22. Shri Shailendra, Deputy Director, State Directorate, Rajasthan
23. Smt. Kanika Kalhan, Training Officer, TC-Section DGT

Annexure-2

Annexure -2 as referred in Agenda 1.1 regarding De-affiliation of 71 ITIs of the State of Karnataka in continuation of the discussions held in the 26th SCAA meeting vide Agenda Item 5.2.

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	29th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
1.	<p>Megha Centre for Electronics & Bio-Medical Technology of India (MCEBT)</p> <p>Address: Basaveshwara Nagar, Bengaluru Urban, Karnataka - 560079</p> <p>MIS Code: PR29000619</p>	Mechanic Medical Electronics-1(1+0)	<ol style="list-style-type: none"> 1. The inspection was conducted by the State Directorate, during which it was observed that the ITI had been closed since 2019. Accordingly, de-affiliation proceedings were initiated by the State Directorate. 2. Show-Cause Notice (SCN) was issued to the ITI by the State on 26.06.2024, followed by reminder dated 28.08.2024. 3. The ITI did not submit any reply to either the SCN or to the reminder SCN. 4. Further, a Joint Inspection was conducted on 06.06.2025 by the RDSDE, Karnataka and State official. During inspection the following were observed: <ol style="list-style-type: none"> a) The ITI was found closed and no person was available from the ITI on the day of inspection. 5. Based on the findings of the joint inspection, 4th SSDEC, in its meeting held on 02.09.2025, has recommended de-affiliation of the 	<p>The matter was discussed in the SCAA meeting, and the SCAA decided as under:</p> <ol style="list-style-type: none"> 1. In line with the principles of natural justice, the ITI was afforded final opportunity to represent itself by 26th SCAA in its meeting held on 15.01.2026 and 20.01.2026, to submit a show-cause reply explaining why the ITI should not be de-affiliated along with any supporting representation, within 21 days from the issuance of the Minutes of that Meeting as the ITI was found closed and no person was available from the ITI on the day of inspection. 2. The said communication was issued by the DGT to the registered email of the institute on 06.03.2026.

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	29 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>ITI as it is closed since 2019 and is not functioning.</p> <p>6. Thereafter, the matter was discussed in the 26th SCAA in its meeting dated 15.01.2026 to 20.01.2026, wherein the ITI was granted a final opportunity to show cause as to why the ITI should not be de-affiliated within 21 days from the date of issue of the Minutes.</p> <p>7. The ITI failed to avail the opportunity provided during the 26th SCAA meeting, as no reply was submitted.</p>	<p>3. Further, the ITI did not avail the final opportunity provided by the DGT in the 26th SCAA meeting and failed to submit any reply or representation within the stipulated time, thereby exhibiting continued negligence and persistent non-compliance.</p> <p>4. Moreover, the ITI is closed since 2019 and is not functioning.</p> <p>5. The non-submission of a reply clearly indicates that the ITI is not functioning in accordance with the prescribed norms, thereby defeating the very purpose of the CTS.</p> <p>Therefore, in view of the above remarks and in the interest of the trainees, the ITI is hereby de-affiliated.</p>
2.	Sri M. Vishveshwaraiah ITC, Chitradurga Distt.	<p>1. Electrician – 2(1+1)</p> <p>2. Fitter – 2(1+1)</p>	<p>1. The preliminary inspection dated 15.09.2023 was conducted by the State Directorate, during which it was observed that the ITI had been closed since 2024. Accordingly, de-</p>	<p>The matter was discussed in the SCAA meeting, and the SCAA decided as under:</p> <p>1. In line with the principles of natural justice, the ITI was</p>

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	29 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
	<p>Address: P.B Road Industrial Area, Chitradurga, Karnataka- 577501</p> <p>MIS Code: PR29000909</p>		<p>affiliation proceedings were initiated by the State Directorate.</p> <p>2. SCN was issued to the ITI by the State on 26.06.2024, followed by reminder dated 28.08.2024.</p> <p>3. The ITI submit reply to the SCN.</p> <p>4. Further, a Joint Inspection was conducted on 24.06.2025 by the RDSDE and State official. During inspection the following were observed:</p> <p>a) The ITI is closed since 2024 due to some dispute between Building Owner and Management.</p> <p>b) The land & building, manpower, power supply and tools & equipment were not available as per the DGT norms.</p> <p>5. Based on the findings of the joint inspection, 4th SSDEC, in its meeting held on 02.09.2025, has recommended de-affiliation of the ITI as per the above-mentioned observations during Joint Inspection dated 24.06.2025.</p> <p>6. Thereafter, the matter was discussed in the 26th SCAA in its meeting dated 15.01.2026 to 20.01.2026, wherein the ITI was granted a final opportunity to show-cause as to why the ITI should not be de-affiliated</p>	<p>afforded final opportunity to represent itself by 26th SCAA in its meeting held on 15.01.2026 and 20.01.2026, to submit a show-cause reply explaining why the ITI should not be de-affiliated along with any supporting representation, within 21 days from the issuance of the minutes of that meeting due to following reasons:</p> <p>a) The ITI is closed since 2024 due to some dispute between Building Owner and Management.</p> <p>b) The land & building, man power, power supply and tools, equipment were not available as per the DGT norms.</p> <p>2. The said communication was issued by the DGT to the registered email of the institute on 06.03.2026</p> <p>3. Further, the ITI did not avail the final opportunity provided by the DGT in the</p>

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	29 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>within 21 days from the date of issue of the Minutes.</p> <p>7. The ITI failed to avail the opportunity provided during the 26th SCAA meeting, as no reply was submitted.</p>	<p>26th SCAA meeting and failed to submit any reply or representation within the stipulated time, thereby exhibiting continued negligence and persistent non-compliance.</p> <p>4. Moreover, the ITI is closed since 2024 due to some dispute between Building Owner and Management and the land & building, manpower, power supply and tools, equipment were not available as per the DGT norms.</p> <p>5. The non-submission of a reply clearly indicates that the ITI is not functioning in accordance with the prescribed norms, thereby defeating the very purpose of the CTS.</p> <p>Therefore, in view of the above remarks and in the interest of the trainees, the ITI is hereby de-affiliated.</p>

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	29 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
3.	<p>Smt Halama Malikarjunappa Memorial Rural ITC</p> <p>Address : Anaji, Davangere,Karnataka</p> <p>MIS Code: PR29001024</p>	<p>1. Electrician – 2(1+1) 2. Fitter – 2(1+1)</p>	<p>1. The preliminary inspection dated 19.09.2023 was conducted by the State Directorate, during which it was observed that the ITI had been closed since 2023. Accordingly, de-affiliation proceedings were initiated by the State Directorate.</p> <p>2. SCN was issued to the ITI by the State on 26.06.2024, followed by reminder dated 28.08.2024.</p> <p>3. The ITI did not submit any reply to either the SCN or to the reminder SCN.</p> <p>4. Further, a Joint Inspection was conducted on 06.06.2025 by the RDSDE and State official. During inspection the following were observed: a) ITI closed and not functioning</p> <p>5. Based on the findings of the joint inspection, 4th SSDEC, in its meeting held on 02.09.2025, has recommended de-affiliation of the ITI as the ITI is closed since 2023 and is not functioning.</p> <p>6. Thereafter, the matter was discussed in the 26th SCAA in its meeting dated 15.01.2026 to 20.01.2026, wherein the ITI was granted a final opportunity to show-cause as to why the ITI should not be de-affiliated</p>	<p>The matter was discussed in the SCAA meeting, and the SCAA decided as under:</p> <p>1. In line with the principles of natural justice, the ITI was afforded final opportunity to represent itself by 26th SCAA in its meeting held on 15.01.2026 and 20.01.2026, to submit a show-cause reply explaining why the ITI should not be de-affiliated along with any supporting representation, within 21 days from the issuance of the minutes of that meeting as the ITI was found closed and not functioning on the day of inspection.</p> <p>2. The said communication was issued by DGT to the registered email of the institute on 06.03.2026</p> <p>3. Further, the ITI did not avail the final opportunity provided by DGT in the 26th SCAA meeting and failed to submit any reply or representation within the</p>

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	29 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>within 21 days from the date of issue of the Minutes.</p> <p>7. The ITI failed to avail the opportunity provided during the 26th SCAA meeting, as no reply was submitted.</p>	<p>stipulated time, thereby exhibiting continued negligence and persistent non-compliance.</p> <p>4. Moreover, the ITI is closed since 2023 and is not functioning.</p> <p>5. The non-submission of a reply clearly indicates that the ITI is not functioning in accordance with the prescribed norms, thereby defeating the very purpose of the CTS.</p> <p>Therefore, in view of the above remarks and in the interest of the trainees, the ITI is hereby de-affiliated.</p>
4.	<p>Bellad Technical Institute</p> <p>Address :unkal Cross Hubli, Dharwad, Karnataka- 580031</p> <p>MIS Code: PU29000656</p>	<p>1. Fitter- 2(1+1)</p> <p>2. Mechanic (Motor Vehicle)- 2(1+1)</p> <p>3. Mechanic Diesel- 2(1+1)</p>	<p>1. The inspection was conducted by the State Directorate, during which it was observed that the ITI had been closed since 2023. Accordingly, de-affiliation proceedings were initiated by the State Directorate.</p> <p>2. SCN was issued to the ITI by the State on 26.06.2024, followed by reminder dated 28.08.2024.</p> <p>3. The ITI did not submit any reply to the SCN or to the reminder SCN.</p>	<p>The matter was discussed in the SCAA meeting, and the SCAA decided as under:</p> <p>1. In line with the principles of natural justice, the ITI was afforded final opportunity to represent itself by 26th SCAA in its meeting held on 15.01.2026 and 20.01.2026, to submit a show-cause reply</p>

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	29 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>4. Further, a Joint Inspection was conducted on 05.08.2025 by the RDSDE and State official. During inspection, the following were observed:</p> <p>a) ITI closed and not functioning</p> <p>5. Based on the findings of the joint inspection, 4th SSDEC, in its meeting held on 02.09.2025, has recommended de-affiliation of the ITI as the ITI is closed since 2023 and is not functioning.</p> <p>6. Thereafter, the matter was discussed in the 26th SCAA in its meeting dated 15.01.2026 to 20.01.2026, wherein the ITI was granted a final opportunity to show cause as to why the ITI should not be de-affiliated within 21 days from the date of issue of the Minutes.</p> <p>7. The ITI failed to avail the opportunity provided during the 26th SCAA meeting, as no reply was submitted.</p>	<p>explaining why the ITI should not be de-affiliated along with any supporting representation, within 21 days from the issuance of the minutes of that meeting as the ITI was found closed and not functioning on the day of inspection.</p> <p>2. The said communication was issued by DGT to the registered email of the institute on 06.03.2026</p> <p>3. Further, the ITI did not avail the final opportunity provided by DGT in the 26th SCAA meeting and failed to submit any reply or representation within the stipulated time, thereby exhibiting continued negligence and persistent non-compliance.</p> <p>4. Moreover, the ITI is closed since 2023 and is not functioning.</p> <p>5. The non-submission of a reply clearly indicates that the ITI is not functioning in accordance with the prescribed norms, thereby</p>

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	29 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
				<p>defeating the very purpose of the CTS. Therefore, in view of the above remarks and in the interest of the trainees, the ITI is hereby de-affiliated.</p>
5.	<p>Omkar Industrial Training Centre</p> <p>Address: Kadibandar Sultanpur, Aland-Karnataka- 585302,</p> <p>MIS Code: PR29001328</p>	Electrician 2(1+1)	<ol style="list-style-type: none"> 1. The preliminary inspection dated 14.09.2023 was conducted by the State Directorate, during which it was observed that the ITI had been closed since 2023. Accordingly, de-affiliation proceedings were initiated by the State Directorate. 2. SCN was issued to the ITI by the State on 26.06.2024, followed by reminder dated 28.08.2024. 3. The ITI did not submit any reply to the SCN or to the reminder SCN. 4. Further, a Joint Inspection was conducted on 31.07.2025 by the RDSDE and State official. During inspection the following were observed: <ol style="list-style-type: none"> a) ITI closed and not functioning 5. Based on the findings of the joint inspection, 4th SSDEC, in its meeting held on 02.09.2025, has recommended de-affiliation of the ITI as the ITI is closed since 2023 and is not functioning. 	<p>The matter was discussed in the SCAA meeting, and the SCAA decided as under:</p> <ol style="list-style-type: none"> 1. In line with the principles of natural justice, the ITI was afforded final opportunity to represent itself by 26th SCAA in its meeting held on 15.01.2026 and 20.01.2026, to submit a show-cause reply explaining why the ITI should not be de-affiliated along with any supporting representation, within 21 days from the issuance of the minutes of that meeting as the ITI was found closed and not functioning on the day of inspection. 2. The said communication was issued by DGT to the

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	29 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>6. Thereafter, the matter was discussed in the 26th SCAA in its meeting dated 15.01.2026 to 20.01.2026, wherein the ITI was granted a final opportunity to show cause as to why the ITI should not be de-affiliated within 21 days from the date of issue of the Minutes.</p> <p>7. The ITI failed to avail the opportunity provided during the 26th SCAA meeting, as no reply was submitted.</p>	<p>registered email of the institute on 06.03.2026</p> <p>3. Further, the ITI did not avail the final opportunity provided by DGT in the 26th SCAA meeting and failed to submit any reply or representation within the stipulated time, thereby exhibiting continued negligence and persistent non-compliance.</p> <p>4. Moreover, the ITI is closed since 2023 and is not functioning.</p> <p>5. The non-submission of a reply clearly indicates that the ITI is not functioning in accordance with the prescribed norms, thereby defeating the very purpose of the CTS.</p> <p>Therefore, in view of the above remarks and in the interest of the trainees, the ITI is hereby de-affiliated.</p>
6.	Shree Basaveshwar Industrial Training Centre	Fitter- 2(1+1)	1. The preliminary inspection dated 20.06.2023 was conducted by the State Directorate, during which it was observed that the ITI had been closed	The matter was discussed in the SCAA meeting, and the SCAA decided as under:

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	29 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
	<p>Address: At Post: Farhatabad Tq:Kalaburagi-Bidar, Karnataka - 585308</p> <p>MIS Code: PR29000714</p>		<p>since 2023. Accordingly, de-affiliation proceedings were initiated by the State Directorate.</p> <ol style="list-style-type: none"> 2. SCN was issued to the ITI by the State on 26.06.2024, followed by reminder dated 28.08.2024. 3. The ITI did not submit any reply to the SCN or to the reminder SCN. 4. Further, a Joint Inspection was conducted on 01.08.2025 by the RDSDE and State official. During inspection the following were observed: <ol style="list-style-type: none"> a) ITI closed and not functioning 5. Based on the findings of the joint inspection, 4th SSDEC, in its meeting held on 02.09.2025, has recommended de-affiliation of the ITI as the ITI is closed since 2023 and is not functioning. 6. Thereafter, the matter was discussed in the 26th SCAA in its meeting dated 15.01.2026 to 20.01.2026, wherein the ITI was granted a final opportunity to show cause as to why the ITI should not be de-affiliated within 21 days from the date of issue of the Minutes. 7. The ITI failed to avail the opportunity provided during the 26th SCAA meeting, as no reply was submitted. 	<ol style="list-style-type: none"> 1. In line with the principles of natural justice, the ITI was afforded final opportunity to represent itself by 26th SCAA in its meeting held on 15.01.2026 and 20.01.2026, to submit a show-cause reply explaining why the ITI should not be de-affiliated along with any supporting representation, within 21 days from the issuance of the minutes of that meeting as the ITI was found closed and not functioning on the day of inspection. 2. The said communication was issued by DGT to the registered email of the institute on 06.03.2026 3. Further, the ITI did not avail the final opportunity provided by DGT in the 26th SCAA meeting and failed to submit any reply or representation within the stipulated time, thereby exhibiting continued

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	29 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
				<p>negligence and persistent non-compliance.</p> <p>4. Moreover, the ITI is closed since 2023 and is not functioning.</p> <p>5. The non-submission of a reply clearly indicates that the ITI is not functioning in accordance with the prescribed norms, thereby defeating the very purpose of the CTS.</p> <p>6. Therefore, in view of the above remarks and in the interest of the trainees, the ITI is hereby de-affiliated.</p>
7.	<p>Sri Sadguru ITI</p> <p>Mahalaxmi Layout, Bidar, Karnataka - 585104</p> <p>MIS Code: PU29000977</p>	<p>1. Electrician – 2(1+1)</p> <p>2. Fitter – 1(1+0)</p>	<p>1. The preliminary inspection dated 12.09.2023 & 08.08.2023 was conducted by the State Directorate, during which it was observed that the ITI had been closed since 2023. Accordingly, de-affiliation proceedings were initiated by the State Directorate.</p> <p>2. SCN was issued to the ITI by the State on 26.06.2024, followed by reminder dated 28.08.2024.</p> <p>3. The ITI did not submit any reply to the SCN or to the reminder SCN.</p> <p>4. Further, a Joint Inspection was conducted on 30.07.2025 by the</p>	<p>The matter was discussed in the SCAA meeting, and the SCAA decided as under:</p> <p>1. In line with the principles of natural justice, the ITI was afforded final opportunity to represent itself by 26th SCAA in its meeting held on 15.01.2026 and 20.01.2026, to submit a show-cause reply explaining why the ITI should not be de-affiliated</p>

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	29 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>RDSDE and State official. During inspection the following were observed:</p> <p>a) ITI closed and not functioning</p> <p>5. Based on the findings of the joint inspection, 4th SSDEC, in its meeting held on 02.09.2025, has recommended de-affiliation of the ITI as the ITI is closed since 2023 and is not functioning.</p> <p>6. Thereafter, the matter was discussed in the 26th SCAA in its meeting dated 15.01.2026 to 20.01.2026, wherein the ITI was granted a final opportunity to show cause as to why the ITI should not be de-affiliated within 21 days from the date of issue of the Minutes.</p> <p>7. The ITI failed to avail the opportunity provided during the 26th SCAA meeting, as no reply was submitted.</p>	<p>along with any supporting representation, within 21 days from the issuance of the minutes of that meeting as the ITI was found closed and not functioning on the day of inspection.</p> <p>2. The said communication was issued by DGT to the registered email of the institute on 06.03.2026</p> <p>3. Further, the ITI did not avail the final opportunity provided by DGT in the 26th SCAA meeting and failed to submit any reply or representation within the stipulated time, thereby exhibiting continued negligence and persistent non-compliance.</p> <p>4. Moreover, the ITI is closed since 2023 and is not functioning.</p> <p>5. The non-submission of a reply clearly indicates that the ITI is not functioning in accordance with the prescribed norms, thereby defeating the very purpose of the CTS.</p>

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	29 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
				6. Therefore, in view of the above remarks and in the interest of the trainees, the ITI is hereby de-affiliated.
8.	<p>Sri Rachana ITC, Kikkeri</p> <p>Address :Main Road, Next to Junior College Opp. to Police Station, Kikkeri K.R. Pet, Mandya, Karnataka - 571423</p> <p>MIS Code: PR29001036</p>	Fitter – 2(1+1)	<ol style="list-style-type: none"> 1. The preliminary inspection dated 07.11.2016 was conducted by the State Directorate, during which it was observed that the ITI had been closed. Accordingly, de-affiliation proceedings were initiated by the State Directorate. 2. SCN was issued to the ITI by the State on 26.06.2024, followed by reminder dated 28.08.2024. 3. The ITI did not submit any reply to the SCN or to the reminder SCN. 4. Further, a Joint Inspection was conducted on 06.04.2025 by the RDSDE and State official. During inspection the following were observed: <ol style="list-style-type: none"> a) ITI closed and not functioning 5. Based on the findings of the joint inspection, 4th SSDEC, in its meeting held on 02.09.2025, has recommended de-affiliation of the ITI as the ITI is closed since 2017 and is not functioning. 6. Thereafter, the matter was discussed in the 26th SCAA in its meeting dated 15.01.2026 to 20.01.2026, wherein 	<p>The matter was discussed in the SCAA meeting, and the SCAA decided as under:</p> <ol style="list-style-type: none"> 1. In line with the principles of natural justice, the ITI was afforded final opportunity to represent itself by 26th SCAA in its meeting held on 15.01.2026 and 20.01.2026, to submit a show-cause reply explaining why the ITI should not be de-affiliated along with any supporting representation, within 21 days from the issuance of the minutes of that meeting as the ITI was found closed and not functioning on the day of inspection. 2. The said communication was issued by DGT to the registered email of the institute on 06.03.2026

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	29 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>the ITI was granted a final opportunity to show cause as to why the ITI should not be de-affiliated within 21 days from the date of issue of the Minutes.</p> <p>7. The ITI failed to avail the opportunity provided during the 26th SCAA meeting, as no reply was submitted.</p>	<p>3. Further, the ITI did not avail the final opportunity provided by DGT in the 26th SCAA meeting and failed to submit any reply or representation within the stipulated time, thereby exhibiting continued negligence and persistent non-compliance.</p> <p>4. Moreover, the ITI is closed since 2017 and is not functioning.</p> <p>5. The non-submission of a reply clearly indicates that the ITI is not functioning in accordance with the prescribed norms, thereby defeating the very purpose of the CTS.</p> <p>6. Therefore, in view of the above remarks and in the interest of the trainees, the ITI is hereby de-affiliated.</p>
9.	Brilliant ITI, Kortagere		<p>1. The preliminary inspection dated 20.12.2018 was conducted by the State Directorate, during which it was observed that the ITI had been closed since 2013. Accordingly, de-affiliation proceedings were initiated by the State Directorate.</p>	<p>The matter was discussed in the SCAA meeting, and the SCAA decided as under:</p> <p>1. In line with the principles of natural justice, the ITI was</p>

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	29 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<ol style="list-style-type: none"> 2. SCN was issued to the ITI by the State on 26.06.2024, followed by reminder dated 28.08.2024. 3. The ITI did not submit any reply to the SCN or to the reminder SCN. 4. Further, a Joint Inspection was conducted on 17.06.2025 by the RDSDE and State official. During inspection the following were observed: <ol style="list-style-type: none"> a) ITI closed and not functioning 5. Based on the findings of the joint inspection, 4th SSDEC, in its meeting held on 02.09.2025, has recommended de-affiliation of the ITI as the ITI is closed since 2013 and is not functioning. 6. Thereafter, the matter was discussed in the 26th SCAA in its meeting dated 15.01.2026 and 20.01.2026, wherein the ITI was granted a final opportunity to show cause as to why the ITI should not be de-affiliated within 21 days from the date of issue of the Minutes. 7. The ITI failed to avail the opportunity provided during the 26th SCAA meeting, as no reply was submitted. 	<p>afforded final opportunity to represent itself by 26th SCAA in its meeting held on 15.01.2026 and 20.01.2026, to submit a show-cause reply explaining why the ITI should not be de-affiliated along with any supporting representation, within 21 days from the issuance of the minutes of that meeting as the ITI was found closed and not functioning on the day of inspection.</p> <ol style="list-style-type: none"> 2. Further, the ITI did not avail the final opportunity provided by DGT in the 26th SCAA meeting and failed to submit any reply or representation within the stipulated time, thereby exhibiting continued negligence and persistent non-compliance. 3. Moreover, the ITI is closed since 2013 and is not functioning. 4. The non-submission of a reply clearly indicates that the ITI is not functioning in

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	29 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
				<p>accordance with the prescribed norms, thereby defeating the purpose of the CTS.</p> <p>5. No information about the ITI is available on the portal.</p> <p>6. Therefore, in view of the above remarks and in the interest of the trainees, the ITI is hereby de-affiliated.</p>
10.	<p>Nisarga ITC</p> <p>Address :Dandipura, Kodigenahalli, Madugiri Tq., Tumakuru, Karnataka</p> <p>MIS Code: PR29001173</p>	Fitter – 2(1+1)	<ol style="list-style-type: none"> 1. The preliminary inspection dated 01.10.2022 was conducted by the State Directorate, during which it was observed that the ITI had been closed since 2021. Accordingly, de-affiliation proceedings were initiated by the State Directorate. 2. SCN was issued to the ITI by the State on 26.06.2024, followed by reminder dated 28.08.2024. 3. The ITI did not submit any reply to the SCN or to the reminder SCN. 4. Further, a Joint Inspection was conducted on 17.06.2025 by the RDSDE and State official. During inspection the following were observed: ITI closed and not functioning 5. Based on the findings of the joint inspection, 4th SSDEC, in its meeting 	<p>The matter was discussed in the SCAA meeting, and the SCAA decided as under:</p> <ol style="list-style-type: none"> 1. In line with the principles of natural justice, the ITI was afforded final opportunity to represent itself by 26th SCAA in its meeting held on 15.01.2026 and 20.01.2026, to submit a show-cause reply explaining why the ITI should not be de-affiliated along with any supporting representation, within 21 days from the issuance of the minutes of that meeting as the ITI was found closed

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	29 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>held on 02.09.2025, has recommended de-affiliation of the ITI as the ITI is closed since 2021 and is not functioning.</p> <p>6. Thereafter, the matter was discussed in the 26th SCAA in its meeting dated 15.01.2026 and 20.01.2026, wherein the ITI was granted a final opportunity to show-cause as to why the ITI should not be de-affiliated within 21 days from the date of issue of the Minutes of the Meeting.</p> <p>7. The ITI failed to avail the opportunity provided during the 26th SCAA meeting, as no reply was submitted.</p>	<p>and not functioning on the day of inspection.</p> <p>2. The said communication was issued by the DGT to the registered email of the institute on 06.03.2026</p> <p>3. Further, the ITI did not avail the final opportunity provided by DGT in the 26th SCAA meeting and failed to submit any reply or representation within the stipulated time, thereby exhibiting continued negligence and persistent non-compliance.</p> <p>4. Moreover, the ITI is closed since 2021 and is not functioning.</p> <p>5. The non-submission of a reply clearly indicates that the ITI is not functioning in accordance with the prescribed norms, thereby defeating the purpose of the CTS.</p> <p>6. Therefore, in view of the above remarks and in the interest of the trainees, the ITI is hereby de-affiliated.</p>

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	29 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
11.	<p>Hanuman ITC,</p> <p>Address :Opp. Chathurmukha Basadi Karkala – 574104, Udupi,Karnataka</p> <p>MIS Code: PR29000972</p>	<p>1. Electrician-2(1+1)</p> <p>2. Mechanic (Motor Vehicle)-2(1+1)</p> <p>3. Mechanic Diesel- 1(1+0)</p>	<p>1. The preliminary inspection dated 20.12.2023 was conducted by the State Directorate, during which it was observed that the ITI had been closed since 2023. Accordingly, de-affiliation proceedings were initiated by the State Directorate.</p> <p>2. SCN was issued to the ITI by the State on 26.06.2024, followed by reminder dated 28.08.2024.</p> <p>3. The ITI did not submit any reply to the SCN or to the reminder SCN.</p> <p>4. Further, a Joint Inspection was conducted on 08.11.2025 by the RDSDE and State official. During inspection the following were observed:</p> <p>a) ITI is closed and Management of the ITI is not willing to continue ITI courses due to lack of admission and manpower.</p> <p>5. Based on the findings of the joint inspection, 4th SSDEC, in its meeting held on 02.09.2025, has recommended de-affiliation of the ITI as the ITI is closed since 2023 and is not functioning.</p> <p>6. Thereafter, the matter was discussed in the 26th SCAA in its meeting dated 15.01.2026 and 20.01.2026, wherein the ITI was granted a final</p>	<p>The matter was discussed in the SCAA meeting, and the SCAA decided as under:</p> <p>1. In line with the principles of natural justice, the ITI was afforded final opportunity to represent itself by 26th SCAA in its meeting held on 15.01.2026 and 20.01.2026, to submit a show-cause reply explaining why the ITI should not be de-affiliated along with any supporting representation, within 21 days from the issuance of the minutes of that meeting as the ITI is closed and Management of the ITI is not willing to continue ITI courses due to lack of admission and manpower.</p> <p>2. The said communication was issued by DGT to the registered email of the institute on 06.03.2026</p> <p>3. Further, the ITI did not avail the final opportunity provided by DGT in the 26th SCAA meeting and</p>

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	29 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>opportunity to show-cause as to why the ITI should not be de-affiliated within 21 days from the date of issue of the Minutes.</p> <p>7. The ITI failed to avail the opportunity provided during the 26th SCAA meeting, as no reply was submitted.</p>	<p>failed to submit any reply or representation within the stipulated time, thereby exhibiting continued negligence and persistent non-compliance.</p> <p>4. Moreover, the ITI is closed since 2023 and is not functioning and also the management of the ITI is not willing to continue ITI courses due to lack of admission and manpower.</p> <p>5. The non-submission of a reply clearly indicates that the ITI is not functioning in accordance with the prescribed norms, thereby defeating the very purpose of the CTS.</p> <p>6. Therefore, in view of the above remarks and in the interest of the trainees, the ITI is hereby de-affiliated.</p>
12.	Sangappa Gonal Memorial Private ITI Nidagundi	<p>1. Electrician – 2(1+1)</p> <p>2. Fitter – 2(1+1)</p>	<p>1. The preliminary inspection dated 11.10.2023 was conducted by the State Directorate, during which it was observed that the ITI had been closed. Accordingly, de-affiliation proceedings were initiated by the State Directorate.</p>	<p>The matter was discussed in the SCAA meeting, and the SCAA decided as under:</p> <p>1. In line with the principles of natural justice, the ITI was</p>

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	29 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
	<p>Address :Yelagureshwara Building, Nidagundi, Basavana Bagewadi Tq., Bijapur,Karnataka - 586213</p> <p>MIS Code: PR29001350</p>		<ol style="list-style-type: none"> 2. SCN was issued to the ITI by the State on 26.06.2024. 3. The ITI submit reply to the SCN. 4. Further, a Joint Inspection was conducted on 11.07.2025 by the RDSDE and State official. During inspection the following were observed: <ol style="list-style-type: none"> a) ITI found closed at the affiliated place and no activities found in this ITI. 5. Based on the findings of the above inspection dated 11.07.2025, the 4th SSDEC, in its meeting held on 02.09.2025, has recommended de-affiliation of the ITI. 6. Thereafter, the matter was discussed in the 26th SCAA in its meeting dated 15.01.2026 to 20.01.2026, wherein the ITI was granted a final opportunity to show cause as to why the ITI should not be de-affiliated within 21 days from the date of issue of the Minutes. 7. The ITI failed to avail the opportunity provided during the 26th SCAA meeting, as no reply was submitted. 	<p>afforded final opportunity to represent itself by 26th SCAA in its meeting held on 15.01.2026 and 20.01.2026, to submit a show-cause reply explaining why the ITI should not be de-affiliated along with any supporting representation, within 21 days from the issuance of the minutes of that meeting as the ITI found closed at the affiliated place and no activities found in this ITI.</p> <ol style="list-style-type: none"> 2. The said communication was issued by DGT to the registered email of the institute on 06.03.2026 3. Further, the ITI did not avail the final opportunity provided by DGT in the 26th SCAA meeting and failed to submit any reply or representation within the stipulated time, thereby exhibiting continued negligence and persistent non-compliance.

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	29 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
				<p>4. Moreover, ITI found closed at the affiliated place and no activities found in this ITI.</p> <p>5. The non-submission of a reply clearly indicates that the ITI is not functioning in accordance with the prescribed norms, thereby defeating the very purpose of the CTS.</p> <p>Therefore, in view of the above remarks and in the interest of the trainees, the ITI is hereby de-affiliated.</p>
13.	<p>Shri Padamavati ITI Indi</p> <p>Address :at Indi, Bijapur-Karnataka- 586209</p> <p>MIS Code: PU29001292</p>	Fitter – 2(1+1)	<p>1. The preliminary inspections dated 04.04.2022 & 24.06.2022 were conducted by the State Directorate, during which it was observed that the ITI had been closed since 2013. Accordingly, de-affiliation proceedings were initiated by the State Directorate.</p> <p>2. SCN was issued to the ITI by the State on 26.06.2024, followed by reminder dated 28.08.2024.</p> <p>3. The ITI did not submit any reply to either the SCN or to the reminder SCN.</p> <p>4. Further, a Joint Inspection was conducted on 10.07.2025 by the</p>	<p>The matter was discussed in the SCAA meeting, and the SCAA decided as under:</p> <p>1. In line with the principles of natural justice, the ITI was afforded final opportunity to represent itself by 26th SCAA in its meeting held on 15.01.2026 and 20.01.2026, to submit a show-cause reply explaining why the ITI should not be de-affiliated along with any supporting representation, within 21</p>

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	29 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>RDSDE and State official. During inspection the following were observed:</p> <p>a) ITI closed and not functioning</p> <p>5. Based on the findings of the joint inspection, 4th SSDEC, in its meeting held on 02.09.2025, has recommended de-affiliation of the ITI as the ITI is closed since 2013 and is not functioning.</p> <p>6. Thereafter, the matter was discussed in the 26th SCAA in its meeting dated 15.01.2026 and 20.01.2026, wherein the ITI was granted a final opportunity to show cause as to why the ITI should not be de-affiliated within 21 days from the date of issue of the Minutes.</p> <p>7. The ITI failed to avail the opportunity provided during the 26th SCAA meeting, as no reply was submitted.</p>	<p>days from the issuance of the minutes of that meeting as the ITI is found closed and not functioning on the day of inspection.</p> <p>2. The said communication was issued by the DGT to the registered email of the institute on 06.03.2026</p> <p>3. Further, the ITI did not avail the final opportunity provided by DGT in the 26th SCAA meeting and failed to submit any reply or representation within the stipulated time, thereby exhibiting continued negligence and persistent non-compliance.</p> <p>4. Moreover, the ITI is closed since 2013 and is not functioning.</p> <p>5. The non-submission of a reply clearly indicates that the ITI is not functioning in accordance with the prescribed norms, thereby defeating the very purpose of the CTS.</p> <p>Therefore, in view of the above remarks and in the interest of</p>

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	29 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
				the trainees, the ITI is hereby de-affiliated.
14.	<p>SBK ITC</p> <p>Address: Opp. KPTCL Office, melebennur-577530 Harihara Tq.- Davangere, Karnataka - 577530</p> <p>MIS Code: PR29001220</p>	<ol style="list-style-type: none"> 1. Electrician- 2(1+1) 2. Fitter- 2(1+1) 	<ol style="list-style-type: none"> 1. The preliminary inspection dated 19.10.2022 was conducted by the State Directorate, during which it was observed that the ITI had been shifted to new address SBK ITI Thungabhadra ITI Campus malebennur, Dist Davanagere. There is no admission since 2022. Accordingly, de-affiliation proceedings were initiated by the State Directorate. 2. SCN was issued to the ITI by the State on 26.06.2024, followed by reminder dated 28.08.2024. 3. The ITI did not submit any reply to the SCN or to the reminder SCN. 4. Further, a Joint Inspection was conducted on 06.04.2025 by the RDSDE and State official. During inspection the following were observed: <ol style="list-style-type: none"> a) ITI closed and not functioning 5. Based on the findings of the joint inspection, 4th SSDEC, in its meeting held on 02.09.2025, has recommended de-affiliation as the ITI is closed, not functioning and also 	<p>The matter was discussed in the SCAA meeting, and the SCAA decided as under:</p> <ol style="list-style-type: none"> 1. In line with the principles of natural justice, the ITI was afforded final opportunity to represent itself by 26th SCAA in its meeting held on 15.01.2026 and 20.01.2026, to submit a show-cause reply explaining why the ITI should not be de-affiliated along with any supporting representation, within 21 days from the issuance of the minutes of that meeting as the ITI found closed and not functioning on the day of inspection and also has not obtained affiliation at the shifted location. 2. The said communication was issued by DGT to the registered email of the institute on 06.03.2026

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	29 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>has not obtained affiliation at the shifted location.</p> <p>6. Thereafter, the matter was discussed in the 26th SCAA in its meeting dated 15.01.2026 to 20.01.2026, wherein the ITI was granted a final opportunity to show cause as to why the ITI should not be de-affiliated within 21 days from the date of issue of the Minutes.</p> <p>7. The ITI failed to avail the opportunity provided during the 26th SCAA meeting, as no reply was submitted.</p>	<p>3. Further, the ITI did not avail the final opportunity provided by DGT in the 26th SCAA meeting and failed to submit any reply or representation within the stipulated time, thereby exhibiting continued negligence and persistent non-compliance.</p> <p>4. Moreover, the ITI is closed and is not functioning and also has not obtained affiliation at the shifted location.</p> <p>5. The non-submission of a reply clearly indicates that the ITI is not functioning in accordance with the prescribed norms, thereby defeating the very purpose of the CTS.</p> <p>Therefore, in view of the above remarks and in the interest of the trainees, the ITI is hereby de-affiliated.</p>
15.	Sri Kudos Rural Private ITI	Electrician-2(1+1)	1. The preliminary inspection dated 17.05.2023 was conducted by the State Directorate, during which it was observed that the ITI had been shifted	The matter was discussed in the SCAA meeting, and the SCAA decided as under:

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	29 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
	<p>Address: S.R. Nagar, Gangavathi Tq. Koppal- 583227</p> <p>MIS Code: PR29000990</p>		<p>to new address Sidappa Building besides kanakdurga Temple near 1st bus stand gangavathi, raichure road sriramnagar, Gangavathi koppal. There is no admission since 2022. Accordingly, de-affiliation proceedings were initiated by the State Directorate.</p> <p>2. SCN was issued to the ITI by the State on 26.06.2024, followed by reminder dated 28.08.2024.</p> <p>3. The ITI did not submit any reply to the SCN or to the reminder SCN.</p> <p>4. Further, a Joint Inspection was conducted on 06.04.2025 by the RDSDE and State official. During inspection the following were observed:</p> <p>a) ITI found closed and no training activities were there.</p> <p>5. Based on the findings of the joint inspection, 4th SSDEC, in its meeting held on 02.09.2025, has recommended de-affiliation of the ITI as the ITI is closed, not functioning and also has not obtained affiliation at the shifted location.</p> <p>6. Thereafter, the matter was discussed in the 26th SCAA in its meeting dated 15.01.2026 and 20.01.2026, wherein the ITI was granted a final</p>	<p>1. In line with the principles of natural justice, the ITI was afforded final opportunity to represent itself by 26th SCAA in its meeting held on 15.01.2026 and 20.01.2026, to submit a show-cause reply explaining why the ITI should not be de-affiliated along with any supporting representation, within 21 days from the issuance of the minutes of that meeting as ITI found closed and no training activity were there, also the ITI has not obtained affiliation at the shifted location.</p> <p>2. The said communication was issued by DGT to the registered email of the institute on 06.03.2026</p> <p>3. Further, the ITI did not avail the final opportunity provided by DGT in the 26th SCAA meeting and failed to submit any reply or representation within the stipulated time, thereby</p>

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	29 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>opportunity to show-cause as to why the ITI should not be de-affiliated within 21 days from the date of issue of the Minutes of the Meeting.</p> <p>7. The ITI failed to avail the opportunity provided during the 26th SCAA meeting, as no reply was submitted.</p>	<p>exhibiting continued negligence and persistent non-compliance.</p> <p>4. Moreover, the ITI is closed and no training activity were there, also ITI has not obtained affiliation at the shifted location.</p> <p>5. The non-submission of a reply clearly indicates that the ITI is not functioning in accordance with the prescribed norms, thereby defeating the purpose of the CTS.</p> <p>Therefore, in view of the above remarks and in the interest of the trainees, the ITI is hereby de-affiliated.</p>
16.	<p>Rukminamma Memorial ITC Bellary</p> <p>Address: Kalyana Swamy Mutt, Milerpet, Ballari, Karnataka - 583101</p> <p>MIS Code: PU29000794</p>	<p>1. Electrician – 2(1+1)</p> <p>2. Fitter – 2(1+1)</p>	<p>1. The preliminary inspection dated 28.06.2023 was conducted by the State Directorate, during which it was observed that the ITI had been closed since 2020. Accordingly, de-affiliation proceedings were initiated by the State Directorate.</p> <p>2. SCN was issued to the ITI by the State on 26.06.2024, followed by reminder dated 28.08.2024.</p>	<p>The ITI has been de-affiliated in 28th SCAA in its meeting dated 28.04.2026 on account of zero admissions for four consecutive years (2022-2025).</p>

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	29 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>3. The ITI did not submit any reply to the Show Cause Notice (SCN) or to the reminder SCN.</p> <p>4. Further, a Joint Inspection was conducted on 05.06.2025 by the RDSDE and State official. During inspection the following were observed:</p> <p>a) The building of the ITI does not exist as its original premises -i.e- Kalyan Swamy Mutt, Millerpet, Belary-583101.</p> <p>b) The sanctioned power supply information is not available.</p> <p>c) With reference to Sri Renukaacharya Education Society , letter dated 06.05.2025 with effect from August 2020-21, this Rukminamma Memorial ITC ,Ballari is closed.</p> <p>d) The Tools and Equipment information is not available</p> <p>5. Based on the findings of the joint inspection, 4th SSDEC, in its meeting held on 02.09.2025, has recommended de-affiliation of the ITI as the ITI is closed since 2020 and is not functioning.</p> <p>6. Thereafter, the matter was discussed in the 26th SCAA in its meeting dated 15.01.2026 to 20.01.2026, wherein</p>	

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	29 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>the ITI was granted a final opportunity to show cause as to why the ITI should not be de-affiliated within 21 days from the date of issue of the Minutes of the Meeting</p> <p>7. Subsequently, the matter was discussed in 28th SCAA in its meeting dated 28.04.2026.</p>	
17.	<p>Basaveshwara Industrial Training Thindlu</p> <p>Address :Thindlu Main Road Vidyaranyapura, Bengaluru Urban, Karnataka -</p> <p>MIS Code: PR29000963</p>	Fitter -1(1+0)	<ol style="list-style-type: none"> 1. The inspection was conducted by the State Directorate, during which it was observed that the ITI had been closed since 2019. Accordingly, de-affiliation proceedings were initiated by the State Directorate. 2. SCN was issued to the ITI by the State on 26.06.2024, followed by reminder dated 28.08.2024. 3. The ITI did not submit any reply to the SCN or to the reminder SCN. 4. Further, a Joint Inspection was conducted on 06.09.2025 by the RDSDE and State official. During inspection the following were observed: <ol style="list-style-type: none"> a) The ITI was found closed and no person available from the ITI on the day of inspection. b) As the ITI was found closed, therefore, no information of tools & equipment, land & building were available during inspection. 	The ITI has been de-affiliated in 28 th SCAA in its meeting dated 28.04.2026 on account of zero admissions for four consecutive years (2022-2025).

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	29 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>5. Based on the findings of the joint inspection, 4th SSDEC, in its meeting held on 02.09.2025, has recommended de-affiliation of the ITI as the ITI is closed since 2019 and is not functioning.</p> <p>6. Thereafter, the matter was discussed in the 26th SCAA in its meeting dated 15.01.2026 to 20.01.2026, wherein the ITI was granted a final opportunity to show cause as to why the ITI should not be de-affiliated within 21 days from the date of issue of the Minutes.</p> <p>7. Subsequently, the matter was discussed in 28th SCAA in its meeting dated 28.04.2026.</p>	
18.	<p>Vidyashree Industrial Training Centre</p> <p>Address :No.20, 10th Cross 1st Main L.G Ramanna Layout Lagg, Bengaluru Urban,Karnataka- 560058</p>	<p>1. Electronics Mechanic - 2(1+1) 2. Fitter- 2(1+1)</p>	<p>1. The preliminary inspection dated 12.09.2023 was conducted by the State Directorate, during which it was observed that the ITI had been closed since 2020. Accordingly, de-affiliation proceedings were initiated by the State Directorate.</p> <p>2. SCN was issued to the ITI by the State on 26.06.2024, followed by reminder dated 28.08.2024.</p> <p>3. The ITI did not submit any reply to the SCN or to the reminder SCN.</p> <p>4. Further, a Joint Inspection was conducted on 06.09.2025 by the</p>	<p>The ITI has been de-affiliated in 28th SCAA in its meeting dated 28.04.2026 on account of zero admissions for four consecutive years (2022-2025).</p>

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	29 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
	MIS Code: PU29000738		<p>RDSDE and State official. During inspection the following were observed:</p> <p>a) The ITI was found closed and no person available from the ITI on the day of inspection.</p> <p>5. Based on the findings of the joint inspection, 4th SSDEC, in its meeting held on 02.09.2025, has recommended de-affiliation of the ITI as the ITI is closed since 2020 and is not functioning.</p> <p>6. Thereafter, the matter was discussed in the 26th SCAA in its meeting dated 15.01.2026 to 20.01.2026, wherein the ITI was granted a final opportunity to show cause as to why the ITI should not be de-affiliated within 21 days from the date of issue of the Minutes.</p> <p>7. Subsequently, the matter was discussed in 28th SCAA in its meeting dated 28.04.2026.</p>	
19.	<p>JRS ITI Nelamangala</p> <p>Address :Kuluvanahalli, Nelamangala Tq, Bangalore Rural,</p>	Fitter- 2(1+1)	1. The inspection was conducted by the State Directorate, during which it was observed that the ITI had been closed since 2020. Accordingly, de-affiliation proceedings were initiated by the State Directorate.	The ITI has been de-affiliated in 28 th SCAA in its meeting dated 28.04.2026 on account of zero admissions for four consecutive years (2022-2025).

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	29 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
	Bengaluru Rural, Karnataka - 562111 MIS Code: PR29000753		<ol style="list-style-type: none"> 2. SCN was issued to the ITI by the State on 26.06.2024, followed by reminder dated 28.08.2024. 3. The ITI did not submit any reply to the SCN or to the reminder SCN. 4. Further, a Joint Inspection was conducted on 06.05.2025 by the RDSDE and State official. During inspection the following were observed: <ol style="list-style-type: none"> a) The ITI was found closed and no person available from the ITI on the day of inspection. 5. Based on the findings of the joint inspection, 4th SSDEC, in its meeting held on 02.09.2025, has recommended de-affiliation of the ITI as the ITI is closed since 2020 and is not functioning. 6. Thereafter, the matter was discussed in the 26th SCAA in its meeting dated 15.01.2026 to 20.01.2026, wherein the ITI was granted a final opportunity to show cause as to why the ITI should not be de-affiliated within 21 days from the date of issue of the Minutes. 7. Subsequently, the matter was discussed in 28th SCAA in its meeting dated 28.04.2026. 	

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	29th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
20.	<p>Zikra Industrail Training Centre Basavakalyana</p> <p>Address: Basavakalyana, Bidar, Karnataka - 585327</p> <p>MIS Code: PU29000405</p>	Fitter- 1(0+1)	<ol style="list-style-type: none"> 1. The preliminary inspection dated 01.09.2020 was conducted by the State Directorate, during which it was observed that the ITI had been closed since 2022. Accordingly, de-affiliation proceedings were initiated by the State Directorate. 2. SCN was issued to the ITI by the State on 26.06.2024, followed by reminder dated 28.08.2024. 3. The ITI did not submit any reply to the SCN or to the reminder SCN. 4. Further, a Joint Inspection was conducted on 05.06.2025 by the RDSDE and State official. During inspection the following were observed: <ol style="list-style-type: none"> a) The ITI was found closed. b) The Ideal Global school is using the space of the ITI for storage room for school purposes. 5. Based on the findings of the joint inspection, 4th SSDEC, in its meeting held on 02.09.2025, has recommended de-affiliation of the ITI as the ITI is closed since 2022 and the ITI building is used for Ideal Global school. 6. Thereafter, the matter was discussed in the 26th SCAA in its meeting dated 15.01.2026 to 20.01.2026, wherein 	The ITI has been de-affiliated in 28 th SCAA in its meeting dated 28.04.2026 on account of zero admissions for four consecutive years (2022-2025).

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	29 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>the ITI was granted a final opportunity to show cause as to why the ITI should not be de-affiliated within 21 days from the date of issue of the Minutes.</p> <p>7. Subsequently, the matter was discussed in 28th SCAA in its meeting dated 28.04.2026.</p>	
21.	<p>S.R.S Industrial Training Centre Begepalli Town</p> <p>Address :Kotha Palli Road Bagepalli, Chikkaballapura-Karnataka</p> <p>MIS Code: PR29000278</p>	Fitter- 2(1+1)	<ol style="list-style-type: none"> 1. The preliminary inspection dated 26.06.2023 was conducted by the State Directorate, during which it was observed that the ITI had been closed since 2021. Accordingly, de-affiliation proceedings were initiated by the State Directorate. 2. SCN was issued to the ITI by the State on 26.06.2024, followed by reminder dated 28.08.2024. 3. The ITI did not submit any reply to the SCN or to the reminder SCN. 4. Further, a Joint Inspection was conducted on 03.07.2025 by the RDSDE and State official. During inspection the following were observed: <ol style="list-style-type: none"> a) The ITI was found closed. b) No training activity was found in the ITI campus. 5. Based on the findings of the joint inspection, 4th SSDEC, in its meeting held on 02.09.2025, has 	The ITI has been de-affiliated in 28 th SCAA in its meeting dated 28.04.2026 on account of zero admissions for four consecutive years (2022-2025).

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	29 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>recommended de-affiliation of the ITI as the ITI is closed since 2021 and is not functioning.</p> <p>6. Thereafter, the matter was discussed in the 26th SCAA in its meeting dated 15.01.2026 to 20.01.2026, wherein the ITI was granted a final opportunity to show cause as to why the ITI should not be de-affiliated within 21 days from the date of issue of the Minutes.</p> <p>7. Subsequently, the matter was discussed in 28th SCAA in its meeting dated 28.04.2026.</p>	
22.	<p>Swamy Vivekananda ITC</p> <p>Address:T.B. Circle, Bagepalli, Chikkaballapura, Karnataka - 561207</p> <p>MIS Code: PU29001038</p>	Fitter- 2(1+1)	<ol style="list-style-type: none"> 1. The inspection was conducted by the State Directorate, during which it was observed that the ITI had been closed since 2020. Accordingly, de-affiliation proceedings were initiated by the State Directorate. 2. SCN was issued to the ITI by the State on 26.06.2024, followed by reminder dated 28.08.2024. 3. The ITI did not submit any reply to the SCN or to the reminder SCN. 4. Further, a Joint Inspection was conducted on 03.07.2025 by the RDSDE and State official. During inspection the following were observed: <ol style="list-style-type: none"> a) The ITI was found closed. 	The ITI has been de-affiliated in 28 th SCAA in its meeting dated 28.04.2026 on account of zero admissions for four consecutive years (2022-2025).

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	29 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>b) No training activity was found in the ITI campus.</p> <p>5. Based on the findings of the joint inspection, 4th SSDEC, in its meeting held on 02.09.2025, has recommended de-affiliation of the ITI as the ITI is closed since 2020 and is not functioning.</p> <p>6. Thereafter, the matter was discussed in the 26th SCAA in its meeting dated 15.01.2026 to 20.01.2026, wherein the ITI was granted a final opportunity to show cause as to why the ITI should not be de-affiliated within 21 days from the date of issue of the Minutes.</p> <p>7. Subsequently, the matter was discussed in 28th SCAA in its meeting dated 28.04.2026.</p>	
23.	<p>Sri Mathrushree ITC</p> <p>Address: Stadium Road, Prashanth Nagar, Chitradurga, Karnataka - 577501</p> <p>MIS Code: PU29001061</p>	<p>1. Electrician – 1(1+0)</p> <p>2. Fitter – 1(1+0)</p>	<p>1. The inspection was conducted by the State Directorate, during which it was observed that the ITI had been closed since 2021. Accordingly, de-affiliation proceedings were initiated by the State Directorate.</p> <p>2. SCN was issued to the ITI by the State on 26.06.2024, followed by reminder dated 28.08.2024.</p> <p>3. The ITI did not submit any reply to the SCN or to the reminder SCN.</p>	<p>The ITI has been de-affiliated in 28th SCAA in its meeting dated 28.04.2026 on account of zero admissions for four consecutive years (2022-2025).</p>

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	29 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>4. Further, a Joint Inspection was conducted on 24.06.2025 by the RDSDE and State official. During inspection the following were observed:</p> <ul style="list-style-type: none"> a) The ITI is closed since 2021 due to lack of admission. b) The building is converted into commercial shopping complex. c) The land & building, man power, power supply and tools, equipment were not available as per DGT norms. <p>5. Based on the findings of the joint inspection, 4th SSDEC, in its meeting held on 02.09.2025, has recommended de-affiliation of the ITI as the ITI is closed since 2021 and is not functioning.</p> <p>6. Thereafter, the matter was discussed in the 26th SCAA in its meeting dated 15.01.2026 to 20.01.2026, wherein the ITI was granted a final opportunity to show cause as to why the ITI should not be de-affiliated within 21 days from the date of issue of the Minutes.</p> <p>7. Subsequently, the matter was discussed in 28th SCAA in its meeting dated 28.04.2026.</p>	

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	29th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
24.	<p>RTPI Pvt. ITI (Shifting from Chamarajapet, Bangalore-18)</p> <p>Address: Kumblur, Kundur Post-577219 Honnali Tq, Davangere, Karnataka - 577219</p> <p>MIS Code: PR29000167</p>	<ol style="list-style-type: none"> 1. Fitter -2(1+1) 2. Electronics Mechanic - 3(2+1) 3. Draughtsman (Mechanical)- 1(1+0) 4. Computer Operator and Programming Assistant- 1(1+0) 	<ol style="list-style-type: none"> 1. The preliminary inspection dated 18.10.2022 was conducted by the State Directorate, during which it was observed that the ITI had been closed since 2019. Accordingly, de-affiliation proceedings were initiated by the State Directorate. 2. SCN was issued to the ITI by the State on 26.06.2024, followed by reminder dated 28.08.2024. 3. The ITI did not submit any reply to the SCN or to the reminder SCN. 4. Further, a Joint Inspection was conducted on 06.05.2025 by the RDSDE and State official. During inspection the following were observed: <ol style="list-style-type: none"> a) ITI closed and not functioning 5. Based on the findings of the joint inspection, 4th SSDEC, in its meeting held on 02.09.2025, has recommended de-affiliation of the ITI as the ITI is closed since 2019 and is not functioning. 6. Thereafter, the matter was discussed in the 26th SCAA in its meeting dated 15.01.2026 to 20.01.2026, wherein the ITI was granted a final opportunity to show cause as to why the ITI should not be de-affiliated 	<p>The ITI has been de-affiliated in 28th SCAA in its meeting dated 28.04.2026 on account of zero admissions for four consecutive years (2022-2025).</p>

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	29 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>within 21 days from the date of issue of the Minutes.</p> <p>7. Subsequently, the matter was discussed in 28th SCAA in its meeting dated 28.04.2026.</p>	
25.	<p>Sri Kaginele Mahasamstana Kanaka Guru Peeta ITC</p> <p>Address: TM road, Agrahara, Honnali Tq., Davangere- Karnataka- 577217</p> <p>MIS Code: PU29000843</p>	<p>Electrician 1(1+0) Fitter- 1(0+1)</p>	<ol style="list-style-type: none"> 1. The preliminary inspection dated 21.10.2022 & 30.11.2022 was conducted by the State Directorate, during which it was observed that the ITI had been closed since 2020. Accordingly, de-affiliation proceedings were initiated by the State Directorate. 2. SCN was issued to the ITI by the State on 26.06.2024, followed by reminder dated 28.08.2024. 3. The ITI did not submit any reply to the SCN or to the reminder SCN. 4. Further, a Joint Inspection was conducted on 05.06.2025 by the RDSDE and State official. During inspection the following were observed: <ol style="list-style-type: none"> a) ITI closed and not functioning b) The ITI building is being used for primary school. 5. Based on the findings of the joint inspection, 4th SSDEC, in its meeting held on 02.09.2025, has recommended de-affiliation of the 	<p>The ITI has been de-affiliated in 28th SCAA in its meeting dated 28.04.2026 on account of zero admissions for four consecutive years (2022-2025).</p>

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	29 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>ITI as the ITI is closed since 2020 and is not functioning.</p> <p>6. Thereafter, the matter was discussed in the 26th SCAA in its meeting dated 15.01.2026 to 20.01.2026, wherein the ITI was granted a final opportunity to show cause as to why the ITI should not be de-affiliated within 21 days from the date of issue of the Minutes.</p> <p>7. Subsequently, the matter was discussed in 28th SCAA in its meeting dated 28.04.2026.</p>	
26.	<p>Sri Mruthyunjaya ITC</p> <p>Address: Near kalleshwara Rice Mill, RMC Link Roa, Bamboo, Bazar, Davangere, Karnataka - 577001</p> <p>MIS Code: PR29001127</p>	Fitter- 1(1+0)	<p>1. The preliminary inspection dated 29.06.2023 was conducted by the State Directorate, during which it was observed that the ITI had been closed since 2019. Accordingly, de-affiliation proceedings were initiated by the State Directorate.</p> <p>2. SCN was issued to the ITI by the State on 26.06.2024, followed by reminder dated 28.08.2024.</p> <p>3. The ITI did not submit any reply to the SCN or to the reminder SCN.</p> <p>4. Further, a Joint Inspection was conducted on 06.06.2025 by the RDSDE and State official. During inspection the following were observed:</p> <p>a) ITI closed and not functioning</p>	The ITI has been de-affiliated in 28 th SCAA in its meeting dated 28.04.2026 on account of zero admissions for four consecutive years (2022-2025).

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	29 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>5. Based on the findings of the joint inspection, 4th SSDEC, in its meeting held on 02.09.2025, has recommended de-affiliation of the ITI as the ITI is closed since 2019 and is not functioning.</p> <p>6. Thereafter, the matter was discussed in the 26th SCAA in its meeting dated 15.01.2026 to 20.01.2026, wherein the ITI was granted a final opportunity to show cause as to why the ITI should not be de-affiliated within 21 days from the date of issue of the Minutes.</p> <p>7. Subsequently, the matter was discussed in 28th SCAA in its meeting dated 28.04.2026.</p>	
27.	<p>Sri Nandhini Industrial Training Centre Alur</p> <p>Address: Alur, Davangere, Karnataka - 577512</p> <p>MIS Code: PR29000879</p>	<p>1. Electrician – 2(1+1)</p> <p>2. Fitter – 2(1+1)</p>	<p>1. The preliminary inspection dated 17.10.2022 was conducted by the State Directorate, during which it was observed that the ITI had been closed since 2021. Accordingly, de-affiliation proceedings were initiated by the State Directorate.</p> <p>2. SCN was issued to the ITI by the State on 26.06.2024, followed by reminder dated 28.08.2024.</p> <p>3. The ITI did not submit any reply to the SCN or to the reminder SCN.</p> <p>4. Further, a Joint Inspection was conducted on 03.06.2025 by the</p>	<p>The ITI has been de-affiliated in 28th SCAA in its meeting dated 28.04.2026 on account of zero admissions for four consecutive years (2022-2025).</p>

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	29 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>RDSDE and State official. During inspection the following were observed:</p> <p>a) ITI closed and not functioning</p> <p>5. Based on the findings of the joint inspection, 4th SSDEC, in its meeting held on 02.09.2025, has recommended de-affiliation of the ITI as the ITI is closed since 2021 and is not functioning.</p> <p>6. Thereafter, the matter was discussed in the 26th SCAA in its meeting dated 15.01.2026 to 20.01.2026, wherein the ITI was granted a final opportunity to show cause as to why the ITI should not be de-affiliated within 21 days from the date of issue of the Minutes.</p> <p>7. Subsequently, the matter was discussed in 28th SCAA in its meeting dated 28.04.2026.</p>	
28.	<p>Sri Siddeshwara Private ITI,</p> <p>Address: Jeenahalli-577223, Honnali Tq., Davangere- Karnataka-577223</p>	Electrician – 2(1+1)	<p>1. The preliminary inspection dated 17.10.2022 was conducted by the State Directorate, during which it was observed that the ITI had been closed since 2021. Accordingly, de-affiliation proceedings were initiated by the State Directorate.</p> <p>2. SCN was issued to the ITI by the State on 26.06.2024, followed by reminder dated 28.08.2024.</p>	The ITI has been de-affiliated in 28 th SCAA in its meeting dated 28.04.2026 on account of zero admissions for four consecutive years (2022-2025).

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	29 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
	MIS Code: PR29001336		<ol style="list-style-type: none"> 3. The ITI did not submit any reply to the SCN or to the reminder SCN. 4. Further, a Joint Inspection was conducted on 04.06.2025 by the RDSDE and State official. During inspection the following were observed: <ol style="list-style-type: none"> a) ITI closed and not functioning 5. Based on the findings of the joint inspection, 4th SSDEC, in its meeting held on 02.09.2025, has recommended de-affiliation of the ITI as the ITI is closed since 2021 and is not functioning. 6. Thereafter, the matter was discussed in the 26th SCAA in its meeting dated 15.01.2026 to 20.01.2026, wherein the ITI was granted a final opportunity to show cause as to why the ITI should not be de-affiliated within 21 days from the date of issue of the Minutes. 7. Subsequently, the matter was discussed in 28th SCAA in its meeting dated 28.04.2026. 	
29.	Patel National ITC,	Fitter- 1(1+0)	<ol style="list-style-type: none"> 1. The preliminary inspection dated 01.10.2019 was conducted by the State Directorate, during which it was observed that the ITI had been closed since 2019. Accordingly, de- 	The ITI has been de-affiliated in 28 th SCAA in its meeting dated 28.04.2026 on account of zero admissions for four consecutive years (2022-2025).

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	29th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
	<p>Address: Main road, Belur Distt. Hassan- Karnataka - 573117</p> <p>MIS Code: PR29000517</p>		<p>affiliation proceedings were initiated by the State Directorate.</p> <p>2. SCN was issued to the ITI by the State on 26.06.2024, followed by reminder dated 28.08.2024.</p> <p>3. The ITI did not submit any reply to the SCN or to the reminder SCN.</p> <p>4. Further, a Joint Inspection was conducted on 27.06.2025 by the RDSDE and State official. During inspection the following were observed:</p> <p>a) ITI closed and not functioning</p> <p>5. Based on the findings of the joint inspection, 4th SSDEC, in its meeting held on 02.09.2025, has recommended de-affiliation of the ITI as the ITI is closed since 2019 and is not functioning.</p> <p>6. Thereafter, the matter was discussed in the 26th SCAA in its meeting dated 15.01.2026 to 20.01.2026, wherein the ITI was granted a final opportunity to show cause as to why the ITI should not be de-affiliated within 21 days from the date of issue of the Minutes.</p> <p>7. Subsequently, the matter was discussed in 28th SCAA in its meeting dated 28.04.2026.</p>	

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	29th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
30.	<p>Sindagi Shantaaveereshwara ITI Sangur</p> <p>Address: Sangur, Haveri Tq,Karnakata - 581148</p> <p>MIS Code: PR29001164</p>	<p>Electrician 1(0+1) Fitter- 1(0+1)</p>	<ol style="list-style-type: none"> 1. The preliminary inspection dated 21.07.2023 was conducted by the State Directorate, during which it was observed that the ITI had been closed since 2019. Accordingly, de-affiliation proceedings were initiated by the State Directorate. 2. SCN was issued to the ITI by the State on 26.06.2024, followed by reminder dated 28.08.2024. 3. The ITI did not submit any reply to the SCN or to the reminder SCN. 4. Further, a Joint Inspection was conducted on 02.06.2025 by the RDSDE and State official. During inspection the following were observed: <ol style="list-style-type: none"> a) ITI closed and not functioning 5. Based on the findings of the joint inspection, 4th SSDEC, in its meeting held on 02.09.2025, has recommended de-affiliation of the ITI as the ITI is closed since 2019 and is not functioning. 6. Thereafter, the matter was discussed in the 26th SCAA in its meeting dated 15.01.2026 to 20.01.2026, wherein the ITI was granted a final opportunity to show cause as to why the ITI should not be de-affiliated 	<p>The ITI has been de-affiliated in 28th SCAA in its meeting dated 28.04.2026 on account of zero admissions for four consecutive years (2022-2025).</p>

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	29 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>within 21 days from the date of issue of the Minutes.</p> <p>7. Subsequently, the matter was discussed in 28th SCAA in its meeting dated 28.04.2026.</p>	
31.	<p>Vivekanand ITI, Haveri</p> <p>Address: Haveri-Karnataka - 581110</p> <p>MIS Code: PU29000707</p>	<p>1. Electronics Mechanic – 2(1+1)</p> <p>2. Fitter- 2(1+1)</p>	<p>1. The preliminary inspection dated 26.07.2023 was conducted by the State Directorate, during which it was observed that the ITI had been closed since 2022. Accordingly, de-affiliation proceedings were initiated by the State Directorate.</p> <p>2. SCN was issued to the ITI by the State on 26.06.2024, followed by reminder dated 28.08.2024.</p> <p>3. The ITI did not submit any reply to the SCN or to the reminder SCN.</p> <p>4. Further, a Joint Inspection was conducted on 02.06.2025 by the RDSDE and State official. During inspection the following were observed:</p> <p>a) ITI closed and not functioning</p> <p>5. Based on the findings of the joint inspection, 4th SSDEC, in its meeting held on 02.09.2025, has recommended de-affiliation of the ITI as the ITI is closed since 2022 and is not functioning.</p> <p>6. Thereafter, the matter was discussed in the 26th SCAA in its meeting dated</p>	<p>The ITI has been de-affiliated in 28th SCAA in its meeting dated 28.04.2026 on account of zero admissions for four consecutive years (2022-2025).</p>

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	29 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>15.01.2026 to 20.01.2026, wherein the ITI was granted a final opportunity to show cause as to why the ITI should not be de-affiliated within 21 days from the date of issue of the Minutes.</p> <p>7. Subsequently, the matter was discussed in 28th SCAA in its meeting dated 28.04.2026.</p>	
32.	<p>Ekantha Ramaya Industrail Training Centre Alanda</p> <p>Address: Rajavi Rd. Alanda, Bidar,Karnataka - 585403</p> <p>MIS Code: PR29000570</p>	Fitter – 1(0+1)	<ol style="list-style-type: none"> 1. The preliminary inspection dated 19.08.2023 was conducted by the State Directorate, during which it was observed that the ITI had been closed since 2023. Accordingly, de-affiliation proceedings were initiated by the State Directorate. 2. SCN was issued to the ITI by the State on 26.06.2024, followed by reminder dated 28.08.2024. 3. The ITI did not submit any reply to the SCN or to the reminder SCN. 4. Further, a Joint Inspection was conducted on 31.07.2025 by the RDSDE and State official. During inspection the following were observed: <ol style="list-style-type: none"> a) ITI closed and not functioning 5. Based on the findings of the joint inspection, 4th SSDEC, in its meeting held on 02.09.2025, has recommended de-affiliation of the 	The ITI has been de-affiliated in 28 th SCAA in its meeting dated 28.04.2026 on account of zero admissions for four consecutive years (2022-2025).

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	29 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>ITI as the ITI is closed since 2023 and is not functioning.</p> <p>6. Thereafter, the matter was discussed in the 26th SCAA in its meeting dated 15.01.2026 to 20.01.2026, wherein the ITI was granted a final opportunity to show cause as to why the ITI should not be de-affiliated within 21 days from the date of issue of the Minutes.</p> <p>7. Subsequently, the matter was discussed in 28th SCAA in its meeting dated 28.04.2026.</p>	
33.	<p>Sir M. Vishweshwarayya ITI</p> <p>Address: Kamalanagar, Alanda Tq. Bidar, Karnataka - 585104</p> <p>MIS Code: PR29001225</p>	<p>1. Electrician – 2(1+1)</p> <p>2. Fitter – 2(1+1)</p>	<p>1. The preliminary inspection dated 19.08.2023 was conducted by the State Directorate, during which it was observed that the ITI had been closed since 2023. Accordingly, de-affiliation proceedings were initiated by the State Directorate.</p> <p>2. SCN was issued to the ITI by the State on 26.06.2024, followed by reminder dated 28.08.2024.</p> <p>3. The ITI did not submit any reply to the SCN or to the reminder SCN.</p> <p>4. Further, a Joint Inspection was conducted on 30.07.2025 by the RDSDE and State official. During inspection the following were observed:</p> <p>a) ITI closed and not functioning</p>	<p>The ITI has been de-affiliated in 28th SCAA in its meeting dated 28.04.2026 on account of zero admissions for four consecutive years (2022-2025).</p>

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	29 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>5. Based on the findings of the joint inspection, 4th SSDEC, in its meeting held on 02.09.2025, has recommended de-affiliation of the ITI as the ITI is closed since 2023 and is not functioning.</p> <p>6. Thereafter, the matter was discussed in the 26th SCAA in its meeting dated 15.01.2026 to 20.01.2026, wherein the ITI was granted a final opportunity to show cause as to why the ITI should not be de-affiliated within 21 days from the date of issue of the Minutes.</p> <p>7. Subsequently, the matter was discussed in 28th SCAA in its meeting dated 28.04.2026.</p>	
34.	<p>Sri Siddaramayya Inamdar TI Edrami Sh Jeevag,</p> <p>Address: Sh.Jeevagi- Bidar,Karnataka - 585102</p> <p>MIS Code: PR29000631</p>	<p>1. Electrician – 1(1+0) 2. Fitter – 1(1+0)</p>	<p>1. The preliminary inspection dated 18.08.2023 was conducted by the State Directorate, during which it was observed that the ITI had been closed since 2023. Accordingly, de-affiliation proceedings were initiated by the State Directorate.</p> <p>2. SCN was issued to the ITI by the State on 26.06.2024, followed by reminder dated 28.08.2024.</p> <p>3. The ITI did not submit any reply to the SCN or to the reminder SCN.</p> <p>4. Further, a Joint Inspection was conducted on 01.08.2025 by the</p>	<p>The ITI has been de-affiliated in 28th SCAA in its meeting dated 28.04.2026 on account of zero admissions for four consecutive years (2022-2025).</p>

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	29 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>RDSDE and State official. During inspection the following were observed:</p> <p>a) ITI closed and not functioning</p> <p>5. Based on the findings of the joint inspection, 4th SSDEC, in its meeting held on 02.09.2025, has recommended de-affiliation of the ITI as the ITI is closed since 2023 and is not functioning.</p> <p>6. Thereafter, the matter was discussed in the 26th SCAA in its meeting dated 15.01.2026 to 20.01.2026, wherein the ITI was granted a final opportunity to show cause as to why the ITI should not be de-affiliated within 21 days from the date of issue of the Minutes.</p> <p>7. Subsequently, the matter was discussed in 28th SCAA in its meeting dated 28.04.2026.</p>	
35.	<p>Pragathi ITC</p> <p>Address: Lingadahalli, Pavagada Tq. Tumakuru,Karnataka</p>	<p>1. Electrician-1(1+0) 2. Fitter-1(1+0)</p>	<p>1. The preliminary inspection dated 27.09.2022 was conducted by the State Directorate, during which it was observed that the ITI had been closed since 2021. Accordingly, de-affiliation proceedings were initiated by the State Directorate.</p> <p>2. SCN was issued to the ITI by the State on 26.06.2024, followed by reminder dated 28.08.2024.</p>	<p>The ITI has been de-affiliated in 28th SCAA in its meeting dated 28.04.2026 on account of zero admissions for four consecutive years (2022-2025).</p>

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	29 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
	MIS Code: PR29001161		<p>3. The ITI did not submit any reply to the SCN or to the reminder SCN.</p> <p>4. Further, a Joint Inspection was conducted on 17.06.2025 by the RDSDE and State official. During inspection the following were observed: ITI closed and not functioning</p> <p>5. Based on the findings of the joint inspection, 4th SSDEC, in its meeting held on 02.09.2025, has recommended de-affiliation of the ITI as the ITI is closed since 2021 and is not functioning.</p> <p>6. Thereafter, the matter was discussed in the 26th SCAA in its meeting dated 15.01.2026 to 20.01.2026, wherein the ITI was granted a final opportunity to show cause as to why the ITI should not be de-affiliated within 21 days from the date of issue of the Minutes.</p> <p>7. Subsequently, the matter was discussed in 28th SCAA in its meeting dated 28.04.2026.</p>	
36.	Dr. Simpilinganna ITI Zalaki	<p>1. Electrician-2(1+1)</p> <p>2. Fitter-1(1+0)</p>	<p>1. The preliminary inspection dated 16.10.2023 was conducted by the State Directorate, during which it was observed that the ITI had been closed since 2020. Accordingly, de-</p>	<p>The ITI has been de-affiliated in 28th SCAA in its meeting dated 28.04.2026 on account of zero admissions for four consecutive years (2022-2025).</p>

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	29th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
	<p>Address: Zalki Indi Tq, Bijapur-Karnataka 586204</p> <p>MIS Code: PR29001286</p>		<p>affiliation proceedings were initiated by the State Directorate.</p> <p>2. SCN was issued to the ITI by the State on 26.06.2024, followed by reminder dated 28.08.2024.</p> <p>3. The ITI did not submit any reply to the SCN or to the reminder SCN.</p> <p>4. Further, a Joint Inspection was conducted on 11.07.2025 by the RDSDE and State official. During inspection the following were observed: ITI closed and not functioning</p> <p>5. Based on the findings of the joint inspection, 4th SSDEC, in its meeting held on 02.09.2025, has recommended de-affiliation of the ITI as the ITI is closed since 2020 and is not functioning.</p> <p>6. Thereafter, the matter was discussed in the 26th SCAA in its meeting dated 15.01.2026 to 20.01.2026, wherein the ITI was granted a final opportunity to show cause as to why the ITI should not be de-affiliated within 21 days from the date of issue of the Minutes.</p> <p>7. Subsequently, the matter was discussed in 28th SCAA in its meeting dated 28.04.2026.</p>	

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	29th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
37.	<p>Sri Hayagreeva ITI, Nimbal BK</p> <p>Address: Nimba(BK) Village, Indtl. Tq. Bijapur, Karnataka - 586211</p> <p>MIS Code: PR29001142</p>	<p>1. Electrician – 2(1+1)</p> <p>2. Fitter – 2(1+1)</p>	<p>1. The preliminary inspection dated 16.10.2023 was conducted by the State Directorate, during which it was observed that the ITI had been closed since 2020. Accordingly, de-affiliation proceedings were initiated by the State Directorate.</p> <p>2. SCN was issued to the ITI by the State on 26.06.2024, followed by reminder dated 28.08.2024.</p> <p>3. The ITI did not submit any reply to the SCN or to the reminder SCN.</p> <p>4. Further, a Joint Inspection was conducted on 10.07.2025 by the RDSDE and State official. During inspection the following were observed: ITI closed and not functioning</p> <p>5. Based on the findings of the joint inspection, 4th SSDEC, in its meeting held on 02.09.2025, has recommended de-affiliation of the ITI as the ITI is closed since 2020 and is not functioning.</p> <p>6. Thereafter, the matter was discussed in the 26th SCAA in its meeting dated 15.01.2026 to 20.01.2026, wherein the ITI was granted a final opportunity to show cause as to why the ITI should not be de-affiliated</p>	<p>The ITI has been de-affiliated in 28th SCAA in its meeting dated 28.04.2026 on account of zero admissions for four consecutive years (2022-2025).</p>

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	29 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>within 21 days from the date of issue of the Minutes.</p> <p>7. Subsequently, the matter was discussed in 28th SCAA in its meeting dated 28.04.2026.</p>	
38.	<p>Sri Guru Chakravarthi Sadashiv ITI, Kathakanahalli</p> <p>Kathakanahalli, Bijapur-Karnataka -586122</p> <p>MIS Code: PR29001264</p>	<p>1. Electrician-1(1+0)</p> <p>2. Fitter-1(1+0)</p>	<p>1. The preliminary inspection dated 27.10.2023 was conducted by the State Directorate, during which it was observed that the ITI had been closed since 2019. Accordingly, de-affiliation proceedings were initiated by the State Directorate.</p> <p>2. SCN was issued to the ITI by the State on 26.06.2024, followed by reminder dated 28.08.2024.</p> <p>3. The ITI did not submit any reply to the SCN or to the reminder SCN.</p> <p>4. Further, a Joint Inspection was conducted on 12.07.2025 by the RDSDE and State official. During inspection the following were observed: ITI closed and not functioning</p> <p>5. Based on the findings of the joint inspection, 4th SSDEC, in its meeting held on 02.09.2025, has recommended de-affiliation of the ITI as the ITI is closed since 2019 and is not functioning.</p> <p>6. Thereafter, the matter was discussed in the 26th SCAA in its meeting dated</p>	<p>The ITI has been de-affiliated in 28th SCAA in its meeting dated 28.04.2026 on account of zero admissions for four consecutive years (2022-2025).</p>

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	29 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>15.01.2026 to 20.01.2026, wherein the ITI was granted a final opportunity to show cause as to why the ITI should not be de-affiliated within 21 days from the date of issue of the Minutes.</p> <p>7. Subsequently, the matter was discussed in 28th SCAA in its meeting dated 28.04.2026.</p>	
39.	<p>Nethaji Industrial Training Centre</p> <p>Pipeline T. Dasrahalli, Bengaluru Urban, Karnataka - 560057</p> <p>MIS Code: PR29000495</p>	<p>1. Electronics Mechanic-2(1+1)</p> <p>2. Fitter- 2(1+1)</p>	<p>1. The preliminary inspection dated 07.02.2020 was conducted by the State Directorate, during which it was observed that the ITI had been shifted to new address no. 25/4 Baglagunte Nagasandra P Bangalore-73. There is no admission since 2020. Accordingly, de-affiliation proceedings were initiated by the State Directorate.</p> <p>2. SCN was issued to the ITI by the State on 26.06.2024, followed by reminder dated 28.08.2024.</p> <p>3. The ITI did not submit any reply to the SCN or to the reminder SCN.</p> <p>4. Further, a Joint Inspection was conducted on 06.06.2025 by the RDSDE and State official. During inspection the following were observed: ITI closed and not functioning</p>	<p>The ITI has been de-affiliated in 28th SCAA in its meeting dated 28.04.2026 on account of zero admissions for four consecutive years (2022-2025).</p>

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	29 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>5. Based on the findings of the joint inspection, 4th SSDEC, in its meeting held on 02.09.2025, has recommended de-affiliation of the ITI as the ITI is shifted to new address no. 25/4 Baglagunte Nagasandra P Bangalore-73. There is no admission since 2020.</p> <p>6. Thereafter, the matter was discussed in the 26th SCAA in its meeting dated 15.01.2026 to 20.01.2026, wherein the ITI was granted a final opportunity to show cause as to why the ITI should not be de-affiliated within 21 days from the date of issue of the Minutes.</p> <p>7. Subsequently, the matter was discussed in 28th SCAA in its meeting dated 28.04.2026.</p>	
40.	<p>Divya Jyothi Industrial Training Centre</p> <p>Address :Vishwa Build(dic) , Chikkanna Layout Nelamangala Town, Bengaluru Rural-Karnataka- 562123</p>	<p>1. Electronics Mechanic-1(1+0)</p> <p>2. Fitter – 1(1+0)</p>	<p>1. The preliminary inspection dated 27.12.2018 was conducted by the State Directorate, during which it was observed that the ITI had been shifted to new address Opposite Bus Stand DIC Building Nelamangala. There is no admission since 2020. Accordingly, de-affiliation proceedings were initiated by the State Directorate.</p> <p>2. SCN was issued to the ITI by the State on 26.06.2024, followed by reminder dated 28.08.2024.</p>	<p>The ITI has been de-affiliated in 28th SCAA in its meeting dated 28.04.2026 on account of zero admissions for four consecutive years (2022-2025).</p>

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	29 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
	MIS Code: PR29000490		<p>3. The ITI replied vide letter dated 22.07.2024 and requested the management to not to take further action as there is pending court case.</p> <p>4. Further, a Joint Inspection was conducted on 06.05.2025 by the RDSDE and State official. During inspection the following were observed:</p> <p>a) No person was available for inspection.</p> <p>b) ITI was found closed.</p> <p>5. The matter was discussed in, 4th SSDEC, in its meeting held on 02.09.2025. The SSDEC informed that W.P.No. 4968/2022 has been filed by Sri. Ravindra G.C., the Principal of Divya Jyothi ITI regarding sanction of grants to him. However, the institute was shifted to new location, and has not obtained affiliation at the new location, and also ITI is shifted and closed since 2020., and is not functioning. Therefore, SSDEC has recommended de-affiliation of the ITI.</p> <p>6. Thereafter, the matter was discussed in the 26th SCAA in its meeting dated 15.01.2026 to 20.01.2026, wherein the ITI was granted a final</p>	

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	29 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>opportunity to show cause as to why the ITI should not be de-affiliated within 21 days from the date of issue of the Minutes.</p> <p>7. Subsequently, the matter was discussed in 28th SCAA in its meeting dated 28.04.2026.</p>	
41.	<p>Budda Basava Ambedkar Industrial Training Centre</p> <p>Address: Joshi Nagar Bhalki, Bidar, Karnataka - 585328</p> <p>MIS Code: PR29001084</p>	Fitter – 2(1+1)	<ol style="list-style-type: none"> 1. The preliminary inspection dated 31.08.2020 was conducted by the State Directorate, during which it was observed that the ITI had been shifted to new address Swamy Complex, Basavaeshwara Chowk, Bhalki Bidar -585328. There is no admission since 2020. Accordingly, de-affiliation proceedings were initiated by the State Directorate. 2. SCN was issued to the ITI by the State on 26.06.2024, followed by reminder dated 28.08.2024. 3. The ITI did not submit any reply to the SCN or to the reminder SCN. 4. Further, a Joint Inspection was conducted on 18.06.2025 by the RDSDE and State official. During inspection the following were observed: <ol style="list-style-type: none"> a) The ITI is found to be closed at shifted address. b) No training activities were observed. 	The ITI has been de-affiliated in 28 th SCAA in its meeting dated 28.04.2026 on account of zero admissions for four consecutive years (2022-2025).

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	29 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>5. Based on the findings of the joint inspection, 4th SSDEC, in its meeting held on 02.09.2025, has recommended de-affiliation of the ITI as the ITI is shifted to new address Swamy Complex, Basavaeshwara Chowk, Bhalki Bidar -585328. There is no admission since 2020.</p> <p>6. Thereafter, the matter was discussed in the 26th SCAA in its meeting dated 15.01.2026 to 20.01.2026, wherein the ITI was granted a final opportunity to show cause as to why the ITI should not be de-affiliated within 21 days from the date of issue of the Minutes.</p> <p>7. Subsequently, the matter was discussed in 28th SCAA in its meeting dated 28.04.2026.</p>	
42.	<p>Margarshi ITC, Nawbad,Bidar</p> <p>Address: Nawbad Bidar, Karnataka - 585401</p> <p>MIS Code: PU29000404</p>	<p>1. Electrician- 2(1+1)</p> <p>2. Fitter- 2(1+1)</p>	<p>1. The preliminary inspection dated 31.08.2020 was conducted by the State Directorate, during which it was observed that the ITI had been shifted to new address Near Kumbarawada, Ramapure Bank colony, kumbarawad road Noubad, Bidar - 585402 There is no admission since 2021. Accordingly, de-affiliation proceedings were initiated by the State Directorate.</p>	<p>The ITI has been de-affiliated in 28th SCAA in its meeting dated 28.04.2026 on account of zero admissions for four consecutive years (2022-2025).</p>

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	29 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>2. SCN was issued to the ITI by the State on 26.06.2024, followed by reminder dated 28.08.2024.</p> <p>3. The ITI did not submit any reply to the SCN or to the reminder SCN.</p> <p>4. Further, a Joint Inspection was conducted on 16.06.2025 by the RDSDE and State official. During inspection the following were observed:</p> <p>a) ITI closed and not functioning.</p> <p>5. Based on the findings of the joint inspection, 4th SSDEC, in its meeting held on 02.09.2025, has recommended de-affiliation of the ITI as the ITI is shifted to new address Near Kumbarawada, Ramapure Bank colony, kumbarawad road Noubad, Bidar - 585402 There is no admission since 2021.</p> <p>6. Thereafter, the matter was discussed in the 26th SCAA in its meeting dated 15.01.2026 to 20.01.2026, wherein the ITI was granted a final opportunity to show cause as to why the ITI should not be de-affiliated within 21 days from the date of issue of the Minutes.</p>	

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	29 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			7. Subsequently, the matter was discussed in 28th SCAA in its meeting dated 28.04.2026.	
43.	<p>Nizamuddin Pvt. Industrial Training Institute</p> <p>Address: Kiadb Industrial Area, Gulbarga Road, Humnabad- Bidar, Karnataka - 585330</p> <p>MIS Code: PU29000914</p>	Electrician-2(1+1)	<p>1. The preliminary inspection dated 01.09.2020 was conducted by the State Directorate, during which it was observed that the ITI had been shifted to new address Smt Sridevi Katimani Building near Sai Chater by pass road humnabad Bidar Dist. There is no admission since 2021. Accordingly, de-affiliation proceedings were initiated by the State Directorate.</p> <p>2. SCN was issued to the ITI by the State on 26.06.2024, followed by reminder dated 28.08.2024.</p> <p>3. The ITI did not submit any reply to the SCN or to the reminder SCN.</p> <p>4. Further, a Joint Inspection was conducted on 18.06.2025 by the RDSDE and State official. During inspection the following were observed:</p> <p>a) The building is in poor condition with visible cracks and lacks a Building Completion Certificate, raising safety concerns.</p> <p>b) Machinery is outdated, with no purchase receipts or installation</p>	The ITI has been de-affiliated in 28 th SCAA in its meeting dated 28.04.2026 on account of zero admissions for four consecutive years (2022-2025).

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	29 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>certificates available, rendering it unfit for training.</p> <p>c) The electricity connection is in the name of another ITI. These deficiencies are not in accordance with DGT norms</p> <p>5. Based on the findings of the joint inspection, 4th SSDEC, in its meeting held on 02.09.2025, has recommended de-affiliation of the ITI as the ITI is closed, not functioning and also has not obtained affiliation at the shifted location.</p> <p>6. Thereafter, the matter was discussed in the 26th SCAA in its meeting dated 15.01.2026 to 20.01.2026, wherein the ITI was granted a final opportunity to show cause as to why the ITI should not be de-affiliated within 21 days from the date of issue of the Minutes.</p> <p>7. Subsequently, the matter was discussed in 28th SCAA in its meeting dated 28.04.2026.</p>	
44.	Rajeev Gandhi I.T.I Mangalpet Tq: Dist: Bidar	Fitter- 2(1+1)	1. The preliminary inspection dated 31.08.2020 was conducted by the State Directorate, during which it was observed that the ITI had been shifted to new address Rajeev Gandhi ITI, No 15 near kumbarvad Kaman, Rampura Bank Colony, Kumbarvada	The ITI has been de-affiliated in 28 th SCAA in its meeting dated 28.04.2026 on account of zero admissions for four consecutive years (2022-2025).

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	29 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
	<p>Address : Mangalpet Bhavani Temple Road Bidar, Karnataka- 585401</p> <p>MIS Code: PU29000527</p>		<p>road Bidar-585403. There is no admission since 2021. Accordingly, de-affiliation proceedings were initiated by the State Directorate.</p> <ol style="list-style-type: none"> 2. SCN was issued to the ITI by the State on 26.06.2024, followed by reminder dated 28.08.2024. 3. The ITI did not submit any reply to the SCN or to the reminder SCN. 4. Further, a Joint Inspection was conducted on 16.06.2025 by the RDSDE and State official. During inspection the following were observed: <ol style="list-style-type: none"> a) ITI closed and not functioning 5. Based on the findings of the joint inspection, 4th SSDEC, in its meeting held on 02.09.2025, as the ITI is closed, not functioning and also has not obtained affiliation at the shifted location. 6. Thereafter, the matter was discussed in the 26th SCAA in its meeting dated 15.01.2026 to 20.01.2026, wherein the ITI was granted a final opportunity to show cause as to why the ITI should not be de-affiliated within 21 days from the date of issue of the Minutes. 	

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	29 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			7. Subsequently, the matter was discussed in 28th SCAA in its meeting dated 28.04.2026.	
45.	<p>Siddarameshwara ITC</p> <p>Address :No.9-6-230, Behind Sharana Basaveshwara commission Agent Gandhi Gunj, Bidar- Karnataka -585403</p> <p>MIS Code: PU29000805</p>	<p>1. Electrician- 2(1+1)</p> <p>2. Fitter- 2(1+1)</p>	<p>1. The preliminary inspection dated 31.08.2020 was conducted by the State Directorate, during which it was observed that the ITI had been shifted to new address Phulekar complex near Nandi Petrol Pump Sai Nagar Mailur road bidar. There is no admission since 2021. Accordingly, de-affiliation proceedings were initiated by the State Directorate.</p> <p>2. SCN was issued to the ITI by the State on 26.06.2024, followed by reminder dated 28.08.2024.</p> <p>3. The ITI did not submit any reply to the SCN or to the reminder SCN.</p> <p>4. Further, a Joint Inspection was conducted on 17.06.2025 by the RDSDE and State official. During inspection the following were observed: ITI closed and not functioning</p> <p>5. Based on the findings of the joint inspection, 4th SSDEC, in its meeting held on 02.09.2025, has recommended de-affiliation of the ITI as the ITI is closed, not functioning and also has not obtained affiliation at the shifted location.</p>	<p>The ITI has been de-affiliated in 28th SCAA in its meeting dated 28.04.2026 on account of zero admissions for four consecutive years (2022-2025).</p>

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	29 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>6. Thereafter, the matter was discussed in the 26th SCAA in its meeting dated 15.01.2026 to 20.01.2026, wherein the ITI was granted a final opportunity to show cause as to why the ITI should not be de-affiliated within 21 days from the date of issue of the Minutes.</p> <p>7. Subsequently, the matter was discussed in 28th SCAA in its meeting dated 28.04.2026.</p>	
46.	<p>Sir. M. Vishveshwaraiah ITC, Gandhi Gunj</p> <p>Address :Near lidkar office ATE Trust Maillor Road Bidar, Karnataka - 585401</p> <p>MIS Code: PU29000706</p>	<p>1. Electrician- 2(1+1) 2. Fitter- 2(1+1)</p>	<p>1. The preliminary inspection dated 31.08.2020 was conducted by the State Directorate, during which it was observed that the ITI had been shifted to new address Ambedkar Tatva education trust building near jidkar office mylur road bidar. There is no admission since 2022. Accordingly, de-affiliation proceedings were initiated by the State Directorate.</p> <p>2. SCN was issued to the ITI by the State on 26.06.2024, followed by reminder dated 28.08.2024.</p> <p>3. The ITI did not submit any reply to the SCN or to the reminder SCN.</p> <p>4. Further, a Joint Inspection was conducted on 17.06.2025 by the RDSDE and State official. During inspection the following were observed:</p>	<p>The ITI has been de-affiliated in 28th SCAA in its meeting dated 28.04.2026 on account of zero admissions for four consecutive years (2022-2025).</p>

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	29 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>a) The ITI was found to be closed, and no training activities were observed to be in progress.</p> <p>5. Based on the findings of the joint inspection, 4th SSDEC, in its meeting held on 02.09.2025, has recommended de-affiliation of the ITI as ITI is closed and not functioning.</p> <p>6. Thereafter, the matter was discussed in the 26th SCAA in its meeting dated 15.01.2026 to 20.01.2026, wherein the ITI was granted a final opportunity to show cause as to why the ITI should not be de-affiliated within 21 days from the date of issue of the Minutes.</p> <p>7. Subsequently, the matter was discussed in 28th SCAA in its meeting dated 28.04.2026.</p>	
47.	<p>Sir.M.Vishweshwaraiah ITC, Basavkalyan, Address :Sir.M.Vishweshwaraiah ITC, Basavkalyan, Bidar, Karnataka - 585327</p> <p>MIS Code: PR29000028</p>	Fitter- 3(2+1)	<p>1. The preliminary inspection dated 01.09.2020 was conducted by the State Directorate, during which it was observed that the ITI had been shifted to new address Baswakalyam Plot number 42, nagalingeshwar colony, shivapura road Bsavakalyan Bidar There is no admission since 2021. Accordingly, de-affiliation proceedings were initiated by the State Directorate.</p>	The ITI has been de-affiliated in 28 th SCAA in its meeting dated 28.04.2026 on account of zero admissions for four consecutive years (2022-2025).

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	29 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<ol style="list-style-type: none"> 2. SCN was issued to the ITI by the State on 26.06.2024, followed by reminder dated 28.08.2024. 3. The ITI did not submit any reply to the SCN or to the reminder SCN. 4. Further, a Joint Inspection was conducted on 19.06.2025 by the RDSDE and State official. During inspection the following were observed: <ol style="list-style-type: none"> a) The ITI was found to be closed at the shifted address. b) It was observed that the building is currently being utilised as an office of the Excise Department, Government of Karnataka 5. Based on the findings of the joint inspection, 4th SSDEC, in its meeting held on 02.09.2025, has recommended de-affiliation of the ITI as ITI is closed and not functioning. 6. Thereafter, the matter was discussed in the 26th SCAA in its meeting dated 15.01.2026 to 20.01.2026, wherein the ITI was granted a final opportunity to show cause as to why the ITI should not be de-affiliated within 21 days from the date of issue of the Minutes. 	

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	29 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			7. Subsequently, the matter was discussed in 28th SCAA in its meeting dated 28.04.2026.	
48.	<p>Sri Balawanthreddy Industrial Training Institute</p> <p>Address : Opposite post office main road chitguppa, Bidar, Karnataka - 585412</p> <p>MIS Code: PU29000965</p>	Fitter- 2(1+1)	<ol style="list-style-type: none"> 1. The preliminary inspection dated 31.08.2020 was conducted by the State Directorate, during which it was observed that the ITI had been shifted to new address APMC 3rd street, Opp: Bus stand, humnabad road, Chittaguppa Humnabad bidar. There is no admission since 2021. Accordingly, de-affiliation proceedings were initiated by the State Directorate. 2. SCN was issued to the ITI by the State on 26.06.2024, followed by reminder dated 28.08.2024. 3. The ITI did not submit any reply to the SCN or to the reminder SCN. 4. Further, a Joint Inspection was conducted on 19.06.2025 by the RDSDE and State official. During inspection the following were observed: <ol style="list-style-type: none"> a) The Industrial Training Institute (ITI) was found to be non - operational during the inspection b) No training activities being conducted at the premises. 5. Based on the findings of the joint inspection, 4th SSDEC, in its meeting 	The ITI has been de-affiliated in 28 th SCAA in its meeting dated 28.04.2026 on account of zero admissions for four consecutive years (2022-2025).

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	29 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>held on 02.09.2025, has recommended de-affiliation of the ITI as the ITI is closed, not functioning and also has not obtained affiliation at the shifted location.</p> <p>6. Thereafter, the matter was discussed in the 26th SCAA in its meeting dated 15.01.2026 to 20.01.2026, wherein the ITI was granted a final opportunity to show cause as to why the ITI should not be de-affiliated within 21 days from the date of issue of the Minutes.</p> <p>7. Subsequently, the matter was discussed in 28th SCAA in its meeting dated 28.04.2026.</p>	
49.	<p>Vidyaniketan Rural I.T.I. Manhalli Tq & Dist Bidar.</p> <p>Address : Manhalli Tq & Dist Bidar.- 585403</p> <p>MIS Code: PR29000011</p>	<ol style="list-style-type: none"> 1. Electrician- 2(1+1) 2. Fitter- 2(1+1) 3. Welder-1(1+0) 	<ol style="list-style-type: none"> 1. The preliminary inspection dated 31.08.2020 was conducted by the State Directorate, during which it was observed that the ITI had been shifted to new address Jauhar PU Collage, sherikari hospital old city port area, Bidar Dist. There is no admission since 2021. Accordingly, de-affiliation proceedings were initiated by the State Directorate. 2. SCN was issued to the ITI by the State on 26.06.2024, followed by reminder dated 28.08.2024. 3. The ITI did not submit any reply to the SCN or to the reminder SCN. 	<p>The ITI has been de-affiliated in 28th SCAA in its meeting dated 28.04.2026 on account of zero admissions for four consecutive years (2022-2025).</p>

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	29 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>4. Further, a Joint Inspection was conducted on 16.06.2025 by the RDSDE and State official. During inspection the following were observed:</p> <p>a) ITI closed and not functioning.</p> <p>b) No training activities being conducted in the ITI building.</p> <p>5. Based on the findings of the joint inspection, 4th SSDEC, in its meeting held on 02.09.2025, has recommended de-affiliation of the ITI as the ITI is closed, not functioning and also has not obtained affiliation at the shifted location.</p> <p>6. Thereafter, the matter was discussed in the 26th SCAA in its meeting dated 15.01.2026 to 20.01.2026, wherein the ITI was granted a final opportunity to show cause as to why the ITI should not be de-affiliated within 21 days from the date of issue of the Minutes.</p> <p>7. Subsequently, the matter was discussed in 28th SCAA in its meeting dated 28.04.2026.</p>	
50.	Sri Mylaralingeshwara Industrial Training Centre	Electrician-2(1+1)	1. The preliminary inspection dated 07.05.2022 was conducted by the State Directorate, during which it was observed that the ITI had been shifted to new address Mylarlingeshwara	The ITI has been de-affiliated in 28 th SCAA in its meeting dated 28.04.2026 on account of

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	29 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
	<p>Address: Station Road, Chitradurga, Karnataka</p> <p>MIS Code: PR29001013</p>		<p>ITC, Building is shifted 600 Mtr with in Muncpal corporation area, Chitradurg Dist. There is no admission since 2018. Accordingly, de-affiliation proceedings were initiated by the State Directorate.</p> <ol style="list-style-type: none"> 2. SCN was issued to the ITI by the State on 26.06.2024, followed by reminder dated 28.08.2024. 3. The ITI did not submit any reply to the SCN or to the reminder SCN. 4. Further, a Joint Inspection was conducted on 24.06.2025 by the RDSDE and State official. During inspection the following were observed: <ol style="list-style-type: none"> a) ITI closed and not functioning. 5. Based on the findings of the joint inspection, 4th SSDEC, in its meeting held on 02.09.2025, has recommended de-affiliation of the ITI as the ITI is closed since 2018, not functioning and also has not obtained affiliation at the shifted location. 6. Thereafter, the matter was discussed in the 26th SCAA in its meeting dated 15.01.2026 to 20.01.2026, wherein the ITI was granted a final opportunity to show cause as to why the ITI should not be de-affiliated 	<p>zero admissions for four consecutive years (2022-2025).</p>

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	29 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>within 21 days from the date of issue of the Minutes.</p> <p>7. Subsequently, the matter was discussed in 28th SCAA in its meeting dated 28.04.2026.</p>	
51.	<p>Vishwabandhu ITC Holalu</p> <p>Address: Holalu Huvinadagali tq, Bellary Dist.- Ballari , Karnataka - 583217</p> <p>MIS Code: PR29001412</p>	Electrician 1(1+0)	<ol style="list-style-type: none"> 1. The preliminary inspection dated 30.08.2020 was conducted by the State Directorate, during which it was observed that the ITI had been shifted to new address Vishwabandhu ITC, Jagaluru Davanagere Dist. There is no admission since 2020 Accordingly, de-affiliation proceedings were initiated by the State Directorate. 2. SCN was issued to the ITI by the State on 26.06.2024, followed by reminder dated 28.08.2024. 3. The ITI did not submit any reply to the SCN or to the reminder SCN. 4. Further, a Joint Inspection was conducted on 06.03.2025 by the RDSDE and State official. During inspection the following were observed: <ol style="list-style-type: none"> a) ITI closed and not functioning 5. Based on the findings of the joint inspection, 4th SSDEC, in its meeting held on 02.09.2025, has recommended de-affiliation as the ITI is closed, not functioning and also 	The ITI has been de-affiliated in 28 th SCAA in its meeting dated 28.04.2026 on account of zero admissions for four consecutive years (2022-2025).

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	29 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>has not obtained affiliation at the shifted location.</p> <p>6. Thereafter, the matter was discussed in the 26th SCAA in its meeting dated 15.01.2026 to 20.01.2026, wherein the ITI was granted a final opportunity to show cause as to why the ITI should not be de-affiliated within 21 days from the date of issue of the Minutes.</p> <p>7. Subsequently, the matter was discussed in 28th SCAA in its meeting dated 28.04.2026.</p>	
52.	<p>Sri Channabasava Rural ITI Gangavathi</p> <p>Address: Gangavathi, Koppal- 583227</p> <p>MIS Code: PR29000677</p>	<p>1. Electrician - 2(2+0)</p> <p>2. Fitter- 2(2+0)</p>	<p>1. The preliminary inspection dated 05.10.2019 was conducted by the State Directorate, during which it was observed that the ITI had been shifted to new address ITI Sri Chnnabaswa Rural ITI, singanal complex, RG road APMC Gangawati Koppal. There is no admission since 2022. Accordingly, de-affiliation proceedings were initiated by the State Directorate.</p> <p>2. SCN was issued to the ITI by the State on 26.06.2024, followed by reminder dated 28.08.2024.</p> <p>3. The ITI did not submit any reply to the SCN or to the reminder SCN.</p> <p>4. Further, a Joint Inspection was conducted on 06.06.2025 by the</p>	<p>The ITI has been de-affiliated in 28th SCAA in its meeting dated 28.04.2026 on account of zero admissions for four consecutive years (2022-2025).</p>

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	29 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>RDSDE and State official. During inspection the following were observed:</p> <p>a) As it is a closed ITI and no admission nor trainees since 31.07.2022</p> <p>b) No staff and no building were found available on the day of inspection.</p> <p>5. Based on the findings of the joint inspection, 4th SSDEC, in its meeting held on 02.09.2025, has recommended de-affiliation of the ITI as the ITI is closed, not functioning and also has not obtained affiliation at the shifted location.</p> <p>6. Thereafter, the matter was discussed in the 26th SCAA in its meeting dated 15.01.2026 to 20.01.2026, wherein the ITI was granted a final opportunity to show cause as to why the ITI should not be de-affiliated within 21 days from the date of issue of the Minutes.</p> <p>7. Subsequently, the matter was discussed in 28th SCAA in its meeting dated 28.04.2026.</p>	
53.	Guru patil Industrial Training Institute Tarihal Road Gokul Hubli	Fitter- 2(1+1)	1. The preliminary inspection dated 21.07.2022 was conducted by the State Directorate, during which it was observed that the ITI had been shifted	The ITI has been de-affiliated in 28 th SCAA in its meeting dated 28.04.2026 on account of

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	29th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
	<p>Address: Tarihal Road Gokul, Hubli- Dharwad, Karnataka - 580030</p> <p>MIS Code: PU29001323</p>		<p>to new address Guru Patil Pvt ITI, Tarihal Industrial Estate, Gokul road Hubli- 580030. There is no admission since 2021. Accordingly, de-affiliation proceedings were initiated by the State Directorate.</p> <ol style="list-style-type: none"> 2. SCN was issued to the ITI by the State on 26.06.2024, followed by reminder dated 28.08.2024. 3. The ITI did not submit any reply to the SCN or to the reminder SCN. 4. Further, a Joint Inspection was conducted on 05.07.2025 by the RDSDE and State official. During inspection the following were observed: <ol style="list-style-type: none"> a) The infrastructure tools and equipment are not met as per standard norms. 5. Based on the findings of the joint inspection, 4th SSDEC, in its meeting held on 02.09.2025, has recommended de-affiliation of the ITI as the ITI is closed since 2021, the infrastructure, tools, equipment are not as per norms and also has not obtained affiliation at the shifted location. 6. Thereafter, the matter was discussed in the 26th SCAA in its meeting dated 15.01.2026 to 20.01.2026, wherein 	<p>zero admissions for four consecutive years (2022-2025).</p>

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	29 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>the ITI was granted a final opportunity to show cause as to why the ITI should not be de-affiliated within 21 days from the date of issue of the Minutes.</p> <p>7. Subsequently, the matter was discussed in 28th SCAA in its meeting dated 28.04.2026.</p>	
54.	<p>Vidyodaya Industrial Training Institute</p> <p>Address: Bettahally road ,shantinagar Pandavapura town- Mandya, Karnataka - 571434</p> <p>MIS Code: PR29000508</p>	<p>Fitter -2(1+1)</p> <p>Electronics Mechanic- 2(1+1)</p>	<ol style="list-style-type: none"> 1. The preliminary inspection dated 17.08.2020 was conducted by the State Directorate, during which it was observed that the ITI had been shifted to new address Vidhyodaya Pvt ITI, Old bus stand road pandavapur Mandya Dist. There is no admission since 2021. Accordingly, de-affiliation proceedings were initiated by the State Directorate. 2. SCN was issued to the ITI by the State on 26.06.2024, followed by reminder dated 28.08.2024. 3. The ITI did not submit any reply to the SCN or to the reminder SCN. 4. Further, a Joint Inspection was conducted on 06.04.2025 by the RDSDE and State official. During inspection the following were observed: <ol style="list-style-type: none"> a) ITI is not functioning and the building is rent out for commercial purpose. 	<p>The ITI has been de-affiliated in 28th SCAA in its meeting dated 28.04.2026 on account of zero admissions for four consecutive years (2022-2025).</p>

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	29 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>5. Based on the findings of the joint inspection, 4th SSDEC, in its meeting held on 02.09.2025, has recommended de-affiliation of the ITI as the ITI is closed, not functioning and also has not obtained affiliation at the shifted location. Also, the building is rent out for commercial purpose.</p> <p>6. Thereafter, the matter was discussed in the 26th SCAA in its meeting dated 15.01.2026 to 20.01.2026, wherein the ITI was granted a final opportunity to show cause as to why the ITI should not be de-affiliated within 21 days from the date of issue of the Minutes.</p> <p>7. Subsequently, the matter was discussed in 28th SCAA in its meeting dated 28.04.2026.</p>	
55.	<p>Gnana Bharathi ITC, Ilawala</p> <p>Address: yelwala ,Mysore taluk- Mysuru, Karnataka - 571130</p>	<p>Electronics Mechanic -1(0+1)</p> <p>Fitter- 1(0+1)</p>	<p>1. The preliminary inspection dated 17.08.2020 was conducted by the State Directorate, during which it was observed that the ITI had been shifted to new address Gnana Bharathi, TAPCMS building hunsur Mysore dist. There is no admission since 2021. Accordingly, de-affiliation proceedings were initiated by the State Directorate.</p>	<p>The ITI has been de-affiliated in 28th SCAA in its meeting dated 28.04.2026 on account of zero admissions for four consecutive years (2022-2025).</p>

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	29th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
	MIS Code: PR29001406		<p>2. SCN was issued to the ITI by the State on 26.06.2024, followed by reminder dated 28.08.2024.</p> <p>3. The ITI did not submit any reply to the SCN or to the reminder SCN.</p> <p>4. Further, a Joint Inspection was conducted on 07.05.2025 by the RDSDE and State official. During inspection the following were observed:</p> <p>a) The ITI has shifted to new location which is not within the same municipal/corporation limits, and it is not allowed as per DGT norms (ITI has shifted from Mysore Taluk to Hunsur Taluk).</p> <p>b) The ITI building at shifted location is not at all ready with staff, machineries, training facilities and amenities to run the ITI</p> <p>c) There are no documents available which related to land/lease agreement, BCC, building plan, fire safety certificate, power supply connection, staff appointment, machinery bills & payments etc</p> <p>d) Overall, it is found that ITI management is not having any training infrastructure/facilities,</p>	

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	29 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>documents, amenities etc to run the ITI, and not meeting the requirement of DGT norms.</p> <p>5. Based on the findings of the joint inspection, 4th SSDEC, in its meeting held on 02.09.2025, has recommended de-affiliation of the ITI as the ITI is closed, not functioning and also has not obtained affiliation at the shifted location.</p> <p>6. Thereafter, the matter was discussed in the 26th SCAA in its meeting dated 15.01.2026 to 20.01.2026, wherein the ITI was granted a final opportunity to show cause as to why the ITI should not be de-affiliated within 21 days from the date of issue of the Minutes.</p> <p>7. Subsequently, the matter was discussed in 28th SCAA in its meeting dated 28.04.2026.</p>	
56.	<p>Kushal ITI</p> <p>Address: Ramanatha Pura, Hassan, Karnataka- 573113</p> <p>MIS Code: PR29000894</p>	Fitter- 2(1+1)	<p>1. The preliminary inspection dated 17.08.2020 was conducted by the State Directorate, during which it was observed that the ITI had been shifted to new address TAPCMS building Hunsur Mysore Dist. There is no admission since 2021. Accordingly, de-affiliation proceedings were initiated by the State Directorate.</p>	The ITI has been de-affiliated in 28 th SCAA in its meeting dated 28.04.2026 on account of zero admissions for four consecutive years (2022-2025).

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	29 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>2. SCN was issued to the ITI by the State on 26.06.2024, followed by reminder dated 28.08.2024.</p> <p>3. The ITI did not submit any reply to the SCN or to the reminder SCN.</p> <p>4. Further, a Joint Inspection was conducted on 05.06.2025 by the RDSDE and State official. During inspection the following were observed:</p> <p>a) The ITI has shifted to new location which is other than home district of ITI. (Shifted from Hassan Dist. to Mysore Dist) Inter district shifting is not allowed as per DGT norms.</p> <p>b) Very importantly the ITI building at shifted location is in very pathetic condition and it may collapse during rainy season.</p> <p>c) There are no documents available which related to land/lease agreement, BCC, building plan, fire safety certificate, power supply connection, staff appointment, machinery bills & payments etc.</p> <p>d) Overall, it is observed that ITI management is not having any training infrastructure/facilities, proper building, power supply</p>	

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	29 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>etc. to run the ITI, and not meeting the requirement of DGT norms.</p> <p>5. Based on the findings of the joint inspection, 4th SSDEC, in its meeting held on 02.09.2025, has recommended de-affiliation of the ITI as the ITI is closed since 2021, and also has not obtained affiliation at the shifted location.</p> <p>6. Thereafter, the matter was discussed in the 26th SCAA in its meeting dated 15.01.2026 to 20.01.2026, wherein the ITI was granted a final opportunity to show cause as to why the ITI should not be de-affiliated within 21 days from the date of issue of the Minutes.</p> <p>7. Subsequently, the matter was discussed in 28th SCAA in its meeting dated 28.04.2026.</p>	
57.	<p>Sahara ITI (Name changed from National ITI to Sahara ITI) H hipparagi</p> <p>Address: Huvina Hippragi Tq. Basavana bagewadi-</p>	Electrician 4(2+2)	<p>1. The preliminary inspection dated 30.10.2023 & 20.11.2023 was conducted by the State Directorate, during which it was observed that the ITI had been shifted to new address Near Hulabenchi cross, Talikoti road, huvinahipparagi-586208. There is no admission since 2021. Accordingly, de-affiliation proceedings were initiated by the State Directorate.</p>	The ITI has been de-affiliated in 28 th SCAA in its meeting dated 28.04.2026 on account of zero admissions for four consecutive years (2022-2025).

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	29th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
	<p>Bijapur, Karnataka - 586208</p> <p>MIS Code: PR29001396</p>		<ol style="list-style-type: none"> 2. SCN was issued to the ITI by the State on 26.06.2024, followed by reminder dated 28.08.2024. 3. The ITI did not submit any reply to the Show Cause Notice (SCN) or to the reminder SCN. 4. Further, a Joint Inspection was conducted on 12.07.2025 by the RDSDE and State official. During inspection the following were observed: <ol style="list-style-type: none"> a) ITI closed and no training related activities were found on the day of inspection. 5. Based on the findings of the joint inspection, 4th SSDEC, in its meeting held on 02.09.2025, has recommended de-affiliation of the ITI as the ITI found closed since 2021 and no activities found in the ITI. 6. Thereafter, the matter was discussed in the 26th SCAA in its meeting dated 15.01.2026 to 20.01.2026, wherein the ITI was granted a final opportunity to show cause as to why the ITI should not be de-affiliated within 21 days from the date of issue of the Minutes. 	

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	29 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			7. Subsequently, the matter was discussed in 28th SCAA in its meeting dated 28.04.2026.	
58.	S.S. ITC Hiriyur, Chitradurga, Karnataka MIS Code: PR29001178	Fitter- 2(1+1)	<ol style="list-style-type: none"> 1. The preliminary inspection dated 22.01.2020 was conducted by the State Directorate, during which it was observed that the ITI had been shifted to new address Vedavathi Nagar housing board colony near RBM School Hiriyur Chitradurga Dist-Chitradurga. There is no admission since 2023. Accordingly, de-affiliation proceedings were initiated by the State Directorate. 2. SCN was issued to the ITI by the State on 26.06.2024, followed by reminder dated 28.08.2024. 3. The ITI did not submit any reply to the SCN or to the reminder SCN. 4. Further, a Joint Inspection was conducted on 24.06.2025 by the RDSDE and State official. During inspection the following were observed: <ol style="list-style-type: none"> a) ITI closed and not functioning 5. Based on the findings of the joint inspection, 4th SSDEC, in its meeting held on 02.09.2025, has recommended de-affiliation of the ITI as ITI found closed, not 	The ITI has been de-affiliated in 28 th SCAA in its meeting dated 28.04.2026 on account of zero admissions for four consecutive years (2022-2025).

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	29 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>functioning and also has not obtained affiliation at the shifted location.</p> <p>6. Thereafter, the matter was discussed in the 26th SCAA in its meeting dated 15.01.2026 to 20.01.2026, wherein the ITI was granted a final opportunity to show cause as to why the ITI should not be de-affiliated within 21 days from the date of issue of the Minutes.</p> <p>7. Subsequently, the matter was discussed in 28th SCAA in its meeting dated 28.04.2026.</p>	
59.	<p>Adarsha ITC, Basavkalyan,</p> <p>Address: Adarsha ITC, Basavkalyan, Bidar, Karnataka - 585327</p> <p>MIS Code: PR29000031</p>	Fitter- 2(1+1)	<p>1. The preliminary inspection dated 27.06.2023 was conducted by the State Directorate, during which it was observed there is no admission since from 2022, institute sought for admission to units that have been discontinued due to 100% vacancy in consecutive years. Accordingly, de-affiliation proceedings were initiated by the State Directorate.</p> <p>2. SCN was issued to the ITI by the State on 26.06.2024.</p> <p>3. The ITI did not submit any reply to the SCN or to the reminder SCN.</p> <p>4. Further, a Joint Inspection was conducted on 05.05.2025 by the RDSDE and State official. During</p>	The ITI has been de-affiliated in 28 th SCAA in its meeting dated 28.04.2026 on account of zero admissions for four consecutive years (2022-2025).

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	29 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>inspection the following were observed:</p> <p>a) The ITI was found to be closed on the day of inspection and principal was not responding to calls.</p> <p>5. Based on the findings of the joint inspection, 4th SSDEC, in its meeting held on 02.09.2025, has recommended de-affiliation of the ITI as ITI found closed on the day of inspection and the Principal was not responding to the calls.</p> <p>6. Thereafter, the matter was discussed in the 26th SCAA in its meeting dated 15.01.2026 to 20.01.2026, wherein the ITI was granted a final opportunity to show cause as to why the ITI should not be de-affiliated within 21 days from the date of issue of the Minutes.</p> <p>7. Subsequently, the matter was discussed in 28th SCAA in its meeting dated 28.04.2026.</p>	
60.	Swami Vivekanand Private ITI Horti	<ol style="list-style-type: none"> 1. Electrician-1(1+0) 2. Fitter-1(1+0) 	<ol style="list-style-type: none"> 1. The preliminary inspection dated 15.07.2023 was conducted by the State Directorate, during which it was observed that there is no admission since from 2023, institute sought for admission to units that have been discontinued due to 100% vacancy in 	The ITI has been de-affiliated in 28 th SCAA in its meeting dated 28.04.2026 on account of zero admissions for four consecutive years (2022-2025).

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	29th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
	<p>Address Hori-586117, Indi Tq. Bijapur, Karnataka-586117</p> <p>MIS Code: PR29001367</p>		<p>consecutive years. Accordingly, de-affiliation proceedings were initiated by the State Directorate.</p> <ol style="list-style-type: none"> 2. SCN was issued to the ITI by the State on 26.06.2024. 3. The ITI did not submit any reply to the SCN or to the reminder SCN. 4. Further, a Joint Inspection was conducted on 09.07.2025 by the RDSDE and State official. During inspection the following were observed: <ol style="list-style-type: none"> a) ITI found closed and no training activities found on the day of inspection. 5. Based on the findings of the joint inspection, 4th SSDEC, in its meeting held on 02.09.2025, has recommended de-affiliation of the ITI as ITI found closed and no training activities found in the ITI. 6. Thereafter, the matter was discussed in the 26th SCAA in its meeting dated 15.01.2026 to 20.01.2026, wherein the ITI was granted a final opportunity to show cause as to why the ITI should not be de-affiliated within 21 days from the date of issue of the Minutes. 	

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	29th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			7. Subsequently, the matter was discussed in 28th SCAA in its meeting dated 28.04.2026.	

Annexure-3

Annexure- 3 as referred in Agenda 1.2 regarding de-affiliation of 08 ITIs of the State of Bihar in continuation of the discussions held in the 26th SCAA meeting vide Agenda Item 5.3

Sr. No .	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	29 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
1.	<p>Harihar Nath ITC, Address: Paharichak Chawr Sonpur, Saran, Bihar</p> <p>MIS Code- PR10000294</p>	<p>1. Electrician- 4(2+2) 2. Fitter- 4(2+2)</p>	<p>1. The ITI was designated as an examination centre for the AITT examination in August 2024. During a surprise inspection conducted by the flying squad, several irregularities, not in conformity with the prescribed norms, were observed. The ITI was accordingly asked to submit its clarification.</p> <p>2. ITI furnished the reply. However, the reply furnished by the ITI was not found satisfactory. Consequently, the State Directorate initiated de-affiliation proceedings.</p> <p>3. Show Cause Notice (SCN) was issued to the ITI by the State on 04.09.2024.</p> <p>4. The ITI replied to the SCN on 06.09.2024.</p> <p>5. Further, a Joint Inspection was conducted on 23.11.2024 by the RDSDE and State official. During inspection the following were observed:</p>	<p>The matter was discussed in the SCAA meeting, and the SCAA decided as under:</p> <p>1. In line with the principles of natural justice, the ITI was afforded final opportunity to represent itself by 26th SCAA in its meeting held on 15.01.2026 and 20.01.2026, to submit a show-cause reply explaining why the ITI should not be de-affiliated along with any supporting representation, within 21 days from the issuance of the Minutes of that Meeting. as the following deficiencies were observed during the Joint Inspection dated 23.11.2024:</p> <p>a) The longitude and latitude of the premises did not match the coordinates available on the NCVT MIS portal.</p> <p>b) Major tools and equipment in the Fitter and Electrician trades were not available, and the workshops were found in a dilapidated and unsafe condition.</p> <p>c) No three-phase electricity connection was available on the day of inspection.</p>

Sr. No .	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	29 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>a) The longitude and latitude were different as per NCVT MIS portal mentioned Longitude and Latitude.</p> <p>b) Only few tools & equipment were found available in Fitter and Electrician trades workshops. No major tools and equipment were available during inspection in these trades.</p> <p>c) The workshop area of Fitter and Electrician trades were found in dilapidated condition and unsafe.</p> <p>d) The Electricity connection was available but no three-phase connection were available on the day of inspection.</p> <p>e) No training activities and CITS instructors were available on the day of inspection.</p> <p>f) The Tools and Equipment information is not available.</p> <p>g) Drawing hall was not available in the ITI.</p> <p>h) The computers found in ITI lab. were not in running condition.</p>	<p>d) Further, no training activities were being conducted and no CITS instructors were present.</p> <p>e) The ITI failed to provide tools and equipment records, no drawing hall was available, and the computers in the laboratory were found to be non-functional, indicating serious non-compliance with NCVT norms.</p> <p>2. The said communication was issued by the DGT to the registered email of the institute on 06.03.2026</p> <p>3. Further, the ITI did not avail the final opportunity provided by the DGT in the 26th SCAA meeting and failed to submit any reply or representation within the stipulated time, thereby exhibiting continued negligence and persistent non-compliance.</p> <p>4. The non-submission of a reply and reluctance to rectify the severe deficiencies clearly indicate that the ITI is not functioning in accordance with the prescribed norms, thereby defeating the purpose of the Craftsmen Training Scheme (CTS).</p> <p>Therefore, in view of the above remarks and in the interest of the trainees, the ITI is hereby de-affiliated.</p>

Sr. No .	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	29 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>6. Thereafter, again SCN dated 23.01.2025 was issued to the ITI to provide clarification on the deficiencies observed during Joint Inspection dated 23.11.2024.</p> <p>7. The ITI replied to the SCN on 05.02.2025 and the reply of the ITI was considered by State Directorate. The ITI has submitted the following in its reply:</p> <p>a) Location Tag Discrepancy: The GPS coordinates taken during inspection (Lat 25.701653, Long 85.164861) were recorded from the road outside the institute, whereas the Google tag on the NCVT portal was marked from inside the campus (in front of the office). No change in institute location has ever been made.</p> <p>b) Fitter & Electrician Trades – Equipment Maintenance: Preventive maintenance work was ongoing at the time of inspection. All tools and machinery are regularly maintained.</p> <p>c) Workshop Repair & Painting: The surrounding area was flood-affected, with approximately 6 feet of water accumulation until</p>	

Sr. No .	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	29 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>October 2024. Wall repairs and painting could only be completed in December 2024 after the water receded.</p> <p>d) Tools & Equipment Placement: Tools and equipment were temporarily shifted to a safe location because workshop and classroom maintenance work was in progress. The Principal apologizes for this.</p> <p>e) Power Connection: The institute has a valid 3-phase, 13 kW connection from NBPDC. A 3-phase machine was running during the inspection (video recorded by the inspecting officer), confirming the connection is functional.</p> <p>f) Absence of Instructors & Trainees: The inspection took place on a Saturday when all instructors and Trainees were at Sonpur Railway Ground for an extra-curricular cricket match.</p> <p>g) IT Lab & Drawing Hall: All computers in the IT Lab have been made functional, and space for the Drawing Hall has been finalised.</p>	

Sr. No .	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	29 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>8. After that the matter was discussed in 9th SSDEC meeting dated 17.10.2025 and SSDEC recommended de-affiliation of the ITI due to non- compliance of NCVT norms.</p> <p>9. Thereafter, the matter was discussed in the 26th SCAA in its meeting dated 15.01.2026 to 20.01.2026, wherein the ITI was granted a final opportunity to show cause as to why the ITI should not be de-affiliated within 21 days from the date of issue of the Minutes.</p> <p>10. The ITI failed to avail the opportunity provided during the 26th SCAA meeting, as no reply was submitted.</p>	
2.	<p>Ambedkar Pvt. ITI</p> <p>Address: Bihari Bigha, Dalmiyanagar, Dehri, Rohtas, Bihar.</p> <p>MIS code- PR10000578</p>	<p>1. Electrician- 4(2+2)</p> <p>2. Fitter- 4(2+2)</p> <p>3. Mechanic Diesel- 2(1+1)</p>	<p>1. The ITI was designated as an examination centre for the AITT examination in August 2024. During a surprise inspection conducted by the flying squad, several irregularities not in conformity with the prescribed norms were observed. The ITI was accordingly asked to submit its clarification.</p> <p>2. However, the reply furnished was not found satisfactory.</p>	<p>The matter was discussed in the SCAA meeting, and the SCAA decided as under:</p> <p>1. In line with the principles of natural justice, the ITI was afforded final opportunity to represent itself by 26th SCAA in its meeting held on 15.01.2026 and 20.01.2026, to submit a show-cause reply explaining why the ITI should not be de-affiliated along with any supporting representation, within 21 days from the issuance of the minutes of that meeting. as</p>

Sr. No .	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	29 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>Consequently, the State Directorate initiated de-affiliation proceedings.</p> <ol style="list-style-type: none"> 3. SCN was issued to the ITI by the State on 04.09.2024. 4. The ITI replied to the SCN on 25.09.2024. 5. Further, a Joint Inspection was conducted on 03.12.2024. During the visit at the ITI, the ITI gate was found closed and a notice regarding the sudden demise of the Principal without his name was displayed apart from this there is also a mention of two days holiday. 6. The Joint Inspection committee visited again on 20.12.2024 to the ITI for conducting inspection. During inspection the following were observed: <ol style="list-style-type: none"> a) The longitude and latitude were different as per NCVT MIS portal mentioned Longitude and Latitude. b) Building map was not provided by the ITI on the day of inspection. c) All the classrooms were found made of Tin shed only. 	<p>the following severe deficiencies were observed during the Joint Inspection dated 20.12.2024:</p> <ol style="list-style-type: none"> a) The longitude and latitude of the premises did not match the coordinates available on the NCVT MIS portal, and the building map was not provided. b) All classrooms were found to be constructed with tin sheds only, indicating inadequate infrastructure. c) Electricity meter reports were not produced, and the available electric load was insufficient for the approved trades. d) The IT lab had only 08 computers, which was below the prescribed norms. No evidence of utilization of raw material was found in the Fitter, Mechanic Diesel, and Electrician Workshops. e) Further, no CITS instructors or staff records were made available during inspection. f) The ITI building and classrooms were old and not as per NCVT norms, and the biometric system was also not available, reflecting serious non-compliance with prescribed standards. <p>2. The said communication was issued by the DGT to the registered email of the institute on 06.03.2026</p>

Sr. No .	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	29 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>d) Electricity connection meter reports were not provided by the ITI. The Electricity connection at this location is 18.11.2011 with connected load 18.0KW/20.00KVA.</p> <p>e) In IT lab., only 08 computers were found on the day of inspection which is not as per norms.</p> <p>f) No evidence of utilization of raw materials was observed in the workshop areas of the Fitter and Mechanic Diesel trades as well as Electrician trade. The electric load was low for three trades which is not as per norms.</p> <p>g) No CITS instructors, their certificate records, staff appointment letters etc. were not provided by the ITI on the day of inspection.</p> <p>h) The ITI was very old and the classroom requires construction as per NCVT norms.</p> <p>i) The biometric machine was not available in the ITI on the day of inspection.</p>	<p>3. Further, the ITI did not avail the final opportunity provided by the DGT in the 26th SCAA meeting and failed to submit any reply or representation within the stipulated time, thereby exhibiting continued negligence and persistent non-compliance.</p> <p>4. The non-submission of a reply and reluctance to rectify the severe deficiencies clearly indicate that the ITI is not functioning in accordance with the prescribed norms, thereby defeating the purpose of the Craftsmen Training Scheme (CTS).</p> <p>Therefore, in view of the above remarks and in the interest of the trainees, the ITI is hereby de-affiliated.</p>

Sr. No .	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	29 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>7. Thereafter, again SCN dated 23.01.2025 was issued to the ITI to provide clarification on the deficiencies observed during Joint Inspection dated 20.12.2024. The ITI replied to the SCN on 04.02.2025 and the reply of the ITI was considered by State Directorate.</p> <p>8. ITI has submitted following replies:</p> <p>a) Latitude/Longitude discrepancy: The mentioned difference is minor and can occur even within different points of the same land/plot.</p> <p>b) Building Map: It was displayed during the inspection; a copy can be provided if accepted.</p> <p>c) Drawing Hall & Library Hall: As per previous norms, only a library was required, which is available. Both Drawing Hall and separate Library Hall have now been constructed in the under-construction building on the institute's own land.</p>	

Sr. No .	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	29 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>d) Staff/Teachers presence: Employees and teachers were present during inspection; some were on leave, and information about them was provided.</p> <p>e) Electricity connection: The meter is available and functional.</p> <p>f) Raw material in workshop: It had been shifted to the store as per inspection guidelines.</p> <p>g) Classrooms & Workshop in tin sheds: Considering timely changes, a new ITI building has been constructed at Amra Talab, District Rohtas, with permanent classrooms, library, drawing hall, and all facilities. Upon relocation, all identified deficiencies will automatically be resolved. Current classrooms require repairs.</p> <p>h) Additionally, the institute is located roadside without playground or hostel facilities for trainees. To address this, a new building (including hostel) is under construction</p>	

Sr. No .	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	29 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>in the final stage on the institute's own land.</p> <p>i) The institute wants to relocate/transfer Ambedkar I.T.C. (currently at Bihari Bigha, Dehri, Rohtas) to the new premises at Amra Talab, Dehri-Sasaram Road, Sasaram, Rohtas.</p> <p>8. The matter was discussed in 9th SSDEC meeting dated 17.10.2025 and SSDEC recommended de-affiliation of the ITI due to non-compliance of NCVT norms.</p> <p>9. Thereafter, the matter was discussed in the 26th SCAA in its meeting dated 15.01.2026 to 20.01.2026, wherein the ITI was granted a final opportunity to show cause as to why the ITI should not be de-affiliated within 21 days from the date of issue of the Minutes of the Meeting.</p> <p>10. The ITI failed to avail the opportunity provided during the 26th SCAA meeting, as no reply was submitted.</p>	

Sr. No .	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	29 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
3.	Pinak Pvt.ITI Address: AT PO-Ghoswari, P.S-Bakhtiyarpur, Patna, Bihar MIS code-PR10000641	Electrician-4 (2+2)	<ol style="list-style-type: none"> 1. The ITI was designated as an examination centre for the All India Trade Test exam in August 2024. The ITI was failed to submit the CCTV footage of examination process at controller of examination office due to which de-affiliation proceeding were initiated by State Directorate. 2. A Joint Inspection was conducted on 17.01.2025 by the RDSDE and State official. During inspection the following were observed: <ol style="list-style-type: none"> a) Electricity connection was not found active in the ITI on the day of inspection. The last electricity bill of the ITI was generated in March 2019.The ITI does not have electricity connection since last 5 yrs. b) The ITI building was found in dilapidated condition. c) The basic amenities such as toilets and drinking water were not available in the ITI. d) The classrooms, administrative rooms were found made of Tin shed only and RCC roof were not available in the ITI. 	<p>The matter was discussed in the SCAA meeting, and the SCAA decided as under:</p> <ol style="list-style-type: none"> 1. In line with the principles of natural justice, the ITI was afforded final opportunity to represent itself by 26th SCAA in its meeting held on 15.01.2026 and 20.01.2026, to submit a show-cause reply explaining why the ITI should not be de-affiliated along with any supporting representation, within 21 days from the issuance of the minutes of that meeting. as the following severe deficiencies were observed during the Joint Inspection dated 17.01.2025: <ol style="list-style-type: none"> a) The ITI was found without an active electricity connection for the past five years, and the building was in a dilapidated condition. b) Basic amenities such as toilets and drinking water were unavailable, while classrooms and administrative rooms were constructed only with tin sheds without RCC roofing. c) Essential machinery, hand tools, equipment, furniture, and training materials for the Electrician trade were either unavailable or non-functional, and the workshop area was being used for storage purposes.

Sr. No .	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	29 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>e) Shop Machinery for Electrician trade were not available in the ITI. Few parts of machineries were available but not in working condition.</p> <p>f) The workshop in the ITI was being used for storage purpose.</p> <p>g) Also, the essential hand tool, equipment shops furniture, materials for Electrician trade were not available in the ITI for training purpose.</p> <p>h) IT lab was available in the ITI but without computers.</p> <p>i) Drawing hall was not available in the ITI.</p> <p>j) The fire safety certificate was not available during inspection.</p> <p>k) The essential records such as raw material register, dead stock register, staff and trainee's attendance register records were not maintained by the ITI.</p> <p>l) The ITI failed to produce staff and instructors' certificate and records, only joining report of staff were provided during inspection which indicating a</p>	<p>d) The IT lab was without computers, no drawing hall was available, and the fire safety certificate was not produced during inspection.</p> <p>e) Further, essential records and staff documents were not maintained or provided, and no trainee was found present in the ITI on the day of inspection, clearly reflecting the non-functional status of the institute.</p> <p>2. The said communication was issued by DGT to the registered email of the institute on 06.03.2026</p> <p>3. Further, the ITI did not avail the final opportunity provided by DGT in the 26th SCAA meeting and failed to submit any reply or representation within the stipulated time, thereby exhibiting continued negligence and persistent non-compliance.</p> <p>4. The non-submission of a reply and reluctance to rectify the severe deficiencies clearly indicate that the ITI is not functioning in accordance with the prescribed norms, thereby defeating the very purpose of the Craftsmen Training Scheme (CTS).</p>

Sr. No .	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	29 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>severe lack of compliance with operational standards.</p> <p>m) No single trainee was found available in the ITI on the day of inspection.</p> <p>3. SCN was issued to the ITI by the State on 31.01.2025.</p> <p>4. The ITI replied to the SCN on 13.02.2025 and the reply of the ITI was considered by State Directorate.</p> <p>ITI has submitted following in its reply:</p> <p>a) For Electricity connection: In 2018, the institute deposited ₹3,54,000/- towards outstanding electricity dues. Despite this, an additional electricity bill of ₹2,86,000/- was issued in 2019 due to an error. An application for correction was submitted to the Electricity Department, Barh, but no action was taken. The matter was thereafter taken up before the Appellate Authority (MDRT), which issued a summarized bill on 19.02.2020, followed by directions from the Public Grievance Redressal Officer</p>	<p>Therefore, in view of the above remarks and in the interest of the trainees, the ITI is hereby de-affiliated.</p>

Sr. No .	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	29 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>to resolve the issue amicably. As no effective action was taken, the issue was finally represented before the Executive Engineer, Electricity Office, Barh, who verbally assured that the electricity connection would be assessed, the bill corrected, an updated bill issued, and a smart meter installed within one month.</p> <p>b) The institute acknowledges deficiencies pointed out by the Directorate regarding infrastructure, workshop, tools, machinery, electrical work, etc.</p> <p>c) Financial constraints have caused delays, but renovation and upgradation work has already begun and will be completed urgently.</p> <p>d) Specific improvements being made:</p> <ul style="list-style-type: none"> • Proper arrangement of machines in the workshop for clear visibility during inspections. 	

Sr. No .	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	29 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<ul style="list-style-type: none"> • Completion of electrical wiring, earthing, and safety measures. • Procurement/arrangement of all required tools, equipment, and machinery as per NCVT norms (long list of items mentioned as available or being arranged). <p>e) Open space, boundary wall, civil works, and other facilities are being developed or improved.</p> <p>f) The institute requests the Directorate to consider the ongoing corrective actions and close the matter without penalties or de-affiliation.</p> <p>5. After that the matter was discussed in 9th SSDEC meeting dated 17.10.2025 and SSDEC recommended de-affiliation of the ITI due to non- compliance of NCVT norms.</p> <p>6. Thereafter, the matter was discussed in the 26th SCAA in its meeting dated 15.01.2026 to 20.01.2026, wherein the ITI was granted a final opportunity to show cause as to why the ITI</p>	

Sr. No .	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	29 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>should not be de-affiliated within 21 days from the date of issue of the Minutes.</p> <p>7. The ITI failed to avail the opportunity provided during the 26th SCAA meeting, as no reply was submitted.</p>	
4.	<p>Nalanda Covent Pvt.ITI</p> <p>Address -AT- Ajnaura, Parwalpur, Bihar Sharif, Dist: Nalanda, Bihar-803114</p> <p>MIS code: PU10000799</p>	Electrician- 16(8+8)	<p>1. A complaint was received against the ITI alleging that two ITIs were functioning from the same premises, several irregularities were found in the ITI, and a paramedical college was also operating at the same location. Accordingly, the State Directorate initiated de-affiliation proceedings.</p> <p>2. A Joint Inspection was conducted on 25.01.2025 by the RDSDE and State official. During inspection the following were observed:</p> <p>a) The longitude and latitude were slightly different as per NCVT MIS portal mentioned Longitude and Latitude.</p> <p>b) The machines, tools, and equipment in Workshops Nos. 1, 2, 3, and 4, located on the ground floor, were found</p>	<p>1. The matter was placed before the SCAA Committee for deliberation. Upon examination of the records and relevant facts, the Committee observed that the final decision with regard to the de-affiliation of the ITI shall remain subject to the outcome/final adjudication of the matter pending before the Hon'ble Court.</p> <p>2. However, considering that the ITI has been found to be in violation of the prescribed Affiliation Norms, and that permitting admissions in the ITI may result in substandard training adversely affecting the future of trainees, the Committee, in the interest of maintaining training standards and ensuring compliance with the applicable norms, observed that the matter warrants consideration for restriction of admissions in the ITI for the session 2026–27.</p> <p>3. Accordingly, in adherence to the principles of natural justice, the ITI is hereby given a final opportunity to submit its</p>

Sr. No .	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	29 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>installed but not connected to a three-phase power supply.</p> <p>c) None of the machines were in running condition. The workshops were completely dark, with no bulbs, tube lights, or other lighting arrangements installed. Dust was accumulated on all machines, tools, equipment, tables, and foundations, indicating that no training activities have been conducted in the workshops for a considerable period.</p> <p>d) Workshops Nos. 5 and 6, located on the first floor, were found completely occupied with multiple dual desks in place of the required installed machines.</p> <p>e) Workshops Nos. 7 and 8, located on the second floor, were found without any installed machines, tools, or equipment.</p> <p>f) No change-of-location approval letter issued by the DGT (TC Section), New Delhi, was provided to the Joint Inspection Committee</p>	<p>representation/reply explaining as to why admissions for the session 2026–27 should not be restricted on account of the violations of the prescribed Affiliation Norms as mentioned in Column 4.</p> <p>4. These Minutes shall be treated as the final notice issued by DGT.</p> <p>5. The explanation/reply, if any, must be comprehensive and duly supported by relevant documentary evidence, including proof regarding the present operational status of the institute, availability of trainees and staff, operational machinery and equipment along with geo-tagged photographs, geo-tagged photographs of the institute infrastructure and location, electricity bills, attendance records, and any other documents substantiating compliance with the prescribed norms. In case the reply consists of multiple pages, the institute shall prepare a proper index and clearly reference all annexures relied upon in the submission.</p> <p>6. The reply must reach DGT within 21 days from the date of issuance of these Minutes at the email ID tc-deaffiliation@dgt.gov.in using the following subject line:</p>

Sr. No .	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	29 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>by the said Private ITI. Further, no bench vices for practical training were available in any of the workshops.</p> <p>g) No training material was available in any of the classrooms. All classrooms were found filled with garbage and accumulated dust.</p> <p>h) As per the statements made, only two training faculty members were available at the time of inspection. The Principal was not present during the inspection.</p> <p>i) As per the statements of the present staff, no CITS-qualified instructor was available on the campus.</p> <p>j) A gate bearing a signboard of Nav Nalanda Private ITI, Kako Bigha, Maghara, Bihar Sharif, District Nalanda (PR10000636), was found inside the Nalanda Convent Private ITI campus. However, no separate workshops, IT labs, or drawing halls were</p>	<p>“Reply to Notice under 29th SCAA Minutes – <ITI Name>, <MIS Code>, <State Name>”.</p> <p>7. In case no reply is received within the stipulated period, or if the reply submitted is found unsatisfactory, the matter shall be processed for taking an appropriate final decision regarding restriction of admissions for the session 2026–27 without any further notice.</p>

Sr. No .	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	29 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>available for the transferred Private ITI.</p> <p>k) A signboard of a nursing college in the name of “Shri Arvind Paramedical and Nursing Institute, Ajnaura, Nalanda, PIN-803114,” run by the same society, Shri Arvind Foundation, was also found within the campus. The gate of the said institute opens on the same roadside as the ITI campus gate, indicating commercial use of the Private ITI campus without any intimation to the higher authorities.</p> <p>3. SCN was issued to the ITI by the State on 06.02.2025.</p> <p>4. The ITI replied to the SCN vide email dated 25.02.2025 and the reply of the ITI was considered by State Directorate.</p> <p>5. After that the matter was discussed in 9th SSDEC meeting dated 17.10.2025 and SSDEC recommended de-affiliation of the ITI due to non- compliance of NCVT norms.</p>	

Sr. No .	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	29 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
5.	Nav Nalanda Pvt. ITI Address: Kako Bigha, Maghara, Biharsharif, Nalanda , Bihar. MIS code- PR10000636	Electrician-2 (1+1)	<ol style="list-style-type: none"> 1. A complaint was received against the ITI alleging that two ITIs were functioning from the same premises, several irregularities were present in the ITI, and a paramedical college was also operating at the same location. Accordingly, the State Directorate initiated de-affiliation proceedings. 2. A Joint Inspection was conducted on 25.01.2025 by the RDSDE and State official. During inspection the following were observed: <ol style="list-style-type: none"> a) As per the NCVT Portal, the recorded coordinates are Latitude 25.1708 and Longitude 85.4354; however, the GPS coordinates observed during inspection were Latitude 25.193898 and Longitude 85.493886, which differ from those mentioned on the NCVT Portal. b) No evidence of any training activities was observed at the said address of the Private ITI. c) The entire ITI campus building has been converted into a commercial private middle school operating under 	<ol style="list-style-type: none"> 1. The matter was placed before the SCAA Committee for deliberation. Upon examination of the records and relevant facts, the Committee observed that the final decision with regard to the de-affiliation of the ITI shall remain subject to the outcome/final adjudication of the matter pending before the Hon'ble Court. 2. However, considering that the ITI has been found to be in violation of the prescribed Affiliation Norms, and that permitting admissions in the ITI may result in substandard training adversely affecting the future of trainees, the Committee, in the interest of maintaining training standards and ensuring compliance with the applicable norms, observed that the matter warrants consideration for restriction of admissions in the ITI for the session 2026–27. 3. Accordingly, in adherence to the principles of natural justice, the ITI is hereby given a final opportunity to submit its representation/reply explaining as to why admissions for the session 2026–27 should not be restricted on account of the violations of the prescribed Affiliation Norms as mentioned in Column 4. 4. These Minutes shall be treated as the final notice issued by DGT.

Sr. No .	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	29 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>the name “New Sahara Public School,” recognized by the Government of Bihar, running classes from Play Group to Class VIII.</p> <p>d) As per the statement of the school Principal available at the site, the ITI was shifted to another location long ago due to expiry of the lease period, which could not be renewed for running the Private ITI.</p> <p>e) During the inspection, photographs of the ITI rooms were taken through an open window, wherein some ice-cream making machines and other machinery were found kept idle without any utilization.</p> <p>f) During the site visit, all rooms were found locked, and no training activities appeared to have been conducted for a long period, as a large quantity of paddy straw was found stored in front of the ITI building.</p> <p>g) No signboard in the name of Nav Nalanda Private ITI, Kako Bigha, Maghara, Bihar</p>	<p>5. The explanation/reply, if any, must be comprehensive and duly supported by relevant documentary evidence, including proof regarding the present operational status of the institute, availability of trainees and staff, operational machinery and equipment along with geo-tagged photographs, geo-tagged photographs of the institute infrastructure and location, electricity bills, attendance records, and any other documents substantiating compliance with the prescribed norms. In case the reply consists of multiple pages, the institute shall prepare a proper index and clearly reference all annexures relied upon in the submission.</p> <p>6. The reply must reach DGT within 21 days from the date of issuance of these Minutes at the email ID tc-deaffiliation@dgt.gov.in using the following subject line:</p> <p>“Reply to Notice under 29th SCAA Minutes – <ITI Name>, <MIS Code>, <State Name>”.</p> <p>7. In case no reply is received within the stipulated period, or if the reply submitted is found unsatisfactory, the matter shall be processed for taking an appropriate final decision regarding restriction of</p>

Sr. No .	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	29 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>Sharif, District Nalanda (PR10000636), was displayed along the roadside or near the building.</p> <p>h) As per the NCVT MIS Portal, the ITI is in a non-existent condition at this location.</p> <p>3. SCN was issued to the ITI by the State on 06.02.2025.</p> <p>4. The ITI replied to the SCN vide email dated 25.02.2025 and the reply of the ITI was considered by State Directorate.</p> <p>5. After that the matter was discussed in 9th SSDEC meeting dated 17.10.2025 and SSDEC recommended de-affiliation of the ITI due to non- compliance of NCVT norms.</p>	admissions for the session 2026–27 without any further notice.
6.	<p>New Jai Mata Di Pvt. ITI</p> <p>Address- Ward-14, Sasaram Road, Rohatas, Dist: Rohatas, Bihar.</p>	Electrician-2(0+2)	<p>1. In the year 2024, the ITI did not admit any trainees, indicating inadequacy of infrastructure for training. Accordingly, the State Directorate initiated de-affiliation proceedings.</p> <p>2. SCN was issued to the ITI by the State on 30.10.2024.</p> <p>3. The ITI replied to the SCN on 11.11.2024.</p> <p>4. Further, a Joint Inspection was conducted on 22.04.2025 by the</p>	The ITI has been de-affiliated in 28 th SCAA in its meeting dated 28.04.2026 on account of zero admissions for four consecutive years (2022-2025).

Sr. No .	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	29 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
	MIS code: PR10000596		<p>RDSDE and State official. During inspection the following were observed:</p> <ol style="list-style-type: none"> a) The longitude and latitude were slightly different as per NCVT MIS portal mentioned Longitude and Latitude. b) No evidence of any training activities was observed at the said premises of the Private ITI. c) No any trade workshops, classrooms, ED Hall, Library and IT rooms were available for training purpose in the ITI. d) The entire civil infrastructure of the Private ITI campus was found to be open, and the workshops had been converted into classrooms of a public school operating under the name “New JMD Public School,” as informed by the teacher present on the campus. e) The whole building campus was under construction by separation of walls into the small class rooms. <p>5. SCN was issued to the ITI by the State on 23.06.2025.</p>	

Sr. No .	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	29 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>6. The ITI replied to the SCN on 07.07.2025 and the reply of the ITI was considered by State Directorate. ITI has submitted that: Due to the expiry/termination of the rental agreement (kirayanama) for the institute's building, the premises have been vacated. As a result, no trainee enrollments/admissions were taken for the current or upcoming sessions.</p> <p>7. After that the matter was discussed in 9th SSDEC meeting dated 17.10.2025 and SSDEC recommended de-affiliation of the ITI due to non- compliance of NCVT norms.</p> <p>8. Thereafter, the matter was discussed in the 26th SCAA in its meeting dated 15.01.2026 to 20.01.2026, wherein the ITI was granted a final opportunity to show cause as to why the ITI should not be de-affiliated within 21 days from the date of issue of the Minutes.</p> <p>9. Subsequently, the matter was discussed in 28th SCAA in its meeting dated 28.04.2026.</p>	

Annexure-4

Annexure 4 as referred in Agenda 1.3 regarding de-affiliation of 32 ITIs of the State of Madhya Pradesh in continuation of the discussions held in the 26th SCAA meeting vide Agenda Item 5.4

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	29th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
1.	Career Pvt. ITI Philukhedi Rajgarh, Address: Behind Axis Bank Dhaga Factory Chouraha Kurawar, District- Rajgarh, Madhya Pradesh-465667 MIS code: PU23000357	Electrician-11(4+4+3)	<ol style="list-style-type: none"> 1. The de-affiliation proceedings were initiated by State Directorate as ITI was found closed during the surprise visit /tour of Secretary, Technical Education and it was directed to conduct joint inspection. 2. Thereafter, a Joint Inspection was conducted on 04.02.2025. During inspection, the ITI was found closed and it was mentioned at the entrance that ITI is disputed and its proceeding is going on in the Honorable Court. 3. Show-Cause Notice (SCN) was issued to the ITI by the RDSDE on 05.03.2025 and the ITI replied vide email dated 24.03.2025 and the reply was considered. 4. Accordingly, the Joint Inspection was conducted on 02.07.2025 During inspection the following were observed: <ol style="list-style-type: none"> a) The Rent deed of 11-month up to 07 March 2026 was available. b) The building certificate was not provided by the ITI by stating that during affiliation it is not mandatory. 	The matter was discussed in the SCAA meeting, and the SCAA decided as under: <ol style="list-style-type: none"> 1. In line with the principles of natural justice, the ITI was afforded final opportunity to represent itself by 26th SCAA in its meeting held on 15.01.2026 and 20.01.2026, to submit a show-cause reply explaining why the ITI should not be de-affiliated along with any supporting representation, within 21 days from the issuance of the Minutes of that Meeting due to following reasons: <ol style="list-style-type: none"> a) The inspection revealed serious deficiencies in the ITI, including availability of only an 11-month rent deed valid up to 07.03.2026 and non-submission of the building certificate. Electricity consumption for the last six

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	29 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>c) The electricity consumption was very low of last six months below 50 units of whole Institute.</p> <p>d) The ITI records such as -Dead Stock Register, Raw Material Register, Student Records, Teachers Records, Daily Diary, Lesson Plan were not maintained by the ITI.</p> <p>e) The staff appointment information was available but payment proof, bank statement not provided during inspection.</p> <p>f) The staff attendance was not available and the student biometric attendance was available but not implemented in the ITI.</p> <p>g) In Lab 1&2 many machineries like 05 kva DG SET, Induction motor, stepper motor, Synchronous motor, DC Motor with Techo generator Set, VVVF arrangement etc were not available on the day of inspection.</p> <p>h) The machines available in Lab 1&2 were not in working condition due to power failure.</p> <p>i) The Electrician Lab 1&2 area was short as per norms.</p> <p>j) The IT Lab was available but 05 computers out of twelve were not in working condition.</p>	<p>months was found to be below 50 units for the entire institute, indicating poor operational activity and training quality. Essential records such as stock registers, Trainees and staffs records, daily diary, and lesson plans were not maintained. Staff payment proof, bank statements, and attendance records were not produced, while the student biometric attendance system was not implemented. Several essential machines in Lab 1 & 2 were either unavailable or non-functional due to power failure, the Electrician Lab area was short as per norms, and 05 out of 12 computers in the IT Lab were non-functional. Further, no drawing hall was available, and the roof and overall infrastructure of the ITI were found in poor condition, reflecting serious deficiencies in training facilities and institutional management.</p>

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	29 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>k) The drawing hall was not available in the ITI.</p> <p>l) The condition of roof and basic infrastructure inside the Pvt ITI was very bad, power utilization of Electricity of last six months shows that the training quality very poor.</p> <p>5. The Joint Inspection committee recommended the ITI for de-affiliation.</p> <p>6. The SCN was issued to the ITI on 04.07.2025, followed by reminder dated 04.08.2025.</p> <p>7. The ITI replied to the SCN, however, ITI has not offered its comments on few deficiencies reported by the committee during Joint Inspection dated 02.07.2025.</p> <p>8. The matter was discussed in 11th SSDEC meeting dated 15.09.2025 and SSDEC recommended de-affiliation as ITI has not given satisfactory reply to SCN issued subsequent to joint verification.</p> <p>9. Thereafter, the matter was discussed in the 26th SCAA in its meeting dated 15.01.2026 and 20.01.2026, wherein the ITI was granted a final opportunity to show-cause as to why the ITI should not be de-affiliated within 21 days from the date of issue of the Minutes.</p> <p>10. The ITI failed to avail the opportunity provided during the 26th SCAA meeting, as no reply was submitted.</p>	<p>2. The said communication was issued by the DGT to the registered email of the institute on 06.03.2026</p> <p>3. Further, the ITI did not avail the final opportunity provided by the DGT in the 26th SCAA meeting and no reply or representation has been submitted by the ITI within the stipulated time, thereby exhibiting continued negligence and persistent non-compliance.</p> <p>4. The non-submission of a reply clearly indicates that the ITI is not functioning in accordance with the prescribed norms, thereby defeating the purpose of the Craftsmen Training Scheme</p> <p>5. Therefore, in view of the above remarks and in the interest of the trainees, the ITI is hereby de-affiliated.</p>

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	29th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
2.	<p>DRS Pvt. ITI</p> <p>Address: DRS Private ITI, Ayodhya Nagari, Gol Pahariya, Distt. Gwalior, Madhya Pradesh -</p> <p>MIS code: PU23000399</p>	Electrician – 6(2+2+2)	<ol style="list-style-type: none"> 1. The de-affiliation proceedings were initiated by State Directorate as the complaint was received against the ITI. 2. SCN was issued to the ITI by the RDSDE on 04.08.2025, followed by reminder dated 03.09.2025 due to following reasons: <ol style="list-style-type: none"> a) The ITI exists only in papers. b) There is no building of the ITI from years. c) ITI is not functional. 3. The ITI did not reply to the SCN and reminder SCN. 4. The matter was discussed in 11th SSDEC meeting dated 15.09.2025 and SSDEC recommended de-affiliation of the ITI as no reply has been received by the ITI to the SCN as well as its reminder. It appears that ITI has nothing to submit in its reply. 5. Thereafter, the matter was discussed in the 26th SCAA in its meeting dated 15.01.2026 and 20.01.2026, wherein the ITI was granted a final opportunity to show-cause as to why the ITI should not be de-affiliated within 21 days from the date of issue of the Minutes of the Meeting. 6. The ITI failed to avail the opportunity provided during the 26th SCAA meeting, as no reply was submitted. 	<p>The matter was discussed in the SCAA meeting, and the SCAA decided as under:</p> <ol style="list-style-type: none"> 1. In line with the principles of natural justice, the ITI was afforded final opportunity to represent itself by 26th SCAA in its meeting held on 15.01.2026 and 20.01.2026, to submit a show-cause reply explaining why the ITI should not be de-affiliated along with any supporting representation, within 21 days from the issuance of the Minutes of that Meeting due to following reasons: <ol style="list-style-type: none"> a) The ITI exists only in papers. b) There is no building of the ITI from years. c) ITI is not functional. 2. The said communication was issued by the DGT to the registered email of the institute on 06.03.2026 3. Further, the ITI did not avail the final opportunity provided by the DGT in the 26th SCAA meeting and no reply or representation has been submitted by the ITI within

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	29 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
				<p>the stipulated time, thereby exhibiting continued negligence and persistent non-compliance.</p> <p>4. The non-submission of a reply clearly indicates that the ITI is not functioning in accordance with the prescribed norms, thereby defeating the purpose of the Craftsmen Training Scheme.</p> <p>5. Therefore, in view of the above remarks and in the interest of the trainees, the ITI is hereby de-affiliated.</p>
3.	<p>Banke Bihari Private ITI, Gwalior</p> <p>Address: Mau Road Gram Bhadroli Dist. Gwalior, Madhya Pradesh: 474010</p> <p>MIS code: PR23001080</p>	<p>1. Electrician-6(2+2+2)</p> <p>2. Stenographer & Secretarial Assistant (Hindi)-3(1+1+1)</p>	<p>1. The de-affiliation proceedings of the ITI was initiated due to complaint received against the ITI.</p> <p>2. SCN was issued to the ITI on 08.04.2021.</p> <p>3. The matter was discussed in 8th SCAA dated 12.04.2023, wherein the SCAA decided that the State directorate and RDSDE will discuss the matter in their SSDEC meeting for appropriate action as per the DGT norms and if required the Joint Inspection may be carried out by State Directorate and RDSDE.</p> <p>4. Thereafter the Joint Inspection was conducted on 02.05.2025 wherein, the ITI denied for inspection.</p> <p>5. Then again, the Joint Inspection was conducted on 08.07.2025 wherein, the ITI denied for inspection on the ground that they</p>	<p>The matter was examined in detail by the SCAA, and it was decided that a joint verification of the ITI be conducted to objectively assess and validate the claims made by the ITI regarding compliance with the prescribed affiliation norms.</p> <p>The joint verification shall be conducted by the concerned State Directorate and RDSDE Madhya Pradesh. The date of verification shall be decided by the State Directorate in consultation with RDSDE Madhya Pradesh. The verification report shall be submitted to the DGT within 15 days from the date of issuance of the</p>

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	29 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>have filed the petition on which the decision is pending.</p> <p>6. The matter was revisited in the 11th SSDEC meeting held on 15.09.2025, and the SSDEC recommended de-affiliation of the ITI due to following reasons:</p> <p>a. The ITI has given sufficient opportunity.</p> <p>b. The ITI denied the both joint inspections. There are no specific directions from Hon'ble Court /s explicitly stating that no inspection by controlling authority shall be carried out until the final adjudication of the said petition.</p> <p>7. Thereafter, the matter was discussed in the 26th SCAA in its meeting dated 15.01.2026 and 20.01.2026, wherein the ITI was granted a final opportunity to show-cause as to why the ITI should not be de-affiliated within 21 days from the date of issue of the Minutes.</p> <p>8. The ITI replied to the SCN on 23.03.2026.</p> <p>9. The institute, in its reply, submitted that</p> <p>a. the allegation relating to denial of entry for joint inspections conducted on 02.05.2025 and 15.09.2025 is not correct.</p> <p>b. The institute has also submitted certain documents/materials, including geo-tagged photographs and video footage of</p>	<p>Minutes of this Meeting for consideration in the next SCAA meeting.</p>

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	29 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>the institute premises, classrooms and workshops; photographs/videos of tools and machinery; copies of electricity bills; details of faculty members; and trainee attendance records.</p> <p>c. Further, the institute requested that the de-affiliation proceedings may be dropped. The institute also requested an opportunity for personal hearing in the event of any adverse decision and expressed willingness to furnish any additional documents/information, if required.</p>	
4.	<p>Usha Devi Private ITI Morena</p> <p>Address: Pahargarh Road Kailaras, District: Morena, Madhya Pradesh-476224</p> <p>MIS code : PR23000775</p>	<p>1. Electrician-3(1+1+1)</p> <p>2. Fitter-3(1+1+1)</p>	<p>1. The de-affiliation proceedings of the ITI was initiated due to complaint received against the ITI.</p> <p>2. SCN was issued to the ITI on 20.01.2021.</p> <p>3. The matter was discussed in 8th SCAA dated 12.04.2023, wherein the SCAA decided that the State directorate and RDSDE will discuss the matter in their SSDEC meeting for appropriate action as per DGT norms and if required the Joint Inspection may be carried out by State Directorate and RDSDE.</p> <p>4. Thereafter the Joint Inspection was conducted on 17.04.2025 wherein, the ITI denied for inspection.</p> <p>5. Then again, the Joint Inspection was conducted on 04.07.2025 wherein, the ITI again denied for inspection.</p>	<p>The matter was discussed in the SCAA meeting, and the SCAA decided as under:</p> <p>1. In line with the principles of natural justice, the ITI was afforded final opportunity to represent itself by 26th SCAA in its meeting held on 15.01.2026 and 20.01.2026, to submit a show-cause reply explaining why the ITI should not be de-affiliated along with any supporting representation, within 21 days from the issuance of the minutes of that meeting due to following reasons:</p>

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	29 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>6. The matter was revisited in the 11th SSDEC meeting held on 15.09.2025, and the SSDEC recommended de-affiliation of the ITI due to following reasons:</p> <p>a) The ITI has given sufficient opportunity.</p> <p>b) The ITI denied the both joint inspections. There are no specific directions from Hon'ble Court (s) explicitly stating that no inspection by controlling authority shall be carried out until the final adjudication of the said petition.</p> <p>7. Thereafter, the matter was discussed in the 26th SCAA in its meeting dated 15.01.2026 to 20.01.2026, wherein the ITI was granted a final opportunity to show cause as to why the ITI should not be de-affiliated within 21 days from the date of issue of the Minutes.</p> <p>8. The ITI furnished a delayed reply to the SCN on 05.04.2026.</p> <p>a. The institute submitted that it has been affiliated since 2013 and has been conducting vocational training activities under the CTS framework.</p> <p>b. The institute further submitted that the allegation relating to denial of entry for joint inspections conducted on 02.05.2025 and 15.09.2025 is not correct.</p>	<p>a) The ITI has given sufficient opportunity.</p> <p>b) The ITI denied the both joint inspections. There are no specific directions from Hon'ble Court(s) explicitly stating that no inspection by controlling authority shall be carried out until the final adjudication of the said petition.</p> <p>2. The said communication was issued by the DGT to the registered email of the institute on 06.03.2026</p> <p>3. Further, the ITI did not avail the final opportunity provided by the DGT in the 26th SCAA meeting and failed to submit any reply or representation within the stipulated time, thereby exhibiting continued negligence and persistent non-compliance.</p> <p>4. SCAA also observed that permitting inspection is an inherent requirement under the Affiliation Norms, as verification of compliance and infrastructure cannot be undertaken without on-site assessment. Refusal to allow</p>

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	29 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>c. The institute also submitted certain documents/materials, including geo-tagged photographs of the institute premises situated at 122, Laxman Pura, Gwalior; videography/photographs of classrooms, workshops, tools and machinery; copies of electricity bills; details of faculty members; and trainee attendance records, for consideration by the competent authority.</p> <p>d. Further, the institute requested that the de-affiliation proceedings may be dropped. The institute also requested an opportunity for personal hearing before any adverse final decision is taken.</p>	<p>inspection therefore constitutes a serious violation of the affiliation conditions, rendering the concerned ITIs liable to be de-affiliated.</p> <p>5. This observation of the Committee is further strengthened by multiple judgments of various Hon'ble High Courts. The Hon'ble High Court of Madhya Pradesh, in W.P. No. 8116/2025 (MAA SHITLA PVT. I.T.I. vs. Union of India & Others), held that when complaints are received, the apex authority is duty-bound to examine them, and such examination may necessarily require on-spot verification through inspection. The Hon'ble Punjab & Haryana High Court, Chandigarh, in CWP-20763-2025 (Modern ITI Bathinda vs. DGT), observed that a fresh inspection does not prejudice the institute. The Hon'ble Rajasthan High Court, Jodhpur Bench, in S.B. Civil W.P. No. 18022/2025 (Pooja Pvt. ITI & Ors. vs. State of Rajasthan & Ors.), further clarified that no institution can</p>

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	29 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
				<p>claim a right to dictate the date or manner of inspection. Collectively, these judicial pronouncements unequivocally support the Committee's view that refusal to permit inspection is unjustified, contrary to law, and incompatible with the affiliation framework.</p> <p>Therefore, in view of the above remarks and in the interest of the trainees, the ITI is hereby de-affiliated.</p>
5.	<p>OM Private ITI Morena</p> <p>Address:Lala,Kapura, Ater Road,Porsa, District-morena, Madhya Pradesh-476115</p> <p>MIS code: PR23001088</p>	Electrician-12(4+4+4)	<ol style="list-style-type: none"> 1. The de-affiliation proceedings of the ITI was initiated due to complaint received against the ITI. 2. SCN was issued to the ITI on 08.04.2021. 3. The matter was discussed in 8th SCAA dated 12.04.2023, wherein the SCAA decided that the State directorate and RDSDE will discuss the matter in their SSDEC meeting for appropriate action as per the DGT norms and if required the Joint Inspection may be carried out by State Directorate and RDSDE. 4. Thereafter the Joint Inspection was conducted on 17.04.2025 wherein, the ITI denied for inspection. 	<p>The matter was discussed in the SCAA meeting, and the SCAA decided as under:</p> <ol style="list-style-type: none"> 1. In line with the principles of natural justice, the ITI was afforded final opportunity to represent itself by 26th SCAA in its meeting held on 15.01.2026 and 20.01.2026, to submit a show-cause reply explaining why the ITI should not be de-affiliated along with any supporting representation, within 21 days from the issuance of the minutes

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	29 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>5. Then again, the Joint Inspection was conducted on 03.07.2025 wherein, the ITI denied for inspection.</p> <p>6. The matter was revisited in the 11th SSDEC meeting held on 15.09.2025, and the SSSEC recommended de-affiliation of the ITI due to following reasons:</p> <p>a) The ITI has given sufficient opportunity.</p> <p>b) The ITI denied the both joint inspections. There are no specific directions from Hon'ble Court(s) explicitly stating that no inspection by controlling authority shall be carried out until the final adjudication of the said petition.</p> <p>7. Thereafter, the matter was discussed in the 26th SCAA in its meeting dated 15.01.2026 to 20.01.2026, wherein the ITI was granted a final opportunity to show cause as to why the ITI should not be de-affiliated within 21 days from the date of issue of the Minutes of the Meeting.</p> <p>8. The ITI furnished a delayed reply to the SCN on 28.03.2026</p> <p>9. The institute submitted that</p> <p>a. joint inspections conducted on 17.04.2025 and 03.07.2025 could not be carried out due to administrative constraints and staff availability.</p>	<p>of that meeting due to following reasons:</p> <p>a) The ITI has given sufficient opportunity.</p> <p>b) The ITI denied the both joint inspections. There are no specific directions from Hon'ble Court(s) explicitly stating that no inspection by controlling authority shall be carried out until the final adjudication of the said petition.</p> <p>2. The said communication was issued by the DGT to the registered email of the institute on 06.03.2026</p> <p>3. Further, the ITI did not avail the final opportunity provided by the DGT in the 26th SCAA meeting and failed to submit any reply or representation within the stipulated time, thereby exhibiting continued negligence and persistent non-compliance.</p> <p>4. The late-submission of a reply clearly indicate that the ITI is not functioning in accordance with the prescribed norms, thereby</p>

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	29th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>b. The institute further submitted that it is conducting training in the Electrician trade with 6 units (2+2+2) under the CTS framework.</p> <p>c. The institute also submitted certain documents/materials relating to infrastructure, workshops, classrooms, tools and machinery, safety arrangements, training activities, faculty details, and geo-tagged photographs/videos of the institute premises and workshops, for consideration by the competent authority.</p> <p>d. Further, the institute requested that the de-affiliation proceedings may be dropped and cited principles of natural justice in support of its request.</p>	<p>defeating the purpose of the Craftsmen Training Scheme.</p> <p>5. SCAA also observed that permitting inspection is an inherent requirement under the Affiliation Norms, as verification of compliance and infrastructure cannot be undertaken without on-site assessment. Refusal to allow inspection therefore constitutes a serious violation of the affiliation conditions, rendering the concerned ITIs liable to be de-affiliated.</p> <p>6. This observation of the Committee is further strengthened by multiple judgments of various Hon'ble High Courts. The Hon'ble High Court of Madhya Pradesh, in W.P. No. 8116/2025 (MAA SHITLA PVT. I.T.I. vs. Union of India & Others), held that when complaints are received, the apex authority is duty-bound to examine them, and such examination may necessarily require on-spot verification through inspection. The Hon'ble Punjab & Haryana High Court,</p>

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	29 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
				<p>Chandigarh, in CWP-20763-2025 (Modern ITI Bathinda vs. DGT), observed that a fresh inspection does not prejudice the institute. The Hon'ble Rajasthan High Court, Jodhpur Bench, in S.B. Civil W.P. No. 18022/2025 (Pooja Pvt. ITI & Ors. vs. State of Rajasthan & Ors.), further clarified that no institution can claim a right to dictate the date or manner of inspection. Collectively, these judicial pronouncements unequivocally support the Committee's view that refusal to permit inspection is unjustified, contrary to law, and incompatible with the affiliation framework.</p> <p>7. Therefore, in view of the above remarks and in the interest of the trainees, the ITI is hereby de-affiliated.</p>
6.	<p>Shri Vijay Private ITI College, Gwalior</p> <p>Address: Shri Vijay Pvt. ITI, Near</p>	Electrician-3(1+1+1)	<ol style="list-style-type: none"> 1. The de-affiliation proceedings of the ITI was initiated due to complaint received against the ITI. 2. SCN was issued to the ITI on 08.04.2021. 3. The matter was discussed in 8th SCAA dated 12.04.2023, wherein the SCAA decided that the State directorate and RDSDE will 	The matter was examined in detail by the SCAA, and it was decided that a joint verification of the ITI be conducted to objectively assess and validate the claims made by the ITI regarding compliance with the

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	29 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
	Govt.High School, Maheshp, Dist: Gwalior, Madhya Pradesh- 474001 MIS code: PU23000388		<p>discuss the matter in their SSDEC meeting for appropriate action as per the DGT norms and if required the Joint Inspection may be carried out by State Directorate and RDSDE.</p> <p>4. Thereafter the Joint Inspection was conducted on 12.03.2025 wherein, the ITI denied for inspection.</p> <p>5. Then again, the Joint Inspection was conducted on 02.07.2025 wherein, the ITI denied for inspection.</p> <p>6. The matter was revisited in the 11th SSDEC meeting held on 15.09.2025, and the SSDEC recommended de-affiliation of the ITI due to following reasons:</p> <p>a) The ITI has given sufficient opportunity.</p> <p>b) The ITI denied the both joint inspections. There are no specific directions from Hon'ble court /s explicitly stating that no inspection by controlling authority shall be carried out until the final adjudication of the said petition.</p> <p>7. Thereafter, the matter was discussed in the 26th SCAA in its meeting dated 15.01.2026 and 20.01.2026, wherein the ITI was granted a final opportunity to show cause as to why the ITI should not be de-affiliated within 21 days from the date of issue of the Minutes of the Meeting.</p>	<p>prescribed affiliation and operational norms.</p> <p>The joint verification shall be conducted by the concerned State Directorate and RDSDE Madhya Pradesh. The date of verification shall be decided by the State Directorate in consultation with RDSDE Madhya Pradesh. The verification report shall be submitted to the DGT within 15 days from the date of issuance of the minutes of this meeting for consideration in the next SCAA meeting.</p>

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	29 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>8. The ITI replied to the SCN on 25/26.03.2026.</p> <p>9. The institute submitted that it has been affiliated since 2013 and has been conducting vocational training activities under the CTS framework.</p> <p>10. The institute further submitted its response with reference to the observations relating to denial of joint inspections conducted on 02.05.2025 and 15.09.2025.</p> <p>11. The institute also submitted certain documents/materials, including geo-tagged photographs of the institute premises situated near Govt. High School, Maheshpura, Gwalior; videography/ photographs of classrooms, workshops, tools and machinery; copies of electricity bills; details of faculty members; and trainee attendance records, for consideration by the competent authority.</p> <p>12. Further, the institute requested that its reply be taken on record and that the de-affiliation proceedings may be dropped. The institute also requested an opportunity for hearing before any adverse final decision is taken.</p>	
7.	Indraprasth Private ITI, Morena	Electrician-6(2+2+2)	<p>1. The de-affiliation proceedings of the ITI was initiated due to complaint received against the ITI.</p> <p>2. SCN was issued to the ITI on 20.01.2021.</p>	The matter was discussed in the SCAA meeting, and the SCAA decided as under:

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	29 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
	<p>Address: Deen Dayal Marg, Kailaras, Dist: Morena, Madhya Pradesh-476224</p> <p>MIS code: PU23000558</p>		<p>3. The matter was discussed in 8th SCAA dated 12.04.2023, wherein the SCAA decided that the State directorate and RDSDE will discuss the matter in their SSDEC meeting for appropriate action as per the DGT norms and if required the Joint Inspection may be carried out by State Directorate and RDSDE.</p> <p>4. Thereafter the Joint Inspection was conducted on 04.04.2025 wherein, the ITI found closed and telephonically denied for inspection to the inspecting members.</p> <p>5. Then again, the Joint Inspection was conducted on 04.07.2025 wherein, the ITI found closed and seems ITI is not functional; as stated by inspecting members.</p> <p>6. The matter was revisited in the 11th SSDEC meeting held on 15.09.2025, and the SSDEC recommended de-affiliation of the ITI due to following reasons:</p> <p>a) The ITI has given sufficient opportunity.</p> <p>b) The ITI denied the both joint inspections. There are no specific directions from Hon'ble Court(s) explicitly stating that no inspection by controlling authority shall be carried out until the final adjudication of the said petition.</p> <p>7. Thereafter, the matter was discussed in the 26th SCAA in its meeting dated 15.01.2026</p>	<p>1. In line with the principles of natural justice, the ITI was afforded final opportunity to represent itself by 26th SCAA in its meeting held on 15.01.2026 and 20.01.2026, to submit a show-cause reply explaining why the ITI should not be de-affiliated along with any supporting representation, within 21 days from the issuance of the minutes of that meeting due to following reasons:</p> <p>a) The ITI has given sufficient opportunity.</p> <p>b) The ITI denied the both joint inspections.</p> <p>2. The said communication was issued by DGT to the registered email of the institute on 06.03.2026</p> <p>3. Further, the ITI did not avail the final opportunity provided by DGT in the 26th SCAA meeting and failed to submit any reply or representation within the stipulated time, thereby exhibiting continued negligence and persistent non-compliance.</p>

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	29th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>to 20.01.2026, wherein the ITI was granted a final opportunity to show cause as to why the ITI should not be de-affiliated within 21 days from the date of issue of the Minutes.</p> <p>8. The ITI furnished a delayed reply to the SCN on 27.03.2026.</p> <p>9. The institute submitted that it is conducting training in the Electrician trade with 6 units (2+2+2 shifts) under the CTS framework.</p> <p>10. The institute further submitted its response with reference to the observations relating to joint inspections conducted on 04.04.2025 and 04.07.2025, stating that the same could not be carried out due to maintenance-related closure of the institute premises and staff leave.</p> <p>11. The institute also submitted certain documents/materials relating to infrastructure, workshops, power supply arrangements, tools and equipment, geo-tagged photographs/videos of the institute premises and workshops, copies of electricity bills, and details of tools/equipment, for consideration by the competent authority.</p> <p>12. Further, the institute requested that the de-affiliation proceedings may be revoked citing principles of natural justice</p>	<p>4. The late-submission of a reply clearly indicate that the ITI is not functioning in accordance with the prescribed norms, thereby defeating the very purpose of the Craftsmen Training Scheme (CTS).</p> <p>5. SCAA also observed that permitting inspection is an inherent requirement under the Affiliation Norms, as verification of compliance and infrastructure cannot be undertaken without on-site assessment. Refusal to allow inspection therefore constitutes a serious violation of the affiliation conditions, rendering the concerned ITIs liable to be de-affiliated.</p> <p>6. This observation of the Committee is further strengthened by multiple judgments of various Hon'ble High Courts. The Hon'ble High Court of Madhya Pradesh, in W.P. No. 8116/2025 (MAA SHITLA PVT. I.T.I. vs. Union of India & Others), held that when complaints are received, the apex authority is</p>

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	29 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
				<p>duty-bound to examine them, and such examination may necessarily require on-spot verification through inspection. The Hon'ble Punjab & Haryana High Court, Chandigarh, in CWP-20763-2025 (Modern ITI Bathinda vs. DGT), observed that a fresh inspection does not prejudice the institute. The Hon'ble Rajasthan High Court, Jodhpur Bench, in S.B. Civil W.P. No. 18022/2025 (Pooja Pvt. ITI & Ors. vs. State of Rajasthan & Ors.), further clarified that no institution can claim a right to dictate the date or manner of inspection. Collectively, these judicial pronouncements unequivocally support the Committee's view that refusal to permit inspection is unjustified, contrary to law, and incompatible with the affiliation framework.</p> <p>Therefore, in view of the above remarks and in the interest of the trainees, the ITI is hereby de-affiliated.</p>

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	29 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
8.	<p>Adityaraj Private ITI, Guna</p> <p>Address: Kushmoda Road Guna, District-Guna, Madhya Pradesh- 473001.</p> <p>MIS code: PU23000491</p>	<ol style="list-style-type: none"> 1. Electrician-6(2+2+2) 2. Stenographer & Secretarial Assistant (Hindi)-3(1+1+1) 	<ol style="list-style-type: none"> 1. The de-affiliation proceedings of the ITI was initiated due to complaint received against the ITI. 2. SCN was issued to the ITI on 08.04.2021. 3. ITI replied to the SCN and the reply was considered. 4. The Joint Inspection was conducted on 13.03.2025 wherein, the ITI denied for inspection. 5. Then again, the Joint Inspection was conducted on 11.09.2025 wherein, it was observed that the ITI has been shifted at new address while affiliation granted on Bajrang Garh Bypass Road Guna. Also, at new place various infrastructure, machinery, ITI records etc. deficiencies were observed. 6. The matter was discussed in the 11th SSDEC meeting held on 15.09.2025, and the SSDEC recommended de-affiliation of the ITI due shifting at new location without following due procedure. 7. Thereafter, the matter was discussed in the 26th SCAA in its meeting dated 15.01.2026 and 20.01.2026, wherein the ITI was granted a final opportunity to show-cause as to why the ITI should not be de-affiliated within 21 days from the date of issue of the Minutes. 8. The ITI replied to the SCN on 24.03.2026. 9. In its reply the ITI submitted the following: 	<p>The SCAA noted that, in compliance with the Hon'ble Court's order dated 24.04.2026, an opportunity for representation has been provided to the petitioner ITI. Accordingly, a communication dated 07.05.2026 was issued to the institute through email, along with a copy of the inspection report.</p> <p>The petitioner ITI is directed to submit a fresh reply to the DGT within 15 days, taking into consideration the observations of the 26th SCAA (refer Page 327 of the Minutes of Meeting).</p>

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	29 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>a) Core Defense and Legal Status</p> <ul style="list-style-type: none"> • The ITI states that it has been operating in compliance with the DGT and CTS 2016 Rules at the address reflected on the portal. • The institute applied for relocation on 12.03.2016 and paid the requisite fees; the current address was updated on the portal by DGT/CTS officials, as the ITI is not authorized to change its location. • Although the portal reflected an increase in Electrician seats (6+6+6), the ITI clarifies that no admissions were made against the additional units and has no objection to their removal. <p>b) Procedural Timeline and Inspections</p> <ul style="list-style-type: none"> • A Show-Cause Notice was issued on 08.04.2021, following which the ITI was temporarily inactivated; a detailed reply with evidence was submitted on 19.04.2021. • A State inspection conducted on 09.10.2021 confirmed that the ITI was functioning as per norms at the registered location, leading to reactivation on the portal. • Multiple inspections between 2021 and 2025 reportedly found the 	

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	29 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>institute operational; the Director, RDSDE Madhya Pradesh, conducted an inspection on 11.09.2025.</p> <p>c) Legal Proceedings:</p> <ul style="list-style-type: none"> • WP/16501/2021: Filed in the Gwalior Bench of the High Court to seek justice; the petition was withdrawn on November 21, 2024, on humanitarian grounds after officials assured a resolution. • WP/08837/2025: Filed in the Jabalpur High Court on March 7, 2025, to challenge why a 2021 matter was being reopened despite previous favorable inspections. <p>d) Physical Infrastructure and Location</p> <ul style="list-style-type: none"> • The ITI operates at Latitude 24.6301 and Longitude 77.2865. • The institute is housed in a rented building with a total area of 1213.53 sq. meters; a building completion certificate was issued on 04.08.2025 by the Guna Municipal Administration. • The premises are leased for 10 years w.e.f. 01.03.2020 from Mrs. Sudha Bhadoria at a monthly rent of ₹50,000. <p>e) Operational Capacity:</p>	

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	29 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<ul style="list-style-type: none"> • The institute has a sanctioned electricity load of 17.0 KW, supported by electricity bills from 2019, 2021, 2022, and 2026. • Attendance and salary registers (February 2026) indicate availability of staff, including a Principal and Training Officers. • Invoices (2015 and 2025) reflect procurement of tools and machinery for the Electrician trade, including basic tools and equipment such as D.C. Motor Drive and Solar Panels. <p>f) Conclusion:</p> <ul style="list-style-type: none"> • The ITI claims full compliance with DGT/CTS norms and requests that de-affiliation not be imposed and that regular operations be allowed to continue. 	
9.	<p>Excellence Private ITI, Gwalior</p> <p>Address: Shatabdi Puram Dd Nagar Airport Road,</p>	<ol style="list-style-type: none"> 1. Electrician-6(2+2+2) 2. Stenographer & Secretarial Assistant (Hindi)-3(1+1+1) 	<ol style="list-style-type: none"> 1. The de-affiliation proceedings of the ITI was initiated due to complaint received against the ITI. 2. SCN was issued to the ITI on 08.04.2021. 3. The matter was discussed in 8th SCAA dated 12.04.2023, wherein the SCAA decided that the State directorate and RDSDE will discuss the matter in their SSDEC meeting for appropriate action as per the DGT norms and if required the Joint Inspection may be carried out by State Directorate and RDSDE. 	<ol style="list-style-type: none"> 1. The matter was deliberated in the SCAA. The Committee observed that the institute, in its reply, has admitted that it has not had the requisite premises to conduct training since 2024. However, the institute made no effort to formally apply for relocation/shifting of the institute through the affiliation portal, despite the portal having remained open for

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	29 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
	District: Gwalior, Madhya Pradesh- 474005 MIS code: PU23000939		<ol style="list-style-type: none"> 4. Thereafter the Joint Inspection was conducted on 03.04.2025 wherein, the ITI found closed and telephonically denied for inspection to the inspecting members. 5. Then again, the Joint Inspection was conducted on 09.07.2025 wherein, the ITI found closed and seems ITI is not functional; as stated by inspecting members. 6. The SCN dated 11.07.2025, followed by reminder dated 13.08.2025 was issued to the ITI but ITI did not replied. 7. The matter was revisited in the 11th SSDEC meeting held on 15.09.2025, and the SSDEC recommended de-affiliation of the ITI as ITI is not functional. 8. Thereafter, the matter was discussed in the 26th SCAA in its meeting dated 15.01.2026 and 20.01.2026, wherein the ITI was granted a final opportunity to show-cause as to why the ITI should not be de-affiliated within 21 days from the date of issue of the Minutes. 9. The ITI replied to the SCN on 25.03.2026. 10. In its reply the ITI submitted the following: <ol style="list-style-type: none"> a) Building Status: The institution was instructed by its landlord in July 2024 to vacate the current premises. b) Admission Halt: Due to the relocation requirement, the ITI did not participate in the student admission process for the 2024 and 2025 sessions. 	<ol style="list-style-type: none"> inviting applications during the year 2025. 2. Further, SCAA is of the view that the institute has deliberately avoided inspection in order to evade de-affiliation proceedings. This shows a lack of seriousness on the part of the institute towards compliance with the prescribed affiliation norms and maintenance of the minimum requirements under the CTS framework. 3. Accordingly, SCAA decided to de-affiliate the ITI. However, the institute may apply afresh on the affiliation portal as a new ITI, if so desired, in accordance with the prevailing affiliation norms.

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	29 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>c) Current Operations: Following a request to the landlord, the institute will remain in the building until June 30, 2025, to allow the 2023–2025 batch to complete their second year of training.</p> <p>d) Inspection Constraints: The institute stated it is currently unable to undergo the DGT inspections according to standard regulations because of the pending move.</p> <p>e) Future Plans: The management is actively searching for a new rental building. Once a suitable location is secured that meets the DGT standards, they will proceed with the required inspections.</p> <p>f) Request: The institution requests that the admission process remain suspended until a compliant building is acquired.</p>	
10.	<p>Shri Radhe Krishan Private ITI Vidisha</p> <p>Address: Banti Nagar Vidisha, District: Vidisha, Madhya Pradesh- 464001</p>	Electrician-6(2+2+2)	<ol style="list-style-type: none"> 1. The de-affiliation proceedings of the ITI was initiated due to complaint received against the ITI. 2. SCN was issued to the ITI on 15.09.2021. 3. The matter was discussed in 8th SCAA dated 12.04.2023, wherein the SCAA decided that the State directorate and RDSDE will discuss the matter in their SSDEC meeting for appropriate action as per DGT norms and if required the Joint 	<p>The matter was deliberated in the SCAA meeting, and SCAA observed and decided as under:</p> <ol style="list-style-type: none"> 1. In accordance with the principles of natural justice, the ITI was afforded a final opportunity by the 26th SCAA, in its meetings held on 15.01.2026 and 20.01.2026, to submit a Show-Cause reply along

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	29 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
	MIS code: PU23000353		<p>Inspection may be carried out by State Directorate and RDSDE.</p> <p>4. Thereafter the Joint Inspection was conducted on 11.04.2025 wherein, it was observed that the ITI has been shifted Bhagat Singh colony Vidisha (affiliated) to Banti Nagar. ITI stated that he has applied for shifting but do not have affiliation order for new address. The ownership of the ITI has also been changed as stated by inspecting members.</p> <p>5. The SCN dated 01.05.2025 was issued to the ITI.</p> <p>6. The matter was revisited in the 11th SSDEC meeting held on 15.09.2025, and the SSDEC recommended de-affiliation of the ITI as ITI has shifted its location and change of ownership is not allowed.</p> <p>7. Thereafter, the matter was discussed in the 26th SCAA in its meeting dated 15.01.2026 and 20.01.2026, wherein the ITI was granted a final opportunity to show cause as to why the ITI should not be de-affiliated within 21 days from the date of issue of the Minutes.</p> <p>8. The ITI furnished a delayed reply to the SCN on 30.03.2026</p> <p>a. The institute submitted that an application for change of location was submitted on the MIS portal in the year 2020 and details relating to</p>	<p>with supporting documents/representation within 21 days from the issuance of the Minutes of Meeting, explaining why the ITI should not be de-affiliated on account of the following violations:</p> <p>a) Shifting of the ITI premises without approval; and</p> <p>b) Change in ownership of the ITI.</p> <p>2. Pursuant to the above decision, the DGT issued the communication to the registered email address of the institute on 06.03.2026, thereby providing adequate opportunity to the ITI to present its case and clarify its position.</p> <p>3. However, the ITI failed to submit any reply or representation within the stipulated time period. SCAA observed that despite being granted sufficient opportunity, the institute did not respond within the prescribed timeline, reflecting continued negligence and non-compliance with the affiliation requirements.</p>

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	29 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>payment made towards the prescribed fee for the same were also furnished.</p> <p>b. The institute further submitted that the change of address was communicated to Nodal ITI, Vidisha, on 02.03.2020.</p> <p>c. The institute also submitted that physical relocation of the institute was undertaken after the change of address was reflected on the NCVT MIS portal.</p> <p>d. Further, the institute submitted that grading of the institute was conducted by the DGT at the new location and a grading score of 8.2 out of 10 was awarded.</p> <p>e. The institute also clarified that there has been no change in ownership of the institute and submitted that Shri Niranjn Lodhi, Principal, has been authorized to undertake registration and ITI-related work on behalf of the institute.</p>	<p>4. The Committee further noted that although a reply was subsequently submitted by the ITI, the same was received after expiry of the stipulated period and, therefore, could not be considered.</p> <p>5. SCAA further observed that, as per Clause 3.8 of the Affiliation Norms, 2018, change in ownership of an ITI is not permitted.</p> <p>6. In addition, shifting of the ITI premises/site location without prior approval of DGT and the State Directorate constitutes a violation of Clause 3.5 of the Affiliation Norms, 2018.</p> <p>7. Accordingly, in view of the above observations, SCAA decided to de-affiliate the ITI.</p>
11.	<p>Raj Uttam Private ITI, Gwalior</p> <p>Address: Near Army School Badagaon</p>	<p>1. Electrician-3(1+1+1)</p> <p>2. Fitter-3(1+1+1)</p>	<p>1. The de-affiliation proceedings of the ITI was initiated due to complaint received against the ITI.</p> <p>2. SCN was issued to the ITI on 08.04.2021.</p>	<p>The matter was examined in detail by the SCAA, and it was decided that a joint verification of the ITI be conducted to objectively assess and verify the claims made by the ITI</p>

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	29 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
	chauraha Morar Gwalior, District: Gwalior, Madhya Pradesh- 474006. MIS code- PR23001028		<p>3. The matter was discussed in 8th SCAA dated 12.04.2023, wherein the SCAA decided that the State directorate and RDSDE will discuss the matter in their SSDEC meeting for appropriate action as per DGT norms and if required the Joint Inspection may be carried out by State Directorate and RDSDE.</p> <p>4. Thereafter the Joint Inspection was conducted on 03.03.2025 wherein, the following deficiencies were observed:</p> <ol style="list-style-type: none"> a) The land document was manipulated. b) The BCC was not as per norms. c) The recent electricity bill was not provided by the ITI, only Dec 2024 bill provided in which 0 units consumed in Oct & Nov 2024. d) The machinery was not procured as per the revised syllabus for both trades. e) Trades instructors were not present as per the appointment letters and the ITI not provide their Qualification & experience certificates. f) Staff & Student Attendance were taken physical attendance and also not properly maintained by the ITI. g) Student records were not provided. h) In Fitter trade machinery was not installed. 	<p>regarding rectification and compliance of the deficiencies observed during the inspection dated 03.03.2025, in accordance with the prescribed affiliation</p> <p>The joint verification shall be conducted by the concerned State Directorate and RDSDE Madhya Pradesh. The date of verification shall be decided by the State Directorate in consultation with RDSDE Madhya Pradesh. The verification report shall be submitted to the DGT within 15 days from the date of issuance of the minutes of this meeting for consideration in the next SCAA meeting.</p>

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	29 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>i) In Electrician trade the machinery was partially installed. Not available as per revised syllabus.</p> <p>j) Since instructors were not available in the ITI, therefore machinery working condition was not checked during inspection.</p> <p>k) The ITI and drawing labs were not as per norms.</p> <p>l) Other activities such as owner family was staying in the ITI premises. Private school board in the ITI premises were found.</p> <p>5. The SCN was issued to the ITI on 01.05.2025 and the ITI replied to the SCN.</p> <p>6. Based on ITI reply, the joint verification dated 11.06.2025 was conducted to verify the removal of deficiencies were observed, but ITI not allowed for Joint Inspection by stating that the ITI will get inspected through the Hon'ble Court and do not want the inspection to be done now.</p> <p>7. The matter was revisited in the 11th SSDEC meeting held on 15.09.2025, and the SSDEC recommended de-affiliation of the ITI the deficiency removal by the ITI cannot be verified since ITI did not allow joint inspection.</p> <p>8. Thereafter, the matter was discussed in the 26th SCAA in its meeting dated 15.01.2026</p>	

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	29 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>and 20.01.2026, wherein the ITI was granted a final opportunity to show-cause as to why the ITI should not be de-affiliated within 21 days from the date of issue of the Minutes.</p> <p>9. The ITI replied to the SCN on 24.03.2026.</p> <p>10. In its reply the ITI submitted the following:</p> <p>a) Operational Background</p> <ul style="list-style-type: none"> • The ITI has been affiliated since 2018 and claims consistent compliance with vocational training norms. <p>b) Inspection-Related Submissions</p> <ul style="list-style-type: none"> • In response to allegations of denial of inspections on 02.05.2025 and 15.09.2025, the institute has submitted a detailed reply citing principles of natural justice and asserting that it is functional. <p>c) Infrastructure & Location</p> <ul style="list-style-type: none"> • The institute is located near Army School, Badagaon Chauraha, Morar, Gwalior. • Geo-tagged photographs have been submitted to verify the location of the building (Annexure A/1). <p>d) Workshops & Equipment</p> <ul style="list-style-type: none"> • Videography and photographs of classrooms, practical labs (Fitter and Electrician), and the computer lab have been provided to demonstrate 	

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	29 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>availability and functionality of tools and machinery (Annexures A/2 and A/3).</p> <p>e) Staffing & Attendance</p> <ul style="list-style-type: none"> Faculty list (Annexure A/5) and student attendance records (Annexure A/6) have been submitted to indicate ongoing academic activities. <p>f) Electricity Usage</p> <ul style="list-style-type: none"> Electricity bills (Annexure A/4) have been furnished as supporting evidence of operational activity. Consumer name: Uttam Private ITI; Service address: Badagaon, Morar. Sanctioned load: 14.0 KW (Three-phase connection). Consumption: 338 units recorded in the bill dated 14.03.2025. <p>g) Visual Evidence (Geo-tagged)</p> <ul style="list-style-type: none"> Classroom photographs dated 23.03.2026 show availability of benches. Exterior geo-tagged images confirm the frontage of “Raj Uttasm Private ITI College.” <p>h) Request</p> <ul style="list-style-type: none"> The Principal has requested that de-affiliation proceedings be dropped based on the submitted evidence. 	

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	29 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<ul style="list-style-type: none"> A request has also been made for an opportunity of personal hearing before any adverse decision is taken. 	
12.	<p>Sket ITI Balaghat</p> <p>Address : Main Road,Dulapur,P.O: Badgao,The Lanji, District: Balaghat, Madhya Pradesh-481222.</p> <p>MIS code : PR23001090</p>	Electrician-6(2+2+2)	<ol style="list-style-type: none"> The de-affiliation proceedings of the ITI was initiated due to complaint received against the ITI. The matter was discussed in 8th SCAA dated 12.04.2023, wherein the SCAA decided that the State directorate and RDSDE will discuss the matter in their SSDEC meeting for appropriate action as per the DGT norms and if required the Joint Inspection may be carried out by State Directorate and RDSDE. Thereafter the Joint Inspection was conducted on 07.03.2025 wherein, the following deficiencies were observed: <ol style="list-style-type: none"> The Building Completion Certificate is not in accordance with the prescribed norms. The electricity bills indicate a shortage of power supply. Information regarding staff appointments is incomplete. Records of staff and student attendance are not available. Student records are incomplete. 	<p>The matter was examined in detail by the SCAA, and it was decided that a joint verification of the ITI be conducted to objectively assess and verify the claims made by the ITI regarding rectification and compliance of the deficiencies observed during the inspection dated 07.03.2025, in accordance with the prescribed affiliation norms.</p> <p>The joint verification shall be conducted by the concerned State Directorate and RDSDE Madhya Pradesh. The date of verification shall be decided by the State Directorate in consultation with RDSDE Madhya Pradesh. The verification report shall be submitted to the DGT within 15 days from the date of issuance of the minutes of this meeting for consideration in the next SCAA meeting.</p>

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	29 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>f) Details regarding machinery installation are improper and incomplete.</p> <p>g) The working status of machinery is not as per norms, and some motors were found to be under repair.</p> <p>h) Detailed information about the buildings reveals the presence of an asbestos-roof structure, as seen in the workshop photograph, which is not as per norms.</p> <p>i) The IT laboratory is not available as per norms, and there is no provision of internet connectivity, LAN, or Wi-Fi.</p> <p>j) The Drawing Hall/Electrical Lab lacks essential safety measures, such as proper earthing and earth-proof flooring, and several open-ended wires were observed.</p> <p>4. The SCN dated 01.05.2025 followed by reminder dated 09.06.2025 were issued to the ITI but ITI did not reply.</p> <p>5. The matter was revisited in the 11th SSDEC meeting held on 15.09.2025, and the SSDEC recommended de-affiliation of the ITI as ITI has nothing to submit in its support.</p> <p>6. Thereafter, the matter was discussed in the 26th SCAA in its meeting dated 15.01.2026 to 20.01.2026, wherein the ITI was granted a final opportunity to show cause as to why the ITI should not be de-affiliated within 21 days from the date of issue of the Minutes.</p>	

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	29 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>7. The ITI replied to the SCN on 25.03.2026(26.03.2026)</p> <p>8. In its reply the ITI submitted the following:</p> <p>a) For Recent Compliance the ITI stated that Following the 26th SCAA Minutes notice dated March 5, 2026, the ITI is submitting all required information lists via email as of March 25, 2026 to RDSDE M.P.</p> <p>b) The ITI has attached all the ITI related document and photographs with its reply.</p>	
13.	<p>Pramarathi Pvt. ITI</p> <p>Address: Nandani Nagar, Gairatganj, District- Raisen, Madhya Pradesh- 464884.</p> <p>MIS code: PU23000445</p>	All TSUs are Already de-affiliated	<p>1. The de-affiliation proceedings were initiated by the DGT due to the complaint received against the ITI on the ground of illegal use of ITI login on NCVT MIS portal.</p> <p>2. SCN was issued to the ITI on 15.09.2021 by the DGT .</p> <p>3. The matter was discussed in 8th SSDEC dated 09.12.2024 and 10.12.2024 and the SSDEC has directed that guidance be sought from the DGT on this matter.</p> <p>4. Accordingly, as per the decision of competent authority, the RDSDE was directed vide email dated 24.03.2025 to issue SCN to the ITI, discuss the reply received from the ITI in the SSDEC and recommendations to DGT for final decision.</p> <p>5. The matter was revisited in 11th SSDEC meeting held on 15.09.2025, and the SSDEC</p>	<p>The matter was discussed in the SCAA meeting, and the SCAA decided as under:</p> <p>1. In line with the principles of natural justice, the ITI was afforded final opportunity to represent itself by 26th SCAA in its meeting held on 15.01.2026 and 20.01.2026, to submit a show-cause reply explaining why the ITI should not be de-affiliated along with any supporting representation, within 21 days from the issuance of the minutes of that meeting due to the complaint received against the ITI</p>

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	29 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>recommended the ITI for de-affiliation as all trades of ITI has already been de-affiliated.</p> <p>6. Thereafter, the matter was discussed in the 26th SCAA in its meeting dated 15.01.2026 and 20.01.2026, wherein the ITI was granted a final opportunity to show-cause as to why the ITI should not be de-affiliated within 21 days from the date of issue of the Minutes.</p> <p>7. The ITI failed to avail the opportunity provided during the 26th SCAA meeting, as no reply was submitted.</p>	<p>on the ground of illegal use of ITI login on NCVT MIS portal.</p> <p>2. The said communication was issued by the DGT to the registered email of the institute on 06.03.2026</p> <p>3. Further, the ITI did not avail the final opportunity provided by the DGT in the 26th SCAA meeting and no reply or representation has been submitted by the ITI within the stipulated time, thereby exhibiting continued negligence and persistent non-compliance.</p> <p>4. The non-submission of a reply clearly indicates that the ITI is not functioning in accordance with the prescribed norms, thereby defeating the purpose of the Craftsmen Training Scheme.</p> <p>Therefore, in view of the above remarks and in the interest of the trainees, the ITI is hereby de-affiliated.</p>
14.	Mukhtyar Singh Private ITI	Electrician-3(1+2)	1. The de-affiliation proceedings were initiated by DGT due to the complaint received against the ITI on the ground of illegal use of ITI login on NCVT MIS portal.	The matter was discussed in the SCAA meeting, and the SCAA decided as under:

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	29 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
	<p>Address: Manpura, Bhind, District-Bhind, Madhya Pradesh-473440.</p> <p>MIS code: PU23000421</p>		<ol style="list-style-type: none"> 2. SCN was issued to the ITI on 15.09.2021 by DGT. 3. The matter was discussed in 8th SSDEC dated 09.12.2024 and 10.12.2024 and SSDEC has directed that guidance be sought from DGT on this matter. 4. Accordingly, as per the decision of competent authority, the RDSDE was directed vide email dated 24.03.2025 to conduct a Joint Inspection of the ITI in coordination with the State Directorate. 5. Thereafter, a Joint Inspection of the ITI was conducted on 23.05.2025, wherein the ITI was not found and the address is not specific. The Joint Inspection committee recommended the ITI for de-affiliation. 6. The SCN dated 26.05.2025, followed by reminder dated 24.06.2025 were issued to the ITI but ITI did not reply. 7. The matter was revisited in 11th SSDEC meeting held on 15.09.2025, and the SSDEC recommended the ITI for de-affiliation as ITI has not been functional. 8. Thereafter, the matter was discussed in the 26th SCAA in its meeting dated 15.01.2026 and 20.01.2026, wherein the ITI was granted a final opportunity to show cause as to why the ITI should not be de-affiliated within 21 days from the date of issue of the Minutes of the Meeting. 	<ol style="list-style-type: none"> 1. In line with the principles of natural justice, the ITI was afforded final opportunity to represent itself by 26th SCAA in its meeting held on 15.01.2026 and 20.01.2026, to submit a show-cause reply explaining why the ITI should not be de-affiliated along with any supporting representation, within 21 days from the issuance of the minutes of that meeting due to the complaint received against the ITI on the ground of illegal use of ITI login on NCVT MIS portal. 2. The said communication was issued by DGT to the registered email of the institute on 06.03.2026 3. Further, the ITI did not avail the final opportunity provided by DGT in the 26th SCAA meeting and no reply or representation has been submitted by the ITI thereby exhibiting continued negligence and persistent non-compliance. 4. The non-submission of a reply clearly indicates that the ITI is not functioning in accordance with the prescribed norms, thereby

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	29 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			9. The ITI failed to avail the opportunity provided during the 26th SCAA meeting, as no reply was submitted.	defeating the purpose of the Craftsmen Training Scheme. Therefore, in view of the above remarks and in the interest of the trainees, the ITI is hereby de-affiliated.
15.	Technocrat Private ITI Address: Anand Nagar, Near Sagartall Road, Distt:- Gwalior,474001 MIS code: PU23000764	Electrician-6(2+2+2)	<ol style="list-style-type: none"> 1. The de-affiliation proceedings were initiated by DGT due to the complaint received against the ITI on the ground of illegal use of ITI login on NCVT MIS portal. 2. SCN was issued to the ITI on 15.09.2021 by DGT. 3. The matter was discussed in 8th SSDEC dated 09.12.2024 and 10.12.2024 and SSDEC has directed that guidance be sought from DGT on this matter. 4. Accordingly, as per the decision of competent authority, the RDSDE was directed vide email dated 24.03.2025 to conduct a Joint Inspection of the ITI in coordination with the State Directorate. 5. Thereafter, a Joint Inspection of the ITI was conducted on 08.07.2025, wherein the ITI denied for inspection by stating that ITI has filed the petition which is pending before the Hon'ble Court. 6. The matter was revisited in 11th SSDEC meeting held on 15.09.2025, and the SSDEC recommended the ITI for de-affiliation. 	<p>The matter was examined in detail by the SCAA, and it was decided that a joint verification of the ITI be conducted to objectively assess and validate the claims made by the ITI regarding compliance with the prescribed affiliation and operational norms.</p> <p>The joint verification shall be conducted by the concerned State Directorate and RDSDE Madhya Pradesh. The date of verification shall be decided by the State Directorate in consultation with RDSDE Madhya Pradesh. The verification report shall be submitted to the DGT within 15 days from the date of issuance of the minutes of this meeting for consideration in the next SCAA meeting.</p>

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	29 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>There are no specific directions from Hon'ble Court(s) explicitly stating that no inspection by controlling authority shall be carried out until the final adjudication of the said petition.</p> <p>7. Thereafter, the matter was discussed in the 26th SCAA in its meeting dated 15.01.2026 and 20.01.2026, wherein the ITI was granted a final opportunity to show cause as to why the ITI should not be de-affiliated within 21 days from the date of issue of the Minutes of Meeting.</p> <p>8. The ITI replied to the SCN on 26.03.2026.</p> <p>9. In its reply the ITI submitted the following:</p> <p>a) Operational History: The ITI has been running since 2014 after obtaining affiliation and claims to be in full compliance with all NCVT and ITI norms.</p> <p>b) Inspection Clarification: The document addresses the claim that the institute denied joint inspections on May 2, 2025, and September 15, 2025.</p> <p>c) Maintenance of Norms: The applicant asserts that the institute has undergone regular inspections previously and has always been found to be running in accordance with affiliation standards.</p> <p>d) Compliance Submission: In response to a letter dated March 11, 2026, the ITI</p>	

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	29 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>is submitting this comprehensive explanation supported by documentary evidence to prove it is a functional entity.</p> <p>e) Infrastructure Evidence: The institution confirms it is operating from its designated building in Gwalior and has included geo-tagged photographs and location data as "Annexure A/1" to verify the premises.</p> <p>f) The Principal requests that the provided response be taken on record and that the de-affiliation proceedings be dropped in the interest of justice. They also explicitly request an opportunity for a formal hearing before any adverse final decision is made.</p>	
16.	<p>Samarth Private ITI, Shahdol</p> <p>Address: Near Petrol pump, Shahdol road, Teh, Jaisingh Nagar, District: Shahdol, Madhya Pradesh-484771</p> <p>MIS code: PR23000672</p>	Electrician-7(3+2+2)	<ol style="list-style-type: none"> 1. The de-affiliation proceedings of the ITI was initiated due to complaint received against the ITI. 2. SCN was issued to the ITI on 09.04.2021. 3. The matter was discussed in 8th SCAA dated 12.04.2023, wherein the SCAA decided that the State directorate and RDSDE will discuss the matter in their SSDEC meeting for appropriate action as per DGT norms and if required the Joint Inspection may be carried out by State Directorate and RDSDE. 4. Thereafter the Joint Inspection was conducted on 06.03.2025 wherein, the ITI 	The ITI has been de-affiliated in 28 th SCAA in its meeting dated 28.04.2026 on account of zero admissions for four consecutive years (2022-2025).

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	29 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>found closed and seems ITI is not functional; as stated by inspecting members.</p> <p>5. The SCN dated 05.05.2025 followed by reminder dated 09.06.2025 were issued to the ITI but ITI did not reply.</p> <p>6. The matter was revisited in the 11th SSDEC meeting held on 15.09.2025, and the SSDEC recommended de-affiliation of the ITI as ITI is not functional.</p> <p>7. Thereafter, the matter was discussed in the 26th SCAA in its meeting dated 15.01.2026 to 20.01.2026, wherein the ITI was granted a final opportunity to show cause as to why the ITI should not be de-affiliated within 21 days from the date of issue of the Minutes.</p> <p>8. Subsequently, the matter was discussed in 28th SCAA in its meeting dated 28.04.2026.</p>	
17.	<p>Shri Banke Bihari Private ITI, Bhind</p> <p>Address: Mehgaon Road, District- Bhind, Madhya Pradesh- 477660</p> <p>MIS code: PU23000717</p>	Electrician-6(2+2+2)	<p>1. The de-affiliation proceedings were initiated by the DGT due to the complaint received against the ITI on the ground of illegal use of ITI login on NCVT MIS portal.</p> <p>2. SCN was issued to the ITI on 15.09.2021 by DGT.</p> <p>3. The matter was discussed in 8th SSDEC dated 09.12.2024 and 10.12.2024 and SSDEC has directed that guidance be sought from DGT on this matter.</p> <p>4. Accordingly, as per the decision of competent authority, the RDSDE was directed vide email dated 24.03.2025 to</p>	The ITI has been de-affiliated in 28 th SCAA in its meeting dated 28.04.2026 on account of zero admissions for four consecutive years (2022-2025).

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	29 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>conduct a Joint Inspection of the ITI in coordination with the State Directorate.</p> <p>5. Thereafter, a Joint Inspection of the ITI was conducted on 21.05.2025, wherein the ITI was not found at location. The Joint Inspection committee recommended the ITI for de-affiliation.</p> <p>6. The SCN dated 26.05.2025, followed by reminder dated 24.06.2025 were issued to the ITI but ITI did not reply.</p> <p>7. The matter was revisited in 11th SSDEC meeting held on 15.09.2025, and the SSDEC recommended the ITI for de-affiliation as ITI has not been functional.</p> <p>8. Thereafter, the matter was discussed in the 26th SCAA in its meeting dated 15.01.2026 and 20.01.2026, wherein the ITI was granted a final opportunity to show cause as to why the ITI should not be de-affiliated within 21 days from the date of issue of the Minutes.</p> <p>9. Subsequently, the matter was discussed in 28th SCAA in its meeting dated 28.04.2026</p>	

Annexure-5

Annexure- 5 as referred in Agenda 2.1 regarding de-affiliation of 21 ITIs of Madhya Pradesh State

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	29th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
1.	Manthan Private ITI, Sehore Address: MIS code: PR23000479	1. Electrician-9(3+3+3) 2. Computer Operator and Programming Assistant-3(1+1+1) 3. Draughtsman (Civil)-3(1+1+1) 4. Welder-3(1+2) 5. Fitter-7(2+2+3) 6. Mechanic Diesel-3(1+1+1)	1. The de-affiliation proceedings were initiated due to complaint regarding withdrawal of scholarship by submitting fake documents by the ITI. 2. The SCN was issued by the State Directorate on 09.05.2025 and the ITI replied to the SCN. 3. Thereafter, the compliant was inquired by a committee constituted by State Directorate and an inquiry dated 26.02.2025 was conducted by the Inspecting Members. 4. Further, the matter was discussed in 11th SSDEC in its meeting held on 15.09.2025 wherein SSDEC directed to conduct Joint Inspection of the ITI. 5. Accordingly, the Joint Inspection was conducted by RDSDE and State Directorate officials on 18.11.2025 in which following deficiencies were observed: a) The Joint Inspection revealed serious deficiencies across all key areas: essential statutory documents such as land records and Building Completion Certificate were not available; infrastructure and utilities were non-compliant, with a	1. The matter was deliberated in the SCAA meeting. Based on the recommendations of the SSDEC and the material facts available on record, it is evident that the concerned ITI has violated the prescribed norms and guidelines, thereby defeating the sole objectives of the CTS. 2. However, in adherence to the principles of natural justice, the concerned ITIs is hereby granted a final opportunity to show-cause as to why the institute should not be de-affiliated, based upon the remarks of inspection team and the recommendations of the SSDEC mentioned in column (4). 3. The explanation, if any, must be comprehensive and duly supported by relevant documentary evidence, including proof of operational machinery and equipment with geo tagged photos, geo-tagged photographs of the institute infrastructure and location, and any other documents

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	29 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>single low-load electricity connection shared with other institutions; critical records including machinery bills, stock registers, staff appointments, and student attendance were entirely missing; no Trainees were present and training activities appeared non-functional despite claims of online classes; most machinery across trades was either not installed, not as per revised syllabus, or found rusted and non-operational; workshop areas were below prescribed norms with structural issues like wall cracks, and facilities such as drawing hall and IT lab were absent; the campus was shared with other institutions, further violating norms; and basic safety requirements were unmet, with no fire safety certificate and non-functional extinguishers- collectively indicating that the ITI is largely non-operational and in serious violation of affiliation standards.</p> <p>6. The Joint Inspection Committee recommended the ITI for de-affiliation of all trades of ITI as ITI is not running as per norms.</p> <p>7. The SCN dated 03.12.2025 was issued to the ITI.</p> <p>8. The ITI replied to the SCN on 13.12.2025.</p>	<p>substantiating compliance with the prescribed norms. In case the reply consists of multiple pages, the institute shall prepare a proper index and clearly reference all annexures relied upon in the submission.</p> <p>4. The reply must reach to the DGT within 21 days from the date of issuance of these minutes at the email ID tc-deaffiliation@dgt.gov.in, using the following subject line: “Reply to Notice of 29th SCAA Minutes – <ITI Name>, <MIS Code>, <State Name>”</p> <p>5. In case no reply is received within the stipulated period, or if the reply is found unsatisfactory, the matter shall be processed, and a final decision regarding de-affiliation shall be taken without any further notice.</p>

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	29 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>9. The matter was revisited in 12th SSDEC in its meeting dated 05.03.2026 wherein the reply of the ITI was considered but found unsatisfactory due to which the SSDEC recommended the ITI for de-affiliation for following reasons:</p> <p>a) Deficiencies reported by Joint Inspection Committee indicates that ITI is not imparting training to the Trainees</p> <p>b) the reply from ITI is not satisfactory in various aspect such as sanctioned electricity load and unit electricity consumption, as per revised syllabus tools and equipment's as well as machineries and infrastructure etc.</p>	
2.	<p>H L Somani Private ITI, Gwalior</p> <p>Address :</p> <p>MIS code: PR23001078</p>	<p>1. Electrician-6(2+2+2)</p> <p>2. Stenographer & Secretarial Assistant (Hindi)-3(1+1+1)</p>	<p>1. The de-affiliation proceedings were initiated by RDSDE due to complaint received against the ITI.</p> <p>2. The SCN was issued by the State Directorate on 04.08.2025 and the ITI replied to the SCN.</p> <p>3. The matter was discussed in 11th SSDEC in its meeting dated 15.09.2025 wherein SSDEC directed to conduct Joint Inspection of the ITI.</p> <p>4. Accordingly, the Joint Inspection dated 18.11.2025 was conducted by RDSDE and State Directorate officials in which following deficiencies were observed:</p>	<p>1. The matter was deliberated in the SCAA meeting. Based on the recommendations of the SSDEC and the material facts available on record, it is evident that the concerned ITI has violated the prescribed norms and guidelines, thereby defeating the sole objectives of the CTS.</p> <p>2. However, in adherence to the principles of natural justice, the concerned ITIs is hereby granted a final opportunity to show-cause as to why the institute should not be de-affiliated, based upon the</p>

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	29 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>a) ITI not exist at the given address Rairu Dabra Bypass Road.</p> <p>b) RSC Nursing college was running in the premises.</p> <p>5. The Joint Inspection Committee recommended the ITI for de-affiliation of all trades/units as ITI not exist at the given address. R.S.C. nursing college running in the premises.</p> <p>6. The SCN dated 03.12.2025 followed by reminder SCN dated 18.12.2025 were issued to the ITI by RDSDE.</p> <p>7. The ITI did not reply to the both.</p> <p>8. The matter was revisited in 12th SSDEC in its meeting dated 05.03.2026 wherein the SSDEC recommended the ITI for de-affiliation for following reasons:</p> <p>a) ITI has not submitted the reply. It indicates that ITI does not exist.</p>	<p>remarks of inspection team and the recommendations of the SSDEC mentioned in column (4).</p> <p>3. The explanation, if any, must be comprehensive and duly supported by relevant documentary evidence, including proof of operational machinery and equipment with geo tagged photos, geo-tagged photographs of the institute infrastructure and location, and any other documents substantiating compliance with the prescribed norms. In case the reply consists of multiple pages, the institute shall prepare a proper index and clearly reference all annexures relied upon in the submission.</p> <p>4. The reply must reach to DGT within 21 days from the date of issuance of these minutes at the email ID tc-deaffiliation@dgt.gov.in, using the following subject line: "Reply to Notice of 29th SCAA Minutes – <ITI Name>, <MIS Code>, <State Name>"</p> <p>5. In case no reply is received within the stipulated period, or if the reply is found unsatisfactory, the</p>

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	29 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
				matter shall be processed, and a final decision regarding de-affiliation shall be taken without any further notice.
3.	New Molecular Private ITI, Gwalior Address: MIS code: PR23000985	1. Electrician-6(2+2+2) 2. Fitter-3(1+1+1)	1. The de-affiliation proceedings were initiated by RDSDE due to complaint received against the ITI . 2. The SCN was issued by the State Directorate on 04.08.2025 and the ITI replied to the SCN. 3. The matter was discussed in 11th SSDEC in its meeting dated 15.09.2025 wherein SSDEC directed to conduct Joint Inspection of the ITI. 4. Accordingly, the Joint Inspection dated 12.11.2025 was conducted by RDSDE and State officials but the ITI refused for inspection. 5. The SCN dated 03.12.2025 was issued to the ITI by RDSDE. 6. The ITI replied to the SCN on 13.12.2025. 7. The matter was revisited in 12th SSDEC in its meeting dated 05.03.2026 wherein the SSDEC recommended the ITI for de-affiliation for following reasons: a) ITI cannot deny Joint Inspection citing the pendency of a Petition before the Hon'ble Court or any other reason.	1. The matter was deliberated in the SCAA meeting and SCAA observed that permitting inspection is an inherent obligation under the Affiliation Norms, as verification of compliance and infrastructure cannot be undertaken without on-site assessment. Refusal to allow inspection therefore constitutes a serious violation of the affiliation conditions, rendering the concerned ITIs liable to be de-affiliated. 2. This observation of the Committee is further strengthened by multiple judgments of various Hon'ble High Courts. The Hon'ble High Court of Madhya Pradesh, in W.P. No. 8116/2025 (MAA SHITLA PVT. I.T.I. vs. Union of India & Others), held that when complaints are received, the apex authority is duty-bound to examine them, and such examination may necessarily require on-spot verification

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	29 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>b) To safeguard the future of trainees and ensure quality training, controlling authority holds the authority to inspect and evaluate the ITI's performance at any time, to confirm whether training is being conducted as per prescribed norms, therefore recommended de-affiliation of the ITI.</p>	<p>through an inspection. The Hon'ble Punjab & Haryana High Court, Chandigarh, in CWP-20763-2025 (Modern ITI Bathinda vs. DGT), observed that a fresh inspection does not prejudice the institute. The Hon'ble Rajasthan High Court, Jodhpur Bench, in S.B. Civil W.P. No. 18022/2025 (Pooja Pvt. ITI & Ors. vs. State of Rajasthan & Others), further clarified that no institution can claim a right to dictate the date or manner of inspection.</p> <p>Collectively, these judicial pronouncements clearly support the Committee's view that refusal to permit inspection is unjustified, contrary to law, and incompatible with the affiliation framework.</p> <p>3. Accordingly, SCAA held that the ITI is liable to be de-affiliated for refusal of inspection.</p> <p>4. However, in adherence to the principles of natural justice, the concerned ITI is hereby granted a final opportunity to show cause as to why the institute should not be de-affiliated.</p>

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	29th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
				<p>5. The explanation/reply, if any, must be comprehensive and duly supported by relevant documentary evidence, including proof of operational machinery and equipment with geo-tagged photographs, geo-tagged photographs of the institute infrastructure and location, and any other documents substantiating compliance with the prescribed norms. In case the reply consists of multiple pages, the institute shall prepare a proper index and clearly reference all annexures relied upon in the submission.</p> <p>6. The reply must reach DGT within 21 days from the date of issuance of the Minutes of the Meeting at the email ID tc-deaffiliation@dgt.gov.in, using the following subject line: “Reply to Notice under 29th SCAA Minutes – <ITI Name>, <MIS Code>, <State Name>”</p> <p>7. In case no reply is received within the stipulated period, or if the reply is found unsatisfactory, the matter shall be processed for taking a final decision regarding</p>

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	29 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
				de-affiliation without any further notice.
4.	D.S.M. Private ITI, Gwalior Address: MIS code: PU23000802	1. Electrician-6(2+2+2) 2. Stenographer & Secretarial Assistant (Hindi)-3(1+1+1)	1. The de-affiliation proceedings were initiated by RDSDE due to complaint received against the ITI. 2. The SCN was issued by the State Directorate on 04.08.2025 and the ITI replied to the SCN. 3. The matter was discussed in 11th SSDEC in its meeting dated 15.09.2025 wherein SSDEC directed to conduct Joint Inspection of the ITI. 4. Accordingly, the Joint Inspection dated 27.11.2025 was conducted by RDSDE and State officials but ITI has challenged Joint Inspection before Gwalior HC WP No 46465 of 2025. Hence ITI denied Joint Inspection. 5. The SCN dated 03.12.2025 was issued to the ITI by RDSDE. 6. The ITI replied to the SCN on 12.12.2025. 7. The matter was revisited in 12th SSDEC in its meeting dated 05.03.2026 wherein the SSDEC recommended the ITI for de-affiliation for following reasons: 1. ITI cannot deny Joint Inspection citing the pendency of a Petition before the Hon'ble Court or any other reason.	1. The matter was deliberated in the SCAA meeting and SCAA observed that permitting inspection is an inherent obligation under the Affiliation Norms, as verification of compliance and infrastructure cannot be undertaken without on-site assessment. Refusal to allow inspection therefore constitutes a serious violation of the affiliation conditions, rendering the concerned ITIs liable to be de-affiliated. 2. This observation of the Committee is further strengthened by multiple judgments of various Hon'ble High Courts. The Hon'ble High Court of Madhya Pradesh, in W.P. No. 8116/2025 (MAA SHITLA PVT. I.T.I. vs. Union of India & Others), held that when complaints are received, the apex authority is duty-bound to examine them, and such examination may necessarily require on-spot verification through an inspection. The

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	29th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>2. To safeguard the future of trainees and ensure quality training, controlling authority holds the authority to inspect and evaluate the ITI's performance at any time, to confirm whether training is being conducted as per prescribed norms, therefore recommended de-affiliation of the ITI.</p>	<p>Hon'ble Punjab & Haryana High Court, Chandigarh, in CWP-20763-2025 (Modern ITI Bathinda vs. DGT), observed that a fresh inspection does not prejudice the institute. The Hon'ble Rajasthan High Court, Jodhpur Bench, in S.B. Civil W.P. No. 18022/2025 (Pooja Pvt. ITI & Ors. vs. State of Rajasthan & Others), further clarified that no institution can claim a right to dictate the date or manner of inspection.</p> <p>Collectively, these judicial pronouncements clearly support the Committee's view that refusal to permit inspection is unjustified, contrary to law, and incompatible with the affiliation framework.</p> <p>3. Accordingly, SCAA held that the ITI is liable to be de-affiliated for refusal of inspection.</p> <p>4. However, in adherence to the principles of natural justice, the concerned ITI is hereby granted a final opportunity to show cause as to why the institute should not be de-affiliated.</p>

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	29th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
				<p>5. The explanation/reply, if any, must be comprehensive and duly supported by relevant documentary evidence, including proof of operational machinery and equipment with geo-tagged photographs, geo-tagged photographs of the institute infrastructure and location, and any other documents substantiating compliance with the prescribed norms. In case the reply consists of multiple pages, the institute shall prepare a proper index and clearly reference all annexures relied upon in the submission.</p> <p>6. The reply must reach DGT within 21 days from the date of issuance of these minutes at the email ID tc-deaffiliation@dgt.gov.in, using the following subject line: "Reply to Notice under 29th SCAA Minutes – <ITI Name>, <MIS Code>, <State Name>"</p> <p>7. In case no reply is received within the stipulated period, or if the reply is found unsatisfactory, the matter shall be processed for taking a final decision regarding</p>

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	29 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
				de-affiliation without any further notice.
5.	JKN Private ITI, Gwalior Address: MIS code: PR23000565	1. Fitter-3(1+1+1) 2. Electrician-3(1+1+1)	1. The de-affiliation proceedings were initiated by RDSDE due to complaint received against the ITI. 2. The SCN was issued by the State Directorate on 04.08.2025 and the ITI replied to the SCN. 3. The matter was discussed in 11th SSDEC in its meeting dated 15.09.2025 wherein SSDEC directed to conduct Joint Inspection of the ITI. 4. Accordingly, the Joint Inspection dated 28.11.2025 was conducted by RDSDE and State officials but ITI has denied Joint Inspection citing filing of WP No 46242 of 2025. No stay granted by Court. Hence Joint Inspection committee recommended for de-affiliation of the ITI. 5. The SCN dated 03.12.2025 was issued to the ITI by RDSDE. 6. The ITI replied to the SCN on 10.12.2025. 7. The matter was revisited in 12th SSDEC in its meeting dated 05.03.2026 wherein the SSDEC recommended the ITI for de-affiliation for following reasons: 1. ITI cannot deny Joint Inspection citing the pendency of a Petition	1. The matter was deliberated in the SCAA meeting and SCAA observed that permitting inspection is an inherent obligation under the Affiliation Norms, as verification of compliance and infrastructure cannot be undertaken without on-site assessment. Refusal to allow inspection therefore constitutes a serious violation of the affiliation conditions, rendering the concerned ITIs liable to be de-affiliated. 2. This observation of the Committee is further strengthened by multiple judgments of various Hon'ble High Courts. The Hon'ble High Court of Madhya Pradesh, in W.P. No. 8116/2025 (MAA SHITLA PVT. I.T.I. vs. Union of India & Others), held that when complaints are received, the apex authority is duty-bound to examine them, and such examination may necessarily require on-spot verification through an inspection. The

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	29 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>before the Hon'ble Court or any other reason.</p> <p>2. To safeguard the future of trainees and ensure quality training, controlling authority holds the authority to inspect and evaluate the ITI's performance at any time, to confirm whether training is being conducted as per prescribed norms, therefore recommended de-affiliation of the ITI.</p>	<p>Hon'ble Punjab & Haryana High Court, Chandigarh, in CWP-20763-2025 (Modern ITI Bathinda vs. DGT), observed that a fresh inspection does not prejudice the institute. The Hon'ble Rajasthan High Court, Jodhpur Bench, in S.B. Civil W.P. No. 18022/2025 (Pooja Pvt. ITI & Ors. vs. State of Rajasthan & Others), further clarified that no institution can claim a right to dictate the date or manner of inspection. Collectively, these judicial pronouncements clearly support the Committee's view that refusal to permit inspection is unjustified, contrary to law, and incompatible with the affiliation framework.</p> <p>3. Accordingly, SCAA held that the ITI is liable to be de-affiliated for refusal of inspection.</p> <p>4. However, in adherence to the principles of natural justice, the concerned ITI is hereby granted a final opportunity to show cause as to why the institute should not be de-affiliated.</p> <p>5. The explanation/reply, if any, must be comprehensive and duly</p>

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	29 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
				<p>supported by relevant documentary evidence, including proof of operational machinery and equipment with geo-tagged photographs, geo-tagged photographs of the institute infrastructure and location, and any other documents substantiating compliance with the prescribed norms. In case the reply consists of multiple pages, the institute shall prepare a proper index and clearly reference all annexures relied upon in the submission.</p> <p>6. The reply must reach DGT within 21 days from the date of issuance of these minutes at the email ID tc-deaffiliation@dgt.gov.in, using the following subject line: “Reply to Notice under 29th SCAA Minutes – <ITI Name>, <MIS Code>, <State Name>”</p> <p>7. In case no reply is received within the stipulated period, or if the reply is found unsatisfactory, the matter shall be processed for taking a final decision regarding de-affiliation without any further notice.</p>

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	29th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
6.	Shri Vishwakarma Private ITI,Gwalior Address: MIS code: PU23000955	1. Electrician-6(2+2+2) 2. Computer Operator and Programming Assistant-2(1+1)	1. The de-affiliation proceedings were initiated by RDSDE due to complaint received against the ITI. . 2. The SCN was issued by the State Directorate on 04.08.2025 followed by reminder dated 03.09.2025. Then ITI replied to the reminder SCN. 3. The matter was discussed in 11th SSDEC in its meeting dated 15.09.2025 wherein SSDEC directed to conduct Joint Inspection of the ITI. 4. Accordingly, the Joint Inspection dated 02.01.2026 was conducted by RDSDE and State officials. During the Joint Inspection, the ITI not found at the location, Hence Joint Inspection Committee recommended for de-affiliation of the ITI. 5. The SCN dated 05.01.2026 followed by reminder SCN dated 19.01.2026 were issued to the ITI by RDSDE. 6. The ITI replied to the SCN reminder on 21.01.2026. 7. The matter was revisited in 12th SSDEC in its meeting dated 05.03.2026 wherein the SSDEC recommended the ITI for de-affiliation for following reasons: a) ITI in its reply has submitted image of other ITI i.e. Ramji Private ITI Gwalior Workshop.	1. The matter was deliberated in the SCAA meeting. Based on the recommendations of the SSDEC and the material facts available on record, it is evident that the concerned ITI has violated the prescribed norms and guidelines, thereby defeating the sole objectives of the CTS. 2. However, in adherence to the principles of natural justice, the concerned ITIs is hereby granted a final opportunity to show cause as to why the institute should not be de-affiliated, based upon the remarks of inspection team and the recommendations of the SSDEC mentioned in column (4). 3. The explanation, if any, must be comprehensive and duly supported by relevant documentary evidence, including proof of operational machinery and equipment with geo tagged photos, geo-tagged photographs of the institute infrastructure and location, and any other documents substantiating compliance with the prescribed norms. In case the reply consists of multiple pages, the institute shall prepare a proper

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	29 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>b) Also, ITI has not submitted any supporting document/s which explicitly proves the existence of ITI. This implicates that ITI does not exist.</p> <p>8. Therefore, SSDEC recommends for de-affiliation.</p>	<p>index and clearly reference all annexures relied upon in the submission.</p> <p>4. The reply must reach to DGT within 21 days from the date of issuance of these minutes at the email ID tc-deaffiliation@dgt.gov.in, using the following subject line: “Reply to Notice of 29th SCAA Minutes – <ITI Name>, <MIS Code>, <State Name>”</p> <p>5. In case no reply is received within the stipulated period, or if the reply is found unsatisfactory, the matter shall be processed, and a final decision regarding de-affiliation shall be taken without any further notice.</p>
7.	<p>Sai Anushasan Private ITI, Jabalpur</p> <p>Address:</p> <p>MIS code: PU23000840</p>	<p>1. Computer Operator and Programming Assistant-3(1+1+1)</p> <p>2. Stenographer & Secretarial Assistant (Hindi)-3(1+1+1)</p>	<p>1. The de-affiliation proceedings were initiated due to complaint received against the ITI in DGT which was forwarded to State Directorate.</p> <p>2. The SCN was issued by the State Directorate on 06.11.2024. The ITI replied to the SCN.</p> <p>3. The matter was discussed in 10th SSDEC in its meeting dated 09.05.2025 wherein SSDEC directed to conduct Joint Inspection of the ITI based on the reply submitted by the ITI.</p>	<p>1. The matter was deliberated in the SCAA meeting. Based on the recommendations of the SSDEC and the material facts available on record, it is evident that the concerned ITI has violated the prescribed norms and guidelines, thereby defeating the sole objectives of the CTS.</p> <p>2. However, in adherence to the principles of natural justice, the concerned ITIs is hereby granted</p>

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	29 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>4. Accordingly, the Joint Inspection dated 28.03.2025 was conducted by RDSDE and State officials. During the joint inspection, the following were observed:</p> <p>a) ITI found closed at the time of Inspection.</p> <p>b) ITI was having COPA and Steno Hindi Trades.</p> <p>c) Below the name of ITI, Fitter, Electrician (both overpainted to hide) COPA and Steno & Secretarial (Hindi & English) was written.</p> <p>5. The SCN dated 09.06.2025, followed by reminder SCN dated 14.07.2025 were issued to the ITI by RDSDE.</p> <p>6. The ITI has submitted a copy of e-mail sent to RDSDE MP on 18.07.2025 regarding closure of the ITI at the time of inspection.</p> <p>7. The committee has been informed that the trades were mentioned for their other ITI advertisement which they have overpainted.</p> <p>8. Thereafter, again Joint Inspection of the ITI was conducted on 15.10.2025 where in following were observed:</p> <p>a) Land Registration documents were not available, rent agreement dated 14.10.2025 for 30 years is available, however, area mentioned is 260 sqft meter. which is not valid.</p>	<p>a final opportunity to show cause as to why the institute should not be de-affiliated, based upon the remarks of inspection team and the recommendations of the SSDEC mentioned in column (4).</p> <p>3. The explanation, if any, must be comprehensive and duly supported by relevant documentary evidence, including proof of operational machinery and equipment with geo tagged photos, geo-tagged photographs of the institute infrastructure and location, and any other documents substantiating compliance with the prescribed norms. In case the reply consists of multiple pages, the institute shall prepare a proper index and clearly reference all annexures relied upon in the submission.</p> <p>4. The reply must reach to DGT within 21 days from the date of issuance of these minutes at the email ID tc-deaffiliation@dgt.gov.in, using the following subject line: "Reply to Notice of 29th SCAA Minutes – <ITI Name>, <MIS Code>, <State Name>"</p>

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	29th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<ul style="list-style-type: none"> b) The committee has observed that the current power load consumption is significantly lower than what is required as per NCVT affiliation norms. c) Many bills are not having GST. d) The registers are not being properly maintained and authenticated. In the COPA trade register, there is no entry after 2016. e) Trainers are not having experience and CITS qualification as per DGT Norms. One COPA trainer having CITS qualification is appointed on 14.10.2025. f) The committee has observed that biometric attendance machine is available for the staff, however, the institute is not using it. The institute has been maintaining attendance records manually through registers. g) The committee has observed that biometric attendance machine is available for the trainees; however, it is not being used. The institute has been maintaining attendance records manually through registers, however, registers are also not properly maintained. h) All the machineries were installed; however, wiring is not proper. 	<p>5. In case no reply is received within the stipulated period, or if the reply is found unsatisfactory, the matter shall be processed, and a final decision regarding de-affiliation shall be taken without any further notice.</p>

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	29 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>i) The computers were not installed properly - dates were showing as 2014, no antivirus, no Ethernet connection. UPS is not connected to all the systems.</p> <p>j) Principal Office and Library were having 8.165 sqm. area which is very less as per DGT Norms. In the name of library, only one almirah having old books were available.</p> <p>k) The BCC is not available and the building plan layout is not approved by Competent Authority. Visibility is very less in some areas.</p> <p>l) Teacher Records are not maintained properly.</p> <p>m) Safety measures: Fire safety certificate not available.</p> <p>9. The committee has made the following additional observations:</p> <p>a) The trainers and trainees were not present as per their shift.</p> <p>b) T&E bills and records are not maintained properly.</p> <p>c) Many desktops and CPUs were kept inside the almirah.</p> <p>d) Sanitary facilities: The committee observed that the basic amenities as drinking water and toilet is not in usable condition.</p>	

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	29 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>10. The Joint Verification Committee recommends for the de-affiliation of the ITI.</p> <p>11. The matter was revisited in 12th SSDEC in its meeting dated 05.03.2026 wherein the SSDEC recommended the ITI for de-affiliation for following reasons:</p> <p>12. Deficiencies reported by Joint verification committee indicate that ITI is not functional as per norms. Therefore, SSDEC recommends for de-affiliation.</p>	
8.	<p>New Anushasan Private ITI, Jabalpur</p> <p>Address:</p> <p>MIS code : PU23000946</p>	<p>1. Stenographer & Secretarial Assistant (English)- 3(1+1+1)</p> <p>2. Fitter- 6(2+2+2)</p>	<p>1. The de-affiliation proceedings were initiated due to complaint received against the ITI in the DGT which was forwarded to State Directorate.</p> <p>2. The SCN was issued by the State Directorate on 06.11.2024. The ITI replied to the SCN.</p> <p>3. The matter was discussed in 10th SSDEC in its meeting dated 09.05.2025 wherein SSDEC directed to conduct Joint Inspection of the ITI based on the reply submitted by the ITI.</p> <p>4. Accordingly, the Joint Inspection dated 27.03.2025 was conducted by RDSDE and State officials. During the Joint Inspection, the following were observed:</p> <p>a) The inspection revealed multiple deficiencies: the address in the rent agreement and electricity bill does not</p>	<p>1. The matter was deliberated in the SCAA meeting. Based on the recommendations of the SSDEC and the material facts available on record, it is evident that the concerned ITI has violated the prescribed norms and guidelines, thereby defeating the sole objectives of the CTS.</p> <p>2. However, in adherence to the principles of natural justice, the concerned ITIs is hereby granted a final opportunity to show-cause as to why the institute should not be de-affiliated, based upon the remarks of inspection team and the recommendations of the SSDEC mentioned in column (4).</p>

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	29th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>match the actual site; mandatory approvals such as Building Completion Certificate and approved layout plan are not available; electricity consumption is below prescribed norms with address discrepancies in bills; machinery bills are outdated (only from the time of affiliation); inventory and academic records, including dead stock, raw materials, student attendance, and student/teacher records, are either not maintained properly or unauthenticated; staff qualifications do not meet prescribed norms and biometric attendance is absent; required tools and equipment for Fitter trade are not available as per revised syllabus, with many tools found packed and essential facilities like UPS and projector non-functional; infrastructure is below norms, including inadequate library, IT lab (without internet), principal and staff rooms, and drawing hall lacking basic equipment; and safety compliance is poor, with no fire safety certificate and improper refill documentation—indicating significant non-compliance with affiliation standards.</p>	<p>3. The explanation, if any, must be comprehensive and duly supported by relevant documentary evidence, including proof of operational machinery and equipment with geo tagged photos, geo-tagged photographs of the institute infrastructure and location, and any other documents substantiating compliance with the prescribed norms. In case the reply consists of multiple pages, the institute shall prepare a proper index and clearly reference all annexures relied upon in the submission.</p> <p>4. The reply must reach to the DGT within 21 days from the date of issuance of these minutes at the email ID tc-deaffiliation@dgt.gov.in, using the following subject line: “Reply to Notice of 29th SCAA Minutes – <ITI Name>, <MIS Code>, <State Name>”</p> <p>5. In case no reply is received within the stipulated period, or if the reply is found unsatisfactory, the matter shall be processed, and a final decision regarding de-</p>

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	29th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>5. The Joint Inspection Committee Disagree for continuation of affiliation due to mismatch in address and deficiencies observed</p> <p>6. The SCN dated 14.05.2025, followed by reminder SCN dated 18.06.2025 were issued to the ITI.by RDSDE.</p> <p>7. Thereafter, again Joint Inspection of the ITI was conducted on 16.10.2025 wherein following were observed:</p> <p>a) The committee observed that while the address mentioned in the rent agreement and electricity bills is consistent, the rent agreement contains overwriting and repeated mention of "Sai ITI." Electricity consumption remains significantly below NCVT norms despite correct address details. Newly procured machinery as per revised syllabus is available and installed; however, wiring is improper. Registers have started being maintained but lack proper authentication. Instructors do not possess the required experience certificates and CITS qualification. Biometric attendance systems for both staff and trainees are available but not in use, with attendance being recorded manually. Infrastructure is inadequate, with the library (5.24</p>	<p>affiliation shall be taken without any further notice.</p>

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	29 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>sqm) and IT lab (16.81 sqm) areas falling short of prescribed norms; the IT lab also lacks proper Ethernet connectivity and wiring. Essential academic records such as lesson plans and check sheets are not properly maintained. The Building Completion Certificate and approved building plan are still not available, though an undated application without proper letterhead has been submitted to the Nagar Palika Nigam. Fire safety compliance is also lacking, with no certificate available despite a similar incomplete application; however, a fire extinguisher refill bill with GST has been submitted. Serious irregularities were noted, including presence of a trainee in a non-sanctioned Electrician trade and advertisement of non-approved trades (COPA and Electrician). Additionally, basic amenities such as drinking water and toilets were found to be in unusable condition.</p> <p>8. The Joint Verification Committee recommends for the de-affiliation of the ITI.</p> <p>9. The matter was revisited in 12th SSDEC in its meeting dated 05.03.2026 wherein</p>	

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	29 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>the SSDEC recommended the ITI for de-affiliation for following reasons: Deficiencies reported by Joint verification committee indicate that ITI is not functional as per norms.</p> <p>Therefore, SSDEC recommends for de-affiliation.</p>	
9.	<p>Anushasan Private ITI, Jabalpur</p> <p>Address:</p> <p>MIS code: PU23000495</p>	<p>1. Fitter-3(1+1+1)</p> <p>2. Electrician-3(1+1+1)</p>	<p>1. The de-affiliation proceedings were initiated due to complaint received against the ITI in the DGT which was forwarded to State Directorate.</p> <p>2. The SCN was issued by the State Directorate on 06.11.2024. The ITI replied to the SCN.</p> <p>3. The matter was discussed in 10th SSDEC in its meeting dated 09.05.2025 wherein SSDEC directed to conduct Joint Inspection of the ITI based on the reply submitted by the ITI.</p> <p>4. Accordingly, the Joint Inspection dated 26.03.2025 was conducted by RDSDE and State officials. During the joint inspection, the following were observed:</p> <p>a) The inspection revealed major deficiencies: absence of key approvals (unsigned building plan, no BCC), incomplete rent agreement, and low electricity consumption; lack of updated tools and equipment as per revised syllabus; poorly maintained</p>	<p>1. The matter was deliberated in the SCAA meeting. Based on the recommendations of the SSDEC and the material facts available on record, it is evident that the concerned ITI has violated the prescribed norms and guidelines, thereby defeating the sole objectives of the CTS.</p> <p>2. However, in adherence to the principles of natural justice, the concerned ITIs is hereby granted a final opportunity to show cause as to why the institute should not be de-affiliated, based upon the remarks of inspection team and the recommendations of the SSDEC mentioned in column (4).</p> <p>3. The explanation, if any, must be comprehensive and duly supported by relevant documentary evidence,</p>

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	29th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>and unauthenticated records; absence of CITS-qualified and Employability Skills trainers; no biometric attendance system; inadequate machinery installation with unsafe wiring and operation; substandard infrastructure with insufficient space and poor visibility; deficient IT and drawing lab facilities; and non-compliance with safety norms, including absence of a fire safety certificate.</p> <p>5. The Joint Inspection Committee Disagree for continuation of affiliation based on the deficiencies observed during inspection.</p> <p>6. The SCN dated 14.05.2025, was issued to the ITI by RDSDE.</p> <p>7. Thereafter, again Joint Inspection of the ITI was conducted on 14.10.2025 wherein following were observed:</p> <p>a) The committee noted that despite a revised rent agreement and partial compliance such as procurement of machinery and recruitment of an Employability Skills trainer, major deficiencies persist: low power consumption, incomplete and unauthenticated records, non-use of biometric attendance, insufficient CITS-qualified trainers, improper</p>	<p>including proof of operational machinery and equipment with geo tagged photos, geo-tagged photographs of the institute infrastructure and location, and any other documents substantiating compliance with the prescribed norms. In case the reply consists of multiple pages, the institute shall prepare a proper index and clearly reference all annexures relied upon in the submission.</p> <p>4. The reply must reach to DGT within 21 days from the date of issuance of Minutes of the Meeting at the email ID tc-deaffiliation@dgt.gov.in, using the following subject line: "Reply to Notice of 29th SCAA Minutes – <ITI Name>, <MIS Code>, <State Name>"</p> <p>5. In case no reply is received within the stipulated period, or if the reply is found unsatisfactory, the matter shall be processed for taking a final decision regarding de-affiliation without any further notice.</p>

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	29 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>wiring and partial installation of equipment, absence of BCC and approved building plan, inadequate IT and drawing lab facilities, lack of fire safety certification, and poor basic amenities. In view of these continued shortcomings, de-affiliation of the ITI is recommended.</p> <p>8. The Joint Verification Committee recommends for the de-affiliation of the ITI.</p> <p>9. The matter was revisited in 12th SSDEC in its meeting dated 05.03.2026 wherein the SSDEC recommended the ITI for de-affiliation for following reasons:</p> <p>a) Deficiencies reported by Joint verification committee indicate that ITI is not functional as per norms.</p> <p>Therefore, SSDEC recommends for de-affiliation.</p>	
10.	<p>Sanskar Bharti Private ITI</p> <p>Address:</p> <p>MIS code: PU23000680</p>	1. Electrician-3(1+1+1)	<p>1. The de-affiliation proceedings were initiated by RDSDE due to complaint received against the ITI on CPGRAM portal on 11.09.2025.</p> <p>2. The SCN was issued by the RDSDE on 30.09.2025 to the ITI. Then ITI replied to the reminder SCN.</p> <p>3. Thereafter, the Joint Inspection dated 21.11.2025 was conducted by RDSDE</p>	1. The matter was deliberated in the SCAA meeting. Based on the recommendations of the SSDEC and the material facts available on record, it is evident that the concerned ITI has violated the prescribed norms and guidelines, thereby defeating the sole objectives of the CTS.

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	29 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>and State officials. During the joint inspection, the following were observed:</p> <p>a) The inspection revealed critical deficiencies: absence of land and building documents, disconnected electricity, and non-availability of machinery bills, records, and staff details; the ITI remained closed for three years with no Trainees present; machinery is not installed as per norms and could not be tested due to lack of power; infrastructure is inadequate with no classrooms, poor workshop conditions, and absence of IT lab and drawing hall; basic amenities and safety measures are largely missing; and the premises are shared with a school—indicating the institute is non-functional and grossly non-compliant.</p> <p>4. The Joint Inspection committee recommended for de-affiliation of the ITI.</p> <p>5. The SCN dated 03.12.2025 followed by reminder SCN dated 18.12.2025 were issued to the ITI by RDSDE.</p> <p>6. The ITI did not reply to the both SCN and reminder SCN.</p> <p>7. The matter was discussed in 12th SSDEC in its meeting dated 05.03.2026 wherein</p>	<p>2. However, in adherence to the principles of natural justice, the concerned ITIs is hereby granted a final opportunity to show cause as to why the institute should not be de-affiliated, based upon the remarks of inspection team and the recommendations of the SSDEC mentioned in column (4).</p> <p>3. The explanation, if any, must be comprehensive and duly supported by relevant documentary evidence, including proof of operational machinery and equipment with geo tagged photos, geo-tagged photographs of the institute infrastructure and location, and any other documents substantiating compliance with the prescribed norms. In case the reply consists of multiple pages, the institute shall prepare a proper index and clearly reference all annexures relied upon in the submission.</p> <p>4. The reply must reach to DGT within 21 days from the date of issuance of Minutes of the Meeting at the email ID tc-</p>

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	29 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>the SSDEC recommended the ITI for de-affiliation for following reasons: Deficiencies reported by Joint verification committee indicate that ITI is not functional.</p> <p>8. Further, ITI did not submit any reply/representation. Therefore, SSDEC recommends for de-affiliation.</p>	<p>deaffiliation@dgt.gov.in, using the following subject line: “Reply to Notice of 29th SCAA Minutes – <ITI Name>, <MIS Code>, <State Name>”</p> <p>5. In case no reply is received within the stipulated period, or if the reply is found unsatisfactory, the matter shall be processed for taking a final decision regarding de-affiliation without any further notice.</p>
11.	<p>New Adarsh Private ITI, Rewa</p> <p>Address:</p> <p>MIS code: PU23000426</p>	1. Electrician-6(2+2+2)	<p>1. The de-affiliation proceedings were initiated by RDSDE due to complaint received against the ITI on 29.09.2025.</p> <p>2. The SCN was issued by the RDSDE on 30.09.2025 to the ITI. Then ITI replied to the reminder SCN.</p> <p>3. Thereafter, the Joint Inspection dated 04.12.2025 was conducted by RDSDE and State officials. During the Joint Inspection, the following were observed: a) The inspection revealed serious deficiencies: unclear land details in the rent agreement, absence of BCC and approved building plan, nil electricity consumption despite sanctioned load, outdated and incomplete machinery bills, poorly maintained or missing records, unqualified and insufficient staff,</p>	<p>1. The matter was deliberated in the SCAA meeting. Based on the recommendations of the SSDEC and the material facts available on record, it is evident that the concerned ITI has violated the prescribed norms and guidelines, thereby defeating the sole objectives of the CTS.</p> <p>2. However, in adherence to the principles of natural justice, the concerned ITIs is hereby granted a final opportunity to show cause as to why the institute should not be de-affiliated, based upon the remarks of inspection team and the recommendations of the SSDEC mentioned in column (4).</p>

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	29 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>absence of biometric attendance, low student presence, outdated and mostly non-functional machinery, inadequate infrastructure and amenities, deficient IT facilities, no drawing hall, and lack of fire safety compliance—indicating major non-compliance with norms.</p> <p>4. The Joint Inspection committee recommended for de-affiliation of the ITI.</p> <p>5. The SCN dated 08.12.2025 was issued to the ITI by RDSDE.</p> <p>6. The ITI replied to the SCN on 11.12.2025.</p> <p>7. The matter was discussed in 12th SSDEC in its meeting dated 05.03.2026 wherein the SSDEC recommended the ITI for de-affiliation for following reasons:</p> <p>a) Deficiencies reported by Joint verification committee indicate that ITI is not functional.</p> <p>8. Further, the reply submitted by the ITI is not satisfactory. Therefore, SSDEC recommends for de-affiliation.</p>	<p>3. The explanation, if any, must be comprehensive and duly supported by relevant documentary evidence, including proof of operational machinery and equipment with geo tagged photos, geo-tagged photographs of the institute infrastructure and location, and any other documents substantiating compliance with the prescribed norms. In case the reply consists of multiple pages, the institute shall prepare a proper index and clearly reference all annexures relied upon in the submission.</p> <p>4. The reply must reach to DGT within 21 days from the date of issuance of Minutes of the Meeting at the email ID tc-deaffiliation@dgt.gov.in, using the following subject line: “Reply to Notice of 29th SCAA Minutes – <ITI Name>, <MIS Code>, <State Name>”</p> <p>5. In case no reply is received within the stipulated period, or if the reply is found unsatisfactory, the matter shall be processed, and a final decision regarding de-</p>

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	29 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
				affiliation shall be taken without any further notice.
12.	Vaidehi Private ITI Address: MIS code: PU23000368	1. Electrician-6(2+2+2)	<p>1. The de-affiliation proceedings were initiated by RDSDE due to complaint received against the ITI on 29.09.2025. The reasons for the complaint were as follows:</p> <ol style="list-style-type: none"> There is no infrastructure/building of this ITI. ITI is operational only on papers. Trainees are admitted in this ITI. But they are sent to Other ITI which is a violation of NCVT norms and is harmful for the future of trainees. <p>2. The SCN was issued by the RDSDE on 30.09.2025 followed by reminder dated 31.10.2025 to the ITI.</p> <p>3. The ITI did not reply to the both SCN and reminder SCN.</p> <p>4. The matter was discussed in 12th SSDEC in its meeting dated 05.03.2026 wherein the SSDEC recommended the ITI for de-affiliation for following reasons: No reply has been submitted by ITI to the SCN as well as its reminder. It appears that ITI has nothing to submit in its support. Therefore, SSDEC recommends for de-affiliation.</p>	<ol style="list-style-type: none"> The matter was deliberated in the SCAA meeting. Based on the recommendations of the SSDEC and the material facts available on record, it is evident that the concerned ITI has violated the prescribed norms and guidelines, thereby defeating the sole objectives of the CTS. However, in adherence to the principles of natural justice, the concerned ITIs is hereby granted a final opportunity to show cause as to why the institute should not be de-affiliated, based upon the remarks of inspection team and the recommendations of the SSDEC mentioned in column (4). The explanation, if any, must be comprehensive and duly supported by relevant documentary evidence, including proof of operational machinery and equipment with geo tagged photos, geo-tagged photographs of the institute infrastructure and location, and any other documents

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	29th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
				<p>substantiating compliance with the prescribed norms. In case the reply consists of multiple pages, the institute shall prepare a proper index and clearly reference all annexures relied upon in the submission.</p> <p>4. The reply must reach to DGT within 21 days from the date of issuance of Minutes of the Meeting at the email ID tc-deaffiliation@dgt.gov.in, using the following subject line: “Reply to Notice of 29th SCAA Minutes – <ITI Name>, <MIS Code>, <State Name>”</p> <p>5. In case no reply is received within the stipulated period, or if the reply is found unsatisfactory, the matter shall be processed, and a final decision regarding de-affiliation shall be taken without any further notice.</p>
13.	Maa Narmada Private ITI, raisen Address: MIS code: PR23000968	1. Electrician-12(4+4+4) 2. Computer Operator and Programming Assistant-3(1+1+1)	1. The de-affiliation proceedings were initiated by RDSDE due an inquiry report forwarded by MPSSDEGB in respect of complaint received against the ITI for change of owner ship. 2. The State Directorate vide their letter dated 15.12.2025 informed the following	1. The matter was deliberated in the SCAA meeting. Based on the recommendations of the SSDEC and the material facts available on record, it is evident that the concerned ITI has violated the prescribed norms and guidelines,

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	29 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>in respect of the complaint against the ITI :</p> <p>a) Maa Narmada Private ITI, Begumganj (PR23000968) was previously operated under Jan Paras Shiksha Samiti Sagar, which was registered on June 10, 2010.</p> <p>b) However, the ITI is currently being functional under Jai Swami Welfare Society, Gairatganj, Raisen, which was registered on October 7, 2020.</p> <p>3. The inquiry was conducted by Principal Govt. ITI based on the Complaint.</p> <p>4. As per the inquiry report, ITI ownership was transferred from Jan Paras Shiksha Samiti, Sagar to Jai Swami Welfare Society Gairatganj Raisen.</p> <p>5. Thereafter, the SCN dated 16.12.2025 was issued to the ITI as well as the Society .</p> <p>6. Dr. Jai Narayan Yadav, Jan Paras Shiksha Samiti, Sagar stated in his reply that "The Jan Paras Shiksha Samiti Sagar had previously informed you through a letter that the Maa Narmada ITI in Begumganj should be de-affiliated because it was being operated without the permission of the District Education Committee, which was unconstitutional. Mr. Niranjani Lodhi was operating the ITI illegally, and legal action should be taken against him, and</p>	<p>thereby defeating the sole objectives of the CTS.</p> <p>2. However, in adherence to the principles of natural justice, the concerned ITIs is hereby granted a final opportunity to show cause as to why the institute should not be de-affiliated, based upon the remarks of inspection team and the recommendations of the SSDEC mentioned in column (4).</p> <p>3. The explanation, if any, must be comprehensive and duly supported by relevant documentary evidence, including proof of operational machinery and equipment with geo tagged photos, geo-tagged photographs of the institute infrastructure and location, and any other documents substantiating compliance with the prescribed norms. In case the reply consists of multiple pages, the institute shall prepare a proper index and clearly reference all annexures relied upon in the submission.</p> <p>4. The reply must reach to DGT within 21 days from the date of</p>

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	29 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>he should be given the strictest possible punishment. I have already submitted an application to the Station House Officer of Begumganj Police Station regarding this matter.</p> <p>7. However, reply has been received in the letterhead of Jan Paras Samiti, Sagar. Sh. Anil Jain, Secretary (also the complainant) in which it has been stated that the society has not been changed.</p> <p>8. The matter was discussed in 12th SSDEC in its meeting dated 05.03.2026 wherein the SSDEC recommended the ITI for de-affiliation for following reasons:</p> <p>a) As change in ownership is not allowed as per Affiliation norms. Further, concerned ITI may be informed to apply as per Norms.</p>	<p>issuance of Minutes of the Meeting at the email ID tc-deaffiliation@dgt.gov.in, using the following subject line: “Reply to Notice of 29th SCAA Minutes – <ITI Name>, <MIS Code>, <State Name>”</p> <p>5. In case no reply is received within the stipulated period, or if the reply is found unsatisfactory, the matter shall be processed for taking a final decision regarding de-affiliation without any further notice.</p>
14.	<p>Shree Pratap Private ITI, Gwalior</p> <p>Address:</p> <p>MIS code: PU23000935</p>	<p>1. Electrician-6(2+2+2)</p> <p>2. Health Sanitary Inspector-2(1+1)</p> <p>3. Stenographer & Secretarial Assistant (Hindi)-3(1+1+1)</p>	<p>The de-affiliation proceedings of the ITI was initiated due to complaint received against the ITI as ITI has address been changed without inspection/request .</p> <p>1. SCN was issued to the ITI on 08.04.2021.</p> <p>2. The matter was discussed in 8th SCAA dated 12.04.2023, wherein the SCAA decided that the State directorate and RDSDE will discuss the matter in their SSDEC meeting for appropriate action as per DGT norms and if required the Joint</p>	<p>1. The matter was deliberated in the SCAA meeting and SCAA observed that permitting inspection is an inherent obligation under the Affiliation Norms, as verification of compliance and infrastructure cannot be undertaken without on-site assessment. Refusal to allow inspection therefore constitutes a serious violation of the affiliation conditions, rendering the</p>

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	29 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>Inspection may be carried out by State Directorate and RDSDE.</p> <p>3. Thereafter the Joint Inspection was conducted on 13.03.2025 wherein, the ITI denied for inspection on the ground that they have filed the petition on which the decision is pending.</p> <p>4. The matter was discussed in the 11th SSDEC meeting held on 15.09.2025, it was apprised that the 2nd Joint Inspection of the ITI is pending, therefore, SSDEC directed to conduct the pending Joint Inspection of the ITI at the earliest.</p> <p>5. Accordingly, Joint Inspection of the ITI was conducted on 12.11.2025, wherein ITI again denied for inspection.</p> <p>6. The matter was revisited in the 12th SSDEC in its meeting held on 05.03.2026, wherein the, SSDEC recommended the ITI for de-affiliation due to following reasons:</p> <p>a) The ITI has given sufficient opportunity.</p> <p>b) The ITI denied the both joint inspections.</p> <p>c) There are no specific directions from Hon'ble Court(s) There are no specific directions from Hon'ble Court(s) explicitly stating that no inspection by controlling authority</p>	<p>concerned ITIs liable to be de-affiliated.</p> <p>2. This observation of the Committee is further strengthened by multiple judgments of various Hon'ble High Courts. The Hon'ble High Court of Madhya Pradesh, in W.P. No. 8116/2025 (MAA SHITLA PVT. I.T.I. vs. Union of India & Others), held that when complaints are received, the apex authority is duty-bound to examine them, and such examination may necessarily require on-spot verification through an inspection. The Hon'ble Punjab & Haryana High Court, Chandigarh, in CWP-20763-2025 (Modern ITI Bathinda vs. DGT), observed that a fresh inspection does not prejudice the institute. The Hon'ble Rajasthan High Court, Jodhpur Bench, in S.B. Civil W.P. No. 18022/2025 (Pooja Pvt. ITI & Ors. vs. State of Rajasthan & Others), further clarified that no institution can claim a right to dictate the date or manner of inspection.</p>

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	29th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			shall be carried out until the final adjudication of the said petition.	<p>Collectively, these judicial pronouncements clearly support the Committee's view that refusal to permit inspection is unjustified, contrary to law, and incompatible with the affiliation framework.</p> <p>3. Accordingly, SCAA held that the ITI is liable to be de-affiliated for refusal of inspection.</p> <p>4. However, in adherence to the principles of natural justice, the concerned ITI is hereby granted a final opportunity to show cause as to why the institute should not be de-affiliated.</p> <p>5. The explanation/reply, if any, must be comprehensive and duly supported by relevant documentary evidence, including proof of operational machinery and equipment with geo-tagged photographs, geo-tagged photographs of the institute infrastructure and location, and any other documents substantiating compliance with the prescribed norms. In case the reply consists of multiple pages, the institute shall prepare a proper index and clearly reference all</p>

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	29 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
				<p>annexures relied upon in the submission.</p> <p>6. The reply must reach DGT within 21 days from the date of issuance of these minutes at the email ID tc-deaffiliation@dgt.gov.in, using the following subject line: “Reply to Notice under 29th SCAA Minutes – <ITI Name>, <MIS Code>, <State Name>”</p> <p>7. In case no reply is received within the stipulated period, or if the reply is found unsatisfactory, the matter shall be processed for taking a final decision regarding de-affiliation without any further notice.</p>
15.	The National Private ITI , Datia , MIS code: PR23000767	1. Electrician-6(2+2+2)	<p>1. The de-affiliation proceedings of the ITI was initiated due to complaint received against the ITI as ITI has been shifted to another place without approval.</p> <p>2. SCN was issued to the ITI on 08.04.2021.</p> <p>3. The matter was discussed in 8th SCAA dated 12.04.2023, wherein the SCAA decided that the State directorate and RDSDE will discuss the matter in their SSDEC meeting for appropriate action as per DGT norms and if required the Joint Inspection may be carried out by State Directorate and RDSDE.</p>	1. The matter was deliberated in the SCAA meeting and SCAA observed that permitting inspection is an inherent obligation under the Affiliation Norms, as verification of compliance and infrastructure cannot be undertaken without on-site assessment. Refusal to allow inspection therefore constitutes a serious violation of the affiliation conditions, rendering the

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	29 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>4. Thereafter the Joint Inspection was conducted on 12.03.2025 wherein, the ITI denied for inspection on the ground that they have filed the petition on which the decision is pending.</p> <p>5. The matter was discussed in the 11th SSDEC meeting held on 15.09.2025, it was apprised that the 2nd Joint Inspection of the ITI is pending, therefore, SSDEC directed to conduct the pending Joint Inspection of the ITI at the earliest.</p> <p>6. Accordingly, Joint Inspection of the ITI was conducted on 11.11.2025, wherein ITI again denied for inspection.</p> <p>7. The matter was revisited in the 12th SSDEC in its meeting held on 05.03.2026, wherein the, SSDEC recommended the ITI for de-affiliation due to following reasons:</p> <ol style="list-style-type: none"> a) The ITI has given sufficient opportunity. b) The ITI denied the both joint inspections. c) There are no specific directions from Hon'ble Court(s) explicitly stating that no inspection by controlling authority shall be carried out until the final adjudication of the said petition. 	<p>concerned ITIs liable to be de-affiliated.</p> <p>2. This observation of the Committee is further strengthened by multiple judgments of various Hon'ble High Courts. The Hon'ble High Court of Madhya Pradesh, in W.P. No. 8116/2025 (MAA SHITLA PVT. I.T.I. vs. Union of India & Others), held that when complaints are received, the apex authority is duty-bound to examine them, and such examination may necessarily require on-spot verification through an inspection. The Hon'ble Punjab & Haryana High Court, Chandigarh, in CWP-20763-2025 (Modern ITI Bathinda vs. DGT), observed that a fresh inspection does not prejudice the institute. The Hon'ble Rajasthan High Court, Jodhpur Bench, in S.B. Civil W.P. No. 18022/2025 (Pooja Pvt. ITI & Ors. vs. State of Rajasthan & Others), further clarified that no institution can claim a right to dictate the date or manner of inspection.</p>

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	29th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
				<p>3. Collectively, these judicial pronouncements clearly support the Committee's view that refusal to permit inspection is unjustified, contrary to law, and incompatible with the affiliation framework.</p> <p>4. Accordingly, SCAA held that the ITI is liable to be de-affiliated for refusal of inspection.</p> <p>5. However, in adherence to the principles of natural justice, the concerned ITI is hereby granted a final opportunity to show cause as to why the institute should not be de-affiliated.</p> <p>6. The explanation/reply, if any, must be comprehensive and duly supported by relevant documentary evidence, including proof of operational machinery and equipment with geo-tagged photographs, geo-tagged photographs of the institute infrastructure and location, and any other documents substantiating compliance with the prescribed norms. In case the reply consists of multiple pages, the institute shall prepare a proper index and clearly reference all</p>

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	29 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
				<p>annexures relied upon in the submission.</p> <p>7. The reply must reach DGT within 21 days from the date of issuance of Minutes of the Meeting at the email ID tc-deaffiliation@dgt.gov.in, using the following subject line: “Reply to Notice under 29th SCAA Minutes – <ITI Name>, <MIS Code>, <State Name>”</p> <p>8. In case no reply is received within the stipulated period, or if the reply is found unsatisfactory, the matter shall be processed for taking a final decision regarding de-affiliation without any further notice.</p>
16.	SR Private ITI Address: MIS code: PR23001049	<ol style="list-style-type: none"> 1. Electrician-10(6+2+2) 2. Fitter-3(1+1+1) 	<ol style="list-style-type: none"> 1. The de-affiliation proceedings were initiated by DGT due to the complaint received against the ITI on the ground of illegal use of ITI login on NCVT MIS portal. 2. SCN was issued to the ITI on 15.09.2021 by DGT. 3. The matter was discussed in 8th SSDEC dated 09.12.2024 and 10.12.2024 and SSDEC has directed that guidance be sought from DGT on this matter. 	<ol style="list-style-type: none"> 1. The matter was deliberated in the SCAA meeting. Based on the recommendations of the SSDEC and the material facts available on record, it is evident that the concerned ITI has violated the prescribed norms and guidelines, thereby defeating the sole objectives of the CTS. 2. However, in adherence to the principles of natural justice, the concerned ITIs is hereby granted a

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	29 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>4. Accordingly, as per the decision of competent authority, the RDSDE was directed vide email dated 24.03.2025 to conduct a Joint Inspection of the ITI in coordination with the State Directorate.</p> <p>5. Thereafter, a Joint Inspection of the ITI was conducted on 22.05.2025, wherein the following deficiencies were observed:</p> <p>6. The inspection revealed major deficiencies, including incomplete and non-compliant documents (unclear rent agreement address, unapproved BCC), inadequate infrastructure, and poorly maintained or non-functional machinery. Essential registers and records were not available, staff strength and qualifications were below norms, and attendance systems were weak with low trainee presence. Key facilities like IT lab and drawing hall were inadequate or unavailable, the building layout differed from the approved plan, and mandatory safety requirements, including fire safety certification, were not met.</p> <p>7. The Joint Inspection committee recommended the ITI for de-affiliation as the ITI seems to be not functional for long since, electricity consumption is less, T&E are rusted, few machines working, many machines are not installed on foundations.</p>	<p>final opportunity to show cause as to why the institute should not be de-affiliated, based upon the remarks of inspection team and the recommendations of the SSDEC mentioned in column (4).</p> <p>3. The explanation, if any, must be comprehensive and duly supported by relevant documentary evidence, including proof of operational machinery and equipment with geo tagged photos, geo-tagged photographs of the institute infrastructure and location, and any other documents substantiating compliance with the prescribed norms. In case the reply consists of multiple pages, the institute shall prepare a proper index and clearly reference all annexures relied upon in the submission.</p> <p>4. The reply must reach to DGT within 21 days from the date of issuance of Minutes of the Meeting at the email ID tc-deaffiliation@dgt.gov.in, using the following subject line: "Reply to Notice of 29th SCAA Minutes – <ITI Name>, <MIS Code>, <State Name>"</p>

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	29th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>8. The SCN dated 26.05.2025 was issued to the ITI and the ITI replied to the SCN. The reply of the ITI was considered.</p> <p>9. The matter was discussed in 11th SSDEC meeting held on 15.09.2025, it was apprised that the Joint Inspection of the ITI is pending, therefore, SSDEC directed to complete the pending Joint Inspection of the ITI at the earliest.</p> <p>10. Accordingly, the Joint Inspection of the ITI was conducted on 27.11.2025 in which following were observed:</p> <p>a) The Committee noted that despite submission of a revised rent agreement, the ITI has significant deficiencies in infrastructure, machinery, staffing, and records. Equipment is inadequate and poorly maintained, staff are unqualified with irregular appointments, and actual attendance of trainers and trainees is far below records. Essential facilities and labs are lacking or substandard, records are incomplete or unreliable, and safety measures are non-compliant. Overall, the institute appears non-functional with serious violations of affiliation norms.</p> <p>11. The Joint Inspection committee recommended the ITI for de-affiliation.</p>	<p>5. In case no reply is received within the stipulated period, or if the reply is found unsatisfactory, the matter shall be processed, and a final decision regarding de-affiliation shall be taken without any further notice.</p>

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	29 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>12. The matter was revisited in the 12th SSDEC in its meeting held on 05.03.2026, wherein the, SSDEC recommended the ITI for de-affiliation due to following reasons:</p> <p>13. Joint Verification Committee has reported that deficiencies have not been rectified by ITI. It indicates that ITI is not functional as per norms. Therefore, SSDEC recommends for de-affiliation of the ITI.</p>	
17.	<p>Shri Sai Private ITI, Singrauli</p> <p>Address:</p> <p>MIS code: PR23000174</p>	1. Electrician-2(1+1)	<p>1. The Joint Inspection was conducted on 20.06.2023. During the Joint Inspection it was observed that ITI was not adhering to NCVT norms as there were various infrastructural deficiencies such as – machinery was not in working condition, tools and equipment's for affiliated trades were not as per norms, classroom and workshops were not safe, only few documents of ITI were provided by the ITI.</p> <p>2. The matter was discussed in 3rd SSDEC dated 09.08.2023 in which one opportunity was given to the ITI to represent itself on the findings observed in the above-said inspection. The SSDEC also decided to conduct the Joint Inspection of those ITIs whosoever response to the SCN.</p>	<p>The matter was deliberated in the SCAA meeting. Based on the recommendations of the SSDEC and the material facts available on record, it is evident that the concerned ITI has violated the prescribed norms and guidelines, thereby defeating the sole objectives of the CTS.</p> <p>However, in adherence to the principles of natural justice, the concerned ITIs is hereby granted a final opportunity to show cause as to why the institute should not be de-affiliated, based upon the remarks of inspection team and the recommendations of the SSDEC mentioned in column (4).</p>

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	29 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>3. The SCN was issued to the ITI by RDSDE through E-mail dated 10.08.2023 and ITI responded to the SCN.</p> <p>4. Thereafter, the 2nd Joint Inspection was conducted on 11.09.2023 in which the ITI was found closed.</p> <p>5. The matter was again discussed in 4th SSDEC dated 18.09.2023, in which SSDEC recommended for de-affiliation of the ITI.</p> <p>6. Thereafter, the matter was discussed in 12th SCAA dated 15.12.2023 to 18.12.2023 in which vide agenda- (4), the SCAA decided that as 'Principle of natural justice' one more opportunity is provided to the ITI and conduct Joint Inspection again.</p> <p>7. In compliance with the decision of the 12th SCAA, the Joint Inspection was again conducted on 14.03.2024 and NCVT member recommended the ITI for de-affiliation due to following deficiencies:</p> <p>a) The old lease document (dated 02/12/2010) provided by ITI was not visible on the day of inspection. Therefore, ITI has made the lease document on current date.</p> <p>b) BCC was not available during inspection.</p>	<p>The explanation, if any, must be comprehensive and duly supported by relevant documentary evidence, including proof of operational machinery and equipment with geo tagged photos, Geo-tagged photographs of the institute infrastructure and location, and Any other documents substantiating compliance with the prescribed norms. In case the reply consists of multiple pages, the institute shall prepare a proper index and clearly reference all annexures relied upon in the submission.</p> <p>The reply must reach to DGT within 21 days from the date of issuance of Minutes of the Meeting at the email ID tc-deaffiliation@dgt.gov.in, using the following subject line: "Reply to Notice of 26th SCAA Minutes – <ITI Name>, <MIS Code>, <State Name>"</p> <p>In case no reply is received within the stipulated period, or if the reply is found unsatisfactory, the matter shall be processed, and a final decision</p>

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	29th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>c) CITS trained instructor was not available in the ITI.</p> <p>d) Biometric attendance of staff and Trainees were not available on the day of inspection.</p> <p>e) Except toilet other amenities were not available in the ITI.</p> <p>f) Drawing hall was available but not as per norms.</p> <p>g) IT lab of the ITI was not as per norms.</p> <p>h) The SCVT member recommended the ITI for affiliation.</p> <p>8. The matter was again discussed in 5th SSDEC held on 22.05.2024 in which SSDEC decided that there are contradictory decisions on Joint Inspection report of the ITI, therefore, clarification may be sought again from both committee members to decide the matter.</p> <p>9. Accordingly, the matter was revisited during the 8th SSDEC meeting held on 09.12.2024 and 10.12.2024. In view of the indecisive nature of the SCVT member's report, the SSDEC considered the report submitted by the NCVT member, being the senior representative, for final decision-making. Based on this, the SSDEC recommended the de-affiliation of the ITI.</p>	<p>regarding de-affiliation shall be taken without any further notice.</p>

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	29th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>10. Thereafter, the matter was discussed in 21st SCAA in its meeting dated 28.04.2025, wherein SCAA in accordance with the principle of natural justice, an opportunity was granted to the ITI to represent itself against the deficiencies observed during the inspection dated 14.03.2024, and to submit its reply to the RDSDE within 20 days from the date of issue of 21st SCAA MoM.</p> <p>11. Accordingly, the joint verification of the ITI was conducted on 15.01.2026 and the remarks of the joint verification committee are as follows:</p> <p>12. The committee has reported that the principal of Shri Sai Private ITI, Singrauli refused for conducting the joint verification stating that the inspection of the said ITI has already been conducted thrice till date and the reports have not been shared to him. Also, as the matter is in the Hon'ble High Court for consideration, he will allow the inspection as per the direction of Hon'ble High Court.</p> <p>13. Also, the committee observed that the ITI is running in the basement and there is no stay order from the Hon'ble High Court for not conducting verification. Joint Verification could not be conducted on</p>	

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	29th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
			<p>15.01.2026 and deficiencies could not be verified.</p> <p>14. The committee agrees with the remarks of earlier inspection committee and 21st SCAA meeting and recommends for de-affiliation of the ITI.</p> <p>15. The matter was revisited in the 12th SSDEC in its meeting held on 05.03.2026, wherein the, SSDEC recommended the ITI for de-affiliation due to following reasons:</p> <p>a) There is no stay order from Hon'ble Court in respect of Petitions filed by these ITIs explicitly stating that no inspection by the Controlling Authority shall be carried out until the final adjudication of the said Petition. ITI cannot deny Joint Inspection citing the pendency of a Petition before the Hon'ble Court or any other reason.</p> <p>b) To safeguard the future of trainees and ensure quality training, controlling authority holds the authority to inspect and evaluate the ITI's performance at any time, to confirm whether training is being conducted as per prescribed norms.</p> <p>16. In view of above, SSDEC recommends for De-affiliation of ITI.</p>	

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	29 th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
18.	Skill India Private ITI Barwani Address MIS code: PR23000886	1. Electrician-6(2+2+2) 2. Fitter-2(1+1)	1. ITI requested for self-surrender of following trade/units: a) Fitter (1+1+0) 2. The matter was discussed in 12th SSDEC in its meeting dated 05.03.2026 wherein the SSDEC recommended the de-affiliation for following trade/units of ITI based on the ITI request: a) Fitter (1+1+0)	SCAA accepted the ITI's request for the self-surrender of following trade of the ITI: Fitter – (1+1+0)
19.	Excellence Private ITI Address: MIS code: PR23000165	1. Fitter-6(2+2+2) 2. Stenographer & Secretarial Assistant (Hindi) - 3(1+1+1) 3. Electrician-24(8+8+8) 4. Computer Operator and Programming Assistant- 3(1+1+1)	1. ITI requested for self-surrender of following trade/units : a) Steno Hindi- 3(1+1+1) b) COPA- 3(1+1+1) c) Electrician*- 6(2+2+2)* 7th and 8th Unit of all 3 shifts of electrician trade 2. The matter was discussed in 12th SSDEC in its meeting dated 05.03.2026 wherein the SSDEC recommended the de-affiliation for following trade/units of ITI based on the ITI request: a) Steno Hindi- 3(1+1+1) b) COPA- 3(1+1+1) c) Electrician*- 6(2+2+2)* 7th and 8th Unit of all 3 shifts of Electrician trade	SCAA accepted the ITI's request for the self-surrender of following trades: a) Stenographer & Secretarial Assistant (Hindi) - 3(1+1+1) b) Computer Operator and Programming Assistant - 3(1+1+1) c) Electrician*- 6(2+2+2)* 7th and 8th Unit of all 3 shifts of electrician trade

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	29th SCAA Remarks
(1)	(2)	(3)	(4)	(5)
20.	Harda Private ITI Address MIS code: PU23000551	1. Electrician - 6(2+2+2)	1. ITI requested for self-surrender of ITI 2. The matter was discussed in 12th SSDEC in its meeting dated 05.03.2026 wherein the SSDEC recommended the de-affiliation of ITI based on the ITI request.	SCAA accepted the ITI's request for the self-closure of the ITI.
21.	Gurukripa Private ITI Address MIS code: PR23000219	1. Electrician- 2(1+1)	1. ITI requested for self-surrender of ITI 2. The matter was discussed in 12th SSDEC in its meeting dated 05.03.2026 wherein the SSDEC recommended the de-affiliation of ITI based on the ITI request.	SCAA accepted the ITI's request for the self-closure of the ITI.

Annexure-6

Annexure- 6 as referred in agenda 2.2 regarding de-affiliation of 06 ITIs of Jharkhand State

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	TC observations
(1)	(2)	(3)	(4)	(5)
1	Tata Private ITI Jawahar Nagar, Road No. 6, Mango, Jamshedpur, East Singhbhum, Jharkhand – 831012. MIS code- PR20000017	1. Electrician- 4(2+2) 2. Fitter- 3(1+2)	1. A joint surprise inspection was conducted by the RDSDE team along with the Employment Officer, Jamshedpur on 04.10.2025. 2. During inspection the ITI was found locked and closed and the Joint Inspection Committee recommend the ITI for de-affiliation. 3. The SCN dated 18.10.2025 was issued to the ITI but no reply received from the ITI. 4. The matter was discussed in the 5 th SSDEC in its meeting dated 06.02.2026 in which SSDEC recommended de-affiliation due to following reasons: a) ITI was completely non-functional.	1. The matter was deliberated in the SCAA meeting and SCAA noted the recommendation of SSDEC. SCAA observed that the institute being found locked and non-operational during inspection, coupled with failure to respond to the Show Cause Notice, raises serious concerns regarding compliance with the conditions of affiliation and maintenance of the minimum requirements prescribed under the CTS framework. 2. Accordingly, SCAA held that the ITI is liable to be de-affiliated for being non-functional. SCAA further observed that such action is necessary to ensure that only functional ITIs complying with the prescribed norms are allowed to continue under the CTS framework. 3. However, in adherence to the principles of natural justice, the concerned ITI is hereby granted a final opportunity to show cause as to why the institute should not be de-affiliated. These Minutes shall be treated as a final notice issued by DGT. 4. The explanation/reply, if any, must be comprehensive and duly supported by

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	TC observations
(1)	(2)	(3)	(4)	(5)
				<p>relevant documentary evidence, including proof regarding the present operational status of the institute, availability of trainees and staff, operational machinery and equipment along with geo-tagged photographs, geo-tagged photographs of the institute infrastructure and location, electricity bills, attendance records, and any other documents substantiating compliance with the prescribed norms. In case the reply consists of multiple pages, the institute shall prepare a proper index and clearly reference all annexures relied upon in the submission.</p> <p>5. The reply must reach DGT within 21 days from the date of issuance of Minutes of the Meeting at the email ID tc-deaffiliation@dgt.gov.in using the following subject line: “Reply to Notice under 29th SCAA Minutes – <ITI Name>, <MIS Code>, <State Name>”.</p> <p>6. In case no reply is received within the stipulated period, or if the reply submitted is found unsatisfactory, the matter shall be processed for taking an appropriate final decision regarding de-affiliation without any further notice.</p>

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	TC observations
(1)	(2)	(3)	(4)	(5)
2	Sri Sidhi Vinayak Private ITI Chhota Kankra, P.O. – Madhupur, P.S.- Saraikela, Dist. Saraikela Kharsawan, Jharkhand – 833220 MIS code: PR20000232	1. Electrician-4(2+2) 2. Fitter- 4(2+2)	1. A surprise inspection of the Institute was carried out on 10.10.2025. As per the inspection report, serious lapses and non-compliances were recorded. 2. The SCN dated 14.10.2025 was issued to the ITI but no reply received from the ITI. 3. The matter was discussed in the 5 th SSDEC in its meeting dated 06.02.2026 in which SSDEC recommended de-affiliation due to following reasons: 4. ITI was completely non-functional.	1. The matter was deliberated in the SCAA meeting and SCAA noted the recommendation of SSDEC. SCAA observed that the institute being found locked and non-operational during inspection, coupled with failure to respond to the Show Cause Notice, raises serious concerns regarding compliance with the conditions of affiliation and maintenance of the minimum requirements prescribed under the CTS framework. 2. Accordingly, SCAA held that the ITI is liable to be de-affiliated for being non-functional. SCAA further observed that such action is necessary to ensure that only functional ITIs complying with the prescribed norms are allowed to continue under the CTS framework. 3. However, in adherence to the principles of natural justice, the concerned ITI is hereby granted a final opportunity to show cause as to why the institute should not be de-affiliated. These Minutes shall be treated as a final notice issued by DGT. 4. The explanation/reply, if any, must be comprehensive and duly supported by relevant documentary evidence, including proof regarding the present operational status of the institute,

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	TC observations
(1)	(2)	(3)	(4)	(5)
				<p>availability of trainees and staff, operational machinery and equipment along with geo-tagged photographs, geo-tagged photographs of the institute infrastructure and location, electricity bills, attendance records, and any other documents substantiating compliance with the prescribed norms. In case the reply consists of multiple pages, the institute shall prepare a proper index and clearly reference all annexures relied upon in the submission.</p> <p>5. The reply must reach DGT within 21 days from the date of issuance of Minutes of the Meeting at the email ID tc-deaffiliation@dgt.gov.in using the following subject line: “Reply to Notice under 29th SCAA Minutes – <ITI Name>, <MIS Code>, <State Name>”.</p> <p>6. In case no reply is received within the stipulated period, or if the reply submitted is found unsatisfactory, the matter shall be processed for taking an appropriate final decision regarding de-affiliation without any further notice.</p>
3.	Mehar Private ITI NH-33, Near PWD IB	1. Electrician- 4(2+2) 2. Fitter- 4(2+2)	1. A surprise inspection of the Institute was carried out on 11.10.2025. As per the inspection	1. The matter was deliberated in the SCAA meeting and SCAA noted the recommendation of SSDEC. SCAA

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	TC observations
(1)	(2)	(3)	(4)	(5)
	Bharagora, East Singhbhum, Jharkhand. MIS code: PR20000257		<p>report, serious lapses and non-compliances were recorded.</p> <p>2. The SCN dated 15.10.2025 was issued to the ITI but no reply received from the ITI.</p> <p>3. The matter was discussed in the 5th SSDEC in its meeting dated 06.02.2026 in which SSDEC recommended de-affiliation due to following reasons:</p> <p>4. ITI was completely non-functional.</p>	<p>observed that the institute being found non-operational during inspection, coupled with failure to respond to the Show Cause Notice, raises serious concerns regarding compliance with the conditions of affiliation and maintenance of the minimum requirements prescribed under the CTS framework.</p> <p>2. Accordingly, SCAA held that the ITI is liable to be de-affiliated for being non-functional. SCAA further observed that such action is necessary to ensure that only functional ITIs complying with the prescribed norms are allowed to continue under the CTS framework.</p> <p>3. However, in adherence to the principles of natural justice, the concerned ITI is hereby granted a final opportunity to show cause as to why the institute should not be de-affiliated. These Minutes shall be treated as a final notice issued by DGT.</p> <p>4. The explanation/reply, if any, must be comprehensive and duly supported by relevant documentary evidence, including proof regarding the present operational status of the institute, availability of trainees and staff, operational machinery and equipment along with geo-tagged photographs,</p>

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	TC observations
(1)	(2)	(3)	(4)	(5)
				<p>geo-tagged photographs of the institute infrastructure and location, electricity bills, attendance records, and any other documents substantiating compliance with the prescribed norms. In case the reply consists of multiple pages, the institute shall prepare a proper index and clearly reference all annexures relied upon in the submission.</p> <p>5. The reply must reach DGT within 21 days from the date of issuance of Minutes of the Meeting at the email ID tc-deaffiliation@dgt.gov.in using the following subject line: “Reply to Notice under 29th SCAA Minutes – <ITI Name>, <MIS Code>, <State Name>”.</p> <p>6. In case no reply is received within the stipulated period, or if the reply submitted is found unsatisfactory, the matter shall be processed for taking an appropriate final decision regarding de-affiliation without any further notice.</p>
4	Tribal Pvt. ITI Address:- (1) Sidroul, Nunkum (as per NCVT MIS portal), Ranchi,	1. Electrician- 18(11+7) 2. Fitter-14(7+7) 3. Health Sanitary Inspector- 1(0+1)	1. Initial surprise inspection of the ITI was conducted on 23.08.2023 in accordance to verify the infrastructural and training facility of the ITI.	1. The matter was deliberated in the SCAA meeting and SCAA noted the recommendation of SSDEC. SCAA observed that the institute being found non-operational during inspection, coupled with failure to respond to the

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	TC observations
(1)	(2)	(3)	(4)	(5)
	<p>Jharkhand-834001.</p> <p>(2) Rajaulatu, P.O Numkum (As per the State DET portal):- MIS code: PR20000045</p>	<p>4. Mechanic Diesel-6(3+3) 5. Welder-5(2+3)</p>	<p>2. During inspection severe deficiencies related to infrastructure and workshops were observed.</p> <p>3. Thereafter, the SCN dated 12.09.2023 followed by reminder SCN dated 09.06.2025 were issued to the ITI but ITI did not reply to the both.</p> <p>4. Another surprise inspection of the Institute was carried out on 28.07.2025 following were observed:</p> <p>a) The premises were being used for the running of YBN University on the place of ITI.</p> <p>b) The workshops, infrastructure, training facilities are completely dismantled & non-functioning.</p> <p>c) No separate electricity connection in the ITI</p> <p>d) Machineries and equipment's were not available as per the norms in r/o affiliated trade/units in this ITI</p> <p>e) No valid documents of the ITI were provided.</p>	<p>Show Cause Notice, raises serious concerns regarding compliance with the conditions of affiliation and maintenance of the minimum requirements prescribed under the CTS framework.</p> <p>2. Accordingly, SCAA held that the ITI is liable to be de-affiliated for being non-functional. SCAA further observed that such action is necessary to ensure that only functional ITIs complying with the prescribed norms are allowed to continue under the CTS framework.</p> <p>3. However, in adherence to the principles of natural justice, the concerned ITI is hereby granted a final opportunity to show cause as to why the institute should not be de-affiliated. These Minutes shall be treated as a final notice issued by DGT.</p> <p>4. The explanation/reply, if any, must be comprehensive and duly supported by relevant documentary evidence, including proof regarding the present operational status of the institute, availability of trainees and staff, operational machinery and equipment along with geo-tagged photographs, geo-tagged photographs of the institute infrastructure and location, electricity bills, attendance records, and any other</p>

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	TC observations
(1)	(2)	(3)	(4)	(5)
			<p>f) Principal was not present in the institute.</p> <p>g) No CITS trained staffs available.</p> <p>5. It was also informed by State Directorate that during the inspection dated 28.07.2025, the ITI was made as practical exam center for AITT 2025 due to which it was found dismantled condition.</p> <p>6. Accordingly, again surprise Joint Inspection dated 08.09.2025 was conducted in which again severe deficiencies were observed such as:</p> <p>a) A board of University was installed and running in the ITI premises.</p> <p>b) The labs and machineries of electrician, Fitter and Mechanic Diesel trades were very old and completely nonfunctional.</p> <p>c) No trainees were available during inspection.</p> <p>d) The ITI found non- functional in working hours.</p> <p>e) The instructors available in the ITI were not as per affiliation norms.</p>	<p>documents substantiating compliance with the prescribed norms. In case the reply consists of multiple pages, the institute shall prepare a proper index and clearly reference all annexures relied upon in the submission.</p> <p>5. The reply must reach DGT within 21 days from the date of issuance of Minutes of the Meeting at the email ID tc-deaffiliation@dgt.gov.in using the following subject line: “Reply to Notice under 29th SCAA Minutes – <ITI Name>, <MIS Code>, <State Name>”.</p> <p>6. In case no reply is received within the stipulated period, or if the reply submitted is found unsatisfactory, the matter shall be processed for taking an appropriate final decision regarding de-affiliation without any further notice.</p>

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	TC observations
(1)	(2)	(3)	(4)	(5)
			<p>7. The Joint Inspection committee recommended de-affiliation of the ITI.</p> <p>8. The matter was discussed in the 5th SSDEC in its meeting dated 06.02.2026 in which SSDEC recommended de-affiliation due to following reasons: ITI was completely non-functional</p>	
5.	<p>Kiran Pvt. ITI Hehal Ranchi Jharkhand - 834005</p> <p>MIS code: PR20000156</p>	<p>1. Electrician- 4(2+2) 2. Fitter- 4(2+2)</p>	<p>1. Initial surprise inspection of the ITI was conducted on 23.08.2023 in accordance to verify the infrastructural and training facility of the ITI .</p> <p>2. During inspection severe following deficiencies related to infrastructure and workshops were observed.</p> <p>a) ITI was running less than 4 trades.</p> <p>b) ITI was running less than 0.5 acers.</p> <p>c) Workshops were used for Godown for their Electronic shops.</p> <p>d) Safety norms such as wiring flooring , fire extinguishers were not followed by the ITI.</p> <p>e) Workshops, classrooms and other amenities were</p>	<p>1. The matter was deliberated in the SCAA meeting. Based on the recommendations of the SSDEC and the material facts available on record, it is evident that the concerned ITI has violated the prescribed norms and guidelines, thereby defeating the sole objectives of the CTS.</p> <p>2. However, in adherence to the principles of natural justice, the concerned ITIs is hereby granted a final opportunity to show cause as to why the institute should not be de-affiliated, based upon the remarks of inspection team and the recommendations of the SSDEC mentioned in column (4).</p> <p>3. The explanation, if any, must be comprehensive and duly supported by relevant documentary evidence, including proof of operational</p>

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	TC observations
(1)	(2)	(3)	(4)	(5)
			<p>insufficient. The building seems to be residential building of the owner.</p> <p>3. Subsequently, a Show Cause Notice (SCN) dated 12.09.2023, followed by a reminder SCN dated 09.06.2025, was issued to the ITI. The ITI submitted its reply to the reminder SCN.</p> <p>4. In its reply dated 16.06.2025, the ITI submitted the following points:</p> <p>a) The ITI has affiliation for two trades, granted in 2012, and claims compliance with DGT criteria for affiliated trades.</p> <p>b) It stated that both trades adhere to the space norms as per DGT guidelines applicable at the time of affiliation (2012).</p> <p>c) The proprietor operates a separate Kiran electronic shop on Bajra-Bariyatu Road, located away from the ITI. Due to renovation work, some shop equipment was temporarily kept in the</p>	<p>machinery and equipment with geo tagged photos, geo-tagged photographs of the institute infrastructure and location, and any other documents substantiating compliance with the prescribed norms. In case the reply consists of multiple pages, the institute shall prepare a proper index and clearly reference all annexures relied upon in the submission.</p> <p>4. The reply must reach to DGT within 21 days from the date of issuance of Minutes of the Meeting at the email ID tc-deaffiliation@dgt.gov.in, using the following subject line: “Reply to Notice of 29th SCAA Minutes – <ITI Name>, <MIS Code>, <State Name>”</p> <p>5. In case no reply is received within the stipulated period, or if the reply is found unsatisfactory, the matter shall be processed, and a final decision regarding de-affiliation shall be taken without any further notice.</p>

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	TC observations
(1)	(2)	(3)	(4)	(5)
			<p>workshop for a few hours as an exceptional circumstance.</p> <p>d) The ITI contended that the allegation lacks authenticity, stating that it follows the 5S concept in letter and spirit and has implemented safety measures, including proper wiring.</p> <p>e) It informed that a display board has been installed on the main road (Aadiwasi Chowk) leading to the ITI, along with a wall painting at the entrance gate for visibility and identification.</p> <p>f) The ITI claimed to have adequate infrastructure, including RO water facility, notice boards, CCTV cameras, classrooms, and separate toilets for boys and girls, maintained with proper cleanliness and hygiene.</p> <p>g) It stated that no detailed communication regarding re-affiliation criteria was received via mail or letter.</p> <p>h) Staff details have already been uploaded in the</p>	

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	TC observations
(1)	(2)	(3)	(4)	(5)
			<p>instructor column on the NCVT portal.</p> <p>i) The ITI clarified that the trade practical venue and examiners are decided by the Nodal ITI (Govt. ITI Ranchi), and it has no role in selecting the home centre.</p> <p>j) It stated that attendance is currently maintained manually, and no guidelines for mandatory biometric attendance of trainees have been received.</p> <p>4. Subsequently, on 18.07.2025, during the CTS Practical Examination 2025, when the ITI was designated as an examination centre, a surprise inspection was conducted by RDSDE officials acting as a flying squad. During the visit, it was observed that the labs and workshops had been dismantled and were non-functional. The institute premises were being used as a garage and storage space, and no trainees were present. These observations, duly supported by photographic evidence, reaffirm the non-</p>	

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	TC observations
(1)	(2)	(3)	(4)	(5)
			<p>functional status of the institute, consistent with earlier findings.</p> <p>5. Accordingly, again Joint Inspection dated 01.09.2025 was conducted in which again severe deficiencies were observed such as:</p> <ul style="list-style-type: none"> a) The land lease expired on 01.09.2025 b) BCC was not approved. c) The electricity connection is not separate for the ITI. and ITI is not provided the relevant Electricity Bill in reference of ITI. d) Machinery bills were not available during inspection. e) No biometric attendance of staff and student were taken. f) Only registers were available, no trainees were there during inspection. g) Some Machineries were available in dismantled conditions and workshops are using as Storage and godown. h) IT lab and Drawing hall were not available. i) PM Vishwakarma Scheme is running in the same building and classroom. 	

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	TC observations
(1)	(2)	(3)	(4)	(5)
			<p>j) No parking space, drainage system not available in the Road, very congested road, Workshops are in dismantled conditions and using godown, storages.</p> <p>k) Lab in non-working condition and majority of machines as per trade list is not available.</p> <p>l) Staff appointment letter provided by the ITI that is not sufficient according to the affiliated trades and units. No staff members are present during the inspection and not taken the class.</p> <p>6. The Joint Inspection Committee recommended the ITI for de-affiliation.</p> <p>7. The matter was discussed in the 5th SSDEC in its meeting dated 06.02.2026 in which SSDEC recommended de-affiliation due to following reasons: ITI was completely non-functional.</p>	
6	Indian Pvt. ITI Ratu Road, Ranchi, Jharkhand	All trades de-affiliated	Already de-affiliated vide DGT order 17.01.2025 due to zero admission.	Already de-affiliated vide DGT order 17.01.2025 due to zero admission

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	TC observations
(1)	(2)	(3)	(4)	(5)
	MIS code:PR20000101			

Annexure-7

Annexure-7 as referred in agenda 2.3 regarding de-affiliation of 01 ITI of Maharashtra State

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	TC observations
(1)	(2)	(3)	(4)	(5)
1	Manav Private ITI Vyala, Balapur, Distt. Akola MIS code: PR27000977	1. Electrician- 2(1+1) 2. Fitter- 2(1+1) 3. Welder- 2(1+1) 4. Wireman- 2(1+1)	1. A surprise inspection of Manav Private Industrial Training Institute, Vyala, Taluka Balapur, District Akola (PR27000977) was conducted on 07.09.2022, wherein several serious deficiencies were observed, including financial discrepancies, non-appointment of a qualified Principal, unqualified Staff, lack of machinery and infrastructure, low trainee attendance, and non-maintenance of mandatory records. 2. Subsequently, a Show Cause Notice was issued to the Institute 02.12.2022. 3. The Institute, vide reply dated 16.12.2022, claimed that all deficiencies had been rectified. 4. However, during verification by the Committee on 21.07.2023, it was found that the deficiencies persisted. Major irregularities were observed such as non-production of financial records, overcharging of fees, lack of transparency in financial affairs, absence of a regular Principal, inadequate training facilities, incomplete records, absence of trainees, and change in location of trades. 5. As the deficiencies remained unrectified, a personal hearing was conducted on 31.08.2023 at 11.A.M under the	The matter was deliberated in the SCAA meeting, and the SCAA decided as under, based on the recommendations of the SSDEC: 1. It is observed that the ITI has committed serious violations of the prescribed affiliation norms of DGT. The Institute not only failed to rectify the deficiencies pointed out during inspection and subsequent verification, but also exhibited serious lapses such as non-maintenance of mandatory records, absence of qualified staff and infrastructure, and non-compliance with training standards. 2. Further, the matter is aggravated by the fact that during the personal hearing, the Institute itself admitted to charging training fees in excess of the prescribed limit, along with unauthorized change in location of trades.

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	TC observations
(1)	(2)	(3)	(4)	(5)
			<p>chairmanship of the Director of DVET, wherein the Institute admitted to financial irregularities, collection of excess fees, and change in the approved location of trades.</p> <p>6. In view of the serious deficiencies and continued non-compliance, a Final Hearing Order dated 06.11.2023 was issued for cancellation of the Letter of Intent (LOI) and de-affiliation of the Institute. Further, admissions were stopped from the academic session 2024 onwards.</p> <p>7. Subsequently, the 5th SSDEC in its meeting dated 06.06.2024 recommended de-affiliation of the Institute with effect from Academic Session August 2024 on account of financial irregularities, deficiencies in training, inadequate machinery/equipment, and unauthorized change in location.</p>	<p>These admissions clearly establish deliberate violation of norms and lack of transparency in functioning.</p> <p>3. Despite being provided sufficient opportunities through Show Cause Notice and personal hearing, the Institute failed to take corrective action. Therefore, it is evident that the Institute is not fit to continue under the affiliation framework.</p> <p>4. Therefore, in view of the above remarks and in the interest of the trainees, the ITI is hereby de-affiliated.</p>

Annexure-8

Annexure-8 as referred in agenda 2.4 regarding de-affiliation of 01 ITI of Haryana State

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	TC observations
(1)	(2)	(3)	(4)	(5)
1	C.R Pvt. ITI Village- Khurd, Beri Road, Rohtak MIS code: PU06000336	1. Health Sanitary Inspector -6 (2+4) 2. Electrician- 6 (4+2)	1. A surprise inspection was conducted by the committee at C.R. Pvt. ITI, Village Sunarian Khurd, Beri Road, Rohtak on 06.06.2025 wherein, several deficiencies were found during this inspection. 2. Due to the deficiencies observed, the Directorate issued a Show Cause Notice to the ITI on 03.07.2025. As a punitive measure, the admission seats were temporarily suspended for the academic session 2025-26 by State Directorate. 3. The management of C.R. Pvt. ITI submitted their reply dated 15.07.2025 to the Show Cause Notice. 4. The Directorate issued an order dated 17.09.2025 directing a Joint Inspection of the ITI to verify compliance and current status. 5. A Joint Inspection was carried out on 17.09.2025 at the institute. During this inspection, serious irregularities were observed. On the same day of the joint inspection, the Principal of C.R. Pvt. ITI submitted a written statement requesting that they want to discontinue the functioning of the Private ITI. 6. Based on the above facts, the Directorate of Skill Development & Industrial	SCAA accepted the ITI's request for the self-closure of the ITI.

			Training, Haryana, has recommended de-affiliation of C.R. Pvt. ITI, Sunarian Khurd, Rohtak vide their letter dated 12.03.2026 with the in principal approval of Principal Secretary, YE&E- cum chairman, HSDEC.	
--	--	--	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--

Annexure-9

Annexure-9 as referred in agenda 2.5 regarding de-affiliation of 02 ITIs of Tamil Nadu State

Sr. No.	Name of ITI, Address and MIS Code	Shift & Unit mapped on SIDH portal	Brief of Matter	29th SCAA remarks
(1)	(2)	(3)	(4)	(5)
1	<p>Saravana Private Industrial Training Institute, Address: Thiruthani, Thiruvallur District., Tamil Nadu – 631209</p> <p>MIS code: PR33000460</p>	<p>1. Electrician- 4(2+2) 2. Fitter- 2(1+1)</p>	<p>1. The de-affiliation proceedings of the ITI were initiated by State Directorate due to unauthorized change in location. 2. The SCN was issued to the ITI on 29.05.2025 and the ITI replied to the SCN. 3. Thereafter the joint inspection dated 24.02.2026 were conducted by State Directorate and RDSDE officials. 4. During the inspection the following were observed: a) No relevant document available for shifting the ITI from the old building to the new one. Maximum records or documents related to the ITI are not available with them. b) The Joint Inspection Committee inspected the ITI and it was found that the institute had been shifted from one location to another without prior approval or intimation. The original affiliated building had been demolished. The second location is situated at an approximate distance of 3 to 3.5 km from the original site. c) During our visit, the institute did not maintain or produce records of</p>	<p>1. The matter was deliberated in the SCAA meeting and SCAA noted the recommendation of SSDEC. SCAA observed that the institute being found shifted one location to another location without prior approval and the original affiliated building had been demolished. The second location is situated at an approximate distance of 3 to 3.5 km from the original site. 2. Accordingly, SCAA held that the ITI is liable to be de-affiliated for being shifted and violated the affiliation norm. SCAA further observed that such action is necessary to ensure that only functional ITIs complying with the prescribed norms are allowed to continue under the CTS framework. 3. However, in adherence to the principles of natural justice, the concerned ITI is hereby granted a final opportunity to</p>

			<p>staff details and salary particulars for verification.</p> <p>d) The rental agreement for the new building expired last year(2025) . However, the building appears to be an old structure and not a newly constructed one. During our visit to the ITI, the required and valid documents were not submitted for verification.</p> <p>e) It was observed that the stock register and raw material register were not maintained as per the prescribed norms</p> <p>f) A few of the equipment items have been installed and are in working condition; however, some equipment has not yet been installed.</p> <p>g) During the visit, it was observed that basic amenities were not available, except for the drinking water facility.</p> <p>h) No approval copy was produced for shifting the building. Student record details and biometric attendance records were not maintained. Trainer record details and biometric attendance records were not maintained. Proper documents such as the Building Completion Certificate and Safety Certificate were not submitted for verification</p> <p>5. The matter was discussed in 7th SSDEC in which SSDEC recommended de-affiliation</p>	<p>show cause as to why the institute should not be de-affiliated. These Minutes shall be treated as a final notice issued by DGT.</p> <p>4. The explanation/reply, if any, must be comprehensive and duly supported by relevant documentary evidence, including proof regarding the present operational status of the institute, availability of trainees and staff, operational machinery and equipment along with geo-tagged photographs, geo-tagged photographs of the institute infrastructure and location, electricity bills, attendance records, and any other documents substantiating compliance with the prescribed norms. In case the reply consists of multiple pages, the institute shall prepare a proper index and clearly reference all annexures relied upon in the submission.</p> <p>5. The reply must reach DGT within 21 days from the date of issuance of these Minutes at the email ID tc-deaffiliation@dgt.gov.in using the following subject line: "Reply to Notice under</p>
--	--	--	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

			of ITI due to above said observations during joint inspection.	29th SCAA Minutes – <ITI Name>, <MIS Code>, <State Name>”. 6. In case no reply is received within the stipulated period, or if the reply submitted is found unsatisfactory, the matter shall be processed for taking an appropriate final decision regarding de-affiliation without any further notice.
2	Sai Private Technical Training Centre, Address : 30 Paper Mills Road Perambur, Chennai, Tamil Nadu- 600011 MIS code : PR33000193	1. Electrician-4(2+2) 2. Fitter-2(1+1) 3. Plumber-2(1+1)	1. The ITI has submitted a request for voluntary closure of the institute. The request letter received from the ITI was duly inspected by the Assistant Director, DSTO, Chennai, and thereafter recommended by the Regional Joint Director, Chennai. 2. The matter was discussed in 7 th SSDEC in which SSDEC recommended de-affiliation of ITI due the voluntary closure request submitted by the institute.	SCAA accepted the ITI’s request for the self-closure of the ITI.
