

DGT-Daff/6/2026-O/o DIR (TC) (E- 78481)

भारत सरकार/Government of India

कौशल विकास एवं उद्यमिता मंत्रालय/ Ministry of Skill Development and Entrepreneurship

प्रशिक्षण महानिदेशालय/Directorate General of Training

7वीं मंजिल, कौशल भवन, न्यू मोती बाग,

चाणक्यपुरी, नई दिल्ली – 110023,

दिनांक : 12 अगस्त 2026

To

The State Director (dealing with Craftsmen Training)
Rajasthan,

Subject: Issuance of De-Affiliation Order of Private ITIs of Rajasthan State as discussed in 33rd Standing Committee on Accreditation and Affiliation in its meeting dated 10.07.2026-regarding.

Madam/Sir,

As decided in the 33rd Standing Committee on Accreditation and Affiliation (SCAA) meeting held on 10.07.2026, the de-affiliation matters for the trades & units for the ITIs of Rajasthan State were discussed as Agenda Item No.2 and 3 of the Meeting.

2. Based on the joint inspection reports, the 33rd SCAA recommended de-affiliation of trades/units of Private ITIs w.e.f. session 2026-27, and same has been approved by the Competent Authority. The details of the ITIs are attached at **Annexure - 1**.

3. The recommendation of de-affiliation of trades & units of ITIs, as mentioned in attached list must be read in conjunction with the Minutes of 33rd SCAA meeting issued on 07.08.2026.

4. The ITIs and the State Directorate shall ensure that all the trainees who were already enrolled in the previous sessions, complete the training duration and no fresh trainees are admitted.

This issues with the approval of Competent Authority.

Encl.: As mentioned

भवदीय,

(केतन पटेल)

निदेशक, टी . सी अनुभाग

Copy for information to: -

1. Sr.PPS to DG, DGT, Delhi.
2. PPS to DDG (Affiliation).
3. Regional Director, RDSDE Rajasthan, NSTI(W) Campus, Opposite KV No-3, Sansthan Path, Jhallana Doongri, Jaipur-302017
4. DGT MIS Portal in-charge, DGT HQ, New Delhi, with the request to upload this order on DGT MIS Portal & update the data as recommendation please.
5. Concerned ITIs.

(श्रमेव शर्मा)

उपनिदेशक टी . सी अनुभाग

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
1.	Indian Private Industrial Training Institute, G & P Taksola, Via-Paota, The. Kotputali (Jaipur) 303106 MIS Code - PR08001173	1. Mechanic Diesel - 2(1+1) 2. Electrician - 5 (4+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 07.01.2025. 3. The ITI replied to the SCN on 03.02.2025. 4. Further, a joint inspection was conducted on 12.09.2025 by the RDSDE and State official. 5. As per joint inspection report following deficiencies have been identified during Joint Inspection conducted on 12.09.2025 - a) Mechanic Diesel Workshop civil infra not as per norms only shed area available 92 sqm. b) Major machinery of mechanic diesel not available c) IT lab systems were outdated 6. However, Joint Inspection committee has recommended continuation of affiliation for Electrician – 5 (4+1+0) and not recommended Mechanic Diesel 2 (1+1) 7. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has	The matter was discussed in the SCAA meeting and the SCAA remarks/decision are as under: 1. SCAA noted that the Joint Inspection Committee did not recommend continuation of affiliation for Mechanic Diesel – 2(1+1) trade/units due to the following persistent deficiencies: (i) Mechanic Diesel workshop civil infrastructure is not as per norms; only a shed area of 92 sqm is available. (ii) Major machinery for the Mechanic Diesel trade is not available. 2. SCAA observed that the ITI, in its reply to the SCN, failed to provide any supporting documentary evidence to substantiate its claims of compliance. The 11th SSDEC has accordingly recommended de-affiliation of the Mechanic Diesel trade. Therefore, the Mechanic Diesel –

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
			recommended for continuation of the affiliation Electrician – 5 (4+1+0). 8. The matter was discussed in 25th SCAA dated 13.11.2025 and 14.11.2025 in which SCAA decided the following: a) ITI to remove deficiencies as identified during joint inspection. State Directorate must ensure that all the deficiencies are removed. b) SSDEC to provide clarification on following points: i. No recommendation was provided for Mechanic Diesel – 2 (1+1) ii. Contradictory remarks given in inspection report regarding recommendation for continuation for affiliation. 9. The matter was again discussed in 11th SSDEC in its meeting dated 10.06.2026 and SSDEC recommended de-	2(1+1) trade/units are hereby de-affiliated. No admissions in the Mechanic Diesel trade shall be permitted from the Academic Session 2026-27 onwards.

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
			affiliation of the ITI due to following reasons: a) Inspection Committee has not recommended for Mechanic Diesel trade due to deficiency ' Mechanic Diesel Workshop civil infra not as per norms only shed area available 92 sqm.', Major machinery of Mechanic Diesel not available. ITI SCN reply received on 2 Feb 2026, no supporting documents provided by the ITI therefore SSDEC decided to recommended de-affiliation proposal of Mechanic Diesel (1+1). b) Inspecting Committee has further clarified that discrepancy in recommendation at S. No. 6 and 7 of the inspection team report as : S. No. 7 is an inadvertent clerical error and reaffirm that S. No. 6 of the inspection report reflects the actual recommendation of the joint inspection committee i.e., Electrician (4+1).	

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
2.	Basant Private Industrial Training Institute, Address - Opposite 220 KV Power House, N.H. 8, Putali , Kotputali (Jaipur) 303108 MIS Code - PR08000142	1. Electrician - 6(3+3) 2. Fitter - 4(2+2)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 07.01.2025. 3. Further, a joint inspection was conducted on 12.09.2025 by the RDSDE and State official. 4. Joint Inspection committee has recommended continuation of affiliation for following trade/units: a. Electrician – 4(2+2+0) b. Fitter - 4(2+2+0) 5. However, as per joint inspection report following deficiencies have been identified during Joint Inspection conducted on 12.09.2025: - a) Gangway marking required in workshop b) Electrician working machinery available for (2+2) c) Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended for continuation of the affiliation:	The matter was discussed in the SCAA meeting and the SCAA remarks/decision are as under: 1. The Electrician – 2(1+1) trade/units, out of the affiliated Electrician – 6(3+3), are hereby de-affiliated as the ITI itself confirmed in its reply dated 20.01.2026 that tools and equipment are available only for Electrician – 4(2+2) trade/units. No admissions in these trade/units shall be permitted from the Academic Session 2026-27 onwards.

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
			i. Electrician – 4(2+2+0) ii. Fitter - 4(2+2+0) 6. The matter was discussed in 25th SCAA dated 13.11.2025 and 14.11.2025 in which SCAA decided the following: a) ITI to remove deficiencies as identified during joint inspection. State Directorate must ensure that all the deficiencies are removed. b) SSDEC to provide clarification on following points: i. No recommendation was provided for Electrician – 2 (1+1) ii. SSDEC to provide clarification on contradictory remarks given in inspection report regarding recommendation for continuation for affiliation. 7. The matter was again discussed in 11th SSDEC in its meeting dated	

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
			10.06.2026 and SSDEC recommended de-affiliation of the of Electrician-(1+1) due to following reasons: 8. Inspection Committee has not recommended for Electrician (1+1) with remarks ' Electrician working machinery available for (2+2)'. SCN was issued to ITI dated 20.01.2026 , ITI has given reply that 'Tools equipment available for Electrician (2+2), Fitter (2+2)' .So SSDEC decided to recommended de-affiliation proposal for Electrician (1+1) (ii) Inspection Committee has clarified discrepancy in recommendation at SNo 6 and 7 of the inspection team report as ' , S. No. 7 is an inadvertent clerical error and reaffirm that S. No. 6 of the inspection report reflects the actual recommendation of the joint inspection committee i.e., Electrician (2+2) , Fitter (2+2).	
3.	Ch. Charan Singh Private Industrial Training Institute Address - Fatehpur By Pass Road Mandawa, Dist. Jhujhunu - 333704 MIS Code - PR08001299	1. Electrician - 4(2+2) 2. Fire Technology and Industrial Safety Management - 1(1+0)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 07.01.2025. 3. The ITI replied to the SCN on 24.01.2025.	The matter was discussed in the SCAA meeting and the SCAA remarks/decision are as under: 1. SCAA noted that the Joint Inspection conducted on 09.09.2025 identified deficiencies including

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
			4. Further, a joint inspection was conducted on 09.09.2025 by the RDSDE and State official. 5. Joint Inspection committee has recommended continuation of affiliation for following trade/units: Electrician – 4 (2+2). 6. However, as per joint inspection report following deficiencies have been identified during Joint Inspection conducted on 09.09.2025: i) The hand tools equipment has not been displayed in the proper sequence. ii) According to the revised syllabus trades do not have the machinery. 7. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended for the continuation of the affiliation: - Electrician - 04 (2+2) 8. The matter was discussed in 25th SCAA dated 13.11.2025 and 14.11.2025 in which SCAA decided the following:	non-availability of machinery as per the revised syllabus and improper arrangement of hand tools. The 25th SCAA directed the ITI to remove these deficiencies and a Show Cause Notice was issued accordingly by the State. However, the ITI failed to submit any reply to the said SCN, thereby demonstrating its unwillingness to comply with the prescribed norms. 2. Therefore, SCAA is of the considered opinion that the ITI has failed to rectify the deficiencies despite being granted multiple opportunities. Accordingly, the Electrician – 4(2+2) and Fire Technology and Industrial Safety Management – 1(1+0) trade/units are hereby de-affiliated. No admissions shall be permitted in the institute from the Academic Session 2026-27 onwards.

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
			a) ITI to remove deficiencies as identified during joint inspection. State Directorate must ensure that all the deficiencies are removed. b) SSDEC to provide clarification on following points: i. Fire Technology and Industrial Safety Management – (1+0) 01 units no recommendations provided by SSDEC, however, it is affiliated on NCVT MIS Portal. 9. The matter was again discussed in 11th SSDEC in its meeting dated 10.06.2026 and SSDEC recommended de-affiliation of the ITI due to following reasons: i. A Show Cause Notice (SCN) was issued to the ITI for removal of deficiency, However ITI had not submitted any reply, Therefore the proposal for De-affiliation of	

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
			Electrician (2+2) and Fire technology and Industrial Safety Management (1+0) to be forwarded to SCAA.	
4.	Shree Ram Private Industrial Training Institute, Address - Beri, Sikar MIS Code - PR08000843	1. Electrician - 2(1+1) 2. Fitter - 2(1+1) 3. Mechanic Diesel - 2(1+1) 4. Computer Operator and Programming Assistant -2(1+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 07.01.2025. 3. The ITI replied to the SCN on 26.01.2025. 4. Further, a joint inspection was conducted on 11.09.2025 by the RDSDE and State official. 5. Joint Inspection committee has recommended continuation of affiliation for following trade/units: a) Electrician 02 (1+1) b) Fitter 02 (1+1) c) COPA 02 (1+1) 6. However, as per joint inspection report following deficiencies have been identified during Joint Inspection conducted on 11.09.2025: a) ITI & SKILL LOGO is not available with name of ITI at main gate of institute. b) Store records are not available.	The matter was discussed in the SCAA meeting and the SCAA remarks/decision are as under: 1. SCAA noted that the Joint Inspection conducted on 11.09.2025 identified several deficiencies, including non-availability of ITI/Skill logo at the main gate, non-availability of store records, poor lighting arrangements in the workshop, outdated instructor and trainee records, shortage of tools and machinery in the Mechanic Diesel trade as per the old syllabus with the diesel generator in breakdown condition, substandard IT lab setup and furniture, and Electrician and Fitter trade tools and machinery being as per the old syllabus. 2. The 25th SCAA directed the ITI to remove all the identified

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
			c) In work shop Lighting arrangements are poor. d) Record of Instructor and trainees are not updated and need to modify. e) Shortage of tools and machinery in Mech diesel trade as per old syllabus, not in running condition and diesel generator is in breakdown condition. f) IT Lab setup and furniture is not as per standard specification. g) Electrician and Fitter trade tools, machinery & equipment are as per old syllabus h) Only Five Instructors are present at the time of Joint inspection. 7. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended continuation of the affiliation for following trade/units a) Electrician 02 (1+1) b) Fitter 01 (1+1) c) COPA 02 (1+1) 8. The matter was discussed in 25th SCAA dated 13.11.2025 and 14.11.2025 in which SCAA decided the following:	deficiencies, following which the State issued a Show Cause Notice to the ITI. The reply submitted by the ITI, received on 10.01.2026, did not contain any supporting documents to substantiate removal of the deficiencies. The 11th SSDEC accordingly recommended de-affiliation of the ITI. 3. SCAA, having considered the recommendation of the SSDEC, is of the opinion that the ITI has failed to rectify the deficiencies despite being granted multiple opportunities. 4. Accordingly, the Electrician – 2(1+1), Fitter – 2(1+1), Computer Operator and Programming Assistant – 2(1+1), and Mechanic Diesel – 2(1+1) trade/units are hereby de-affiliated. No admissions shall be permitted in the institute from the Academic Session 2026-27 onwards.

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
			a) ITI to remove deficiencies as identified during joint inspection. State Directorate must ensure that all the deficiencies are removed b) SSDEC to provide clarifications on following points: i. Reasons for not recommended Mechanic Diesel – 2 (1+1) not provided by SSDEC. 9. The matter was again discussed in 11th SSDEC in its meeting dated 10.06.2026 and SSDEC recommended de-affiliation of the ITI due to following reasons: a) As per SCN reply received on 10th January 2026 , Since ITI has not provided any supporting Documents so decided to recommend De-affiliation for Electrical 2(1+1), Fitter (1+1), COPA (1+1) and Mechanic Diesel (1+1) to SCAA	
5.	Param Private ITI	1. Firemen - 16(4+4+4+4)	1. Irregularities observed during initial Inspection	SCAA may seek clarification from the

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
	Address - Jaipur Bikaner By Pass, Near Rashidpur, Sikar Dist. Sikar - 332315 MIS Code - PU08001654	2. Fire Technology and Industrial Safety Management - 4(2+2) 3. Health Sanitary Inspector - 2(1+1) 4. Food Production (General) - 2(1+1)	conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 07.01.2025. 3. The ITI replied to the SCN on 11.02.2025. 4. Further, a joint inspection was conducted on 11.09.2025 by the RDSDE and State official. 5. Joint Inspection committee has recommended continuation of affiliation for following trade/units: i. Fire Technology Industrial safety management - 5(2+2+1) ii. Food production general- 3(1+1+1) iii. Health Sanitary Inspector - 5(2+2+1) 6. However, as per joint inspection report following deficiencies have been identified during Joint Inspection conducted on 11.09.2025: - i. ITI & SKILL LOGO is not available with the name of ITI at the main gate of the institute. ii. Store records are not available. iii. No admissions in all units in the last three session.	State Directorate/RDSDE on the following: SCAA noted that during the current inspection dated 03.07.2026, the SCAA observed that the Principal and the President of the institute had submitted a request for voluntary surrender of the Fireman trade (16 units: 8+8). The SCAA accepted the institute's request for self-surrender of the Fireman trade (16 units: 8+8). Therefore, all the units of Fireman trade are hereby de-affiliated.

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
			iv. In the workshop, Lighting & ventilation arrangements are poor, and heavy machine installation is not proper; the workshop area is also not properly cleaned. v. The records of the Instructor and trainees are not updated and need to be modified. vi. Some of the tools and machinery are as per the old syllabus, and required to be updated as per the new syllabus. vii. Fire extinguisher vehicle is breakdown condition so need to repair it. viii. Available Instructor strength is not as per the affiliated units. ix. Only 04 Instructors are present out of 15 at the time of the Joint inspection. x. Teaching aids, Furniture, and amenities maintenance required. 7. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended continuation of the affiliation for following trade and units. i. Fire Technology Industrial safety managemen-5 (2+2+1)	

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
			ii. Food Production General-3 (1+1+1) iii. Health sanitary Inspector-5(2+2+1) 8. Further, the following trades have been de-affiliated vide DGT order dated 17.01.2025 due to zero admission – i. Health sanitary Inspector-3(1+1+1) ii. House Keeper-2(1+1) iii. Health Safety & Environment – 2(1+1) 9. The matter was discussed in 25th SCAA dated 13.11.2025 and 14.11.2025 in which SCAA decided the following: a) ITI to remove deficiencies as identified during joint inspection. State Directorate must ensure that all the deficiencies are removed. b) SSDEC to provide clarification on following points i. No recommendations for Fireman - 12(4+4+4) trade/units were provided by SSDEC	

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
			ii. Extra units of Health Sanitary inspector - 5(2+2+1) has been recommended by SSDEC whereas as per NCVT MIS portal the trade is affiliated for 2(1+1) units. 11. The matter was again discussed in 11th SSDEC in its meeting dated 10.06.2026 and SSDEC recommended de-affiliation of the ITI due to following reasons: a) SCN reply received on 11th Feb 2026 , Since ITI reply not found Satisfactory and No supporting Doc provided by ITI as per Deficiency mentioned . So Fireman 12(4+4+4) is being proposed for de-affiliation . b) In reference of SCAA remarks of additional units recommended by Inspection Committee team over and above the affiliated units on portal. SSDEC has decided to curtail the	

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
			recommendation for given by Inspection Committee up-to the affiliated units on NCVT portal. 1. Thereafter, DGT, vide letter No. DGT-Aff0misc/4/2026-O/o DIR (TC) dated 01.06.2026, directed the concerned RDSDEs to conduct joint inspections of ITIs having more than 15 affiliated units in a single trade and less than 60% admissions against the approved seating capacity for the Academic Year 2025. The inspection was intended to verify the operational status of the institutes, adequacy of infrastructure, availability of instructors, machinery, and compliance with the Affiliation Norms. 2. Accordingly, the ITI was joint inspected by State Directorate and RDSDE on 03.07.2026. During inspection the following deficiencies were observed: a) Building condition: The inspection team recorded that the building requires repair.	

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
			b) Mismatch in institute address: The address mentioned in the electricity bill differs from the address recorded in the affiliation order/departamental records, requiring verification. c) IT Laboratory deficiencies: d) No working computers were available in the IT Laboratory. e) Internet connectivity was not available. f) Computers in the IT Lab were inadequate. g) Drawing Hall not available. h) Insufficient classroom infrastructure: The institute had fewer classrooms than required. i) No instructors or staff present: No instructor or other staff member was present during the inspection. Only the Principal and President were available. Further, instructor details were not provided to the inspection team. j) Attendance records not available: Average trainee and staff/instructor attendance records were	

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
			not available for verification. k) Electricity consumption: Electricity consumption was recorded as almost nil (0–2 kWh) for most months, indicating negligible operational activity. l) Surrender of trade: The Principal and President submitted a letter for surrender of the Fireman trade (6-month duration), comprising 8+8 units, during the inspection.	
6.	Rajasthali Pvt. ITI Address - Bairwanda, Sikrai, Dausa, Rajasthan-303501 MIS Code - PR08001816	1. Electrician - 6(3+3)	2. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 3. SCN was issued to the ITI by the State on 07.01.2025. 4. The ITI replied to the SCN on 26.01.2025. 5. Further, a joint inspection was conducted on 12.09.2025 6. However, as per joint inspection report following deficiencies have been identified during Joint Inspection conducted on 12.09.2025: (i) The electricity bill is neither in the name of the ITI nor in the name of the society;	The matter was discussed in the SCAA meeting and the SCAA remarks/decision are as under: 1. SCAA noted that the Joint Inspection conducted on 12.09.2025 identified that the electricity bill of the ITI was neither in the name of the ITI nor the society but in the name of the building owner, along with deficiencies of 10% non-functional trainer tool kits and 8% damaged/non-functional shop tools and equipment. The SSDEC, on 25.09.2025, conditionally allowed

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
			it is issued in the name of the building owner of the ITI. (ii) In trainers tool kit 10% of tools were not in the working condition. (iii) In shop tool and equipment 8% of tool and equipment either damage or non-functional. Maintenance related to motor and wiring is required in shop machinery. 6. The matter of the ITI was discussed in the 10th SSDEC meeting held on 23.09.2025 and the SSDEC recommended de-affiliation of the ITI as the ITI electricity bill is not in the name of ITI/Organization. 7. Further, State Directorate submitted that as per the discussion held with Chairperson SSDEC with State DET and RDSDE on 25.09.2025 in respect of 9th and 10th SSDEC matters, the ITI is conditionally recommended for affiliation of Electrician - 6 (2+2+2) subject to removal of deficiency recorded as the	continuation of affiliation for Electrician – 6(2+2+2), subject to the ITI submitting the electricity bill in its own name or the organisation's name within one month. However, the ITI failed to comply with this condition and did not submit the required document despite issuance of a Show Cause Notice. The SSDEC further noted that the total electricity load available with the ITI is only 10 KW. 2. The 11th SSDEC accordingly recommended de-affiliation of the entire Electrician – 9(3+3+3) trade/units. 3. SCAA, having considered the recommendation of the SSDEC, is of the opinion that the ITI has failed to comply with the conditional opportunity granted to it. Accordingly, the Electrician – 9(3+3+3) trade/units are hereby de-affiliated in entirety. No admissions shall be permitted in the institute from the Academic Session 2026-27 onwards.

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
			Electricity bill not in the name of ITI/organisation within 1 month. 8. The matter was discussed in 25th SCAA dated 13.11.2025 and 14.11.2025 in which SCAA decided the following: a) SSDEC to provide the clarification on following points: i. Whether the ITI has submitted the electricity bill in the name of ITI/organisation in the stipulated time. ii. No recommendation s provided by SSDEC for Electrician 3(1+1+1) 9. The matter was again discussed in 11th SSDEC in its meeting dated 10.06.2026 and SSDEC recommended de-affiliation of the ITI due to following reasons: a) Total Electricity load available with the ITI is only 10kw, SSDEC vide discussion on dated 25.09.2026, Allowed continuation of affiliation of Electrician (2+2+2) subject to removal of deficiency. 'ITI has	

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
			to submit the electricity bill in the name of ITI/organisation in the stipulated time.' ; ITI has not complied with the SCN issued and not the provided the required document. SSDEC decided to forward De-affiliation proposal for Electrician (3+3+3)	
7.	Shri Ram Private Industrial Training Institute, Address - Opp. Dada Bhagwan (National Park), Village Tinwari Dist. Jodhpur - 342306 MIS Code - PR08000312	1. Electrician - 4(2+2) 2. Mechanic Diesel - 2(1+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 04.01.2025. 3. The ITI replied to the SCN on 20.01.2025. 4. Further, a joint inspection was conducted on 15.09.2025 by the RDSDE and State official. 5. Joint Inspection committee has recommended continuation of affiliation for following trade/units: Electrician – 6 (2+2+2) and Mechanic Diesel – 2 (1+1). 6. However, as per joint inspection report following deficiencies have been identified during Joint Inspection conducted on 15.09.2025:	The matter was discussed in the SCAA meeting and the SCAA remarks/decision are as under: 1. SCAA noted that the Joint Inspection conducted on 15.09.2025 recommended continuation of affiliation for Electrician – 6(2+2+2) and Mechanic Diesel – 2(1+1) trade/units, subject to rectification of deficiencies including an unclear building map and inadequate Mechanic Diesel workshop area. 2. Pursuant to the 25th SCAA's direction, a Show Cause Notice was issued to the ITI on 20.01.2026. In its reply, the ITI itself confirmed that the

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
			i) Building Map not clear, the dimensions are not readable. ii) Mechanic diesel lab workshop area 104 m² with open parking area additional. 7. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended for the continuation of the affiliation: i) Electrician - 6(2+2+2) ii) Mechanical Diesel – 2 (1+1) 8. The matter was discussed in 25th SCAA dated 13.11.2025 and 14.11.2025 in which SCAA decided the following: a) SSDEC to provide clarification on following points: Since Recommendations are subject to rectification of deficiencies observed during inspection. Therefore, SSDEC to clarify whether, all the deficiencies have been removed. 9. The matter was again discussed in 11th SSDEC in its meeting dated 10.06.2026 and	Mechanic Diesel workshop along with the parking area available is approximately 155 sqm, against the requirement of 210 sqm as per the DGT curriculum for the Mechanic Diesel trade. The 11th SSDEC accordingly recommended de-affiliation of the Mechanic Diesel – 2(1+1) trade/units. 3. SCAA, having considered the recommendation of the SSDEC, is of the opinion that the ITI has failed to meet the mandatory workshop area requirement for the Mechanic Diesel trade, as confirmed by the ITI's own submission. Accordingly, the Mechanic Diesel – 2(1+1) trade/units are hereby de-affiliated. No admissions in this trade shall be permitted from the Academic Session 2026-27 onwards. 4. Based on the recommendation of the SSDEC, the ITI is allowed to admit trainees for the Academic Session 2026-27 in Electrician –

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
			SSDEC recommended de-affiliation due to following reasons: a) SCN issued to ITI on 20.01.2026, Based on ITI reply, Mechanic Diesel workshop + parking area available with the ITI is around 155 sqm, (as per Mechanic Diesel DGT curriculum 210 Sq. m Including parking area Is req). So SSDEC decided to proposed for De-affiliation of Mechanic Diesel (1+1)	6(2+2+2) trade/units.
8.	Carrier Develop Private Industrial Training Institute, G-151, Brij Industrial Area, Bharatpur-321001 (PR08001018)	1. Welder -1(1+0), 2. Electrician - 4(2+2), 3. Fitter – 4(2+2) 4. Mechanic Diesel - 2(1+1),	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 03.01.2025. SCN replied dated 21.01.2025. 3. Further, a joint inspection was conducted on 25.06.2025 by the RDSDE and State official. 4. Inspecting members have given following comments: a. Mechanic Diesel trade: Shortage of tools equipment and machines as per latest trade tool list. b. Welder trade: Shortage of tools equipment and machines as per	The matter was discussed in the SCAA meeting and the SCAA remarks/decision are as under: 1. SCAA noted that the Joint Inspection conducted on 25.06.2025 recommended continuation of affiliation for Electrician – 4(2+2) and Fitter – 4(2+2) trade/units without any deficiencies. However, the Mechanic Diesel – 2(1+1) and Welder – 1(1+0) trade/units were found to have a shortage of tools, equipment, and machines as per the latest trade tool list, and were accordingly

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
			latest trade tool list. 5. However, inspecting members have given recommendation for affiliation of Electrician - 4 (2+2) 04 and Fitter – 4 (2+2) 6. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended for continuation of affiliation for Electrician - 4 (2+2) and Fitter – 4 (2+2) and not recommended for affiliation of Mechanic Diesel – 2 (1+1) and Welder – 1 (1+0). 7. The matter was discussed in 25th SCAA dated 13.11.2025 and 14.11.2025 in which SCAA decided the following: a) SSDEC to provide reasons for de-affiliation of Mechanic Diesel – 2 (1+1) and Welder – 1 (1+0). b) ITI to remove deficiencies as identified during joint inspection. State Directorate must ensure that all the deficiencies are removed. 8. The matter was again discussed in 11th SSDEC in its meeting dated 10.06.2026 and	not recommended by the Joint Inspection Committee and the 9th SSDEC. Pursuant to the 25th SCAA's direction, a Show Cause Notice was issued to the ITI. 2. The reply submitted by the ITI, received on 29.01.2026, did not contain any supporting documents to substantiate removal of the deficiencies. The SSDEC accordingly recommended de-affiliation of the Mechanic Diesel and Welder trade/units. 3. SCAA, having considered the recommendation of the SSDEC, is of the opinion that the ITI has failed to rectify the trade-specific deficiencies in Mechanic Diesel and Welder despite being granted multiple opportunities. Accordingly, the Mechanic Diesel – 2(1+1) and Welder – 1(1+0) trade/units are hereby de-affiliated. No admissions in these trade/units shall be permitted from the Academic Session 2026-27 onwards.

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
			SSDEC recommended de-affiliation due to following reasons: a) As per SCN reply received on 29th January 2026, Since ITI has not provided any supporting Documents so SSDEC decided to recommend De-affiliation for Mechanic Diesel (1+1) and Welder (1+0) by SSDEC.	
9.	Lakshay Private Industrial Training Institute, Near Police Station, Old Haryali Bazar, Teh. Goluwala, Dist.- Hanumangarh Pin - 335802 Rajasthan (PR08001351)	1. Electrician - 8(4+4)	2. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 3. SCN was issued to the ITI by the State on 08.01.2025. SCN replied dated 23.01.2025. 4. Further, a joint inspection was conducted on 31.07.2025 by the RDSDE and State official. 5. Inspecting members have given observation that Tools, equipment and machinery were not sufficient for the Electrician trade 12 (4+4+4) and some major machinery not working, but the quantity of tools, equipment and machinery were sufficient for Electrician 6 (2+2+2). 6. Therefore, inspecting members have recommended affiliation for Electrician - 6 (2+2+2).	The matter was discussed in the SCAA meeting and the SCAA remarks/decision are as under: 1. Pursuant to the 25th SCAA's direction seeking clarification on the remaining 6(2+2+2) units, the 11th SSDEC has recommended de-affiliation of the remaining units of the Electrician trade. 2. SCAA, having considered the recommendation of the SSDEC, is of the opinion that the ITI has not demonstrated sufficient tools, equipment, and machinery for the remaining units of the Electrician trade. Accordingly, the remaining Electrician – 6(2+2+2) trade/units are hereby de-

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
			7. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended continuation of affiliation for Electrician - 6 (2+2+2). 8. The matter was discussed in 25th SCAA dated 13.11.2025 and 14.11.2025 in which SCAA decided the following: a) SSDEC to provide the clarification on following points: i. No recommendations have been provided for remaining units in Electrician - 6 (2+2+2). 9. The matter was again discussed in 11th SSDEC in its meeting dated 10.06.2026 and SSDEC recommended de-affiliation due to following reasons: a) IC has recommended only for Electrician (2+2+2) stating deficiency "Tools, equipment and machinery were not sufficient for the Electrician trade 12 (4+4+4) and some major machinery not working, but the quantity of tools, equipment and	affiliated. No admissions in these trade/units shall be permitted from the Academic Session 2026-27 onwards.

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
			machinery were sufficient for Electrician 6 (2+2+2).' SSDEC has decided to forward de-affiliation proposal of Electrician (2+2) to SCAA.	
10.	Jai Hind Private Industrial Training Institute Address - Hanuman Nagar, Bhadar Pura Road, Phulera, Dist.Jaipur Pin- 303338 Rajasthan MIS Code - PU08001568	Electrician – 8(4+4)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 07.01.2025. 3. The ITI replied to the SCN on 15.01.2025. 4. Further, a joint inspection was conducted on 09.09.2025 by the RDSDE and State official. 5. Joint Inspection committee has recommended continuation of affiliation for following trade/units: Electrician – 4 (2+2+0) 6. However, as per joint inspection report following deficiencies have been identified during Joint Inspection conducted on 09.09.2025: i) Major machinery of second lab in basement were not in working condition. ii) Poor fire safety arrangements in second lab of electrician trade.	The matter was discussed in the SCAA meeting and the SCAA remarks/decision are as under: 1. Pursuant to the 25th SCAA's direction seeking clarification on the remaining units, the 11th SSDEC has recommended de-affiliation of the remaining Electrician – 4(2+2) trade/units. 2. SCAA, having considered the recommendation of the SSDEC, is of the opinion that the deficiencies identified with respect to the second lab, including non-functional machinery and poor fire safety arrangements, warrant de-affiliation of the remaining units. Accordingly, the remaining Electrician – 4(2+2) trade/units are hereby de-affiliated. No admissions in these trade/units shall be permitted from the

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
			iii) Insufficient tools and equipment with respect of 12 units. iv) Conditions of class room and IT lab could be improved. 7. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, SSDEC has recommended for continuation of the affiliation: i) Electrician – (2+2) 04 units ii) Electrician – 4 (0+0+4) have been de-affiliated vide DGT order 17.01.2025 due to zero admission. 8. The matter was discussed in 25th SCAA dated 13.11.2025 and 14.11.2025 in which SCAA decided the following: 1. SSDEC to provide clarification for following: i. As per NCVT MIS portal 8 unit are currently affiliated. However, recommendations have been provided for 4 units only. For rest of the units no comments are provided by the SSDEC. 9. The matter was again discussed in 11th	Academic Session 2026-27 onwards. 3. Based on the recommendation of the SSDEC, the ITI is allowed to admit trainees for the Academic Session 2026-27 in Electrician – 4(2+2) trade/units.

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
			SSDEC in its meeting dated 10.06.2026 and SSDEC recommended de-affiliation due to following reasons: i. Inspection Committee has recommended 4 units out of 8 with remarks 'Major machinery of second lab in basement were not in working condition, poor fire safety arrangements in second lab of electrician trade, insufficient tools and equipment with respect of 12 units' , SSDEC has decided to forward de-affiliation proposal of 4 units out of 8 to SCAA i.e., de-affiliation of Electrician (2+2)	
11.	Vivekanand Private ITI, Address - Badagave Road Village & Post Chanaha, Chirawa, Dist. Jhunjhunu- 333026	1. Electrician – 2(1+1) 2. Fire Technology and Industrial Safety Management - 2(1+1) 3. Fitter – 2(1+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 07.01.2025. 3. The ITI replied to the SCN on 22.01.2025.	The matter was discussed in the SCAA meeting and the SCAA remarks/decision are as under: 1. Pursuant to the 25th SCAA's direction seeking clarification on the non-

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
	MIS Code - PU08001710		4. Further, a joint inspection was conducted on 16.09.2025 by the RDSDE and State official. 5. Joint Inspection committee has recommended continuation of affiliation for following trade/units: Electrician - 2(1+1) and Fire Technology 2(1+1) 6. However, as per joint inspection report following deficiencies have been identified during Joint Inspection conducted on 16.09.2025: a) In the Fitter trade, major machinery/equipment as per the approved list (Serial Nos. 197 to 204) is not available in the institute. Due to this deficiency, approximately 80 hours of the prescribed syllabus could not be covered, which adversely affects the practical training of trainees. b) Considering the deficiencies observed during inspection and the impact on trainees' practical training, the institute is recommended for de-affiliation.	recommendation of the Fitter trade, the SSDEC, in its 11th meeting, confirmed the deficiencies identified by the Inspection Committee and recommended de-affiliation of the Fitter trade/units. 2. SCAA, having considered the recommendation of the SSDEC, is of the opinion that the deficiencies identified in the Fitter trade, particularly the absence of a partition wall and the shortage of prescribed machinery affecting practical training, warrant de-affiliation. Accordingly, the Fitter – 2(1+1) trade/units are hereby de-affiliated. No admissions in this trade shall be permitted from the Academic Session 2026-27 onwards.

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
			c) There is no partition/wall separation between the Fitter lab and the Electrician lab, which is not permissible as per NCVET/NSQF norms. d) 03 out of 02 instructor 01 instructor is only CTS passed with zero-year experience hence ineligible as instructor 7. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended continuation of the affiliation for Electrician – 2 (1+1) and Fire Technology 2(1+1). 8. The matter was discussed in 25th SCAA dated 13.11.2025 and 14.11.2025 in which SCAA decided the following: a) SSDEC to provide clarification on following points: No recommendations provided for Fitter – 2 (1+1) 9. The matter was again discussed in 11th SSDEC in its meeting dated 10.06.2026 and SSDEC recommended de-affiliation due to following reasons:	

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
			a) Inspection Committee has not recommended Fitter (1+1) with remarks '- In the Fitter trade, major machinery/equipment as per the approved list (Serial Nos. 197 to 204) is not available in the institute. Due to this deficiency, approximately 80 hours of the prescribed syllabus could not be covered, which adversely affects the practical training of trainees.' SSDEC to forward proposal of De-affiliation Fitter (1+1) to SCAA.	
12.	Rajkamal Pvt. ITI, Address - Nangaliya Gujarwas, Post-Mehara Jatuwas (Jhunjhunu) MIS Code - PR08001948	1. Electrician - 4(2+2) 2. Health Sanitary Inspector – 2(1+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 07.01.2025. 3. The ITI replied to the SCN on 22.01.2025. 4. Further, a joint inspection was conducted on 17.09.2025 by the RDSDE and State official. 5. Joint Inspection committee has recommended continuation of affiliation for Electrician - 6(2+2+2) as no deficiencies have been identified during Joint	The matter was discussed in the SCAA meeting and the SCAA remarks/decision are as under: 1. SCAA further noted that the ITI has submitted a request for self-surrender of the Health Sanitary Inspector – 2(1+1) trade/units. The SSDEC, in its 11th meeting, recommended de-affiliation of the said trade/units, accordingly The Health Sanitary

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
			Inspection conducted on 17.09.2025. 6. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended continuation of the affiliation for Electrician - 6(2+2+2) 7. The matter was discussed in 25th SCAA dated 13.11.2025 and 14.11.2025 in which SCAA decided the following: a) SSDEC to provide clarification on following points: No recommendations were provided by SSDEC for Health Sanitary Inspector 2(1+1), however, it is affiliated on NCVT MIS Portal. 8. The matter was again discussed in 11th SSDEC in its meeting dated 10.06.2026 and SSDEC recommended de-affiliation due to following reasons: a) ITI has submitted self-surrender request of Trades (Health Sanitary Inspector) , SSDEC decided to forward de-affiliation proposal of the above trade to SCAA.	Inspector – 2(1+1) trade/units are hereby de-affiliated at the request of the ITI. No admissions in this trade shall be permitted from the Academic Session 2026-27 onwards.

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
13.	Tagore Private ITI, Address - Mandawa Road, Sitsar, Dist. Jhunjhunu MIS Code - PR08001864	1. Electrician – 2(1+1) 2. Fitter – 2(1+1) 3. Hair & Skin Care (VI & OD) – 3(1+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 07.01.2025. 3. Further, a joint inspection was conducted on 18.09.2025 by the RDSDE and State official. 4. Joint Inspection committee has recommended continuation of affiliation for following trade/units: Electrician - 2(1+1) 5. However, as per joint inspection report following deficiencies have been identified during Joint Inspection conducted on 18.09.2025: a) For Hair and Skin care (VI & OD) trade there were neither workshop nor tools and Accessories available. b) In Fitter trade Pneumatics and Hydraulics tools and Accessories were not available. 6. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended continuation of the affiliation for Electrician	The matter was discussed in the SCAA meeting and the SCAA remarks/decision are as under: 1. Pursuant to the 25th SCAA's direction seeking clarification on the reasons for non-recommendation, the State issued a Show Cause Notice to the ITI. The SSDEC, in its 11th meeting, examined the matter, confirmed the deficiencies identified by the Inspection Committee, and recommended de-affiliation of both the Fitter and Hair & Skin Care (VI & OD) trades/units. 2. SCAA, having considered the recommendation of the SSDEC, is of the opinion that the complete absence of the requisite workshop, tools, and accessories in the Fitter and Hair & Skin Care (VI & OD) trades warrants de-affiliation. Accordingly, the Fitter – 2(1+1) and Hair & Skin Care (VI & OD) – 2(1+1) trade/units are hereby de-affiliated. No admissions in these trades shall be

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
			- 2(1+1) and not recommended Fitter-2(1+1+) and Hair & Skin care (VI &OD)-2(1+1). 7. The matter was discussed in 25th SCAA dated 13.11.2025 and 14.11.2025 in which SCAA decided the following: a) SSDEC to provide clarification on following points: Reasons for not recommended Fitter 2 (1+1) & Hair & Skin care (VI &OD)-2(1+1) trades were not provided by SSDEC. 8. The matter was again discussed in 11th SSDEC in its meeting dated 10.06.2026 and SSDEC recommended de-affiliation due to following reasons: a) IC has not recommended Hair skin care with remarks 'For Hair and Skin care (VI &OD) trade there were neither workshop nor tools and Accessories available.', and Fitter Trade with Remark " In Fitter trade Pneumatics and Hydraulics tools and Accessories were not available." SSDEC decided to forward proposal of De-affiliation of trade	permitted from the Academic Session 2026-27 onwards.

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
			Hair Skin Care (1+1), Fitter (1+1)	
14.	Shivalik Private ITI Address - Chak 17 Z,Po-19 Z, Via Mirzewala, Dist. Sri Ganganagar Rajasthan MIS Code - PR08001751	1. Electrician - 2(1+1) 2. Plumber – 2(1+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 07.01.2025. 3. The ITI replied to the SCN on 12.02.2025. 4. Further, a joint inspection was conducted on 29.07.2025. 5. Joint Inspection committee has recommended continuation of affiliation for following trade/units: Electrician - 2 (1+1) 6. However, as per joint inspection report no deficiencies have been identified during Joint Inspection conducted on 05.08.2025: (i) Some major machinery were not in working condition (ii) Four instructors were found to be untrained and some instructors have less experience than prescribed. (iii) The building infrastructure, including the dispensary and ED hall/multipurpose	The matter was discussed in the SCAA meeting and the SCAA remarks/decision are as under: 1. The Plumber – 2(1+1) trade/units are hereby de-affiliated at the request of the ITI. No admissions in this trade shall be permitted from the Academic Session 2026-27 onwards.

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
			hall, is smaller than the required size as per the new norms. (iv) About 10% of the major and minor machinery in the Electrician trade are not available. (v) More than 90% of the major and minor machinery are not available in the Plumber trade. (vi) The average amount spent on raw materials per trainee per month is below the required level. (vii) The number of electricity units consumed per trainee per month is less than the standard. (viii) The owner did not provide a demand draft (DD) for the affiliation of the Plumber trade and informed that he is not interested in continuing the trade in future. (ix) The ITI building is adjacent to another school, and the front land of both premises is not separated by a boundary wall; however, the owner stated that a partition wall will be constructed soon.	

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
			(x) The electricity bill is not in the name of the Principal, ITI, or the organization. (xi) Some constructed areas, such as the store, staff room, and plumber workshop, are covered with tin sheds. 7. The matter of the ITI was discussed in the 10th SSDEC meeting held on 23.09.2025 and the SSDEC recommended de-affiliation of the ITI as electricity bill is not in the name of ITI/Organization. 8. Further, State Directorate submitted that as per the discussion held with Chairperson SSDEC with State DET and RDSDE on 25.09.2025 in respect of 9th and 10th SSDEC, the ITI is conditionally recommended for affiliation of Electrician - 2 (1+1), subject to removal of deficiency recorded as the Electricity bill not in the name of ITI/organisation within 1 month. 9. The matter was discussed in 25th SCAA dated 13.11.2025 and 14.11.2025 in which SCAA decided the following:	

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
			a) SSDEC to provide the clarification on following points: i. Whether, the ITI has submitted the copy of Electricity bill in the name of ITI/organisation. ii. No reason provided by SSDEC for not recommended Plumber trade 10. The matter was again discussed in 11th SSDEC in its meeting dated 10.06.2026 and SSDEC recommended de-affiliation due to following reasons: i. As per Inspection Committee remarks; 'The owner did not provide a demand draft (DD) for the affiliation of the Plumber trade and informed that he is not interested in continuing the trade in future.', SSDEC has decided for forwarding the de-affiliation proposal of Plumber trade.	

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
			ii. The ITI has submitted the copy of EB bill in the name of ITI society 'Shivalik Shikshan Samiti'.	
15.	Shri Nemsingh Parmar Private ITI Address - Jayshri Road, Bhuru Ka Bas Sikri, Nagar, Bharatpur (Raj), Rajasthan - 321024 MIS Code - PR08001762	1. Electrician – 4(2+2) 2. Fitter – 4(2+2)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 03.01.2025. 3. Further, a joint inspection was conducted on 21.08.2025 by the RDSDE and State official. 4. Joint Inspection committee has recommended continuation of affiliation for following trade/units: Electrician – 6(2+2+2) and Fitter – 4 (2+2) as no deficiencies have been identified during Joint Inspection conducted on 21.08.2025. 5. Based on joint inspection, the 10th SSDEC meeting held on 23.09.2025 has recommended continuation of the affiliation for: i. Electrician – 06 (2+2+2) ii. Fitter – 4 (2+2). 6. The matter was discussed in 25th SCAA dated 13.11.2025 and 14.11.2025 in which	The matter was discussed in the SCAA meeting and the SCAA remarks/decision are as under: 1. SCAA noted that the ITI has submitted a request for self-surrender of the Fitter trade – third shift (2 units). Therefore, SCAA accepted the self-surrender request of ITI for Fitter third shift 2 units.

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
			SCAA decided the following: a) SSDEC to provide clarification on following points: i. No SSDEC recommendations for self -surrender request by ITI for affiliated trade Fitter 2(0+0+2), however as per inspection report ITI submitted surrender of 3rd shift 2 units. 7. The matter was again discussed in 11th SSDEC in its meeting dated 10.06.2026 and SSDEC submitted the following: i. DGT vide order no. DGT-AFF 0MISc/90/2022/ TC section Dated 30/4/2026 has de-affiliated all third units which are not converted into DST mode.	
16.	Navodaya Private Industrial Training Institute Address - Boota Singh Colony, Sangod Road, Kaithoon Taluka, Ladpura, Dist. Kota - 324001 MIS Code - PR08000325	Electrician – 12(6+6)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 30.12.2024. 3. The ITI replied to the SCN on 16.01.2025. 4. Further, a joint inspection was conducted on 07.08.2025	The matter was discussed in the SCAA meeting and the SCAA remarks/decision are as under: 1. SCAA noted that the Joint Inspection conducted on 07.08.2025 recommended continuation of affiliation for

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
			by the RDSDE and State official 5. Joint Inspection committee has recommended continuation of affiliation for following trade/units: Electrician - 8(4+4) 6. However, as per joint inspection report following deficiencies have been identified during Joint Inspection conducted on 07.08.2025: a) Tool and equipment and Major-Machineries Were Present Only for Four Units as Third Machinery Lab was Not Functioning and Major equipment Such as- Ev Charger (3 Phase), Coil Winding Machine, DG Set, Inverter Etc. we're not Present. b) Fire Extinguisher was not refilled. c) In Engg. Drawing class room ED Table all not present. 7. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended continuation of the affiliation for Electrician - 8(4+4). 8. The matter was discussed in 25th SCAA	Electrician – 8(4+4) trade/units, as tools, equipment, and major machinery were found sufficient only for four units, with the third machinery lab not functioning and major equipment such as EV Charger (3 Phase), Coil Winding Machine, DG Set, and Inverter not present. General deficiencies were also noted, namely that the fire extinguisher was not refilled and ED tables were not present in the Engineering Drawing classroom. 2. SCAA further noted that in its reply dated 10.01.2026, the ITI has self-surrendered the remaining Electrician – 4(2+2) trade/units. The SSDEC has accordingly recommended de-affiliation of the said units. 3. The ITI is allowed to admit trainees for the Academic Session 2026-27 in Electrician – 8(4+4) trade/units, subject to removal of the common deficiencies, namely refilling of the fire extinguisher and provision of ED tables in the

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
			dated 13.11.2025 and 14.11.2025 in which SCAA decided the following: a) SSDEC to provide clarification on following points: i. No recommendation s provided for Electrician 10 (2+2+6) 9. The matter was again discussed in 11th SSDEC in its meeting dated 10.06.2026 and SSDEC submitted the following: i) DGT vide order no. DGT-AFF 0MISc/90/2022/TC section Dated 30/4/2026 has de-affiliated all third units which are not converted into DST mode. ii) SCN reply received on 10th January 2026, ITI has self-surrender its Electrician (2+2) trade, SSDEC decided to forward de-affiliation proposal for Electrician (2+2)	Engineering Drawing classroom. The ITI shall remove the said deficiencies, and the State Directorate shall ensure compliance before the commencement of the Academic Session 2026-27. 4. The Electrician – 6(2+2+2) trade/units are hereby de-affiliated: 4(2+2) at the instance of the ITI's self-surrender, and the corresponding 2 units in the third shift, since the base units in the first and second shift to which they correspond stand self-surrendered. No admissions in these units shall be permitted from the Academic Session 2026-27 onwards.
17.	Marwar Pvt. ITI, Jojawar Auwa Road, Marwar Junction (Pali) (PR08001927)	1. Electrician – 2(1+1) 2. Early Childhood Educator – 2(1+1) 3. Wireman – 2(1+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 04.01.2025. SCN replied dated 20.01.2025.	The matter was discussed in the SCAA meeting and the SCAA remarks/decision are as under: 1. SCAA noted that the ITI has submitted a request for self-

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
			3. Further, a joint inspection was conducted on 12.06.2025 by the RDSDE and State official. 4. Joint inspection committee has recommended: (i) Electrician – 2 (1+1) (ii) Wireman – 2 (1+1) 5. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended continuation of affiliation for: (i) Electrician – 2 (1+1) (ii) Wireman – 2 (1+1) 6. The matter was discussed in 25th SCAA dated 13.11.2025 and 14.11.2025 in which SCAA decided the following: a) SSDEC to provide clarification on following points: i. No recommendation s were provided for Early Childhood Educator Trade However, this trade is affiliated	surrender of the Early Childhood Educator – 3(1+1+1) trade/units. The SSDEC, in its 11th meeting, recommended de-affiliation of the said trade/units, accordingly the Early Childhood Educator – 3(1+1+1) trade/units are hereby de-affiliated at the request of the ITI. No admissions in this trade shall be permitted from the Academic Session 2026-27 onwards.

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
			on the NCVT MIS Portal. 7. The matter was again discussed in 11th SSDEC in its meeting dated 10.06.2026 and SSDEC recommended de-affiliation of the ITI due to following reasons: a) ITI has submitted self-surrender request of Trades (Early Childhood Educator), SSDEC decided to forward de-affiliation proposal of the trade (Early Childhood Educator) to SCAA. 8. The matter was again discussed in 11th SSDEC in its meeting dated 10.06.2026 and SSDEC recommended de-affiliation of the following trade/unit due to below reasons: a) ITI has submitted self-surrender request of Trades (Early Childhood Educator), SSDEC decided to forward de-affiliation proposal of the trade (Early Childhood Educator) to SCAA.	
18.	Gandhi Private Industrial Training Institute, Dari Factory Campus, Station Road, Dhaulpur	1. Computer Operator and Programming Assistant – 1(1+0) 2. Fitter – 2(1+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 03.01.2025. SCN replied dated 20.01.2025.	The matter was discussed in the SCAA meeting and the SCAA remarks/decision are as under: 1. SCAA noted that the ITI has submitted a

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
	(PR08000972)	3. Electrician – 2(1+1)	3. Further, a joint inspection was conducted on 16.07.2025 by the RDSDE and State official. 4. Inspecting members have recommended affiliation for Electrician - 2 (1+1) and Computer Operator and Programming Assistant – 1 (1+1). 5. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended continuation of affiliation for Electrician - 2 (1+1) and Computer Operator and Programming Assistant – 1 (1+1). 6. The matter was discussed in 25th SCAA dated 13.11.2025 and 14.11.2025 in which SCAA decided the following: a) SSDEC to provide clarification on following points: i. No recommendations were provided for units affiliated in the Fitter trade. ii. For COPA trade, 2 units have been recommended for continuation of affiliation. However, only	request for self-surrender of the Fitter – 2(1+1) trade/units. 2. The SSDEC, in its 11th meeting, recommended de-affiliation of the said trade/units, accordingly the Fitter – 2(1+1) trade/units are hereby de-affiliated at the request of the ITI. No admissions in this trade shall be permitted from the Academic Session 2026-27 onwards.

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
			one unit is affiliated as per NCVT MIS portal. 7. The matter was again discussed in 11th SSDEC in its meeting dated 10.06.2026 and SSDEC recommended de-affiliation of the following trade/unit due to below reasons: a) ITI has submitted self-surrender request of Trades (Fitter), SSDEC decided to forward de-affiliation proposal of the trades Fitter to SCAA b) In reference of SCAA remarks of additional units recommended by IC team over and above the affiliated units on portal; SSDEC has decided to curtail the recommendation given by Inspection Committee for COPA up to the affiliated units on NCVT portal.	
19.	Tolasaria Private Industrial Training Institute, Address - Post-Dundlod, Teh. Nawalgarh, Distt. Jhunjhunu-333702 MIS Code - PR08001216	1. Mechanic Diesel -2(1+1) 2. Electrician – 6(3+3) 3. Fitter – 1(1+0)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 07.01.2025. 3. The ITI replied to the SCN on 21.01.2025. 4. Further, a joint inspection was conducted on 08.09.2025	The matter was discussed in the SCAA meeting and the SCAA remarks/decision are as under: 1. SCAA noted that the ITI has submitted a request for self-surrender of all its affiliated trades, namely Electrician – 3(1+2), Mechanic Diesel – 2(1+1), and

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
			by the RDSDE and State official. 5. Joint Inspection committee has recommended continuation of affiliation for following trade/units: Electrician – 3 (1+2) and Mech. Diesel – 2 (1+1). 6. However, as per joint inspection report following deficiencies have been identified during Joint Inspection conducted on 08.09.2025: i) Fitter – (1+1) 02 not recommendation for Affiliation. ii) According to revised syllabus Mechanic Diesel trade do not have the machinery. iii) Further, the following have been de-affiliated vide DGT order dated 17.01.2025 due to zero admissions: iv) Electrician 2(1+1) units v) Fitter- 1 (0+1) 7. Based on the findings of the joint inspection, 10th SSDEC dated 08.09.2025 has recommended for the continuation of the affiliation: - Electrician - (1+2) 03 units, Mechanic Diesel – 02 (1+1)	Fitter – 1(1+0). The SSDEC, in its 11th meeting, recommended de-affiliation of the ITI accordingly. 2. Accordingly, all trades of the ITI are hereby de-affiliated. No admissions shall be permitted in the institute from the Academic Session 2026-27 onwards.

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
			8. The matter was discussed in 25th SCAA dated 13.11.2025 and 14.11.2025 in which SCAA decided the following: a) SSDEC to provide clarification on following points: - The Fitter 1(1+0) is affiliated on NCVT MIS portal but no recommendations are provided by SSDEC. - Mechanic Diesel is recommended for continuation of affiliation but ITI does not have machinery as per revised syllabus. - Extra units in Electrician trade recommended by SSDEC, however, Electrician - 2(1+1) have already been de-affiliated by DGT order dated 17.01.2025 due to zero admission 9. The matter was again discussed in 11th SSDEC in its meeting dated 10.06.2026 and SSDEC recommended de-affiliation of the ITI	

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
			due to following reasons: a) ITI has submitted for the self-surrender request of all trades. So, proposal for De-affiliation to be forward to SCAA.	
20.	Modern Private ITI, Address - VPO. Chanana, Chirawa, Dist. JHUNJHUNU-333026 MIS Code - PR08001652	1. Computer Hardware & Network Maintenance - 2(1+1) 2. Sewing Technology - 1(1+0) 3. Electrician – 2(1+1) 4. Plumber – 1(1+0)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 07.01.2025. 3. The ITI replied to the SCN on 22.01.2025. 4. Further, a joint inspection was conducted on 16.09.2025 by the RDSDE and State official. 5. Joint Inspection committee has recommended continuation of affiliation for following trade/units: Electrician - 2(1+1) as no deficiencies have been identified during Joint Inspection conducted on 16.09.2025. 6. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended continuation of the affiliation Electrician – 2 (1+1). 7. The matter was discussed in 25th SCAA dated 13.11.2025 and	The matter was discussed in the SCAA meeting and the SCAA remarks/decision are as under: 1. SCAA noted that the ITI has submitted a request for self-surrender of the Computer Hardware & Network Maintenance – 2(1+1), Plumber – 1(1+0), and Sewing Technology – 1(1+0) trade/units. The SSDEC, in its 11th meeting, recommended de-affiliation of the said trades/units. 2. Accordingly, the Computer Hardware & Network Maintenance – 2(1+1), Plumber – 1(1+0), and Sewing Technology – 1(1+0) trade/units are hereby de-affiliated at the request of the ITI. No admissions in these trades shall be permitted from the

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
			14.11.2025 in which SCAA decided the following: a) SSDEC to provide clarification on following points: i. No recommendation s were provided by SSDEC for following trades/units, however, these trades and units are affiliated on NCVT MIS Portal: a. Computer Hardware & Network Maintenance – 2 (1+1) b. Plumber- 1(1+0) c. Sewing Technology- 1(1+0) 8. The matter was again discussed in 11th SSDEC in its meeting dated 10.06.2026 and SSDEC recommended de-affiliation of the ITI due to following reasons: a) ITI has submitted self-surrender request of Trades (Plumber, Sewing Technology, Computer Hardware & Network Maintenance), SSDEC decided to	Academic Session 2026-27 onwards.

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
			forward de-affiliation proposal of the above trades to SCAA.	
21.	Baba Narayandas Private ITI Address - Sikar Plot No 206, Industrial Area, Neem Ka Thana, Dist. Sikar, Rajasthan MIS Code - PU08001755	1. Electrician – 4(2+2) 2. Early Childhood Educator – 2(1+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 07.01.2025. 3. The ITI replied to the SCN on 17.01.2025. 4. Further, a joint inspection was conducted on 04.08.2025 by the RDSDE and State official. 5. Joint Inspection committee has recommended continuation of affiliation for Electrician 3(2+1) as no deficiencies have been identified during Joint Inspection conducted on 04.08.2025. 6. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended continuation of the affiliation for Electrician 3(2+1). 7. The matter was discussed in 25th SCAA dated 13.11.2025 and 14.11.2025 in which SCAA decided the following:	The matter was discussed in the SCAA meeting and the SCAA remarks/decision are as under: 1. SCAA noted that the ITI has submitted a request for self-surrender of the Early Childhood Educator – 2(1+1) trade/units. The SSDEC, in its 11th meeting, recommended de-affiliation of the said trade/units, accordingly the Early Childhood Educator – 2(1+1) trade/units are hereby de-affiliated at the request of the ITI. No admissions in this trade shall be permitted from the Academic Session 2026-27 onwards.

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
			a) SSDEC to provide clarification on following points: i. No recommendations were provided for Early Childhood Educator- 2 (1+1) trade not recommended by SSDEC. 8. The matter was again discussed in 11th SSDEC in its meeting dated 10.06.2026 and SSDEC recommended de-affiliation of the ITI due to following reasons: i. ITI has submitted self-surrender request of Trades (Early Childhood Educator) , SSDEC decided to forward de-affiliation proposal of the trades to SCAA.	
22.	Thar Private ITI, Nh-15, Village Dhorimana, Barmer Road, Barmer344704 (PR08001703)	1. Wireman – 2(1+1) 2. Fitter – 2(1+1) 3. Electrician – 2(1+1) 4. Electronics Mechanic 2(1+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 04.01.2025. SCN replied dated 23.01.2025. 3. Further, a joint inspection was conducted on 12.06.2025 by the RDSDE and State official. 4. Following deficiencies have been identified	The matter was discussed in the SCAA meeting and the SCAA remarks/decision are as under: 1. Pursuant to the 25th SCAA's direction, the State issued a Show Cause Notice to the ITI, and the 11th SSDEC decided that the reply submitted by the ITI be verified

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
			during inspection conducted on 12.06.2025: i) Electrician: a. Fire extinguisher was found expired. b. Class room condition was not good. c. A few shortages of shop tools and equipment. d. Energy meter of DG set was not found. ii) Fitter: a. Lack of training activity. b. Less number of trainees were found taking training. c. Class room condition was not good. iii) Electronics Mechanic: a. Lack of training activity b. Class room condition was not good c. workshop condition was not good iv) Wireman: a. Lack of training activity and less numbers of	through a fresh Joint Inspection. 2. SCAA noted that the Joint Inspection conducted on 18.06.2026 confirmed that the deficiencies in the Electrician trade had been removed. 3. However, the deficiency in tools and equipment in the Fitter trade (Sl. Nos. 184, 185, and 197 to 204) was found to be persistent and consistent with the deficiency recorded during the earlier inspection, despite the ITI having been afforded multiple opportunities to rectify the same. 4. The inspection further revealed that no equipment was found in the Electronics Mechanic lab, and no equipment was found in the Wireman lab, which had been converted into a classroom. The ITI has submitted a request for self-surrender of the Electronics Mechanic and Wireman trades. 5. The 12th SSDEC, in its meeting held on 23.06.2026, accordingly recommended de-affiliation of the

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
			trainees were found taking training. b. Fire extinguisher was found expired. c. Class room condition was not good. d. Workshop was not properly managed. 5. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended continuation of affiliation for: i) Electrician - 3 (1+1+1) ii) Electronics Mechanic - 2 (1+1) iii) Fitter - 2 (1+1) iv) Wireman - 2 (1+1) 6. The matter was discussed in 25th SCAA dated 13.11.2025 and 14.11.2025 in which SCAA decided the following: a) ITI to remove deficiencies as identified during joint inspection. State Directorate must ensure that all the deficiencies are removed. b) SSDEC to provide the clarification on following points:	Fitter, Electronics Mechanic, and Wireman trades/units. 6. Based on the recommendations of SSDEC, the Electronics Mechanic – 2(1+1) and Wireman – 2(1+1) trade/units are hereby de-affiliated at the request of the ITI. No admissions in these trades shall be permitted from the Academic Session 2026-27 onwards. 7. Further, the Fitter – 3(1+1+1) trade/units, including the corresponding third shift unit, are also hereby de-affiliated on account of persistent non-compliance despite multiple opportunities.

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
			i. In Fitter trade; no recommendations were provided for Shift 3, unit 1. 7. Thereafter , a Show Cause Notice (SCN) was issued to the ITI regarding the deficiency by State DET. 8. In 11th SSDEC in its meeting dated 10.06.2026 decided that the reply submitted by the institute to be verified through a Joint Inspection. the findings of the inspection team shall be put up in next SSDEC meeting. 9. Accordingly joint inspection of the ITI was conducted on 18.06.2026 and following deficiencies were observed : a) lease deed was not available , rent agreement available but not registered. b) Payment receipt not found against bill . c) In Fitter trade : 184, 185, #G 197 to 204 not available. d) In Electronic Mechanic trade : no equipment found in Lab, e) In wireman trade : no equipment found and converted to classroom.	

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
			f) Toilet, drinking water and library were not sufficient. g) ITI submitted letter for surrender of Electronics Mechanic and Wireman trade. 10. The Inspection Committee recommended for Electrician (1+1) and not recommended Fitter (1+1) 11. The matter was revisited in 12th SSDEC in its meeting dated 23.06.2026 and SSDEC recommended de-affiliation for Fitter (1+1), Electronic Mechanic(1+1), Wireman (1+1) due to following reasons: a) IC has verified that ITI has removed deficiency in respect of Electrician Trade. b) IC has recorded deficiency in tool and equipment for fitter trade, the deficiency found to be consistent with the deficiency recorded in previous inspection conducted Despite being provided with multiple	

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
			opportunities to rectify the shortcomings, the ITI has failed to ensure compliance. c) ITI has submitted Self surrender request for Trade EM and Wireman trade.	
23.	Marudhara Pvt. ITI, Infront Of 33 Kv Gss, Nh-15, Barmer Road, Dhorimanna (Barmer) MIS Code - PR08001883	1. Electrician - 4(2+2) 2. Health Sanitary Inspector – 2(1+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 04.01.2025. SCN replied dated 23.01.2025 3. Further, a joint inspection was conducted on 12.06.2025 by the RDSDE and State official. 4. However, the following deficiencies have been identified during inspection conducted on 12.06.2025: i. Electrician - a. Lack of training activity and less quantity of trainee found taking training. b. Fire extinguisher was found expired. c. Class room condition was not good. d. A few shortages of shop tools and equipment.	The matter was discussed in the SCAA meeting and the SCAA remarks/decision are as under: 1. SCAA noted that the Joint Inspection conducted on 12.06.2025 identified deficiencies in both the Electrician and Health Sanitary Inspector trades. Pursuant to the 25th SCAA's direction, the State issued a Show Cause Notice to the ITI, and the 11th SSDEC decided that the reply submitted by the ITI be verified through a fresh Joint Inspection. 2. SCAA noted that the Joint Inspection conducted on 18.06.2026 confirmed that the Electrician trade was fully equipped with working machinery and tools; however, a deficiency regarding

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
			e. Energy meter of DG set was not found ii. Health Sanitary Inspector: a. Lack of training activity. b. Workshop was not found proper maintained. c. No trainee found taking training during inspection. 5. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended continuation of affiliation for: i. Electrician – 6 (2+2+2) ii. Health Sanitary Inspector – 2 (1+1+0) 6. The matter was discussed in 25th SCAA dated 13.11.2025 and 14.11.2025 in which SCAA decided the following: a) ITI to remove deficiencies as identified during joint inspection. State Directorate must ensure that all the deficiencies are removed. b) SSDEC to provide clarification on following points:	non-availability of the land lease deed and non-registration of the rent agreement was recorded, and the Inspection Committee accordingly recommended continuation of affiliation for Electrician – 4(2+2) trade/units subject to availability of the land lease documents. The Health Sanitary Inspector trade continued to have a shortage of tools and equipment, which was found to be consistent with the deficiency recorded during the earlier inspection, despite the ITI having been afforded multiple opportunities to rectify the same. 3. The 12th SSDEC, in its meeting held on 23.06.2026, recommended continuation of affiliation for Electrician – 4(2+2) trade/units and recommended de-affiliation of Health Sanitary Inspector – 2(1+1) trade/units. SCAA observed that the SSDEC's recommendation did not carry forward the condition placed by the Inspection

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
			i. In Health Sanitary Inspector trade; no recommendations were provided for Shift 3, unit 1. 7. Thereafter, a Show Cause Notice (SCN) was issued to the ITI regarding the deficiency by State DET. 8. In 11th SSDEC in its meeting dated 10.06.2026 decided that the reply submitted by the institute to be verified through a Joint Inspection. the findings of the inspection team shall be put up in next SSDEC meeting. 9. Accordingly, joint inspection of the ITI was conducted on 18.06.2026 and following deficiencies were observed: a) lease deed not available, rent agreement available but not registered. b) Electrician Trade is fully equipped with working condition Machineries and tool equipment. c) Health Sanitary Inspector trade tool and equipment are short. 10. The Inspection Committee	Committee regarding submission of land lease documents for the Electrician trade. 4. Based on the recommendation of the SSDEC, the ITI is allowed to admit trainees for the Academic Session 2026-27 in Electrician – 4(2+2) trade/units, subject to submission of a valid land lease deed or a registered rent agreement for the ITI premises. The State Directorate shall verify compliance in this regard before the commencement of the Academic Session 2026-27. 5. SCAA further noted that the corresponding third shift (2 units) of the Electrician trade had earlier stood de-affiliated vide DGT letter dated 30.04.2026 for non-conversion to DST mode. In compliance with the Hon'ble High Court's order dated 20.07.2026 in CONT.CAS(C) No. 1218/2026, the operation of the said letter has been kept in abeyance vide DGT OM dated 27.07.2026, and the said third-shift units stand restored.

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
			recommended - Electrician (2+2) Subject to availability of land lease documents. 11. The matter was revisited in 12th SSDEC in its meeting dated 23.06.2026 and SSDEC recommend continuation of affiliation for Electrician (2+2) and SSDEC recommended de-affiliation of Health Sanitary Inspector 2(1+1) due to following reasons: a) Inspection Committee has verified that ITI has removed deficiency in respect of Electrician Trade. b) Inspection Committee has recorded deficiency in tool and equipment for Health Sanitary Inspector trade the deficiency found to be consistent with the deficiency recorded in previous inspection conducted and Despite being provided with multiple opportunities to rectify the shortcomings, the ITI has failed to ensure compliance.	6. Accordingly, the ITI is allowed to admit trainees in Electrician – 6(2+2+2) trade/units in total for the Academic Session 2026-27, subject to submission of a valid land lease deed or registered rent agreement, and subject to mapping of duly approved instructors against the third-shift units on the SIDH Portal. The ITI shall apply through the DGT Affiliation Portal for conversion of the said third-shift units into DST mode on or before 30.09.2026, failing which the said units shall stand de-activated by DGT for future sessions without further notice. 7. The Health Sanitary Inspector – 3(1+1+1) trade/units are hereby de-affiliated on account of persistent non-compliance despite multiple opportunities. No admissions in this trade shall be permitted from the Academic Session 2026-27 onwards.

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
24.	Shri Shyam Private Industrial Training Institute, At-Near Shiv Shakti Hotel, Nh-8, Vill-Manohanpura, Teh. - Shahpura Dist.-Jaipur Rajasthan-303104 (PR08001510)	1. Fire Technology and Industrial Safety Management - 2(1+1) 2. Electrician – 6(3+3)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 07.01.2025. SCN replied dated 23.01.2025. 3. Further, a joint inspection was conducted on 02.07.2025 by the RDSDE and State official. 4. Inspecting members have given following comments: a. Only 02 CITS Instructor appointed for Electrician Trade against 09 units. b. No CITS Instructor appointed for Fire Tech & Safety Trade, equipment for Fire Tech & Industrial Management trade were not available. 5. However, inspecting members have given recommendation for affiliation of Electrician – 6 (2+2+2) and Fire safety and industrial Management – 3 (1+1+1). 6. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended for	The matter was discussed in the SCAA meeting and the SCAA remarks/decision are as under: 1. SCAA noted that the Joint Inspection conducted on 02.07.2025 identified deficiencies including shortage of CITS instructors for the Electrician trade and absence of CITS instructor and equipment for the Fire Technology & Industrial Safety Management trade. Pursuant to the 25th SCAA's direction, the State issued a Show Cause Notice to the ITI, and the 11th SSDEC decided that the reply submitted by the ITI be verified through a fresh Joint Inspection. 2. SCAA noted that the Joint Inspection conducted on 19.06.2026 revealed that machinery for the Electrician trade was not available for one of the units in the first two shifts, and major machinery was found working only for 4 units. For the Fire Technology & Industrial Safety Management trade, several items of

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
			continuation of affiliation for Electrician – 6 (2+2+2) and Fire safety and industrial Management – 3 (1+1+1). 7. The matter was discussed in 25th SCAA dated 13.11.2025 and 14.11.2025 in which SCAA decided the following: a) ITI to remove deficiencies as identified during joint inspection. State Directorate must ensure that all the deficiencies are removed. b) SSDEC to provide clarification on following points: i. No recommendations provided by SSDEC for Electrician 3(1+1+1) 8. Thereafter, a Show Cause Notice (SCN) was issued to the ITI regarding the deficiency by State DET. 9. In 11th SSDEC in its meeting dated 10.06.2026 decided that the reply submitted by the institute to be verified through a Joint Inspection. the findings of the inspection team	equipment were found not available, and only the agreement for the fire tender and the registration certificate for the rescue van were shown, with the actual vehicles not available at the institute. 3. The 12th SSDEC, in its meeting held on 23.06.2026, recommended continuation of affiliation for Electrician – 4(2+2) trade/units and recommended de-affiliation of the remaining Electrician – 2(1+1) trade/units, as the deficiency in tools and equipment was found to be persistent and consistent with the deficiency recorded during the earlier inspection, despite the ITI having been afforded multiple opportunities to rectify the same. The SSDEC also recommended de-affiliation of the Fire Technology & Industrial Safety Management trade/units, as the deficiencies, including non-availability of the fire

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
			shall be put up in next SSDEC meeting. 10. Accordingly, joint inspection of the ITI was conducted on 19.06.2026 and following deficiencies were observed: a) For electrician trade machinery not available for 3rd unit except s.no. 144,148,149,157 and 158. for FTI trade s.no.35,36,39,58,59, 61,62,63,64,65,66 not available. b) For Electrical major machinery was working for the first 2 units (2+2) only. c) For FTI only agreement for fire tender shown and RC for rescue van shown but was not available in institute. 11. Further Inspection Committee recommended for Electrician (2+2) and not recommended for Fire safety and industrial Management 2(1+1) 12. The matter was revisited in 12th SSDEC in its meeting dated 23.06.2026 and SSDEC recommended de-affiliation of Electrician (1+1) and Fire Technology Trade (1+1) due to following reasons: a) Inspection Committee has recorded deficiency in tool and equipment for	tender and rescue van, remained unresolved. 4. Based on the recommendation of the SSDEC, the ITI is allowed to admit trainees for the Academic Session 2026-27 in Electrician – 4(2+2) trade/units. 5. SCAA further noted that the corresponding third shift (2 units) of Electrician trade had earlier stood de-affiliated vide DGT letter dated 30.04.2026 for non-conversion to DST mode. In compliance with the Hon'ble High Court's order dated 20.07.2026 in CONT.CAS(C) No. 1218/2026, the operation of the said letter has been kept in abeyance vide DGT OM dated 27.07.2026, and the said third-shift units stand restored. 6. Accordingly, the ITI is allowed to admit trainees in Electrician – 6(2+2+2) trade/units in total for the Academic Session 2026-27, subject to mapping of duly approved instructors against the third-shift units on the SIDH Portal. The ITI shall apply through the

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
			Fire tech and Electrician (1+1) trade the deficiency found to be consistent with the deficiency recorded in previous inspection conducted and Despite being provided with multiple opportunities to rectify the shortcomings, the ITI has failed to ensure compliance 13. However, SSDEC recommended Electrician 4(2+2)	DGT Affiliation Portal for conversion of the said third-shift units into DST mode on or before 30.09.2026, failing which the said units shall stand de-activated by DGT for future sessions without further notice. 7. Further SCAA has decided that the remaining Electrician – 2(1+1) trade/units and the corresponding third shift unit are hereby de-affiliated due to persistent deficiencies. The Fire Technology & Industrial Safety Management – 2(1+1) trade/units and the corresponding third shift unit are hereby de-affiliated due to persistent deficiencies. 8. Hence, Electrician – 3(1+1+1) and Fire Technology & Industrial Safety Management - 3(1+1+1) trade/units are de-affiliated. No admissions in these trades shall be permitted from the Academic Session 2026-27 onwards.
25.	Impulse Pvt. ITI, Agra Road, Dausa	1. Electrician – 4(2+2) 2. Computer Operator and	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.	The matter was discussed in the SCAA meeting and the SCAA

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
	(PU08001944)	Programming Assistant – 2(1+1) 3. Health Sanitary Inspector – 1(1+0) 4. Fitter - 2(1+1)	2. SCN was issued to the ITI by the State on 07.01.2025. SCN replied dated 24.01.2025. 3. Further, a joint inspection was conducted on 30.06.2025 by the RDSDE and State official. 4. Inspecting members have given following observations: a. Electrician – instructors not having CITS, minor items short as per NCVET approved syllabus tool list, i.e. earth tester, voltmeter and ammeter was not found in working condition, machines were not guarded & fire extinguisher not found and labs were tin shaded. b. Fitter – Labs not updated as per latest tool list and pneumatics & hydraulics missing 5. Inspecting members have recommended for affiliation of Electrician - 6 (2+2+2), Fitter - 3 (1+1+1) and not recommended for affiliation of Computer Operator and Programming Assistant	remarks/decision are as under: 1. SCAA noted that the Joint Inspection Committee did not recommend continuation of affiliation for the Computer Operator and Programming Assistant – 3(1+1+1) and Health Sanitary Inspector – 2(1+0+1) trade/units at any stage, including during the Joint Inspection conducted on 30.06.2025 as well as the subsequent Joint Inspection conducted on 18.06.2026. The 12th SSDEC accordingly forwarded a de-affiliation proposal for these trades/units. 2. Therefore, SCAA is of the considered opinion that the ITI has failed to demonstrate compliance for the Computer Operator and Programming Assistant and Health Sanitary Inspector trades across two successive inspections. Accordingly, the Computer Operator and Programming Assistant – 3(1+1+1) and Health Sanitary Inspector – 2(1+0+1)

Sr. No.	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
			and Health Sanitary Inspector trade. 6. Based on the findings of the joint inspection, the SSDEC, in its 9th meeting held on 17.09.2025, has recommended continuation of affiliation for Electrician - 6 (2+2+2), Fitter - 3 (1+1+1). 7. The matter was discussed in 25th SCAA dated 13.11.2025 and 14.11.2025 in which SCAA decided the following: a) ITI to remove deficiencies as identified during joint inspection. State Directorate must ensure that all the deficiencies are removed. b) SSDEC to provide clarification on following points: i. No recommendations were provided for Computer Operator & Programming Assistant and Health Sanitary Inspector trades /units. 8. Thereafter, a Show Cause Notice (SCN) was issued to the ITI	trade/units are hereby de-affiliated. No admissions in these trades shall be permitted from the Academic Session 2026-27 onwards.

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
			regarding the deficiency by State DET. 9. In 11th SSDEC in its meeting dated 10.06.2026 decided that the reply submitted by the institute to be verified through a Joint Inspection. the findings of the inspection team shall be put up in next SSDEC meeting. 10. Accordingly, joint inspection of the ITI was conducted on 18.06.2026 and following deficiencies were observed: a) Student records not available. b) All electrical equipment are not installed properly. In fitter trade pneumatic system and compressor unit is not mounted. welding unit is not setup. c) In Electrician & Fitter trade all major equipment are not in working condition and all the tools are rusted. Electrician Sr. no 97 to 120, 128, 131, 134, 139 & 140. Fitter s. no. 146 to 161, 179 to 196. d) As per map classroom	

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
			converted in to hostel room/ other & photoshoot room. 5. IT lab: All Computers are not working. e) Only one theory room available for all classes. one electrician lab is short. f) Other Activities: Hostel room and Photo shoot room. 11. Further IC team not recommended for any trade 12. The matter was revisited in 12th SSDEC in its meeting dated 23.06.2026 and SSDEC decided to forward de-affiliation proposal of Electrician (2+2), Fitter (1+1), COPA (1+1), Health Sanitary Inspector (1+0) due to following reasons : a) Inspection Committee has recorded deficiency of tools and equipment in trade Electrician and Fitter trade in line with the deficiency recorded by previous inspection team. Despite being provided with multiple opportunities to rectify the shortcomings, the ITI has failed to ensure compliance. b) Other Activities: Hostel room and Photo Shoot rooms were found	

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
26.	Shri Balaji Private Industrial Training Institute, Address - A-170, Krishna Colony, Khora Road, Manoharpur, Dist-Jaipur-303104 MIS Code – PR08001258	1. Electrician - 8 (4+4) 2. Fitter – 2(1+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 07.01.2025. 3. The ITI replied to the SCN on 15.01.2025. 4. Further, a joint inspection was conducted on 09.09.2025 by the RDSDE and State official. 5. Joint Inspection committee has recommended continuation of affiliation for following trade/units: Electrician – 5 (4+1). 6. However, as per joint inspection report following deficiencies have been identified during Joint Inspection conducted on 09.09.2025: i. Not Recommended for Fitter - 2(1+1) Unit. ii. Tools and equipment, General shop outfit, machinery of the following serial numbers (9,10,21,28,30,31,33,50,52,53,56,57,58,59,82,93,99,102,103,104,105,106,108,109,	The matter was discussed in the SCAA meeting and the SCAA remarks/decision are as under: 1. SCAA noted that the Fitter – 2(1+1) trade/units were not recommended by the Joint Inspection Committee at any stage, including during the Joint Inspection conducted on 09.09.2025 as well as the subsequent Joint Inspection conducted on 18.06.2026, on account of persistent shortage of tools, equipment, and machinery, and non-availability of pneumatics and hydraulics accessories. SCAA further noted that, out of the affiliated Electrician – 8(4+4) trade/units, the Joint Inspection conducted on 18.06.2026 identified persistent deficiencies in tools and equipment for the remaining Electrician – 4(2+2) trade/units, with only one lab panel found functional. The 12th SSDEC observed that

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
			110,111,112,114,115,116,117,120,123,124,125,126,127,128,129,131,132,133,134,135,137,138,140,148,155,156,157,160,170,172,186,190,191,192,193 were not available as per the syllabus of fitter NSQF level. iii. Tools and accessories for pneumatics and hydraulic were not available. 1978,198,199,200,201,202,203,204. iv. Out of 12 instructors only 7 instructors were found to have done CITS. 7. Based on the findings of the joint inspection, SSDEC has recommended for the continuation of the affiliation: -Electrician - 05 (4+1) 8. Moreover, the partial trade recommendations by the committee are subject to the removal of above-mentioned deficiencies and also as per SSDEC recommendations. 9. The matter was discussed in 25th SCAA dated 13.11.2025 and 14.11.2025 in which SCAA decided the following: a) ITI to remove deficiencies as	these deficiencies were found consistent with the deficiencies recorded during the earlier inspection, and that despite being afforded multiple opportunities, the ITI has failed to ensure compliance. 2. Therefore, SCAA is of the considered opinion that the ITI has failed to demonstrate compliance for the Fitter trade and for the remaining Electrician – 4(2+2) trade/units across two successive inspections. 3. Accordingly, the Fitter – 2(1+1) trade/units and the remaining Electrician – 4(2+2) trade/units are hereby de-affiliated. No admissions in these units shall be permitted from the Academic Session 2026-27 onwards.

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
			identified during joint inspection. State Directorate must ensure that all the deficiencies are removed. b) SSDEC to provide clarification on following points: i. Partial Trade recommendation s by SSDEC are subject to the removal of deficiencies observed during joint inspection ii. Reason for not recommended for Fitter 2(1+1) not mentioned in the MoM of SSDEC. iii. Similarly, Electrician - (4+1) 05 units recommended, however, the ITI is affiliated with Electrician 8(4+4) on NCVT MIS portal and not recommended 2nd shift 3 units. The reasons for not recommended are not mentioned in the SSDEC MoM. iv. Major deficiencies have been identified by Joint Inspection	

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
			committee by all trade units. 10. Thereafter, a Show Cause Notice (SCN) was issued to the ITI regarding the deficiency by State DET. 11. In 11th SSDEC in its meeting dated 10.06.2026 decided that the reply submitted by the institute to be verified through a Joint Inspection. the findings of the inspection team shall be put up in next SSDEC meeting. 12. Accordingly, joint inspection of the ITI was conducted on 18.06.2026 and Inspecting Committee recorded the following deficiencies: a) As tool list sr. no 1 to 12,78-80,90,92,165 not available for 4+4 unit of electrician, fitter lab all machinery, hand tool is rusted and lathe machine attachments & srno.156,184, 197-204 not available. b) Only one electrician lab panel are working otherwise another lab panel are not working, fitter lab all machinery and hand tool are rusted and lathe machine are not properly functioning. 13. Further Inspecting Committee team recommended Electrician (2+2) and Not recommended Fitter trade.	

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
			14. The matter was revisited in 12th SSDEC in its meeting dated 23.06.2026 and SSDEC decided to forward De-affiliation proposal for Electrician (2+2) and continuation of affiliation of Electrician (2+2) out of Electrician 4(2+2) due to following reasons: a) Inspecting Committee has recorded deficiency of tools and equipment in trade Fitter trade in line with the deficiency recorded by previous inspection team. Despite being provided with multiple opportunities to rectify the shortcomings, the ITI has failed to ensure compliance. b) Inspecting Committee has observed tools and Equipment deficiency in Electrician trade iro (4+4) units and recommended Electrician (2+2) units.	
27.	Shri Hari Aadarsh Private Industrial Training Institute,	1. Mechanic Diesel - 2(1+1) 2. Electrician – 4(2+2)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024.	The matter was discussed in the SCAA meeting and the SCAA

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
	Address - Borunda, Vpo Borunda, Pipar City Dist. Jodhpur - 342604 MIS Code - PR08001302		2. SCN was issued to the ITI by the State on 04.01.2025. 3. The ITI replied to the SCN on 24.01.2025. 4. Further, a joint inspection was conducted on 09.09.2025 by the RDSDE and State official. 5. Joint Inspection committee has recommended continuation of affiliation for following trade/units: Electrician – 6 (2+2+2). 6. However, as per joint inspection report following deficiencies have been identified during Joint Inspection conducted on 09.09.2025: i) In Electrician sr. no. 90, 125, 127 and 153 are not working ii) Mechanical Diesel – no single engine/ machinery was working. 7. Based on the findings of the joint inspection, the SSDEC, in its 10th meeting held on 23.09.2025, has recommended for the continuation of the affiliation: - Electrician - 6 (2+2+2) 8. The matter was discussed in 25th SCAA dated 13.11.2025 and	remarks/decision are as under: 1. SCAA noted that the Joint Inspection conducted on 09.09.2025 identified that no single engine or machinery was found working in the Mechanic Diesel trade, and certain machinery was found not working in the Electrician trade. Pursuant to the 25th SCAA's direction, the State issued a Show Cause Notice to the ITI, and the 11th SSDEC decided that the reply submitted by the ITI be verified through a fresh Joint Inspection. 2. SCAA noted that the Joint Inspection conducted on 18.06.2026 confirmed that deficiencies in the Electrician trade were persistent and consistent with the deficiencies recorded during the earlier inspection, despite the ITI having been afforded multiple opportunities to rectify the same. SCAA further noted, with serious concern, that the ITI's own management informed the Inspection

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
			14.11.2025 in which SCAA decided the following: a) ITI to remove deficiencies as identified during joint inspection. State Directorate must ensure that all the deficiencies are removed. b) SSDEC to provide clarification on following points: i. No recommendations for Mechanic Diesel trade 2(1+1) by SSDEC ii. SSDEC recommended Electrician - 6(2+2+2). However, following trades/units have been de-affiliated vide DGT order 17.01.2025 due to zero admission: a) Electrician- 2(0+0+2) b) Mechanic Diesel- 1(0+0+1) 9. Thereafter, a Show Cause Notice (SCN) was issued to the ITI	Committee, vide communication dated 22.06.2026, that the Mechanic Diesel trade had already been de-affiliated, and that the workshop for the Mechanic Diesel trade was neither shown during the inspection nor reflected in the approved building plan submitted by the institute. 3. The 12th SSDEC, in its meeting held on 23.06.2026, accordingly recommended de-affiliation of the Electrician – 4(2+2) and Mechanic Diesel – 2(1+1) trade/units. 4. Therefore, SCAA is of the considered opinion that the ITI has failed to demonstrate compliance in the Electrician trade despite being granted multiple opportunities, and that the Mechanic Diesel trade's workshop is neither functional nor reflected in the approved building plan of the institute. Accordingly, the Electrician – 5(2+2+1) and Mechanic Diesel – 2(1+1) trade/units

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
			regarding the deficiency by State DET. 10. In 11th SSDEC in its meeting dated 10.06.2026 decided that the reply submitted by the institute to be verified through a Joint Inspection. the findings of the inspection team shall be put up in next SSDEC meeting. 11. Accordingly, joint inspection of the ITI was conducted on 18.06.2026 and Inspecting Committee recorded the following deficiencies: a) S No. 138, 143 to 149 and 152, 154 machineries not in working condition as per syllabus tool list. 12. The Inspecting Committee recommended De-affiliation of ITI 13. Additionally, vide mail dated 22.06.2026, IC team Stated:' During the Joint Inspection of Shri Hari Aadarsh Private ITI (PR08001302), Borunda, Pipar City, Jodhpur, it was informed by the institute management that the Mechanic Diesel Trade had already been de-affiliated. Further, the workshop of the	are hereby de-affiliated. No admissions shall be permitted in the institute from the Academic Session 2026-27 onwards.

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
			Mechanic Diesel Trade was neither shown during the inspection nor reflected in the approved building plan submitted by the institute. 14. The matter was revisited in 12th SSDEC in its meeting dated 23.06.2026 and SSDEC decided to forward De-affiliation proposal for Electrician 3(2+1) and Mechanic Diesel 2(1+1) due to following reasons: a) Inspecting Committee has recorded deficiency of tools and equipment in trade Electrician trade in line with the deficiency recorded by previous inspection team. Despite being provided with multiple opportunities to rectify the shortcomings, the ITI has failed to ensure compliance. b) The workshop of the Mechanic Diesel Trade was neither shown during the inspection nor reflected in the approved building plan submitted by the institute	

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
28.	Aadarsh Private Industrial Training Institute, Address - Khasra No. 482, V &P Haripura, Panchayat Samittee Osian (Jodhpur) 342303 MIS Code - PR08001061	1. Health Sanitary Inspector – 2(1+1) 2. Electrician – 6(3+3) 3. Mechanic Diesel -2(1+1) 4. Fitter – 2(1+1) Wireman - 2(1+1)	1. Irregularities observed during initial Inspection conducted by State official on 24.12.2024. 2. SCN was issued to the ITI by the State on 04.01.2025. 3. The ITI replied to the SCN on 13.01.2025. 4. Further, a joint inspection was conducted on 17.09.2025. 5. Joint Inspection committee has recommended continuation of affiliation for following trade/units: Electrician – 6 (2+2+2), Fitter - 2 (1+1), Mechanic Diesel - 2(1+1) and Health Sanitary Inspector - 2(1+1) 6. However, as per joint inspection report no deficiencies have been identified during Joint Inspection conducted on 17.09.2025: (i) Shortage of 0.71 KW electric load in the ITI was observed on the day of inspection. (ii) The Wireman trade lab was not found available	The matter was discussed in the SCAA meeting and the SCAA remarks/decision are as under: 1. SCAA, having considered the recommendation of the SSDEC, is of the opinion that the Wireman – 2(1+1) trade/units warrant de-affiliation on account of non-availability of the Wireman lab. Accordingly, the Wireman – 2(1+1) trade/units are hereby de-affiliated. No admissions in this trade shall be permitted from the Academic Session 2026-27 onwards.

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
			on the day of inspection. (iii) Mech. Diesel Area is found 110 Sq mt². with parking. (iv) In the Health Sanitary Inspector lab, the LCD, Projector, Refrigerator and computers were not installed. 7. The matter of the ITI was discussed in the 10th SSDEC meeting held on 23.09.2025 and the 10th SSDEC recommended de-affiliation of the ITI due to shortfall in electric load and not recommended Wireman 2(1+1) . 8. Thereafter, State Directorate submitted that as per the discussion held with Chairperson SSDEC with State DET and RDSDE on 25.09.2025 in respect of 9th and 10th SSDEC, the ITI is conditionally recommended for affiliation of following trades/units, subject to removal of deficiency in electric load: i. Electrician – 6 (2+2+2) ii. Fitter - 2 (1+1) iii. Mechanic Diesel - 2(1+1)	

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
			iv. Health Sanitary Inspector - 2(1+1) Admissions in Electrician trade 2 (1+1+0) shall remain on hold until the recorded deficiencies are rectified. Also, the SSDEC not recommended the Wireman trade as per discussion held on 25.09.2025. 9. The matter was discussed in 25th SCAA dated 13.11.2025 and 14.11.2025 in which SCAA decided the following: a) SSDEC to provide clarification on following points: i. Whether the ITI has removed the electric load deficiency in the stipulated time. ii. No reasons provided by SSDEC for not recommended Wireman trade. 10. The matter was again discussed in 11th SSDEC in its meeting dated 10.06.2026 and SSDEC recommended de-affiliation due to following reasons:	

Sr. No .	Name of ITI, Address and MIS Code	Trade Shift & Unit (As per SIDH Portal)	Brief of Matter as provided by SSDEC	33 rd SCAA remarks
(1)	(2)	(3)	(4)	(5)
			a) Inspection Committee has not recommended 'Wireman trade', with remarks ' The Wireman trade lab was not found available on the day of inspection'. SSDEC to forward proposal of de-affiliation of Wireman Trade, b) ITI has provided reply that additional sanctioned load has been applied.	
29.	Sorabh Pvt ITI Kheda, Karauli, Khasra No. 953/2 Vill & Post Kheda Hindaun City, Dist - Karauli (PR08001089)	Electrician - (22+22)	The above-mentioned ITI has submitted an application for closure of the entire institute with effect from the academic session 2026–27. The institute has stated that, as per the resolution passed in the Society meeting held on 05.12.2026, it has decided to close the institute due to low admissions and the resulting financial hardship. In view of the above, the ITI management has expressed its inability to conduct the proposed joint physical inspection scheduled for 03.07.2026.	The matter was discussed in the SCAA meeting and SCAA accepted ITI's own request for voluntary closure of the institute, therefore, the Electrician (22+22) trade/units are hereby de-affiliated. No admissions in the institute shall be permitted from the Academic Session 2026–27 onwards.
